



Environmental Factors Survey



Manhattan Place ES (c. 1951)	Principal	Rosa Leon
1850 W. 96th St., LA 90047	E-mail	rleon1@lausd.net
323-756-1308	Phone	323-673-5489

	Yes	No	Notes
Rail Line (active, easement, or spurs) within 128 ft?		X	
Cellular Phone Antenna adjacent or on site?		X	
50-200 kV Power line within 100 ft (above ground)/25 ft (below ground)?		X	
200-230 kV Power line within 150 ft (above ground)/37.5 ft (below ground)?		X	
500-550 kV Power line within 350 ft (above ground)/87.5 ft (below ground)?		X	
Major Transportation Corridor within 500 feet?		X	
Reservoirs, Water, or Fuel Storage Tank facilities within 500 feet?		X	
Haz Mat Transmission pipelines within 50 feet?		X	
Oil Production Facilities (existing or former oil wells/borings and processing equipment) within 50 ft?		X	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?	X		Methane Zone
Located within a High Risk Radon Zone?		X	
Superfund Site within 500 ft?		X	
Landfill facility within 500 ft?		X	
Mapped or active earthquake fault within 500 ft?		X	
CalEPA Regulated Sites of Concern* within 500 ft?		X	GRAMERCY SWITCHING STATION (500' south of school across 98th St)

* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <https://siteportal.calepa.ca.gov/>