



Environmental Factors Survey



Olympic PC (c. 2005)	Principal	Ruth Walker	
950 S Albany St, Los Angeles, CA 90015	E-mail	ret4716@lausd.net	
213-739-2753	Site ID	13921	
	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?		X	
Cellular phone antenna adjacent or on site?		X	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?		X	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?		X	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?		X	
Major transportation corridor within 500 ft?	X		110 Freeway (400 ft southeast of the school)
Reservoirs, water, or fuel storage tank facilities within 500 ft?		X	
Haz mat transmission pipelines within 50 ft?		X	
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?		X	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?		X	
Located within a High Risk Radon Zone?		X	
Superfund Site within 500 ft?		X	
Landfill facility within 500 ft?		X	
Mapped or active earthquake fault within 500 ft?		X	
CalEPA Regulated Sites of Concern* within 500 ft?		X	
* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:			
- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools			
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school			
- Users can click on the regulated sites to find out additional information about the sites			
- The Portal also includes tools to measure the distances between locations on the map			
Here is a link to the CalEPA Regulated Site Portal:	https://siteportal.calepa.ca.gov/		

This survey was completed in August 2024.