

## **Environmental Factors Survey**



| Richard Riordan Primary Center (c. 2004)                        | Principal |    | Lynn Elias   |
|---|-----------|----|--|
| 5531 MONTE VISTA ST, LOS ANGELES, CA 90042                      | E-mail    |    | LCE3803@lausd.net  |
| 323-551-6822  | Site ID   |    | 13858  |
|   | -         |    |  |
|   | Yes       | No | Notes  |
| Rail line (active, easement, or spurs) within 128 ft?           |           | Χ  |  |
| Cellular phone antenna adjacent or on site?                     |           | Χ  |  |
| 50-200 kilovolt (kV) power line within 100 ft (above            | Х         |    | SCE 66kV overhead power line (adjacent to school's southern boundary along Monte Vista St)                           |
| ground)/25 ft (below ground)?                                   |           |    |  |
| 200-230 kV power line within 150 ft (above ground)/37.5 ft      |           | Х  |  |
| (below ground)?   |           | ^  |  |
| 500-550 kV ower line within 350 ft (above ground)/87.5 ft       |           | Х  |  |
| (below ground)?   |           | ^  |  |
| Major transportation corridor within 500 ft?                    |           | Χ  |  |
| Reservoirs, water, or fuel storage tank facilities within 500   |           | Х  |  |
| ft?   |           | ^  |  |
| Haz mat transmission pipelines within 50 ft?                    |           | Χ  |  |
| Oil production facilities (existing or former oil wells/borings |           | Х  |  |
| and processing equipment) within 50 ft?                         |           | ^  |  |
| Located within an Oil Field / Methane Zone / Methane            |           | Х  |  |
| Buffer Zone?  |           | ^  |  |
| Located within a High Risk Radon Zone?                          |           | Χ  |  |
| Superfund Site within 500 ft?                                   |           | Χ  |  |
| Landfill facility within 500 ft?                                |           | Χ  |  |
| Mapped or active earthquake fault within 500 ft?                | Χ         |    | Hollywood Fault (approximately 475 ft north of the school)   |
| CalEPA Regulated Sites of Concern* within 500 ft?               | Х         |    | Chris's Auto Service (across the street from the southeast corner of the school on the south side of Monte Vista St) |

<sup>\*</sup> The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <a href="https://siteportal.calepa.ca.gov/">https://siteportal.calepa.ca.gov/</a>