NUMBER PRODUCT	MANUFACTURER	CLASS	Evaluation	USER	REMARKS
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1 ENVIRONMENTAL MASTER MECH AERO (PRODUCT # 0351)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
T ETTINGTIMETTAE MAGTER MEGTI AERO (TRODUCT # 0331)	Online Onli	antenance and operations rioducts	MITROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2 DIG D WATER SOLUBLE DECIDORANT LEMON	BIG D INDUSTRIES, INC.	Maintenance and Operations 2	APPROVED		
2 BIG D WATER SOLUBLE DEODORANT LEMON	DIO D INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
A CATALOGY PLAN OF FEB.	04VD07 40D0 IVO				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3 CATALYST EMULSIFIED IN H2O INSECTICIDE	SANDOZ AGRO, INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4 ALOE VESTA PERINEAL SOLUTION	CALGON VESTAL LABORATORIES	Nursing Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If described exposure symptom occur, wear NIOSH approved organic
5 AMERSHIELD	AMERON PROTECTIVE COATINGS	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
8 ROSS POSTER COLORS	CONROS CORPORATION	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
9 LOW-VOC EPOXY GLAZE CATALYST	PERFECTION PAINT AND COLOR COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
10 EPOXY GLAZE CATALYST	LILY INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
IN ELONI ODNE ONINCIOI		, GHE FIOUUCE	MITROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
11 CARPET MAGIC RUG SHAMPOOI2:1 (BLUE LUSTRE)	CARPET MAGIC, INC.				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
CARPET MAGIC RUG SHAMPOOIZ:1 (BLUE LUSTRE)	CARPET MAGIC, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
12 BALANCED POWER	JANISOURCE PROFESSIONAL PRODUCTS-DIV. OF ECOLABINC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
13 KAR STRIP EPOXY	KAR PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					the described symptoms occur, wear NIOSH approved P100 cartridge respirator.
14 DPD FREE CHLORINE REAGENT	HACH COMPANY	HVAC Products	APPROVED		Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
15 DPD TOTAL CHLORINE REAGENT	HACH COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
16 KNAP BACK	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
17 DDC (MSDS #1455)	MAINTEX INC.	Food Services Products	APPROVED		manufacturer's label.
* * * * * * * * * * * * * * * * * * * *		. 250 00110001100001	ALLMOVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
19 MG-500 (FLOOR TILE ALKALINE CLEANER)	MORGAN-GALLACHER, INC.	Food Services Products	APPROVED		manufacturer's label.
19 NO 300 (LOOK TILE ALVALINE CLEANER)	MONORY OALDICHLING.	TODA SELVICES FLOAUCES	AFFROVED		(Liquid) Comm. Code 4851315128 Wear rubber/neoprene gloves and chemical
OO DICH DETERCENT	THE DADDON COMPANY INC	Freed Breeders Breed	**************************************		
20 DISH DETERGENT	THE DARRON COMPANY, INC.	Food Services Products	APPROVED		splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
21 MG 0000203 (RESCUE)	MORGAN-GALLACHER, INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
22 KLEEN AID (OVEN CLEANER)	CARROLL CALIFORNIA VENTURES, INC	Food Services Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
23 SERCO SPRAY CLEAN (NO:0-27007)	US FOODSERVICE	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
24 ALLURE INSECT ATTRACTANT LURES	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
25 AMS BLUESPARKLE	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		manufacturer's label.

					Warranth and a second and a second as the control of the control o
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
26 AMS LOW SUDS LAUNDRY DETERGENT	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
27 AMS HI LITE HAND DISHPOWDER DETERGENT	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
28 DISCIDE 32	PRIVATE LABEL LABORATORIES, INC.	Food Services Products	APPROVED		manufacturer's label.
20		Toda Services Froducts	ALLKOVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
30 CUSTOM COATED PVC VINYL FOIL PRODUCT	TRIEX INCORPORATED	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
31 CITRA-CIDE	MAINTEX INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
32 SANI-CIDE 94	MAINTEX INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
02		1000 001110001100000	ALLINOVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
33 F-112 (CLEANER CONCENTRATE)	MAINTEX INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
34 SPITFIRE RTUtm	S.C. JOHNSON & SON, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
35 ODO-SHIELD ODOR ELIMINATOR CLEANER (#AN 219-51A)	ODO-SHIELD, DIVISION OF AMERI-NET INDUSTRIES	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
35 ODO STILLED ODOK ELIMINATOR GLEANER (#AN 213 SIA)	ODO SHIELD, DIVISION OF AMERI NET INDUSTRIES	Automotive Products	APPROVED		• 1
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
36 ODO-SHIELD FRESH SCENT GLASS CLEANER AN 219-57A	ODO-SHIELD, DIVISION OF AMERI-NET INDUSTRIES	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
37 FORMULA 8800	ALCO PRODUCTS, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
38 COIL HD (5033)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
38 COL HD (5033)	AMERICAN INDUSTRIAL SUFFET INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
39 SUPER POWER	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
40 TEKUSOLV	CERTIFIED LABS, DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		•			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
42 P-1500 POTION STIK (EPOXY PUTTY STEEL STICKS)	DEL REY CHEMICAL COMPANY				
42 F-1900 FOTION STIK (EFOXT FOTTT STEEL STICKS)	DEL RET CHEMICAL COMPANY	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
44 DEMIZE E. C.	SPEER PRODUCTS INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
44 DEMIZE E. C.	SPEER PRODUCTS INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
44 DEMIZE E.C.	SPEER PRODUCTS INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
	SPEER PRODUCTS INC. THE STATE CHEMICAL MANUFACTURING CO.	·			cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
44 DEMIZE E. C. 45 TUF PALTYPE: A POWDERED EXPANSION CEMENT		Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
		·			cartridge respirator. Follow manufacturer's label. Waarn hitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
		·			cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800)	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Warn ritrile rubber/neoprene gloves and chemical spiash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800)	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn nitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800)	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene gloves and chemical splash gaggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waarn rikrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD vertillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn rikrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD vertillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn rikrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD vertillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn rikrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD vertillation. If PEL is exceeded, wear NIOSH approved organic vapor
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800)	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waern ritrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn ritrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn ritrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn ritrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822 48 PORTERSEPT LATEX SEMI-GLOSS #3852	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene glowes and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation If PEL is exceeded, wear NIOSH approved organic vapor
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822 48 PORTERSEPT LATEX SEMI-GLOSS #3852	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Warn ritrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
45 TUF PAL TYPE: A POWDERED EXPANSION CEMENT 46 PORTERSEPT ACRYLIC PRIMER/FINISH (#3800) 47 PORTERSEPT INTERIOR FLAT WALL PAINT #3822 48 PORTERSEPT LATEX SEMI-GLOSS #3852	THE STATE CHEMICAL MANUFACTURING CO. COURTAULDS COATINGS COURTAULDS COATINGS COURTAULDS COATINGS	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waern hitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wearn hitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

				Wast without page year along and onless garden lies with COOD until
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
53 10% QUAT RINSE #1108	GENLABS	Food Services Products	APPROVED	manufacturer's label.
				Ducts Deodorant Wear nitrile rubber/neoprene gloves and chemical spl
				goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH a
54 FRAGRANCE BEADS	SUPERCO (VALENCIA)	HVAC Products	APPROVED	organic cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
55 NO RINSE LEMON CLEANER	GENLABS			
55 NO RINSE LEMON CLEANER	GENLABS	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
57 LOYAL WATERLESS HAND CLEANER	ROYAL SOAP & CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with G
58 METHYLENE BLUE, TRIHYDRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with G
THE NEUTRAL REP	ODEOTRUM OUTSMOAL MEG. GODD			
59 NEUTRAL RED	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with G
60 BRILLIANT GREEN	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
61 CALIFORNIA TI-COAT COMPONENT A	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
UI CALI CIATA II COMI COMI CINENI M	CALL CAMPATRODUCTS CONFORMATION	r dirit Froducts	MITROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
62 CALIFORNIA TI-COAT COMPONENT B	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
CO. DIACT ALL FARRIC RIFACIL (NON CHI ORINIATED)	CALIFORNIA MINERALS INC.	Food Books - Books	APPROVED	manufacturer's label.
63 BLAST ALL FABRIC BLEACH (NON CHLORINATED)	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
64 POWER PLAY 30	GREENLINE LABORATORIES	Food Services Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
66 QUATERNARY GERMICIDAL CLEANER	FLO-KEM, INC.			
66 QUATERNARY GERMICIDAL CLEANER	FLO-KEM, INC.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
67 TRIPLE-2 GERMICIDAL CLEANER	FLO-KEM, INC.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
AN OLEANED DEODE AGED FOR	FIG. KEM ING			
68 CLEANER DEGREASER 5319	FLO-KEM, INC.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
69 D-Z-N DIAZINON AG500	CIBA-GEIGY CORP., AGRICULTURAL DIVISION	Pesticide/Herbicide Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				• .
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
70 AP GREASE (NONMELT GREASE)	THE STATE CHEMICAL MANUFACTURING CO.	Automotive Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
70 AP GREASE (NONMELT GREASE)	THE STATE CHEMICAL MANUFACTURING CO.	Automotive Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
	THE STATE CHEMICAL MANUFACTURING CO. THE STATE CHEMICAL MANUFACTURING CO.	Automotive Products Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nittile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with o ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
71 APPLE ORCHARD KONTROL (AIR FRESHENER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	Wear ubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 6 ventilation. Follow manufacturer's lobel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
7) APPLE ORCHARD KONTROL (AIR FRESHENER)				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with C ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with C ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
7) APPLE ORCHARD KONTROL (AIR FRESHENER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nittile /neoprene gloves and chemical splash goggles. Use with 6 ventilation. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use
7] APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nittile /neoprene gloves and chemical splash goggles. Use with 6 ventilation. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear ubber/neoprene gloves and spiash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 6 ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
7] APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear initile /neoprene gloves and chemical splash goggles. Use with o ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear ubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrilie /neoprene gloves and chemical splash goggles. Use with Good ventilation. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear ubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear ubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
70 AP GREASE (NONMELT GREASE) 71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENGAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear ubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 6 ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration and return of the provided respiration of the provided resp
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration and respiration of the provided
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER 79 EMBARK 2-S PLANT GROWTH REGULATOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY PBI/GORDON CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER 79 EMBARK 2-S PLANT GROWTH REGULATOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Cventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK I'M ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY PBI/GORDON CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear initile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
71 APPLE ORCHARD KONTROL (AIR FRESHENER) 75 LEAD BLOCK IM ENCAPSULATING COATING 3000 76 TAGARMOR 78 321901 CLEAN BREAK SCRUB & NO-RINSE STRIPPER 79 EMBARK 2-S PLANT GROWTH REGULATOR	THE STATE CHEMICAL MANUFACTURING CO. PREMIER COATINGS, INC. LBR PROTECTIVE COATINGS TECHNOLOGIES WAXIE SANITARY SUPPLY PBI/GORDON CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
82 ALCOHOL TERMINATOR	DOMENIC ARGENIO ASSOCIATES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
02 ALGORIOL TERMINATOR	DOMESTIC ARCENTO ACCOMATEC	maintenance and operations moducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
A A DUDODAN TO TERMITIONE CONCENTRATES	DOMES AND O				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
84 DURSBAN TC TERMITICIDE CONCENTRATE*	DOWELANCO	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
85 STERLING MAGIC	STERLING PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
86 DUR-A-THANE S7I	WTS INCORPORATED	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
87 SO-SAFE SAFETY SHIELD	SO-SAFE/BRACTON CHEMICAL CO. LTD	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
89 ACRYLIC EMULSION PAINT (265)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
G ACTURE EMPERIOR ANT (200)	OAL WESTERN ANTO	runtrioducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
90 VINYL-ACRYLIC LATEX (W300)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
91 ACRYLIC VINYL LATEX (777)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
92 ACRYLIC EMULSION PAINT (477)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
<u> </u>		TankTroddots	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
** ***********************************	CAL-WESTERN PAINTS				
93 ACRYLIC EMULSION PAINT (CC77 OR 77)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
94 ACRYLIC EMULSION PAINT (400)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
95 KK 101	KEM-KINETICS LABORATORIES	HVAC Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
96 KK 101C	KEM-KINETICS LABORATORIES	HVAC Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
97 KK 208	KEM-KINETICS LABORATORIES	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3,		TIVACTIOUGES	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
98 DOCK-IT (DUMPSTER ODOR COUNTERACTANT AND KILLER)	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
99 SHIELD A	SUPERCO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
100 ZAP DETERGENT DISINFECTANT	UNIT CHEMICAL CORPORATION	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
101 ERASER	GOLDEN WEST CORP.	Graffiti Products	APPROVED		respirator. Follow manufacturer's label.
IUI ERASER	GOLDEN WEST CORP.	Graniti Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
102 RHOPLEX AC-829 EMULSIO (PRODUCT #64851)	ROHM AND HASS COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with 0
				The approval of this product is ONLY for building engineers (refrigeratio	n ventilation. If any of the described exposure symptoms occur,wear acid
103 709-L DESCALER	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED	unit)	cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
104 HEAVY-DUTY INDUSTRIAL CLEANER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
104 HEAVY-DUTY INDUSTRIAL CLEANER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		
104 HEAVY-DUTY INDUSTRIAL CLEANER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD vention
104 HEAVY-DUTY INDUSTRIAL CLEANER 105 TILE & CHROME CLEANER AK-OII	ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		

					Wear chemical splash goggles. Use with GOOD ventilation. If PEL is ex
					wear NIOSH approved organic vapor cartridge respirator. Follow mar
107 PROTECTIVE HAND CREAM (SHIELD)	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		lahel
(SHELD)	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
108 SUPER PEN (LUBRICANT)	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
109 THORTEX WALL	E. WOOD LTD.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
110 UNITED 798 QUIK-MELT (MASTIC REMOVER)	UNITED LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
111 ZEP STOVE AND OVEN CLEANER(#;0271)	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
114 AP-24	BETTERBILT CHEMICALS, INC.	Malatan and a santian Bradust	APPROVED		manufacturer's label.
4 AF-24	DETTERBILI CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
116 NATURAL CITRUS DEG. DEOD. & DECLOGGER	BETTERBILT CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use wit
117 WEX-CIDE (EPA REG 34810-8)	WEXFORD LABS, INC.	Nursing Services Products	APPROVED	FOR:NURSING SERVICES	ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation.
18 3M GENERAL PURPOSE ADH. CLEANER (PNS08984,08984&89)	3M	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
<u> </u>					Wear nitrile rubber/neoprene gloves and chemical splash goggles.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v
119 STRIKE BAC LEMON ODOR DISINFECTANT 2.5	GENLABS	Malatan and a santian Bradust	APPROVED		cartridge respirator. Follow manufacturer's label.
119 STRIKE BAC LEMON ODOR DISINFECTANT 2.5	GENLABS	Maintenance and Operations Products	APPROVED		• ,
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. I
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v
121 ONCE-A-YEAR (PRODUCT 40)	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation.
23 MIRRO GLIDE [ALL COLORS (143)]	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. I
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
24 EX 2000 BUS WASH	I. SHAV CHEMICAL	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v
25 EP 680, INDUSTRIAL CLEANER	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
EJ EJ GGG, HEGGENIAL GLEATER	DIATA INDUSTRIES INTERNATIONAL, INC.	muniteriarice and operations moducis	ALLKOVED		carriage respirator, relief manaracturer stabel.
					Magaz pitalo v shboy/popyono glavos and shomical enlash as gales l
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v
26 HS 1000, HEAVY DUTY CLEANER	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
26 HS 1000, HEAVY DUTY CLEANER	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
26 HS 1000, HEAVY DUTY CLEANER	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator, Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
	DIANA INDUSTRIES INTERNATIONAL, INC. BELZONA MOLECULAR METALIFE, INC.	Maintenance and Operations Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator, Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator, Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator, Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY)	BEIZONA MOLECULAR METALIFE, INC.	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label.
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY)	BEIZONA MOLECULAR METALIFE, INC.	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASEYELLOW	BELZONA MOLECULAR METAUFE, INC. BELZONA MOLECULAR METAUFE, INC.	Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASEYELLOW	BEIZONA MOLECULAR METALIFE, INC.	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label.
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASEYELLOW	BELZONA MOLECULAR METAUFE, INC. BELZONA MOLECULAR METAUFE, INC.	Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 29 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC.	Paint Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vel. is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vel. is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vel. is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vel. is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vel. is exceeded.
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 29 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER	BELZONA MOLECULAR METAUFE, INC. BELZONA MOLECULAR METAUFE, INC.	Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 29 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC.	Paint Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 29 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC.	Paint Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
27 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC.	Paint Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved organic vapor cartridge respi manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD v
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 28 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 29 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER 30 BEROL 500 REMBRANDT SERIES PEN	BELZONA MOLECULAR METALIFE, INC. BELZONA MOLECULAR METALIFE, INC. BALZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP.	Paint Products Paint Products Paint Products Office Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiranufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 128 BELZONA MOLECULAR GRANOGRIP-BASE	BELZONA MOLECULAR METALIFE, INC. BELZONA MOLECULAR METALIFE, INC. BALZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BEROL USA, DIVISION OF EMPIRE BEROL CORP.	Paint Products Paint Products Paint Products Office Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 128 BELZONA MOLECULAR GRANOGRIP-BASE	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BETZ LABORATORIES, INC.	Paint Products Paint Products Paint Products Office Products Office Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 128 BELZONA MOLECULAR GRANOGRIP-BASE	BELZONA MOLECULAR METALIFE, INC. BELZONA MOLECULAR METALIFE, INC. BALZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BEROL USA, DIVISION OF EMPIRE BEROL CORP.	Paint Products Paint Products Paint Products Office Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubter/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 128 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 129 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER 130 BEROL 500 REMBRANDT SERIES PEN 131 BEROL 900 REMBRANDT SERIES OHP 132 BETZ PERMATREAT 302	BELZONA MOLECULAR METALIFE, INC. BELZONA MOLECULAR METALIFE, INC. BALZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BETZ LABORATORIES, INC. CARROLL CALIFORNIA VENTURES, INC.	Paint Products Paint Products Paint Products Office Products Office Products Paint Products Food Services Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respis manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use with good very neoprene gloves and chemical splash goggles. Use wi
127 BELZONA MOLECULAR GRANOGRIP-BASE (RED ANS GREY) 128 BELZONA MOLECULAR GRANOGRIP-BASE YELLOW 129 BALZONA MOLECULAR GRANOGRIP-BASE YELLOW 129 BALZONA MOLECULAR GRANOGRIP SOLIDIFIER 130 BEROL 500 REMBRANDT SERIES PEN 131 BEROL 900 REMBRANDT SERIES OHP 132 BETZ PERMATREAT 302 133 LIQUID DETERGENT YELLOW 134 LOYAL LEMON DISH DETERGENT 136 DIAMOND D RUBRITE (COMMUTATOR TREATING&DRESSINGSTON)	BEIZONA MOLECULAR METALIFE, INC. BEIZONA MOLECULAR METALIFE, INC. BAIZONA MOLECULAR METALIFE, INC. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BEROL USA, DIVISION OF EMPIRE BEROL CORP. BETZ LABORATORIES, INC. CARROLL CALIFORNIA VENTURES, INC. ROYAL SOAP & CHEMICAL CO.	Paint Products Paint Products Paint Products Office Products Office Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear rubter/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.

				#3824 IS: EXTRA DEEP BASE Wear rubber/neoprene gloves and splash go
				Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved orgo
140 PORTERSEPT INTERIOR FLAT WALL PAINT # 3824	COURTAULDS COATINGS	Paint Products	APPROVED	vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
141 PORTERSEPT LATEX SEMI-GLOSS # 3851,3853,3854	COURTAULDS COATINGS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
143 ACETIC ACID, GLACIAL	J.T. BAKER INC.	School Products	APPROVED	manufacturer's label.
143		SchoolFroducts	AFROYED	Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If any of the described exposure symptoms occur, wear NIOS
144 BUBBLE GUM DEODORIZER	MAINTEX INC.			approved organic vapor cartridge respirator. Store and use away from a
144 BUBBLE GUM DEODORIZER	MAINTEA INC.	Maintenance and Operations Products	APPROVED	ignition source. Follow manufact
	MAINTEX INC			Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
146 LO.D. LIQUID ODOR DIGESTOR	MAINTEX INC.	Maintenance and Operations Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with G
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
147 MAINKLEEN (LOW FOAM FLOOR CLEANER CONCENTRATE)	MAINTEX INC.	Food Services Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
149 HOT SPRINGS 4X1 321204	BUTCHER COMPANY	Food Services Products	APPROVED	Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
151 ALL GONE	FRIENDLY SYSTEMS INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
152 LIFT-OFF N.A.	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
153 BORATED HAND SOAP	THE DARRON COMPANY, INC.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
100 BOUNTED THAT GOAL	THE DARKOT COME ATT, ITO.	TOOG SELVICES FLOUDCES	AFROYED	THIS PRODUCT IS THE LIQUID A33. Wear nitrile rubber/neoprene gloves ar
				chemical splash goggles. Use with GOOD ventilation. Follow manufactur
ACC (LIQUID QUATERNARY PETEROFALT DIGINES OTANT)	AIRKEM PROFESSIONAL PRODUCTS			
154 A33 (LIQUID QUATERNARY DETERGENT DISINFECTANT)	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED	label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
155 SANI-BAC (#3001 & #5146)	AMERICAN COATING CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
157 TYLO 2	POLYTECH	Maintenance and Operations Products	APPROVED	TILE CLEANER (LIME REMOVER)
159 WEATHER KING 11 LATEX HOUSE PAINT-WHITE #668-00	O'BRIEN CORPORATION	Paint Products	APPROVED	
161 FUL-STAIN FLAT LATEX HOUSE PAINT-WHITE # 667-00	O'BRIEN CORPORATION	Paint Products	APPROVED	
162 CONCO PRO-PAINTS 320 (CAT. 2035020)	SMILAND PAINT COMPANY	Paint Products	APPROVED	VENDOR: HOME DEPOT
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
164 CALIFORNIA PLEXICOLOR LINE PAINT#6020#6220	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED	manufacturer's label.
164 CALIFORNIA FLEXICOLOR LINE PAINT#6020#6220	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
165 3M BLUE GLUE NF CARPET ADHESIVE	3M	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
166 CA3600SOLVENT-FREEHIGHPERFORMANCECONSTRUCTIONADHES	HILTI, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
102 DODTEDCEDT A CRANG DRIVATED (ENVIRON (2000)				
167 PORTERSEPT ACRYLIC PRIMER/FINISH (3800)	COURTAULDS COATINGS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
10/ FORTERSEFT ACREEC FRIMER/FINISH (SOUU)	COURTAULDS COATINGS	Paint Products	APPROVED	
ID/ PORTERSEFT MORTELO PRIMER/FINISH (3800)	COURTAULDS COATINGS	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	COURTAULDS COATINGS ARTEX MFG. CO.	Paint Products Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
IBB NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168)	ARTEX MFG. CO.	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapicartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapicartridge respirator. Follow manufacturer's label.
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168)	ARTEX MFG. CO.	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168)	ARTEX MFG. CO.	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104.117,168) 171 AMWAY 3-D	ARTEX MFG. CO.	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104.117,168) 171 AMWAY 3-D	ARTEX MFG. CO. AMWAY CORPORATION	Paint Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapicantridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapicartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapicatridge respirator. Follow manufacturer's label.
168 NOVA COLOR ARTISTS PAINTS NOS.100-199 (Except.104,117,168)	ARTEX MFG. CO. AMWAY CORPORATION	Paint Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168) 171 AMWAY 3-D 172 RTV 100 (SILICONE RUBBER SEALANT	ARTEX MFG. CO. AMWAY CORPORATION	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168) 171 AMWAY 3-D	ARTEX MFG. CO. AMWAY CORPORATION NOVAGARD INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventiliation. If PEL is exceeded, wear NIOSH approved organic vapricartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapricartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapricartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapricartridge respirator. Follow manufacturer's label.
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168) 171 AMWAY 3-D 172 RTV 100 (SILICONE RUBBER SEALANT	ARTEX MFG. CO. AMWAY CORPORATION NOVAGARD INC.	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.
168 NOVA COLOR ARTISTS' PAINTS NOS.100-199 (Except 104,117,168) 171 AMWAY 3-D 172 RTV 100 (SILICONE RUBBER SEALANT	ARTEX MFG. CO. AMWAY CORPORATION NOVAGARD INC.	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
175 MITA MT-23 TONER	NASHUA CORP.	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
177 MINERAL SPIRITS 66	ASHLAND CHEMICAL COMPANY	Automotive Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
178 MINERAL SPIRITS 4% AROMATICS	ASHLAND CHEMICAL COMPANY				manufacturer's label.
1/8 MINERAL SPIRITS 4% AROMATICS	ASPLAND CHEMICAL COMPANY	Automotive Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
179 KWIK DRI 66	ASHLAND CHEMICAL COMPANY	Automotive Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
180 ROOT KILLER	ATHEA LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					TO BE USED FOR SMOKE ODOR CONTROL AFTER A FIRE Wear nitrile rubber/neop
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Use an
181 ODOR KILLER FOGGER (NO: 341)	BIG D INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		store away from any ignition sources. Follow manufacturer's label.
185 EXPO DRY ERASE MARKERS BROAD TIP	SANFORD CORPORATION	School Products	APPROVED		Keep away from ignition sources. Keep cap on marker when not in use.
186 EXPO II DRY ERASE MARKERS	SANFORD CORPORATION	School Products	APPROVED		Keep away from any source of ignition. Keep cap on marker when not in use
		SONO TOUGOS	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. Keep away from any source
187 DRY ERASE WHITE BOARD MARKER	DENNINSON STATIONERY PRODUCTS COMPANY	School Products	APPROVED		ignition. Keep cap on .
					INGREDIENTS INFORMATION ARE TRADE SECRETS Wear nitrile rubber/neoprene
					gloves and chemical splash goggles. Use with GOOD ventilation. If any of the
					described exposure symptoms occur, wear NIOSH approved organic vapor
188 SUPER CHOICE SUPER CLEAN (2120 CLEAR)	AMERICAN FORMULATING & MANUFACTURING	Malatan and Consenting Develope	APPROVED		cartridge respirator.Follow manufacturer's label.
188 SUPER CHOICE SUPER CLEAN (2120 CLEAR)	AMERICAN FORMULATING & MANUFACTURING	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
189 APPLE SEWER SWEETENER	ATHEA LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
190 EXCALIBUR LUBRICATING	ASTRA INDUSTRIAL SERVICES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
190 EXCADIBOR COBRICATINO	ASTRA INDUSTRIAL SERVICES, INC.	Maintenance and Operations Products	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
191 VA-10	ASTRA INDUSTRIAL SERVICES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Keep containe
					away from any ignition sources. Use with GOOD ventilation. If any of the
					described symptoms occur, wear NIOSH approved organic vapor cartridge
AND COOK OFF PERMOVED	ATLANTA GUNDDIFO	- 401-			
192 GOOF OFF REMOVER	ATLANTA SUNDRIES	Graffiti Products	APPROVED		respirator. Follow manufacturer's la
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
193 BALL STRIP-IT (DETERGENT/SOLVENT CLEANER)	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
		•			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
194 KLEENOL 30	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Secretives Section	ADDDO://CD		manufacturer's label.
194 NEEDOCOU	MISSION EMBORALIONIES/ MISSION RECENSIVEER PRODUCTS	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
203 SCRUB (FORMULATED LOTIONIZED SKIN CLEANER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
205 GROUT SEALER	AQUA MIX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
EGG = GEPALEN		antenance and operations rioducts	MITROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
206 PRE VENT	THE STATE CHEMICAL MANUFACTURING CO.	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
		Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
207 TEMPO 20% WETTARI F POWOSP	MORAY COPPORATION				carriage respirator, rollow mattalacturers tables.
207 TEMPO 20% WETTABLE POWDER	MOBAY CORPORATION	Pesticide/Herbicide Products	ATTROVED		Maga pitallo subbas apparano di control di coloria di c
207 TEMPO 20% WETTABLE POWDER	MOBAY CORPORATION	Pesticide/Herbicide Products	ATROVES		
207 TEMPO 20% WETTABLE POWDER 208 WATER PRESERVER TM CONCENTRATE	MOBAY CORPORATION 7C'S SAFETY & ENVIRONMENTAL, INC.	Pesticiae/Herbiciae Products	ATTIONED	FOR EARTHQUAKE EMERGENCY SUPPLIES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wilt GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
209 WHITMIRE AVERT CRACK AND CREVICE BAIT	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
210 MAXFORCE ROACH KILLER BAIT GEL	THE CLOROX COMPANY	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
211 ERC-ICE JACKET	E.R.C. ENTERPRISES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
212 AQUA PLUS (PRODUCT#9350)	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
213 ALGAECIDE (PRODUCT #7208)	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
214 QUEST IV (PRODUCT #9277)	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
215 CHEMTREAT CL-1406	CHEMTREAT, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
216 CHEMICAL TREATMENT CL-2150	CHEMTREAT, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
216 CHEMICAL TREATMENT CL-2150	CHEMIREAI, INC.	Maintenance and Operations Products	APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
PARIOUADD DEGULAD	ACCO MENTERN CUENTON CORP.				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label.
217 RAINGUARD REGULAR	SOCO-WESTERN CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
218 OHIO TECH SMOOTH SURFACE FLOOR SHINE	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
219 OHIO TECH SQEAKY WINDOW/GLASS CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
220 OHIO TECH QUICK GRIME EMULSIFIER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		
221 STAINLESS STEEL CERAMIC CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		
					FLOOR FINISH-USE RESTR.TO YEAR ROUNDCREW Wear rubber/neoprene glove
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
222 LASTING IMPRESSION	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
AND DESTADE BUG STEAM BOWDED		Maintenance and Operations Products	APPROVED		manufacturer's label.
223 RESTORE RUG STEAM POWDER	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS				
223 RESTORE RUG STEAM POWDER	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS		AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
223 RESTORE RUG STEAM POWDER	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS		AFFROVED		
224 UNIKLEEN	MISSION LABORA I ORIES/MISSION KLEENSWEEP PRODUCTS IPAX CLEANOGEL, INC.	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. if PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	·	·			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	·	·			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
224 UNIKLEEN	·	Maintenance and Operations Products			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	IPAX CLEANOGEL, INC.	·	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
224 UNIKLEEN	IPAX CLEANOGEL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
224 UNIKLEEN 225 FINISHIN	IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Waarn intrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
224 UNIKLEEN	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene glowes and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene glowes and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label.
224 UNIKLEEN 225 FINISHIN	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilations and the splash goggles. Use with GOOD ventilations and goggles.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilating PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor.
224 UNIKLEEN 225 FINISHIN	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the period of the perio
224 UNIKIEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cortridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilating PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOO,50-1(F1980)	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
224 UNIKIEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubter/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilater PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO ventilater per laber.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOO,50-1(F1980)	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOO,50-1(F1980)	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Pellow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 228 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOQ,50-1(FI980) 229 I-NAPHTHOL	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS SPECTRUM CHEMICAL MFG, CORP.	Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fmanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fmanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fmanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label. **REMOVED FROM PURCHASING BIO SPECS PER BILL CURRIE (Pest managemein institute crusultant) Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 226 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOO,50-1(F1980)	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Pellow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 228 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOQ,50-1(FI980) 229 I-NAPHTHOL	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS SPECTRUM CHEMICAL MFG, CORP.	Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label. ***REMOVED FROM PURCHASING BIO SPECS FER BILL CURRIE (Pest management institute crusultant) Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 228 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOQ,50-1(FI980) 229 I-NAPHTHOL	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS SPECTRUM CHEMICAL MFG, CORP.	Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label. ***REMOVED FROM PURCHASING BIO SPECS FER BILL CURRIE (Pest management institute crusultant) Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
224 UNIKLEEN 225 FINISHIN 228 KLEENOGEL, CALDO SPRAY, UNISOURCE 227 RENOVATOR 228 RESTORE DRI FOAM SHAMPOQ,50-1(FI980) 229 I-NAPHTHOL	IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. IPAX CLEANOGEL, INC. MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS SPECTRUM CHEMICAL MFG, CORP.	Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. **REMOVED FROM PURCHASINO BID SPECS PER BILL CURRIE (Pest managemer institute ansultant) Wear ritrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. **REMOVED FROM PURCHASINO BID SPECS PER BILL CURRIE (Pest managemer institute ansultant) Wear ritrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. ***NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear nitrile rubber/neoprene

Mathematical Content						WHO LONGER IN STOOK OR AVAILABLE TO STAFF WAS A SHAPE AS A SHAPE AS A SHAPE WAS A SHAPE AS A SHAPE A SHAPE AS A SHAPE AS A SHAPE AS A SHAPE A SHAPE AS A SHAPE A SHAP
March Marc						**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear rubber/neoprene gloves
Part	AAA DURARAN O MARCOTORE	DOW OUT MOAL LIDA				
Part	232 DURSBAN LO INSECTICIDE	DOW CHEMICAL USA	Pesticide/Herbicide Products	APPROVED		
지 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Part						
Part	233 SPIKE 80W HERBICIDE	DOWELANCO	Pesticide/Herbicide Products	APPROVED	NO LONGER IN STOCK OR AVAILABLE TO STAFF	•
Street S						
15 15 15 15 15 15 15 15						
Resemble and Profession of the Control of Technology Profession of Tech	234 EMPIRE 20	DOWELANCO	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
## 1945 1945 1945 1945 1945 1945 1945 1945						Wear nitrile/ neoprene gloves and splash goggles. Use with GOOD ventilation.
March Marc						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
### PATE OF THE	235 STICK-EM GLUE TRAPS	J.T. EATON & CO., INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
## ## ## ## ## ## ## ## ## ## ## ## ##						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Part						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
지	236 ACRYLIC FLAT (800)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
지 2000 대 2000						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
### 1841 1951 1951 1951 1951 1951 1951 1951 19						
지	237 ACRYLIC GLOSS ENAMEL, WHITE (970)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		
						Wear nitrile rubber/neoprene gloves and chemical splash goagles. Use with
2						
Part	220 INT EYT ACDYLIC ENAMEL MILITE (2527)	SDECTRA_TONE DAINT CORP	Delint Draduoto	ADDDOVED		
	236 INT. EXT. MONTEG ENAMILE, WHITE (3327)	SPECINA TONE PAINT CONF.	raint riodacts	AFFROVED		• .
변						
Profession	()					
Part	239 LATEX SEMI GLOSS, WHITE (997)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		
19-19-19-19-19-19-19-19-19-19-19-19-19-1						
Marian						
24 MINT-C-CLEAN MIDECRED CORP. Montemance and operations in Podals MITOCRO Miss in Askeriforce and operation in Podals MITOCRO Miss in Askeriforce and operations in Podals MITOCRO Miss in Askeriforce and operation in Podals MITOCRO MITOCRO MISS in Askeriforce and operation in Podals MITOCRO MI	240 P-561	POLYMERICA	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
14 MATE CALLAN MATERIAN CORPORTING NO. MATERIAN CO						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AMERICAL CLARRING C						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
Maria	241 MINT-O-CLEAN	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
File Is secoedly, and MRDCAN MRDEAN PRODUCTS PRIVE PRODUCTS PRODUCTS PRIVE PRODUCTS PRODUC	242 KANDU (CLEANING COMPOUND)	PACE PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		
Page 12 State 12			·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
14 MIR TOOK ELLOW M						
AMERICAN MARISANES AMERICAN MARI	244 TRAFFIC ZONE YELLOW	FINE LINE PAINT CORP.	Paint Products	APPROVED		
Page						Wear rubber/neoprene gloves and splash gogales. Use with GOOD ventilation
45 AMBICAN MARIANSE AMBICAN MARIENS AMBICA						
Wear rubbs/ Montanes and speaking pages. Law with COOL were contrider response and pages. Law	245 AMERICAN MANGANESE	AMERICAN MINERALS	School Broducte	ADDDOVED		
### PRIONE NO FORMULA 7 NOUSTRAL DEGREASER (CLEAMER) 248 PREDICTION CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 249 PRESTIX CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 240 PRESTIX CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 240 PRESTIX CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREASER (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CORNULA 7 NOUSTRAL DEGREES (CLEAMER) 250 PLOOR PART 15 CLEAMER (CLEAMER)	240		Scribbilifoddolb	ATTROVES		
248 PETRION PLUS FORMULA 7 INDUSTRAL GRORANSE/CLIAN PRICE OR NETRIAN TOWN METRIAN ROOT AND PROVIDED APPROVIDED Month production of Products APPROVIDED 249 PETRIX COR NET. FOR PRICE OR NET. PRICE RECEIVED BY TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOWN						
269 PRESTIKE DCOR MRC: School Products APPROVED Research was not subject / recognition and products and products APPROVED Polit Receasedd, word NOSH opproved organic vapor cartridge respirate and politic programs gloves and split paggies. Use with COOD were politic products and politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic programs gloves and split paggies. Use with COOD were politic pro	OAG DETRON DILIC FORMULA 7 INDUSTRIAL DECREASED CLEANED	DETRON INTERNATIONAL INC	Malatan and Open the Books	4 DODO (/ CD		
Woor rubber/incoprene gloves and splath goggles. Live with GOOD were part to provide or genic veryor contridge respiration and provided in the products of the products of the provided in the products of the		· · · · · · · · · · · · · · · · · · ·				manactarers laber.
Fill is exceeded, wear NOSH approved organic vapor certridge response for part 150 monufacturer is tabel. Polit Products APPROVED monufacturer is tabel. Polit Products APPROVED monufacturer is tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part is product and part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in tabel. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Polit Is exceeded, wear NOSH approved organic vapor certridge response for part in table. Pol	249 PRESTIK	DCOR INC.	School Products	APPROVED		
POLY PLUK, INC. POINT PODUCTS PARTIT TERMINATORY WESTERN PACIFIC EQUITIES, INC. PORPHOE MINISTRES, IN						
Western Pacific Equities, Inc. 25] GRAFFIT TERMINATORITY WESTERN PACIFIC EQUITIES, INC. Graffiti Products APPROVED APPROV						
File in exceeded, wor NOSH approved organic vapor cartridge respiration and personal pages. Use with GOOD were specified products and personal pages. Use with GOOD were specified products and personal pages. Use with GOOD were specified products and personal pages. Use with GOOD were personal pa	250 FLOOR PAINT 15	POLY PLUS, INC.	Paint Products	APPROVED		manufacturer's label.
251 GRAFFITTERMINATORITM WESTERN PACIFICE EQUITIES, INC. Ordfill Froducts APPROVED FEL is exceeded, woar NICSH approved organic vapor cartridge respirat products APPROVED AP						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
Wear rubber/neoprene gloves and splash goggles. Use with 6000 ver get is exceeded, we no NOSH opproved organic vapor cartridge respirat get in the provided organic vapor cartridge respirat ge						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate products approved organic vapor cartridge respirate	251 GRAFFITI TERMINATORITM	WESTERN PACIFIC EQUITIES, INC.	Graffiti Products	APPROVED		manufacturer's label.
252 ECOLO-CLEAN Q.D. VRRN PRODUCTS Graphic Arts/Photography Products APROVED COLOR ARTS PROVED COLOR ARTS PROVED COLOR ARTS PROVED COLOR APROVED COLOR APPROVED COLOR APPROVE						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED TERAND INDUSTRIES, INC. Maintenance and Operations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Z58 PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT # 209 TERAND INDUSTRIES, INC. Maintenance and Operations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED ALCONOX, INC. Maintenance and Operations Products APROVED APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APROVED						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NDSH approved organic vapor cartridge respirate products and plash goggles. Use with GOOD ver per per per per per per per per per p	252 ECOLO-CLEAN Q.D.	VARN PRODUCTS	Graphic Arts/Photography Products	APPROVED		manufacturer's label.
PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations of the provided organic vapor cartridge respirations of the prov						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
254 FOMINIO COIL CLEANER (PRODUCT # 274) TERAND INDUSTRIES, INC. Maintenance and Operations Products APPROVED Maintenance and Operations Products APROVED Maintenance and Operations Products APPROVED Mainte						
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations from the product of products of pr	254 FOAMING COIL CLEANER (PRODUCT # 274)	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and Distribus APROVED 255 CUTTING AND TAPPING FLUID 875 TERAND INDUSTRIES, INC. Maintenance and Operations Products APROVED APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX, INC. Maintenance and Operations Products APROVED APROVED APROVED APROVED Maintenance and Operations Products APROVED Maintenance and Operations Products APROVED APROVED Maintenance and Operations Products APROVED Mean rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX, INC. Maintenance and Operations Products APROVED APROVED Mean rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX, INC. Maintenance and Operations Products APROVED Mean rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX inc. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX inc. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX inc. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and ALCONOX inc.						
255 CUTING AND TAPPING FLUID 875 TERAND INDUSTRIES, INC. Maintenance and Operations Products APPROVED 257 HAND DISHWASHING DETERGENT T.D. & C. PRODUCTS Maintenance and Operations Products APPROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver per gloves and splash goggles. Use with GOOD ver gloves and splash goggles. Use with GOOD ver gloves gloves and splash goggles. Use with GOOD ver gloves gloves and splash goggles. Use with GOOD ver gloves gloves and splash goggles. Use with GOOD ver gloves gloves gloves gloves and splash goggles. Use with GOOD ver gloves and splash goggles. Use with GOOD ver gloves						
257 HAND DISHWASHING DETERGENT T.D. & C. PRODUCTS Maintenance and Operations Products APPROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat APROVED Maintenance and Operations Products APROVED APROVED Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat APROVED APROVED Maintenance and Operations Products APROVED Maintenance and Operations Products APROVED Mear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat APROVED Mear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat APROVED Mear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and pelash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and pelash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and pelash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and pelash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations and pelash goggles. Use with GOOD ver	SEE CLITTING AND TARRING ELLID 975	TEDAND INDUSTRIES INC	Maintenance and Operation: 2:	ADDDOVED		
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate PEL is exceeded, wear NIOSH approved organic vapor cartridge respira			'			manactarers laber.
PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations products approved organic vapor cartridge respirations products. APROVED manufacturer's label. Wear rubber/neopree gloves and splash goggles. Use with GOOD ver per laber was proved organic vapor cartridge respirations. ALCONOX, INC. Maintenance and Operations Products APROVED manufacturer's label. Wear rubber/neopree gloves and splash goggles. Use with GOOD ver per laber was proved organic vapor cartridge respirations. APROVED manufacturer's label. Wear rubber/neopree gloves and splash goggles. Use with GOOD ver per laber was proved organic vapor cartridge respirations. Wear rubber/neopree gloves and splash goggles. Use with GOOD ver per laber was proved organic vapor cartridge respirations.	25/ HAND DISHWASHING DETERGENT	I.D. & C. PRODUCTS	Maintenance and Operations Products	APPROVED		
258 PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT # 209 TEAND INDUSTRIES, INC. Maintenance and Operations Products APROVED manufacturer's label. Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations. APROVED manufacturer's label. Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ver peut secreted, wear NIOSH approved organic vapor cartridge respirations. Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ver peut secreted, wear NIOSH approved organic vapor cartridge respirations. Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ver peut secreted, wear NIOSH approved organic vapor cartridge respirations.						
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear MICSH approved organic vapor cartridge respira 250 ALCOTABS ALCONOX, INC. Maintenance and Operations Products APPROVED manufactures Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver manufactures Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NICSH approved organic vapor cartridge respira						
PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APPROVED manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations Products APPROVED proprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations products and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirations products are provided by the provided program of the provided program or cartridge respirations products are provided program or cartridge respirations.	258 PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT # 209	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
260 ALCOTABS ALCONOX, INC. Maintenance and Operations Products APPROVED manufacturer's label. Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
PEL is exceeded, wear NIOSH approved organic vapor cartridge respira	260 ALCOTABS	ALCONOX, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
PEL is exceeded, wear NIOSH approved organic vapor cartridge respira						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
·	261 ANIONIC DETERGENT 21835-1300	ALCONOX, INC.	Maintenance and Operations Products	APPROVED		

				We work to be a least on the second and only the second and the se
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
262 SAFECOAT ENAMEL	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
263 DYNO FLEX CAULKING COMPOUND	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		mantenance and operations reducts	ATTOTES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
264 WATER BASE SEMI-GLOSS WHITE (VISTA AG 12)	VISTA PAINT CORPORATION	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
265 T 6031 W/B EPOXY PRIM/SEAL A & B	DUNN-EDWARDS CORP.	Paint Products	APPROVED	manufacturer's label.
		runtrioducts	AFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
266 GERMICIDAL GIANT NI-820	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
267 CA 3200 GENERAL PURPOSE CONSTRUCTION ADHESIVE	HILTI, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
SO SA SESS SERENAET ON SSE SOMOTHOS HOT ABILESTE	THE TY INTO	maintenance and operations moducts	AFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
69 GRAFFITI REMOVER	WAP INTERNATIONAL	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
OPTAGE D CONF(DDAIN OUTANIED & DEODEAGED)	THE STATE OF THE WORLD MANUFACTURING OF			
70 GREASE B GONE(DRAIN CLEANER & DEGREASER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
271 REACT INDUSTRIAL CLEANER	ULTRA CONTROL, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
72 OMNI-ALL II	PRIVATE LABEL MANUFACTURING	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
273 ZINC RE-NU AEROSOL	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
	<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
274 SAFE-T-GLOSS II (ACRYLIC FLOOR FINISH)	EASTERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
276 IRIS FLOOR WAX & FINISH REMOVER	CHEMIFAX	Maintenance and Operations Products	APPROVED	
		Maintenance and Operations Products	APPROVED	
277 SCALE REMOVER LAUSD	CHEMIFAX	Maintenance and Operations Products		
77 SCALE REMOVER LAUSD	CHEMIFAX	maintenance and Operations Products		Wear pitrile rubber/peoprene gloves and chemical splash goggles. Us
277 SCALE REMOVER LAUSD	CHEMIFAX	maintenance and Operations Products		
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic variations.
	CHEMIFAX BUTCHER COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	
			APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
			APPROVED	GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.)				GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.)	BUTCHER COMPANY		APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.)	BUTCHER COMPANY			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH	BUTCHER COMPANY BUTCHER COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH	BUTCHER COMPANY			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 30 IRIS MOP OFF STRIPPER	BUTCHER COMPANY BUTCHER COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/ neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/ neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Foliow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 90 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 90 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3) 83 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ver pen gloves and chemical splash goggles. Use with goggles. Use with godgles. Use with godgles. Use with godgles. Use with godgles. Use was nitrile rubber/neoprene gloves and chemical splash goggles. Use was nitrile rubber/neoprene gloves and chemical splash goggles. Use
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (I-3) 83 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (I-3) 83 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3) 83 OF COMPAC \$30 MULTI-PURPOSE DEGREASER (411996) 84 POWER PLUS (GENERAL PURPOSE CLEANER)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
78 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 79 BEVOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (1-3) 83 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vay cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label.
778 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 779 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 81 TECH-GARD WATER BORNE EPOXY BASE (I-3) 83 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 84 POWER PLUS (GENERAL PURPOSE CLEANER)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
178 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 179 BEYOND FLOOR FINISH 180 IRIS MOP OFF STRIPPER 181 TECH-GARD WATER BORNE EPOXY BASE (I-3) 183 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 184 POWER PLUS (GENERAL PURPOSE CLEANER)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
178 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 179 BEYOND FLOOR FINISH 180 IRIS MOP OFF STRIPPER 181 TECH-GARD WATER BORNE EPOXY BASE (I-3) 183 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 184 POWER PLUS (GENERAL PURPOSE CLEANER)	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
178 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 179 BEYOND FLOOR FINISH 180 IRIS MOP OFF STRIPPER 181 TECH-GARD WATER BORNE EPOXY BASE (1-3) 182 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 184 POWER PLUS (GENERAL PURPOSE CLEANER) 185 MIRACLE STEP 187 DEFENDER II	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC. THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Mear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
178 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 179 BEYOND FLOOR FINISH 180 IRIS MOP OFF STRIPPER 181 TECH-GARD WATER BORNE EPOXY BASE (1-3) 182 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 184 POWER PLUS (GENERAL PURPOSE CLEANER) 185 MIRACLE STEP 187 DEFENDER II	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. M& O11, VALLEY SATELLITE Wear rubber/neoprene gloves and splash gowth GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
277 SCALE REMOVER LAUSD 278 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 279 BEYOND FLOOR FINISH 280 IRIS MOP OFF STRIPPER 281 TECH-GARD WATER BORNE EFOXY BASE (I-3) 283 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 284 POWER PLUS (GENERAL PURPOSE CLEANER) 285 MIRACLE STEP 287 DEFENDER II 288 APOC 107 A\F COLD PLY ADHESIVE CODE # 636	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC. THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. M & O II, VALLEY SATELITE Wear rubber/neoprene gloves and splash gow with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. M & O II, VALLEY SATELITE Wear rubber/neoprene gloves and splash gow with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label.
778 ABOVE FLOOR FINISH (THE BUTCHER'S CO.) 779 BEYOND FLOOR FINISH 80 IRIS MOP OFF STRIPPER 810 ITECH-GARD WATER BORNE EPOXY BASE (1-3) 81 QF COMPAC 530 MULTI-PURPOSE DEGREASER (411996) 81 POWER PLUS (GENERAL PURPOSE CLEANER) 85 MIRACLE STEP 87 DEFENDER II	BUTCHER COMPANY BUTCHER COMPANY CHEMIFAX PRATT & LAMBERT AIRKEM PROFESSIONAL PRODUCTS POLYTECH MAINTENANCE SHOPPERS NETWORK, INC. THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Foliow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Foliow manufacturer's label. M & O 11, VALLEY SATELUTE Wear rubber/neoprene gloves and splash gow with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
291 ARO-GARD PRIMER PART A (5620700)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
293 AROPLATE SEM/G II WHT (6280001)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
293 AROFEATE SEMIJO II WITT (0200001)	TRAZEE INDUSTRIES, INC.	Maintenance and operations Products	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
294 AROPLATE II GLOSS WHT (6480001)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggl . Use with GO
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts
295 AQUASEAL (3) & (4)	MONOPOLE INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
233 (-) - (-)		maintenance and operations modules	AFFROVED	
				Wear rubber/neoprene gloves and chemical splash goggles. Use with 0
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
296 WELDWOOD ACRYLIC LATEX CONTACT CEMENT	MONOPOLE INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
298 TRI-QUAT	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
200 4		maintonance and operations reducts	ATTROVES	
				Wear rubber/neoprene gloves and chemical splash goggles. Use with 0
				ventilation. If any of the exposure symptoms occur, wear NIOSH approve
299 SO-SAFE GRAFFITI REMOVER (BLACK LABEL)	BRACTON CHEMICAL COMPANY LTD	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
300 LOOSEN-UP	SUPERCO	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		mantonance and operations reducts	ATTOTES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
301 HI-SPEED FINISH (A21)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
302 MIRAGE SPRAY BUFF (A23)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
SUZ MIRACE SI RAT BUTT (A23)		maintonance and operations reducts	ATTROVES	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
303 SPOT LIGHT (A33)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
804 MOP & BUFF (A35)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
4 .				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
305 STRIPPER (B25)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				TENNIS COURT PAINT Wear nitrile rubber/neoprene gloves and chemica
				goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appr
DECOCOLOR MP920-27,DECOCOL.NEUTRAL920-26,TX 920-24	KOCH MATERIALS COMPANY	Paint Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
307 TENNIS COURT COATING GREEN (09 19 90)	LIFE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
808 DECOPATCH BINDER	KOCH MATERIALS COMPANY	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
310 PRO U/C Q/D WHT	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
311 EXT WOOD U/C WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
312 PV CLAY	PFIZER INC.			
		Glazing Products	APPROVED	
315 RED-Z (FLUID CONTROL SOLIDIFIER)	SAFETEC OF AMERICA , INC.	Nursing Services Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
316 POLYSEAMSEAL ALL PURPOSE ADHESIVE CAULK	DANWORTH COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
	HARVEY UNIVERSAL, INC.		APPROVED	• · · · · · · · · · · · · · · · · · · ·
217 HADVEV'S DOWED CREASE AND TAR CUTTER		Maintenance and Operations Products	AFFRUVEU	
317 HARVEY'S POWER GREASE AND TAR CUTTER				
317 HARVEY'S POWER GREASE AND TAR CUTTER				
317 HARVEY'S POWER GREASE AND TAR CUTTER				
	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	
		Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
		Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
317 HARVEY'S POWER GREASE AND TAR CUTTER 318 NULLIFY (B II) 319 FOUR N ONE (B IB)		Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapocartridge respirator. Follow manufacturer's label.

200 100						
March Marc						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
19 19 19 19 19 19 19 19						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1 1 1 1 1 1 1 1 1 1	320 FOAM DRY (B 02)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1982 1982						EPA NO:11694-75-AA Wear nitrile rubber/neoprene gloves and chemical splash
12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -						goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
State Stat	322 B-O-176 VF-202	POLYTECH	Maintenance and Operations Products	APPROVED		
19 19 19 19 19 19 19 19						
19 19 19 19 19 19 19 19						
Page	THE PROPERTY OF THE PROPERTY O	GIOLIATURE PRODUCTO				
Part	323 BALANCED POWER (MULTI PURPOSE CLEANER/DEGREASER)	SIGNATURE PRODUCTS	Maintenance and Operations Products	APPROVED		
1908 1908						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Part						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
Registration	324 EPOKOTE II OFF WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
Registration						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
18						
Mathematical Content	225 IP-60 INK & PEN REMOVER	RETTERRILT CHEMICALS INC	Maintenance and Operations Broducts	ADDDOVED.		
	020		mantenance and operations reducts	ATTROVES		
19 19 19 19 19 19 19 19						
Page						
Properties Pro	327 AQUASEAL WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
20 PRODUCTION PROTECTION PROTECTI						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Mary Principle Mary						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
March Marc	329 PRODUCTION SEALER WHITE 194	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		
1941 1942						
MacCount (Missele Missele Mi						
Microsoft 1990 (2001 (1990 (2011)) Microsoft 1990 (2011) Microsoft 1990	AND ADMIN DOMED FOR A	AMERICAN INDUSTRIAL SURBLYING				
STATE STAT						cartriage respirator. Follow manufacturer's label.
1841 1842	331 DEVRAN 133 100% SOLIDS EXPOXY TANK COATING OFF	DEVOE COATINGS CO.	Paint Products	APPROVED		
15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
March Point File Account point Appeal Account file						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
March Point File Account point Appeal Account file	333 TILE & GROUT CLEANER	AQUA MIX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
AMERICAN						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AMA MAY NOTITIES ORIGITALISATION AMAN MATERIAL PROPERTY AMAN MATE						
Marian M						
150 MADE NAME 150 MADE NAM	334 HEAVY DUTY TILE & GROUT CLEANER	AQUA MIX INC.	Maintenance and Operations Products	APPROVED		
1981 MADE NAME MADE NAME MATERIAL PROCESS						
MCRECE RUB TICHOLOGY, NC. Maintenance and Operations Products APROVID APRO						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
March Coll 10 March Coll 1	335 MAGIC PAN	GEMTEK PRODUCTS	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
March CAUCH March CAUCH NCC March CAUCH NC						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
35 COC-100.1 MoRRET RUD TECHNOLOFY, NC. Mortanone and Operations Product APROVID Contributed Production Production Production Production						
Word in this bubble / Incompany gives and deminical plant poggins. 1 Company Com	226 COOL-TOOL II	MONBOE ELLID TECHNOLOGY INC	Maintananae and Operations Breducts	ADDDOVED		
SEA	330 3331 133211	MONROE LEGIS LEGISLOCOST, ING.	wantenance and operations moducts	AFFROVED		
22 ZEPLBAR (1879) 23 PERSERVAL LOS MOLDRARE 24 APROVED 25 PERSERVAL LOS MOLDRARE 25 APROVED 26 APROVED 27 APROVED 27 APROVED 28 AP						
Withfunds kempertures of 90 degree Fruet for Filling agos before burners. Wear nitine rubber/neopree gloses and chemical spicals gogs between the products of Filling agos between the product agos between the product of Filling agos b						
Dumes. Wear nitrile rubbe/recoprese glows and chemical splash of without process and personal part of the process and personal part	338 ZEP LBA (1679)	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
### OCCO Verillation. #Fit is exceeded, wor NOSH approved HEPA 398 FREFRAX LDS MOLDARIE APROVED APRO						Withstands temperatures of 900 degrees F. Used for filling gaps between
### OCCO Verillation. #Fit is exceeded, wor NOSH approved HEAR ### OCCO Verillation. #Fit is exceeded, wor NOSH approved HEAR ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved or project ### OCCO Verillation. #Fit is exceeded, wor NOSH approved						burners. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
339 RREPRAY LOS MOLDARE CARBORIUM COMPANY Mointenance and Operations Product APPROVED CICLANER, SANTIZER) RELIFICA NOTUSTRES, INC. Mointenance and Operations Product APPROVED						with GOOD ventilation. If PEL is exceeded, wear NIOSH approved HEPA cartridge
We on Intile rubber/ neoprene gioves and chemical splash goggles. It accords the product of the	220 FIREPERAY IDS MOLDARI E	CAPROPLINDLIM COMPANY	Maintenance and Operations Broducts	ADDDOVED.		
AND TRIPLE QUICK (CLEANER, SANTIZER) NEUTRON INDUSTRIES, INC. Mointenance and Operations Products APPROVED AND STARDUST SUPER ABSORBENT PARADIGM INTERNATIONAL, INC. Mointenance and Operations Products APPROVED AND STARDUST SUPER ABSORBENT PARADIGM INTERNATIONAL, INC. Mointenance and Operations Products APPROVED APPROVED FOR NURSING FOR NURSING FOR NURSING CODD ventilation. If PEL is exceeded, wear NIOSH approved organic very activities respected or work in 1000 ventilation. If PEL is exceeded, wear NIOSH approved organic very activities respected or work in 1000 ventilation. If PEL is exceeded, wear NIOSH approved organic very activities respected organic very a	333 TIBERT RAX EDO MOLDADE	CARDORORDOM COMPART	wantenance and operations moducts	AFFROVED		
APPROVED APPROV						
Wear nitrile nubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NICSH approved organic variety and provided organic variety and provided organic variety. APPROVED FOR NURSING cartridge respirator. Follow manufacturer's label. WEXFORD LABS, INC. School Products APPROVED FOR NURSING FOR NURSING Cartridge respirator. Follow manufacturer's label. Wear nitrile nubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NICSH approved organic variety and provided organic variety. APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NICSH approved organic variety and provided organic variety. APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NICSH approved organic variety and provided proproved organic variety. APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NICSH approved organic variety. APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It good variety and provided organic variety. APPROVED APPROVED APPROVED APPROVED APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It good variety and provided organic variety and provided organic variety. APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED Wear nitrile nubber/neoprene gloves and chemical splash goggles. It good variety and provided organic variety and provide						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventors and personal products and personal products approved organic ventors. Suppose the personal products are producted and personal products approved organic ventors. The personal products are producted and personal products approved organic ventors. The personal products are producted and personal products are products are producted and personal products are producted and personal products are producted and personal products are products are producted and personal products are producted and personal products are producted and personal products are products are products are producted and personal products are products are producted and personal products are pro	340 TRIPLE QUICK (CLEANER, SANITIZER)	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
341 STARDUST SUPER ABSORBENT PARADIGM INTERNATIONAL, INC. Maintenance and Operations Products APPROVED APPROVED APPROVED APPROVED FOR NURSING Weer nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is exceeded, wear NIOSH approved or ganic ventilation. If PEL is						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear nitrie rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 342 RADY TO USE WEX-CIDE WEX FORD LABS, INC. School Products APPROVED FOR NURSING Cartridge respirator. Follow manufacture's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation if PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation if PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH appro						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
Wez no litrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 342 READY TO USE WEX-CIDE WEX FORD LABS, INC. School Products APPROVED FOR NURSING Cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. GOOD ventilation. If PEL is exceeded, wear NIOSH approved	341 STARDUST SUPER ABSORBENT	PARADIGM INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic version of the product of the						
A2 READY TO USE WEX-CIDE WEXFORD LABS, INC. School Products Paint Products APPROVED APPROVED FOR NURSING Cartridge respirator. Follow manufacturer's label. Wear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve dear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilates. Wear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilates. Wear nlittle rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilates. Wear nlittle rubber/neoprene gloves and chemical splash goggles. I						
Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 343 ENVIRO-KOTE S/G INTERIOR WHITE (0320001) FRAZEE INDUSTRIES, INC. Paint Products APPROVED Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 344 LO-GLO [ALL COLORS (022)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED Cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 454 LO-GLO [ALL COLORS (022)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED Septiment of the splant organic ventilation or splant products and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation or splant products and splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation or splant products and splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation or splant products and splash goggles. L GOOD ventilation or splant products and splash goggles. L GOOD ventilation or splant products and splash goggles. L GOOD ventilation or splant products and splash goggles. L GOOD ventilation or splant products and splash goggles. L GOOD ventilation or splant products and splant goggles. L GOOD ventilation or splant products and splant goggles. L GOOD ventilation or splant products and splant goggles. L GOOD ventilation or spla	A 14 DEADY TO LIGHT WEY OLD	WENTOOD LADS ING			COD ALLINGINIO	
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. If PEL is excee	342 READY TO USE WEX-CIDE	WEXFORD LABS, INC.	School Products	APPROVED	FOR NURSING	
343 ENVIRO-KOTE S/G INTERIOR WHITE (0320001) FRAZEE INDUSTRIES, INC. Point Froducts APPROVED cartridge respirator. Follow manufacturer's label. Wear Intrine tubber/neoprene gloves and chemical spirate spirate proved organic ve and tuber from the spirate proved organic ve and tuber from the spirate proved organic versions. 344 LO-GRO [ALL COLORS (022)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear Intrine tubber/neoprene gloves and chemical spirate products and chemical spirate progress to good the spirate products and chemical spirate products and spirate products. 345 SATINGUDE [ALL COLORS (021)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrine tubber/neoprene gloves and chemical spirate products and chemical spirate products.						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 344 LO-GLO [ALL COLORS (022)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve good ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L Wear nitrile rubber/neoprene gloves and chemical splash goggles. L Wear nitrile rubber/neoprene gloves and chemical splash goggles. L						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. If PEL is excee	343 ENVIRO-KOTE S/G INTERIOR WHITE (0320001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. If PEL is excee						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
34 LO-GLO [ALL COLORS (022)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. L GOOD verifield rubber (neoprene gloves and chemical splash goggles. L GOOD verifield rubber (neoprene gloves and chemical splash goggles. L general splash (021)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. L Wear nitrilie rubber/neoprene gloves and chemical splash goggles. L						
Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve 345 SATINGUDE [ALL COLORS (021)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L Wear nitrile rubber/neoprene gloves and chemical splash goggles. L	344 IO-GIO [AII COIORS (022)]	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED.		
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ventilation. If PEL is excee	Sala to oto (Att Gotono (022))	TRACE INDUSTRIES, INC.	r dint Ploddets	AFFROVED		
345 SATINGUDE [ALL COLORS (021)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L						
Wear nitrile rubber/neoprene gloves and chemical splash goggles. L						
	345 SATINGLIDE [ALL COLORS (021)]	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
346 MAJESTIC [ALL COLORS (002)] FRAZEE INDUSTRIES, INC. Paint Products APPROVED cartridge respirator. Follow manufacturer's label.	346 MAJESTIC (ALL COLORS (002))	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED.		

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
347 VELVIN (ALL COLORS) 011	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
348 MASSEY-FERGUSON PERMATRAN III (SOLVENT REFINED OIL	AMOCO OIL CO.	Automotive Products	APPROVED	manufacturer's label.
340 MAGGET TEROSOGIT ERMATRATIN (GOLVERT RETIRED OIL	AMOGO GIL GO.	Adomotive moducts	AFFROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
349 FNE HI TEMPERATURE SEALANT	AMERICAN COATING CORP.			manufacturer's label.
349 FIVE HI TEMPERATURE SEALANT	AMERICAN COATING CORP.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
350 MAXFORCE ROACH CONTROL SYSTEM EPA REGISTR, 1730-67	AMERICAN CYANAMID COMPANY	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
353 SAFETY ONE (LIGHT DUTY)	S.T.C.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
360 FORMULA 0-98 (# 2177)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
361 KLOROSAN (# 2944)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	
		•		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
362 LCL CIP (# 2722)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED.	manufacturer's label.
302 101 011 (11 2722)	OLLIO GILLINGAL INDOGINILO	maintenance and operations riodacts	AFROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND THE PROPERTY CONTINUES AND TO TO	O'BRIEN CORPORATION			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
363 UNIKO LATEX EGGSHELL FINISH 218-10	O BRIEN CORPORATION	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
364 KODAK KD-1 DEVELOPER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
365 WOOD DUST	WEYERHAEUSER COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
367 KODAK KT-2 TONER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
368 GLAZE N SEAL WATERBASE CONCRETE & MASONARY SEALER	GLESSNER CORPORATION	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved graphic vapor
369 MINOLTA MT-310 TONER	NASHUA CORP.	Office Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
369 MINOLTA MT-310 TONER		Office Products	APPROVED ADDROVED	
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040)	ABBOT INDUSTRIAL SUPPLIES	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOGIDE (NP-600)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOGIDE (NP-600)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT	ABBOT INDUSTRIAL SUPPUES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX CHEMIREX, INC. CHEM TAB CHEMICAL CORP.	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT	ABBOT INDUSTRIAL SUPPUES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX CHEMIREX, INC. CHEM TAB CHEMICAL CORP.	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT	ABBOT INDUSTRIAL SUPPUES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIFAX CHEMIFAX CHEMIREX, INC. CHEM TAB CHEMICAL CORP.	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIREX, INC. CHEMIREX INC. CHEMITAS CHEMICAL CORP. CITGO PETROLEUM CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-800) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10%, QUAT 376 CITGO SUPERGUARD, SAE 30	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIREX, INC. CHEMIREX INC. CHEMITAS CHEMICAL CORP. CITGO PETROLEUM CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (MP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-800) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10%, QUAT 376 CITGO SUPERGUARD, SAE 30	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHEMIREX, INC. CHEMIREX INC. CHEMITAS CHEMICAL CORP. CITGO PETROLEUM CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (MP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER AI-26 (MG 0000342) 378 DYNO SEAL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (ID. #2040) 371 IRIS LIQUID SCALE REMOVER (P/L) 372 BIOCIDE (MP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342)	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (F/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342) 378 DYNO SEAL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products Maintenance and Operations Products Automotive Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (F/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342) 378 DYNO SEAL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products Maintenance and Operations Products Automotive Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
370 CONC. RUG SHAMPOO 50-1 (I.D. #2040) 371 IRIS LIQUID SCALE REMOVER (F/L) 372 BIOCIDE (NP-600) 373 MIRACOIL 374 TUF-TRAC (ALL COLORS) 375 SAN-LIQUID 10% QUAT 376 CITGO SUPERGUARD, SAE 30 377 GRAFFITI REMOVER A1-26 (MG 0000342) 378 DYNO SEAL	ABBOT INDUSTRIAL SUPPLIES CHEMIFAX NATIONAL CHEMICAL CHEMIFAX CHE	Maintenance and Operations Products Maintenance and Operations Products Pesticide/Herbicide Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Graffiti Products Maintenance and Operations Products Automotive Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
381 PERMASHIELD	MONOPOLE INTERNATIONAL INC.	Malatan and a said Out and a said and	APPROVED		cartridge respirator. Follow manufacturer's label.
381 PERMASHIELD	MONOPOLE INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		• '
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
384 LUSTRA WHITE BASE (0270001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
385 CRAFTSMAN SATIN EN WHITE (0310001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
386 ENVIRO-KOTE S/G INT.WHITE (0320001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
387 PROD GLOSS LATEX WHITE (0410001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
557	***************************************	Tallettoadob	ATTROVES		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
388 BIO-GARD 163 EPOXY BASE	THIN FILM TECHNOLOGY, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
389 GYM FLOOR FINISH (2-500)	AMTECO INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
390 ZEP DRILL CHILL (AEROSOL CUTTING OIL/COOLANT)#0045	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
		4			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folk
391 AARDVARK CONE 06 CLAYS	AARDVARK CLAY & SUPPLIES, INC.	Owner his Anto (Dhosta arranta Davida ata	4 DDD 01 (FD		manufacturer's label.
		Graphic Arts/Photography Products	APPROVED		munucturer a luber.
392 ABC DRY CHEMICAL	AMEREX CORPORATION	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
393 OMNIPAK (POWDWERED DETERGENT)	AIRWICK PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
395 GENTROL POINT SOURCE TM	SANDOZ AGRO, INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
396 ULTRASTRIP	MAINTEX INC.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
000		mantonance and operations i readets	ATTROVES		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
AND ORANGE MACIC	ODANICE DOWED CLEANING DRODUCTS INC				
397 ORANGE MAGIC	ORANGE POWER CLEANING PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
398 E-LEMINATOR	EASTERDAY SUPPLY CO.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
399 DECO-MP NEUTRAL 920-26, ASBESTOS FREE	KOCH MATERIALS COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
400 LIME-A-AWAY	ECOLAB INC.	Food Services Products	APPROVED	FOR FOOD SERVICES ONLY	cartridge respirator. Follow manufacturer's label.
400		1000 0011100011100000	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
TABLEDO MOTE ELATIBIT MUNTE CO A CIOCOCI	EDATES INDUSTRIES INC				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
402 ENVIRO-KOTE FLAT INT. WHITE 894 0180001	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
403 ACOUSTIC WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
404 MIRRO GLIDE S/G WHITE 1293	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
406 PINE OIL (PRODUCT NO: 6555)	SYNDYX	Maintenance and Operation - Products	ARREOVED		manufacturer's label.
AUD FINE OIL (FRODUCTINO. 0000)	SINDIA	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
407 CHALKBOARD CLN AEROSOL	SYNDYX	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.

					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described symptoms occur, wear NIOSH approved
					organic vapor cartridge respirator. Use and store away from any ignition
410 KRYLON INT./EXT. ENAMEL OR ENGINE COLOR	BORDEN, INC.	Maintenance and Operations Products	APPROVED		sources. Follow manufacturer's lab
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
413 CHEM-MIST DETERGENT RESISTANTWASHABLE FLOOR FINISH	CHEMIFAX	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
414 Z-24-L CLOSE LUPE TREATMENT	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
44		mantonance and operations reducts	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
415 NP-600 BIOCIDE	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
410		wantenance and operations rroducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
417 PD7/11	PRIME RESIN			FOR ONE TIME HER ONLY (MIDDELTON FLE.)	
4[/ FD//	FRIME RESIN	Maintenance and Operations Products	APPROVED	FOR ONE TIME USE ONLY (MIDDELTON ELE.)	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
418 BLAST A COIL BAC20	VIRGINIA KMP	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Use and store away from any ignition sources. Follow manufacturer's
421 AEROSOL ENAMELS #900-917, 920, Cl.Pl. & Pri #950	SINCLAIR PAINT COMPANY	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
425 EX 2000 DISHWASHING COMPOUND	I. SHAY CHEMICAL	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
427 WEBCRETE 95	DAP INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					any of the described exposure symptoms occur, wear NIOSH approved organic
					vapor cartridge respirator. Use and store away from any ignition sources. Follow
429 ELIMINATE	POLYTECH	Maintenance and Operations Products	APPROVED		manufacturer's lab
420		mantonance and operations reducts	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
430 ROUGH TOUCH SCRUBS-IN-A-BUCKET	LH. DOTTLE CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
430 ROUGH TOUCH SCROBS-IN-A-BUCKET	LH. DOTTLE CO.	Maintenance and Operations Products	APPROVED		manuacturers laber.
					Warman and the section of the sectio
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
431 FIBERSET FT(tm) AND FIBERSET PMTM(TM)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		approved organic vapor/ Hepa cartridge respirator. Follow manufacturer's label
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
432 HOT-KOTE 2200(TM)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
433 CC410EP PART A	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
434 CC410EP PART B	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
435 CC410EP PART C	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
436 XEROX XT-36, TYPE 2, 6, 10, 15 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
, , , , , , , , , , , , , , , , , , ,					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
437 IBM ID-38 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		manufacturer's label
40, IDM ID 30 DEVELOTER	INDITION CORT.	Graphic Arts/Friotography Products	AFFRUVED		Word rubber noonrone glove and enlach secoles the with COOS
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
ARTITON DISINFFOTANT CO ()	000714000470077				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
438 NEUTRAL DISINFECTANT CLEANER (C 18)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
439 KODAK KD-2 DEVELOPER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
440 MITA MD-131 DEVELOPER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
441 MINT-O-QUAT (DISINFECTANT DEODRANT CLEANER)#1721XX	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
442 LEM-O-QUAT (A) #1722XX	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
443 QUICK SET EPOXY HARDENER	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
443 QUICK SET EFOXT HARDENER	THET, INC.	Pullit Floducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
444 EP-CA RESIN	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
445 EP-CA HARDENER	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
446 EP-IS RESIN	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
447 UL 707 SANITIZER	HANSON-LORAN CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		manicinarios ana operations i roducto	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
448 C-3 REFRIGERATION OIL	CALGON VESTAL LABORATORIES	HVAC Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
449 PORTLAND CEMENT PATCHING MORTAR RM800PC	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
450 LIGROINE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO
451 POLYOXYETHYLENE (20) SORBITAN MONOOLEATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GC
452 L-(+)-ARGININE	SPECTRUM CHEMICAL MFG, CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
462 - ()		501100111044015	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
453 CALIFORNIA PLEXICUSHION BASECOAT	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
454 CALIFORNIA PLEXIBOND COATING	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
455 CALIFORNIA PLEXICUSHION	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					**REMOVED from use; held in LAUSD central warehouse pending negotiation
					return to supplier (Per Bill Currie) Use has been discontinued. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartric
456 SEVIN XLR CARBARYL INSECTICIDE	RHONE TOULENC AGRICULTURAL PRODUCTS CO. INC.	Pesticide/Herbicide Products	APPROVED		respirator. Follow manufacturer's label.
430 SEVIIVADA CARDARTE INSECTICIDE	KITONE TOBLENC AGRICULTURAL PRODUCTS CO. INC.	resticide/ herbicide Products	AFFROVED		**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear rubber/neoprene glo
					and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear N
457 MAINTAIN CFI25	UNIROYAL	Pesticide/Herbicide Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's labe
					**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest managem
					institute consultant) This product is in an aerosol can. Used only for small
458 PT 270	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		infestation.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
459 WHITMIRE PT 515 WASP-FREEZE	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
460 PERMA-DUST PT 240	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
		. esticide/ Herbicide Froducts	ALLINOVED		
				ADDROVED FOR HOT BY LAHING OFFICER DEAT CONTROL	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	Wear NIOSH approved pesticide cartridge respirator. Follow manufacture
461 PT 565	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor

					Wage with a fragment of a variety of an land and an land and an land with COOD vanillation
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
464 BRITE WIPE	A MODELLA A DODAT ODUCA (A MODELLA MASSA DE DECENIONA				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
464 BRITE WIPE	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	School Products	APPROVED		manufacturer's label.
					ONLY FOR USE BY CERTIFIED PEST MANAGEMENT TECHNICIANS. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
465 ORTHENE PCO FORMULA 11 (69786)	VALENT USA CORPORATION	Pesticide/Herbicide Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
470 HAND SCREEN AEROSOL	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4/6		mantonance and operations reduces	ATTROVES	APPROVED FOR USE BY WOODWORKING MILL STAFF ONLY, EMPLOYEE	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				EXPOSURE MONITORING MUST BE PERFORMED DURING ALL APPLICATIONS	
	3M			UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
471 FASTBOND (TM)30-NF NEUTRAL CONTACT ADHESIVE	3М	Maintenance and Operations Products	APPROVED	UNTIL FURTHER NOTICE.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
472 FLOETROL	FLOOD COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
473 LEM'N LIFT	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	,				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ADO OADD WEST DADY A (540000)	FRAZEE INDUSTRIES, INC.				
474 ARO-GARD WHITE PART A (5420001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
475 ALKYD ENAMEL UNDERCOAT, WHITE (062)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
477 COMBO PRIMER, WHITE (082)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
, , , , ,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
CTAIN DEC LATEY DRIMED MUITE (006)	SPECTRA-TONE PAINT CORP.				
478 STAIN RES. LATEX PRIMER, WHITE (086)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
482 MIRRO GLIDE [ALL COLORS (126)]	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
484 ACRY-PRIME (065)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
485 AQUASEAL (061)	FRAZEE INDUSTRIES, INC.	Malaka and Consulton Residents	APPROVED		cartridge respirator. Follow manufacturer's label.
485 AQUASEAL (UUI)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
486 ALL Purpose Cleaner	UNIT CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.If any of the described exposure symptoms occur,wear NIOSH
488 ZEP TIME SAVER	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
489 ZEP IMAGE	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		amonance and operations modules	ALLIGATED		Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOI
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Use and store away from ignition sources. Follow manufacturer's
490 ZEP POWERHOUSE	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		label.
					Wear rubber/neoprene gloves and chemical splash goggles. If any of the
					described exposure symptoms occur, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources Follow
491 ZEP CONCENTRATED CONQUER	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
·					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
400 FAMOMOD COLVENT	DEVEDIN MANUE ACTURING COMPANY	Malatan and a second as the se	4.000.01		
492 FAMOWOOD SOLVENT	BEVERLY MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
1					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
- 11-					
493 FAMOWOOD PUTTY	BEVERLY MANUFACTURING COMPANY	Paint Products	APPROVED		manufacturer's label.
	BEVERLY MANUFACTURING COMPANY	Paint Products	APPROVED		manufacturer's label.
	BEVERLY MANUFACTURING COMPANY	Paint Products	APPROVED		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
	BEVERLY MANUFACTURING COMPANY BFG INDUSTRIES	Paint Products Maintenance and Operations Products	APPROVED		manufacturer's label.

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
495 LEMON FRESH	BHT ENTERPRISES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
496 FRESH-N-UP	BHT ENTERPRISES	Maintenance and Operations Breducts	APPROVED	manufacturer's label.
496 FRESH-N-OF	BRI ENTERFRISES	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
497 LEMON VANILLA	BHT ENTERPRISES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
498 GASPAK H2 + CO2 ENVELOPE	BBL MICROBIOLOGY SYSTEMS	Maintananae and Operations Brodusts	APPROVED	manufacturer's label.
196 OAGI AKTIZ - GOZ ETTVEEGI E	BBE MICKOBIOLOGY CYCYLING	Maintenance and Operations Products	AFFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
199 FOAM UP CLEANER (# 2118XX)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
500 STINGER (# 2104XX)	NATIONAL SANITARY SUPPLY CO.	Maintananae and Operations Brodusts	APPROVED	manufacturer's label.
		Maintenance and Operations Products		mandactarer staber.
501 CHEMTROL BASIN, TUB AND SHOWER CLEANER	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
02 CHEMTROL GLASS & MIRROR CLEANER SUPER-CONCENTRATE	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
03 263 700 DURAPRIME WHITE 1188	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
504 VINYL-ACRYLIC LATEX (61)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		mantonance and operations reducts	ATTIOTES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
05 ACRYLIC LATEX (230)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
506 POLYURETHANE AQUEOUS DISPERSION (497)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	manufacturer's label.
		mantonance and operations reducts	ATTIOTES	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
507 ACRYLIC LATEX PAINT (80)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
508 VINYL-ACRYLIC LATEX (63)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		mantenance and operations reducts	ATTROVES	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
509 VINYL-ACRYLIC LATEX (612)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
510 CITRACE HOSPITAL GERMICIDAL DEODERIZER 14OZ.	CALTECH INDUSTRIES INC.	Nursing Services Products	APPROVED	
511 STATE AEROSOL COIL CLEANER	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED	
			******	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
513 HLV CITRUS (HEAVY DUTY CLEANER & GRAFFITI REMOVER)	MAINTEX INC.	Graffiti Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
516 XEROX XT-55 DRY INK PLUS	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
		Office Froducts	ALL NOVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
517 XEROX XT-65 DRY INK	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
18 XEROX XT-75, TYPE 23 INK	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
ng nenon AT 70, TITE 20 INK	INDION CORF.	Office Froducts	ALLINOVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
519 XEROX XT-92, TYPE 16, 19 DRY INK	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
20 XEROX XT-95 DRY INK	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
521 MOP STRIPPER	MAINTEX INC.	Maintanance and Operations Broducts	APPROVED	manufacturer's label.
ugi		Maintenance and Operations Products	MITROVED	managada or o rabel.

522 AQUEOUS FLOOR FINISH STRIPPER	CALGON VESTAL LABORATORIES	Maintenance and Operations Products	APPROVED		
,					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
523 READY TO USE GLEEM	CALJEN SALES COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY FOOD SERVICE STAFF ONLY. UTILIZE LOCAL EXHAUST	
524 FAST CLEAN GRILL AND OVEN CLEANER	CALJEN SALES COMPANY	Food Services Products	APPROVED	(OVEN HOOD) WHILE APPLYING THIS PRODUCT.	respirator. Follow manufacturer's label.
				***	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
525 GLEEM CONCENTRATE	CALJEN SALES COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
020		maintenance and operations reducts	ATTROVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
528 LEAD FREE GLAZES (L-1 THRU L-77)	MAYCO COLORS	Olarda y Basada ata	APPROVED		respirator. Follow manufacturer's label.
528 EADTREE GEAZES (ETTING E 77)	WATCO COLORS	Glazing Products	APPROVED		•
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
THE THE 100 OLD A	GEMINI COATINGS, INC.				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
529 TWP 100 CLEAR	GEMINI COATINGS, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
530 VOC REDWOOD DECK AND FURNITURE STAIN	AMTECO INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					USE ADEQUATE VENTILATION; DOORS OPEN Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
531 TIME OFF FLOOR FINISH & SEAL	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
532 BOILER KLEEN 11	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
533 Z-24-L (HOT WATER BOILER TREATMENT)	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
333 E 24 E (NOT WATER BOILER MEANMENT)	THE TOTAL OF LINEAR	muliteriarice and operations froducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. It
	GENLABS				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
534 WAXIE STEAM IT CLEAN-# 3398	GENLABS	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
535 ROYAL RT-115 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
536 ROYAL RT-130 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
537 ROYAL RT-1803 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. It
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
538 SAVIN ST-5015, 5020, 7035, 7045 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
539 SHARP 750, 771, 781 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
		O.IICO I TOURDES	ALLICATED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor
540. SHARP 800, 811, 820, 850 TONER	NASHUA CORP.	Office Breath :	4 DDD 0:		manufacturer's label.
340 SHARE GOO, OH, 020, 030 TONER	NASIIOA CONI.	Office Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
541 CRAFTSMAN EXT WHITE BASE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
542 221 ACRILITE WHITE BASE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
543 SPRAY BLOCK FILL	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
544 PLEXIFLOR 100% ACRYLIC LATEX TOPCOAT	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		manufacturer's label.
Care Table Con 190% AGNITAGE DRIEN TO COM	CALL CRIMAT RESOURT CONFORMATION	runtriodacts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
THE CALIFORNIA COURT BATCH SWIFTS	CALIFORNIA PRODUCTO CORRODATION				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
545 CALIFORNIA COURT PATCH BINDER	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
546 WEATHER KING II LATEX HOUSE PAINT-WHITE 668-00	O'BRIEN CORPORATION				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
548 WEATHER KING II LATEX HOUSE PAINT-WHITE 668-00	O BRIEN CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
547 SEMI-GLOSS COATING PURE WHITE B42W101	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
548 SEMI-GLOSS COATING MIDTONE BASE B42W102	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
549 SEMI-GLOSS COATING DEEPTONE BASE B42WI03	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
550 TILE & CHROME CLEANER (A K-011)	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
552 CONTRAC CAKE	BELL LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	For the use of certified pest management technicians ONLY.	cartridge respirator. Follow manufacturer's label.
	·	,		, ,	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
553 FICAM W, TURCAM	BFC CHEMICALS INC.	Booklolds (World Islate Booklosts	APPROVED		cartridge respirator. Follow manufacturer's label.
553 TICAM W, TORCAM	BI C CI EINICAES INC.	Pesticide/Herbicide Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
554 4 THE BIRDS BIRD REPELLENT	BIRD CONTROL INTERNATIONAL CORP.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
555 VOLCK OIL SPRAY	CHEVRON	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. It
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
556 SUBDUE 2E	CIBA-GEIGY CORP., AGRICULTURAL DIVISION	Pesticide/Herbicide Products	APPROVED	NO LONGER IN STOCK OR AVAILABLE TO STAFF	manufacturer's label.
					REMOVED from use; held in LAUSD central warehouse pending negotiations to
					return to supplier Wear nitrile/neoprene gloves and chemial splash goggles.Use
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
557 SPIKE 5G	ELANCO PRODUCTS CO.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest management
					institute consultant) Wear nitrile/neoprene gloves and chemical splash
					goggles.Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved
558 TALON-G	ZENECA PROFESSIONAL PRODUCTS	Postinida/Havbisida Dradusto	APPROVED		
336 TALON O	ZENECA PROFESSIONAL PRODUCTS	Pesticide/Herbicide Products	AFFROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
WONDER GUDS HAND DOWNER DETERMENT	OAUFORNIA MINIFRALO NIO				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
559 WONDER SUDS HAND POWDER DETERGENT	CALIFORNIA MINERALS INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
560 MCKINNES ANTIBACTERIAL HANDSOAP	PROTECH INDUSTRIES, INC.	Nursing Services Products	APPROVED	FOR SPECIAL ED. & NURSING	Use with GOOD ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. It
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
561 STAINLESS STEEL CLEANER	CHIP DISTRIBUTION CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
563 322506 QF COMPAC 310 ALL-PURP NEUTRAL CLEANER	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
564 SHOP WIPES LIQUID	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
565 WAXIE GEM WASHROOM CLEANER-QT 870130	GENLABS	Maintenance and Operations Products	APPROVED		
·					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. It
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
566 DRY DISINFECTANT 172011	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
		mantenance and operations modulets	ALLIGATIO		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
567 QUICK PAK BOWL CLEANER 032000	AIRKEM PROFESSIONAL PRODUCTS	Maintanance and Operation - 2	APPROVED		manufacturer's Jahel
Ju, Quion i an Dotte Greater 002000		Maintenance and Operations Products	AFFRUVED		manadata o diabo.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
A 22 DDV	AIDVELL PROFESSIONAL PRODUCTS				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
568 A-33 DRY	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
569 A-125 DRY	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
570 OMNIPAK	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
57] BRIGHT WHITE	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
W. 1		maintenance and operations reduces	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
572 ARDEX P-82 ULTRAPRIME-PART A	ARDEX INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
0,2		Tantifoddolo	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
573 ARDEX P-82 ULTRA PRIME-PART B	ARDEX INC.	Paint Products	APPROVED		manufacturer's label.
574 ZAR GLOSS INTERIOR (PRODUCT CODE 15)	UNITED GILSONITE LABORATORIES	Maintenance and Operations Products	APPROVED	FOR USE BY JOSEPH THE FLOOR MAN:CONTRACT	
574 ZAR OLOGS INTERIOR (FRODUCT CODE 13)	UNITED CIESCINITE EABORATORIES	Maintenance and operations Products	AFFROVED	TOR USE BY SUSEMI THE FEOOR WANGON RACT	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Close air intakes on roof during application. Store and
575 ELASTOMASTIC NO: 209 (ASPHALT CUTBACK)	HENRY COMPANY	Maintenance and Operations Products	APPROVED		away from any ignition sou
5/5 EDISTOMASTIC NO. 200 (ASTRIALT COTBACK)	TIENCI COMPANI	Maintenance and operations Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
576 MICRO PINE	CARROLL CALIFORNIA VENTURES, INC	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
5/6 MICROFINE	CARROLL CALIFORNIA VENTURES, INC	FOOd Services Products	APPROVED		
					This product is used diluted for cleaning condenser tubes in a closed syste Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid/gas cartri
181 1/54 0100	UNIVERSALING				respirator. Wear impervious clothing. The APPROVAL OF THIS PRODUCT IS FO
577 UNI-KEM 0100	UNI-KEM INC.	HVAC Products	APPROVED		USE OF THE WATER TREATMENT
					REMOVED from use; held in LAUSD central warehouse pending negotiation
					return to supplier Wear nitrile rubber/neoprene gloves and chemical spla
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approv
579 TEMPO 20 WP-0.1% END-USE DILUTION	MOBAY CORPORATION	Pesticide/Herbicide Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
580 DURATHANE	VISTA PAINT CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
581 QUADRA-KLEAN INDUSTRIAL CLEANER	TEXAS REFINERY CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
582 MULTI-KLEAN	TEXAS REFINERY CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
583 TRC MULTI-COAT	TEXAS REFINERY CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
584 KESONIC C#71015	ALLIED-KELITE PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
585 HI-TEMP MULTI-PURPOSE POLYUREA GREASE (NO:00975)	PETRON INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
586 FORMULA 109 (WITE-OUT SOLVENT CORRECTION FLUID)	WITE-OUT PRODUCTS INC.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
587 GALLIUM, 99.99%	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
588 METHYLENE BLUE, ZINC CHLORIDE DOUBLE SALT MONOHYDR	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
589 ACRIPOXY (VISTA 400)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
590 DURAPRIME (VISTA 4900)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
555 Name (1167A 1666)	am com chanted	runtrioducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
FOLDMANDING DED OVIDE DRIVED (VICTA 4010)	VICTA DAINT CORPORATION	Parlant Providents	40000VCD		
591 DURAPRIME RED OXIDE PRIMER (VISTA 4910)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
591 DURAPRIME RED OXIDE PRIMER (VISTA 4910)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
591 DURAPRIME RED OXIDE PRIMER (VISTA 4910) 593 GESSO A-1 WHITE PASTEL	VISTA PAINT CORPORATION MAJOR PAINT COMPANY	Paint Products Paint Products	APPROVED APPROVED		

				Waar nitrile rubber/neoprene gloves and chemical colach googles. Hee
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
594 DECRAGLO WHITE & WHITE TINT 720-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
596	3 GRAFFITI DEFEATEE WORKS	Graffiti Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with G
				ventilation. If any of the described exposure symptoms occur, wear NIOS
598 MICRO GLIDE GLOSS WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's lab
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
599 BLOCK-N-PRIME(W/BUSAN 11M2)594	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
589 BLOOK IT TRIME(IT/BOOM IMIL)004	TRALLE INDOUTRIES, INC.	ruint rioducts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
600 DURATEC WHITE 8/93	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
AND TOURS	FDATES INDUSTRIES INC			
601 ACRI-TEC WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
602 DEXOL VITAMIN B-1 (PLANT FERTILIZER AID)	DEXOL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
603 DECOCLEAR 920-28	KOCH MATERIALS COMPANY	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
605 S-M 8500 PIGMENTED	SCHNEE-MOREHEAD, INC	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·	mantonarios ana operations rroducts	ATTROVES	• .
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
608 STAIN AND MILDEW REMOVER (12 QTS) NO: 2635QT	SYNDYX	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
609 PRO DUSTER (NO: 6315)	SYNDYX	Maintonance and Operations Breducts	APPROVED	cartridge respirator. Follow manufacturer's label.
BUS PRO DUSTER (NO. 0315)	STINDTA	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
610 BLOCK OUT AEROSOL (NO: 6745)	SYNDYX	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
611 AQUA MOP, (12X8 OZ) NO: 1100	SYNDYX	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
613 FRESH N' UP	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear nitrile rubber/neopr
				gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
				exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
615 DRAGNET FT TERMICIDE	FMC CORPORATION	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
617 ARMAGLAZE PACK A	AQUARIUS COATINGS INC.	Paint Products	APPROVED	
517		TankTroddolo	ATTROVES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
618 GESSO A-1 BLACK	MAJOR PAINT COMPANY	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ead acdital trateventilicion (sead)	CAL-WESTERN PAINTS	Delet Draduch	ADDDOVED	
620 ASPHALT LATEX EMULSION (1548)	CALTIVESTERIN FAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
621 ACRYLIC-TERPOLYMER LATEX (970A)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
621 ACRYLIC-TERPOLYMER LATEX (970A)	CAL-WESTERN PAINTS	Paint Products	APPROVED	0 · · · · · · · · · · · · · · · · · · ·
621 ACRYLIC-TERPOLYMER LATEX (970A)	CAL-WESTERN PAINTS	Paint Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
		Paint Products		Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	CAL-WESTERN PAINTS CAL-WESTERN PAINTS	Paint Products Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapa
622 TERPOLYMER LATEX (555WS)				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.
621 ACRYLIC-TERPOLYMER LATEX (970A) 622 TERPOLYMER LATEX (565WS) 623 VINYL-ACYRLIC LATEX (555W)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa
822 TERPOLYMER LATEX (555WS)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
622 TERPOLYMER LATEX (555WS)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
625 CONCO PRO-PAINTS 600,602,604,605,607,609,699	SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
625 CONCOTRO FAIRTS 660,002,004,003,007,003,033	SIVILAND PAINT CONFANT	maintenance and operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	VISTA PAINT CORPORATION				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
627 ACRYLIC PRIMER (VISTA#188)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
628 DURAGLIDE (VISTA:1000)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
, ,					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
629 COVER-ALL EXTERIOR FLAT (VISTA:2800)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				Approved for use by trained Maintenance & Operations staff, Instruction	
				staff, and Adult Students (18 yrs or older) only. Instructor shall maintain	1
					Follow the manufacturer's recommendations for product storage and use. Use
630 ACRIBOND (VISTA:3000)	VISTA PAINT CORPORATION	Paint Products	APPROVED	the product.	proper PPE when using product.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
631 SOLOSTEX	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
632 SOLOTEX 100% ACRYLIC ELASTOMETRIC (VISTA:500)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
633 ACRYLIC EMULSION (0494)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
634 ACRYLIC EMULSION PAINT (78)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
635 WAXIE GUM AWAY 11 AEROSOL (070451)	AMPER INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
555		maintenance and operations i reducts	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
636 BASE COAT (A15)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
USD BASE SOAT (AIS)	SOCI DISCILITORIES	Muliteriarice and operations froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
637 FOOD STAIN REMOVER	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
637 TOOD STAIN KEWOVEK	SCOT EABORATORIES	maintenance and operations Froducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
638 ULTIMATE (A05)	SCOT LABORATORIES		APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
638 OLIMATE (AUS)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
644 DUAL LATEX PRIMER WHT 2/92 (15)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
645 PR77 100% ACRYLIC PRIMER WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
646 PVA SEALER WHITE (VS13)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
647 AAA INT.FLAT WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
648 VERSATILE [PATHOGENIC FUNGICIDE]	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
650 ALL FABRIC DRY BLEACH	THE DARRON COMPANY, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
651 KLEEN-UP SOLVENT	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
652 BARRIER CREAM-BULK (NO. 2503)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
			-		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. When sanding or abrading the dried film wear NIOSH
653 MINWAX WATER-BASED WOOD STAIN, CLEAR TINT BASE	MINWAX COMPANY DIVISION	Paint Products	APPROVED		approved P100 cartridge respirato
MOOD OTAIN, OLDAN TINT DAGE		i dint i roddolo	ALLIOVED		11

654 DECOCOLOR MP 920-27,ALLCOLORS 920-24&TK 920-24	KOCH MATERIALS COMPANY	Paint Products	APPROVED		TENNIS COURT PAINT
034 DECOCOLOR MF 920-27,ALLCOLORS 920-24&1K 920-24	KOGI I WATERIALO COMPANT	Funt Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
656 UI-7016 (UI SYSTEM #80 (80 MILS))	URETHANE PLASTICS, INC.	Paint Products	APPROVED		manufacturer's label.
657 UI-9800 (UI SYSTEM #80 (80 MILS))	URETHANE PLASTICS, INC.	Paint Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
658 UI-7012 PART A (UI SYSTEM #80 (80 MILS))	URETHANE PLASTICS, INC.	Paint Products	APPROVED		manufacturer's label.
636 OF 7012 FART A (OF STSTEM #00 (00 MILS))	ORETTANE FEASTICS, INC.	ruint rioducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
660 DEMIZE NYLAR IGR	SPEER PRODUCTS INC.	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY PEST CONTROL TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
					Store and use away from ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
				THIS PRODUCT IS APPROVED FOR USE BY THE ELECTRICAL DEPARTMENT	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
662 FUELFLO	STATE CHEMICAL MANUFACTURING COMPANY	Automotive Products	APPROVED	ONLY.	Transport
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
					, , , , , , , , , , , , , , , , , , , ,
663 STYRO SOLVE	IPAX CLEANOGEL, INC.	Miscellaneous	APPROVED	TO BE APPLIED BY CONTRACTOR	vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
665 ZEP QUICK (#;1461)	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
667 JB 477 (PORCELAIN & TILE CLEANER)	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
667 JB 477 (PORCELAIN & TILE CLEANER)	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		• .
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
668 FLO AWAY PLUS	CHEMCO PRODUCTS CO.	Automotive Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
669 ZEP NATURAL	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
670 ZEP VALOR	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		ventilation. Follow manufacturer's label.
070 ===		Tool of vices i roduces	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(11.11.11)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
671 POT AND PAN SCRUB (#;1587)	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
672 STATE PILE DRIVER	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
673 ZEP R-3	ZEP MANUFACTURING COMPANY	Food Services Products	APPROVED		manufacturer's label.
0/3 25 % 0	ELI MANOI ACTORINO COMI ARTI	Toda Services Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
674 GRIP (WASH AND WAX FLOOR)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				·	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
675 PEEL STOP	ZEHRUNG CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		•			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
676 BATTERY TERMINAL CLEANER TM-2050	AEROSOL SYSTEMS, INC.	A decrease in the Break and	4.000.01/57		cartridge respirator. Follow manufacturer's label.
0/0 DATTERT TERMINAL CLEANER INT-2000	ALNOSOL STSTEMS, INC.	Automotive Products	APPROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
677 LEMONIT	SANI-CO PRODUCTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
678 RMC ALL PURPOSE CLEANER	FLO-KEM, INC.	Food Services Products	APPROVED		manufacturer's label.
	* *				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
679 FLO QUAT	FLO-KEM, INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
680 STAINLESS STEEL CLEANER/POLISH	FLO-KEM, INC.	Food Services Products	APPROVED		manufacturer's label.
****					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. THE APPROVAL OF THIS PRODUCT IS FOR THE USE OF CAFETERIA
ON POWE 7	ODERALINE LABORATORIES				
681 SIMPLY E-Z	GREENLINE LABORATORIES	Food Services Products	APPROVED		PERSONNEL ONLY. Follow manufacturer's label.

684 LIQUID DISH HAND DW DETERGENT 685 POWER PLAY 30 (HEAVY DUTY CLEANER/DEGREASER 686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	CALIFORNIA MINERALS INC. FLO-KEM, INC. GREENLINE LABORATORIES FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY.	Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nubber/neoprene gloves and splash gaggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation if FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation if FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation follow manufacturer's label. Wear nitrile rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation follow manufacturer's label.
684 LIQUID DISH HAND DW DETERGENT 685 POWER PLAY 30 (HEAVY DUTY CLEANER/DEGREASER 686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. GREENLINE LABORATORIES FLO-KEM, INC. LIS FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Food Services Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. File seceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. Formanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
684 LIQUID DISH HAND DW DETERGENT 685 POWER PLAY 30 (HEAVY DUTY CLEANER/DEGREASER 686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. GREENLINE LABORATORIES FLO-KEM, INC. LIS FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Food Services Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Fells exceeded, wear NiOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nibber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
685 POWER PLAY 30 (HEAVY DUTY CLEANER/DEGREASER 686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	GREENLINE LABORATORIES FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Food Services Products Food Services Products Posticide/Herbicide Products Food Services Products Food Services Products Food Services Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear imprevious clothing. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
685 POWER PLAY 30 (HEAVY DUTY CLEANER/DEGREASER 686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	GREENLINE LABORATORIES FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Food Services Products Food Services Products Posticide/Herbicide Products Food Services Products Food Services Products Food Services Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For impervious clothing. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation.
686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Point Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear imprevious clothing. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Point Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Waar rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrilier rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrilier rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation.
686 AP DEGREASER 5319 (CLEANER DEGREASER) 687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL (VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL (VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Point Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilatio PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nibrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nibrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
687 222 GERMICIDAL CLEANER	FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
687 222 GERMICIDAL CLEANER 688 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	FLO-KEM, INC. US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
698 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Waar rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Waar intitie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
698 SERCO URN CLEANER 690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
690 BORA-CARE 692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	NISUS CORPORATION CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Pesticide/Herbicide Products Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NICSH approved organic vapor cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation in the province of the province of the province organic vapor cartridge respirator. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
692 AMS WHITE HAND SOAP BORAX 695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	CALIFORNIA MINERALS INC. US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Food Services Products Paint Products Paint Products	APPROVED APPROVED	ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRIGIOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA:7900)	US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRIGIOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA:7900)	US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Paint Products Paint Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Paint Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
695 SERCO # 66 (POWDERED HAND DISH DETERGENT) 696 UNIPRIME (VISTA:4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	US FOODSERVICE VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Food Services Products Paint Products Paint Products	APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
696 UNIPRIME (VISTA:4000) 697 ACRIGIOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA:7900)	VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Paint Products Paint Products	APPROVED		Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
696 UNIPRIME (VISTA-4000) 697 ACRI GLOW 698 LATEX GLOSS ENAMEL(VISTA-7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA-7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION VISTA PAINT CORPORATION	Paint Products Paint Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
697 ACRIGLOW 698 LATEX GLOSS ENAMEL(VISTA:7800) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION	Point Products			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
697 ACRIGLOW 698 LATEX GLOSS ENAMEL(VISTA:7800) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION	Point Products			cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
697 ACRIGLOW 698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION	Point Products			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA:7900)			APPROVED		
698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)			APPROVED		
698 LATEX GLOSS ENAMEL(VISTA:7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)			APPROVED		
698 LATEX GLOSS ENAMEL(VISTA7600) 699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA7700) 700 PREMOGLOSS (VISTA 7900)			APPROVED		manufacturer's label.
699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION				
699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
699 CAREFREE ACRYLIC HIGH GLOSS ENAMEL(VISTA:7700) 700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
700 PREMOGLOSS (VISTA 7900)		Paint Products	APPROVED		manufacturer's label.
700 PREMOGLOSS (VISTA 7900)					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
700 PREMOGLOSS (VISTA 7900)					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
700 PREMOGLOSS (VISTA 7900)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
	WOTA DAINT CORPORATION				
701 CAREFREE EGOSHELL(VISTA:8000)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
701 CAREFREE EGGSHELL(VISTA:8000)					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
701 CAREFREE EGGSHELL(VISTA:8000)					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
702 CAREFREE VELVASHEEN(VISTA 8200)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
702 OAREINEE VEEYAOIREIN(VIOTA 0200)	VIOLATIANT GOLD GRATION	runtrioducts	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
, ,					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
703 INDUSTRIAL MAINTENANCE ENAMEL(VISTA:WGII)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
704 ACRITHANE WATER BASE HIGH GLOSS(VISTA:108)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
705 ACRITHANE WATER BASE SEMI GLOSS(VISTA 109)	VISTA PAINT CORPORATION	Paint Products	APPROVED		manufacturer's label.
700 NONTHAND WATER BASE SERVI OLOGICATION TO 9	NOTATION CONTONATION	rantrioducts	MITROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
706 HI-HIDE	COURTAULDS COATINGS	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
707 PORTERSEPT LATEX SEMI-GLOSS	COURTAULDS COATINGS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
	SSSKINSEDS SOMINOS				
()	OCONTROLES OURTHOU				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
708 DR. JUICE (AEROSOL DISINFECTANT)					manufacturer's label.
	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
		Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
709 MAJESTIC WHITE (W/2102) 1292 CODE 002001 F		Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
***		Maintenance and Operations Products Paint Products	APPROVED		

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
710 ACOUSTIC WHITE (0030176)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
711 LUXWALL 11 PEARL WHITE (# 193) CODE: 004	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
7.11 (····,		Tallet Todado	ATTIONES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
(0000004)	FRATE INDUSTRIES INC			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
712 SPEEDWALL II PEARL WHITE (0080004)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
713 VELVIN WHITE # 0110001	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
714 TOWER CLEAR # 9279	NATIONAL CHEMICAL	HVAC Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
715 FAST BREAK ALL PURPOSE CLEANER	CARROLL CALIFORNIA VENTURES, INC	Food Services Products	APPROVED	manufacturer's label.
7/3 TAST BREAK ALL FOR FOSE CLEANER	CARROLL CALII ORIVIA VEIVIORES, INC	rood services rioducts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
718 VINYLUX WHITE BASE (012001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
719 CRAFTSMAN H/D WHITE 294 0140001	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
721 CONCRETE SEAL	CHEMIFAX			cartridge respirator. Follow manufacturer's label.
721 CONCRETE SEAL	CHEMIFAX	Maintenance and Operations Products	APPROVED	• ,
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
722 TAKE 5 (FORMULA 36)	SUN VIEW	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
723 LUBRI-SIL (51360, 51362)	FEL-PRO CHEMICAL PRODUCTS, LP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
720 (,)		mantenance and operations reducts	ATTIONES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
724 GREASOFF 2	KLEER-FLO COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
725 GRAFFITI BARRIER (TDCP 003)	COLLOID CLEANING (DISTRIBUTOR)	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
726 TECNU POISON OAK-N-IVY CLEANSING TREATMENT	TEC LABORATORIES, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
728 FORMICA BRAND 140BRUSHABLE CONTACT ADHESIVE	COLUMBIA CEMENT CO., INC.		APPROVED	
/28 FORMICA BRAND I40BRUSHABLE CONTACT ADHESIVE	COLUMBIA CEMENT CO., INC.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
729 CAMPHOR	ALPHA PRODUCTS	Graphic Arts/Photography Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
730 AKO-20 HEAVY DUTY INDUSTRIAL CLEANER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
7000 CANO DINOS	NVTTOUT LOOPS			
731 7032 SANO RINSE	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label.
731 7032 SANO RINSE	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
731 7032 SANO RINSE	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
	INTERCHEM CORP. SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
				manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
733 POLY-WASH	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapar
733 POLY-WASH				manufacturer's label. Wear nitrile rubber/ heoprene gloves and chemical splash goggles. Use GOOD venillation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ heoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.
733 POLY-WASH	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD venti
733 POLY-WASH 734 NEUTRO JEL 110 C	SELIG CHEMICAL INDUSTRIES SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
733 POLY-WASH 734 NEUTRO JEL 110 C	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respiratu manufacturer's label.
731 7032 SANO RINSE 733 POLY-WASH 734 NEUTRO JEL 110 C	SELIG CHEMICAL INDUSTRIES SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
733 POLY-WASH 734 NEUTRO JEL 110 C	SELIG CHEMICAL INDUSTRIES SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respiratu manufacturer's label.

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
739 ANTI GRAFFITI PAINT (AGP-100)	LBR PROTECTIVE COATINGS TECHNOLOGIES	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
740 MAXIMA 256	BRULIN & COMPANY, INC.	Food Services Products	APPROVED	Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
743 LE-8000 FLOOR COVERING ADHESIVE	DAP INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
745 LATEX GLOSS ENAMEL WHITE 1350-00	FINE LINE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
745 BATEX OCOSS ENAMINE WHITE 1550 00	THE BILL PAINT CORF.	ruint riodacts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
746 OUICK-DRY LATEX UNDERCOATER 1632-00	FINE LINE PAINT CORP.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
746 QUICK-DRY LATEX UNDERCOATER 1632-00	FINE LINE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
747 WHITE ACRYLIC SEMI-GLOSS LATEX, 0720	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
748 DUST MOP ENHANCER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
49 WHITE H/G WATER BASE ENAMEL 780	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
750 WHITE LATEX ACRYLIC UNDERCOAT 1010	PERVO PAINT CO.			
50 WHITE LATEX ACRYLIC UNDERCOAT IUIU	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
				cartridge respirator with dust/mist pre-filter. Wear impervious clothing
753 SPEED-WALL LATEX EGGSHELL INERIOR WALL&TRIM	ICI PAINTS	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
754 DURAPRIME WHITE (2630700)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
755 W/R SEMITRANSPARENT STAIN 10-92	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
756 TOPCOAT A and Topcoat X Bases and Colors	BARNARD PRODUCTS, INC.	Paint Products	APPROVED	
30 TOLOGAL A GIG TOPOGGLA BUSING GOIGIN	BARRARD I ROBOUTS, INC.	runtriodata	AFROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
FARRED WOTE ELAT BUT MELT (OLOGODI)	FDATES INDUSTRIES INO			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
757 ENVIRO-KOTE FLAT INT.WHT (0180001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
58 DFCS-DRY FOAM CARPET SHAMPOO	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
60 ENVIRO-KOTE EGGSHELL INTERIOR WHITE (0290001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
761 LATEX LO GLO WHITE(SG10) (0220001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Usi
ACDY CHEEN WHITE (03E0001)	EDAZEE INIDIJECTICE INC	Delet Decelerate	ADDROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
62 ACRY-SHEEN WHITE (0250001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
63 BIO-STRIP 100	AMTECO INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
764 MISTY WAX-OFF (SPRAY & STRIP)	AMREP, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
765 POWDER JOINT COMPOUND, DRYING TYPE	UNITED STATES GYPSUM COMPANY (USG)	Maintenance and Operations Products	APPROVED	manufacturer's label.
		ac.ac.a.a operations rioducts		
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
766 JOINT TREATMENT PRODUCTS-READY MIXED COMPOUNDS	UNITED STATES GYPSUM COMPANY (USG)	Maintenance and Operations Products	APPROVED	GOOD ventilation. If ELL is exceeded, wear NIOSH approved organic vapi cartridge respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
767 UL 500 HEAVY DUTY CLEANER	HANSON-LORAN CHEMICAL CO.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
707 GE GGG NEAT I DOTT GEEANER	THROOF ESTAN OTEMORE OS.	1 GOOD SELVICES FI OCUCES	ATTROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
768 ABS 100	ASBESTOS COATINGS AND SUPPLIES	Malatan and Consultan Devices	ADDROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label.
/68 ABS 100	ASBESTOS COATINGS AND SUPPLIES	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
769 CA 3600	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
770 STIC STUCCO 50-MS-4	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				ALL PURPOSE CLEANER Wear nitrile rubber/neoprene gloves and chemical s
				goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
771 CABOT FORMULA X-208	CABOT COSMOS CORPORATION/DISTR. COLLOID CLEANERS	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
772 SPRAY LUBRICANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
773 GENIE SUPERWASH SINGLE STEP	DOMENIC ARGENIO ASSOCIATES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
773 OENIE SOI ENTAGITORIOLE STEI	BOMENO ANGENO AGGODATED	maintenance and operations moducts	AFFROVED	• ,
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
774 CONCO PRO-PAINTS 1620	SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
775 ACRYPRIME WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
776 ENVIRO-KOTE PRIMER	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I
777 MIRRO GLIDE S/G WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
,,,		Talletrodades	ATTIOTES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
Minno Oline e la Millian	FRAZEE INDUSTRIES, INC.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
778 MIRRO GLIDE E/G WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
779 STEAMETTE LIQUID EXTRACTION CLEANER	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
780 PROFESSIONAL SPOTTER	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
783 OUTRIGHT-PET ODOR ELIMINATOR	BRAMTON CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
784 CCFI 00054 GRAFFITI REMOVER COLLOID CLEANERS	RAY HERNANDEZ DISTRIBUTORS	Graffiti Products	APPROVED	cartridae respirator. Follow manufacturer's label.
784 CCFI 00034 GRAFFITI REMOVER COLLOID CLEANERS	RAT HERNANDEZ DISTRIBUTORS	Graniti Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
785 P4 (POLYACRYLAMIDE POLYMER)	BROADLEAF	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
786 FIREPAINT	BROWN-INDUSTRIAL PROCESS COMPANY	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
787 DISCIDE 256	DEL REY CHEMICAL COMPANY	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
788 DOWN'N'DIRTY	NEUTRON INDUSTRIES, INC.	Maintananaa and Counting Post	APPROVED	cartridge respirator. Follow manufacturer's label.
700 SOMMADIKI 1	ACOTRON INDUSTRICA, INC.	Maintenance and Operations Products	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
		and the second s		
789 SPIRIT SAFE DUPLICATING FLUID	STARKEY CHEMICAL PROCESS COMPANY	Graphic Arts/Photography Products	APPROVED	cartridge respirator. Follow manufacturer's label.
789 SPIRIT SAFE DUPLICATING FLUID	STARKEY CHEMICAL PROCESS COMPANY	Graphic Arts/Photography Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
789 SPIRIT SAFE DUPLICATING FLUID	STARKEY CHEMICAL PROCESS COMPANY	Graphic Arts/Photography Products	APPROVED	• ,

					rile rubber/neoprene gloves and chemical splash goggles. Use
					entilation. If PEL is exceeded, wear NIOSH approved organic vapo
791 2001 ELASTOLIFE WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		e respirator. Follow manufacturer's label.
				Wear nitrile	rile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD vent	ntilation. If PEL is exceeded, wear NIOSH approved organic vapo
792 ANHYDROUS AMMONIA	HILL BROTHERS CHEMICAL CO.	Maintenance and Operations Products	APPROVED	cartridge r	e respirator. Follow manufacturer's label.
				Wear nitrile	rile rubber/neoprene gloves and chemical splash goggles. Use
					entilation. If PEL is exceeded, wear NIOSH approved organic vapo
793 CALIFORNIA PLEXIPAVE CRACK FILLER	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		e respirator. Follow manufacturer's label.
793 CALIFORNIA I ELAI AVE CICACIO I ILEER	SALI SIMA MODOSTO COM GRATION	ruint rioducts	AFFROVED		rile rubber/neoprene gloves and chemical splash goggles. Use
					entilation. If PEL is exceeded, wear NIOSH approved organic vapo
794 CALIFORNIA ACRYLIC RESURFACER	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		e respirator. Follow manufacturer's label.
				Wear nitrile	rile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD vent	entilation. If PEL is exceeded, wear NIOSH approved organic vapo
795 CALIFORNIA PLEXIPAVE COLOR BASE	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED	cartridge r	e respirator. Follow manufacturer's label.
				Wear nitrile	rile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD vent	entilation. If PEL is exceeded, wear NIOSH approved organic vapo
796 PREMULSION PRESPRAY	THE RAMSEY COMPANY	School Products	APPROVED		e respirator. Follow manufacturer's label.
					rile rubber/neoprene gloves and chemical splash goggles. Use
					entilation. If PEL is exceeded, wear NIOSH approved organic vapor
797 CALIFORNIA PLEXICOLOR LINE PAINT	CALIFORNIA PRODUCTS CORPORATION				
797 CALIFORNIA PLEXICOLOR LINE PAINT	CALIFORNIA PRODUCTS CORPORATION	Paint Products	APPROVED		e respirator. Follow manufacturer's label.
					rile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD vent	ntilation. If PEL is exceeded, wear NIOSH approved organic vap
799 LATEX-ITE WHITE LINE PAINT	AMERICAN TENNIS COURTS, INC.	Maintenance and Operations Products	APPROVED	cartridge r	e respirator. Follow manufacturer's label.
				Wear rubb	ober/neoprene gloves and chemical splash goggles. Use with (
				ventilation	on. If described exposure symptoms occur, wear NIOSH approv
302 GLOSS COAT FLOOR FINISH	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	organic va	vapor cartridge respirator. Follow manufacturer's label.
		· ·		Approved for use by contractors only at unoccupied sites (construction	
				areas) or during non-school hours. LAUSD staff may not use this	
				product. Peel Away can not be left in areas where it may be accessible	
				to non-construction personnel. Prior to initiating work the contractor will	
				provide, and receive district approval of a lead related work submittal,	
				provide, and receive district approval of a lead related work submittal, that includes a site specific work plan and Job Hazard Analysis. Work	
				that includes a site specific work plan and Job Hazard Analysis. Work	
				that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures,	
				that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal	e manufacturer's recommendations for product storage and a
				that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and Follow the	
ano PFFI AWAY I	DIIMOND CHEMICALS, INC.	Boild Broducts	ADDROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be not allow a	contact with incompatible metals. Wear overalls, safety glass
303 PEEL AWAY1	DUMOND CHEMICALS, INC.	Paint Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product.	v contact with incompatible metals. Wear overalls, safety glass ous gloves. Use with adequate ventilation.
303 PEEL AWAY I	DUMOND CHEMICALS, INC.	Paint Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventling exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Follow the not allow a impervious weep removed.	v contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rile rubber/neoprene gloves and chemical splash goggles. Use
				that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Ween nitril GOOD veril	v contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rille rubber/neoprene gloves and chemical splash goggles. Usr intilation. If PEL is exceeded, wear NIOSH approved organic vap
304 P.49	POLYMERICA	Paint Products Maintenance and Operations Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitridical COOD ventical Process involving this product.	v contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rile rubber/neoprene gloves and chemical splash goggles. Use
				that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Ween nitril GOOD veril	v contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rile rubber/neoprene gloves and chemical splash goggles. Us intilation. If PEL is exceeded, wear NIOSH approved organic vap
i04 P.49	POLYMERICA	Maintenance and Operations Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear Intition	contact with incompotible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rille rubber/neoprene gloves and chemical splash goggles. Us mittallatin. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label.
304 P.49	POLYMERICA	Maintenance and Operations Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rille rubber/neoprene gloves and chemical splash goggles. Use milliation. If PEL is exceeded, wear NiOSH approved organic vap respirator. Follow manufacturer's label. "itle rubber/neoprene gloves and chemical splash goggles. Use
304 P.49	POLYMERICA	Maintenance and Operations Products	APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD venicatridge r FOR USE BY CONTRACTOR Wear nitril GOOD venicatridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rille rubber/neoprene gloves and chemical splash goggles. Use milliation. If PEL is exceeded, wear NiOSH approved organic vap respirator. Follow manufacturer's label. "itle rubber/neoprene gloves and chemical splash goggles. Use
804 P.49 806 Oust Herbicide (dispersible granules)	POLYMERICA DUPONT CO.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in point removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear nitril GOOD vent COOD vent	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. It liter furber/ neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. It liter furber/ neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label.
804 P.49 806 Oust Herbicide (dispersible granules)	POLYMERICA DUPONT CO.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitrill GOOD vent cartridge r FOR USE BY CONTRACTOR Wear nitrill GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. "ille rubber/neoprene gloves and chemical splash goggles. Use millation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. "ille rubber/neoprene gloves and chemical splash goggles. Use millation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. "ber/neoprene gloves and chemical splash goggles. Use with a ber/neoprene gloves and chemical splash goggles. Use with a post of the post of the pos
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I)	POLYMERICA DUPONT CO. US FOODSERVICE	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in point removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitrill GOOD vent cartridge r Wear nitrill GOOD vent cartridge r Wear rubbl ventilation	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. "ifle rubber/neoprene gloves and chemical splash goggles. Ust mitilation. If PEL is exceeded, wear NiOSH approved organic vap erespirator. Follow manufacturer's label. "ifle rubber/neoprene gloves and chemical splash goggles. Ust mitilation. If PEL is exceeded, wear NiOSH approved organic vap erespirator. Follow manufacturer's label. "ber/neoprene gloves and chemical splash goggles. Use with on. If PEL is exceeded, wear NiOSH approved organic vapor cart
804 P.49 806 Oust Herbicide (dispersible granules)	POLYMERICA DUPONT CO.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in point removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitrill GOOD vent cartridge r Wear nitrill GOOD vent cartridge r Wear rubbl ventilation	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. "ille rubber/neoprene gloves and chemical splash goggles. Use milliation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. "ille rubber/neoprene gloves and chemical splash goggles. Use milliation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. bber/neoprene gloves and chemical splash goggles. Use with
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I)	POLYMERICA DUPONT CO. US FOODSERVICE	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in point removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear nitril GOOD vent cartridge r Wear nitril GOOD vent cartridge r Wear rubb ventilation respirator.	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. fille rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. fille rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Debar/neoprene gloves and chemical splash goggles. Use with on. If PEL is exceeded, wear NIOSH approved organic vapor cart or. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I)	POLYMERICA DUPONT CO. US FOODSERVICE	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitrition	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. file rubber/neoprene gloves and chemical splash goggles. Use prespirator. Follow manufacturer's label. rille rubber/neoprene gloves and chemical splash goggles. Use intilation. If FEL is exceeded, wear NIOSH approved organic vap prespirator. Follow manufacturer's label. per respirator. Follow manufacturer's label. sober/neoprene gloves and chemical splash goggles. Use with nn. If FEL is exceeded, wear NIOSH approved organic vapor cort or. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD veni cartridge r Wear nitril GOOD veni cartridge r Wear nitril GOOD veni cartridge r Wear rubb Ventilation respirator. Wear rubb FE is exce-	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. rile rubber/neoprene gloves and chemical splash goggles. Use mittallation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. rile rubber/neoprene gloves and chemical splash goggles. Use mittallation. If PEL is exceeded, wear NIOSH approved organic vap e respirator. Follow manufacturer's label. ober/neoprene gloves and chemical splash goggles. Use with in. If PEL is exceeded, wear NIOSH approved organic vapor cart in. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I)	POLYMERICA DUPONT CO. US FOODSERVICE	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD venicarridge r FOR USE BY CONTRACTOR Wear nitril GOOD venicarridge r Wear rubb PEL is exces ONLY dilute.	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. It is rubber/neoprene gloves and chemical splash goggles. Use intiliation. If PEL is exceeded, wear NIOSH approved organic vap or espirator. Follow manufacturer's label. It is exceeded, wear NIOSH approved organic vap or espirator. Follow manufacturer's label. Use of the provided organic vapor orat or espirator. Follow manufacturer's label. In IF EL is exceeded, wear NIOSH approved organic vapor cort or. Follow manufacturer's label. Use or the provided organic vapor cort or. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD venicarridge r FOR USE BY CONTRACTOR Wear nitril GOOD venicarridge r Wear rubb PEL is exces ONLY dilute.	v contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. It is rubber/neoprene gloves and chemical splash goggles. Use intiliation. If PEL is exceeded, wear NIOSH approved organic vap or espirator. Follow manufacturer's label. It is rubber/neoprene gloves and chemical splash goggles. Use intiliation. If PEL is exceeded, wear NIOSH approved organic vap or espirator. Follow manufacturer's label. In IFEL is exceeded, wear NIOSH approved organic vapor carl or. Follow manufacturer's label. In IFEL is exceeded, wear NIOSH approved organic vapor carl or. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear rubb ventilation respirator. Wear rubb PEL is excecontry dispersions and products of the process involving this product.	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. Title rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Title rubber/neoprene gloves and chemical splash goggles. Use with intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Deber/neoprene gloves and chemical splash goggles. Use with on. If PEL is exceeded, wear NIOSH approved organic vapor cartin. Follow manufacturer's label. Deber/neoprene gloves and splash goggles. Use with GOOD ven speeded, wear NIOSH approved organic vapor cartinge respirated product (1/2 oz per gallion of water). Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products	APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitrities FOR USE BY CONTRACTOR Wear nitrities Wear nitrities Wear rubb ventilation respirator. Wear rubb PEL is exceedonty dilute. Wear rubb PEL is exceedonty dilute. Wear rubb PEL is exceedonty dilute.	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. Itle rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Itle rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Deber/neoprene gloves and chemical splash goggles. Use with nr. If PEL is exceeded, wear NIOSH approved organic vapor carts nr. Follow manufacturer's label. Deber/neoprene gloves and splash goggles. Use with GOOD ven beder/neoprene gloves and splash goggles. Use with GOOD ven careded, wear NIOSH approved organic vapor cartridge respirated product (1/2 oz per gallion of water). Follow manufacturer's title rubber/neoprene gloves and chemical splash goggles. Use
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO.	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear nitril GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear rubb PEL is exce- ONLY dilute GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. If It is rubber/neoprene gloves and chemical splash goggles. Use milliation. If PEL is exceeded, were NiOSH approved organic vape respirator. Follow manufacturer's label. The second of the second of the second of the second organic vaper respirator. Follow manufacturer's label. The second of the second organic vaper respirator. Follow manufacturer's label. The second of the second organic vaper respirator. Follow manufacturer's label. The second of the second organic vaper control or the second organic vaper control organic vaper o
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO.	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD vent cartridge r FOR USE BY CONTRACTOR Wear intril GOOD vent cartridge r Wear rubb PEL is excee ONLY dilute Weer rubb PEL is excee ONLY dilute Contridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer rubb	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. If life rubber/neoprene gloves and chemical splash goggles. Use sittlife rubber/neoprene gloves and chemical splash goggles. Use respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use vittlife rubber/neoprene gloves and chemical splash goggles. Use with one of the provided repair of
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-28081) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear rubb ventilation respirator. Wear rubb PEL is excecontry dilute.	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. Title rubber/neoprene gloves and chemical splash goggles. Use with adequate ventilation. Title rubber/neoprene gloves and chemical splash goggles. Use vinitiation. Title rubber/neoprene gloves and chemical splash goggles. Use with the rubber/neoprene gloves and chemical splash goggles. The respirator. Follow manufacturer's label. To reflex exceeded, wear NIOSH approved organic vapor carts of the rubber/neoprene gloves and chemical splash goggles. Use with the rubber/neoprene gloves and splash goggles. Use with GOOD ven speeded, wear NIOSH approved organic vapor carts atted product (1/2 oz per gallion of water). Follow manufacturer's label. The rubber/neoprene gloves and chemical splash goggles. Use with GOOD ven the rubber/neoprene gloves and chemical splash goggles. Title rubber/neoprene gloves and chemical splash goggles. The rubber/neop
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO.	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitriil GOOD vent cartridge r FOR USE BY CONTRACTOR Wear nitriil GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear rubb PEL is exce- ONLY dilute GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. Title rubber/neoprene gloves and chemical splash goggles. Use with adequate ventilation. If PEL is exceeded, wear NIOSH approved organic vap a respirator. Follow manufacturer's label. Title rubber/neoprene gloves and chemical splash goggles. Use with a provided organic vap a respirator. Follow manufacturer's label. Deer/neoprene gloves and chemical splash goggles. Use with an. If PEL is exceeded, wear NIOSH approved organic vapor cort or. Follow manufacturer's label. Deer/neoprene gloves and chemical splash goggles. Use with GOOD ven seeded, wear NIOSH approved organic vapor cort in the provided organic vapor cort in the provided product (1/2 oz per gallion of water). Follow manufacturer's label. The provided of the provided organic vapor cortification of the provided product (1/2 oz per gallion of water). Follow manufacturer's lite rubber/neoprene gloves and chemical splash goggles. Use with green groves and chemical splash goggles. Use intiliation. If PEL is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label.
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-28081) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear nitril GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear rubb PEL is exce- ONLY dilute GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear nitril GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear nitril GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear nitril GOOD vent cartridge r Wear rubb PEL is exce- ONLY dilute Wear nitril GOOD vent cartridge r Wear nitril GOOD vent cartridge r Wear rubb	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. If ELI is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use intilation. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use with on. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. In IF ELI is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor interaction or the province organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. It is rubber/neoprene gloves and chemical splash goggles. Use nitrilation. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label.
204 P.49 206 OUST HERBICIDE (DISPERSIBLE GRANULES) 207 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 208 GOOF-OFF 209 SUPER CLEANER (CONCENTRATE) 2010 CARPET SANITIZER 2011 CLEAN ACTION	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD vent cartridge r Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. If life rubber/neoprene gloves and chemical splash goggles. Use sittle rubber/neoprene gloves and chemical splash goggles. Use respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use vitilation. If PEL is exceeded, wear NIOSH approved organic vaper espirator. Follow manufacturer's label. Deer/neoprene gloves and chemical splash goggles. Use with on. If PEL is exceeded, wear NIOSH approved organic vapor cart for the sex exceeded, wear NIOSH approved organic vapor cart for the sex exceeded, wear NIOSH approved organic vapor cart file rubber/neoprene gloves and splash goggles. Use with GOOD ven beerded, wear NIOSH approved organic vapor cartidge respirated product (1/2 oz per gallon of water). Follow manufacturer'i lier rubber/neoprene gloves and chemical splash goggles. Use millation. If PEL is exceeded, wear NIOSH approved organic vapor lier proved organic vapor lier prober/neoprene gloves and chemical splash goggles. Use millation. If PEL is exceeded, wear NIOSH approved organic vapor lier proved organic vapor lier proved organic vapor lier proved organic vapor lier proved. If PEL is exceeded, wear NIOSH approved organic vapor lier proved. If PEL is exceeded, wear NIOSH approved organic vapor lier proved. If PEL is exceeded, wear NIOSH approved organic vapor lier proved. If PEL is exceeded, wear NIOSH approved organic vapor lier proved. If PEL is exceeded, wear NIOSH approved organic vapor lier proved
304 P.49 306 OUST HERBICIDE (DISPERSIBLE GRANULES) 307 RITE AND BRITE HEAVY DUTY CLEANER (0-28081) 308 GOOF-OFF 309 SUPER CLEANER (CONCENTRATE)	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Weer nitril GOOD vent cartridge r Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r Weer rubb PEL is excee ONLY dilute Weer nitril GOOD vent cartridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. If ELI is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use intilation. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. Itile rubber/neoprene gloves and chemical splash goggles. Use with on. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. In IF ELI is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor interaction or the province organic vapor control. FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label. It is rubber/neoprene gloves and chemical splash goggles. Use nitrilation. If FEL is exceeded, wear NiOSH approved organic vapor respirator. Follow manufacturer's label.
204 P.49 206 OUST HERBICIDE (DISPERSIBLE GRANULES) 207 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 208 GOOF-OFF 209 SUPER CLEANER (CONCENTRATE) 2010 CARPET SANITIZER 2011 CLEAN ACTION	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in paint removal tasks, storage, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril GOOD vent cartridge r Wear rubb ventilation respirator. Wear rubb PEL is excected by the control of the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excected by the cartridge r Wear rubb PEL is excellent the cartridge r Wear rubb PEL is excellent by the cartridge r Wear rubb PEL is excellent by the cartridge r Wear rubb PEL is excellent by the cartridge r Wear rubb PEL is excellent by the cartridge r Wear rubb PEL is excellent by the cartridge r Wear ritridge r	contact with incompatible metals. Wear overalls, safety glass us gloves. Use with adequate ventilation. Ifter turber/neoprene gloves and chemical splash goggles. Use intilation, if PEL is exceeded, wear NIOSH approved organic vapa a respirator. Follow manufacturer's label. The splash of the second of the second organic vapa a respirator. Follow manufacturer's label. The splash of the second of the second organic vapa a respirator. Follow manufacturer's label. The second of the second of the second organic vapar cart is, Follow manufacturer's label. The second of the second of the second organic vapar cart is, Follow manufacturer's label. The second of the second of the second organic vapar cart is, Follow manufacturer's label. The second of the second of the second organic vapar cartidge respirated product (1/2 oz per gallion of water). Follow manufacturer's label. The second of the second organic vapar cartidge respirated product (1/2 oz per gallion of water). Follow manufacturer's label. The second of the second organic vapar are spirator. Follow manufacturer's label. The second of the second organic vapar respirator. Follow manufacturer's label. The second of the second organic vapar respirator. Follow manufacturer's label.
204 P.49 206 OUST HERBICIDE (DISPERSIBLE GRANULES) 207 RITE AND BRITE HEAVY DUTY CLEANER (0-2808I) 208 GOOF-OFF 209 SUPER CLEANER (CONCENTRATE) 2010 CARPET SANITIZER 2011 CLEAN ACTION	POLYMERICA DUPONT CO. US FOODSERVICE NEXGEN PIONEER CHEMICAL CO. HILLYARD INDUSTRIES HILLYARD INDUSTRIES	Maintenance and Operations Products Pesticide/Herbicide Products Food Services Products Graffiti Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in point removal tasks, storags, accidental release procedures, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in work process involving this product. Wear nitril 6000 vent cartridge r FOR USE BY CONTRACTOR Wear nitril 6000 vent cartridge r Wear rubb PEL is exceonly diducted to the control of the contro	rile rubber/neoprene gloves and chemical splash goggles. Use intilation. If PEL is exceeded, wear NIOSH approved organic vapa e respirator. Follow manufacturer's label. e respirator. Follow manufacturer's label. e respirator. If PEL is exceeded, wear NIOSH approved organic vapa e respirator. Follow manufacturer's label. beer/neoprene gloves and chemical splash goggles. Use with Conn. If PEL is exceeded, wear NIOSH approved organic vapor cartriver. Follow manufacturer's label. beer/neoprene gloves and splash goggles. Use with GOD vent esceeded, wear NIOSH approved organic vapor cartridge respirative interpretation of the provided organic vapor cartridge respirative interpretation of the provided organic vapor cartridge respirative interpretation of the provided organic vapor cartridge respirative interpretation. If PEL is exceeded, wear NIOSH approved organic vapar e respirator. Follow manufacturer's label. It is rubber/neoprene gloves and chemical splash goggles. Use militation. If PEL is exceeded, wear NIOSH approved organic vapar e respirator. Follow manufacturer's label. It is rubber/neoprene gloves and chemical splash goggles. Use militation. If PEL is exceeded, wear NIOSH approved organic vapar et respirator. Follow manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
818 EASY PULL	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
010 23011022	AMERICAN INDUSTRIAL CONTENTIO.	Maintenance and Operations Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
819 GRAFFITI REMOVER (FORMULA RF-026953)	DIANA INDUSTRIES INTERNATIONAL, INC.	Graffiti Products	APPROVED		
819 GRAFFIII REMOVER (FORMOLA RF-020955)	DIANA INDUSTRIES INTERNATIONAL, INC.	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
821 WEAR MASTER (A07)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
822 WEAR MASTER(A07)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
823 ULTIMATE PLUS (A25)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
825 BLACK POWDER	GOEX, INC.	School Products	APPROVED	FOR PERFORMING ARTS	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
826 TILE & CHROME CLEANER (AK OII)	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
828 SAFE-T-GLOSS II	EASTERDAY SUPPLY CO.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.If any of the described exposure symptoms occur, wear NIOSH
829 EXCALIBUR (METAL POLISH)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
029 ENGALIDON (METALT GLIGH)	MAINTEX INC.	maintenance and operations froducts	ALTROVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur,wear NIOSH
OOO CUIDDEME CEDIDDED	DIONICED CHEMICAL CO	Malatan and On contain Bandont	4 DDD 01 /FD		
830 SUPREME STRIPPER	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
831 VGR "GRAFFITI REMOVER"	VGR INC.				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
831 VGR GRAFFIII REMOVER	VGR INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
832 SUPER STRIPPER	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
834 ACRI-GLOSS W/B ACRYLIC CTG. 1-93 (9470600)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
835 MIRRO-SPAR GLOSS VARNISH 7-91 (9480600)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
836 OC HI SOLIDS STAIN BASE 062190 (685F999)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
837 ACRI-SATIN W/B ACRYLIC 1-93 (9220600)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
838 AVERT CRACK AND CREVICE BAIT	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	manufacturer's label.
					REMOVED from use; held in LAUSD central warehouse pending negotiations to
					return to supplier (Per Bill Currie) Wear rubber/neoprene gloves and splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
839 ULD BP 100 INSECTICIDE	MICRO-GEN EQUIPMENT CORP.	Pesticide/Herbicide Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					**REMOVED FROM PURCHASING BID SPECS BY BILL CURRIE (Pest management
					institute consultant) Wear rubber/neoprene gloves and splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
840 ULD BP-300 INSECTICIDE (code:4931-4940)	MICRO-GEN EQUIPMENT CORP.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					ONLY FOR USE BY CERTIFIED PEST MANAGEMENT TECHNICIANS. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
841 ORTHENE 75 S SOLUBLE POWDER	CHEVRON	Destinida / Lavis - Late Destinate	APPROVED		ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
041 OKTRENE /S S SOLUBLE PUWDEK	CHEVRON	Pesticide/Herbicide Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
842 SURFLAN A.S.	ELANCO PRODUCTS CO.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
844 ASBESTOS REMOVAL ENCAPSULANT (FOSTER 32-60)	FOSTER PRODUCTS CORPORATION	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
847 VI-RID D C	FRIENDLY SYSTEMS INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
848 MAGIC MOP	FRIENDLY SYSTEMS INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
240 RIGHT SPOT AFROSOI	FRIENDLY SYSTEMS INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
849 RIGHT SPOT AEROSOL	TRIENDET STSTEMS INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
B50 IT WORKS	IT WORKS INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
852 SIMPLE GREEN-INDUSTRIAL CLEANER & DEGREASER	SUNSHINE MAKERS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
	, .				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
, , , , , , , , , , , , , , , , , , , ,					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
353 SIMPLE GREEN D-CLEANER/DISINFECTANT/DEODORIZER	SUNSHINE MAKERS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
54 NP 40 L ALGAECIDE PRODUCT NUMBER; 9342	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
355 ADHESIVE/PREPOLYMER # 34D-2	SYNTHETIC SURFACES INC.	Maintenance and Operations Products	APPROVED	FOR ONE TIME USE ONLY.	
· · · · · · ·					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
356 ETHYL ACETATE 99.5 %	UNION CARBIDE AND PLASTICS COMPANY INC.	Maintenance and Operations Products	APPROVED	FOR ONE TIME USE ONLY	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
957 PORTLAND CEMENT CONSTRUCTION GROUT CG200PC	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		<u>.</u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
358 RM720EP PART A	HILTI CONSTRUCTION CHEMICALS, INC.				cartridge respirator. Follow manufacturer's label.
58 KM/ZUEF FART A	HILLI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
359 EPOXY REPAIR MORTAR, AGGREGATE PORTION RM700EP	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
860 EPOXT REPAIR MORTAR, AGGREGATE PORTION RM/IUEP		<u>'</u>			
360 EPOXT REPAIR MORTAR, AGGREGATE PORTION RM/IDEP					Wear nitrile rubber/neoprene aloves and chemical splash aggales. Use
360 EPOXT REPAIR MORTAR, AGGREGATE PORTION RM/TUEP					
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss
	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss
861 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP	HILTI CONSTRUCTION CHEMICALS, INC. CAL-WESTERN PAINTS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Usr
861 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP		Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
861 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP	CAL-WESTERN PAINTS				GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ust GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label.
361 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP	CAL-WESTERN PAINTS	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
361 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 162 CLEAN & CLEAR NO. 55-2838 163 RAIL-TEX	CAL-WESTERN PAINTS TEXO CORPORATION	Paint Products Automotive Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
B61 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX	CAL-WESTERN PAINTS	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label.
B61 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX	CAL-WESTERN PAINTS TEXO CORPORATION	Paint Products Automotive Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
861 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 862 CLEAN & CLEAR NO. 55-2838 863 RAIL-TEX 864 PIONEER TM-80	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO.	Paint Products Automotive Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
B60 EPOXT REPAIR MORTAR, AGGREGATE PORTION RM710EP B61 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP B62 CLEAN & CLEAR NO. 55-2838 B63 RAIL-TEX B66 GRAFFITI DEFENZ ALKACLEAN	CAL-WESTERN PAINTS TEXO CORPORATION	Paint Products Automotive Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
B61 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP B62 CLEAN & CLEAR NO. 55-2838 B63 RAIL-TEX B64 PIONEER TM-80 B66 GRAFFITI DEFENZ ALKACLEAN	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO.	Paint Products Automotive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
B61 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
B61 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label.
B61 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
BE EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP BE CLEAR & CLEAR NO. 55-2838 BE RAIL-TEX BE PIONEER TM-80 BE GRAFFITI DEFENZ ALKACLEAN BE PINE DISINFECTANT (C 16) TO SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respira was completed to the complete rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
B61 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP B62 CLEAN & CLEAR NO. 55-2838 B63 RAIL-TEX B64 PIONEER TM-80 B66 GRAFFITI DEFENZ ALKACLEAN B67 PINE DISINFECTIANT (C 16) B77 SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C-16) 370 SOFT SCOUR (D-22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION , RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C-16) 370 SOFT SCOUR (D-22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16) 370 SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16) 370 SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 362 CLEAN & CLEAR NO. 55-2838 363 RAIL-TEX 364 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 369 PINE DISINFECTANT (C 16) 370 SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 862 CLEAN & CLEAR NO. 55-2838 863 RAIL-TEX 864 PIONEER TM-80 866 GRAFFITI DEFENZ ALKACLEAN 869 PINE DISINFECTANT (C 18) 870 SOFT SCOUR (D 22) 872 COROMAN, (CPX) 2000-1000	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC. EDWARD LOWE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirating rapid to the period organic vapor cartridge respiration. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 862 CLEAN & CLEAR NO. 55-2838 863 RAIL-TEX 864 PIONEER TM-80 866 GRAFFITI DEFENZ ALKACLEAN 867 PINE DISINFECTANT (C 18) 870 SOFT SCOUR (D 22) 872 COROMAN, (CPX) 2000-1000	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator. File is exceeded, wear NIOSH approved organic vapor cartridge respirator.
861 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP 862 CLEAN & CLEAR NO. 55-2838 863 RAIL-TEX 864 PIONEER TM-80 366 GRAFFITI DEFENZ ALKACLEAN 869 PINE DISINFECTANT (C 16) 870 SOFT SCOUR (D 22)	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC. EDWARD LOWE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
B61 EPOXY REPAIR MORTAR, HARDENER PORTION, RM710EP B62 CLEAN & CLEAR NO. 55-2838 B63 RAIL-TEX B64 PIONEER TM-80 B66 GRAFFITI DEFENZ ALKACLEAN B69 PINE DISINFECTANT (C 16) B77 SOFT SCOUR (D 22) B72 COROMAN, (CPX) 2000-1000	CAL-WESTERN PAINTS TEXO CORPORATION PIONEER CHEMICAL CO. KNAPP MANUFACTURING SCOT LABORATORIES SCOT LABORATORIES BIO-SAFE INDUSTRIES, INC. EDWARD LOWE INDUSTRIES, INC.	Paint Products Automotive Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
876 MITA MD-23 DEVELOPER	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
877 MINOLTA MD-310 DEVELOPER	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
				ventilation. Use and store away from any flammables or ignition source
878 POTASSIUM NITRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
879 SODIUM PHOSPHATE, DIBASIC	SPECTRUM CHEMICAL MFG. CORP.			GOOD ventilation. Follow manufacturer's label.
8/9 SODIUM PHOSPHATE, DIBASIC	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
880 SODIUM THIOSULFATE PENTAHYDRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
102 DRIMED CALVITE WHITE DECIM?	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	manufacturer's label.
883 PRIMER GALVITE WHITE B5OW3	STERVINE WILLIAMS CO.	ruint riodacts	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
84 PRIMER ZINC CHROMATE B5OYI	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	manufacturer's label.
85 EX-TRA DEGREASER (SURFACTANTS)	I. SHAY CHEMICAL	Food Services Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
86 EST-1 & A (DEODORIZING PRODUCTS)	ENVIRONMENTAL SYSTEMS AND TECHNOLOGIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
87 FIX (AN AEROSOL CLEANER DEODORIZER DISINFECTANT)	THE STATE CHEMICAL MANUFACTURING CO.	Maintonance and Operations Products	APPROVED	manufacturer's label.
16/ TIX (AN ALROSOL CLEANER, DEODORIZER DISINI ECTANT)	THE STATE CHEMICAE MANOTACTORING CO.	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
89 AVITROL	AVITROL CORPORATION	Pesticide/Herbicide Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear rubber/neoprene
				and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
90 POAST POSTEMERGENCE GRASS HERBICIDE	BASE WYANDOTTE CORPORATION		APPROVED	
90 POAST POSTEMERGENCE GRASS HERBICIDE	BASE WYANDOTTE CORPORATION	Pesticide/Herbicide Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's la
				Wear rubber/neoprene gloves and chemical splash goggles. Use with
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
193 QUICK-DRY ANTI-OXIDENE COATING	TEXAS REFINERY CORP.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
95 STIC PRIMER 40-PM-3	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products	APPROVED	
				cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
96 STIC TRIM 20-SG-2	STIC-ADHESIVE PRODUCTS CO., INC.		APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
96 STIC TRIM 20-SG-2	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
96 STIC TRIM 20-SG-2	STIC-ADHESIVE PRODUCTS CO., INC.		APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
		Maintenance and Operations Products		Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
	STIC-ADHESIVE PRODUCTS CO., INC. STIC-ADHESIVE PRODUCTS CO., INC.		APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
		Maintenance and Operations Products		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
		Maintenance and Operations Products		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
gy STIC ACRYLIC 30-EG-1		Maintenance and Operations Products		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
gy STIC ACRYLIC 30-EG-1	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
g7 STIC ACRYLIC 30-EG-1	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven beautiful to the properties of the province organic vapor cartridge respiral manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630	STIC-ADHESIVE PRODUCTS CO., INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator was not considered to the considered organic vapor cartridge respirations.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1830	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/her
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1830 101 CONCO PRO-PAINTS 1711	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1830 101 CONCO PRO-PAINTS 1711	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator nanufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/het cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/het cartridge respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 104 CONCO PRO-PAINTS 1781	STIC-ADHESIVE PRODUCTS CO,, INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The provided organic vapor cartridge respirator. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 104 CONCO PRO-PAINTS 1781	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781	STIC-ADHESIVE PRODUCTS CO,, INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/he cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor/he cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
98 CONCO PRO-PAINTS 1630 O CONCO PRO-PAINTS 1781	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hej cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor/hej cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 05 ACRYLIC EMULSION PAINT (1607)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS	Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor artridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/het cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 05 ACRYLIC EMULSION PAINT (1607)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator in the sex exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 09 ACRYLIC EMULSION PAINT (1607)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS	Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
98 CONCO PRO-PAINTS 1630 101 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 05 ACRYLIC EMULSION PAINT (1607)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS	Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hep cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. MoSH approved organic vapor cartridge respirator. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 99 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 09 ACRYLIC EMULSION PAINT (1807)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS	Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hep cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear pubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1630 99 CONCO PRO-PAINTS 1711 04 CONCO PRO-PAINTS 1781 09 ACRYLIC EMULSION PAINT (1807)	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS SMILAND PAINT COMPANY	Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/heg cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label.
97 STIC ACRYLIC 30-EG-1 98 CONCO PRO-PAINTS 1830 101 CONCO PRO-PAINTS 1711 104 CONCO PRO-PAINTS 1781 105 ACRYLIC EMULSION PAINT (1807) 110 CONCO PRO-PAINTS 800,802,804,805,807,809	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS SMILAND PAINT COMPANY	Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventliation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventliation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hep cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
96 STIC TRIM 20-SG-2 197 STIC ACRYLIC 30-EG-1 198 CONCO PRO-PAINTS 1630 190 CONCO PRO-PAINTS 1781 104 CONCO PRO-PAINTS 1781 105 ACRYLIC EMULSION PAINT (1607) 106 CONCO PRO-PAINTS 800,802,804,805,807,809 107 CONCO PRO-PAINTS 1011	STIC-ADHESIVE PRODUCTS CO., INC. SMILAND PAINT COMPANY SMILAND PAINT COMPANY SMILAND PAINT COMPANY CAL-WESTERN PAINTS SMILAND PAINT COMPANY	Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Wear nittile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hep cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with centilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nutber/heoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear AloSH approved organic vapor cart respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
914 CONCO PRO-PAINTS 1600,1601,1610	SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
314 CONCOTRO I ARRIVOSCIPICIO	SMEARS FAITH COMPART	wantenance and operations modacts	AFFROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
041001 07 3 TOUTS	NACHUA CORP.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
915 CANON CT-7 TONER	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Follow manufacturer's label. If PEL is exceeded, wear NIOSH approved
916 HANG TIME,EXTRA STRENGTH CLINGING FOAM CLEANER	ROCHESTER MIDLAND	Food Services Products	APPROVED	acid gas cartridge respirator.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
917 WITE-OUT "FOR EVERYTHING"	WITE-OUT PRODUCTS INC.	Office Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
918 FORMULA 109 (WITE-OUT SOLVENT CORRECTION FLUID)*	WITE-OUT PRODUCTS INC.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
920 READY ORANGE (DEGREASER FOR PLUMBERS)	LAWSON PRODUCTS, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
921 XEROX XT-54, TYPE 17,20, 24 DRY INK	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
321 XEROX XI 5-4, I II E 17,25,2-3 XI IIIX	THAT IS A SOLUTION OF THE PARTY	Office Froducts	AFFROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
AAA GUIDED DONID II WUUTE	EDATES INDUSTRIES INC			
922 SUPER BOND II WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
928 38 30986 WP-5 WB ACRYLIC/URET	FEDERAL ENVIRONMENTAL CHEMICALS (JEWEL CHEM&SUPPL)	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
929 LOCK OUT	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
932 ACRYLIC EMULSION PAINT	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
933 VINYL-ACRYLIC LATEX	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
934 ACRYLIC, EMULSION PAINT (CBP-30)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
304 11-11-12-11-11-11-11-11-11-11-11-11-11-1		Tantifoddolo	ATTROVES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
935 ACRYLIC, EMULSION PAINT (CBP-26)	CAI-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
935 ACKTEC, ENGESIGN FAINT (CBF 20)	CAE WESTERIVY AIRTS	Paint Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(22)				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
936 VINYL-ACRYLIC LATEX (62)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
937 VINYL-ACRYLIC LATEX (69)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
938 VINYL-ACRYLIC LATEX (62 AFR)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
939 VINYL-ACYRLIC LATEX (130)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		-		Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If aany of the described exposure symptoms occur, wear NIOSH
940 VINYL-ACYRLIC LATEX (152-L/F)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
, , , , , , , , , , , , , , , , , , ,				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
941 ACRYLIC EMULSION (820)	CAL-WESTERN PAINTS	Point Products	ADDDOVED	cartridge respirator. Follow manufacturer's label.
341 MONTEC EMPERION (020)	ONE MEDIENALWING	Paint Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(4.0)				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
942 ACRYLIC EMULSION (840)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
943 VINYL-ACYRLIC LATEX (27)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
•				

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
944 VINYL-ACYRLIC LATEX (153)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
945 VINYL-ACYRLIC LATEX (150)	CAL-WESTERN PAINTS	Malaka and On college Broducts	ADDROUGE	
945 VINYL-ACYRLIC LATEX (ISU)	CAL-WESTERN PAINTS	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
946 ACRYLIC EMULSION PAINT (1808)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
947 ACRYLIC LATEX (574)	CAL-WESTERN PAINTS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
948 ACRYLIC EMULSION (0493)	CAL-WESTERN PAINTS	Paint Products	APPROVED	manufacturer's label.
340 Adicial Emotion (6400)	OAL HESTERN ARTO	runtriodets	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
949 STRIPPER (B54)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
950 NEUTRAL CLEANER (B58)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
952 HERBAL-FRESH ODOR COUNTERACTANT (6/CS) PROD:160030	BIG D INDUSTRIES, INC.	Malatan and On and an artist	APPROVED	cartridge respirator. Follow manufacturer's label.
952 HERBAL-FRESH ODOR COUNTERACTANT (6/CS) PROD.100030	BIG D INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
954 MINT DISINFECTANT (C 15)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
955 ENCAPSEAL1	ENCAP SYSTEMS CORPORATION	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
956 GOLD BOND HI SOLIDS (ACRYLIC POLYETHLENE FLOOR FINI	MAINTEX INC.	Malatan and On and an artist	APPROVED	
956 GOLD BOND HI SOLIDS (ACKTLIC POLITETHLENE FLOOR FINI	MAINTEX INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
957 DB CONCRETE/MASONARY FLOOR PAINT	HILL BROTHERS CHEMICAL CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
959 LEAD LOCK	FIBER TEC COATINGS CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
960 LEAD SHIELD (#5470 CLEAR, #5475 TRANSLUCENT BLUE	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
300 ELAD OFFICES (110470 OCEAN,110470 TRANSCOSENT BEST	TIBERESON TESTINOLOGIES, INC.	Pullit Floducts	AFFROVED	• .
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
961 CHROMIUM REFERENCE STANDARD, IML	ANDERSON LABORATORIES, INC.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
962 AMP-95	ANGUS CHEMICAL COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
		•		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor
000 HAION (EDEON) 1301	AND III FIRE DROTECTION WORMAND HE INC	In the Providents		manufacturar's label
963 HALON (FREON) 1301	ANSUL FIRE PROTECTION, WORMALD U.S., INC.	HVAC Products	APPROVED	manufacturer's label.
963 HALON (FREON) 1301	ANSUL FIRE PROTECTION, WORMALD U.S., INC.	HVAC Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
963 HALON (FREON) 1301 964 FANAPART PADDING ADHESIVE	ANSUL FIRE PROTECTION, WORMALD U.S., INC. APPLETON PAPERS INC.	HVAC Products Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follon manufacturer's label.
		Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
964 FANAPART PADDING ADHESIVE	APPLETON PAPERS INC.			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label.
964 FANAPART PADDING ADHESIVE	APPLETON PAPERS INC.	Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
964 FANAPART PADDING ADHESIVE 965 SANAFOAM VAPOROOTER II (EPA REGISTRATION: 9993-3)	APPLETON PAPERS INC. AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor
964 FANAPART PADDING ADHESIVE	APPLETON PAPERS INC.	Maintenance and Operations Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label.
964 FANAPART PADDING ADHESIVE 965 SANAFOAM VAPOROOTER II (EPA REGISTRATION: 9993-3)	APPLETON PAPERS INC. AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor
964 FANAPART PADDING ADHESIVE 965 SANAFOAM VAPOROOTER II (EPA REGISTRATION: 9993-3)	APPLETON PAPERS INC. AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label.
964 FANAPART PADDING ADHESIVE 965 SANAFOAM VAPOROOTER II (EPA REGISTRATION: 9993-3)	APPLETON PAPERS INC. AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo manufacturer's label.
964 FANAPART PADDING ADHESIVE 965 SANAFOAM VAPOROOTER II (EPA REGISTRATION: 9993-3)	APPLETON PAPERS INC. AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follor manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
968 WHITE W/B ACRYLIC TRAFFIC PAINT (3080)	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
969 YELLOW LEAD-FREE WATER BASE TRAFFIC (3081)	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator. Follow manufacturer's label. The approval of this product is FOR
970 BLACK W\B ACRYLIC TRAFFIC PAINT (3084)	PERVO PAINT CO.	Paint Products	APPROVED	EXTERIOR USE ONLY.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
971 WONDER SUDS HAND DISH POWDER DETERGENT	CALIFORNIA MINERALS INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
972 SOFT PINK HAND SOAP	I. SHAY CHEMICAL	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
9/2 SOLLLINK HAND SOAL	I. STAT CHEMICAL	FOOd Services Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
973 GLASS CLEANER CONCENTRATE (# 359)	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
974 HEAVY DUTY DEGREASER (#202)	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
975 CHEMCO 301A (MSDS #0018)	CHEMCO PRODUCTS CO.	Automotive Products	APPROVED	
3/3 GILINGO SSIA (MSDS 1/0010)	CHEMICO I NODOCIO CO.	Automotive Froducts	AFROVED	Warrantella antiquation of a constant and a formation of a constant and a constan
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
976 ARROW 107: RUST PREVENTIVE AND WATER DISPLACER	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
977 MOP-N-STRIP (MSDS #212)	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
978 FORTY FOUR GERMICIDAL CLEANER	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
979 AQUEOUS ACRYLIC EMULSION BUILDER	CHEMIFAX	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
980 MITA MIT-161, MIT-161 TONER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
981 MITA 8112, 8120 TONER	NASHUA CORP.	Office Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridae respirator. Follow manufacturer's label.
981 MITA 8112, 8120 TONER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
981 MITA 8112, 8129 TONER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
981 MITA 8112, 8120 TONER 982 NASHUA RBC-I, IR, IV TONER	NASHUA CORP.	Office Products Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
				cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
				cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
982 NASHUA RBC-I, IR, IV TONER	NASHUA CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products	APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products	APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with Mood was nitrilie rubber/neoprene gloves and chemical splash goggles. Use with
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products	APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products	APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with Mood was nitrilie rubber/neoprene gloves and chemical splash goggles. Use with
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, IO, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear intitier rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, IO, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (066)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, IO, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products	APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (066)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (066)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086) 987 VINYL SEALER, WHITE (074)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (066)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086) 987 VINYL SEALER, WHITE (074)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICCH NT-5, 10, 2050 TONER 984 RICCH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086) 987 VINYL SEALER, WHITE (074) 989 A.R. MASONRY SEALER, WHITE (089)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
982 NASHUA RBC-I, IR, IV TONER 983 RICOH NT-5, 10, 2050 TONER 984 RICOH NT-4080 TONER 985 SIEMENS ST-22 TONER 986 ACRYLIC LATEX ENAMEL UNDERCOAT (086) 987 VINYL SEALER, WHITE (074)	NASHUA CORP. NASHUA CORP. NASHUA CORP. NASHUA CORP. SPECTRA-TONE PAINT CORP. SPECTRA-TONE PAINT CORP.	Office Products Office Products Office Products Office Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
993 INTERIOR LATEX FLAT, WHITE (418)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
994 ACRYLIC STAIN, WHITE (71)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
995 ACRYLIC GLOSS ENAMEL, WHITE (351)	SPECTRA-TONE PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
			***************************************	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
996 EXTERIOR ACRYLIC, WHITE (650)	SPECTRA-TONE PAINT CORP.	Bullet Book to sto	ADDROVED	cartridge respirator. Follow manufacturer's label.
996 EXTERIOR ACRTEIO, WHITE (030)	SPECINA TONE PAINT CONT.	Paint Products	APPROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
997 PENE THREAD LOCKER	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
999 AQUA-SOL 20/20 INDUSTRY (CLEANER)	CERTIFIED LABS, DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1000 FUSER AGENT: XEROX FA-1	NASHUA CORP.	Office Products	APPROVED	respirator. Follow manufacturer's label.
				. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
100) FUSER OIL: CANON FO-20*	NASHUA CORP.	Overhille Anto (Disease events a December 1)	APPROVED	respirator. Follow manufacturer's label.
1001 FUSER OIL CANON FO-20	NASHUA CORF.	Graphic Arts/Photography Products	APPROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1002 SO-SAFE GRAFFITI REMOVER (YELLOW LABEL)	SO-SAFE SPECIALTY PRODUCTS PTY. LTD.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1003 SPARKLE AID	CHEMRITE CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1004 PAC-LEI (A COLLOIDAL SUSPENTION AGENT:DEGREASER/CL	LEGACY ENVIRONMENTALISTS, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1005 UNICIDE 256 GERMICIDAL DETERGENT	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1005 UNICIDE 256 GERMICIDAE DETERGENT	BRULIN & COMPANT, INC.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1006 SAFETY STRIP 2000	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1007 DEODORANT AND SOIL RETARDANT SPRAY	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1008 DURACRYL	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1009 STEAM OUT (LCCS-LIQUID CONCENTRATED CARPET SHAMPOO)	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1009 STEAM OUT (ECCS EQUID CONCENTRATED CARTET STAMFOO)	ALKOT INDUSTRIES	maintenance and operations Froducts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1010 WASHING MACHINE DETERGENT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1011 GOODAIR ODOR NEUTRALIZER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1012 C-THRU GLASS CLEANER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
AND MORTEY NON ACID DIGINEECT AND DOWN OF TANED	NATIONAL CANITADY CLIDDLY CO	Malakan mana anala ara ara ar	APPROVED	
1013 VORTEX NON ACID DISINFECTANT BOWL CLEANER	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1014 LEVEL-RIGHT	GYP-CRETE CORPORATION	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1015 860 WHITE ANTI-GRAFITTI	CAMIG FIRE SAFETY CO., INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
	•			÷ :

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1016 900 ACRYLIC LATEX FLAT	CAMIG FIRE SAFETY CO., INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1017 910 ACRYLIC LATEX SEMI-GLOSS	CAMIG FIRE SAFETY CO., INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1018 920 ACRYLIC HIGH-GLOSS	CAMIG FIRE SAFETY CO., INC.	Paint Products	APPROVED		manufacturer's label.
1010		Tallerroadolo	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1019 CRAYOLA ANTI-DUST LOW DUST CHALK	BINNEY & SMITH INC.				manufacturer's label.
IDIS CRATOLA ANTI-DOST LOW DOST CHALK	BINNET & SMITH INC.	Office Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1020 PURSUE * DISINFECTANT CLEANER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
					respirator. Use and store away from any ignition sources. Follow manufa
1021 CLEAN AND SAFE	THE TEXWIPE COMPANY	Office Products	APPROVED		label.
					Use with GOOD ventilation. Wear rubber/neoprene gloves and chemical
1022 LIQUILIVE BACTERIA DRAINZYME	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		goggles. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid
1023 WHISTLE CLEAN	NATIONAL SANITARY SUPPLY CO.	Mainton anno and Operations Braduets	APPROVED		cartridge respirator. Follow manufacturer's label.
1023 WHISTE CEAN	NATIONAL SANTAKT SOFTET CO.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If the described exposure symptoms occur, wear NIOSH appr
1024 CHEMTROL ACTION D PLUS	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1026 INSECTICIDAL SOAP CONCENTRATE	SAFER, INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1027 BIO-SCREEN (NO: 5113)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	For Adminstr. Offices-450 N. Grand	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1028 BIO-CAGE (NO: 5111)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	For Adminstr. Offices-450 N. Grand	GOOD ventilation. Follow manufacturer's label.
· ····					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1029 D-FOAM ST (NO: 2684)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	For Adminstr. Offices-450 N. Grand	GOOD ventilation. Follow manufacturer's label.
1023 B TOAIN OT (10.2004)	SEED OF EMICAE INDUSTRIES	wantenance and operations riodacts	AFFROVED	To Administration 400 ft Ordina	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
GAS CARTRIDGE FOR BURROWING RODENTS (EPA REG. NO. 56:					cartridge respirator. The approval of this product is FOR THE USE OF CERT
1030 2)	UNITED STATES DEP. OF AGRICULTURE	Pesticide/Herbicide Products	APPROVED		PEST MANAGEMENT STAFF ONLY.
1031 NO MASS GRAFETTI REMOVER (GRAFFI-GO-GEL)	J&R INDUSTRIES, INC./DEL REY CHEMICAL CO.	Graffiti Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1032 MASTERKURE W (08054)	MASTER BUILDERS, INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1033 HENRY MULTI-PURPOSE CONSTRUCTION ADHESIVE (NO.117)	W.W. HENRY COMPANY	Maintenance and Operations Products	APPROVED		
1034 HYDRO-THERM INTERIOR PAINT	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products	APPROVED		
1035 HYDRO-THERM WATER SHIELD	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products	APPROVED		
1035 TTDRO THERM WATER STILLED					
1036 HYDRO-THERM EXTERIOR PAINT	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products	APPROVED		
1036 HYDRO-THERM EXTERIOR PAINT			APPROVED		
			APPROVED		
			APPROVED APPROVED		
	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE)	HYDRO-THERM PROTECTIVE COATINGS, INC.	Paint Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE)	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC.	Point Products Point Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
037 SAFECOAT PRIMER UNDERCOATER(III14 WHITE)	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC.	Point Products Point Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158)	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP.	Paint Products Paint Products Point Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158)	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC.	Point Products Point Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158)	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP.	Paint Products Paint Products Point Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION	Paint Products Paint Products Point Products School Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cordination.
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP.	Paint Products Paint Products Point Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION	Paint Products Paint Products Point Products School Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION	Paint Products Paint Products Point Products School Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Cartridge respirator. Follow manufacturer's label.
1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES 1041 LATEX UNDERCOAT 703-0000	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION	Paint Products Paint Products Point Products School Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1037 SAFECOAT PRIMER UNDERCOATER(IIII4 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES 1041 LATEX UNDERCOAT 703-0000	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION DECRATREND PAINT CORP.	Point Products Point Products Paint Products School Products Point Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1037 SAFECOAT PRIMER UNDERCOATER(IIII4 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES 1041 LATEX UNDERCOAT 703-0000	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION DECRATREND PAINT CORP.	Point Products Point Products Paint Products School Products Point Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventifies exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventifies exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1036 HYDRO-THERM EXTERIOR PAINT 1037 SAFECOAT PRIMER UNDERCOATER(11114 WHITE) 1038 NON SKID HARDENER (# 31158) 1040 EXPO CLEANER FOR DRY ERASE SURFACES 1041 LATEX UNDERCOAT 703-0000 1042 ACRYLIC STAIN BLOCKING PRIMER 706-0000	HYDRO-THERM PROTECTIVE COATINGS, INC. AFM ENTERPRISES, INC. TEXAS REFINERY CORP. SANFORD CORPORATION DECRATREND PAINT CORP.	Point Products Point Products Paint Products School Products Point Products	APPROVED APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1044 VANDALSOLV II	MAINTEX INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				SAFETY CANDLE Wear rubber/neoprene gloves and splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1046 NORPAR 15	B.H. BAUMAN & CO	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1047 BORAXO POWDERED HAND SOAP	U.S. BORAX	Maintenance and Operations Products	APPROVED	manufacturer's label.
1048 GONE (SCENTED)	PROTECH INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	DEODRANT
1046 CONE (SCENTED)	PROTECTI INDUSTRIES, INC.	maintenance and operations Products	AFFROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1049 BLUE WATERBASE (WATER-BASE TRAFFIC PAINT)	BAUER COATING DIVISION (WHITTAKER CORPORATION)	Polist Positivate	ADDROVED	manufacturer's label.
1049 BLOE WATERBASE (WATER BASE TRAITIC FAIRT)	BACER CONTINO DIVISION (WHITTAKER CORFORATION)	Paint Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1050 EPOXY REPAIR MORTAR, RESIN PORTION, RM700EP PART A	HILTI CONSTRUCTION CHEMICALS, INC.	Malatana and On anthon Bankata	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1050 EPOXT REPAIR MORTAR, RESIN FORTION, RM/ODEF PART A	HILLI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	• ,
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1051 OFF BROADWAY (PRODUCT NO.: 8239	CALGON VESTAL LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1052 T-5873 INT/EXT SEMI-GLOSS ENA.	DUNN-EDWARDS CORP.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile/ neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1053 POLYMER 25	MAINTEX INC.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1054 NO SCRUB STRIPPER	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				The blue label is for concrete. Wear rubber/neoprene gloves and chemical
				splash goggles. Use with GOOD ventilation. If any of the described symptoms
				occur, wear NIOSH approved organic vapor cartridge respirator. Follow
1055 SO-SAFE GRAFFITI REMOVER (BLUE LABEL)	BRACTON CHEMICAL COMPANY LTD	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described symptoms occur, wear NIOSH approved
1056 PROTECT ALL CLEANER & DEGREASER (New name: Grace)	G&S ENTERPRISES	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described symptoms occur, wear NIOSH approved
1057 PACIFIC 11 (GLOSS, SILKMAT)	BONAKEMI USA, INC.	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
		<u> </u>		Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described symptoms occur, wear NIOSH approved
1058 DURAGLOW 100% ACRYLIC SEMI. (F-470)	SCOTCH PAINT CORP.	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Those allergic to citrus products should not use the orange or the
1061 NI-712 ORANGE AND STRAWBERRY	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	lemon lime. Follow manufacturer's label.
1001		maintenance and operations reducts	ATTROVES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1063 EPOTILT PRIMER (2660700)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
1063 ET OTIET PRIMER (2000/00)	TRAZEE INDUSTRIES, INC.	Pullit Floducts	AFFROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1065 FRAFLO II WHITE (3670700)	FRAZEE INDUSTRIES, INC.	Deliat Breedusts	APPROVED	cartridge respirator. Follow manufacturer's label.
1000 TRAILO II WHITE (0070700)	I RELECTIVE DO TRIES, 1140.	Paint Products	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1069 ACRYLIC PRIME WHT 0689 (561700)	FRAZEE INDUSTRIES, INC.	Material and a second a second and a second	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
INDA WCKATIC LKIME MHI NDRA (201/00)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
(000)				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folk
1070 EPOTILT PRIMER (266)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1071 DURAPRIME WHT 1188 (263700)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1072 EMC ELASTO WALL 0990 (216700)	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1073 DURATEC [ALL COLORS (202)]	FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
075 CIDE-ALL	CHEMIFAX	A. A. C.	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
U/5 CIDE-ALL	CHEMIFAX	Automotive Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
and DDF//FNT A	AMERICAN INCLUSTRAL GURRAVINO				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
076 PREVENT-A	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
078 VECTORBAC(R) GRANULES	ABBOTT LABORATORIES	Pesticide/Herbicide Products	APPROVED	FOR MOSQUITOS - Biological Larvacide	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
080 HENRY 440 COVE BASE ADHESIVE	W.W. HENRY COMPANY	Maintenance and Operations Products	APPROVED	FOR CARPENTERY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
081 PROBLOCK INTERIOR LATEX PRIMER SEALER	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
82 PROMAR 200 GLOSS	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
83 PROMAR 200 FLAT B2B 200 PRIMER	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
84 DTM ACRYLIC GLOSS ENAMEL	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					caranage respirator, rollow manufacturer silaber.
85 METALATEX SEMI GLOSS COATING B42W101	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		Managhalla adah ada asara ada asara ada asara at
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
86 TEMPO 20 WP	MOBAY CORPORATION	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest management
					institute consultant) Wear nitrile rubber/neoprene gloves and chemical splas
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
87 CATALYST (EMULSIFIED IN WATER INSECTICIDE)	CHEM-COAT INDUSTRIES INC.	Pesticide/Herbicide Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
88 BORID (WITH BORIC ACID)	WATERBURY COMPANIES, INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
89 ACTI-KLEAN	VIRGINIA KMP	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
90 TURNWELL PLASTISOL T-004	WORLDWIDE VINYL REPAIR SYSTEMS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
50 TOMMELET EAGNINGE T 804	WORLDWIDE THEFT ARE DISTERNO	Mulliteriance and operations moducis	AITROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
9) FLEETWELD 5P	THE LINCOLN ELECTRIC COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
92 UI-7012 PART B	URETHANE PLASTICS, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
193 101 TYPE WASH (BLANKET WASH)	A.G. LAYNE, INC.	Graphic Arts/Photography Products	APPROVED		cartridge respirator. Follow manufacturer's label.
96 WASH N' WAX # 530	K & W PRODUCTS	Automotive Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
97 GOOD SENSE LIQUID CONCENTRATE	S.C. JOHNSON & SON, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
** ***		maritarias and operatoris froducts	.3110720		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
98 WEBTEX 200 ACOUSTICAL ADHESIVE	DAP INC.	Maintanana and Constitions But direct	APPROVED		cartridge respirator. Follow manufacturer's label.
30 WEDTEN 200 ACOUSTICAL ADDESIVE	DAI INC.	Maintenance and Operations Products	APPROVED		• ,
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
99 4776 ACRYLIC TRAFFIC YELLOW	PERVO PAINT CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
00 MW5/MW6 DRY ERASE MARKER	PENTEL CO., LTD.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1102 CEMBOND PAINT	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1103 SUPER CLEAN	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
100		mantenance and operations i reducts	ATTROVES		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1104 DYNO PLUG	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1105 SAFECOAT ALL PURPOSE ENAMEL	AFM ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1100		mantenance and operations i reducts	ALTROYED		Wear subbasing appearance along and appearance Lieu with COOD contiletion
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1106 TIN(IV) CHLORIDE PENTAHYDRATE, 98+ %	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1107 BARIUM PEROXIDE, CA. 95%	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1108 ETHER, 99,9% HPLC GRADE	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1109 N S FLOOR MAINTAINER	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1109 N 3 T LOOK IMAINTAINEK	BROLIN & COMPANT, INC.	Maintenance and Operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1110 BLUE SKIES DISINFECTANT CLEANER	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1113 ULTRA-HIDE INT. LATEX EGGSHELL WALL/TRIM ENAMEL UH 6800 S	TOU IOLDAINTO	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
III3 OLI KA-HIDE INT. LATEX EGGSHELL WALL/ TRIM ENAMEL OF GOOD S	2RI ICI FAINIS	Paint Products	APPROVED		
					This product is extremely caustic. Wear rubber gloves and chemical splash
				THIS PRODUCT IS APPROVED FOR USE BY THE WATER TREATMENT	goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
1115 KK101C	KEM-KINETICS LABORATORIES	Maintenance and Operations Products	APPROVED	DEPARTMENT ONLY. NOT FOR SCHOOL USE.	organic vapor/acid gas/P100 cartridge respirator. Follow manufacturer's labe
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation. If I
					is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
1116 CERTANE 909	CERTANE INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
IIIO CERTANE 909	GERTAINE, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid
1118 CAMICLEAN	CAMIG INC.	Food Services Products	APPROVED		gas cartridge respirator. Follow manufacturer's label.
					HARDBOARD SIDING, PLYWOOD, PLY VENEER Wear nitrile rubber/neoprene glove
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
1119 PHENOL FORMALDEHYDE BONDED PRODUCTS	WEYERHAEUSER COMPANY	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1120 BIO-D GRAFFITI GEL	BIO-D PRODUCTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					This product is not to be used by students or in classrooms. Do not use this
1121 PURELL SANITIZER (PRODUCT 381610 9651-000)	CO. IO INDUSTRIES INC	Number Orandors T. V.	4 DDD 07		
IIZI PUKELI SANITIZER (PRODUCT 381610 9651-000)	GO-JO INDUSTRIES, INC.	Nursing Services Products	APPROVED		product near open flame or any other source of ignition.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1122 ODOR COUNTERACTANT WITH LEMONGRASS FRAGRANCE	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
VELLOW FLACUATION	CULTURISM OUTS HOLD OF				
1123 YELLOW FLASH 400P	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1124 C-X-B (BULK)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
· · · · · · · · · · · · · · · · · · ·					For use of the wood mill. Wear nitrile rubber/neoprene gloves and chemical
TOP TOPODA COMO COMPOSITE	TRECRA MORTH AMERICA 170	Malatan and a second as a second	4 DDD 07		
1125 TRESPA SOLID COMPOSITE	TRESPA NORTH AMERICA, LTD.	Maintenance and Operations Products	APPROVED		splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur,wear NIOSH
1126 JOHNSONS SOLDERING PASTE 05-00	JOHNSON MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		approved Acid/Gas cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Wear NIOSH approved Dust/mist double strap respirator. Follow
1127 NEWCEIL ACOUSTICAL CEILING RRESTORER	CEILING SAVERS INTERNATIONL	Paint Products	APPROVED		manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If any of the described exposure symptoms occur, wear I
1129 GEE WHIZ (GRAFFITI REMOVER)	PROTECH INDUSTRIES, INC.	Graffiti Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1133 PHTHALO GREEN (116)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1135 CLOROX BLEACH	CLOROX COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
100		manterialise and operations i reades	ATTROVES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
1136 AMMONIUM OXALATE MONOHYDRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	GOOD ventilation. Follow manufacturer's label.
100		CONSCITTOGGCC	ATTROVES	Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO
1137 POTASSIUM HYDROXIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation.Follow manufacturer's label.
II3/ TOTASSIONTITEROXIDE	SECTION CHEMICAL WILD. CONT.	School Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
NAME PERDOUGUILLATE TO INVODATE	ODE OTTO UNIT ALL PARTS AND OTTO			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1138 FERROUS SULFATE, 7-HYDRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1140 ADS DISINFECTANT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1141 ALKOT SEVEN NEUTRAL CLEANER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1142 FREE-LON AEROSOL	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1144 SELCOSHINE S.S. POLISH AEROSOL	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1145 AMAZE (ALL PURPOSE CLEANER)	NORTHSTAR MARKETING	Maintenance and Operations Products	APPROVED	manufacturer's label.
, , , , , , , , , , , , , , , , , , , ,				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1146 SANI-BAC #3001(QUARTS) & 5146 (BULK)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1140 CATE DAG 110001(QOARTO) & CITO (DODA)	AMERICAN INDUSTRIAL CONTENTIO.	maintenance and operations froducts	AFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I
1147 BLOCK-GARD (ANTIBLOCK CLR) 4/90	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	manufacturer's label.
1147 BLOCK CARD (ANTIBLOCK CLK) 4/30	TRAZEE INDIGSTRIES, INC.	ruint rioducts	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1148 850 CLEAR ANTI-GRAFITTI,	CAMIG FIRE SAFETY CO., INC.	Graffiti Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
,				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1149 FIBERFRAX LDS MOLDABLE (INORGANIC BINDER)	CARBORUNDUM COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1153 ECO-ORANGE (AEROSOL DRAIN MAINTAINER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1155 FLO-SHINE COWBOY CLEANER & STRIPPER (WATER-BASE)	SOUTHEND JANITORIAL SUPPLY, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
1156 LOCK OUT (X-880)	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I
1157 FILLER FOAM CF 124	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
		•		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1158 EPOXY REPAIR MORTAR, HARDENER RM700EP, PART B	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
. ,		operations roddets		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
				respirator. Use and store away from any ignition sources. DO NOT DISPOSE
	AMREP, INC.	Mainton anno and Operations 2	APPROVED	USED CANS UNLESS IT IS EMPT
1159 MISTY MULTI-PURPOSE ADHESIVE SPRAY (NO: 314)	MININEF, IIVG.	Maintenance and Operations Products	AFFROVED	USED CANS UNLESS IT IS EMPT Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOI
1159 MISTY MULTI-PURPOSE ADHESIVE SPRAY (NO: 314)				
1159 MISTY MULTI-PURPOSE ADHESIVE SPRAY (NO: 314)				
1159 MISTY MULTI-PURPOSE ADHESIVE SPRAY (NO: 314)				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
1159 MISTY MULTI-PURPOSE ADHESIVE SPRAY (NO: 314) 1160 MISTY HEAVY DUTY ADHESIVE SPRAY (NO: 315)	AMREP, INC.	Maintenance and Operations Products	APPROVED	

					Magraphile Incorpora alouge and chamical splace aggains. He with COOD
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1161 MISTY FOAM & FABRIC SPRAY ADHESIVE (317)	AMREP. INC.				respirator. Use and store away from any ignition sources. DO NOT DISPOSE OF EMPTY CANS UNLESS IT IS EMP
[IB] MISTY FOAM & FABRIC SPRAY ADHESIVE(317)	AMREP, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
(412)					respirator.Use and store away from any ignition sources. DO NOT DISPOSE OF
1162 MISTY GENERAL PURPOSE SPRAY ADHESIVE (310)	AMREP , INC.	Maintenance and Operations Products	APPROVED		USED CANS UNLESS IT IS EMPTY
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Use and store away from any ignition sources. DO NOT DISPOSE OF
1163 MISTY SUPER STUCK-UP SPRAY ADHESIVE (NO:311)	AMREP, INC.	Maintenance and Operations Products	APPROVED		USED CANS UNLESS IT IS EMPTY.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.Wear double strap Dust/mist respirator.The approval of this product
1164 TIM-BOR INDUSTRIAL (WOOD PRESERVATIVE)	U.S. BORAX INC.	Maintenance and Operations Products	APPROVED		is for the use of carpentery shops ONLY. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1165 EP-IS RAPID HARDENER	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1166 QUICK SET EPOXY RESIN	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1167 NASHUA ST-5015, 5015, 5020, 7035, 7045 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1168 XEROX TYPE 4, 8, 9 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1169 TOSHIBA TT-33 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1170 XEROX TYPE 5 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1171 XEROX XT-18 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
II/I ALKONAL IOTOREK	THOROGON.	Office Froducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1172 CANON CT-1 TONER	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
11/2 CANON OF FIGHER	MASHOA CORF.	Office Products	APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
1173 CANON CT-2 TONER	NASHUA CORP.				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
11/3 CANON C1-2 TONER	NASHUA CORP.	Office Products	APPROVED		manuracturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
,					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1174 TYCOTE CLEAR (PRODUCT CODE:18)	TEXTURED COATINGS OF AMERICA	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1176 XEROX XT-45, XT-50 DRY INK PLUS	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
1177 XEROX XD-31M, XD-34M DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1178 XEROX XD-33 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1179 XEROX XD-33M, XD-44 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1180 XEROX XD-6 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1181 XEROX XD-60 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1182 MINT MOUTHWASH	VI-JON LABORATORIES, INC.	Maintenance and Operations Products	APPROVED	FOR DISASTER READINESS	manufacturer's label.
1183 XEROX XD-75 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1184 XEROX XD-84 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1185 XEROX XD-92 DEVELOPER	NASHUA CORP.		APPROVED		
1186 XEROX XD-92 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products			
1187 XEROX XD-95 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
IIR/ YEKOY YD-A\ DEAETOLEK	NASHUA CURP.	Graphic Arts/Photography Products	APPROVED		

1188 XEROX XD-65 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1189 FERROUS SULFATE	MALLINCKRODT, INC.	School Products	APPROVED		manufacturer's label.
1100 1211112		on our roades	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1190 FUL-FLO SEMI-GLOSS ENAMEL WHITE (TONED) 614-00	O'BRIEN CORPORATION	Paint Products	APPROVED		manufacturer's label
1100 111 111 1111 1111 1111 1111 1111 1111 1111		TankTroddob	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1191 SEMI-GLOSS COATING ULTRADEEP BASE B42T104	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
III SEMI-OLOSS COATING OLTRADEEF BASE B421104	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		• .
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
ODAGE (AU DURDOGE OUTANED)	PROTECH INDUSTRIES, INC.				ventilation. If any of the described exposure symptoms occur, wear NIOSH
1193 GRACE (ALL PURPOSE CLEANER)	PROTECH INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL (TLV) is exceeded, wear NIOSH approved organic vapor
1195 MEDIC NEUTRAL DISINFECTANT CLEANER- 128	PROTECH INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1196 CONTACT HERBICIDE 1	CHEM-TECH	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1198 FOAMAWAY LIQUID DEFOAMER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1199 D.G.M. W G 11	VISTA PAINT CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1200 ABBOT PINE CLEANER	ABBOT INDUSTRIAL SUPPLIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1201 HDCD	ABBOT INDUSTRIAL SUPPLIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1202 INSTITUTIONAL APC PRODUCT # 1055	ABBOT INDUSTRIAL SUPPLIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1203 HALOGENE T-30	SCHAEFER CHEMICAL COMPANY, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1204 CORGANIC	SCHAEFER CHEMICAL COMPANY, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		•			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1205 S-2830 P (ACRYLIC WATER BASE PHOSPHORESCENT PAINT)	SHANNON LUMINOUS MATERIALS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
,	* *				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1206 NU-BRIT (HIGH ALKALI COIL CLEANER)	NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		amenance and operations froducts	ALLIOTED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1208 SCOTCH-SEAL (R) 2084 METAL SEALANT	3м	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1200 GOOTOTT GENE (IV) 200-THETHE GENERAL	====	antenance and Operations Froducts	ALLINOVED		• .
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
1209 COOLING TOWER CHEMICAL CONCENTRATE PCT	NATIONAL CHEMICAL	Maintananae and Counting Post	A DDDOVICE		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1209 COOLING TOWER CHEMICAL CONCENTRATE PCT	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
AND GIADING COLUMNIA DECORRACED (COLO)	OTHER DE				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1210 CITRUS SOLVENT DEGREASER (6250)	GENLABS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1213 HOT SPRINGS CLEANER	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1214 WAXIE METAL MAGIC CLNR\PLSH	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1215 ZOECON GENTROL E.C.IGR-EPA REGIS.NO.2724-304-50809	ZOECON CORP.	Pesticide/Herbicide Products	APPROVED	ONLY.	manufacturer's label.
t and the second se					

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1216 EPOXY FREEZER MORTAR, RESIN PORTION	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1217 RM720EP PART B	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1218 DO-IT-ALL	DYMON, INC.	Maintenance and Operations Products	APPROVED	NON AEROSOL FOR SCHOOL BUS USE	manufacturer's label.
12.10	. , .	mantenance and operations i roddets	ATTROVED		Warrantella and the selection of the sel
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1219 SUPER PRECLEAN	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1000 14 1	NATIONAL CHEMICAL				
1220 1300-14-L	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1221 PHENOLIC DISINFECTANT # 175	BIG D INDUSTRIES, INC.	Nursing Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
(
1222 LIQUID ALIVE BACTERIA (B.Q-233)	DYMON, INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1223 RT-2010-B,RT-2020-B,RT-2030-B,RT-2040-B,RT-4040-B	RESIN TECHNOLOGY CORPORATION	Maintenance and Country Country	ADDDOVICE	POORING MATERIAL FOR CONTRACTOR HET	
1223 K1-2010-B,K1-2020-B,K1-2030-B,K1-2040-B,K1-4040-B	RESIN LECTINOLOGY CORPORATION	Maintenance and Operations Products	APPROVED	ROOFING MATERIAL FOR CONTRACTOR USE.	cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1224 PERMAX-108,PERMAX 105	RESIN TECHNOLOGY CORPORATION	Maintenance and Operations Products	APPROVED	ROOFING MATERIAL BY CONTRACTOR USE.	manufacturer's label.
1224 TERRIAN TOOJI ERRIAN TOO	RESIN TESTINOTES TO SOLI SILATION	maintenance and operations riodacts	ATTROVED	NOOTHO MATERIAL DE CONTRACTOR COL.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1225 SUPER SHINE-ALL (#0771)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1226 SODIUM HEXAMETAPHOSPHATE	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1227 WONDER GENERAL PURPOSE CLEANER	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
122/ WONDER GENERAL FORFOSE CLEANER	MISSION LABORATORIES/MISSION RECENSIVEEF PRODUCTS	maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1228 WONDER NEUTRAL CLEANER (#1150)	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1229 SUPER CONCENTRATED SASSY LIQUID DISHWASH	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded used NIOSH approved organic vapor cartridge respirate
and the second second					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1230 PL 10W-30 SG/CD, EC-II	MOBIL OIL CORP.	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
1230 PL 10W-30 SG/CD, EC-II 1231 PL 30 SG/CC	MOBIL OIL CORP. MOBIL OIL CORP.		APPROVED APPROVED		
		Maintenance and Operations Products Maintenance and Operations Products			manufacturer's label.
					manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use
1231 Pt 30 SG/CC	MOBIL OIL CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv
					manufacturer's label.
1231 PL 30 SG/CC	MOBIL OIL CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NICSH approv organic vapor cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2	MOBIL OIL CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK &	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved
1231 PL30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK &	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved
1231 PL30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label.
1231 PL30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approvec cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approven
1231 PL30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approvec cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartridge
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the Sex exceeded, wear NIOSH approved P-100 cartridg respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear MIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approvec cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid, respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with G
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approvec cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid, respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approv cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with G
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231 1238 J-R CAMADIL 76	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GODD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GODD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GODD ventilation. If the described sypmtoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GODD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GODD ventilation. If the described sypmtoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves and chemical splash goggles. Use with 6 wear nutber/neoprene gloves
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1235 ECR 171 1236 XR-4231	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY FMC WYOMING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved P-100 cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and chemical splash goggles. Use ventilation. If the described sypmtoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1236 KR-4231 1238 J-R CAMADIL 76 1239 SODIUM CARBONATE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY FMC WYOMING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve or ganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmotoms occur, wear NIOSH approve or ganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved P-100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmotoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with G ventilation. If described exposure symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with G ventilation. If described exposure symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label.
1231 PL 30 SG/CC 1232 ULTRA FRESH NMV2 DUPONT NYLON POLYAMIDE FIBER W/CARBON BLACK & 1233 POLYETHYLENE 1236 KR-4231 1238 J-R CAMADIL 76 1239 SODIUM CARBONATE	MOBIL OIL CORP. THOMSON RESEARCH ASSOCIATES DUPONT CO. EXXON CHEMICAL COMPANY ARIZONA CHEMICAL JAMES RIVER LIMESTONE COMPANY FMC WYOMING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	The approval of this product is for OUTDOOR USE ONLY.	manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved P-100 cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use GOOD ventilation. If the described sypmtoms occur, wear NIOSH approve cartridge respirator. Follow manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1243 GRANULAR ABSORBANT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
1240		mantenance and operations i reduces	ATTROVES		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If any ill effects occur,wear NIOSH approved organic vapor co
1244 CONCRETE/ MASONARY SEALER (NO: 610)	CAMIG INC.				
1244 CONCRETE/ MASONARY SEALER (NO: 610)	CAMIG INC.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1245 ELASTOMERIC DECK COATING (NO: 830)	CAMIG INC.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1246 LATEX TRAFFIC PAINT (130)	CAL-WESTERN PAINTS	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1247 ELASTOLFE WHITE (2001)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1248 POLY-COAT TEXTURE COATING (1270)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1240 FOLL SOAT IENTONE SOATHING (1276)	Million Mill Taint Go.	runtriodets	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
(4.44)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1249 WILCOTE WHITE (1400)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1250 WT77W ENAMAL WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1251 WT77 EGGSHELL WHITE, (WT77WEG500)	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator. Use and store away from any ignition sources. Disp
1252 ORAN-GEL AEROSOL	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		cans ONLY when it is empty
1252 OKAN OLE ALKOSOL	THE STATE CHEMICAE MANOTACTORING CO.	HVAC Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1253 F. 698 WASP & HORNET SPRAY	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1254 INVISIBLE SHIELD POLYMER COATING (PRODUCT # 3272)	UNELKO CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1255 NU-BROADLOK EDGE SEALER	PARA-CHEM SOUTHERN, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
				APPROVED PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICA	TIONS- ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1256 NUBROADLOK PREMIUM PLUS	PARA-CHEM SOUTHERN, INC.	Maintenance and Operations Products	APPROVED	9/1/01 VOC LIMITS	respirator. Follow manufacturer's label.
1200		maniorance and operations readets	ATTROVES	-,,	•
1257 NUBROADLOK SEAM SEALER SOLVENT-FREE	PARA-CHEM SOUTHERN, INC.		APPROVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
1257 NUBROADLOK SEAM SEALER SOLVENT-FREE	PARA-CHEM SOUTHERN, INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1259 MINT DE OX	CNS INDUSTRIES INC.	Maintenance and Operations Products	APPROVED	FOR THE USE OF MUSICAL INSTRUMENT SHOP ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1260 MEDIC NEUTRAL DISINFECTANT CLEANER-128	PROTECH INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1261 STORE SHINE UHS FLOOR CONDITIONER (2222XX)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If any of the described symptoms occur, wear NIOSH approve
2000 2M	3м	Malatan and Consultan 5 11 1	4 DDD 01 (FD		
1262 3M		Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
1263 LA. SCHOOL SEMI-GLOSS	CONTINENTAL COATINGS, INC.	Paint Products	APPROVED		
1264 LA. SCHOOL PRIMER (L-24-17)	CONTINENTAL COATINGS, INC.	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
	CONTINENTAL COATINGS, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1265 LA. SCHOOL GLOSS (L-24-19)	CONTINENTAL COATINGS, INC.				The state of the s
1265 LA SCHOOL GLOSS (L-24-19)	CONTINENTAL COATINGS, INC.				Wear rubber/neoprene gloves and splash appales. Use with GOOD venti
1265 LA SCHOOL GLOSS (L-24-19)	CONTINENTAL COATINGS, INC.				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
1265 LA SCHOOL GLOSS (L-24-19)	CONTINENTAL COATINGS, INC.				PEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge
1266 LA SCHOOL GLOSS (L-24-19)	NATIONAL CHEMSEARCH CORP., PUERTO RICO	Maintenance and Operations Products	APPROVED		

					Warranth of a constant of the
1267 EX-TRA DEGREASER	I. SHAY CHEMICAL		APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver Follow manufacturer's label.
1267 EX-TRA DEGREASER	I. SHAT CHEMICAL	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
1269 SINWALL TINT BASE, WHITE	SINCLAIR PAINT COMPANY	Paint Products	APPROVED	Approval is good for one time use only.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1269 SINWALL TINT BASE, WHITE	SINCLAIR PAINT COMPANY	Paint Products	APPROVED	approval is good for one time use only.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor ca
1270 ROOF PATCH, NEUTRALIZED, AERO 9472	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor ca
1271 ROOF PATCH, RUBBERIZED 9470	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
1272 Z-12 LCG	NEO OIL COMPANY	Pesticide/Herbicide Products	APPROVED		
1273 SYNTHETIC SYNDROL 32	NEO OIL COMPANY	Pesticide/Herbicide Products	APPROVED		
1274 NEO SYNDROL 68	NEO OIL COMPANY	Pesticide/Herbicide Products	APPROVED		
1275 NEON OIL	NEOn OIL COMPANY	Pesticide/Herbicide Products	APPROVED		
1276 UL-561 BRI-TILE	HANSON-LORAN CHEMICAL CO.	Maintenance and Operations Products	APPROVED		
1277 WITE-OUT (WATER BASE CORRECTION FLUID)	WITE-OUT PRODUCTS INC.	Office Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
1278 WITE OUT FOR EVERYTHING CORRECTION FLUIDS	WITE-OUT PRODUCTS INC.	Office Products	APPROVED		manufacturer's label.
					manadada o dabo.
279 REVOLUTION (PRODUCT NO: 100)	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		Magraphor/accorong gloves and anti-the second second
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
282 PETRON PLUS TRANSMISSION/GEAR BOX FRICTION REDUCER	PETRON INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
283 ANSWER GRAFFITI REMOVER	TRI-WEST	Graffiti Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
284 LEMON CLEAN NO RINSE CLEANER	GENLABS	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respire
1285 NI-712 ORANGE, STRABERRY AND LEMON LIME	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
1286 PRO-ZYME	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
		·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
1287 PRE-CONDITION	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
288 PACIFIC 11 (GLOSS, SILKMAT) WATER BASED FLOOR FINI	BONAKEMI USA, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
200 FACIFIC II (OLOSS, SIERWAT) WATER BASED FLOOR TIN	BOWAKENI OSA, INC.	Maintenance and operations Products	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
290 PANEF STICK LUBRICANT GS-20	PANEF CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					THIS IS A RE-EVALUATION DO NOT USE THIS PRODUCT WITH STRONG OXID
					AGENTS OR ACIDS. Wear rubber/neoprene gloves and splash goggles
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
1291 ALKOT TAG-OUT	ALKOT INDUSTRIES	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
292 ALKOT YUCK-OUT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		
292 ALKOT YUCK-OUT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.
292 ALKOT YUCK-OUT	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
	ALKOT INDUSTRIES POLYTECH	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
294 PBS-96 (ALAIVE BIO-SCRUB)		Maintenance and Operations Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
294 PBS-96 (ALAIVE BIO-SCRUB)	POLYTECH		APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
294 PBS-96 (ALAIVE BIO-SCRUB)	POLYTECH	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER	POLYTECH	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir
1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER	POLYTECH	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label.
1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER	POLYTECH	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator, Fellow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve FEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use Wear nitriie rubber/neoprene gloves and chemical splash goggles. U
1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER 1296 SHOP CLEANER (CONCENTRATED CLEANER/DEGREASER)	POLYTECH POLYTECH DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufocturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator, Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirators.
1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER 1296 SHOP CLEANER (CONCENTRATED CLEANER/DEGREASER)	POLYTECH	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respiramanufacturer's label. Wear nubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
1292 ALKOT YUCK-OUT 1294 PBS-96 (ALAIVE BIO-SCRUB) 1295 AI-30 SUPER ABSORBENT POWDER 1296 SHOP CLEANER (CONCENTRATED CLEANER/DEGREASER) 1298 CAPT COURAGEOUS 1300 GRANULAR DECODORANT	POLYTECH POLYTECH DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respir manufocturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator, Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirators.

				West without according to the state and enterly according the COOD contiletion of
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
1303 BASEBOARD CLEANER	BALL INDUSTRIES			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1303 BASEBOARD CLEANER	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1304 MOP ON-MOP OFF NR	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1306 IRON OXIDE BLACK (108)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1307 NAPHTHOL RED DARK (114)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1308 PHTHALO BLUE DEEP (115-D)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
1000 ()		Tantifoddolo	ATTROVES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
	CROSSFIELD PRODUCTS CORP.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follov manufacturer's label.
1309 ELASTATEX 500 RESIN BINDER (URETHANE COATING)	CROSSFIELD PRODUCTS CORP.	Paint Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1310 CRAWFORD'S INTERIOR/EXTERIOR VINYL SPACKLING PASTE	CRAWFORD PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1311 HYDRO GEL	CRITICAL INDUSTRIES INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1312 DGREASE II	CHIP DISTRIBUTION CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1313 CC400EP PART A	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
ISIS SOURCE FAITA	THE TO GO TO TO THE MIGHES, INC.	Multiteriance and operations Products	AFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1314 CC400EP PART B	HILTI CONSTRUCTION CHEMICALS, INC.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1314 CC400EPPARI B	HILLI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1315 CARPET-TEX RUG AND DEODORIZER	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1316 ABSORBS-IT (PRODUCT CODE #01037)	EXECEL-MINERAL COMPANY, INC	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1317 KLEENSWEEP REGULAR (#1300)	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1318 TUF-TRAC(ALL COLORS)	CHEMREX, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1319 PANEL WELD ADHESIVE	DAP INC:	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
[3]9 PAINEL WELD ADRESIVE	DAF INC.	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1320 CS 2130 POLYURETHANE SEALANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1321 BIO BLUE	E.W. SMITH CHEMICAL CO.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1322 PRIVATE LABEL LEMON DISH DETERGENT	THE DARRON COMPANY, INC.	Food Services Products	APPROVED	GOOD ventilation. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1324 TIME BUSTER FLOOR FINISH	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1325 TLR-44 AEROSOL	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations 2	APPROVED	cartridge respirator. Follow manufacturer's label.
1320 TER-44 AEROSOL	MAINTEN, DIVISION OF NOTICURP.	Maintenance and Operations Products	AFFROVED	• .
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1326 CONCRETE CLEANER	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.

				Manage belle with a decrease and a second about and an inches and a later with
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1327 WAX EMOLITION	I. SHAV CHEMICAL	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1328 711 SC	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1329 NOW ALL PURPOSE CLEANR/DEGREASER	MIRACHEM CORPORATION	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1330 SUPER BIG TEX	MANTEK, DIVISION OF NCH CORP.	Malatan and Consultan Bradust	ADDROVED	cartridge respirator. Follow manufacturer's label.
1330 SUPER BIO 1EX	MAINTER, DIVISION OF NOR CORP.	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1331 FRESH FORCE	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1332 BB BRUTE(CREAM CLEANER WITH ABRASIVE)	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1334 ALL PRO CLEANSER/ALL PURE CLEANSER	ALL PURE CHEMICAL COMPANY			cartridge respirator. Follow manufacturer's label.
334 ALL PRO CLEANSER/ ALL PURE CLEANSER	ALL PURE CHEMICAL COMPANY	Maintenance and Operations Products	APPROVED	• 1
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1336 SAFETY STRIP	ABBOT INDUSTRIAL SUPPLIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1337 ACTI BRITE ABI	VIRGINIA KMP	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
133/ AOTIBILITADI	VIICINIA KIII	Maintenance and Operations Products	AFFROVED	<u> </u>
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1338 STRIPPER (ST-2)	AMTECO INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1339 BREAK AWAY (PRODUCT #1161)	GENLABS	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				the described exposure symptoms occur, wear NIOSH approved organic vapo
1340 FAST CLEAN-READY TO USE	CALJEN SALES COMPANY	Maintenance and Operations Products	ADDROVED	cartridge respirator. Follow manufacturer's label.
340 FAST CLEAN-READY TO USE	CALJEN SALES COMPANY	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1341 SP 80 ODOR NEUTRALIZER-XS	J.K.A. INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1342 CONCO PRO-PAINTS 100-102,104,105,107,109,110,120,130	SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1343 CONCO PRO-PAINTS 300-302,304,305,307,309,310,320,330	SMILAND PAINT COMPANY	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
1346 FLO SHINE MINT & PINE	SOUTHEND JANITORIAL SUPPLY, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1347 MEAN GREEN (POWER HAND SCRUB)	MEAN GREEN, LTD/LYONS & STRONG MARKETING	Maintenance and Operations Products	APPROVED	manufacturer's label.
1047 at Once (1 Otten 19412 donob)		maintenance and operations rioducts	A. HOVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
	SOAP FACTORY	Maintenance and Operations Products	APPROVED	manufacturer's label.
1348 SCP DIP	SOAL FASTORY			
1348 SCP DIP	COAL TACTOR			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1348 SCP DIP	COAL TACTORY			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1348 SCP DIP	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	
		Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
		Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1349 TOTALFOAM	NEUTRON INDUSTRIES, INC.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
		Maintenance and Operations Products Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1349 TOTALFOAM	NEUTRON INDUSTRIES, INC.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1349 TOTALFOAM	NEUTRON INDUSTRIES, INC.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1349 TOTALFOAM	NEUTRON INDUSTRIES, INC.			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1349 TOTAL FOAM 1350 STA PUT ADHESIVE #382 (ROPE GLUE)	NEUTRON INDUSTRIES, INC. CJS INC./HEAT & POWER EQUIPMENT CO.	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1349 TOTAL FOAM 1350 STA PUT ADHESIVE #382 (ROPE GLUE)	NEUTRON INDUSTRIES, INC. CJS INC./HEAT & POWER EQUIPMENT CO.	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. ROOM DEODORIZER Wear rubber/neoprene gloves and splash goggles. Use with
1349 TOTAL FOAM 1350 STA PUT ADHESIVE #382 (ROPE GLUE)	NEUTRON INDUSTRIES, INC. CJS INC./HEAT & POWER EQUIPMENT CO.	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1353 GOLD BOND HIGH SOLIDS	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1000 0010 0010 11011 00100	MAINTEX III.	wantenance and operations modera	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1354 ABC MULTIPURPOSE	AMEREX CORPORATION	Maintenance and Operations Products	APPROVED	FOR ABC FIRE EXTINGUISHERS	manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1355 SILK HANDSOAP 15% COCONUT OIL	CARROLL CALIFORNIA VENTURES, INC	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1356 DECATHLON POLYMER FINISH	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		<u> </u>			Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1357 LEMON GO-JO WITH PUMICE HAND CLEANER	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1007		manionarios ana operations i rodasto	ATTROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
AND CONTRACT LINES CUENTED	OO TO WIND HOTDISO IN O				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1358 ORANGE HAND CLEANER	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1359 PERFORMANCE LOTION SOAP	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1360 PREMIUM GOLD LOTION SOAP	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1361 TD FORMULA TRIPLE-DUTY HAND CLEANER W/SCRUB. PART.	GO-JO INDUSTRIES, INC.	Malaka and On cather Book at	APPROVED		cartridge respirator. Follow manufacturer's label.
[36] TO FORMULA TRIFLE-DOTT HAND CLEANER W/SCROB, FART.	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1362 MEDICATED SKIN LOTION-SILICONE FREE	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1364 TAP MAGIC ALUMINUM CUTTING FLUID	STECO CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1366 DAZZLE NEUTRAL FLOOR CLEANER	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
AND DISCOVERY DURBOUT DESCRIPTION OF DESCRIPTION	ALDRAN CHEMICAL				
1368 BIG O-X (ALL PURPOSE DEGREASER & DEODORIZER)	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1369 SUPER ORANGE SPECIAL	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1371 CITRIC ACID, TRISODIUM SALT DIHYDRRATE, 99%	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1372 MOP & BUFF (A 35)	SCOT LABORATORIES	Malatan and Consetting Broducts	APPROVED		manufacturer's label
13/2 MOP & BUFF (A 30)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1373 NICKEL(II) SULFATE HAXAHYDRATE,99%, A.C.S. REAGENT	ALDRICH CHEMICAL CO.	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
1374 KESONIC C	ALLIED-KELITE PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1375 GENESOLV D, STANDARD GRADE, ELECTRONIC GRADE	ALLIED CHEMICAL	Automotive Products	APPROVED		manufacturer's label.
10.0 11.10014 D, GTANDANO GNADE, ELECTRONIC GNADE	Originions	Automotive moducts	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
					manufacturer's label
1376 GRE-SA-WAY	ALTONA SPECIALITIES	Paint Products	APPROVED		
1376 GRE-SA-WAY	ALTONA SPECIALITIES	Paint Products	APPROVED		
1376 GRE-SA-WAY	ALTONA SPECIALITIES	Paint Products	APPROVED		
1376 GRE-SA-WAY 1377 CARBON	ALTONA SPECIALITIES AMEREX CORPORATION	Paint Products Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
1377 CARBON	AMEREX CORPORATION	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat

1380 FRESH AIR BAMBOO (AIR FRESHNER, DEODORANT) 1382 AMER-BAC (NO: 3001 Quartz& NO: 5146 Bulk) 1383 COIL XA	AMERICAN INDUSTRIAL SUPPLY INC.			
1382 AMER-BAC (NO: 3001 Quartz& NO: 5146 Bulk) 1383 COIL XA	AMERICAN INDUSTRIAL SUPPLY INC.			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1382 AMER-BAC (NO: 3001 Quartz& NO: 5146 Bulk) 1383 COIL XA	AMERICAN INDUSTRIAL SUPPLY INC.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1383 COIL XA		Maintenance and Operations Products	APPROVED	manufacturer's label.
1383 COIL XA				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1383 COIL XA	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	Follow manufacturer's label.
	AMERICAN INDUSTRIAL SUPPLY INC.			
	AMERICAN INDUSTRIAL SUFFET INC.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1385 CLEAR GLOSS URETHANE FLOOR FINISH W/RED. 2-500	AMTECO INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1387 BIOSTRIP BST-100	AMTECO INC.		APPROVED	manufacturer's label.
1387 BIOSTRIP BS1-100	AMTECO INC.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1388 MISTY SURFACE DISINFECTANT & AIR DEODORANT	AMREP, INC.	Office Products	APPROVED	manufacturer's label.
1390 BALL BLEACH	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED.	
1000				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1391 MOP-ON OFF NR (ALKALINE DETERGENT)	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
1392 SUPER GLAZE 25 FLOOR FINISH (ACRYLIC FLOOR FINISH)	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED	
1393 ALL ACRYLIC VYNCRYL WHT & WTB 070-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	
000		Tamtifoddolo	ATTOVED	Waar rubbar noonrong gloves and enjach googles. He with COOD vantil
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
394 ACRYTRIM WHITE & WHITE BASE 076-000IN	DECRATREND PAINT CORP.	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
395 POLYTONE WHITE AND TINT BASE 071-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
399 FOLTIONE WHITE AND THAT BASE OF BOOT	DECKATREND FAINT CORF.	ruint rioducts	AFFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
396 PACE SETTER HI-GLOSS WHT & WTB 756-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
397 PACE SETTER S/G WHT.AND WTB 757-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	manufacturer's label.
557 FAGE SETTER S/G WITHARD WID 767 SSST	DEGRATRERS FAIRT GORT.	runtrioducts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
398 PACE SETTER SATIN WHT & WTB 758-0001	DECRATREND PAINT CORP.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
400 SUPER POLYMER 85 (MSDS 1285)	MAINTEX INC.	Floor Care Products	APPROVED	
400 SUPER POLITIMER 65 (MSDS 1265)	MAINTEX INC.	Floor Care Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
401 MAINKLEEN (MSDS 1144)	MAINTEX INC.	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
102 LO.C. REGULAR MULTI-PURPOSE CLEANER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
104 RINSE				Wage rubbar/pagarana glaves and enlash goggles. He with GOOD year
404 RINSE				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
404 RINSE				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
			APPROVED	
	NASHUA CORP.	Office Products	ALLKOVED	manufacturer's label.
	NASHUA CORP.	Office Products	AFROYED	
	NASHUA CORP.	Office Products	AFFROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
105 CANON CT-3 TONER				Wear rubber/neoprene gloves and splash goggles. Use with 600D vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
105 CANON CT-3 TONER	NASHUA CORP.	Office Products Office Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
105 CANON CT-3 TONER				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
105 CANON CT-3 TONER				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
105 CANON CT-3 TONER 106 XEROX XT-20 DRY INK PLUS				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
105 CANON CT-3 TONER 106 XEROX XT-20 DRY INK PLUS	NASHUA CORP.	Office Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
105 CANON CT-3 TONER 106 XEROX XT-20 DRY INK PLUS	NASHUA CORP.	Office Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor contridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
105 CANON CT-3 TONER 106 XEROX XT-20 DRY INK PLUS 107 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER	NASHUA CORP.	Office Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent manufacturer's label.
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER 408 XEROX XT-25 DRY INK PLUS	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE I4, 18, 21 TONER 408 XEROX XT-25 DRY INK PLUS	NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER 408 XEROX XT-25 DRY INK PLUS	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE I4, 18, 21 TONER 408 XEROX XT-25 DRY INK PLUS	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent pen is exceeded, wear NIOSH approved organic vapor cartridge respirats manufacturer's label.
404 RINSE 405 CANON CT-3 TONER 406 XEROX XT-20 DRY INK PLUS 407 XEROX XT-30 DRY IMAGER, TYPE 14, 18, 21 TONER 408 XEROX XT-25 DRY INK PLUS 409 XEROX XT-34 MAGNETIC, XT-44 DRY IMAGER	NASHUA CORP. NASHUA CORP. NASHUA CORP.	Office Products Office Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
[4]] 3M BRAND QUAT DISINFECTANT CLEANER CONCENTRATE	3м	Oles and a series de cata	APPROVED		cartridae respirator. Follow manufacturer's label.
1411 3M BRAND QUAT DISINFECTANT CLEANER CONCENTRATE	3M	Cleaning Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					described exposure symptoms occur, wear NIOSH approved organic va
1412 3M BRAND SPEED STRIPPER CONCENTRATE	3M	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					described exposure symptoms occur, wear NIOSH approved organic va
1413 DECK COTE NON-SKID 2569	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1410		Tantifodada	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1414 ACRYLIC RED OXIDE METAL PRIMER	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1415 ACRYLIC WHITE METAL PRIMER	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. Ifany of the described symptoms occur,wear NIOSH approve
1416 3M GENERAL PURPOSE CLEANER CONCENTRATE	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					This product is a water based, carpet spot cleaner Wear nitrile rubber/n
					gloves and chemical splash goggles. Use with GOOD ventilation. Follow
1418 BUCKEYE GONE (PROIDUCT CODE: 5375)	BUCKEYE INTERNATIONAL, INC.	Graffiti Products	APPROVED		manufacturer's label.
					This product is a non-pathogenic bacterial suspension Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1419 AMER-BAC (#3002 QUARTS/#5012 BULK)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear heavy cotton gloves and chemical splash goggles. Use with GOOD
					ventilation. Wear NIOSH approved particulate respirator with exhalation
ACZA TREATED WOOD(CHEMONITE) AMMONICAL COPP,ZIN,ARSE				THIS PRODUCT IS FOR THE USE OF OUTSIDE CONTRACTORS FOR SCHOOL	Avoid creating dust. THE APPROVAL OF THIS PRODUCT IS FOR THE USE OF C
1420 TREA.WD	J.H.BAXTER & CO.	Malaka and On college Broduct	APPROVED	BLEACHERS ONLY.	CONTACTORS FOR SCHOOL BLEACHE
1420 TREA.WD	J.H.BAXTER & CO.	Maintenance and Operations Products	APPROVED	BLEACHERS ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1421 DESTINY (Product # 82)	CHAMPION CHEMICAL CO.	Floor Care Products	APPROVED		GOOD ventilation.Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1422 GRIP SEALER (PRODUCT # 65)	CHAMPION CHEMICAL CO.	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If any of the desrcibed exposure symptoms occur, we
1423 WHITE INT/EXT VINYL ACRYLIC FLAT	SMILAND PAINT COMPANY	Paint Products	APPROVED		approved organic vapor cartridge respirator.
1420		Tantifodada	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					wedi filitile rubber/fieoprene gioves and chemical spidsh goggles. ose
					GOOD ventilation. This product shall be used by MIDDLE OR HIGH SCHOOL
					SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of
1424 ROSS RUBBER CEMENT	CONROS CORPORATION	Adhesive Products	APPROVED		
1424 ROSS RUBBER CEMENT	CONROS CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use α away from any ignition sour
1424 ROSS RUBBER CEMENT	CONROS CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1424 ROSS RUBBER CEMENT	CONROS CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc
					SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wearn nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilistion. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS
1424 ROSS RUBBER CEMENT 1425 RUBBER CEMENT (NO: 162-36)	CONROS CORPORATION SANFORD CORPORATION	Adhesive Products Adhesive Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided
···					SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any lightion sour Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1425 RUBBER CEMENT (NO:162-36)	SANFORD CORPORATION		APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapac cartridge respirator. The approval of this product is FOR THE USE OF LAUS
···					SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1425 RUBBER CEMENT (NO:162-36)	SANFORD CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapac cartridge respirator. The approval of this product is FOR THE USE OF LAUS
1425 RUBBER CEMENT (NO:162-36)	SANFORD CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use of away from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vape cartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1425 RUBBER CEMENT (NO: 162-36)	SANFORD CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a coway from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile hubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY	Adhesive Products Point Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Follocartridge respirator. Use and store away from any ignition sources. Folloc
1425 RUBBER CEMENT (NO:162-36)	SANFORD CORPORATION	Adhesive Products	APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a coway from any ignition sour Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This process the used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Use and store away from any ignition sources. Folic manufacturer's label.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY	Adhesive Products Point Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a caway from any ignition sour Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This procube used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVISANOYS use with the provided Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapocartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapocartridge respirator. Use and store away from any ignition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY	Adhesive Products Point Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any Ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any Ignition sources. This provide used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactur Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. Use and store away from any Ignition sources. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifies rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractions.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES	Adhesive Products Paint Products HVAC Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use away from any ignition sour Wearn intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This probe used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIX Always use with the provided Wearn intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu. Wearn intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Follower intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Follower intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Follower intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Follower introductions and store away from any ignition sources. Follower introductions are supervised and store away from any ignition sources. Follower introductions and store away from any ignition sources. Follower introductions are supervised and store away from any ignition sources. Follower introductions and store away from any ignition sources.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY	Adhesive Products Point Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any Ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any Ignition sources. This provide used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactur Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. Use and store away from any Ignition sources. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifies rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractions.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES	Adhesive Products Paint Products HVAC Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away fram any ignition sources. This protection is supervised by the supervised by th
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES	Adhesive Products Paint Products HVAC Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any lgnition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any lgnition sources. This provibe used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVISAWays use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapreartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapreartridge respirator. Use and store away from any lgnition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapreartridge respirator. Use and store away from any lgnition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapreartridge respirator. Use and store away from any lgnition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES	Adhesive Products Point Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any Ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any Ignition sources. This provide way from any Ignition sources. This provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactur Wear nitrile nubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. Use and store away from any Ignition sources. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. Use and store away from any Ignition sources. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractifidge respirator. Use and store away from any Ignition sources. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractified rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractified rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapractified rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICELING.	Adhesive Products Paint Products HVAC Products	APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any ignition sour Wearn intitile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This provide way the supervision of the supervisio
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICELING.	Adhesive Products Point Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away fram any ignition sources. This protection is supervised by the supervised by th
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503) 1434 SPEED STRIP	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICEL INC. EASTERDAY JANITORIAL SUPPLY CO.	Adhesive Products Paint Products HVAC Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any lgnition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any lgnition sources. This provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Use and store away from any lgnition sources. Folk manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Use and store away from any lgnition sources. Folk manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapic cartridge respirator. Follow manufacturer's label.
1425 RUBBER CEMENT (NO: 162-38) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503) 1434 SPEED STRIP	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICELING.	Adhesive Products Point Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a cway from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folic manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation.
1425 RUBBER CEMENT (NO: 162-36) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274)	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICEL INC. EASTERDAY JANITORIAL SUPPLY CO.	Adhesive Products Paint Products HVAC Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away from any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear MIOSH approved organic vapacartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactu. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear MIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folia manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folia manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Use and store away from any ignition sources. Folia manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Foliow manufacturer's label.
1425 RUBBER CEMENT (NO: 162-38) 1426 RECYCLED LATEX PAINT 1427 FOAMING COIL CLEANER (NO: 274) 1428 SOLVENT DEGREASER-NON-CHLORINATED (NO: 503) 1434 SPEED STRIP	SANFORD CORPORATION CHEMICAL WASTE MANAGEMENT-AZUSA FACILITY METRO CHEM INDUSTRIES MICEL INC. EASTERDAY JANITORIAL SUPPLY CO.	Adhesive Products Paint Products HVAC Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		SHOPS ONLY. USE ONLY UNDER THE SUPERVISION OF THE INSTRUCTOR. Use a way from any Ignition sour Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Use and store away frm any ignition sources. This proc be used BY HIGH SCHOOLS ART SHOPS UNDER THE INSTRUCTOR'S SUPERVIS Always use with the provided Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. The approval of this product is FOR THE USE OF LAUS PAINTERS ONLY. Follow manufactur Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Use and store away from any Ignition sources. Follomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Use and store away from any Ignition sources. Follomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1437 SPRAYDON ADHESIVE/LOCKDOWN	SPRAYDON-DIV. OF MFS. INC.	Malaka and On anthro Bardon	APPROVED		
143/ SPRATDON ADRESIVE/LOCKDOWN	SFRATDON-DIV. OF MFS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1438 REVOLUTION NO. 100	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1439 GREEN LIGHTNING NO. 505	CHAMPION CHEMICAL CO.	Mainton anno and Operations Dradusts	APPROVED		cartridge respirator. Follow manufacturer's label.
1439 OKEEN BOTTHING NO. 303	CHANNION CHEMICAECO.	Maintenance and Operations Products	APPROVED		• .
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1440 CRAYOLA (COLORING MARKER-BS 7701, DRAWING MARKER-	BINNEY & SMITH INC.	Graphic Arts/Photography Products	APPROVED		manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
1441 PURSUE * BROAD SPECTRUM DISINFECTANT/DEODORIZER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
<u> </u>					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1442 SCRUB BRITE * SORT CLEANER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1443 DURASHINE * FLOOR POLISH	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1444 LEADOFF * FLOOR SEALER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation.
1445 POTASSIUM CHLORIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
1446 ALUM, PEARL ALUM	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
INNO ACOM, I CARC ACOM	a contain or contain or contain	SCHOOLFICAGES	AFFROVED		
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation.
1447 AGAR	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1448 FERROX	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		GOOD ventilation.Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.Use with
1449 FERRIC PERSULFATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		GOOD ventilation.
1440		551150111504050	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
1450 RED COPPER OXIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
1451 CHROMIUM(IC) ACETATE BASIC	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1452 JANUS GREEN B	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				the approval of this product is for one time use by M&O 1 paint shop	ventilation, apply OUTDOORS ONLY. If PEL is exceeded, wear NIOSH approved a
1453 CWF-UV RESISTANT CEDAR	FLOOD COMPANY	Paint Products	APPROVED	ONLY.	line pressure-demand respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
TONE DEFENDE DUNK (PROPURT NO. 0001)	SELIG CHEMICAL INDUSTRIES				
1455 ZONE DEFENSE BULK (PRODUCT NO: 2231)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					any of the described exposure symptoms occur, wear NIOSH approved organ
					vapor cartridge respirator. Use and store away from any ignition sources. Fol
1457 ZONE DEFENSE AERO	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's labe
****		manionanos and operations rioducts	ALLMOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1458 DUROGRAPHIC ACTIVATOR (MSDS 52-1)	AGFA-GEVAERT,INC.	Graphic Arts/Photography Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1460 SAFECOAT FLAT (11111 WHITE)	AFM ENTERPRISES, INC.	Paint Products	APPROVED		manufacturer's label
/		- anti-roddolo	ALLMOVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1461 SAFECOAT SEMI-GLOSS ENAMEL (11142 WHITE)	AFM ENTERPRISES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1462 SAFECOAT GLOSS ENAMEL (11113 WHITE)	AFM ENTERPRISES, INC.	Deint Products	ADDDO://CD		
1462 SAFECUAT GLUSS ENAMEL (IIIIS WHITE)	AFM ENTERPRISES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1463 SAFECOAT CEMBOND (11115 WHITE)	AFM ENTERPRISES, INC.	Paint Products	APPROVED		manufacturer's label.
•					

1466 SAVE COAT 1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	OIL-DRI CORPORATION OF AMERICA FIBER TEC COATINGS CORP. FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSKNBOCKER'S LIFT OFF PIONEER CHEMICAL CO.	Maintenance and Operations Products Paint Products Point Products Automotive Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1466 BASIC WALL 1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	FIBER TEC COATINGS CORP. FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Paint Products Point Products Automotive Products	APPROVED APPROVED	manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
1466 BASIC WALL 1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	FIBER TEC COATINGS CORP. FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Paint Products Point Products Automotive Products	APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili
1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Paint Products Automotive Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventill PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Paint Products Automotive Products	APPROVED	manufacturer's label. War rubber/neoprene gloves and splash goggles. Use with GOOD ventili FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili
1466 BASIC WALL 1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKERSUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	FIBER TEC COATINGS CORP. K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Paint Products Automotive Products	APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventili
1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Automotive Products		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Automotive Products		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
1467 TANNERY LEATHER & VINYL CONDITIONER CREME # 136 1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	K & W PRODUCTS MOTSENBOCKER'S LIFT OFF	Automotive Products		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	MOTSENBOCKER'S LIFT OFF			
1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	MOTSENBOCKER'S LIFT OFF			PEL is exceeded wear NIOSH approved organic vapor cartridge respirator
1469 MOTSENBOCKER'SUFTOFF#4SPRAY PAINT GRAFFITIREMOVER 1470 SUPER SHINE	MOTSENBOCKER'S LIFT OFF			TEE IS OXOCCUCA, Wear Medicapproved organic vapor carriage respirator
1470 SUPER SHINE		Craffiti Draduata	APPROVED	manufacturer's label.
	PIONEER CHEMICAL CO.	Graffiti Products	APPROVED	
		Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
	PIONEER CHEMICAL CO.	Malatan and Occapion Bank at	APPROVED	manufacturer's label.
147] SUPER 60	FIGNEER CHEWICAE CO.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1472 PROTECTORENT	MR. DEFEATTI INC.	Graffiti Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1473 SO-SAFE GRAFFITI REMOVER (PAINTED SURFACES)	SO-SAFE SPECIALTY PRODUCTS PTY. LTD.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1474 MARKER BOARD CLEANER-920070	W.M. BARR & CO.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1475 STA-ZYME (ENZYME DRAIN CLEANER)	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	
		<u> </u>		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1476 REVOLUTION (PRODUCT NO. 100)	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
1470		maintenance and operations reducts	ATTOVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1477 STENCIL GUARD	BAUER COATING DIVISION (WHITTAKER CORPORATION)	Paint Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1478 RED WATERBASE (WATER-BASE TRAFFIC PAINT)	BAUER COATING DIVISION (WHITTAKER CORPORATION)	Paint Products	APPROVED	manufacturer's label.
1479 GREEN WATERBASE (WATER-BASE TRAFFIC PAINT)	BAUER COATING DIVISION (WHITTAKER CORPORATION)	Paint Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1480 XEROX XD-54 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED	manufacturer's label.
<u> </u>				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1481 XEROX XD-55 DEVEOPER	NASHUA CORP.	Cranbia Arta/Dhataaranbu Dradusta	APPROVED.	manufacturer's label.
1461 ALROX AD 33 DEVEOVER	NASHOA CONT.	Graphic Arts/Photography Products	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
****	KNAPP MANUFACTURING	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1483 CLEVERCLEAN	KNAPP MANUFACTURING	Paint Products	APPROVED	
1484 THERMO ADHESION ACTIVATOR (TAA)	IMD SYSTEMS	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves. Use with GOOD ventilation. If PEL is
				exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1486 COIL BRIGHT A	SUPERCO	HVAC Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1486 COIL BRIGHT A				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1486 COIL BRIGHT A				
	NATIONAL SANITADY SUPPLY CO	Maintanance and Operations Bred	APPROVED	manufacturer's label
	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Use
1487 ANTIMICROBIAL LOTION SOAP		•		COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Ust GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1487 ANTIMICROBIAL LOTION SOAP	NATIONAL SANITARY SUPPLY CO. SUPERCO	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Use
1487 ANTIMICROBIAL LOTION SOAP		•		COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.
1487 ANTIMICROBIAL LOTION SOAP		•		COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1487 ANTIMICROBIAL LOTION SOAP 1488 SUPER-CLEAN A		•		COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1487 ANTIMICROBIAL LOTION SOAP 1488 SUPER-CLEAN A	SUPERCO	Maintenance and Operations Products	APPROVED	COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirato manufacturer's label.
1487 ANTIMICROBIAL LOTION SOAP 1488 SUPER-CLEAN A	SUPERCO	Maintenance and Operations Products	APPROVED	COTACT CLEANER Wear rubber/neoprene gloves and splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1494 LO-GLO (ALL COLORS)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1495 MAJESTIC (ALL COLORS)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1400		Tantifoddolo	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1496 ROSS SNIF PROOF PLASTIC CEMENT #65 & #66	CONROS CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1497 SPRAYTEK	SANITEK PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
		<u> </u>			Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1499 GF #206 ADHESIVE	GLUE-FAST EQUIPMENT CO INC	Office Products	APPROVED		manufacturer's label.
1499 OF #200 ADRESIVE	OLDE TAST EQUITMENT CO INC	Office Froducts	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1500 DEODORANT-ODOR BAN # 236	CLEAN CONTROL CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1501 HEAVY DUTY DEGREASER (WMC)	ECOLAB INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1502 SANAFOAM VAPOROOTER II	AIRRIGATION ENGINEERING COMPANY, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1503 SOLVENT 529-66	ASHLAND CHEMICAL COMPANY	Automotive Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ATTACA LINUSCOL AFROSOLI SOLIVITATO DE ODE ASER	NATIONAL OUTLIGEADOLIDIV OF NOU CORD				
1504 UNISOL AEROSOL SOLVENT DEGREASER	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1506 VERSATILE	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1507 LIME-B-GONE	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1007 = 2 = 2		manionario aria operatione i rodacio	ATTROVES		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1508 TECTUM PANELS WOOD-CEMENT BOARD	TECTUM INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventila
1512 WEXFORD-300 (NEUTRAL CLEANR CONCENTRATE)	WEXFORD LABS, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved HEPA cartridge resp
1513 FIVE STAR STRUCTURAL CONCRETE	FIVE STAR PRODUCTS, INC	Maintananaa and Onavationa Braduata	APPROVED		Follow manufacturer's label.
1913 TIVE STAR STRUCTURAL CONCRETE	TIVE STAR PRODUCTS, INC	Maintenance and Operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
					cartridge respirator. Follow manufacturer's label. *USE AND STORE AWAY
1514 AEROSOL CALCLEAN	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED	FOR THE INTERMITTENT USE OF HVAC SHOPS ONLY	ANY IGNITION SOURCES.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1516 CONTACT CLEANER 10N001	KRYLON PRODUCTS	Maintanance and Operations Broducts	APPROVED		cartridge respirator. Follow manufacturer's label.
		Maintenance and Operations Products			Sararage respirator, rollow manufacturers label.
1517 LIQUID TIMSEN	UNIT CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		
1520 WATER BASE SEMI-GLOSS	VISTA PAINT CORPORATION	Paint Products	APPROVED		
1521 WATER BASE HIGH GLOSS	VISTA PAINT CORPORATION	Paint Products	APPROVED		
1524 GREASE B GONE	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		
1525 STA ZYME	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		
		mantenance and operations rioducts	ALL NOVED		Wage pitale without page years and showing to be the control of
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1526 VESTAL LOTION SOAP (PRODUCT NO: 6240)	CALGON VESTAL LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1527 GENERAL PURPOSE CONSTRUCTION ADHESIVE	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1529 LIQUID ICE MACHINE CLEANER	CALGON VESTAL LABORATORIES	Maintenance and Operations Products	APPROVED		

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1530 E-9 GRAFFITI REMOVER	RIVERS RUN	Maintenance and Operations Products	APPROVED		manufacturer's label.
1330 E O ORAT TITLEMOVER	NITERO NON	wantenance and operations Froducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1531 BGT COIL CLEANER	SELIG CHEMICAL INDUSTRIES				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1531 BGT COIL CLEANER	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1532 PHOTPLUMINESCENT PAINT (PRODUCT NO: 05PLP-2)	TRIEX INCORPORATED	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1533 TOP CLEAR COAT (PRODUCT NO: 05-PLP-3)	TRIEX INCORPORATED	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1534 FUMITOXIN (TABLETS,PELLETS,BAGS)	PESTCON SYSTEMS, INC.	Pesticide/Herbicide Products	APPROVED		respirator. Follow manufacturer's label.
		-			Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1535 AMMONIUM PERSULFATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
1536 A-33 DRY (DISINFECTANT)	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		
1936 A-33 DKT (DISINFECTANT)	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		We will be a large and a sharp
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1538 COIL CLEANER	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
1539 PENETRATING OIL	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1540 SURE FLO STRIP "R" *	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
AL TO SE HOUSEHOLD CENTRAL #107	CONROS CORPORATION	Malaka and Garantina Barkata	APPROVED		manufacturer's label.
1541 ROSS HOUSEHOLD CEMENT #107	CONROS CORPORATION	Maintenance and Operations Products	APPROVED		munulacturer's label.
					Warranthan Income and a start
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1542 OHIO TECH CREME CLEANSER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		
1542 OHIO TECH CREME CLEANSER 1543 OHIO TECH PARTS CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products Automotive Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label.
	·	<u>'</u>			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
	·	<u>'</u>			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label.
	·	<u>'</u>			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label. Wear rubber/neaprene gloves and splash goggles. Use with GOOD ventilation.
1543 OHIO TECH PARTS CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folk manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folk manufacturer's label. USEDESCALER FOR URINALS
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear rubber/neaprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. USEDESCALER FOR URINALS. Wear rubber/neaprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with 600D ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's lobel. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foli manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliom manufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nittle rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evaluation of this revokuer	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER)	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evaluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nitiler rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nitiler rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliom manufacturer's label. May cause eye irritation. Avoid contact with eyes during use.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evoluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR RINNALS. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evaluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evaluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1543 OHO TECH PARTS CLEANER 1544 OHO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED	This is a re-evoluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with manufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	This is a re-evaluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1543 OHO TECH PARTS CLEANER 1544 OHO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED	This is a re-evoluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1543 OHO TECH PARTS CLEANER 1544 OHO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED	This is a re-evoluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene glove and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follom manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400 1554 KWIKSTRIP (HEAVY DUTY WAX & FLOOR FINISH STIPPER) 1555 DISPATCH ENZYMO ROOTED DEOODORIZING CARPET PRESPRAY	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. BUTCHER COMPANY	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED	This is a re-evaluation of this product.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. Folimanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Folimanufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MULTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400 1554 KWIKSTRIP (HEAVY DUTY WAX & FLOOR FINISH STIPPER) 1555 DISPATCH ENZYMO ROOTED DECODORIZING CARPET PRESFRAY	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. BUTCHER COMPANY ALFA KLEEN CHEMICAL LABORATORIES, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED	This is a re-evaluation of this product	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliom manufacturer's label. May cause eye irritation. Avoid contact with eyes during use. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Foliow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Foliow manufacturer's label.
1543 OHIO TECH PARTS CLEANER 1544 OHIO TECH ODOR DIGESTANT/COUNTERACTANT (VANILLA) 1545 OHIO TECH MUILTI-ACID CLEANER 1546 MANVILLE FIBER GLASS INSULATION 1547 LAB-24 (BACTERIAL ODOR CONTROL) 1549 UAR-23 (CLEANER) 1550 BIODEGRADABLE SAFETY SOLVENT MC200 1551 BIODEGRADABLE DEGREASING SOLVENT MC300 1552 WATERLESS HAND CLEANER MC400 1554 KWIKSTRIP (HEAVY DUTY WAX & FLOOR FINISH STIPPER) 1555 DISPATCH ENZYMO ROOTED DECODORIZING CARPET PRESFRAY 1556 TILECHROME & PORCEUN CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC. SCHULLER INTERNATIONAL, INC. POLYTECH POLYTECH HILTI CONSTRUCTION CHEMICALS, INC. HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. BUTCHER COMPANY ALFA KLEEN CHEMICAL LABORATORIES, INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED	This is a re-evaluation of this product	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. USEDESCALER FOR URINALS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. NON-PATHOGENIC LAB CONTROLLED BACTER CUL Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Folimanufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.

					Warranth of control of the control o
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1564 GRAFFITI-X	CHAMPION CHEMICAL CO.	Graffiti Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1565 FUMITOXIN	PESTCON SYSTEMS, INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
1566 SAFRANIN O	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
1000		551155111544515	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1567 FRESH LOOK	DUTCH BOY GROUP	Paint Products	APPROVED	MFD FOR K-MART DEPARTMENT STORE	cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1568 COUNTRY POT POURRI	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1570 CONCENTRATED ALL	LEVER BROTHERS CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1070		maintenance and operations reducts	ATTROVES		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
					approved organic vapor cartridge respirator. Follow manufacturer's label. The
1571 3033, HANDICAP BLUE ACRYLIC W/B TRAFFIC	PERVO PAINT CO.	Paint Products	APPROVED		approval of this product is F
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1572 IMAGE PLUS (NO: 0777)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	For : Admins. Offices- 450 N. Grand	GOOD ventilation. Follow manufacturer's label.
1573 TARKSOL HIF-10	TERPENE TECHNOLOGIES, INC.	Graffiti Products	APPROVED		
1070		Ordina i roddolo	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
	TERRENE TECHNICI CONTO INC	- 401-			
1574 HIF 60	TERPENE TECHNOLOGIES, INC.	Graffiti Products	APPROVED		manufacturer's label.
					IMPREST APPROVAL Wear rubber/neoprene gloves and splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1575 75 PP INT ENAMEL UNDERCOATER	BEHR PROCESS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Use and store away from any ignition sources. Follow
1576 INSECTICIDAL SCAP/SAFER INSECTICIDE (# P16347V)	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
1370 INDED TO IDAE SOAL JOAN EN INCESTIONE (IT 1 10047 V)	VALUE A ROOF ROOF	resticide/Herbicide Froducts	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1578 PHTHALO TURQUOISE	ARTEX MFG. CO.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1580 ARTEX LIQUID UNDERGLAZES & LEADLESS GLAZES	ARTEX MFG. CO.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1583 WELD-ON 711 FOR PVC PLASTIC PIPE (Gray)	INDUSTRIAL POLYCHEMICAL SERVICE	Malatan and Consenting Books	APPROVED		manufacturer's label.
1583 WEED ON ANTOK I VE PASTIC THE (Ordy)	INDUSTRIAL FOLTCHEMICAL SERVICE	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1584 932241 WATERTHANE 901-6X1	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					wedi rabber/rieoprerie gioves and spidsir goggies, ose with coop verifiado
ISAS WATERTHANE CATALYST II	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1585 WATERTHANE CATALYST II	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1585 WATERTHANE CATALYST II	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1586 322112 5/GL SOLVENTLESS CLEANER	WAXIE SANITARY SUPPLY	Paint Products Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1586 322112 5/GL SOLVENTLESS CLEANER	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fe manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1586 322112 5/GL SOLVENTLESS CLEANER	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fe manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the person of the pers
1586 322112 5/GL SOLVENTLESS CLEANER	WAXIE SANITARY SUPPLY	Paint Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. From nutracturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the specific properties of the sp
1586 322112 5/GL SOLVENTILESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING	Paint Products Paint Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1586 322112 5/GL SOLVENTILESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING	Paint Products Paint Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilotic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilotic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilotic per manufacturer's label.
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION	Point Products Point Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For peace rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For peace rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For peace rubber/neoprene gloves and splash goggles.
1586 322112 5/GL SOLVENTILESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING	Paint Products Paint Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label.
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION	Point Products Point Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. F. manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilative PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. F. manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilative PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. F. manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilative PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. F. manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilative PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. F. manufacturer's label.
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION	Point Products Point Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use in District welding shops	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear hand, head eye and body protection and a NIOSH-approved welding
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION	Point Products Point Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use in District welding shops only by employees who have been trained in the specific hazards of	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr. manufacturer's label. Wear shand, head, eye and body protection and a NIOSH-approved welding respirator during welding operations. Use local exhaust when welding indoor
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION	Point Products Point Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC 1590 Devrinol 50 WP	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION STAUFFER CHEMICAL COAGRICULTURAL CHEM. DIV.	Point Products Point Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	only by employees who have been trained in the specific hazards of	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear name of the province organic vapor cartridge respirator. For manufacturer's label. Wear hand, head, eye and body protection and a NIOSH-approved welding if respirator during welding operations. Use local exhaust when welding indoor with this electrode. Review MSDS thoroughly prior to use, with special attention given to Sections VI a
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC 1590 Devrinol 50 WP	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION STAUFFER CHEMICAL COAGRICULTURAL CHEM. DIV.	Point Products Point Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	only by employees who have been trained in the specific hazards of	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear hand, head. eye and body protection and a NIOSH-approved welding firespirator during welding operations. Use local exhaust when welding indoor with this electrode. Review MSDS thoroughly prior to use, with special attentio given to Sections VI a Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with
1586 322112 5/GL SOLVENTIESS CLEANER 1587 GRAFFITI DEFENZ SUPERCOAT PACK TWO 1589 ATRIMMEC 1590 Devrinol 50 WP	WAXIE SANITARY SUPPLY KNAPP MANUFACTURING PBI/GORDON CORPORATION STAUFFER CHEMICAL COAGRICULTURAL CHEM. DIV.	Point Products Point Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	only by employees who have been trained in the specific hazards of	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear hand, head, eye and body protection and a NIOSH-approved welding in respirator during welding operations. Use local exhaust when welding indoor with this electrode. Review MSDS thoroughly prior to use, with special attention given to Sections VI a

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1596 CARBAZOLE DIOXAZINE VIOLET (103)	ARTEX MFG. CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1597 NOVA COLOR ARTISTS' MEDIUMS & VARNISHES	ARTEX MFG. CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1599 ULTRAMARINE BLUE (122)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
1988 GENERALITE SECT (122)	ARTEX III O. OO.	runt rioducts	AFFROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
DAMPIC CRAY (140)	ARTEVALED OO			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1600 PAYNE'S GRAY (140)	ARTEX MFG. CO.	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1601 TRANSPARENT RED IRON OXIDE (149)	ARTEX MFG. CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1602 BURNT SIENNA (100)	ARTEX MFG. CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear latex gloves and chemical splash goggles. Use with GOOD ventilation.
1607 NICKEL AMMONIUM SULFATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved Acid/gas cartridge
1608 AQUA FORTIS	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	respirator. Follow manufacturer's label.
1000 114-111-1111		SCHOOLLIGATOR	ALTROVES	Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Store and use away from any ignition sources. Follow manufacturer's
1609 POTASSIUM	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1610 METHYL RED, SODIUM SALT	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1611 LAURYL ALCOHOL	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1612 KK 401	KEM-KINETICS LABORATORIES	HVAC Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1613 ALPHA 8 WALLS	ACE COATING COMPANY	HVAC Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1614 TEXSOLVE	THE TEXWIPE COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1615 MAVRIK AQUAFLOW INSECTICIDE	SANDOZ CROP PROTECTION CORP.	Pesticide/Herbicide Products	APPROVED	cartridge respirator. Follow manufacturer's label.
IDIO MATRIK AQUALLOW INSECTICIDE	SANDOZ CKOT I KOTECTION COKT.	resticide/ nei bicide ri oddcts	AFFROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1616 SAFROTIN	SANDOZ CROP PROTECTION CORP.	Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1616 SAFROTIN	SANDOZ CROP PROTECTION CORP.	Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
		Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1616 SAFROTIN 1617 PRECOR 5E	SANDOZ CROP PROTECTION CORP. ZOECON CORP.	Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If ELIs exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
		·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PE Lis exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
		·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If ELIs exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
		·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
1617 PRECOR 5E	ZOECON CORP.	Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1617 PRECOR 5E	ZOECON CORP.	Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E	ZOECON CORP.	Pesticide/Herbicide Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT	ZOECON CORP. AGRISENSE	Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT	ZOECON CORP. AGRISENSE	Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FE Lis exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT	ZOECON CORP. AGRISENSE	Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT 1621 GLOSS ACRYLIC ENAMEL/WHITE 8410 S	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT 1621 GLOSS ACRYLIC ENAMEL/WHITE 8410 S	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES KWAL-HOWELLS INC.	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FE is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEI is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT 1621 GLOSS ACRYLIC ENAMEL/WHITE 8410 S	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES KWAL-HOWELLS INC.	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1617 PRECOR 5E 1618 COCKROACH ATTRACTANT 1619 CARTRIDGE FOR BURROWING RODENTS-EPA REG.NO.56228-2 1620 QUAD 10 DISINFECTANT 1621 GLOSS ACRYLIC ENAMEL/WHITE 8410 S	ZOECON CORP. AGRISENSE U.S. DEPARTMENT OF AGRICULTURE BALL INDUSTRIES KWAL-HOWELLS INC.	Pesticide/Herbicide Products Pesticide/Herbicide Products Pesticide/Herbicide Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibtrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibtrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nibtrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1624 Z-4339 WATERBORNE CLEAR SEALER	DUNN-EDWARDS CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1625 WAXIE CITRUS ALL-PURPOSE CLEANER	GENLABS	Maintenance and Operations Products	APPROVED	manufacturer's label.
		The second secon		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1626 UNISOL SOLVENT DEGREASER	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1020		wantenance and operations froducts	ATTROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
THE STATE ASSOCIATION OF THE PROPERTY OF THE P	NATIONAL OUTLASTABOURNA OF MOULOOPS			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1627 LEXITE AEROSOL CHLOROFLUOROCARBON SOLVENT	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1628 FOAMED POLYURETHANE ROOF DECK	TECTUM INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1629 WESTERN LEAD FREE GLAZES	WESTERN CERAMICS SUPPLY CO.	Glazing Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1630 SAFE STRIP	BHT ENTERPRISES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1632 SR-P RUSTY RUST PENT E Z SP	KENT INDUSTRIES	Automotive Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1633 PRODUCT	MALLINCKRODT, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
	<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1634 ETHYLENEDIAMINE	MALLINCKRODT, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1034 ETTTELTEDIAMINE	MALITORIOS, ITO.	wantenance and operations froducts	ATTROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
MAN ANYOODAN ORDAY ORAFFITI REMOVER	awaanw.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1635 SAVOGRAN SPRAY GRAFFITI REMOVER	SAVOGRAN	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber gloves and chemical splash goggles. Use with GOOD ventilatio
1636 UNI-KLEEN	UNIT CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED	Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1637 SYSTEM CLEANER	DIAS INCORPORATED	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1638 WALL CLEANER POWDER (MG 0000001)	COLLOID CLEANING PRODUCTS INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1639 GRAFFITI REMOVER (CCFI 00054)	COLLOID CLEANING PRODUCTS INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1640 WAXIE IST ACT STRIPPER	GENLABS	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1642 CHINA GROVE	BHT ENTERPRISES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
10-12		maintenance and operations moducts	ALLOYED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
1643 S G LAUNDRY DETERGENT	BLUE STAR DISTRIBUTORS	Melatra and a second second	4.000.01/CD	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fi manufacturer's label.
15 15		Maintenance and Operations Products	APPROVED	manacturers rabel.
1644 DURAGLOW 100% ACRYLIC SEMI (F-470)	SCOTCH PAINT CORP.	Paint Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1645 SPORTS FLOOR CLEANER	BONAKEMI USA, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
1646 AQUASHEEN WHITE AND WHITE BASE 074-0001N	DECRATREND PAINT CORP.	Paint Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1648 XEROX XD-7, XD-7A, XD-24 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1649 D-503 PACIFIC CROSSLINKER	BONAKEMI USA, INC.	Paint Products	APPROVED	manufacturer's label.

1654 CDQ				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1654 CDO				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	BRULIN & COMPANY, INC.			
1034 054	BRULIN & COMPANY, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1655 VIRGINIA DUAL PURPOSE VACUUM PUMP OIL (L339-L342)	VIRGINIA KMP	HVAC Products	APPROVED	manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator. Use and store away from ignition sources. Follow manufacturer's
1656 DURUS ACRYLIC GLOSS FINISH INTERIOR/EXTERIOR	ICI PAINTS	Paint Products	APPROVED	label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If any of the described exposure symptoms occur, wear NK
ANTI ASSUMIT COATING	BIO D PRODUCTS 11			
1657 ANTI ASPHALT COATING	BIO D PRODUCTS II	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1658 NUBROADLOK EDGE SEALER	PARA-CHEM SOUTHERN, INC.	Adhesive Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1659 4000 WATER BASED SEAM SEALER	SHAW INDUSTRIES, INC.	Adhesive Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1660 SUBSET 1000 CARPET ADHESIVE	SHAW INDUSTRIES, INC.	Adhesive Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1661 COMMERCIALON 757 SOLVENT FREE MULTIPURPOSE ADHESIV	J & J INDUSTRIES	Adhesive Products	APPROVED	ventilation. Follow manufacturer's label.
1001 COMMISSION /O/ SOLVENT I REE MOETH ON OSE ADRESTV	o a o modo med	Administry Floridicts	ALLIOYED	
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the exposure symptoms occur, wear NIOSH approved
1662 CAREFREE SEMI-GLOSS (# 8400)	VISTA PAINT CORPORATION	Paint Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
				cartridge respirator. Use and store away from any ignition sources. This appr
1663 BIG FOOT METAL PRIMER HARDENER (96132H)	FEL-PRO CHEMICAL PRODUCTS.LP.	Paint Products	APPROVED	is for the use of BUNGALOW
1000		Tantifoddolo	ATTIOTES	Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
				cartridge respirator. Use and store away from any ignition sources. This appr
1664 BIG FOOT METAL PRIMER RESIN	FEL-PRO CHEMICAL PRODUCTS,LP.	Paint Products	APPROVED	is for the use of BUNGALO
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
				cartridge respirator. Use and store away from any ignitions. This approval is t
1665 COPPERTONE (347)	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	the painting department ONL
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator. Use and store away from any ignition sources. Follow manufactur
1666 MODIFIED ACRYLIC S/G LATEX, WHITE(PA250)	AMERITONE PAINT CORP.	Paint Products	APPROVED	label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
				cartridge respirator. Use and store away from any ignition sources. This appre
1668 BIG FOOT PEDESTRIAN GRADE (96211,15,61,65)	FEL-PRO CHEMICAL PRODUCTS,LP.	Floor Care Products	APPROVED	is for the use of bungalow
1670 CHAMPION	GOLDEN WEST CORP.	Automotive Products	APPROVED	Use with GOOD ventilation. Follow manufacturer's label.
1070		Additionate Froducts	ATTOTES	Wear nitrile rubber / neoprene gloves and chemical splash goggles. Use with
1671 RD-243-A,RD-289-A,RD-391-A, RT-1004-A,RT-2010-A	RESIN TECHNOLOGY COMPANY			GOOD ventilation.
		Maintenance and Operations Products	APPROVED	GOOD VEHILIALION.
1672 ACTION D DISINFECTANT CLEANER	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	
	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	
1673 SQUIRT ON LIQUID DEODORANT				
1673 SQUIRT ON LIQUID DEODORANT				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
1673 SQUIRT ON LIQUID DEODORANT				
	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED	
1674 ZOOM * SPRAY CLEANER CONCENTRATE	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
1674 ZOOM * SPRAY CLEANER CONCENTRATE				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 801 ELASTOMERIC FIRESTOP SEALANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic
1674 ZOOM * SPRAY CLEANER CONCENTRATE				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 801 ELASTOMERIC FIRESTOP SEALANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neopene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 801 ELASTOMERIC FIRESTOP SEALANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 801 ELASTOMERIC FIRESTOP SEALANT	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatic PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit manufacturer's label. Also listed under :Abbot Industrial Supplies Wear rubber/neoprene gloves ar
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE"	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillatic FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fr manufacturer's label. Also listed under :Abbot Industrial Supplies Wear rubber/neoprene gloves ar splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE"	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fit manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation of the second organic vapor cartridge respirator. Fit manufacturer's label. Also listed under :Abbot industrial Supplies Wear rubber/neoprene gloves are splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE" 1678 3503 SAFETY STRIP	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. GENLABS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Also listed under :Abbot Industrial Supplies Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE"	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Also listed under 'Abbot industrial Supplies Wear rubber/neoprene gloves ar splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE" 1678 3503 SAFETY STRIP	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. GENLABS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label. Also listed under :Abbot industrial Supplies Wear rubber/neoprene gloves an splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD wentilation. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label.
1674 ZOOM * SPRAY CLEANER CONCENTRATE 1675 FS 601 ELASTOMERIC FIRESTOP SEALANT 1676 NEUTRAL DISINFECTANT CLEANER "CITRA-CIDE" 1678 3503 SAFETY STRIP	HILTI CONSTRUCTION CHEMICALS, INC. MAINTEX INC. GENLABS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Also listed under Abbot Industrial Supplies Wear rubber/neoprene gloves an splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo

					Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
					ventilation. Avoid creating dust. If any of the described exposure symptom
1681 CALCIUM CARBONATE (LIMESTONE)	PLUESS-STAUFER (CALIFORNIA),INC.	Maintenance and Operations Products	APPROVED		occur, wear NIOSH approved Dust/Mist respirator. Follow manufacturer's la
1682 DURATION (TM) PT 275 MC MICROENCAPSULAT DURSBAN LI	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		,
	*				
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
1683 EVERFLUX	THE WISEMATHE WISEMAN GROUP MANUFACTURING CHEMISTS	Maintenance and Operations Products	APPROVED		ventilation. Keep container closed when not in use. Follow manufacturer's
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					any of the described exposure symptoms occur, wear NIOSH approved org
1686 INDUSTROCLEAN * HEAVY DUTY CLEANER	AMWAY CORPORATION	Office Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1687 WAXIE STEAM IT CLEAN	GENLABS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventila
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
1689 VOLTZ II	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
					cartridge respirator.Use and store away from any ignition sources.THIS AP
1690 142 BRITE GALVANIZE (CODE 16A3)	AERVOE-PACIFIC COMPANY, INC.	Maintenance and Operations Products	APPROVED		IS FOR SHEET METAL SHOP
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOC
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrid
					respirator. Use and store away from any ignition sources.THIS APPROVAL IS
1691 2204 BRASS METTALIC	KRYLON HARDWARE	Maintenance and Operations Products	APPROVED		SHEET METAL SHOPS ONLY.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
					cartridge respirator. Use and store away from any ignition sources.THE Al
1692 2203 COPPER METALLIC	KRYLON PRODUCTS	Maintenance and Operations Products	APPROVED		IS FOR HVAC&SHEET METAL ONLY
					Wear chemical splash goggles. Use with GOOD ventilation.Follow manufo
1693 MEAN GREEN POWER HAND SCRUB	MEAN GREEN HAND CLEANER	Automotive Products	APPROVED		label.
					Wear nitrile /neoprene gloves and chemical splash goggles Use with GO
					ventilation. If the PEL is exceeded, wear NIOSH approved ammonia/methy
1694 DURATEX DKX-500/501 TEXTURED COATING (CODE:DKX)	CEMENCOTE DURATEX COATINGS CORP.	Paint Products	APPROVED		cartridge respirator.Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOO
					ventilation. If any of the described exposure sympyoms occur, wear NIOS
					approved Ammonia/methylamine cartridge respirator. Follow manufact
1695 DURATEX EMC-500 ELASTOMERIC PAINT	CEMENCOTE DURATEX COATINGS CORP.	Paint Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1696 LECTRON PLUS (NO. 4277)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1697 XRESTO EF (KWIK-WIPES)	STOCKHAUSEN, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1698 PINE OIL CLEANER	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Do NOT use or store near ignition sources. Wear nitrile rubber/neoprene
RUBEROID MODIFIED FLASHING CEMENT/ADHESIVE (MSDS NO. 10					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceed
1702 M4	MONSEY PRODUCTS CO.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufacture
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1703 GAF ASPHALT/CONCRETE PRIMER (MSDS NO. 1014-T5)	TROPICAL ASPHALT PRODUCTS CORP.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
				Approved for use by trained Maintenance & Operations staff and	
1704 DP 1010 & 1020 DUCT SEALANT	DESIGN POLYMERICS	HVAC Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and u
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	
1705 ASPHALTIC CONCRETE	CALMAT CO.	Roofing Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
1705 ASPHALTIC CONCRETE 1707 DEORDORANT PUMP SPRAY	CALMAT CO. FRESH SCENT, INC.	Roofing Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000
					cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
1707 DEORDORANT PUMP SPRAY	FRESH SCENT, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
					cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
1707 DEORDORANT PUMP SPRAY	FRESH SCENT, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved actober 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
1707 DEORDORANT PUMP SPRAY 1708 APC-ALL PURPOSE CLEANER	FRESH SCENT, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1707 DEORDORANT PUMP SPRAY	FRESH SCENT, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved october 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventle sexceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventle PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
1707 DEORDORANT PUMP SPRAY 1708 APC-ALL PURPOSE CLEANER	FRESH SCENT, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved actaber 6,2000 Wear rubber/neoprene gloves and splash goggles. Use with 600D ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use
1707 DEORDORANT PUMP SPRAY 1708 APC-ALL PURPOSE CLEANER	FRESH SCENT, INC. MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. see 3449 approved actober 6,2000 Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1711 MISTOLIN	MAINTEX INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1712 BACK TO BARE(SOIL AND FLOOR FINISH REMOVER)	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1715 HEADLINER	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1/10 Treadment	NATIONAL GILLINGLAKOT BIV. GI NOT GOK!	Maintenance and Operations Products	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1716 HIGHLIGHTS RESTORER	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1717 BOND-X	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1718 SOIL - TARD	NATIONAL CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1719 WATER RESISTANT BARRIER LOTION WITH SILICONE	GO-JO INDUSTRIES, INC.				
1/19 WATER RESISTANT BARRIER LOTION WITH SILICONE	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
720 SOLVENT RESISTANT BARRIER LOTION-SILICONE FREE	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					This product is not to be used by students or in classrooms. Do not use t
1721 PURELL INSTANT ANTISEPTIC HAND CLEANSER	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		product near open flame or any other source of ignition.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
722 KA FORMULA HEAVY DUTY HAND CLEANER W/CRUSHABLES	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
723 SANITEK LIQUID HAND SOAP (Product Code: 400)	SANITEK PRODUCTS		APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and u
723 SANITEK LIQUID HAND SOAF (FIOUDEL CODE: 400)	SANITER PRODUCTS	Personal Hygiene Products	APPROVED	Approved for student and stall use.	
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
724 F-30 FLOOR CLEANER (ALKALINE HARD SURFACE CLEANER)	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
725 AZ 107-W WASH WAX (DETERGENT-ANIONIC SULFONATE WAX	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		
725 AZ 107-W WASH WAX (DETERGENT-ANIONIC SULFONATE WAX	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		
725 AZ 107-W WASH WAX (DETERGENT-ANIONIC SULFONATE WAX	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		FEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
		•			FEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
725 AZ 107-W WASH WAX (DETERGENT-ANIONIC SULFONATE WAX	C & W ENTERPRISES C & W ENTERPRISES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
		•			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE)	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate.
		•			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and spiash goggles. Use with GOOD vent
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE)	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE)	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE)	C & W ENTERPRISES	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 vent manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent pel sexceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 6000 ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC. CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC. CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent manufacturer's label.
728 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 728 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent manufacturer's label.
728 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with 600D vent fet is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 728 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
728 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC. CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 728 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER	C & W ENTERPRISES CAMIG FIRE SAFETY CO., INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C.&. W ENTERPRISES CAMIG FIRE SAFETY CO., INC. SINCLAIR PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C.&. W ENTERPRISES CAMIG FIRE SAFETY CO., INC. SINCLAIR PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC. SINCLAIR PAINT COMPANY NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C.&. W ENTERPRISES CAMIG FIRE SAFETY CO., INC. SINCLAIR PAINT COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC. SINCLAIR PAINT COMPANY NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.
726 AZ 187 (ETHOXYLATED ALCOHOL PHOSPHATE) 729 620 WOOD SEALER 730 BORATE #640 FLAME RETARDANT 1731 CR #650 WHITE SEALER-PRIMER 732 LATEX INTUMESCENT PAINT (INTERIOR/EXTERIOR) 733 CR #600 STUCCO SEALER 734 CR #610 CONCRETE-MASONARY SEALER 735 PRIME-X	C & W ENTERPRISES CAMIG FIRE SAFETY CO, INC. SINCLAIR PAINT COMPANY NATIONAL CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Paint Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1739 YCE SCRUB	ACE ENTERPRISES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1741 CALCIUM CARBONATE	PACIFIC ASPHALT PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1742 SUPER-BIG TEX	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1/42		maintenance and operations modules	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
ADDITIONAL ADDITIONAL TIO FAMILY	NEUTRON INDUSTRIES, INC.				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1743 APPLESCENT NI-712 FAMILY	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
,					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1745 MIKRO-QUAT (QUATERNARY DETERGENT DISINFECTANT)	INSTITUTIONAL DIV., ECOLAB INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1746 STEAM TECH	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1747 ALFA KLEEN OVEN CLEANER AK-019	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1748 AK-025 FLOOR STRIPPER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1749 TITANIUM WHITE (118)	ARTEX MFG. CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
1750 YELLOW OCHRE (121)	ARTEX MFG. CO.	Paint Products	APPROVED		manufacturer's label.
1/30 TEELOW OCTINE (121)	ARTEX WILO. CO.	ruint rioducts	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
INTO DUDE COLD	WAR INTERNATIONAL				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1752 PURE GOLD	WAP INTERNATIONAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1753 RENEW (FLOOR FINISH RESTORER)	EASTERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1754 270 SUPER-STRIP	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1755 FIBER CEMENT BOARD	JAMES HARDIE BUILDING PRODUCTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1756 ROACH PRUFE	U.S. BORAX	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1757 E. STERILE NON ACID BOWL CLEANER	CANBERRA CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1758 TAG-OFF*	GRAFFITI DEFEATEE WORKS	Graffiti Products	APPROVED		
1759 POWER STRIP			APPROVED		
1760 MISTABOND	SURTEC INC.				
1760 MISTABUND 1761 3930 RUST SEAL	SURTEC INC.	Maintenance and Operations Products			
	MARCHEM CORPORATION	Maintenance and Operations Products	APPROVED		
	MARCHEM CORPORATION SEM PRODUCTS, INC	Maintenance and Operations Products Automotive Products	APPROVED APPROVED		
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN	MARCHEM CORPORATION	Maintenance and Operations Products	APPROVED		
	MARCHEM CORPORATION SEM PRODUCTS, INC	Maintenance and Operations Products Automotive Products	APPROVED APPROVED		
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES	Maintenance and Operations Products Automotive Products	APPROVED APPROVED		
	MARCHEM CORPORATION SEM PRODUCTS, INC	Maintenance and Operations Products Automotive Products	APPROVED APPROVED		
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES	Maintenance and Operations Products Automotive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. f manufacturer's label.
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES	Maintenance and Operations Products Automotive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. f manufacturer's label.
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOI ventilation. Follow manufacturer's label.
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear nitrille /neoprene gloves and chemical splash goggles. Use with GOOI ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER) 1764 D-STROY (LIQUID ENZYME CLEANER & DEODORIZER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO. THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	PEST CONTROL TECHNICIAN'S USE ONLY	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear nitrille /neoprene gloves and chemical splash goggles. Use with GOOI ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PEST CONTROL TECHNICIAN'S USE ONLY	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear nitrille / neoprene gloves and chemical splash goggles. Use with GOOI ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label.
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER) 1764 D-STROY (LIQUID ENZYME CLEANER & DEODORIZER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO. THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PEST CONTROL TECHNICIAN'S USE ONLY	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear nitrille /neoprene gloves and chemical splash goggles. Use with GOOI ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatil
1762 CARBON MONOXIDE, DIOXIDE & PROPANE IN NITROGEN 1763 STATE ACC (AEROSOL COIL CLEANER) 1764 D-STROY (LIQUID ENZYME CLEANER & DEODORIZER)	MARCHEM CORPORATION SEM PRODUCTS, INC SCOTT SPECIALTY GASES THE STATE CHEMICAL MANUFACTURING CO. THE STATE CHEMICAL MANUFACTURING CO.	Mointenance and Operations Products Automotive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PEST CONTROL TECHNICIAN'S USE ONLY	Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo

					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing and
					NIOSH approved organic vapor cartridge respirator during use. USE WITH GOOD
				THIS IS A RE-EVALUATION OF THIS PRODUCT. APPROVED FOR USE BY ATU	VENTILATION. Avoid contact with skin. Follow manufactuere's label and review
1772 SERPIFLEX SHIELD	W. R. GRACE AND CO.	Maintenance and Operations Products	APPROVED	STAFF, TRAINED M&O PERSONNEL AND CERTIFIED CONTRACTORS ONLY.	MSDS thoroughly prior t
1772		maintenance and operations reducte	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
1773 EP-IS HARDENER	HILTI, INC.	Paint Products	APPROVED		manufacturer's label.
17/3 EF ISTIMADENER	THET, INC.	ruint Floducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND A SENTENCE TATE ON OPION MARTIN PERMONEN	OCCUPANT OF STREET			ADDROVED FOR USE BY ASSESSED TROUBURY UNIT ORGAN ONLY	GOOD ventilation. If PEL is exceeded, wear a NIOSH approved organic vapor
1774 SENTINEL 747 LOW ODOR MASTIC REMOVER	SENTINEL CHEMICAL COMPANY, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY ASBESTOS TECHNICAL UNIT CREW ONLY.	cartridge respirator. Follow manufacturer's label.
					DO NOT LIST NEAD A COURSE OF ICAUTION. Weave pitally suppose a pourse
					DO NOT USE NEAR A SOURCE OF IGNITION. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wea
1775 CONTROL LOW ODOR MASTIC REMOVER	GRAYLING INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY ASBESTOS TECHNICAL UNIT ONLY	
					DO NOT USE AROUND A SOURCE OF IGNITION. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If any of the described
					symptons occur, wear a NIOSH approved organic vapor cartridge respirator.
1776 NEUGENIC 4175; SOLVENT EMULSION DEGREASER	ROCHESTER MIDLAND	Maintenance and Operations Products	APPROVED		Follow manufacturer'
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear a NIOSH approved organic vapor
1777 MCMASTER CARR CUTTING OIL HEAVY DUTY	CHAMPIONS CHOICE, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1778 TRIM SOL	MASTER CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		•			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1779 HIGH HEAT BLACK 420 VOC	ELLIS PAINT CO	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1780 OPTI-BOND (MULTI-SURFACE ENAMEL)	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		manufacturer's label
7,00 (Tallettodade	ATTROVES		COMPUTER CLEANER Wear rubber/neoprene gloves and splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
THE INDUSTRIC CLEAN (LIEAVY DUTY CLEANER)	AMWAY CORPORATION	Office Products	*DDDOV/FD		
1782 INDUSTRO-CLEAN (HEAVY-DUTY CLEANER)	AMWAY CORFORATION	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
,					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1783 DURATEC (ALL COLORS)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
					any of the described symptoms occur, wear NIOSH approved organic vapor
1784 MIRRO GLIDE (ALL COLORS)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Store and use away from ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wed
1786 STAPH-KILL AEROSOL (NO. 0430)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1789 ZONE DEFENSE BULK (NO. 03692)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1790 PP GLOSS PORCH & FLOOR ACCENT	BEHR PROCESS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
1792 ONE KOTE, INTERIOR	STANDARD LIME PRODUCTS	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		manitoriance und operations riduates	ALLIOVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
NAC CACITAN DETECTOR	LW HARRIS CO. INC.	Malakanana 15 0 5 1	4 DDD 0:		
1793 GAS LEAK DETECTOR	J.W. HARRIS CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1795 HENRY ACOUSTICAL TILE ADHESIVE #237	W.W. HENRY COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1796 AQUA AMMONIA	HILL BROTHERS CHEMICAL CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1798 SCRUBZOL WIPES	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		manitoriance und operations riduates	A		

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1799 POLYGUARD	BALL INDUSTRIES	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa
1801 VERSA-BUFF	BALL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts
1802 3125, RED W/B ACRYLIC CURB PAINT/	PERVO PAINT CO.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventila
					any of the described exposure symptoms occur, wear NIOSH approved
1803 VIREX TB READY TO USE DISINFECT. DEODORIZ.CLEANER	S.C. JOHNSON &SON, INC.	Nursing Services Products	APPROVED		vapor cartridge respirator.Follow manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventila
					any of the described exposure symptoms occur, wear NIOSH approved of
1804 VIREX TB READY TO USE DISINFECT.DEODORIZINGCLEANER	S.C. JOHNSON & SON, INC.	Nursing Services Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
	<u> </u>	J			
1805 FLINTLASTIC GTS, GMS, ULTRA POLY SMS BASE SHEET, POLY SMS BA	A CERTAINTEEN CORRODATION	- "			Follow manufacturer's label.
1805 FLINTLASTIC GTS, GMS, ULTRA POLY SMS BASE SHEET, POLY SMS BA	A CERTAINTEED CORPORATION	Roofing Products	APPROVED		
					Approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY. Do NOT
					around HVAC intakes or vents unless the system is shut down and seale
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1810 SARNACOL 2142 S	SARNAFIL AG	Adhesive Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING DEPARTMENT ONLY.	ventilation. If PEL is exceeded
		Adilostro i roddota	ALLOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1811 LIFEMASTER 2000 INTERIOR SEMI-GLOSS LM 9200 SERIES	ICI PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1812 UNIVERSAL REPAIR FILLER	FIBRE GLASS-EVERCOAT CO. INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1012 UNIVERSAL REPAIR FILLER	TIBRE GLASS EVERCOAT CO. INC.	Multiteriance and Operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
					cartridge respirator. Wear impervious clothing. Use and store away fro
1813 PREMIUM ROOF CEMENT/APOC#100PLASTIC ROOF CEMENT	GARDNER ASPHALT CORPORATION	Maintenance and Operations Products	APPROVED		ignition sources. Keep contain
					This product is an alcoholic gel containing additives. Wear chemical sp
					goggles. Use with GOOD ventilation. Keep container closed when not in
1814 WATERLESS HAND SANITIZER	INFOTRAC INC.	Food Services Products	APPROVED		and store away from any ignition sources. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1816 EXPANDING SPRAY FOAM SEALANT (NO: 95478)	LAWSON PRODUCTS, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1010		rantifodado	ATTROVES		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
1817 XEROX XT-5046 DRY INK	NASHUA CORP.	Office Products	APPROVED		manufacturer's label.
818 JB 477 (PORCELAIN AND TILE CLEANER)					
	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		
	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		Wear rubber/neoprene aloves and splash goagles. Use with GOOD ven
	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
819 BIG-O-GRAFFITI REMOVER	ALDRAN CHEMICAL ALDRAN CHEMICAL	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
ISII9 BIG-O-GRAFFITI REMOVER					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
1819 BIG-O-GRAFFITI REMOVER					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
820 VESTAL ODOR ELIMINATOR CONCENTRATE	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
820 VESTAL ODOR ELIMINATOR CONCENTRATE	ALDRAN CHEMICAL	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
820 VESTAL ODOR ELIMINATOR CONCENTRATE	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
1820 VESTAL ODOR ELIMINATOR CONCENTRATE	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR*	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
B20 VESTAL ODOR ELIMINATOR CONCENTRATE B21 ALKA-BRITE B23 GAS LEAK DETECTOR* B25 TEXO KLEEN 230	CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/heoperne gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/heoperne gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230	CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230	CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230 826 FRESH TEX 513	CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's lobel. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230 826 FRESH TEX 513	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 823 GAS LEAK DETECTOR* 825 TEXO KLEEN 230 826 FRESH TEX 513	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven manufacturer's label.
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513 1827 LEADLOCKTM ENCASEMENT COATING MATERIAL GE-40	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513 1827 LEADLOCKTM ENCASEMENT COATING MATERIAL GE-40	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration annufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration annufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration annufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration annufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respiration.
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-SRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513 1827 LEADLOCKIM ENCASEMENT COATING MATERIAL GE-40	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT HILLYARD INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513 1827 LEADLOCKIM ENCASEMENT COATING MATERIAL GE-40	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
1819 BIG-O-GRAFFITI REMOVER 1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX 513 1827 LEADLOCKEM ENCASEMENT COATING MATERIAL GE-40 1828 TIP OFF	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT HILLYARD INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.
1820 VESTAL ODOR ELIMINATOR CONCENTRATE 1821 ALKA-BRITE 1823 GAS LEAK DETECTOR* 1825 TEXO KLEEN 230 1826 FRESH TEX S13 1827 LEADLOCKIM ENCASEMENT COATING MATERIAL GE-40 1828 TIP OFF	ALDRAN CHEMICAL CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES CALGON VESTAL LABORATORIES TEXO CORPORATION TEXO CORPORATION GLOBAL ENCASEMENT HILLYARD INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		PEL is exceeded, wear NOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat manufacturer's label.

					Wager with or a convene alouge and oplack aggales. He with COOD ventil
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
PLUS TRANSMIS&GEAR BOX FRICTI.REDUCER PETF	TRON INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
	IAPP MANUFACTURING	Paint Products	APPROVED		manufacturer's label.
STOVE R.H.	H. BAUMAN & CO.	Office Products	APPROVED		
EF STO	OCKHAUSEN, INC.	Automotive Products	APPROVED		HAND CLEANSER Use with GOOD ventilation. Follow manufacturer's label.
OND 1786 THR	REE BOND AMERICA, INC.	Maintenance and Operations Products	APPROVED		
V HIN-	N-COR INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
LEAD BARRIER COMPOUND) #5400 ANTIQUELN & #5800					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
00, No. 5801 White, 5800 Antique Linen, or 5899 Custom					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
FIBE	BERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		·			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1200 PARCEL MARKERS BERG	ROL USA, DIVISION OF EMPIRE BEROL CORP.	Office Products	APPROVED		manufacturer's label.
LUE STICK HEN	NKEL CORPORATION	Office Products	APPROVED		
12.0	THE SOM SHAHON	Ollice Froducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
/VIRONOX-9 VIRO	RO RESEARCH INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	NON-AEROSOL FOR SCHOOL BUS USE	manufacturer's label.
VIRCHOA-9 VIRC	O RESEARCH INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	NON-AEROSOL FOR SCHOOL BUS USE	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
LOSS COATING SAFETY ORANGE B42E2 SHEE	IERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
LOSS COATING BLACK B42B3 SHEE	IERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
LOSS COATING SAFETY RED B42R6 SHEE	ERWIN-WILLIAMS CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
EAL WATERSEAL JOH	HNSTAN COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
IC ACID CHA	HASE CHEMICAL CO.	School Products	APPROVED		
					CONFIDENTIAL Wear rubber/neoprene gloves and splash goggles. Use wit
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrid
II PROTECTOR J-44 DAY	AYTON SUPERIOR CORPORATION	Graffiti Products	APPROVED		respirator. Follow manufacturer's label.
		Oranii i roadolo	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
ARK CONE 5 & 10 CLAYS AAR	ARDVARK CLAY & SUPPLIES, INC.	Compliants (Dhata annual a Brasiliants	APPROVED		manufacturer's label.
	<u> </u>	Graphic Arts/Photography Products			manuracturer's label.
	JITI-SEAL MARBLE CARE PRODUCTS	Graffiti Products	APPROVED		
	JITI-SEAL MARBLE CARE PRODUCTS	Graffiti Products	APPROVED		
TI GONE! -D MUL	JLTI-SEAL MARBLE CARE PRODUCTS	Graffiti Products	APPROVED		
T AME	MERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		
BASECOAT RESIN COMP. 'B' CRO	ROSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
TEX 261 GROUT POWDER CRC	ROSSFIELD PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
	ROSSFIELD PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		
	ROSSFIELD PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		
	ROSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		
	ROSSFIELD PRODUCTS CORP.				
GUARD PL TOPCOAT - COMP A CRO	DSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		Warranth of a constant of the state of the s
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
IERT 'C' BONDCOAT COMP B CRC	OSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
TAL BODY SHAMPOO EAST	STERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
ION FLOOR RESTORER EAS:	STERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
ION FLOOR RESTORER EAST	STERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED		manufacturer's label. PRODUCTION OF THIS PRODUCT HAS BEEN DISCONTINUED. Wear rubber/ner
ION FLOOR RESTORER EAST	STERDAY JANITORIAL SUPPLY CO.	Maintenance and Operations Products	APPROVED		
	ROSSFIELD PRODUCTS CORP. STERDAY JANITORIAL SUPPLY CO.	Paint Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic ve manufacturer's label. Wear rubber/neoprene gloves and splash goggli PEL is exceeded, wear NIOSH approved organic ve manufacturer's label. Wear rubber/neoprene gloves and splash goggli PEL is exceeded, wear NIOSH approved organic ve

				West with a few and a few
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1869 GREEN LIGHTINING	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1870 REVOLUTION PRODUCT NO. 100	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1871 MINERAL SPIRITS 145-EC (SOLVENT #325/PAINT THINNER	CHASE CHEMICAL CO.	Paint Products	APPROVED	manufacturer's label.
1872 ACETONE (2-PROPANONE)	CHASE CHEMICAL CO.	Maintenance and Operations Products	APPROVED	
1072 AGETORE (E TROFARORE)	OTAGE GLEMICAE GG.	maintenance and operations moducts	AFTROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
	HILTI CONSTRUCTION CHEMICALS, INC.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1873 CS300EP FLOOR JOINT SEALANT, PART A		Maintenance and Operations Products	APPROVED	manufacturer's label.
1874 THREDKUT CUTTING OIL	STUART-IRONSIDES, INC.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
1875 PACIFIC CROSSLINKER	BONAKEMI USA, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. THE APPROVAL OF THIS PRODUCT IS FOR CLEANING ELECTRONIC
1877 CONTACT CLEANER II	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	EQUIPMENT ONLY, Follow manufacturer's label.
	•			. Wear rubber/neoprene gloves and chemical splash goggles. Use and store
				away from ignitions sources. If PEL is exceeded, wear NIOSH approved organic
				vapor cartridge respirator. Use with GOOD ventilation. Follow manufacturer's
1878 AEROSOL COOLER COATING INTERIOR	DIAL MANUFACTURING, INC.	HVAC Products	APPROVED	label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1881 WINTERGREEN CONCENTRATED DISINFECTANT CLEANER	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1882 TIGER CLAWS	ELHOCO MFG. INC.	Maintenance and Operations Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1883 CRAYOLA WEST SET CLAY	BINNEY & SMITH INC.	School Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile r/neoprene gloves and chemical splash goggles. Use with GOOD
100 - TED TIME ON TED (00TL)	ZEP MANUFACTURING COMPANY			ventilation. If any of the described exposure symptoms occur,wear NIOSH
1884 ZEP TIME SAVER (2071)	ZEP MANUFACTURING COMPANY	Floor Care Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest management
				institute consultant) Wear nitrile /neoprene gloves and chemical splash gog
				Use with GOOD ventilation. If any of the described exposure symptoms occur,
				wear NIOSH approved dust/mist respirator with pesticides prefilter.Do not cre
1885 ORTHENE PCO FORMULA 11	VALENT USA CORPORATION	Pesticide/Herbicide Products	APPROVED	dust. The approval of this product i
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation, if any of the PEI'S are exceeded wear NIOSH approved organic var
1006 APOC 107 A/E COID BLY ADHESIVE	ASPHALL PRODUCTS OIL COMPANY	Maintanance and Operations Broducts	ADDROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap
1886 APOC 107 A/F COLD PLY ADHESIVE	ASPHALT PRODUCTS OIL COMPANY	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
1886 APOC 107 A/F COLD PLY ADHESIVE	ASPHALT PRODUCTS OIL COMPANY	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1886 APOC 107 A/F COLD PLY ADHESIVE	ASPHALT PRODUCTS OIL COMPANY	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge
		Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture
1886 APOC 107 A/F COLD PLY ADHESIVE	ASPHALT PRODUCTS OIL COMPANY SUN REFINING AND MARKETING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge
				ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture
				ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's lobel. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label.
1887 SUNVISE 31	SUN REFINING AND MARKETING COMPANY	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines.
1887 SUNVISE 31	SUN REFINING AND MARKETING COMPANY	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spisats goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL)	SUN REFINING AND MARKETING COMPANY	Maintenance and Operations Products HVAC Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and sofety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1887 SUNVISE 31	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC.	Maintenance and Operations Products	APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC.	Maintenance and Operations Products HVAC Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS	Maintenance and Operations Products HVAC Products Food Services Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spisats goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical spisats goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical spisats goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge ventilation.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC.	Maintenance and Operations Products HVAC Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS	Maintenance and Operations Products HVAC Products Food Services Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wear hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS	Maintenance and Operations Products HVAC Products Food Services Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS	Maintenance and Operations Products HVAC Products Food Services Products	APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109) 1890 H. D. DEGREASER (1061)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products	APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109) 1890 H. D. DEGREASER (1061)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products	APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1061) 1891 ODOR BE GONE	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded,wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded,wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile / neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile / neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (1109) 1890 H. D. DEGREASER (1061)	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products	APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1061) 1891 ODOR BE GONE	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vay cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1081) 1891 ODOR BE GONE 1892 ORANGE STRIPPER	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacturer label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1061) 1891 ODOR BE GONE	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spisath goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1081) 1891 ODOR BE GONE 1892 ORANGE STRIPPER	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spisath goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacture label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation pEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follomanufacturer's label.
1887 SUNVISE 31 1888 STYLE 277 (PACKING MATERIAL) 1889 MINT DISINFECTANT (109) 1890 H. D. DEGREASER (1081) 1891 ODOR BE GONE 1892 ORANGE STRIPPER	SUN REFINING AND MARKETING COMPANY ACTIVE PACKING & GASKETS, INC. GENLABS GENLABS GENLABS GENLABS	Maintenance and Operations Products HVAC Products Food Services Products Food Services Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	ventilation. If any of the PEL'S are exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follow manufacturer label. Wash hands before eating or smoking after handling this product. Follow manufacturer's label and safety guidelines. Wear rubber/neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical spitash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label. Wear rubber/neoprene gloves and spitash goggles. Use with 6000 ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label.

					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1895 HEAVY DUTY DEGREASER/POWER	GENLABS	Maintenance and Operations Products	APPROVED		manufacturer's label.
1000 1		mantonance and operations models	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1896 BARE KNUCKLES 4XI (#76013)	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1897 MAINSTAY FINISH 4XI (931034)	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		caratage respirator. Follow managed or states.
1097 MAINSTATTINIST 4AT (201004)	BOTCHER CONTANT	Maintenance and Operations Froducts	AFFROVED		Waar nitrile rubber/pooprone gloves and chemical enlash googles. He was
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
A A DOWN DO DOLLY THE STOOD SINGULARD COTT (1919)	MANUTEV INO				
1898 ACRYLIC POLYETHYLENE FLOOR FINISH;HARD COTE(1219)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1899 CITRA-CIDE(NEUTRAL DISINFECTANT CLEANER)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1900 LIQUID ODOR DIGESTER (DEODORANT CONCENT)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
1901 CITRIC ACID, ANHYDROUS	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1902 GRAFFITTI KLEAN (J-45)	DAYTON SUPERIOR CORPORATION	Graffiti Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1904 DYNA FOAM LUO38	UCI ULTRA-CHEM, INC.	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1906 SUNFIRE 421 ACRYLIC URETHANE REDUCER	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1907 SUNFIRE 421 HARDENER	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
1908 CATALASE FROM BOVINE LIVER PURIFIED POWDER	SIGMA CHEMICAL CO.	School Products	APPROVED		Follow manufacturer's label.
1300		School Floudets	AITROVED		Wear rubber/neoprene gloves and chemical splash goggles. Use with G
1909 2,6-DICHLOROPHENOL-INDOPHENOL SODIUM	SIGMA CHEMICAL CO.				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri- respirator. Follow manufacturer's label.
1909 2,0 DICHEOROFTENCE INDOFFENCE SOCION	SIONA CHEMICAE CO.	School Products	APPROVED		<u>'</u>
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1910 DTM ACRYLIC GLOSS COATING-WATER REDUCIBLE NON-LEAD	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GC
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1911 WATER BASED CATALYZED EPOXY PART A	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate
1912 WATER BASED CATALYZED EPOXY HARDENER, PART B	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					any of the described exposure symptoms occur, wear NIOSH approved
1915 POWERPACK TILEX RESTROOM CLEANER CONCENTRATE	CLOROX COMPANY	Food Services Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1916 INSTITUTIONAL CLOROX LIQUID BLEACH CONCENTRATE	CLOROX COMPANY	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					TLV is exceeded, wear NIOSH approved organic vapor cartridge respirat
1917 POWERPACK FORMULA 409 DEGREASER CONCENTRATE	CLOROX COMPANY	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
					TLV is exceeded, wear NIOSH approved organic vapor cartridge respirat
1918 POWERPACK SOS GLASS & SURFACE CLEANER CONCENTRATE	CLOROX COMPANY	Food Services Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
1920 HIL-MIST	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
			****		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				THIS PRODUCT IS APPROVED FOR USE BY THE CARPENTRY DEPARTMENT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
			APPROVED	AND CONTRACTORS ONLY.	cartridge respirator. Follow manufacturer's label.
1921 TREY WOOD-POLYMED HIMBED DOODLICTS-MATHDAI	TREY COMPANY II C		AFFROVED	AND SOMMACIONS CHEE.	
1921 TREX WOOD-POLYMER LUMBER PRODUCTS-NATURAL	TREX COMPANY, LLC	Maintenance and Operations Products			
	TREX COMPANY, LLC	Maintenance and Operations Products			
ECOPCO JET WASP,HORNET & YELLOW-JACKET CONTACT	·	•		ADDROVED FOR HELDY DEET CONTROL TEN WHO LAND ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ECOPCO JET WASP,HORNET & YELLOW-JACKET CONTACT 1922 AEROSOL INSEC	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY PEST CONTROL TECHNICIANS ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.
ECOPCO JET WASP,HORNET & YELLOW-JACKET CONTACT 1922 AEROSOL INSEC 1923 EMERGENCY FOOD RATIONS	ECOSMART TECHNOLOGIES, INC. SURVIVER INDUSTRIES, INC.	Pesticide/Herbicide Products OEHS Products	APPROVED	APPROVED FOR USE BY PEST CONTROL TECHNICIANS ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. THIS PRODUCT HAS A 5 YEAR SHELF LIFE.
ECOPCO JET WASP,HORNET & YELLOW-JACKET CONTACT 1922 AEROSOL INSEC	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products		APPROVED FOR USE BY PEST CONTROL TECHNICIANS ONLY.	• •

1926 CRAYOLA COLORED PENCILS	BINNEY & SMITH INC.	Craphia Asta/Dhata	A DDDOVIED		Follow manufacturer's label.
		Graphic Arts/Photography Products	APPROVED		
1927 CRAYOLA MARKERS	BINNEY & SMITH INC.	Graphic Arts/Photography Products	APPROVED		Follow manufacturer's label.
					Wear /neoprene gloves and chemical splash goggles. Use with GOOD
()					ventilation. If any of the described exposure symptoms occur, wear NIOSH
1928 VINYL LATEX TRAFFIC PAINT (NO:154)	CAL-WESTERN PAINTS	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation. Us
1929 AIR FRESHENER	TECHNICAL CONCEPTS, L.P.	Maintenance and Operations Products	APPROVED		and store away from any ignition sources. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					any overexposure respiratory problems occur, wear NIOSH approved organic
1930 3M LIQUID TROUBLE SHOOTER	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		vapor/acid gas cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					any exposure respiratory symptoms occur, wear NIOSH approved organic vapo
1931 STAMINA FLOOR FINISH	NATIONAL SANITARY SUPPLY CO.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
1934 ENVIRONMENTAL SILICONE SPRAY (NO. 0409)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Approved for use by LAUSD MAINTENANCE PERSONELL ONLY. This product is
					extremely flammable. Use and store away from ignition sources. Wear nitrile
				APPROVED FOR USE BY LAUSD MAINTENANCE PERSONELL ONLY. NOT FOR	rubber/neoprene gloves and chemical splash goggles. Use with GOOD
19:35 CLEAR GREASE AEROSOL (NO. 8214)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	SCHOOL USE.	ventilation. If TLV is exceeded, wear
1935 CLEAR OREAGE MEROSOE (NO. 02M)	SELIO CITEMICAE INDUSTRIES	Maintenance and Operations Products	APPROVED	3611001 031.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
and approximating (no sees)	ACTUA OLICAMON INDUSTRICA				GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
1938 GOOD STUFF AERO (NO. 0390)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1939 436 PP EXT. LATEX PRIMER (PRODUCT CODE: 043699-14802)	BEHR PROCESS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid/gas cartridge
1941 HYDROCHLORIC ACID	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1943 MANGANOUS NITRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1944 N,N-DIMETHYL FORMAMIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
1944		School Floudets	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
OCCUPANT CONTRACTOR	apportunia outrino il luro, cons				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
1945 COPPER SULFATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas
					cartridge respirator. Use and store away from ignition sources. Follow
1946 WET AND DRY	THE TEXWIPE COMPANY	Office Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves andchemical splash goggles.Use with Good
					ventilation.If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1947 GREASE & OIL STAIN REMOVER (B 15)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
1948 GERMICIDAL CLEANER	MERIT SOAP INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1949 SPRAY 127	MICEL INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves andchemical splash goggles.Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1950 A-O GENERAL PURPOSE CLEANER	AMERICAN OLEAN TILE CO./MIDLAND CHICAGO CORP.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
	<u> </u>				. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
1951 RINSE FREE (#2130)	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
			ALLIOVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
1000 MARITELLIDE MAD CIT	CILOO	Malakan and a second as a seco	4 DDD 01 :		ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1952 WHITE LUBE 14A,B,C,H	SILOO	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1954 NINHYDRIN	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1955 POTASSIUM PERMANGANATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1956 ETHANOL	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1957 SODIUM CHLORIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1958 LITHIUM NITRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1959 NON-TOXIC DUPLICATING FLUID	SPECTRUM CHEMICAL MFG. CORP.			
1959 NON-TOXIC DUPLICATING FLUID	SPECTRUM CHEMICAL MFG. CORP.	Office Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1960 MERIT 75 WSP INSECTICIDE	MILES INCAGRICULTURAL DIVISION	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1961 CITRIC ACID	MALLINCKRODT, INC.	School Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1301 OTRIO AGIS	MALINGRIOSI, INC.	Schoolffoddets	AFFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1962 QUICK FILL 530 (HEAVY DUTY NON-BUTYL DEGREASER)	AIRKEM PROFESSIONAL PRODUCTS	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
1963 SUPER STRIPPER (B:09)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
• • •				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1964 STRIPPER (B: 25)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
1965 WATERMATIC (AQUEOUS WETTING AGENT)	CERTIFIED LABS, DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label.
	<u> </u>			Wear nitrile / neoprene aloves and chemical splash gogales. Use with GC
				Wear nitrile / neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1966 Bio-Perm Preservative Concentrate	SARGENT-WELCH SCIENTIFIC COMPANY	School Products	APPROVED	respirator. Specimen change-outs to be conducted by EHSB PERSONNEL
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
1967 EXPRESS WAX (401)	3D PRODUCTS MFG CO.	Automotive Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved Dust/mist due
(2 22 22)	BANDINI FERITLIZER COMPANY			
1968 PRE-PLANT FERTILIZER (6-20-20)	BANDINI FERTILIZER COMPANY	Exterior Landscape/ Playground Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If any of the described exposure symptoms occur,wea NIOSF
1969 ROOT OUT (NO: 7043)	SUPERCO	Maintenance and Operations Products	APPROVED	approved Dust/mist respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If PEL is exceeded, wear NIOSH approved Ammonia/methylar
1970 HANDICAP BLUE ACRYLIC W/B TRAFFIC (3033)	PERVO PAINT CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
1970 HARDIOAL BEST AGKILLO W/B HARTIO(0000)	TERVOTARITOO.	ruint rioddets	AFFROVED	
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GO
				ventilation. If any of the above described exposure symptoms occur, we
				approvedAmmonia/methylamine cartridge respirator.Follow manufact
1971 RED W/B ACRYLIC CURB PAINT (3125)	PERVO PAINT CO.	Paint Products	APPROVED	label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
				ventilation. If any of the described exposure symptoms occur , wear NIO
				approved ammonia/methylamine cartridge respirator. Follow manufac
AND DESIGNATIVE CO. OF TEXTEINED CONTING	CEMENICATE DUDATES COATINGS CORP			
1972 DURATEX SOC-97 TEXTURED COATING	CEMENCOTE DURATEX COATINGS CORP.	Paint Products	APPROVED	label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
				cartridge respirator. Wear impervious clothing. Use and store away from
1973 WW H/S 550-VOC PREMIUM ACETONE SEALER (LCS-300)	LILLY INDUSTRIES, INC.	Paint Products	APPROVED	ignition sources. Follow m
				Wear nitrile rubber/neoprene gloves and chemical splash goggles.Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				cartridge respirator. Wear impervious clothing. Use and store away from
LILE CONCETONE LA CHED MAY (# 700 (000FG))	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	ignition sources. The approv
1974 HIS/G ACETONE LAQUER WW (# /23M60053)				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1974 HIS/G ACETONE LAQUER WW (# 723MB0U53)				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1974, HI S/G ACETONE LAQUER WW (# /23M60053)				
1974 HIS/G ACETONE LAQUER WW (# 723M60Ub3)				cartridge respirator. Wear impervious clothing. Use and store away from
	EDAZEL IMIDLISTRIES IMO	Delet December	ADDROVED.	
	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	ignition sources. The approv
1974 HI S/G ACETONE LAQUER WW (# 723M60053)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	Wear rubber/neoprene gloves and chemical splash goggles. Use with G
	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	ignition sources. The approv

					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOI
				The approval of this product is for one time use ONLY by the paint	ventilation. If PEL is exceeded, wear NIOSH approved air supplied respirator
1979 BULLSEYE 1-2-3- PRIMER/SEALER	WILLIAM ZINSSER & COMPANY, INC.	Paint Products	APPROVED	shops.	(tc19c). Use and store away from any ignition sources.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Store and use away from any ignition sources. Follow manufactu
1980 TERMINATOR 1	VISTA PAINT CORPORATION	Paint Products	APPROVED	The approval of this product is for one time use ONLY of paint shops.	label.
					Wear rubber/neoprene gloves and chemical splash goggles. Wear NIOSH
1981 AVITROL WHEAT	AVITROL CORPORATION	Pesticide/Herbicide Products	APPROVED		approved dust\mist respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
1982 DEGADUR-100.330.10.412 PRIMER M.PRIMER 8-71	DEGUSSA CORPORATION CHEMICAL GROUP	Delet Desidents	40000VCD		
1982 DEGADUK-100,330,10.412 PRIMER M,PRIMER 8-71	DEGUSSA CORPORATION CHEMICAL GROUP	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					THIS PRODUCT PREVIOUSLY APPROVED ON 10/07/96 Wear rubber/neoprene g
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded,
1983 AQUASEAL 2 FOR WOOD (CODE: 3500)	MONOPOLE INC. U.S. SPECIALTY COATINGS	Paint Products	APPROVED		NIOSH approved Hepa (P100) cartridge respirator. Follow manufacturer's lab
1984 CUSTOM WHEAT PASTE TYPE 30	CUSTOM BUILDING SUPPLIES	Office Products	APPROVED		
1884 COSTON WILLIAM ASTE THE SO	COSTON BOILDING SOFFEES	Office Froducts	AFFROVED	APPROVED FOR USE BY LAUGH OFFITTING PERT CONTROL TECHNIQUANG	For the second s
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	Ensure appropriate personal protection equipment is used with this produc
1985 TIM-BOR INSECTICIDE	U.S. BORAX INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	including chemical resistant gloves, goggles and respiratory protection.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
1986 ELECTRONIC CONTACT CLEANER	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1000		manieranos ana operationo modeste	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1987 ELASTOMERIC FIRESTOP SEALANT FS 601	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1988 GRAFFITI WASH COATING	GRAFFITI PROTECTIVE COATINGS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1988 GRAFFIII WASH COATING	GRAFFIII PROTECTIVE COATINGS, INC.	maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
1989 OHIO TECH BOWLBATHROOM & MULTI-SURFACE CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
1991 OHIO TECH CONCRETE PLUS FLOOR CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		
1992 OHIO TECH SMOOTH SURFACE FLOOR CLEANER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	*	APPROVED		
		Maintenance and Operations Products			
1993 OHIO TECH SMOOTH SURFACE FLOOR STRIPPER	OHIO TECH MANUFACTURING AND DISTRIBUTERS, INC.	Maintenance and Operations Products	APPROVED		
1994 XEROX XD-35 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1995 XEROX XD-36 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1996 XEROX XD-37 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
1997 XEROX XD-40 DEVELOPER	NASHUA CORP.		APPROVED		
1997 YEROY YD-40 DEVELOPER					
	NASHDA CORF.	Graphic Arts/Photography Products	ATTROVED		
	NASTIDA CONT.	Grapnic Arts/Photography Products	ATTROVED		
	NACION CONT.	Graphic Arts/Photography Products	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1998 KOIL KLEANER NON ACID,LIQUID (# 4535)	METRO CHEM INDUSTRIES	HVAC Products	APPROVED		
1998 KOIL KLEANER NON ACID,LIQUID (# 4535)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1998 KOIL KLEANER NON ACID,LIQUID (# 4535)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	METRO CHEM INDUSTRIES	HVAC Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
1998 KOIL KLEANER NON ACID,UQUID (# 4535) 1999 KOIL KLEANER NON ACID, UQUID					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label.
	METRO CHEM INDUSTRIES	HVAC Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
	METRO CHEM INDUSTRIES	HVAC Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
	METRO CHEM INDUSTRIES	HVAC Products HVAC Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations.
1999 KOIL KLEANER NON ACID , LIQUID	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES	HVAC Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES	HVAC Products HVAC Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilater.
1999 KOIL KLEANER NON ACID, LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are specified to the period of the period organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are period or the period organic vapor cartridge respirator. I manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES	HVAC Products HVAC Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label.
1999 KOIL KLEANER NON ACID, LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label.
1999 KOIL KLEANER NON ACID, LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label.
1999 KOIL KLEANER NON ACID, LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear ribital rubber/neoprene gloves and splash goggles. Use with GOOD ventilater PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gioves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation of the period of the period organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation period organic vapor cartridge respirator. For manufacturer's label. Wear nitriie rubber/neoprene gioves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear nitrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use will GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation producturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation producturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation or producturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear ribital rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation is plash
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gioves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear ribital rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation is plash
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventiladion. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilad PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilad PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear nibrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilad pel ventiladion. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilad pel sexeeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilad pel sexeeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilad pel
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear nibrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the seceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the propers o
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label. Wear nibrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Imanufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are second organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are second organic vapor cartridge respirator. For manufacturer's label. Wear intitie rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are second organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are proposed organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are proposed organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations and rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles. Use with GOOD ventilations are rubber/neoprene gloves and splash goggles.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear nitrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilater. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilater pentilater. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. I manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilater follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilater follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilater follow fol
1999 KOIL KIEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Waar nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilating PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilating PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrial rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
1999 KOIL KLEANER NON ACID , LIQUID 2000 XEROX XD-33M, XD-44 DEVEOPER 2001 XEROX XD-41, XD-45, XD-48, XD-50 DEVELOPER 2002 ALFA KLEEN AK-020 HEAVY DUTY INDUSTRIAL CLEANER 2003 DISHWASHING DETERGENT AK-016	METRO CHEM INDUSTRIES METRO CHEM INDUSTRIES NASHUA CORP. ALFA KLEEN CHEMICAL LABORATORIES, INC. ALFA KLEEN CHEMICAL LABORATORIES, INC.	HVAC Products HVAC Products Graphic Arts/Photography Products Graphic Arts/Photography Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear nitrile subber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventilation provided respirator. manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

100 100						CORRECTION FLUID Wear rubber/neoprene gloves and splash goggles. Use with
CARRET FAMER CARRET FAMER CARRET FAMER FAM						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
Marker M		COPPECT SOLUTIONS	Office Products	ADDROVED		
Part	2010 SUPER CLEANER	COMMEST COLOTIONS	Onice Froducts	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
Modern	2010 SUPER CLEANER					
Maintanance and Operations Products	2010 SOFER CLEANER	DIONIEED CHEMICAL CO	Maintenance and Operations Breducts	ADDDOVED		
202 1100 WCOCO WWITE CARRY COUNT MATERIAN COUNT MAT		PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		
PRINTED PRIN						
Water Flein Flood Point Products	TITEDOND NAMOOD OUE	FRANKINI NITERNATIONA				
202 300 COLOR NVIITE	2011 THEBOND II WOOD GLUE	FRANKLIN IN I ERNA I IONAL	Maintenance and Operations Products	APPROVED		
202 200 COO RN WHTE						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Well Intelligence of the second depend of the secon						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
September Sept	2012 3200 COLOR IN WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		
2011 1000 MILCOTE WHITE SEAM WHITE SEAM PROVIDED 1000 MILES APPROVIDED 1						Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
Woor nitifie nubber/neoprene gloves and control or not not not not nitifie nubber/neoprene gloves and control or not nitifie nubber/neoprene gloves and control not						ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
OCO verificili no. Fital is exceeded, wear 1 contriging respirator. Follow manufacturer were 1 c	2013 1200 WILCOTE WHT	WILSHIRE PAINT CO.	Paint Products	APPROVED		
2016 LATEX SEMI GLOSS WHITE (620) FINE LINE PAINT CORP. Point Products Point Prod						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear intitile / Incoprence gloves and chemis ventilation. If only is flects occur, woar NR 2016 FLAT HOUSE FINESH WHITE (\$20) FINE LINE PAINT CORP. FINE LINE						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
PRILET REMITCORP. PRILET REMITCORP. PRILET REMITCORP. PRILET RATH CORP. PRILET REMITCORP. PRILET RATH CORP. PRILET RATH C	2014 3260 COLOR IN WHITE SEMI WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2016 FLAT FORMER (1920) FINE LINE PAINT CORP. Paint Products Pain						Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
Wear nitrile /neoprene gloves and chemic verification. If PEL is exceeded, wear noted by the policy of the policy						ventilation. If any ill effects occur,wear NIOSH approved Dust/mist respirator w
Point FOOLER FINSH WHITE RELEASTOMERIC (FRODUCT NO.5500) POINT FOR WHITE FINSH WHITE RELEASTOMERIC (FRODUCT NO.5500) POINT FOR WEAR FOR WHITE FINSH WHITE WHITE FOR WHITE FINSH WHITE FOR WEAR FOR SAYING FOR SAYING FOR SAYING FOR WEAR FO	2015 LATEX SEMI GLOSS WHITE (620)	FINE LINE PAINT CORP.	Paint Products	APPROVED		exhalation valve. Follow manufacturer's label.
Point Froducts PINSH WHITE RELEASTOMERIC (PRODUCT NO.5500) THE EIR PAINT CORP. Point Products PINSH WHITE A PROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY PAINT WE respirator. Follow moundacture's lobel. Point Products APPROVED ONLY SHIT DOWN HAZE SYSTEM DURING NON-SCHOOL HOURS BY PAINT WE were intiller jubber/heapprene gloves and paint products APPROVED ONLY SHIT DOWN HAZE SYSTEM DURING APPLICATION. Point Products APPROVED ONLY SHIT DOWN HAZE SYSTEM DURING APPLICATION. Point Products APPROVED ONLY SHIT DOWN HAZE SYSTEM DURING APPLICATION. Point Products APPROVED APPROVED OR BUSH-ON APPLICATION. Point Products APPROVED OR BUSH-ON APPLICATION. Point Products APPROVED OR BUSH-ON HAZE SYSTEM DURING APPLICATION. Point Products APPROVED APPROVED OR USE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED OR BUSH-ON HAZE SYSTEM DURING APPLICATION. Point Products APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED APPROVED OR BUSH-ON HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY. Point Products APPROVED APPROVED ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY SHIT DOWN HAZE BY THE PAINT DEPARTMENT ONLY SHIT DURING PROPRIES. POINT PRODUCT ONLY SHIT DURING PRO						Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
Point Products INISH WHITE FIRE LINE PAINT CORP. Point Products Point Produ						ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY PAINTING Woar nitrile rubber/neoprene gloves and STAF OR CONTRACTORS ONLY. APPROVED FOR BRUSH-ON APPLICATION COTTO VER DEPTAINTING PROVED FOR BRUSH-ON APPLICATION COTTO Politie rubber/neoprene gloves and OCOD ventilation. If PEL is exceeded, wear 12019 RUST BULLET PRINT DEPTAINT DEPT	2016 FLAT HOUSE FINISH WHITE	FINE LINE PAINT CORP.	Paint Products	APPROVED		
STAFF OR CONTRACTORS ONLY. APPROVED FOR BRUSH-ON APPLICATION OOD ventilation. If PEL is exceeded, wear application of the products of the prod					APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY PAINTING	
POLITE YUSE, INC. POLITE YUSA, INC. Point Products Point Pr						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
Wear nitrile rubber/neoprene gioves and GOOD ventilation. If PEL is exceeded, wear 2020 BONA SPORT COURTLINES (ALL COLORS EXCEPT WHITE) BONAKEMI USA, INC. Paint Products APPROVED APP	2010 PUST RUILET	POLIFIEY LISA INC	Daint Draduate	ADDDOVED		
GOOD ventilation. If PEL is exceeded, wear 2020 BONA SPORT COURTINES (ALL COLORS EXCEPT WHITE) BONAKEMI USA, INC. Paint Products APPROVED APPROVED FOR USE BY THE PAINT DEPARTMENT ONLY. Cartridge respirator, Follow manufacturer GOOD ventilation. If PEL is exceeded, wear GOOD ventilation. If PEL is exceeded, wear GOOD ventilation. If PEL is exceeded, wear APPROVED APPROVE	ZOIA KOSI BOTEL	FOLITER USA, INC.	Paint Products	APPROVED	ONET. SHOT DOWN TIVAC STSTEM DONING AFFECATION.	• '
2020 BONA SPORT COURTILNES (ALL COLORS EXCEPT WHITE) BONAKEMI USA, INC. Paint Products APPROVED APPROVED FOR USE BY THE PAINT DEPARTMENT ONLY. Cartridge respirator. Follow manufacturer Worn ritirie rubber/ineoprene gloves and GOOD ventilation. If PLI is exceeded, wear 2021 INT/EXT ACRYLIC UNIVERSAL PRIMER II/00 (PRODUCT: 1609322) FRAZEE INDUSTRIES, INC. Paint Products APPROVED APPROVED Paint Products APPROVED APPROVED APPROVED Wear intrie ubber/ineoprene gloves and GOOD ventilation. If PLI is exceeded, wear GOOD ventilation. If PLI is exceeded, wear according application and application. If PLI is exceeded, wear intrinsication and application						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear nitrile rubber/neoprene gloves and GOOD ventilation. If PEL is exceeded, wear 2021 INT/EXT ACRYLIC UNIVERSAL PRIMER II/00 (PRODUCT: 1609322) FRAZEE INDUSTRIES, INC. Paint Products APPROVED Cartridge/PIOD respirator, Follow manufacturer GOOD ventilation. If PEL is exceeded, wear 2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500) IIBBETTS NEWPORT CORP. Paint Products APPROVED Cartridge respirator. Follow manufacturer Wear rutber/neoprene gloves and splost any of the described exposure symptoms. 2024 PURINSE (CODE F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED Vapor cartridge respirator. Follow manufacturer vapor cartridge respirator. Follow manufacturer some control of the products APPROVED Vapor cartridge respirator. Follow manufacturer vapor vapor cartridge respirator. Follow manufacturer vapor vapor cartridge respirator. Follow manufacturer vapor vap						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
OOOD ventilation. If PEL is exceeded, wear 2021 INT/EXT ACRYUC UNIVERSAL PRIMER 1I/00 (PRODUCT: 160P322) FRAZEE INDUSTRIES, INC. Paint Products APPROVED Cartridge/PIO0 respirator, Follow manufacturer GOOD ventilation. If PEL is exceeded, wear 2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500) TIBBETTS NEWPORT CORP. Paint Products APPROVED Cartridge respirator, Follow manufacturer any of the described exposure symptoms and spleat any of the described exposure symptoms and products and spleat any of the described exposure symptoms and spleat and of the described exposure symptoms and spleat a	2020 BONA SPORT COURTLINES (ALL COLORS EXCEPT WHITE)	BONAKEMI USA, INC.	Paint Products	APPROVED	APPROVED FOR USE BY THE PAINT DEPARTMENT ONLY.	• .
2021 INT/EXT ACRYLIC UNIVERSAL PRIMER II//00 (PRODUCT: 160P322) FRAZE INDUSTRIES, INC. Paint Products APPROVED Cartridge/P100 respirator. Follow manufacturer 2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500) TIBBETTS NEWPORT CORP. Paint Products APPROVED Cartridge respirator. Follow manufacturer 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED Cartridge respirator. Follow manufacturer 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED Cartridge respirator. Follow manufacturer 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products Froducts Froducts Food Services Products Food Services Food Services Products Food Services Food Service						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear nitrile rubber/neoprene gloves and GOOD ventilation. If PEL is exceeded, wear 2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500) TIBBETTS NEWPORT CORP. Paint Products APPROVED Cartridge respirator, Follow manufacturer Wear rubber/neoprene gloves and splast any of the described exposures and splast any of the described exposures products APPROVED Vapor cartridge respirator, Follow manufacturer Veer rubber/neoprene gloves and splast any of the described exposures products APPROVED Vapor cartridge respirator, Follow manufacturer Veer rubber/neoprene gloves and splast any of the described exposures products FEL is exceeded, wear NIOSH approved or cartridge respirator. Follow manufacturer Veer rubber/neoprene gloves and splast any of the described exposures and splast any of th						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
GOOD ventilation. If PEL is exceeded, wear 2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500) TIBBETTS NEWPORT CORP. Paint Products APPROVED contridge respirator. Follow manufacturer Wear rubber/neoprene gloves and splast any of the described exposures. Products APPROVED vapor contridge respirator. Follow manufacturer 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED vapor contridge respirator. Follow manufacturer Wear rubber/neoprene gloves and splast products FPEL is exceeded, wear NIOSH approved or graph of the contribution of the contribu	2021 INT/EXT ACRYLIC UNIVERSAL PRIMER 11/00 (PRODUCT: 160P322)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge/P100 respirator. Follow manufacturer's label.
2022 PERMA-FIEX ELASTOMERIC (PRODUCT NO. 5500) IIBBETTS NEWPORT CORP. Paint Products APPROVED Cartridge respirator. Follow manufacturer Wear rubber/neoprene gloves and splost any of the described exposures 2024 PURINSE (CODE F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED approved or cartridge respirator. Follow manufacturer Wear rubber/neoprene gloves and splost FEL is exceeded, wear NIOSH approved or cartridge respirator. Follow manufacturer PROVED APPROVED PRODUCT FOR SERVICES PRODUCT FOOD SERVICES PR						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
Wear rubber/neoprene gloves and splast any of the described exposure symptoms 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED vapor cartridge respirator. Follow manufa Wear rubber/neoprene gloves and splast any of the described exposure symptoms Vapor cartridge respirator. Follow manufa Wear rubber/neoprene gloves and splast any of the described exposure symptoms PEL is exceeded, wear NIOSH approved org						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
any of the described exposure symptoms 2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED vapor cartridge respirator. Follow manufactors and splast services are services and services are services and services are services are services are services and services are service	2022 PERMA-FLEX ELASTOMERIC (PRODUCT NO. 5500)	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2024 PURINSE (CODE: F1380) MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS Food Services Products APPROVED vapor cartridge respirator. Follow manufactors and splast variety of the control of the contr						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
Wear rubber/neoprene gloves and splast PEL is exceeded, wear NIOSH approved org						any of the described exposure symptoms occur, wear NIOSH approved organ
PEL is exceeded, wear NIOSH approved are	2024 PURINSE (CODE: F1380)	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Food Services Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
ADJUSTA OFFICIAL						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2025 MINERAL FIBER CEILINGS ARMS I KONG Maintenance and Operations Products APPROVED manufacturer's label.	2025 MINERAL FIBER CEILINGS	ARMSTRONG	Maintenance and Operations Products	APPROVED		manufacturer's label.
Wear rubber/neoprene gloves and splast						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
FEL is exceeded, wear NIOSH approved or,						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2026 LIQUID DYNAMITE (NO: 1012) SELIG CHEMICAL INDUSTRIES Maintenance and Operations Products APPROVED manufacturer's label.	2026 LIQUID DYNAMITE (NO: 1012)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		
· · · · · · · · · · · · · · · · · · ·						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
						GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	2029 FP-680 CITRUS INDUSTRIAL CLEANER	DIANA INDUSTRIES INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	2020		maintenance and operations i readets	ATTROVES		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2031 CITRUS SAFE PLUS MAINTEX INC. Grafffill Products APPROVED manufacturer's label.	AND CITIES CAFE BUILD	MAINTEV INC	Qualified Date of Contract	4 DDD 01 (FD		
	2031 CITRUS SAFE FLUS	MAINTEX INC.	Gramiti Products	APPROVED		
						Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
						PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
· · · · · · · · · · · · · · · · · · ·		HANSA ENTERPRISES	Maintenance and Operations Products	APPROVED		
	2033 SUNIZORB-SPECIAL, GRADES 2 AND 3					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
	2033 SUNIZORB-SPECIAL, GRADES 2 AND 3					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2034 D.I.B.S. BOWL CLEANER ((BOIBS) WALTON-MARCH, INC. Maintenance and Operations Products APPROVED manufacturer's label.				APPROVED		
		WALTON-MARCH, INC.	Maintenance and Operations Products			
Wear rubber/neoprene gloves and splast		WALTON-MARCH, INC.	Maintenance and Operations Products			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
		WALTON-MARCH, INC.	Maintenance and Operations Products			wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
	2034 D.I.B.S. BOWL CLEANER (DBOIBS)					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
PEL is exceeded, wear NIOSH approved org 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813) NATIONAL SANITARY SUPPLY CO. Maintenance and Operations Products APPROVED manufacturer's label.	2034 D.I.B.S. BOWL CLEANER (DBOIBS)					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
PEL is exceeded, wear NIOSH approved org 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813) NATIONAL SANITARY SUPPLY CO. Maintenance and Operations Products APPROVED manufacturer's label. Wear rubber/neoprene gloves and splast	2034 D.I.B.S. BOWL CLEANER (DBOIBS)					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label.
PEL is exceeded, wear NIOSH approved org 2335 DERMAPRO MOISTURIZING HAND CREAM (# 9813) NATIONAL SANITARY SUPPLY CO. Maintenance and Operations Products APPROVED manufacturer's ideal. Wear rubber/neoprene gloves and splash	2034 D.I.B.S. BOWL CLEANER (DBOIBS) 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
PEL is exceeded, wear NIOSH approved org manufacturer's idabel. PEL is exceeded, wear NIOSH approved org manufacturer's idabel. PEL is exceeded, wear NIOSH approved org manufacturer's idabel. PEL is exceeded, wear NIOSH approved org manufacturer's idabel. PEL is exceeded, wear NIOSH approved org manufacturer's idabel.	2034 D.I.B.S. BOWL CLEANER (DBOIBS) 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label.
PEL is exceeded, wear NIOSH approved or grant product or monufacturer's label. 2036 DERMAPRO MOISTURIZING HAND CREAM (# 9813) NATIONAL SANITARY SUPPLY CO. Maintenance and Operations Products APPROVED APPROVED PEL is exceeded, wear NIOSH approved or grant product or grant product or monufacturer's label. Wear rubber/neoprene gloves and splast product or monufacturer's label. Wear rubber/neoprene gloves and splast product or grant product or monufacturer's label. Wear rubber/neoprene gloves and splast product or grant product product or grant product product product or grant product	2034 D.I.B.S. BOWL CLEANER (DBOIBS) 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatior PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
PEL is exceeded, wear NIOSH approved org 2036 DERMAPRO MOISTURIZING HAND CREAM (# 9813) NATIONAL SANITARY SUPPLY CO. Maintenance and Operations Products APPROVED PEL is exceeded, wear NIOSH approved org monufacturer's idabel. Wear rubber/neoprene gloves and splast PEL is exceeded, wear NIOSH approved org monufacturer's idabel. APPROVED Approved APPROVED Wear rubber/neoprene gloves and splast PEL is exceeded, wear NIOSH approved org monufacturer's idabel. Wear rubber/neoprene gloves and splast per la exceeded, wear NIOSH approved org monufacturer's idabel. Wear rubber/neoprene gloves and splast	2034 D.I.B.S. BOWL CLEANER (DBOIBS) 2035 DERMAPRO MOISTURIZING HAND CREAM (# 9813) 2036 VORTEX NON ACID DISINFECTANT BOWL CLEANER (2517)	NATIONAL SANITARY SUPPLY CO. NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2038 GT-2000TM	WESTERN PACIFIC EQUITIES, INC.	Graffiti Products	APPROVED	manufacturer's label.
2039 EXTERIOR ACRYLIC EMULSION/WHT AX76-11	SINCLAIR PAINT COMPANY	Paint Products	APPROVED	manadadi o daba.
2039 EXTERIOR AGRICLE EMOLSION/WITH AX70 TI	SINCEAIR FAINT COMPANT	runt riodacts	AFFROVED	Wage nitrile rubber/neoprepa alouse and chamical enlarge against Heav
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2041 GUM-B-GONE	MAINTEX INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2042 CONTROL LOW ODOR MASTIC REMOVER (SOLVENT BLEND)	GRAYLING INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2043 HURRICANE B	SUPERCO	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2046 GSS ERASOL	AMERICAN POLYMER, INC.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2049 TAPMATIC #2 CUTTING FLUID	TAPMATIC CORP.			
1049 TAPMATIC #2 CUTTING FLUID	TAPMATIC CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
MINWAX WHITE WASH PICKLING STAIN (WATER-BASED FORM -				cartridge respirator. When sanding or abrading the dired film, wear NIO
2050 #1860)	MINWAX COMPANY DIVISION	Paint Products	APPROVED	approved P100 cartridge respirato
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2051 MAPLE DESIGN M	TARAFLEX	Floor Care Products	APPROVED	cartridge respirator. Follow manufacturer's label.
2001		Tion date Fredades	ATTOTES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
054 RICOH ND-43 DEVELOPER	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
055 NASHUA RBC-I, IR, IV DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat
056 ROYAL RD-115 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH ammonia cartridge respirator. Follow
057 POLYMER LA.	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
007		mantenance and operations i reducts	ATTOTES	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
D58 BOND-PLUS 790 CLEAR PADDING ADHESIVE	INDUSTRIAL ADHESIVE COMPANY	Office Products	APPROVED	manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
				ventilation. This approval is for outdoor use ONLY BY PEST MANAGEMENT
059 CONQUER W.P.	PARAGON PROFESSIONAL PEST CONTROL PRODUCTS	Pesticide/Herbicide Products	APPROVED	PERSONNEL.Wear impervious boots and clothing.Follow manufacturer's
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
				respirator.THIS PRODUCT APPROVAL IS FOR OUTSIDE USE ONLY. Wear long
060 ALCO GRAFFITI WIPES	ALCO PRODUCTS, INC.	Graffiti Products	APPROVED	shirts. Follow manufacturer
OUD ALGO GRAFITI WILLS	ALGO 1 110 DO 01 10, 1110.	Cidilli Froducts	ATTROVED	
				Wear nitrile / neoprene gloves and chemical splash goggles. Use with G
				ventilation. If ny of the describrd exposure symptoms occur, wear NIOSH
061 ENVIROCOLOR-WHITE LINE MARKING (CODE: 701-0010)	DECRATREND PAINT CORP.	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's lat
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
				ventilation. Wear dual strap dust/mist respirator. This product approva
062 PRODUCT	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	outdoor use ONLY. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
				ventilation. Wear dual strap dust/mist respirator. This product approva
063 SPRAY CHALK - ALL COLORS (20A)	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	outdoor use ONLY. Follow manufacturer's label.
	, , , , , , , , , , , , , , , , , , , ,			
				This product is a heavy duty cleaner-degreaser Wear nitrile rubber/ned
				gloves and chemical splash goggles. Use with GOOD ventilation. Follow
	, ,			
065 POWER PACK 2000	COLLOID CLEANING (DISTRIBUTOR)	Maintenance and Operations Products	APPROVED	manufacturer's label.
				THIS PRODUCT IS A HEAVY DUTY CLEANER DEGREASER Wear nitrile rubber/
				gloves and chemical splash goggles. Use with GOOD ventilation. If any
				described exposure symptoms exceeded, were NIOSH approved organi
066 BUCKEYE TWO-ONE PRODUCT CODE (5055)	BUCKEYE INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacture's label.
,	- · · · · · · · · · · · · · · · · · · ·			• ,

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2067 VOLCK SUPREME SPRAY	VALENT USA CORPORATION	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2068 PLANET SOLUTIONS (MULTI-PURPOSE)	EUROPEAN COSMETICS & RESEARCH LABORATORIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2069 MONTEREY POAST (POSTEMERGENCE GRASS HERBICIDE)	MONTEREY CHEMICAL COMPANY	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2070 LECTRON 2000 AERO (NO. 0328)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia/PI
CONTROL TO SERVICE	EVEREST COATINGS INCORPORATED				
2071 EVERCOAT 500/510	EVEREST COATINGS INCORPORATED	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	PLEASE SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neop
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2072 241 SERIES B-COMPONENT POLYURETHANE B-COMPONENT	FLEXABLE PRODUCTS COMPANY	Roofing Products	APPROVED	PSI - SH200 SERIES. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILD	I manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neoprene gl
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	chemical splash goggles. Use with GOOD ventilation. If TLV is exceeded,
				CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN	G NIOSH approved organic vapor cartridge respirator. If system is breach
073 RUBINATE* M	ICI AMERICA INC	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	operation and noti
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
DIATUON DEADL MUITE COATING (DI DIN)	LINETED DAINT LANGE ACTUBING COMPANY				
2074 DIATHON PEARL WHITE COATING (DI-PW)	UNITED PAINT MANUFACTURING COMPANY	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2075 MARMOLEUM	FORBO INDUSTRIES INC.	Floor Care Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2076 POLYMER 25 (MSDS# 1225)	MAINTEX INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2077 PROBLEM NO RINSE STRIPPER	NATURAL SOLUTIONS	OEHS Products	APPROVED	APPROVED FOR CUSTODIAL STAFF ONLY	
2080 FLOOR REJUVENATOR	NATURAL SOLUTIONS	OEHS Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2086 FORBO LINOLEUM MOISTURE LIMITOR	FORBO INDUSTRIES INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2000 TORBO BINOLEON MOISTORE EINITOR	TORBO INDUSTRIES INC.	FIGOI Care Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2088 NEVER DULL MAGIC WADDING POLISH	GEORGE BASCH COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved org
2089 ARMSTRONG SOLID-COLOR VINYL WELDING ROD	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2090 ARMSTRONG/DLW LINOLEUM WELD ROD	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2091 CREME SCOUR	J.I. HOLCOMB MFG. CO.	Maintenance and Operations Products	APPROVED		PRODUCT #18201
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
1092 IODINE TINCTURE STRONG	HUMCO LABORATORY, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If any of the described exposure symptoms occur, wear NIC
2093 W/BASED POLY GLOSS (6843)	VALSPAR CORPORATION	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's la
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
2094 SPECTRUM (ALL PURPOSE CLEANER)	MAINTEX INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		•			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
2096 CHEMTROL ACTION D	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations 2	APPROVED		manufacturer's label.
USU CHEWING ACTION D	NATIONAL SANITARY SUPPLY CO. NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products			manactarer a label.
AND OUTSTOOL MILITE DUDDOOF CO		Maintenance and Operations Products	APPROVED		
2097 CHEMTROL MULTI-PURPOSE CLEANER SUPER-CONCENTRATE	NATIONAL SANTAKT SOFTET CO.				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
2097 CHEMTROL MULTI-PURPOSE CLEANER SUPER-CONCENTRATE	NATIONAL SANITARY SUFFEE CO.				
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respira
	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respira manufacturer's label.
		Maintenance and Operations Products	APPROVED		manufacturer's label.
2097 CHEMTROL MULTI-PURPOSE CLEANER SUPER-CONCENTRATE 2098 CHEMTROL BASIN, TUB AND SHOWER CLEANER		Maintenance and Operations Products	APPROVED		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
			APPROVED		manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
2008 CHEMTROL BASIN, TUB AND SHOWER CLEANER	NATIONAL SANTARY SUPPLY CO.	Maintenance and Operations Products Maintenance and Operations Products Graphic Arts/Photography Products			Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded, wear NIOSH approved organic vapor cartridge respirat

2102 XEROX XD-12 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
2102 XEROX XD-12 DEVELOPER 2103 XEROX XD-18N DEVELOPER	NASHUA CORP.		APPROVED		
2104 XEROX XD 18-P DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
2105 XEROX XD-25 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products			
		Graphic Arts/Photography Products	APPROVED		
2106 XEROX XD-31, XD-34 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		We will be a second of the sec
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
W DAGED DOLY OF MOLD	VALORAD CORROLATION				ventilation. If any of the described symptoms occur, wear NIOSH approved
2109 W/ BASED POLY SEMIGLS	VALSPAR CORPORATION	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described symptoms occur,wear NIOSH approved
2110 W/ BASED POLY SATIN (80 6841)	VALSPAR CORPORATION	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOI
					ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor car
					respirator. Use and store away from any ignition sources. Follow manufact
2111 CERAMCOTE BASE COMPOUNDB	J&R INDUSTRIES, INC./DEL REY CHEMICAL CO.	Paint Products	APPROVED		label. This app
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOC
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
					approved organic vapor cartridge respirator. Use and store away from an
2112 EASYKOTE PRIMER	J&R INDUSTRIES, INC./DEL REY CHEMICAL CO.	Paint Products	APPROVED		ignition sources. This approval is
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOC
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
2113 SHELTECHCITRU BASEDCLEANER/ DEGREASER&DEODORIZER	NATIONAL RESOURCES INC.	Food Services Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventilat
					the PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. W
2114 SHELTECH LIME SOLVENT	AMERICARE DETERGENTS	Food Services Products	APPROVED		rubber boots and apron. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exeeded , wear NIOSH approved organic vapor
2)15 MODCO ELASTOBOND	MODGO SPECIALTY COATINGS	Paint Products	APPROVED		cartridge respirator with a dust/mist pre-filter. Follow manufacturer's labe
					EPA REG. NO:499-221 Wear rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
					pesticide cartridge respirator. This approval is FOR ONE TIME USE ONLY BY T
2116 WHITMIRE PT(R) 3-6-10 AERO-CIDE(R)	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		PEST MANAGEMENT PERSONNEL for the business divisio
210		T data day not bload a Tradada	ATTROVES		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOI
2119 BIO-SAFE SPRYABLE GEL	BIO D PRODUCTS II	Paint Products	APPROVED		ventilation. Follow manufacturer's label.
210		Tank Hoddol	ATTROVES		CORROSION COATING PROTECTION Wear nitrile rubber/neoprene gloves an
					chemical splash goggles.Use with GOOD ventilation. Wear NIOSH approved
					organic vapor/Hepa cartridge respirator. Use and store away from any igr
2121 PRO TEK-RUSTCOTETM	PROTEK-USA	Paint Products	APPROVED		sources. Use a supplied air respirator for spray application. The
ZIZI FRO IEK ROSICOIEIW	PROTER USA	raint Floadets	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
ADOOM 100 DDO LAGTIC ELACURIO CEAUTAIT (DDODUCT CODE					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
APOC# 133 PRO-LASTIC FLASHING CEMENT (PRODUCT CODE:					cartridge respirator. Use and store away from any ignition sources. The ap
2122 1330)	APOC THE ROOFERS EDGE	Maintenance and Operations Products	APPROVED		of this product is FOR THE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
2123 BUCKEYE WORKOUT (PRODUCT CODE: 5007)	BUCKEYE INTERNATIONAL, INC.	Graffiti Products	APPROVED		manufacturer's label.
				Approved for use by contractors and trained Maintenance &	
2124 BLOCK-IT QUICK-DRY PRIMER / SEALER QD 42-56	DUNN-EDWARDS CORP.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
2125 UNI-KEM CL 625 (PRODUCT # B266)	UNI-KEM INC.	Maintenance and Operations Products	APPROVED	FOR BOILERS AND COOLING TOWERS	GOOD ventilation. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
2126 UNI-KEM CT 450 (PRODUCT # B264)	UNI-KEM, INC.	Maintenance and Operations Products	APPROVED	FOR BOILERS AND COOLING TOWERS	GOOD ventilation. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
2127 BUCKEYE CITATION	BUCKEYE INTERNATIONAL, INC.	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
2128 FOOD EQUIPMENT LUBRICANT	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If any ill effects occur, wear NIOSH approved organic va
					cartridge respirator. The approval of this product is FOR THE OUTDOOR US
2129 GREEN LAWN DYE (PRODUCT NO: 1430)	CAL-WESTERN PAINTS	Paint Products	APPROVED		PAINT SHOPS ONLY. Keep
· · · · · · · · · · · · · · · · · · ·					THIS PRODUCT IS A NON-PESTICIDAL WASP CONTROLER Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. The approval of this product is FOR THE USE OF PEST MANAGEMI
2130 VICTOR POISON FREE WASP & HORNET KILLER (NO:604)	WOODSTREAM CORPORATION	Pesticide/Herbicide Products	APPROVED		PERSONNEL ONLY. Follow manufacturer's label.
2.00 STORT GROWTHEE WAS GITORNET RILLER (NO.004)		. esticide/Herbicide Floducts	MITROVED		

					This product is a wall cementitious waterproofing Wear nitrile rubber/ne
					gloves and chemical splash goggles. Use with GOOD ventilation. If used in
					ventilated area, wear NIOSH approved Hepa cartridge respirator. Aviod c
2131 XYPEX CONCENTRATE	XYPEX CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		dust. Store in dry warm conditions. Follow manufacturer's label.
					USE WET METHODS WHEN CUTTING OR GRINDING Use with GOOD ventilation
					is exceeded, wear NIOSH approved P100 cartridge respirator and tight fitti
2]34 REGULAR AND STA-SMOOTH WALLBOARD	NATIONAL GYPSUM COMPANY	Maintenance and Operations Products	APPROVED		goggles to prevent eye irritation. Follow manufacturer's label.
<u> </u>					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follo
2135 DIGEST	SUPERCO	Food Services Products	APPROVED	APPROVED FOR USE BY PLUMBING STAFF ONLY.	manufacturer's label.
2133		Toda Services Froducts	AFFROVED		WARNING: This product is flammable. Do NOT store or use near ignition
					sources.Wear nitrile rubber/neoprene gloves and chemical splash goggl
2136 STEEL IT, EPOXY COATING, PART "B" (ID# 4907-B)	STAINLESS STEEL COATINGS, INC				with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic v cartridge respirator. Follo
2/36 STEELTI, EFOXT COATING, PART B (ID# 4907-B)	STAINLESS STEEL COATINGS, INC	Paint Products	APPROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2137 PRIMER-BARRIER 3300	INTERFACE AMERICAS RE:SOURCE TECHNOLOGIES; INC	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOORING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2138 ADHESIVE 2300	INTERFACE AMERICAS RE:SOURCE TECHNOLOGIES; INC	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOORING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
				As of june 1995 the manufacturer changed the name of this product	Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
2139 ALKOT HEAVY DUTY BATHROOM CLEANER (DEAR JOHN)	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	to:Dear John.	ventilation. Follow manufacturer's label.
2140 ROYAL RD-130 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
2141 SIEMENS SD-22 DEVELOPER	NASHUA CORP.	Graphic Arts/Photography Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
2142 SUPERSWEEP #20 H.D. RED OIL SWEEP	SUPERIOR CHEMICAL PRODUCTS CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator
2143 SUPER SWEEP NO. 50; WAX BASE SWEEP	SUPERIOR CHEMICAL PRODUCTS CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
2143 SOFER SWEEF NO. SO, WAX BASE SWEEF	SOF ENION CHEWICAET NODGCTS CO.	Maintenance and Operations Products	AFFROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
2144 SUPER SWEEP NO.70; FIREPROOF CHEM-SWEEP	SUPERIOR CHEMICAL PRODUCTS CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirato
2145 SUPER SWEEP #20	SUPERIOR CHEMICAL PRODUCTS CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
2149 SULFURIC ACID	CHASE CHEMICAL CO.	School Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2150 CONQUER RESIDUAL INSECTICIDE CONCENTRATE	PARAGON PROFESSIONAL PEST CONTROL PRODUCTS	Pesticide/Herbicide Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2150 CONQUER RESIDUAL INSECTICIDE CONCENTRATE	PARAGON PROFESSIONAL PEST CONTROL PRODUCTS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2150 CONQUER RESIDUAL INSECTICIDE CONCENTRATE	PARAGON PROFESSIONAL PEST CONTROL PRODUCTS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical
	PARAGON PROFESSIONAL PEST CONTROL PRODUCTS CAUFORNIA MINERALS INC.				cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical
2150 CONQUER RESIDUAL INSECTICIDE CONCENTRATE 2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST		Pesticide/Herbicide Products Food Services Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label.
					cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use: GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use: GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS	CALIFORNIA MINERALS INC. MALLINCKRODT, INC.	Food Services Products School Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
2151 AMS BIEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS	CALIFORNIA MINERALS INC. MALLINCKRODT, INC.	Food Services Products School Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Brown and provided provided properties gloves and splash goggles. Use with GOOD ventilation undirecturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2151 AMS BIEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS	CALIFORNIA MINERALS INC. MALLINCKRODT, INC.	Food Services Products School Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Brown and provided provided properties gloves and splash goggles. Use with GOOD ventilation undirecturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II	CALIFORNIA MINERALS INC. MALLINCKRODT, INC.	Food Services Products School Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Brown and provided provided properties gloves and splash goggles. Use with GOOD ventilation undirecturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufactabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapacartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufactoble. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapacartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapacartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapacartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPERFOAM 340	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapacartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPERFOAM 340	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use With GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufactabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach. Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG, CORP. KEM MFG, CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufactiobel. Wear nitrile nubber/neoprene gloves and chemical splosh goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Bollow GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Bollow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NiOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile tubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile per spirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventile PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirate manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventil FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The second of the proved organic vapor cartridge respirator. The proventile pro
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach. Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator anufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. This product is a non chlorine bleach. Wear rubber gloves and chemical goggles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use videar nitrile rubber/neoprene gloves and chemical splash goggles. Use videar nitrile rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label.
2151 AMS BLEACH-ALL FABRIC-OXYGENATED-BLAST 2152 SODIUM PHOSPHATE, DIBASIC, ANHYDROUS 2153 QUAD II 2154 SUPER FOAM 340 2155 SUPER FOAM 380	CALIFORNIA MINERALS INC. MALLINCKRODT, INC. KEM MFG. CORP. KEM MFG. CORP. KEM MFG. CORP.	Food Services Products School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		This product is a non chlorine bleach Wear rubber gloves and chemical is agogles. Use with GOOD ventilation. Do not create dust. Follow manufact label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nutber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator manufacturer's label.

				Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
				ventilation. Wear a NIOSH approved dual strap respirator . Follow manul
2160 BLUE STAR / BLUE SUDS	DARRON COMPANY, INC.	Food Services Products	APPROVED	label
2100 ,		1000 0011100011100000	ATTIOTES	Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
2161 LEMON DISH SOAP	DARRON COMPANY, INC.	Food Services Products	APPROVED	ventilation. Follow manufacturer's label.
210) Elmon Biol Coni	DAMON COMPANY, INC.	Tood Services Froducts	AFROVED	Wear nitrile/neoprene gloves and chemical splash goggles. Use with Go
2162 FLOKEM FLOMATIC-ALL PURPOSE DEGREASER	FLO-KEM, INC.	Food Books - Books -	ADDROUGE	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts
2/82 FLOKEM FLOMATIC-ALL FURFOSE DEGREASER	PLO-NEM, INC.	Food Services Products	APPROVED	respirator. Follow manufacturer's label.
AND DRIVE OFFICE DAY DETEROFAT	TIO WELL INO			Wear appropriate gloves to washing dishes. Use with GOOD ventilation.
2163 PINK SERENE DW DETERGENT	FLO-KEM, INC.	Food Services Products	APPROVED	manufacturer's label.
				Wear appropriate gloves when washing dishes. Use whis GOOD ventilati
				Follow manufacturer's label. Wear appropriate gloves to washing dishe
2164 HAND DISHWASH POWDER	CALIFORNIA MINERALS INC.	Food Services Products	APPROVED	with GOOD ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with Go
				ventilation. If any of the described exposure symptoms occur, wear NIO
2165 PERMANOX SEMI-GLOSS-100% ACRYLIC(1200)	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's lab
				**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest manage)
				institute consultant) Wear nitrile /neoprene gloves and chemical splash
				Use with GOOD ventilation. If any of the described exposure symptoms of
				wear NIOSH approved pesticide catridge respirator. Wear impervious cl
1167 DELTA DUST INSECTICIDE (EPA REG. NO 65462-5)	AGROEVO ENVIRONMENTAL HEALTH	Pesticide/Herbicide Products	APPROVED	The approval of this product is for the US
				Donation from Walt Disney Studios to Locke SH for use as a stage paint.
				nitrile/neoprene gloves and chemical splash goggles. Use with GOOD v
AND DEED TONE AND ATION DAINED (ACCOUNTS)	DOTAL TOUT DOODLIGTO ING			This product shall be used by Locke SH for a stage painting project ONL
169 BREN-TONE ANIMATION PAINTS (ASSORTED)	BREN-TONE PRODUCTS INC.	Paint Products	APPROVED	under the instructor's supervision.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
				respirator with a dust/mist pre-filter. Wear impervious clothing. Follow
170 DULUX ULTRA INTERIOR ACRYLIC EGGSHELL (NO: 1403)	ICI PAINTS	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
				respirator with a dust/mist pre-filter. Wear impervious clothing. Follow
2771 DULUX ULTRA INTERIOR ACRYLIC SEMI-GLOSS (NO: 1407)	ICI PAINTS	Paint Products	APPROVED	manufacturer's label.
ENT DOLON OF THE WITCHON NOT THE GENERAL CLOSE (NO. 1407)	IOT AITIS	runtriodets	AFFROVED	Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart
				respirator with a dust/mist pre-filter. Wear impervious clothing. Follow
172 ULTRA-HIDELATEX EGGSHELL INTERIOR WALL&TRIM(1412)	ICI PAINTS	Paint Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
173 SEMI-GLOSS COATING SAFETY YELLOW B42Y37	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
174 SEMI-GLOSS COATING SAFETY YELLOW B42Y7	SHERWIN-WILLIAMS CO.	Delint Draducts	APPROVED	cartridge respirator. Follow manufacturer's label.
/4 SEMI-GLOSS COATING SAFETT TELLOW 6421/	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	3,
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
175 SEMI-GLOSS COATING SAFETY RED B42R38	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
176 SEMI-GLOSS COATING SAFETY ORANGE B42E39	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
177 LATEX METAL PRIMER B42N8	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
, , METALT RIMER DALING		raintriodacta	ATTION DE	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
178 HEAVY DUTY BLOCK FILLER B42W46	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				PRODUCT # B42W110 Wear nitrile rubber/neoprene gloves and chemical
				goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appr
179 INDUSTRIAL WATER BASED ACRYLIC PAINT, PURE WHITE	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respiral
183 RICOH ND-30 DEVELOPER	NASHUA CORP.	Office Products	APPROVED	manufacturer's label.
100		Office Froducts	AFFROYLD	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
186 3M BRAND TROUBLE SHOOTER CLEANER	3м	Maintenance and Operations Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.

					DRY FORMULA/MOIST FORMULA Wear rubber/neoprene gloves and splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
2187 RESPONDAL (AMORPHOUS ALUMINA SILICATE)	RESPONSE SYSTEMS/AZTEC MANUFACTURING	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
		·			Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator.
2188 RTV RED GASKET MAKER (1119)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
ZIOO KTV KED OAGKET WAKEK (IIIa)	AMERICAN INDUSTRIAL SUFFEF INC.	Maintenance and operations Products	AFFROVED		
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2189 GUM REMOVER	S.C. JOHNSON &SON, INC.	Maintenance and Operations Products	APPROVED	FOR MSDS'S call: (800)725-6737	ventilation. Follow manufacturer's label.
					Wear heavy weight natural latex gloves and chemical splash goggles. Use with
					GOOD ventilation. Do not create dust. THE APPROVAL OF THIS PRODUCT IS FOR TH
2190 STORMY	SUPERCO	Maintenance and Operations Products	APPROVED	For temporary stop of leaking roofs.	USE OF ROOFING PERSONNEL ONLY. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2191 BIG FOOT ACRYLIC PEDESTRIAN GRADE (AC-PEDES)	FEL-PRO CHEMICAL PRODUCTS.LP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	,				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2192 LESLIE'S TILE CLEANER	LESLIE'S SWIMMING POOL SUPPLIES	In the Providence	APPROVED		ventilation. Follow manufacturer's label.
2192 LESLIES THE CLEANER	LESLIE'S SWIMMING FOOL SUFFLIES	HVAC Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2194 LIQUI-SLATE CHALKBOARD RESURFACING (NPCA NO:1-72)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2195 3M BRAND NEUTRAL CLEANER CONCENTRATE	3M	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.Store in a cool dry place away from light and heat. Follow
2196 3M	3M	Cleaning Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
2197 AMERLOCK	AMERON PROTECTIVE COATINGS	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
NOO AMERICAN	AMERON PROTECTIVE COATINGS	Bullet Book to sto	4.000.01/FD		
2198 AMERCOAT	AMERON PROTECTIVE COATINGS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
2199 FORM 2:WI05,340,615,701-30,1586,5361,5658 (WATERB)	DUNN-EDWARDS CORP.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				THE APPROVAL OF THIS PRODUCTIS FOR THE INTERMITTENT LISE OF	ventilation. Use and store away from any ignition sources. If any of the describ
GOOD RIGHT ADJECTIVE	CHIEFT ADJECTURE		40000\/FD	THE APPROVAL OF THIS PRODUCTIS FOR THE INTERMITTENT USE OF	ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor
2200 Pl234 SOLVENT ADHESIVE	SWIFT ADHESIVES	Maintenance and Operations Products	APPROVED	THE APPROVAL OF THIS PRODUCTIS FOR THE INTERMITTENT USE OF PLUMBING SHOPS ONLY.For pipe wraping.	ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2200 Pl234 SOLVENT ADHESIVE	SWIFT ADHESIVES	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2200 PI234 SOLVENT ADHESIVE	SWIFT ADHESIVES	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2200 PI224 SOLVENT ADHESIVE	SWIFT ADHESIVES	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
2200 PI234 SOLVENT ADHESIVE 2201 GROUNDSMASTER SWA	SWIFT ADHESIVES CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
					ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST
					ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
2201 GROUNDSMASTER SWA	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lobel. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic
					ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie/neoprene gloves and splash goggles. Use with GOOD ventilation. Any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear ritridg/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. Wear nitriig/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a
2201 GROUNDSMASTER SWA 2202 MODGO SANDFLOAT-MEDIUM 2203 MODGO Deckcoat	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriliar/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor
2201 GROUNDSMASTER SWA 2202 MODGO SANDFLOAT-MEDIUM	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. I any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describs symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rutbler/neoprene gloves and splash goggles. Use with GOOD ventilation. In any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. FLOOS ESALER Wear rubber/neoprene gloves and chemical splash goggles. Us with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describs symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rutbler/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear ritities/neoprene gloves and splash goggles. Use with GOOD ventilation. In any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOS ESAER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a Spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. I any of the described exposure symptoms occur, wear NIOSH approved organi vapor cartridge respirator. Follow manufacturer's label. FLOOB SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describs symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation if any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with wanufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY	Maintenance and Operations Products Paint Products Paint Products Paint Products Food Services Products	APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/ neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nititiel/neoprene gloves and splash goggles. Use with GOOD ventilation, any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor wanufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the descrits symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur,wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear initire/neoprene gloves and splash goggles. Use with GOOD ventilation, any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittlie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge (PIOO respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODGO SANDFLOAT-MEDIUM 2203 MODGO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY	Maintenance and Operations Products Paint Products Paint Products Paint Products Food Services Products	APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the descrit symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. FLOOS SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge/pf100 respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/pf100 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER 2208 DURATEC II WHITE II/96 (PRODUCT# 2030001)	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products Paint Products Paint Products Paint Products Food Services Products	APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the descrit symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THI PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation any of the described exposure symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. FLOOS SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge/pf100 respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/pf100 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHIELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY	Maintenance and Operations Products Paint Products Paint Products Paint Products Food Services Products	APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describ symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubbs/ neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. I any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOB SEALER Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge/pf100 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2206 MULTI-CLEAN CONSTANT SHELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER 2208 DURATEC II WHITE II/96 (PRODUCT# 2030001)	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products Paint Products Paint Products Point Products Food Services Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT STAULE BUSED BY PESTS Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear inities/neoprene gloves and splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If explash exposure symptoms occur or a PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittiir rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/PiO0 respirator. Follow manufacturer's label. Wear nittiir rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/PiO0 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2206 MULTI-CLEAN CONSTANT SHELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER 2208 DURATEC II WHITE II/96 (PRODUCT# 2030001)	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products Paint Products Paint Products Point Products Food Services Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittile/neoprene gloves and splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/P100 respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/P100 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoat 2205 MULTI-CLEAN CONSTANT SHELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER 2208 DURATEC II WHITE 11/96 (PRODUCT# 2030001) 2209 DURATEC II NEUTRAL 11/96 (PRODUCT # 2030407)	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY FRAZEE INDUSTRIES, INC. FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products Paint Products Paint Products Paint Products Food Services Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the describe symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT SHALL BE USED BY PEST Wear rubbs/ neoprene gloves and splash goggles. Use with GOOD ventilation. any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. FLOOB SEALER Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur or a spraying application is conducted, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/p100 respirator. Follow manufacturer's label. Wear nitrile rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubbs/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/cartridge/p100 respirator. Follow manufacturer's label.
2201 GROUNDSMASTER SWA 2202 MODCO SANDFLOAT-MEDIUM 2203 MODCO Deckcoot 2206 MULTI-CLEAN CONSTANT SHELD FIRST ROUND 2206 CLOROX QUAT DISINFECTANT CLEANER 2208 DURATEC II WHITE 11/96 (PRODUCT# 2030001)	CHEMSEARCH DIV. OF NCH CORP. MODCO SPECIALTY COATINGS MODCO SPECIALTY COATINGS MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN CLOROX COMPANY FRAZEE INDUSTRIES, INC.	Maintenance and Operations Products Paint Products Paint Products Point Products Food Services Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		ventilation. Use and store away from any ignition sources. If any of the de symptoms occur or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow Wear rubber/neoprene gloves and chemical splash goggles. Use with GC ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe PRODUCT SHALL BE USED BY PEST Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation of the described exposure symptoms occur, wear NIOSH approved or vapor cartridge respirator. Follow manufacturer's label. Wear nittile/neoprene gloves and splash goggles. Use with GOOD ventilation or vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation if any of the described exposure symptoms occur, wear NIOSH approved or vapor cartridge respirator. Follow manufacturer's label. FLOOR SEALER Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO ventilation if any of the described exposure symptoms occur or or PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/P100 respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/P100 respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge/P100 respirator. Follow manufacturer's label.

					Ware with a page year along and sharping angels again. He with
					Wear rubber/neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carl
					respirator. Use and store away from any ignition sources. FOR OUTDOO
2218 BRITE STRIPE ATHLETIC FIELD MARKING (119B)	PIONEER MANUFACTURING COMPANY	Paint Products	APPROVED	FOR OUTDOOR USE ONLY.	ONLY. Follow manufacturer's la
					Wear rubber/neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carl
					respirator. Use and store away from any ignition sources. Follow manu
2219 BRITE STRIPE ATHLETIC FIELD MARKING (120D)	PIONEER MANUFACTURING COMPANY	Paint Products	APPROVED	FOR OUTDOOR USE ONLY.	label.
2221 ODO-SHIELD FRESH SCENT GLASS & SURFACE CLEANER	ODO-SHIELD, DIVISION OF AMERI-NET INDUSTRIES	Maintenance and Operations Products	APPROVED		
	, , , , , , , , , , , , , , , , , , , ,				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respire
2222 POWER OFF * HEAVY DUTY STRIPPER CONCENTRATE	AMWAY CORPORATION				manufacturer's label.
2222 POWER OFF - HEAVY DUTY STRIPPER CONCENTRATE	AMWAT CORPORATION	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
2223 STAINLESS STEEL CLEANER & POLISH	CHEMCO PRODUCTS CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with
					ventilation. If any of the described exposure symptoms occur, wear Ni
224 BRITE BOY METAL POLISH	CARROLL COMPANY	Maintenance and Operations Products	APPROVED		approved acid/gas cartridge respirator. Follow manufacturer's label.
		· ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
225 ULTRA CLEAN ALL PURPOSE CLEANER CONCENTRATE	ULTRA SHIELD PRODUCTS INTERNATIONAL INC.	Malaka and Caractica Residuel	* DDD OVED		
ZZO SENIA GLEMI ALE FORFOSE GLEANER GONGENTRATE	SERVA SHIELD FRODUCTS INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
226 ERACE PLUS GRAFFITI REMOVER # A398	CHEMCO PRODUCTS CO.	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventil
2227 KRYSTAL SORB	AEF MARKETING	Maintenance and Operations Products	APPROVED		Avoid creating dust. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
228 P-DIMETHYLAMINOBENZALDEHYDE	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
ZZO I DIMETITIZAMINODENEAEDENIDE	mazirokkosi, iro.	SCHOOL FLOQUEES	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
230 POTASSIUM PHOSPHATE MONOBASIC	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
232 AMYLALCOHOL	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respire
235 SPECIAL BASECOAT RESIN COMP. 'A'	CROSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respire
236 CROSSGUARD PL TOPCOAT - COMP. B	CROSSFIELD PRODUCTS CORP.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
237 MANNITOL	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
239 HYDROCHLORIC ACID (LESS THAN 4%)	MALLINCKRODT, INC.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
*					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ve
OAO DIJO STRIP	MANITEK DIVICION OF NOU CORD	Malaka and Garantia - 1 :	4 DDD OV / CD		PEL is exceeded, wear NIOSH approved organic vapor cartridge respire
240 DUO-STRIP	MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded or if any of the described symptoms occ
					NIOSH approved HEPA cartridge respirator or organic vapor cartridge
245 AQUATHON WHITE	UNITED COATINGS	Paint Products	APPROVED		Follow manufacturer'
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor res
246 RHINO TOP FINISH WHITE	UNITED COATINGS	Paint Products	APPROVED		with a dust/mist pre-filter. Follow manufacturer's label.
	2 25Kiii100	. GIIL FIOUGES	ATTROVED		
					Wear nitrile / neoprene gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor ca
2247 AQUA SUEDE, WHITE (NO: 3000)	SINCLAIR PAINT COMPANY	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear chemical splash goggles. Use with GOOD ventilation. Follow
					manufacturer's label.
2248 ALOE VESTA PERINEAL SOLUTION (NO: 6284)	CALGON VESTAL LABORATORIES	Nursing Services Products	APPROVED		manuracturer's label.
2248 ALOE VESTA PERINEAL SOLUTION (NO: 6284) 2249 WORX CLEAN-N-GENTLE POWDERED HAND CLEANER	CALGON VESTAL LABORATORIES WORX ENVIRONMENTAL PRODUCTS	Nursing Services Products Automotive Products	APPROVED APPROVED		rnanuracturer's label. Follow manufacturer's label.

					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
2251 SW 1000 DEGREASER ALL PURPOSE CLEANER	HERITAGE LABS				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2251 SW 1000 DEGREASER ALL PURPOSE CLEANER	HERITAGE LABS	Automotive Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	approved pesticide cartridge respirator. Wear impervious clothing. Follow
2252 SUSPEND SC INSECTICIDE	AGROEVO ENVIRONMENTAL HEALTH	Pesticide/Herbicide Products	APPROVED	ONLY.	manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.If any of the described exposure symptoms occur, wear NIOSH
2253 MANNINGTON MT-711 (CARPET ADHESIVE)	MANNINGTON CARPETS INC.	Adhesive Products	APPROVED		approved organic vapor/mist cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid/gas cartridge
2254 K-4 CATALYST SERIES (LIQUID CROSSLINK CATALYST)	NATIONAL CASEIN COMPANY	Maintenance and Operations Products	APPROVED		respirator. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation.Wear impervious clothing. Store in acool,dry,well ventilated area. THE
					APPROVAL OF THIS PRODUCT IS FOR THE USE OF PEST MANAGEMENT PERSONNEL
2255 INSECTA NO: 6499 CLEAR FINISH	INSECTA	Pesticide/Herbicide Products	APPROVED		ONLY. Follow mnufacturer's la
ZZSS INSECTATIO. 0433 CLEARTINISTI	INSECTA	Pesticide/Herbicide Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources. Follow
2257 PARTS CLEANER	ZEP MANUFACTURING COMPANY	Automotive Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Use and store away from any ignition sources. Follow
2258 FLOOR SEALER	SOUTHEND JANITORIAL SUPPLY, INC.	Floor Care Products	APPROVED		manufacturer's label.
					This product is used in OUTSIDE factory for the production of PVC coated
					expanded metal bleacher seats. THIS PRODUCT WILL NOT BE USED BY LAUSD
					PERSONNEL. THE MSDS SHALL BE KEPT ON FILE
2259 FUSION 02499N TABLE NEUTRAL (PRODUCT NO: 02499N)	PLAST-O-MERIC, INC.	Maintenance and Operations Products	APPROVED		ONLY FOR THE RECORD.
,		mantenance and operations reducts	ATTROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Use and store away from any ignition sources.Keep containers
WOOD DE ANI TUNO ON OLEAN (TUNOON OF TO)	CAL-WESTERN PAINTS				closed when not in use. Wear impermeable clothing. Follow manufacturer's
2260 WOOD RE-NU TUNG OIL CLEAR (TUNGOIL 95-TO)	CAL-WESTERN PAINTS	Paint Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF OUTSIDE
2261 SIKADUR 31 HI MOD Gel PartA	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		CONTRACTORS ONLY . Follow manu
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved positive pressure supplied
					air respirator with5 minute escape bottle or pressure demand SCBA. Use and
2262 PENEGROUT III	PENEGROUT INC.	Maintenance and Operations Products	APPROVED		store away from any igni
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved positive pressure
					supplied air respirator with 5 minute escape bottle or pressure demand SCBA.
2263 PENEGROUT III CATALYST	PENEGROUT INC.	Maintenance and Operations Products	APPROVED		The approval of this produ
2200		mantenance and operations reducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2264 BC-89 BATTERY CLEANER (NO:1011)	AMERICAN INDUSTRIAL SUPPLY INC.	Molecus and Occupius Books	APPROVED		cartridge respirator. Follow manufacturer's label.
2284 BC 03 BATTERT CLEANER (NO.1011)	AMERICAN INDUSTRIAL SUFFET INC.	Maintenance and Operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amine
					cartridge respirator. Wear impervious clothing. The approval of this product IS
2265 SIKADUR 31 HI MOD GEL PART B	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		FOR THE USE OF OUTSID
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described symptoms occur, wear NIOSH approved
					organic vapor cartridge respirator. Wear impervious clothing. The approval of
2266 SIKADUR 52 INJECTION ADHESIVE PART A	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		this product is FOR THE USE OF
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Wear NIOSH
					approved organic vapor/Hepa cartridge respirator. The approval of this product
				For contractor use ONLY-to treat fencing around the robertson decking	g is for outside contractors use only for treating fencing around the
2267 RUST DESTROYER (PRODUCT CODE: 800)	ADVANCED PROTECTIVE PRODUCTS INC.	Paint Products	APPROVED	on the roof.	ROBERTSON DECKING ON THE ROOF, U
2207 ROST DESTROTER (TRODUCT CODE, 000)	ADVANCED I ROTECTIVE PRODUCTS INC.	Fullit Floudets	AFFRUVED	5.1 t. 100 t.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2268 SILICONE SPRAY	WURTH USA, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2269 BATTERY CLEANER & LEAK DETECTOR	WURTH USA, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggl
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2270 BASE SHOOTER AEROSOL (# 21430)	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. Wear long
					3
2272 HERCULES	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		sleeve clothing. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					respirator. Use and store away from any ignition source. Follow m
2273 STAINLESS STEEL COATING	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		label.
22/3 STAINEESS STEEL SOATING	TENANO INCOUNTES, INC.	wantenance and operations froducts	ALTROVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use v
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
AND DUCK SYTERIAL OR	TERAND INDUSTRIES INC				respirator. Use and store away from any ignition source. Follow m
2274 RUST EXTERMINATOR	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use
					ventilation. FOR THE INTERMITTENT USE OF SHEET METAL AND HVAC
2275 COLD ZINC GALVANIZE	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use
2277 Tower Plus 2907	NATIONAL CHEMICAL	HVAC Products	APPROVED		ventilation Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2278 BATTALION-CLEANER & DEGREASER	BRANDBRIDGE	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOC
					any of the described exposure symptoms occur, wear NIOSH app
2279 WINDSHIELD WASHER	GOLDEN WEST CORP.	Automotive Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggl
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2281 POLOPLAZ WORLD CLASS 350 COURT & GYM FINISH	NATIONAL COATINGS COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY PAINTING STAFF OR CONTRACTORS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2282 POLOPLAZ HARDWOOD FLOOR CLEANER	NATIONAL COATINGS COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2283 KRYLON HOME DÉCOR DURABLE LATEX SPRAY - 3	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2284 VALU-LOCK, (6480,6485)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	*				Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
2285 RESID-LOCK (6460, 6465)	FIBERLOCK TECHNOLOGIES, INC.	Malatana and Barantina Baratana	APPROVED		cartridge respirator. Follow manufacturer's label.
2285 RESID-LOCK (6460, 6465)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		• .
					Wear rubber/neoprene gloves and splash goggles. Use with GOO
Olivanouv	MATIONAL CANITARY GURBLY OC				PEL is exceeded, wear NIOSH approved organic vapor cartridge re
2286 GUM SOLV	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOO
					PEL is exceeded, wear NIOSH approved organic vapor cartridge re
2287 CONTRL	SUPERCO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					FLOOR FINISH Wear nitrile rubber/neoprene gloves and chemical
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
2288 IRON COTE	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. THE APPROVAL OF THIS PRODUCT IS FOR THE USE
2289 HG ABSORB TM	LAB SAFETY SUPPLY	School Products	APPROVED		TECHNICAL PERSONNEL ONLY. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOO
					PEL is exceeded, wear NIOSH approved organic vapor cartridge re
2290 MOTSENBOCKER'S LIFT OFF # 2	MOTSENBOCKER'S LIFT OFF	Graffiti Products	APPROVED	FOR ADHESIV, GREASE, OILY STAINS, TAP. STARE	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggle
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organi
2292 GRAFFITI GONE	INNOVATIVE TECHNOLOGY, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2293 SOLDER	KESTER SOLDER	Maintenance and Operations Products	APPROVED		
		•			Wear rubber/neoprene gloves and splash goggles. Use with GOO
					PEL is exceeded, wear NIOSH approved organic vapor cartridge re
2295 KLEEN-RITE STRIPPER	KLEENRITE CHEMICAL, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2297 LIQUID DRAIN OPENER (D: 20)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2298 NEUTRAL CLEANER (B:58)	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		maintenance and operations reducts	ATTROVES		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2299 PINK LOTION HAND CLEANER (D:14)	HESCO INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2300 ACOUSTICAL FLAT-FIRE RETARDANT - WHITE (# 62 AFR)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2300 ACCOUNTACTOR THE RETAINMENT WHITE (IT OF ALL)	OAL TESTERIT ARTS	ruint riodacts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2301 WONDER GLIDE AQUASHEEN GLOSS EXT-INT WHITE (# 900BR)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2302 COVER-ALL FLAT (# 2800)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2302 COVER ALETER (# 2000)	VISTAT AINT CORFORATION	ruint riodacts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2303 ACRYLIC PRIMER	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2304 CARE FREE GLOSS # 8500	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Wed
					positive pressure supplied-air respirator. THE APPROVAL OF THIS PRODUC
					USE IN THE FABRICATING PROCESS ONLY-
2305 POLYARMOR PRO SYSTEM COMPONENT, PART "A"	VISURON TECHNOLOGIES, INC.	0	APPROVED	TO BE USED IN THE FABRICATING PROCESS ONLY.	THIS PROCESS IS PERFORMED BY THE MANUFACTURER . Follow manufacture
2305 FOLTARMOR FRO STSTEM COMPONENT, FART A	VISURON TECHNOLOGIES, INC.	Carpentry/ Construction Product	APPROVED	TO BE USED IN THE FABRICATING PROCESS ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2306 GREEN CHALKBOARD COATING (CBP-26-XP22)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator with Dust/mist pre filter. Follow manufacturer's labe
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
2307 ELECTRONIC CLEANER TM-1492	MECHANICS CHOICE	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
2307 ELECTRONIC CLEANER IM 1402	WEST IANICS STOTE	maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation.If PEL is exceeded, wear NIOSH approved organic vapor cartri
2309 RTV SEALANT-PRESSURIZED CONTAINER	MECHANICS CHOICE	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's cartridge respirator.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
2310 NON-ACID BOWL CLEANER	SCOT LABORATORIES	Maintenance and Operations Products	APPROVED		
2510					
					ventilation. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with Gi ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
2312 SHER-WOOD WATER REDUCIBLE STAIN	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
2312 SHER-WOOD WATER REDUCIBLE STAIN	SHERWIN-WILLIAMS CO.		APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label.
2312 SHER-WOOD WATER REDUCIBLE STAIN	SHERWIN-WILLIAMS CO.		APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G- ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent
		Point Products			Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow
	SHERWIN-WILLIAMS CO. THE STATE CHEMICAL MANUFACTURING CO.		APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wer NIOSH approved organic vapor cartr respirator. Follow manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label.
		Point Products			Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
		Point Products			Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2313 CONCRETE PATCH		Point Products			Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wer NIOSH approved organic vapor cartr respirator. Follow manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD venti PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label.
2313 CONCRETE PATCH	THE STATE CHEMICAL MANUFACTURING CO.	Paint Products Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacture's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventil PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge.
2312 SHER-WOOD WATER REDUCIBLE STAIN 2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904)	THE STATE CHEMICAL MANUFACTURING CO.	Paint Products Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governation of PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label. USED WITH WP-4378 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION of Ventilation of Vent
2313 CONCRETE PATCH	THE STATE CHEMICAL MANUFACTURING CO.	Paint Products Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridrespirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas car
2313 CONCRETE PATCH 2314 ZIRCONIA GERAMIC ADHESIVE (904)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION	Paint Products Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governitriotion. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WF-4379 CROSSLINKING ADMESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA GERAMIC ADHESIVE (904)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governitriotion. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WF-4379 CROSSLINKING ADMESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governitries in Tell is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4376 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governitation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Vear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved hepa cartridges.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridg respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4378 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION I Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas can respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridg respirator. Follow file in the province of the p
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If FEL is exceeded, wear NIOSH approved organic vapor carts respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas car respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing, Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Giventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADMESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label.
2313 CONCRETE PATCH	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products	APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Giventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4376 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas cartrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products	APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Governation of PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas can respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing, Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907) 2317 CERAMIC ADHESIVE 903GREEN, 903HP, HPRTC AND 904HP	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Giventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If EL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If EL is exceeded, wear NIOSH approved Hepa Cartridge respirator. Wear impervious clothing. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907) 2317 CERAMIC ADHESIVE 903GREEN, 903HP, HPRTC AND 904HP	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products	APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If FEL is exceeded, wear NIOSH approved organic vapor carts respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD vent FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4379 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION). Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas car respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907) 2317 CERAMIC ADHESIVE 903GREEN, 903HP, HPRTC AND 904HP	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If FEL is exceeded, wear NIOSH approved organic vapor carts respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4378 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION: Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas car respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa/Acid g cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If YEL is exceeded, wear NIOSH approved Hepa/Acid g cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear impervious clothing. Follow manufacturer's label.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907)	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with Giventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4378 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartridgrespirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa/Acid ga cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear impervious clothing. Follow manufacturer's bed. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear impervious clothing. Follow manufacturer's bed. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear impervious clothing. Follow manufacturer's bed.
2313 CONCRETE PATCH 2314 ZIRCONIA CERAMIC ADHESIVE (904) 2315 LIQUID CROSSLINK CATALYST (K-4 CATALYST, K-4 BR, K-4 RED) 2316 MICA CERAMIC ADHESIVE (907) 2317 CERAMIC ADHESIVE 903GREEN, 903HP, HPRTC AND 904HP	THE STATE CHEMICAL MANUFACTURING CO. COTRONICS CORPORATION NATIONAL CASEIN COMPANY COTRONICS CORPORATION COTRONICS CORPORATION	Paint Products Maintenance and Operations Products HVAC Products Adhesive Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridgr respirator. Wear impervious clothing. Follow manufacturer's label. USED WITH WP-4378 CROSSLINKING ADHESIVE (TECHNICAL INFORMATION OF Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cart respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Wear NIOSH
					approved Dust/particulate respirator. Avoid creating dust. Follow manufactur
2320 XYPEX CONCENTRATE	XYPEX CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		label.
				TO BE USED IN CONJUNCTION WITH HYDROTHANE "B" SIDE. THIS PRODUCT	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A	
2321 HYDROTHANE "A" SIDE	HYDROSEAL POLYMERS, INC.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				TO BE USED IN CONJUNCTION WITH HYDROTHANE "A" SIDE. THIS PRODUCT	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A	
2322 HYDROTHANE "B" SIDE	HYDROSEAL POLYMERS, INC.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				TO BE USED IN CONJUNCTION WITH HSF 200 "B" SIDE. THIS PRODUCT IS	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A	
2323 HSF 200 "A" SIDE	HYDROSEAL POLYMERS, INC.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2020 223 A 0102		Rooming Froducts	AFROVED	TO BE USED IN CONJUNCTION WITH HDF "A" SIDE. THIS PRODUCT IS	gp Ollow manadada o o labor.
				APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2324 HS 200-2.2RF, -2.5R, -5S, -2.5R/F "B" SIDES	HYDROSEAL POLYMERS, INC.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	<u> </u>	3		TO BE USED IN CONJUNCTION WITH HDF "A" SIDE. THIS PRODUCT IS	
				APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2325 HSF 210 RIGID SPRAY FOAM CLASS 1	HYDROSEAL POLYMERS, INC.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					THIS PRODUCT IS NO LONGER MANUFACTURED DUE TO FEDERAL REGULATIONS.
					ALTERNATIVE PRODUCTS ARE RECOMMENDED. Wear nitrile rubber/neoprene gle
					and chemical splash goggles. Do NOT wear contact lenses. Use with GOOD
					ventilation. If any of the described symptoms occur, wear NIOSH approved
2326 HALON 1211	AMEREX CORPORATION	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. If symptoms persist, cease the opera
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2328 MIRRO GLIDE S/G (ALL COLORS)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				,	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
				Į	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2329 GERMAWAY	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
				,	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
				ĺ	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2330 STX-100 (PRODUCT NUMBER: 1075)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	ı	manufacturer's label.
				'	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2333 SLICK	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2334 GOOD SENSE SC	S.C. JOHNSON & SON, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation. For
2335 GOOD SENSE RTU	S.C. JOHNSON & SON, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
ANTE PACITAINT	AMEDIC AN INITHISTRIAL CURRING INC				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2340 AMER-BAC II MINT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
20 A) DIO I CDAFFITI DIISTED II (270/20, 2011)	DIOCUEM EVETEME DISSESSE	Outfill Provide	**************************************		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2341 BIO T GRAFFITI BUSTER 11 (GTC/BC-GB11)	BIOCHEM SYSTEMS DIVISION	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
**** 015411 00541/ 41/1 0001/0	DUTOUTD COLUMNY				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2343 CLEAN BREAK 4XI SCRUB & NO RINSE STRIPPER	BUTCHER COMPANY	Floor Care Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2344 CPL INSTITUTIONAL PRODUCTS AJAX OXYGEN BLEACH	CPL INDUSTRIES	Maintenance and Operations Products	APPROVED	1	manufacturer's label.

				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
2345 MAINSTAY FINISH 4XI	BUTCHER COMPANY	Maintenance and Operations Breducts	APPROVED	manufacturer's label.
2343 WARGTATTINGST 4AT	BOTCHER COWN ANT	Maintenance and Operations Products	AFFROVED	**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest management
2346 DURSBAN PRO	DOWELANCO	Pesticide/Herbicide Products	APPROVED	institute consultant)
2346 DURSDAIN FRO	DOWELANCO	Pesticide/Herbicide Products	APPROVED	institute consultant/
				Wear chemical splash goggle. Use with GOOD ventilation. If PEL is exceeded, w
2347 ROUGH TOUCH SCRUBS IN A BUCKET (C-422)	DYMON, INC.	Maintenance and Operations Products	APPROVED	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
234) 1000111000110010001111111111111111111	Billion, inc.	maintenance and operations riodacts	AFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
2348 ULTRA HI BASE COAT	NATIONAL SANITARY SUPPLY CO.			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll manufacturer's label.
2348 ULIKA HIBASE COAT	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
2349 EP-680 STANDARD (INDUSTRIAL CLEANER # 10259/75)	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2351 BRUTE FORCE AEROSOL	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
2353 HOST DRY EXTRACTOR SPONGES CARPET CLEANER	RACINE INDUSTRIES, INC.	Cleaning Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2354 HEAVY DUTY NON-BUTYL DEGREASER	GENLABS	Food Services Products	APPROVED	GOOD ventilation. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2355 WAXIE W-400	GENLABS	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
2555		maintenance and operations riodacts	AFROVED	**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear nitrile rubber/neoprene
				gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
				exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2356 FLYTEK FLY BAIT	ZOECON CORP.	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2357 ERACE PLUS	CHEMCO PRODUCTS CO.	Graffiti Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL (TLV) is exceeded, wear NIOSH approved organic vapor cartridge respirate
2358 ENVIRESPONSE PEN	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED	Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2359 RITE AND BRITE OVEN CLEANER	RSM FOODS, LLS	Food Services Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL (TLV) is exceeded, wear NIOSH approved organic vapor
2360 SEAL COTE	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED	
				cartridae respirator. Follow manufacturer's label.
2362 TINCTURE OF GREEN SOAP			APPROVED.	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label and safety quidelines
2362 TINCTURE OF GREEN SOAP	THE CLINIPAD CORPORATION	Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines.
2362 TINCTURE OF GREEN SOAP			APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	THE CLINIPAD CORPORATION	Maintenance and Operations Products		Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2362 TINCTURE OF GREEN SOAP 2363 SOLAR CONCENTRATE			APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	THE CLINIPAD CORPORATION	Maintenance and Operations Products		Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
2363 SOLAR CONCENTRATE	THE CLINIPAD CORPORATION LANE LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neaprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear N10SH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear N10SH approved Acid gas cartridge
	THE CLINIPAD CORPORATION	Maintenance and Operations Products		Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label.
2363 SOLAR CONCENTRATE	THE CLINIPAD CORPORATION LANE LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2363 SOLAR CONCENTRATE	THE CLINIPAD CORPORATION LANE LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile nubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and
2363 SOLAR CONCENTRATE	THE CLINIPAD CORPORATION LANE LABORATORIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labels. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NiOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If YEL is exceeded, wear NiOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation in PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NC. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any lightion sources. If PEL is considered to the control of the period organic vapor cartridge respirator. Use and store away from any lightion sources. If PEL is considered to the control of the period organic vapor cartridge respirator. PEL is considered the control of the period organic vapor cartridge respirator. FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any lgnition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NC. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile nubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NC. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. To BE USED IN CONJUCTION WITH SPORT KOTE Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO: 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN 2368 SUME AAY (NO: 1008)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. To BE USED In CONJUCTION WITH SPORT KOTE Wear nitriler rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH opproved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NC. 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Jose and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. TO BE USED IN CONJUCTION WITH SPORT KOTE Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO: 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN 2368 SUME AAY (NO: 1008)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any lignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. TO BE USED IN CONJUCTION WITH SPORT KOTE Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2363 SOLAR CONCENTRATE 2365 NON-AMMONIATED WAX STRIPPER (NO: 01000) 2366 ENERGIZER PLS FR (CODE: 7824-M) 2367 A 1020 SAN CLEAN 2368 SUME AAY (NO: 1008)	THE CLINIPAD CORPORATION LANE LABORATORIES GENLABS THE GARLAND COMPANY, INC. OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Follow manufacturer's label and safety guidelines. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's tabel. Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved Acid gas cartridge respirator. Wear impervious clothing Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved Organic vapor cartridge respirator. Use and store away from any ignition sources. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. TO BE USED IN CONJUCTION WITH SPORT KOTE Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH opponene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 respirator. Folic
2373 LAG KLOTH (6425,6426)/ LAG KWIK (6427)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
23/3 DIO KLOTTI (0423,0420)/ DIO KWIK (0427)	TIBEREOGR TECHNOLOGIES, INC.	Maintenance and operations Froducts	AFFROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved Acid/gas cartridge
					respirator.Use ONLY after diluting the product by adding it slowly while stirring t
2375 LIME GONE (2068)	GENLABS	Food Services Products	APPROVED		the label recommended v
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2376 OIL BASE STAINLESS STEEL POLISH (3010)	GENLABS	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventilation.
2377 PRIME LINE LEMON NO RINSE CLEANER (909)	GENLABS	Food Services Products	APPROVED		Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Follow manufacturer's label. The approval of this product is FOR
2378 3081, YELLOW LEAD FREE WATER BASE TRAFFIC	PERVO PAINT CO.	Paint Products	APPROVED		EXTERNAL USE ONLY.
2070		Tantifoddolo	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
ACTION ACCUMANCE OF A REAL CONTRACTOR	THE UNIT DAIN'T CORD				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2379 ACRYLIC SEMI GLOSSWHITE	FINE LINE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile/ neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2380 PRIMER SEALER WHITE	FINE LINE PAINT CORP.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2381 QUICK-DRY LATEX UNDERCOATER	FINE LINE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2382 100% ACRYLIC HOUSE WHITE	FINE LINE PAINT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				FOR THE LOT OF CUITAINS CONTACTORS ONly as file and as a second for	
				FOR THE USE OF OUTSIDE CONTACTORS ONLY on fiberglass covers for	cartridge respirator. Use and store away from any ignition sources also away
2383 DEVTHANE 379 (6050)	ICI PAINTS	Paint Products	APPROVED	bleachers seats.	from heat or sunlight. The appr
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				FOR THE USE OF OUTSIDE CNTRACTORS ONLY on fiberglass covers for	cartridge respirator. Use and store away from any ignition sources,also away
2384 DEVRAN 205B2735 UNIVERSAL EPOXY PRIMER GRAY BASE	ICI PAINTS	Paint Products	APPROVED	bleachers seats.	from heat or sunlight. The appr
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				FOR THE USE OF OUTSIDE COTRACTORSONLY on fiberglass covers for	cartridge respirator. Use and store away from any ignition sources, also away
2385 DEVRON 205C0910 UNIVERSAL EPOXY PRIMERCLEAR CONVERTER	ICI PAINTS	Paint Products	APPROVED	bleachers seats.	from heat or sunshine. Tappro
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2386 Y-2-K ELIMINATOR (NO. 0227)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2388 BODE COTE (NO. 0227)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
2300 3552 5512 (16. 5227)	SEED OF EMICAL INDUSTRIES	Maintenance and Operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
and disposit apparest appoint (a)	OFFICE OUTS NO. A. INDUSTRIES				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2389 SILICONE SPRAY II AEROSOL (NO. 0406)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Keep away from ignition sources. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
2391 KLEAN-STRIP PAINT THINNER (#1677)	W.M. BARR & CO.	Paint Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
					**REMOVED FROM PURCHASING BID SPECS PER BILL CURRIE (Pest management
					institute consultantant) Wear nitrile /neoprene gloves and chemical splash
					goggles . Use with GOOD ventilation. Wear NIOSH approved Dust/mist respirate
					or a NIOSH approved pesticide respirator.THIS PRODUCT APPROVAL IS FOR PEST
2392 BAYGON 2% BAIT	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		MANAGEMENT USE ONLY. Follow manufacturer's label.
		• • • • • • • • • • • • • • • • • • • •			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
2394 PRO SPOTTER (PRODUCT# B 121)	PROFESSIONAL CHEMICALS CORP.	Maintanance and Constaline Bred	APPROVED		cartridge respirator. Follow manufacturer's label.
2004 TRO STOTTER (PRODUCT# B IZI)	FROI ESSIONAL CHEMICALS CORF.	Maintenance and Operations Products	APPROVED	THE DRODUCT IS ADDROVED FOR OUTDOOD HEE ONLY BY DOOR WE THAN	cararage respirator, rollow manufacturers label.
OLADAGE BUEFF	as poortive propulate on tr · · · · ·			THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH.	
2396 GLASBASE SHEET	GS ROOFING PRODUCTS COMPANY, INC.	Roofing Products	APPROVED	UNIT AND ROOFING DEPT.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
2397 FLINTGLAS CAP SHEET	GS ROOFING PRODUCTS COMPANY, INC.	Roofing Products	APPROVED	DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.

					THIS APPROVAL SUPERCEDES THE SEPTEMBER 8, 2000 MEMO. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
AAAA OLAGOMAAT ALLAKTIOLITO	GS ROOFING PRODUCTS COMPANY, INC.				
2398 GLASSMAT ALL WEIGHTS	GS ROOFING PRODUCTS COMPANY, INC.	Roofing Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described symptoms occur, wear NIOSH approve
2399 COURT GUARD (494N-85C)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
2400 1001 SCHOOL MATE CHALKBOARD CHALK	OMEGA CHALK FACTORY	School Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2401 RIGID THREAD CUTTING COOLANT	RIDGID TOOL COMPANY	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					This product is not to be used by students or in classrooms. Do not use this
2402 APRIL GUARD HAND SANITIZER	CHESTER LABS, INC.	Nursing Services Products	APPROVED		product near open flame or any other source of ignition.
BR-103 ENVIRONMENTALLY SAFER WHT ACRYLIC COVE BASE				APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATION	S- Wear neoprene gloves and chemical splash goggles. Use with GOOD ventilatio
2403 ADHESIVE	BURKE FLOORING PRODUCTS	Adhesive Products	APPROVED	9/1/01 VOC LIMITS	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation (> 5 CPM.) If PEL is exceeded, wear NIOSH approved organic
2404 MICROBEST TILE FLOOR WASH	MICROBEST, INC	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
2404 WICKOBEST TILE FLOOR WASTI	MICROBEST, INC	Maintenance and Operations Products	AFFROVED		vapor curriage respirator. Follow manufacturers raber.
					THIS PRODUCT IS NOT TO BE USED BY CHILDREN UNDER THE AGE OF 3. THIS PRODUC
2405 WOODSIES - WOOD SHAPES IN ASSORTED SIZES	FORSTER INC.	School Products	APPROVED		IS NOT TO BE USED BY CHILDREN UNDER THE AGE OF 3. Follow manufacturer's labe
					Do not use or store near ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
2407 ELASTO-POXY PRIMER (A-COMPONENT)	PACIFIC POLYMERS INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
					Do not use or store near ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, were
2408 ELASTO-POXY PRIMER (B-COMPONENT)	PACIFIC POLYMERS INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
2400 EDGTO TOXITALINER (B COM CHERT)	T AGITO T GETMENO INTENNATIONAL INC.	maintenance and operations modules	AITROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
A THE COLUMN TWO COOCS AND COOCS AND	SILICONE H20				GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
2410 SILICONE H2O 2000S AND 2000MP	SILICONE H20	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
2412 EX 2000 PLUS WAX STRIPPER	I. SHAV CHEMICAL	Floor Care Products	APPROVED		manufacturer's label.
2413 IDEAL DISH WASHING LIQUID	I. SHAV CHEMICAL	Food Services Products	APPROVED		Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
2415 BALDCO GRAFFITI REMOVER	JET WASH U.S.A.	Graffiti Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. I
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follo
2416 ANTI GRAFFITI COATING #6275	JET WASH U.S.A.	Graffiti Products	APPROVED		manufacturer's label.
2410 ANTI-OLATINI GOATING 1/02/0	oci mari o.c.a.	Ordina Froducts	AITROVED		Wear neoprene gloves and chemical splash goggles. Use with GOOD ventilation
2418 DUTCH CLEANSER (PRODUCT CODE: P7820)	LOREN PRODUCTS & KATY CO.	Malaka and Consulton Residual	APPROVED		Follow manufacturer's label.
2418 DOTCH CLEANSER (FRODUCT CODE . 17620)	LOKENT RODUCTS & KATT CO.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2419 WP-4379 SERIES (CROSSLINKING ADHESIVE)	NATIONAL CASEIN COMPANY	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear heavy cotton gloves and chemical splash goggles. Use with GOOD
					ventilation. Wear NIOSH approved P100 cartridge respirator when impacting wit
CHROMATED COPPER ARSENATE (CCA) TREATED WOOD AND				THIS PRODUCT IS FOR THE USE OF OUTSIDE CONTRACTORS FOR SCHOOL	power or hand tools.Avoid creating dust. THE APROVAL OF THIS PRODUCT IS FOR
2420 LUMBER	HICKSON CORPORATION	Carpentry/ Construction Product	APPROVED	BLEACHERS ONLY.	THE USE OF OUTSIDE CONTRACTORS
					This product is used as a deodrant and water softner for urinals. Wear latex
					gloves. Store in dry area away from other chemical products. Follow safety
2421 HYDECAL	HYGENIC REST ROOM SERVICE	Maintenance and Operations Products	APPROVED		guidelines.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.Use with
2422 HYDRASOL II (PRODUCT NO: 1035)	SELIG CHEMICAL INDUSTRIES	Office Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Wear long
					sleeves. Use with GOOD ventilation. Keep containers tightly closed when not in
2423 UNI-KEM CT 475-S (MSDS NO: 9477)	UNI-KEM, INC.	Maintananaa and Country Services	APPROVED		use. Follow manufacturer's label.
2423 UNITAEM CT 47373 (M3D3 NU: 9477)	ON KEW, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(GOOD ventilation. Keep containers tightly closed when not in use. Follow
2424 UNI-KEM CL 675-S (MSDS NO: 9478)	UNI-KEM, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2425 TAPCO #2200 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	TROPICAL ASPHALT	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2426 TAPCO #360 ASPHALT EMULSION	TROPICAL ASPHALT	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
		g 1100000			· · · · · · · · · · · · · · · · · · ·

					Wear nitrile rubber/neoprene aloves and chemical enlash appales. He
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved
2427 PRO QUAT 100	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		ammonia cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				FOR USE BY THE ROOFING DEPARTMENT STAFF AND CONTRACTORS ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia co
2429 ACRYFLEX	NATIONAL COATINGS CORPORATION	Roofing Products	APPROVED	APPLY WITH BRUSH ONLY. DO NOT SPRAY.	and/or organic vapor cartridge respirator. Follow manufacturer's label.
425 ACKITELA	NATIONAL COATINGS CONFORATION	Rooming Froducts	AFFROVED	AFTER WITH BROSH ONEL, BOTHOT STRAT.	
					Wear thermal protective gloves and chemical splash goggles. Use with
					for GOOD ventilation. If PEL/TLV is exceeded, wear NIOSH approved orga
430 RIDGLASS-HIGH PROFILE HIP & RIDGE	RIDGLASS MANUFACTURING COMPANY, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	vapor/P100 cartridge respirator. Follow manufacturer's label.
432 TINCTURE OF GREEN SOAP	L. T. YORK CO.	Nursing Services Products	APPROVED		Follow manufacturer's label.
		, , , , , , , , , , , , , , , , , , ,			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear a NIOSH approved HEPA cartr
433 CARPET CLEANER	D. T. ENTERPRISES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
434 HI HIDE WHITE, EXTERIOR 100% ACRYLIC FLAT FINISH (# 4501-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		T diff. T loadets	ATTROVED		* 1
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri
136 NIBAN GRANULAR BAIT	NISUS CORPORATION	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas/PIC
137 NIBAN-FG FINE GRANULAR BAIT	NISUS CORPORATION	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
107 THORIS TO TIME ORANGOAK DAIT	MODE SORI ORATION	resticide/ nerbicide Products	AFFRUVED	LOTHNOIANG ONLI.	• 1
					Wear rubber/neoprene gloves and chemical splash goggles. Use with
438 LACTOSE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with
439 D-XYLOSE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with a
140 MALTOSE MONOHYDRATE	SPECTRUM CHEMICAL MFG. CORP.				
140 MALTOSE, MONOHYDRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile/ neoprene gloves and chemical splash goggles. Use with 0
441 GALACTOSE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with
142 SULFANILIC ACID	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		ventilation. Follow manufacturer's label.
		55/155/11/5445/5	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
143 SODIUM HYDROXIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
144 TARTARIC ACID	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
INTANO AOID	G EO TROM OTERMORE MI O. OOR .	SCHOOLFICAGETS	AITROVED		* 1
					wedi filalie rabber/fieoprene gioves and chemical spidsir goggies. os
145 FOREST FRESH (PRODUCT # 220)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		
145 FOREST FRESH (PRODUCT # 220)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label.
145 FOREST FRESH (PRODUCT # 220)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
		·			GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve
	TREK ALLIANCE, INC. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Foliow manufacturer's label.
		·			GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Foliow manufacturer's label.
		·			GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
46 ENVIRONMENTALTNT		·			GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
146 ENVIRONMENTALTN'T	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator. Follow manufacturer's label.
146 ENVIRONMENTALTN'T	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
146 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210)	TREK ALLIANCE, INC. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation if the described symptoms occur, wear NIOSH approximations of the program of the progra
146 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. If the described systoms occur, wear NIOSH approving or cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systoms occur, wear NIOSH approving or cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approving or cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation in the described symptoms occur, wear NIOSH approving or cartridge respirator. Follow manufacturer's label.
146 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210)	TREK ALLIANCE, INC. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NiOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NiOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approver organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation in the described symptoms occur, wear NiOSH approversion of the control of th
146 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210)	TREK ALLIANCE, INC. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPUICATION	GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approvers of the province
46 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER	TREK ALLIANCE, INC. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approvers of the province
46 ENVIRONMENTAL TINT 47 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED PER SCAQMID RULE 1188- ADHESIVE AND SEALANT APPLICATION: 9/1/01 VOC LIMITS	GOOD ventilation. If the described syptoms occur, wear NIOSH approving or cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approving or cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approving or cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the control of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the control of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the control of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the control of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the control of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approgram of the splash goggles. Us GOOD ventilation of the splash goggles. Us GOOD ventilation of the splash goggles. Us GOOD ventilation of the spla
46 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE W. S-VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label.
46 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approvaganic vapor cartridge respirator, Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE WS-VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver
46 ENVIRONMENTALTNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE W.S. VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear nubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
46 ENVIRONMENTAL TNT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 49 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CINCULATING SYSTEM. USE W.S. VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded or any of the described exposure symptoms occur, we
146 ENVIRONMENTAL T'NT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 149 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approver organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approvers or vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE WESTELLIATING Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded or any of the described exposure symptoms occur, we approved organic vapor cartridge respirator. Follow manufacturer's label.
146 ENVIRONMENTAL T'NT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 149 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NiOSH approve vapor cartridge respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NiOSH approve vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approversariation approved to the companies of
146 ENVIRONMENTAL TINT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 149 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED		GOOD ventilation. If the described systoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. GOOD ventilation if the described systoms occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approversance of the control of th
446 ENVIRONMENTAL TNT 447 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 449 QC 31 NEUTRAL CLEANER 450 BR-829 EPOXY ADHESIVE PART A	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. GOOD ventilation in the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE W.S. VENTILATION. Wear nitrilie rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded or any of the described exposure symptoms occur, we approved organic vapor cartridge respirator. Follow manufacturer's label.
148 ENVIRONMENTAL TINT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 149 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A 451 ZEPARADE SEALER (Product Number: 2018)	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. GOOD ventilation in the described systems occur, wear NIOSH approve vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approorganic vapor cartridge respirator, Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE W.S. VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded or any of the described exposure symptoms occur, we approved organic vapor cartridge respirator. Follow manufacturer's label.
148 ENVIRONMENTAL TINT 147 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 149 QC 31 NEUTRAL CLEANER 150 BR-829 EPOXY ADHESIVE PART A 451 ZEPARADE SEALER (Product Number: 2018)	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approveragnic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NIOSH approveragnic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM USE W. 5-VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ver PEL is exceeded or any of the described exposure symptoms occur, we approved organic vapor cartridge respirator. Follow manufacturer's laber. Wear rubber/neoprene gloves and chemical splash goggles. Use with vertibation. If PEL is exceeded or if any of the described exposure symptoms occur, we approved roganic vapor cartridge respirator. Follow manufacturer's label.
446 ENVIRONMENTAL TNT 447 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 449 QC 31 NEUTRAL CLEANER 450 BR-829 EPOXY ADHESIVE PART A 2451 ZEPARADE SEALER (Product Number: 2018)	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE WEIGHTATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven FEL is exceeded or any of the described exposure symptoms occur, wear proported organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If FEL is exceeded or I any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
445 FOREST FRESH (PRODUCT # 220) 446 ENVIRONMENTAL TN'T 447 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 449 QC 31 NEUTRAL CLEANER 450 BR-829 EPOXY ADHESIVE PART A 2451 ZEPARADE SEALER (Product Number: 2018)	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE W. VENTILATION. Wear nitrile rubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ven PEL is exceeded or any of the described exposure symptoms occur, wear approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded or if any of the described exposure symptom cocur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
446 ENVIRONMENTAL TNT 447 ENVIRONMENTAL DEGREASER (PRODUCT # 210) 449 QC 31 NEUTRAL CLEANER 450 BR-829 EPOXY ADHESIVE PART A 2451 ZEPARADE SEALER (Product Number: 2018)	TREK ALLIANCE, INC. TREK ALLIANCE, INC. ECOLAB INC. BURKE FLOORING PRODUCTS ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation in the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation in the described systems occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approver organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approver organic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT IN A CLOSED AIR CIRCULATING SYSTEM. USE WEIGHTATION. Wear Intilier lubber/neoprene gloves and chemical splash Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ven FEL is exceeded or any of the described exposure symptoms occur, we approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and chemical splash gaggles. Use with ventilation. If FEL is exceeded or I any of the described exposure symptoccur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear rubber/neoprene gloves and chemical splash goggles.Use with GOOD
					ventilation.If PEL is exceeded or if any of the described symptoms occur, wea
2454 ZEPTONE SEALER	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
2404		mantenance and operations i readets	ATTROVES		Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded or any of the described exposure symptoms
					occur,wear NIOSH approved organic vapor cartridge respirator. Follow
2455 ZEP SEAL 25	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear long rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure symptoms occur, wear Ni
					approved organic vapor/acid gas cartridge respirator. Follow manufacturer
2456 BRAVO EXTRA HEAVY DUTY STRIPPER]	S.C. JOHNSON & SONS, INC.	Floor Care Products	APPROVED		label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2457 LECTRON 2000 AERO	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
240) EOTRON 2000 AERO	SELIO OTEMIOAE INDOOTNIES	Muniteriance and Operations Froducts	AFFROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur,wear NIOSH
2458 HOOP DREAM GYM FLOOR SEALER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2459 KILLMASTER II & 6 MONTHS PEST CONTOL	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2460 ACS-OW / ACS-W	AMERICAN INDUSTRIAL SUPPLY INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	·				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
					approved Dust/Mist respirator WHEN MIXING OR LOADING. Do not create dust.
2461 BIO-BLAST TM BIOLOGICAL TERMITICIDE	ECOSCIENCE CORPORATION				
2461 BIO-BLAST IM BIOLOGICAL TERMITICIDE	ECOSCIENCE CORPORATION	Pesticide/Herbicide Products	APPROVED		Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2462 BIO FRESH	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED		respirator. Follow manufacturer's label. For the use of HVAC contractor.
					CAUTION: Flammable. Do not store or use near ignition sources. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2463 TAC-N-HOLD II AEROSOL (PRODUCT CODE: 5629)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE PERSONNEL ONLY.	respirator. Follow manufacturer
					. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100/acid gas
2465 K13 SPRAY FIBERS	INTERNATIONAL CELLULOSE CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2405 KIS SI KAT FIBERS	INTERNATIONAL CLEEDEOSE CORFORATION	Maintenance and Operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2466 SK-2000	INTERNATIONAL CELLULOSE CORPORATION	Maintenance and Operations Products	APPROVED	APPROVED FOR OUTDOOR USE BY MAINTENANCE PERSONNEL ONLY.	cartridge respirator. Follow manufacturer's label.
2467 ELECTRO MIST BAMBOO (PRODUCT NO. 1057FAB)	SUPERCO SPECIALITY PRODUCTS	Office Products	APPROVED		Follow manufacturer's label.
					AVOID GRINDING OR CUTTING THE MATERIAL WITH DRY CUT SAWS. Wear nitrile
					rubber/neoprene gloves and tight fitting goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved PM 100 vapor cartridge respirator. Foll
2468 WONDERBOARD PRODUCTS	CUSTOM BUILDING PRODUCTS.INC.	Floor Care Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Store in a cool, dry area. Keep container tightly closed whe
2469 S-230 EPOXY ADHESIVE-PART A	ARMSTRONG	Adhesive Products	APPROVED		
2400 S 200 EFOAT ADHESIVE PART A	Aumorrono	Adhesive Floducts	AFFRUVED		not in use. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
		Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2474 SOLVENT PROTECTOR	DYNACHEM DIVISION OF COBB CARPET SUPPLY CO.				
2474 SOLVENT PROTECTOR 2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK	DYNACHEM DIVISION OF COBB CARPET SUPPLY CO. 3M	Maintenance and Operations Products	APPROVED		
			APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
			APPROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fc
			APPROVED APPROVED		
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK	ЗМ	Maintenance and Operations Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK	ЗМ	Maintenance and Operations Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2476 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200	3M MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK	ЗМ	Maintenance and Operations Products			PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2476 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200	3M MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200 2477 MCKAY CHEM DRY CLENE #300	3M MANTEK, DIVISION OF NCH CORP. MCKAY CHEMICAL CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2476 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200	3M MANTEK, DIVISION OF NCH CORP.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200 2477 MCKAY CHEM DRY CLENE #300	3M MANTEK, DIVISION OF NCH CORP. MCKAY CHEMICAL CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventillation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200 2477 MCKAY CHEM DRY CLENE #300	3M MANTEK, DIVISION OF NCH CORP. MCKAY CHEMICAL CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label.
2476 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200 2477 MCKAY CHEM DRY CLENE #300	3M MANTEK, DIVISION OF NCH CORP. MCKAY CHEMICAL CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY.	PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilatio
2475 3M BRAND FIRE BARRIER CP-25 WB WATER BASED CAULK 2476 ELECTRA 200 2477 MCKAY CHEM DRY CLENE #300 2479 SPECIAL BASECOAT RESIN COMP. "A"	3M MANTEK, DIVISION OF NCH CORP. MCKAY CHEMICAL CO. CROSSFIELD PRODUCTS CORP.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED		PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilatio PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For manufacturer's label. Wear rubber/neoprene gloves and splash gaggles. Use with GOOD ventilatio PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For perfect perfect of the perfect pe

					Wage with a facebrane alouge and enlach accades the with COOR contiletion
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2482 SCYTHE HERBICIDE	MYCOGEN CORP.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					THIS IS A RE-EVALUATION OF THIS PRODUCT. USE DURING NON-WORKING HOUR
					ONLY, AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE
					IGNITION SOURCE. HAVE A CLASS B OR ABC FIRE EXTINGUISHER AVAILABLE DURIN
					USE. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH-
4025 (H1) QUINPLEX FOOD MACHINERY LUBRICANT (AEROSOL					approved organic vapor cartridge respirator with a dust/fume/mist prefilter
2483 FORM)	LUBRICATION ENGINEERS, INC.	Maintenance and Operations Products	APPROVED		during use. USE WITH GOOD VENTILATION. Follow manufacturer's label.
	<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2484 LIQUID EXTRACTION CLEANER	INTERCHEM CORP.				cartridge respirator. Follow manufacturer's label.
2484 LIQUID EXTRACTION CLEANER	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2485 7012 POWDERED HAND/DISH SOAP	INTERCHEM CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2487 UL 404 DYNAMITE CLEANER AND DEGREASER	HANSON-LORAN CHEMICAL CO.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(1000)	HENKEL CORPORATION				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2488 METYLAN WHEAT WALLPAPER PASTE (43735,43736,43737)	HENKEL CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2489 DARK CUTTING OIL	HERCULES CHEMICAL CO., INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2490 CLEAR CUTTING OIL	HERCULES CHEMICAL CO., INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fo
2491 R-D (ROOT DESTROYER)	HERCULES CHEMICAL CO., INC.	Malatan and Consetting Book at	APPROVED		manufacturer's label.
2491 K-D (ROOT DESTROTER)	HERCOLES CHEMICAL CO., INC.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2492 PRO DOPE	HERCULES CHEMICAL CO., INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2493 STA-PUT	HERCULES CHEMICAL CO., INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2496 EMS TRIUMPH	E.W. SMITH CHEMICAL CO.	Malatan and Consetting Books	APPROVED		cartridge respirator. Follow manufacturer's label.
2496 EMS IRIUMPH	E.W. SMITH CHEMICAL CO.	Maintenance and Operations Products	APPROVED		
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. For
2498 RE INFORCE (#7091)	SUPERCO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles or face shield. V
					rubber boots or rubber soled shoes. Wear impervious long sleeved clothing.
					with GOOD ventilation.If PEL is exceeded,wear Acid/gas cartridge respirator.
2500 WAX ELIMINATOR (NO: 1131)	MAINTEX INC.	Floor Care Products	APPROVED		approval of this p
					Wear polyvinyl alcohol (PVA) gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PI
(cartridge respirator. Use and store away from any ignition sources. The appr
2501 WOOD FILLER (790& 791)	DYNATRON/ BONDO CORPORATION	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY CARPENTRY DEPARTMENT ONLY.	of this product is fo
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	WILSHIRE PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2502 3210 COLOR IN WHITE EGG WHITE					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2502 3210 COLOR IN WHITE EGG WHITE					
2502 3210 COLOR IN WHITE EGG WHITE					GOOD ventilation. Use and store away from heat or open flame The approve
2502 3210 COLOR IN WHITE EGG WHITE					GOOD ventilation. Use and store away from heat or open flame. The approva
	TURNS OUT HOLOOUTH				this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US
2503 INSTANT TARNISH REMOVER	EMPIRE CHEMICA COMPANY	Maintenance and Operations Products	APPROVED		this product is for the use of musical equipment repair shop only. The us shall be trained on the saf
	EMPIRE CHEMICA COMPANY SOPREMA INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE U
2503 INSTANT TARNISH REMOVER		<u> </u>			this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only.
2503 INSTANT TARNISH REMOVER		<u> </u>			this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2503 INSTANT TARNISH REMOVER		<u> </u>			this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINBED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. The appro-
2503 INSTANT TARNISH REMOVER 2504 SOPRACOLLE		Maintenance and Operations Products			this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation, Use and store away from any ignition sources. The approthis product is FOR THE OUTDOOR USE OF THE ROOFING DEPARTMENT PERSONI
2503 INSTANT TARNISH REMOVER	SOPREMA INC.	<u> </u>	APPROVED		this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. The appro- this product is FOR THE OUTDOOR USE OF THE ROOFING DEPARTMENT PERSONN ONLY. Air conditioning SHALL
2503 INSTANT TARNISH REMOVER 2504 SOPRACOLLE	SOPREMA INC.	Maintenance and Operations Products	APPROVED		this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. The approx this product is FOR THE OUTDOOR USE OF THE ROOFING DEPARTMENT PERSONN ONLY. Air conditioning SHALL Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2503 INSTANT TARNISH REMOVER 2504 SOPRACOLLE	SOPREMA INC.	Maintenance and Operations Products	APPROVED		this product IS FOR THE USE OF MUSICAL EQUIPMENT REPAIR SHOP ONLY. THE US SHALL BE TRAINED ON THE SAF For contractor use in new construction or at unoccupied sites only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Use and store away from any ignition sources. The approx this product is FOR THE OUTDOOR USE OF THE ROOFING DEPARTMENT PERSONN ONLY. Air conditioning SHALL

					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation
2509 CERTANE 4000 LEADCOAT	CERTANE, INC.	Maintenance and Operations Products	APPROVED		Wear NIOSH approved P100 cartridge respirator. Follow manufacturer's labe
2309 021/14/12 4000 22100011	OLITARI, ITO.	maintenance and operations Products	AFFROVED		wear meeting proved meeting continues and mage respirates in each management of table
					GENERAL PURPOSE LUBRICANT Wear nitrile rubber/neoprene gloves and cher
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
2510 ADVANEX 10	STS	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Harmful if absorbed through skin: wear nitrile rubber/neoprene gloves. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 filter cartrid
2512 ADVANCE GRANULAR CARPENTER ANT BAIT	WHITMIRE MICRO-GLEN RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY APRROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS	respirator. Do not apply directly to water. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilati
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. F
2515 LIQUID PORCELAIN SLIP	KAIS INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilate
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2516 KANO KROIL	KANO LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2517 AEROKROIL	KANO LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. The approva
					this product is for one time ONLY. Wear NIOSH approved organic vapor car
2518 CLEAN-N-FRESH HAIR FLUSH	KEM MFG. CORP.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2519 CUTTING OIL TM-793A	MECHANICS CHOICE	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2520 ELECTRIC MOTOR CLEANER TM-1568	MECHANICS CHOICE	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2521 ACETONE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
ATTAC PROMOODERS RUPPUS	ODECTRUM OUTS HOLD MED GODD				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2522 BROMOCRESOL PURPLE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2523 POTASSIUM PHOSPHATE, DIBASIC	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2323 TOTASSION THOSTIATE, DIBASIC	SECTROM CHEMICAL MI O. CORE.	SCHOOL FIOGUES	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2524 HYDROGEN PEROXIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2324		SCHOOLFIOGGES	AFFROVED		Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilat
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2525 METHYLENE BLUE CHLORIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2527 ZINC	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2528 CRYSTAL VIOLET	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2529 POTASSIUM DICHROMATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2530 SILVER CHLORIDE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2531 SILVER NITRATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilo
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator.
2532 POTASSIUM HYDROGEN PHTHALATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2533 SULFUR	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2534 SODIUM THIOSULFATE	SPECTRUM CHEMICAL MFG. CORP.	School Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2535 ALL PURPOSE BLIND CLEANER LIQUID (1001,1005'1128)	GENLABS	Maintenance and Operations Products	APPROVED	manufacturer's label.
2535 ALE FOR OSE BEIND CLEANER EIQUID (1001,1003 1120)	CENERADS	maintenance and operations riodacts	AFFROVED	
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2536 DOWELANCO DURSBAN PRO	DOWELANCO	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2538 3M BRAND GLASS CLEANER CONCENTRATE	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation.
2539 130 BLACK TRAFFIC COATING	CAL-WESTERN PAINTS	Paint Products	APPROVED	For intermitten use for paint shops only. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation. If
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2540 GRENADIER	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation.If any of the described exposure symptoms occur, wear NIOSH
and the cool and close with the (ED. A. M.)	UNITED COATINGS			
2541 EPOQUA II GLOSS WHITE (EP-A-W)	UNITED COATINGS	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If any of the described exposure symptoms occur, wear
2542 EPOQUA II PART B (EP-B)	UNITED COATINGS	Paint Products	APPROVED	organicvapor/acid/gas cartridge respirator.Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2543 EPOQUA III WHITE & T.B. PART A (EP-III-TB-A)	UNITED COATINGS	Paint Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear organic
2544 EPOQUA III PART B 4:1 (EP-III-B)	UNITED COATINGS	Paint Products	APPROVED	, , , , , , , , , , , , , , , , , , , ,
2544 EFOQUA III FART B 4.1 (EF-III-B)	UNITED COATINGS	Paint Products	APPROVED	vapor cartridge respirator. Follow the manufacturer's label.
4				Wear latex gloves and chemical splash goggles. Use with GOOD
2546 PINK DISH WASH (2055)	GENLABS	Food Services Products	APPROVED	ventilation.Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2548 MIRACHEM 500 CLEANER/DEGREASER	THE MIRACHEM CORPORATION	Automotive Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2549 PCT (PROCESS COOLING TMT)	NATIONAL CHEMICAL	Maintenance and Operations Products	APPROVED	approved Acid/gas cartridge respirator. Follow manufacturer's label.
				Wear rubber gloves,long sleeve shirt,trousers and safety shoes when handling.
				Wear chemical splash goggles or face shield. Use with GOOD ventilation. Follow
2550 ROOTX (EPA REG.: 68464-1	GENLABS	Pesticide/Herbicide Products	APPROVED	manufacturer's label.
2000(1 ostolad filoribidad i rodado	ATTROVES	Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur,wear NIOSH
2551 LEADLOCK TM CLEAR SURFACE COATING	GLOBAL ENCASEMENT	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear PVA gloves and chemical splash goggles. Use with GOOD ventilation. If PEL
				is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use
				and store away from any ignition sources. The approval of this product is for the
2552 LIGHTWEIGHT BODY FILLER	DYNATRON/ BONDO CORPORATION	Maintenance and Operations Products	APPROVED	intermittent us
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2553 Asphalt Plus / Asphalt Plus 02	BIO D PRODUCTS 11	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
2000		manitoriarios ana operations i roducti	ATTROVED	TEFLON LUBRICANT Wear nitrile rubber/neoprene gloves and chemical splash
				goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
2554 TEFLON (R) LUBE PTFE	STS	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				cartridge respirator. Wear nitrile gloves and impervious clothing as needed.
2557 SUPERLIFE-316 DTMR	BURKE INDUSTRIAL COATINGS	Maintenance and Operations Products	APPROVED	Follow manufacturer's label.
		-		Wear chemical splash goggles. Use with GOOD ventilation. If any of the
				described symptoms occur, wear NIOSH approved organic vapor cartridge
2559 TOTAL PREP	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED	respirator. Follow manufacturer's label.
		- antirodado		Wear chemical splash goggles. Use with GOOD ventilation. If any of the
ARRA DEDIM FLOOD	TIPPETTO NEWPORT OF THE	-1		described symptoms occur, wear NIOSH approved organic vapor cartridge
2560 PERMA FLOOR	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If misting occurs, wear NIOSH approved respirator with P100
2564 SEAL-KRETE GRAFFITTI	SEAL-KRETE, INC.	Graffiti Products	APPROVED	cartridges. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
2565 TERRO ANT KILLER II	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		respirator. Follow manufacturer's label.
2303 TERRO ATT RELECT	TAIT TAILING & ROOLING INC.	resticide/fierbicide rroddcts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Wear NIOSH approved organic vapor/P100 cartridge respirato
2567 WETTING CONCENTRATE FOR ASBESTOS REMOVAL	AMERICAN COATING CORP.	Maintenance and Operations Products	APPROVED		Wear impervious clothing and boots. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR USE BY FLOOR COVERING DEPT. AND	Wear neoprene gloves and eye protection. Use with GOOD ventilation. Follow
2568 BR-103 WHITE ACRYLIC COVE BASE ADHESIVE	BURKE FLOORING PRODUCTS	Adhesive Products	APPROVED	TECHNICAL SERVICES UNIT ONLY.	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2571 HENRY 430 CLEAR THIN SPREAD FLOOR TILE ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If using indoors, open all windows and doors to ensure fresh of
					movement. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2573 MINWAX WOODSHEEN(R) RUBBING OIL STAIN & FINISH-ALL SH	IADES MINWAX COMPANY DIVISION	Paint Products	APPROVED		respirator. Follow
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2574 RUST STAIN REMOVER	MISSION LABORATORIES	Malakas and On continue Books at	APPROVED		
25/4 RUST STAIN REMOVER	MISSION LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2575 BIG D WATER SOLUBLE DEORDORANT, SUNBURST (#672)	BIG D INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2576 GLOSS BLACK (# 1979)	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2577 APPLE RED (# 1966)	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
, ,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
OFTO TRAFFIC DAINT MUITE (6700)	VISTA PAINT CORPORATION	Polist Positivate	4 DDD 01 (FD	FOR EXTERIOR USE ONLY.	
2578 TRAFFIC PAINT WHITE (6700)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE IN DISTRICT GARAGES ONLY WITH MANUFACTURER	CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves and
				SUPPLIED MIXING STATION AND EMPLOYEE TRAINING DOCUMENTED TO	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
2579 KA INDUSTRIAL DEGREASER	HILLYARD INDUSTRIES	Automotive Products	APPROVED	EH&S.	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
					CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves and
				APPROVED FOR USE IN DISTRICT GARAGES ONLY WITH MANUFACTURER	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
2580 KA-NB CLEANER/DEGREASER	HILLYARD INDUSTRIES	Automotive Products	APPROVED	SUPPLIED MIXING STATION AND EMPLOYEE TRAINING DOCUMENTED TO EH	IS. NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
2581 HAND CLENS	WOODWARD LABORATORIES, INC.	Personal Hygiene Products	APPROVED		Follow manufacturer's label.
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic PM
2582 ENVIRO SWEEP	FRANTZ COMPANY INC.	Maintenance and Operations Products	APPROVED		100 cartridge respirator. Follow manufacturer's label.
					SEE MSDS FOR LISTING OF PRODUCT NAMES. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. Wear NIOSH approved
					P100 cartridge respirator when mixing or impacting dried material. Follow
2587 CEMENT MORTARS & GROUTS	CUSTOM BUILDING PRODUCTS.INC.				manufacturer's label.
2007 CEMENT MORTARS & OROUTS	33310W BOILDING FRODUCTS.INC.	Floor Care Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If cutting, sanding or PEL is exceeded, wear NIOSH approved
2589 KER 116-ULTRA/FLEX II WHITE	MAPEI CORPORATION	Floor Care Products	APPROVED		P100 cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR USE BY THE FLOOR COVERING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor full
2590 BOSTIK'S BEST WOODFLOOR ADHESIVE	BOSTIK INC.	Floor Care Products	APPROVED	DEPARTMENTS ONLY.	facepeice cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved organi
2591 TARKETT FB-20	TARKETT INC.	Adhesive Products	APPROVED	APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY.	vapor cartridge respirator. Follow manufacturer's label.
			-		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
DEGG COLLING & AIVMANN SEAMA SEALED #00	COLLINS & AIKMAN FLOOR COVERINGS INC.	Floor Care Products	APPROVED		
2592 COLLINS & AIKMAN SEAM SEALER #99	COLLINS & AIRMAN FLOUR COVERINGS INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
2593 WINDEX OUTDOOR	S.C. JOHNSON & SON, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Wear impervious clothing. The approval of this product is for
					the use of CERTIFIED PEST MANAGEMENT PERSONNEL ONLY. Follow manufacturer's
2594 COCKROACH ATTRACTANT TABLET (PI8068VS)	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		label.

				Wear nitriler/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
				approved Dust/mist respirator. Do not use on metals such as : aluminum,tin a
ATTACANT OF CUTTA OF TAKEN	DEL REY CHEMICAL COMPANY			
2595 MG-95 OVEN CLEANER	DEL REY CHEMICAL COMPANY	Food Services Products	APPROVED	zinc.The approval of this pr
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
				approved Acid/gas cartridge respirator. The approval of this product is for the
2596 GROEN DELIMER DESCALER	SIGNATURE PRODUCTS	Food Services Products	APPROVED	use of MANUFACTURING KITCHE
				Wear nitrile/ neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2597 MINWAX (R) POLYCRYLIC (R) PROTECTIVE FINISH	MINWAX COMPANY, INC.	Floor Care Products	APPROVED	approved organic cartridge respirator. Follow manufacturer's label.
				**REMOVED FROM USE; , held in LAUSD central warehouse pending negotiations
				return to supplier(PerBillCurrie) LAUSd CENTRAL WAREHOUSe pending
				negotiations toreturn to supplier(B.currie) Wear nitrile rubber/neoprene glove
				and chemical splash goggles. Use with GOOD ventilation. If any of the describ-
				exposure symptoms occur, wear NIOSH approved Pesticides cartridge
2598 KICKER EC INSECTICIDE (PI0566VS)	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED	respirator.wear long sleeves impervious clothing and boots.Store and use
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Use and store away from any ignition sources in proper flammable
				liquid cabinets. The approval of this product is FOR THE USE IN REPROGRAPHIC A
2600 BEST TEST PAPER CEMENT	UNION RUBBER, INC.	Graphic Arts/Photography Products	APPROVED	PHOTO SHOPS ONLY UNDER
				Post-use handling instructions: Wear nitrile rubber/neoprene gloves and
				chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
OCOF, CCIAIREIM	DUPONT CO.	Food Book on Book of	APPRODUCE	
2605 SCLAIRFILM	DUPONI CO.	Food Services Products	APPROVED	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lak
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2607 SANITRATE	CERTIFIED LABS, DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
2608 LIQUID BLEACH	T-CHEM PRODUCTS	Maintenance and Operations Products	APPROVED	manufacturer's label.
		·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2609 ERE	TED PELLA, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
2000 ENE	TEST ELLA, ING.	Multiteriance and operations Froducts	AFTROVED	Wear rubber/neoprene gloves and splash goggles. Use with GOOD ventilation
				PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foll
2611 SUPER SWEEP #20; H.D. RED OIL SWEEP	SUPERIOR CHEMICAL PRODUCTS CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2612 BORAXO WATERLESS HAND CLEANER	U.S. BORAX	Food Services Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2613 F-MATIC REFILL FRAGRANCE CARTRIDGE (GEL TYPE)	DEL REY CHEMICAL COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
2510		mantenance and operations i readets	ATTROVES	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2614 BELIEVE MASS TRANSIT VEHICLE CLEANER	S.C. JOHNSON & SON, INC.	Automotive Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2616 RUST EXREMINATOR				
ZOID RUST EXREMINATUR	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	TERAND INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	• .
2617 BRAVO	TERAND INDUSTRIES, INC. GOLDEN WEST CORP.	Maintenance and Operations Products Automotive Products		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2617 BRAVO		,	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2617 BRAVO		,		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ne
	GOLDEN WEST CORP.	Automotive Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2617 BRAVO 2618 PENETRATING GROUT SEALER (3023)		,		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	GOLDEN WEST CORP.	Automotive Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOLDEN WEST CORP.	Automotive Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	GOLDEN WEST CORP.	Automotive Products	APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with
2618 PENETRATING GROUT SEALER (3023)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC.	Automotive Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2618 PENETRATING GROUT SEALER (3023)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC.	Automotive Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation.
2618 PENETRATING GROUT SEALER (3023) 2619 LO.D. (LIQUID ODOR DIGESTER)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2618 PENETRATING GROUT SEALER (3023)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC.	Automotive Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2618 PENETRATING GROUT SEALER (3023) 2619 LO.D. (LIQUID ODOR DIGESTER)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2618 PENETRATING GROUT SEALER (3023) 2619 LO.D. (LIQUID ODOR DIGESTER)	GOLDEN WEST CORP. CUSTOM BUILDING PRODUCTS.INC. MAINTEX INC.	Automotive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If any of the described exposure symptoms occur, wed
2622 MINWAX POLYCRYLIC PROTECTIVE FINISH	MINWAX COMPANY, INC.	Floor Care Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's lab
					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
2623 KRUD KUTTER	SUPREME CHEMICALS OF GEORGIA	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
					respirator with dust/mist pre-filter. Wear impervious clothing. Follow
2624 Ultra-Hide Latex Low Lustre Interior Wall&Trim1414	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator with dust/mist pre-filter. Wear impervious clothing.
2625 Ultra-Wall Latex Eggshell Interior Wall Paint 1432	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
2020		Tallettodado	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator with dust/mist pre-filter. Wear impervious clothing.
2626 ULTRA-HIDELATEXSEMI-GLOSSINTERIORWALL&TRIMENAMEL	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
2020 SEINA TIISEEATEAGEIII SESSOIITERISITTAAEGATIIIIEE	IOT AIMS	runtriodets	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2627 ULTRA WALL LATEX LOW LUSTRE INTERIOR WALL & TRIM 1434	ICI PAINTS	Paint Products	APPROVED		cartridge respirator with dust/mist pre-filter. Wear impervious clothing. I
202/ OLINA WALL DATEA LOW LUSTRE INTERIOR WALL & TRIM 1434	ICITAIRIS	ruilt Products	APPROVED		Wage nitrile rubber/peopreps alouse and chamical enterth as ages. Use
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
AAAA JUTTA WALLATEV OFMU OLOOG INTERIOR WALLANTIAGO	IOLDANITO				cartridge respirator with dust/mist pre-filter. Wear impervious clothing.
2628 ULTRA-WALL LATEX SEMI-GLOSS INTERIOR WALLPAINT1436	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
2629 SEAL KOTE .155	VISTA PAINT CORPORATION	Delet Destructs	4.000.01/FD	Approved for use by contractors and trained Maintenance &	Fallow the manufacturer's recommendations for product storage and u
2629 SEAL KOTE 100	VISTA PAINT CORPORATION	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia/or
2630 EVERCOAT 100	EVEREST COATINGS INCORPORATED	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2631 62AFR FIRE RESISTANT FLAT WHITE WHITE LA	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2632 GARON-GLU ULTRA (ITEM # 72402)	GARON PRODUCTS, INC.	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2633 TIGERCLEAN 850 (ITEM # 75102)			APPROVED		GOOD ventilation. Follow manufacturer's label.
	GARON PRODUCTS, INC.	Maintenance and Operations Products	ATTROVED		
		Maintenance and Operations Products			Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol
2634 GREEN SOAP TINCTURE (# 1408)	MEDICAL CHEMICAL CORP.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		
		·			Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol
		·			Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
2634 GREEN SOAP TINCTURE (# 1408)		·			Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 64 ventilation. If any of the described exposure symptoms occur, wear NOS
2634 GREEN SOAP TINCTURE (# 1408)	MEDICAL CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with Ge ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab
2634 GREEN SOAP TINCTURE (#1408)	MEDICAL CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacture's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartridge respirator. Follow manufacture's lab Wear nitrile /neoprene gloves and chemical splash goggles. Use with Gr
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GC ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear ntitrile /neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV wear nitrile /neoprene gioves and chemical splash goggles. Use with GV
2834 GREEN SOAP TINCTURE (#1408) 2835 65E SEMI GLOSS WHITE 2836 85E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products	APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with GV wear nitrile /neoprene gioves and chemical splash goggles. Use with GV
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartirdge respirator. Follow manufacturer's labe. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label.
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventiliation. Fo manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label.
2634 GREEN SOAP TINCTURE (#1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fo manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
2634 GREEN SOAP TINCTURE (#1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products	APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gioves and chemical spiash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NOC approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gioves and chemical spiash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gioves and chemical spiash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gioves and chemical spiash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label.
2634 GREEN SOAP TINCTURE (#1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NO: approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear Intitle /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear Intitle /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear Intitle /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label.
2634 GREEN SOAP TINCTURE (#1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NOC approved organic vapor cartridge respirator. Fallow manufacturer's lab wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. ***IRMOVED FROM PURCHASING BID SPECSPER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash institute consultant)
2634 GREEN SOAP TINCTURE (#1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gioves and chemical splash goggles. Use with Good ventilation. If any of the described exposure symptoms occur, wear NOC approved organic vapor cartridge respirator. Follow manufacturer's lab wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. **REMOVED FROM PURCHASING BID SPECSPER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash Use with GOOD ventilation. If any of the described exposure symptoms of
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If any of the described exposure symptoms occur, wear NIO approved organic vapor cartridge respirator. Follow manufacturer's lab wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Good ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. **REMOVED FROM PURCHASING BID SPECSPER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash use with GOOD ventilation. If any of the described exposure symptoms of wear NIOSH approved dust/mist respirator with pesticides prefilter.
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear Niciapproved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NiCiSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartrespirator. Follow manufacturer's label. ***REMOVED FROM PURCHASING BID SPECSPER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash Use with GOOD ventilation. If any of the described exposure symptoms of wear NiOSH approved dusty/mist respirator with pesticides prefilter. Wea sleeve impervious clothing. The approva
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. For manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartridge respirator. Follow manufacturer's lab wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrespirator. Follow manufacturer's label. ***PEMOVED FROM PUECLANISM BID SPECSFER BILL CURRIE (Fest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash use with GOOD ventilation. If any of the described exposure symptoms a wear NIOSH approved dust/mist respirator with pesticides prefilter. Wear sleeve impervious clothing. The approved Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fo manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash gaggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. **REMOVED FROM PURCHASING BID SPECSPER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash GOOD ventilation. If any of the described exposure symptoms a wear NIOSH approved dust /mist respirator with pesticides profilter. Wea sleeve impervious clothing. The approva
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE 2639 ORTHENE TURF, TREE & ORNAMENTAL SPRAY	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO. VALENT USA CORPORATION	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. **REMOVED FROM PURCHASING BID SFCSFER BILL CURRIE (Pest managen institute consultant) Wear nitrile /neoprene gloves and chemical splash Use with GOOD ventilation. If any of the described exposure symptoms of wear NIOSH approved dust/mist respirator with pesticides prefilter. Wear sleeve impervious clothing. The approved. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GV exposure of the provided of the
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FID FLOOR PAINT WHITE 2639 ORTHENE TURE, TREE & ORNAMENTAL SPRAY	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO.	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventiliation. Fo manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Follow manufacturer's label. ***REMOVED FROM PURCHASING BID SPECSFER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash goggles. Use with G wear NIOSH approved dusty mist respirator with pesticides prefilter. Wea sleeve impervious clothing. The approva Wear nitrile /neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr respirator. Use and store away from any ignition sources. Follow manufalabel.
	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO. VALENT USA CORPORATION	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. ***REMOVED REMP MINICATAINS BIO SPECSFER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash use with 6000 ventilation. If ony of the described exposure symptoms o wear NIOSH approved dust/mist respirator with pesticides prefilter. Wea sleeve impervious clothing. The approva Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Use and store away from any ignition sources. Follow manufactors. Wear nitrile /neoprene gloves and chemical splash goggles during use.
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FIO FLOOR PAINT WHITE 2639 ORTHENE TURF, TREE & ORNAMENTAL SPRAY	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO. VALENT USA CORPORATION	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventilation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If any of the described exposure symptoms occur, wear NIOS approved organic vapor cartridge respirator. Follow manufacturer's lab Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. ***REMOVED REMP MINICATAINS BIO SPECSFER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash use with 6000 ventilation. If ony of the described exposure symptoms o wear NIOSH approved dust/mist respirator with pesticides prefilter. Wea sleeve impervious clothing. The approva Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Use and store away from any ignition sources. Follow manufactors. Wear nitrile /neoprene gloves and chemical splash goggles during use.
2634 GREEN SOAP TINCTURE (# 1408) 2635 65E SEMI GLOSS WHITE 2636 85E SEMI GLOSS WHITE 2637 9200W NEW EGGSHELL ENAMEL 2638 FID FLOOR PAINT WHITE 2639 ORTHENE TURE, TREE & ORNAMENTAL SPRAY	MEDICAL CHEMICAL CORP. WILSHIRE PAINT CO. WILSHIRE PAINT CO. WILSHIRE PAINT CO. VALENT USA CORPORATION	Maintenance and Operations Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED		Do NOT use or store near ignition sources. Use with GOOD ventillation. Fol manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventillation. If any of the described exposure symptoms occur, wear NOS approved organic vapor cartridge respirator. Follow manufacturer's lab. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Follow manufacturer's label. **REMOVED FROM PURCHASING BID SFCSFER BILL CURRIE (Pest manager institute consultant) Wear nitrile /neoprene gloves and chemical splash Use with GOOD ventilation. If any of the described exposure symptoms o wear NIOSH approved dust/mist respirator with pesticides prefilter. Wear sleeve impervious clothing. The approval organic vapor cartri respirator. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Use and store away from any ignition sources. Follow manufacturers and provided and provided organic vapor cartri respirator. Use and store away from any ignition sources. Follow manufacturers and provided and provided organic vapor cartri respirator. Use and store away from any ignition sources. Follow manufacturers and provided and provide

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrid
2642 ZAR WOOD PATCH-NEUTRAL	UNITED GILSONITE LABORATORIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2644 BETCO BEST	BETCO CORPORATION	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
2646 ARMSTRONG S-495-COMMERCIAL FLOOR SEALER	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2040		Titor care Froducts	ALLKOVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
2648 ARSENAL SUPER SHINE-ALL CONCENTRATE (#0771)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
2046 AKSENALSOFEK STIINE ALE CONCENTRATE (#0771)	THETARD INDUSTRIES	FIOOI Care Froducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
					cartridge respirator with dust/mist pre-filter. Wear impervious clothing
2649 SPEED-WALL LATEX SEMI-GLOSS INTERIOR WALL&TRIM	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
					cartridge respirator with dust/mist pre-filter. Wear impervious clothing
2650 ULTRA-HIDE DURUS ACRYLIC EXTERIOR FLAT FINISH	ICI PAINTS	Paint Products	APPROVED		manufacturer's label.
					Also: Food Services Use Wear nitrile rubber/neoprene gloves and chen
					splash goggles. Use with GOOD ventilation. If any of the described sym
					occur, wear NIOSH approved organic vapor cartridge respirator. Follov
2651 ORANGE DORE 707-B DEGREASER	AVRON CORPORATION	Automotive Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2652 ACRI-GLOSS ACRYLIC HIGH GLOSS ENAMEL - WHITE (#400)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
2653 ACRI-SHEEN ACRYLIC SEMI GLOSS ENAMEL - WHITE (#477)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2003 ACKI SHELIVACKIEG SEMI OLOSS ENAMEE WHITE (#477)	CAL WESTERIO AIRTS	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved Pesticide re
					Wear impervious clothing. The approval of this product is FOR THE USE
2654 AERO-CIDE (Contact Insecticide Formula 1)	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		MANAGEMENT PERSONNEL
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
					cartridge respirator. Wear impervious clothing. The approvalof this pro-
2655 CYTOCT TM(CRACK&CREVICEPRESSSURIZEDRESIDUALFORMUI)	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		FOR THE USE OF PEST MANAGEME
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
2656 TAPCO #363 FIBERED ASPHALT EMULSION ROOF CEMENT	TROPICAL ASPHALT	Dareffer a Dare de cata	APPROVED	ADDROVED FOR CUTDOOD HOT BY THE DOOFING DEPARTMENT ONLY	
		Roofing Products		APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
		Rooting Products		APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	
		Rooting Products		APPROVED FOR OUTDOOK USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
2657 TAPCO #410 QUICK DRY PRIMER	TROPICAL ASPHALT	-		APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
2657 TAPCO #410 QUICK DRY PRIMER	TROPICAL ASPHALT	Roofing Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
2857 TAPCO #410 QUICK DRY PRIMER	TROPICAL ASPHALT	-			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
		Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
	TROPICAL ASPHALT TROPICAL ASPHALT	-			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
		Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE	TROPICAL ASPHALT	Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE		Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
1858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE	TROPICAL ASPHALT	Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE	TROPICAL ASPHALT	Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE	TROPICAL ASPHALT TROPICAL ASPHALT	Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL. HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Secueded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
658 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 659 TAPCO #900 WHITE ROOF PAINT	TROPICAL ASPHALT	Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE	TROPICAL ASPHALT TROPICAL ASPHALT	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Foliow manufacturer's label.
2657 TAPCO #410 QUICK DRY PRIMER 2658 TAPCO #711 COLD PROCESS/LAP CEMENT ASSESTOS FREE 2659 TAPCO #900 WHITE ROOF PAINT 2660 POLYTECH POUR B-COMPONENT	TROPICAL ASPHALT TROPICAL ASPHALT	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Secueded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
2658 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2659 TAPCO #900 WHITE ROOF PAINT	TROPICAL ASPHALT TROPICAL ASPHALT	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Foliow manufacturer's label.
2658 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2659 TAPCO #900 WHITE ROOF PAINT	TROPICAL ASPHALT TROPICAL ASPHALT	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation if IPEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2859 TAPCO #900 WHITE ROOF PAINT 2860 POLY TECH POUR B-COMPONENT	TROPICAL ASPHALT TROPICAL ASPHALT FAI INTERNATIONAL, INC.	Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var Ventilation of PEL is exceeded, wear NIOSH approved organic var Ventilation.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2859 TAPCO #900 WHITE ROOF PAINT 2860 POLY TECH POUR B-COMPONENT	TROPICAL ASPHALT TROPICAL ASPHALT FAI INTERNATIONAL, INC.	Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Foliow manufacturer's label.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2859 TAPCO #900 WHITE ROOF PAINT 2860 POLYTECH POUR B-COMPONENT 2861 POLYTECH SINGLE COMPONENT POLYURETHANE SYSTEM	TROPICAL ASPHALT TROPICAL ASPHALT FAI INTERNATIONAL, INC.	Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, weer NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2859 TAPCO #900 WHITE ROOF PAINT 2860 POLY TECH POUR B-COMPONENT	TROPICAL ASPHALT TROPICAL ASPHALT FAI INTERNATIONAL, INC. FAI INTERNATIONAL, INC.	Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Foliow manufacturer's label.
2858 TAPCO #711 COLD PROCESS/LAP CEMENT ASBESTOS FREE 2859 TAPCO #900 WHITE ROOF PAINT 2860 POLY TECH POUR B-COMPONENT 2861 POLY TECH SINGLE COMPONENT POLYURETHANE SYSTEM	TROPICAL ASPHALT TROPICAL ASPHALT FAI INTERNATIONAL, INC. FAI INTERNATIONAL, INC.	Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDIN MUST BE MAINTAINED DURING APPLICATION.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described syptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.

					Wear nitrile neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Use and store away from any ignition sources. The approval of this
					product is FOR THE USE OF PEST MANAGEMENT USE ONLY. Follow manufacturer's
2666 WASP & HORNET SPRAY	SPEAR PRODUCTS, INC.	Pesticide/Herbicide Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources. Follow
2667 STAINLESS STEEL CLN, AEROSOL	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
2007 STAINLESS STEEL CLIV, AEROSOL	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2668 INDUSTROCLEAN HEAVY DUTY CLEANER	AMWAY CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2669 PURSUE GERMICIDAL CONCENTRATE	AMWAY CORPORATION	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/HEPA
2670 MULTIBOND 120	CARBOLINE COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2070 Mochiborio 120	CARDOLINE COMM ANT	runtriodatis	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge
2671 NEUTRAL CLEANER (NO: 01052)	GENLABS	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2672 FLOOR CONDITIONER & NEUTRALIZER (NO: 48581)	STEARNS PACKAGING CORPORATION	Maintenance and Operations Products	APPROVED	For window grills washing	GOOD ventilation. Avoid creating dust. Follow manufacturer's label.
					This product is a natural citrus parts washing solvent. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Keep container tightly closed when not in use. Use and store away
2673 EXTRA (NO: 5187)	SUPERCO	Graphic Arts/Photography Products	APPROVED		from ignition sourc
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2675 WAXIE W-400 NON-AMMONIATED STRIPPER 6XI	WAXIE SANITARY SUPPLY	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
2676 JECTA DIFFUSIBLE BORACIDE	NISUS CORPORATION	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
26/6 SECTA DITTOSIBLE BORACIDE	NISUS CORFORATION	resticide/ nei bicide ri oddcts	AFFROVED	TECHNICIANS ONET.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
APP SHEETS - ASPHALT COATED POLYESTER MAT & FIBROUS GLASS					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P101
2677 MAT	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
MODIFIED ASPHALT ROOFING PRODUCTS/ASPHALT/ELASTOMER				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10
2678 COATED	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Roofing Products	APPROVED	DEPARTMENT ONLY. REFER TO MSDS FOR A LIST OF TRADE NAMES.	cartridge respirator. Follow manufacturer's label.
		3			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2679 SAF-CLEAN	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY ELECTRICAL, HVAC AND MACHINE SHOP STAFF ONL	
2680 GLASS GOBBLER PREMOISTENENED CLEANING TOWEL	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2681 LPS MAGNUM TEFLON LUBRICANT	LPS LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		F			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2682 LPS I GREASELESS LUBRICANT	LPS LABORATORIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
ZUGZ LI S I ONLASELESS LUDRIUAINI	LI S LADORA FORIES, INC.	wurnenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure symptoms occur, wear NIC
					approved organic vapor cartridge respirator. The approval of this product is
2683 LIMELIGHT-FLUORESCENT GAS LEAK DETECTOR (NO:97973)	LAWSON PRODUCTS, INC.	HVAC Products	APPROVED		THE USE OF HVAC SHOPS
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceded, wear NIOSH approved organic vapor cartri
					respirator. Use and store away from any ignition sources. Follow manufacture
2004 T-A-I 5 (PETROLEI IM HYDROC ARRONI MIYTI IDE)	WD-40 COMPANY	Maintananae and Operations Constitute	ADDDOVED		label.
2684 T-A-L 5 (PETROLEUM HYDROCARBON MIXTURE)	WD 40 COMPANY	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2685 PETRON PLUS THE ENGINE CONDITIONER (PART NO. 12121 & 12841)	PETRONOMICS MANUFACTURING GROUP, INC.	HVAC Products	APPROVED	THIS PRODUCT IS FOR USE BY THE HVAC UNIT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear a NIOSH approved HEPA (P100)
2689 HUSKY KLEEN	GREENLINE LABORATORIES	Food Sorvices Brodusts	APPROVED		
ZUOS TIUSKI KLLEIN	ORLENDINE DABORATORIES	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2690 ALL FABRIC BLEACH (NON CHLORIANATED)	GREENLINE LABORATORIES	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.

					Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear a NIOSH approved organic vapor cartri
2692 FLO KEM HEAVY DUTY DEGREASER	FLO-KEM, INC.	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2694 BONASPORT SUPERSPORT SEALER (#80510)	BONAKEMI USA, INC.	Paint Products	APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturing labe
2094 BONASPORT SUPERSPORT SEALER (#00510)	BONAKEMI OSA, INC.	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF OUTSID
2695 CALGLAZE WATERBORNE EPOXY (ID: PART A WHITE 0500)	CAL-WESTERN PAINTS	Paint Products	APPROVED	FOR THE USE OF OUTSIDE CONTRACTORS ONLY.	CONTRACTORS ONLY. Follow manufa
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF OUTSIE
2696 CALGLAZE WATERBORNE EPOXY (ID: PART B CLEAR-0500)	CAL-WESTERN PAINTS	Paint Products	APPROVED	FOR THE USE OF OUTSIDE CONTRACTORS ONLY.	CONTRACTORS ONLY. Follow manufa
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ENGARD 400FD (844) WHITE BASE (PRODUCT CODE :					cartridge respirator. Use and store away from any ignition sources. Do not
2697 400FD844W)	ENGARD COATINGS DIV. OF ELLIS PAINT)	Desirat Dan du cata	APPROVED	FOR THE USE OF OUTSIDE CONTRACTORS ONLY.	dispose of containers unless it i
209/ 400FD044W)	ENGARD COATINGS DIV. OF ELLIS PAINT)	Paint Products	APPROVED	FOR THE USE OF OUTSIDE CONTRACTORS ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
2698 CLING BRIGHT (PRODUCT CODE: 303)	CARROLL COMPANY	Food Services Products	APPROVED		GOOD ventilation. Store containers tightly closed . Follow manufacturer's lo
					Wear nitrile rubber/neoprene gloves and CHEMICAL SPLASH GOGGLES. Use
					GOOD ventilation. Wear impervious clothing. The approval of this product
2699 SLAM DUNK	SUPERCO	Maintenance and Operations Products	APPROVED		THE USE OF PLUMBING SHOPS ONLY. Follow manufacturer's label.
2000		mantonance and operations i readets	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
					cartridge respirator. The approval of this product IS FOR THE USE OF ROOFIN
2700 NEO-FLEX ELASTOMERIC ACRYLIC WH (NO;7100)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CNTACTORS ONLY A
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If any of the described exposure symptoms occur, wear
2701 RTV SILICONE LV. RED (NO: 932060	LAWSON PRODUCTS, INC.	Automotive Products	APPROVED		approved organic vapor/Hepa cartridge respirator. Follow manufacturer's
					SEE ATTACHED MSDS FOR A LIST OF PRODUCT NAMES THIS APPROVAL APPLIES
					Wear safety glasses with side sheilds. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufac
2702 ROLL ROOFING - LEATHER BACK (MSDS #1031)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED		label.
2/62		Nooming Troddets	ATTROVED		SEE ATTACHED MSDS FOR A LIST OF PRODUCT NAMES THIS APPROVAL APPLIES
					Wear safety glasses with side shields. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufac
2703 ROLL ROOFING - GAFGLAS BUR MEMBRANES (MSDS #1005)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED		label.
					Do NOT mix with other cleaning chemicals. Wear nitrile rubber/neoprene of
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded
					NIOSH approved organic vapor and HEPA cartridge respirator. Follow
2704 ALL FABRIC BLEACH	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					The approval of this product is for OUTSIDE USE BY ROOFING SHOPS ONLY. D
					store or use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gl
				THIS PRODUCT IS APPROVED FOR USE BY THE ROOFING DEPARTMENT AND	and chemical splash goggles. Use with GOOD ventilation. If PEL is exceede
2705 FM POLYESTER STITCHBONDED AND KNIT FABRICS					
	FARROW MANUFACTURING INC.	Maintenance and Operations Products	APPROVED.	CONTRACTORS ONLY.	
2703 TMT GETEGER GITTOT BOTT BETT BETT BOTT BOTT BOTT BOTT	FARROW MANUFACTURING INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr
2703 1 111 0212021 011101 1201022 2110 1111 1 1 1	FARROW MANUFACTURING INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with good
		·		CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with gooventilation. If PEL is exceeded, wear NIOSH approved organic vapor/ammo
2706 GLASS CLEANER	FARROW MANUFACTURING INC. THE DARRON COMPANY, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goo
		·		CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goo ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/ammo
		·		CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with gov ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label.
		·		CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v
2706 GLASS CLEANER	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear
		·		CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe
2706 GLASS CLEANER	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe
2706 GLASS CLEANER	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goo ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amme cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
2706 GLASS CLEANER	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goo ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amme cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1)	THE DARRON COMPANY, INC. PARKS CORPORATION	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nittile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE	THE DARRON COMPANY, INC. PARKS CORPORATION RIKETT A.S.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1)	THE DARRON COMPANY, INC. PARKS CORPORATION	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE	THE DARRON COMPANY, INC. PARKS CORPORATION RIKETT A.S.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goc ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE	THE DARRON COMPANY, INC. PARKS CORPORATION RIKETT A.S.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use w
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE	THE DARRON COMPANY, INC. PARKS CORPORATION RIKETT A.S.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY. FOR EXTERIOR USE ONLY.	NIOSH appr Recommended use of gloves and chemical splash goggles. Use with good ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use a dequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE 2711 ENVIRO DISH (PRODUCT # 810)	THE DARRON COMPANY, INC. PARKS CORPORATION RIKEIT A.S. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		NIOSH appr Recommended use of gloves and chemical splash goggles. Use with god ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's COOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-1) 2710 RIKETT QUARTZ TILE 2711 ENVIRO DISH (PRODUCT # 810)	THE DARRON COMPANY, INC. PARKS CORPORATION RIKEIT A.S. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		NIOSH appr Recommended use of gloves and chemical splash goggles. Use with goo ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/ammo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w adequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's label Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2706 GLASS CLEANER 2707 PARKS KEROSENE (K-I) 2710 RIKETT QUARTZ TILE 2711 ENVIRO DISH (PRODUCT # 810)	THE DARRON COMPANY, INC. PARKS CORPORATION RIKEIT A.S. TREK ALLIANCE, INC.	Maintenance and Operations Products Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		NIOSH appr Recommended use of gloves and chemical splash goggles. Use with got ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/amm cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use vadequate ventilation. If the recommended NIOSH limit is exceeded, wear approved organic vapor cartridge respirator. Follow manufacturer's labe. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the commended ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear rubber gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the commended

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2714 TRAFFIC PAINT FLAT BLUE (6703)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2715 TRAFFIC PAINT A-BASE FLAT - GREEN/BLACK (67A)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
2/10 MATTIOTAINT A BASETERT SILENT BEROK (S/A)	VIOTA PARTI COM CHARLON	runtrioducts	AFFROVED	TON EXTERIOR OSE ONE!	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2716 TRAFFIC PAINT FAST DRY WHITE (6900)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2717 TRAFFIC PAINT FAST DRY YELLOW (6901)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
(GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
2718 TRAFFIC PAINT FAST DRY RED (6902)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation.If any of the described exposure symptoms occur, wear NIOSF
					approved organic vapor/Hepa cartridge respirator. Use and store away
2719 YELLOW FDRY DURALINE 2000 WB (WY2601A9)	MORTON TRAFFIC MARKINGS	Paint Products	APPROVED		any ignition sources. Follow manufac
					* *
PROPERTY OF A TRANSPORT OF A TRANSPO	DADIATOR CRECIALTY COMPANY				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
2720 PLUMBERS HEAT-PRUF GREASE (GR-1,-1V,-1X)	RADIATOR SPECIALTY COMPANY	Maintenance and Operations Products	APPROVED		ventilation. Store away from any ignition sources. Follow manufacturer's
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carti
					respirator. Use and store away from any ignition sources. The approval
2721 DAP WELWOOD CLEANER & THINNER (DAP: 30555)	DAP INC.	Maintenance and Operations Products	APPROVED		product is for THE USE O
					. Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
					respirator. Wear impervious clothing. The approval of this product is for
2722 WELWOOD NONFLAMMABLE CONTACT ADHESIVE (DAP :30534)	DAP INC.	Adhesive Products	APPROVED		OF SHEET METAL SHOPS
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If any of the described exposure symptoms occur, wear NIO
2724 RM 720 EP EPOXY MORTAR-PART A	HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products	APPROVED		approved organic cartridge respirator. Follow manufacturer's label.
		manicinance and operations i readete	ATTROVED		
					Take extra care, this product is extremely caustic. Wear nitrile rubber/ne
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					T, exceeded, wear NIOSH approved organic vapor/acid gas cartridge resp
2725 PLUG OUT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	THIS PRODUCT IS ONLY APPROVED FOR USE BY THE PLUMBING DEPARTMEN NOT FOR SCHOOL USE.	 T, exceeded, wear NIOSH approved organic vapor/acid gas cartridge respectively. Follow manufacturer's
2725 PLUG OUT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		T, exceeded, wear NIOSH approved organic vapor/acid gas cartridge resp. Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not s.
2725 PLUG OUT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not s
2725 PLUG OUT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not sue near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves or
				NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not s use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves of chemical splash goggles. Contact lenses should not be worn when wor
	AMERICAN INDUSTRIAL SUPPLY INC. SCHULLER INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not a use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves of chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL
				NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not a use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves of chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL
				NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or vitro gloves a chemical splash goggles. Contact lenses should not be worn when wor this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neoprene
2725 PLUG OUT 2727 ASPHALT ROOF COATING				NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofling department. Do not suse near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves a chemical splash goggles. Contact lenses should not be worn when wor this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neoprene
1727 ASPHALT ROOF COATING		Maintenance and Operations Products		NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (FVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wor this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is excee
1727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL	SCHULLER INTERNATIONAL, INC. PROSOCO, INC.	Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING P728 DEFACER ERASER GRAFFITI CONTROL	SCHULLER INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not t use near ignition sources. Wear polyvinyl alcohol (FVA) or viton glows chemical splash gaggles. Contact lenses should not be worn when wor this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopres and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL	SCHULLER INTERNATIONAL, INC. PROSOCO, INC.	Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neoprenand chemical splash goggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL	SCHULLER INTERNATIONAL, INC. PROSOCO, INC.	Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopreu and chemical splash gaggles. Use with SOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neopreue gloves
2727 ASPHALT ROOF COATING P728 DEFACER ERASER GRAFFITI CONTROL	SCHULLER INTERNATIONAL, INC. PROSOCO, INC.	Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopreu and chemical splash gaggles. Use with SOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neopreue gloves
1727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL 1728 PUMICE HAND SOAP	SCHULLER INTERNATIONAL, INC. PROSOCO, INC.	Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GODD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GODD ventilation. If PEL is exceeded,
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee NIOSH approved arganic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tue near ignition sources. Wear polyvinyl alcohol (FVA) or viton glowes chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with 6000 ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturery in the properties of
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows is chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopreu and chemical splash gaggles. Use with GOOD vertilation. If PEL is exceed NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD vertilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer was not cartridge respirator. Follow manufacturer was not cartridge respirator. Follow manufactured organic vapor cartridge respirator.
2727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL 1729 PUMICE HAND SOAP 2731 INLINE POLYTACK III	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If FEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with 6000 ventilation. If FEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's labels. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If FEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labels.
2727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL 1729 PUMICE HAND SOAP 2731 INLINE POLYTACK III	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GODD ventilation. If PEL is exceed NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer in the properties of the proper
2727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL 1729 PUMICE HAND SOAP 2731 INLINE POLYTACK III	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GODD ventilation. If PEL is exceed NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer in the properties of the proper
727 ASPHALT ROOF COATING 728 DEFACER ERASER GRAFFITI CONTROL 729 PUMICE HAND SOAP 2731 INLINE POLYTACK III	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If FEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with 6000 ventilation. If FEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If FEL is exceed (NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves cartridge respirator. Follow manufacturer's label.
727 ASPHALT ROOF COATING 728 DEFACER ERASER GRAFFITI CONTROL 729 PUMICE HAND SOAP 731 INLINE POLYTACK III 732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO.	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not: use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's worn intile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glove face sheild. Use with GOOD ventilation. If the described syptoms occur,
2727 ASPHALT ROOF COATING 1728 DEFACER ERASER GRAFFITI CONTROL 1729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 1732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY. NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee NIOSH approved arganic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. GoOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face shelid. Use with GOOD ventilation. If the described syptoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY. NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene glowes chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacture warn nitrile rubber/neoprene glowes chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacture warn nitrile rubber/neoprene glowes contridge respirator. Follow manufacture warn thrile rubber/neoprene glowes chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glower face shelid. Use with GOOD ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY. NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tue near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows a chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with 6000 ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturews are cartridge respirator. Follow manufacture was nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face shelid. Use with 6000 ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when wo this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glove face shelid. Use with GOOD ventilation. If the described syptoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY. NOT FOR SCHOOL USE.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with 6000 ventilation. If PEL is exceed. NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glove face shelid. Use with 6000 ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tuse near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee NIOSH approved arganic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glover face sheidt. Use with GOOD ventilation. If the described syptoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacture's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glover chemical splash gaggles. Use with GOOD ventilation. If the described syptoms occur, were NIOSH approved organic vapor cartridge respirator. Follow manufacture's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tue near ignition sources. Wear polyvinyl alcohol (PVA) or viton glowes chemical splash goggles. Contact lenses should not be worn when wor this product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash goggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves drace shelid. Use with GOOD ventilation. If the described syptoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves drace shelid. Use with GOOD ventilation. If the described syptoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacture. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacture? In the product is corrosive. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacture? Islael. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN 2733 CIBASET (TM) 1331 HARDENER	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tuse near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows is chemical splash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash gaggles. Use with GODO ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene glows chemical splash gaggles. Use with GODO ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer was not cartridge respirator. Follow manufacturer was not cartridge respirator. Follow manufacturer was not cartridge respirator. Follow manufacturer is comparable to the product is corrosive. Wear nitrile rubber/neoprene glower face shelid. Use with GODO ventilation. If the described systems occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glower chemical splash gaggles. Use with GODO ventilation. If the described systems occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene glower chemical splash gaggles. Use with GODO ventilation. If the described systems occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene glower and chemical splash gaggles. Use GODO ventilation. If the described systems occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN 2733 CIBASET (TM) 1331 HARDENER	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not tuse near ignition sources. Wear polyvinyl alcohol (PVA) or viton glows is chemical spiash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neopren and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face shelld. Use with GOOD ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face shelld. Use with GOOD ventilation. If the described systoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If the described soccur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If see is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not a use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves a chemical splash goggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neoprene and chemical splash goggles. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face sheid. Use with GOOD ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacture's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves chemical splash goggles. Use with GOOD ventilation. If the described sy occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2727 ASPHALT ROOF COATING 2728 DEFACER ERASER GRAFFITI CONTROL 2729 PUMICE HAND SOAP 2731 INLINE POLYTACK III 2732 CIBASET (TM) 1331 RESIN 2733 CIBASET (TM) 1331 HARDENER	SCHULLER INTERNATIONAL, INC. PROSOCO, INC. VALLEY PRODUCTS CO. INLINE DISTRIBUTING CO. CIBA SPECIALTY CHEMICALS CORPORATION CIBA SPECIALTY CHEMICALS CORPORATION	Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Adhesive Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	NOT FOR SCHOOL USE. THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING DEPARTMENT ONLY. FOR MAINTENANCE AND OPERATIONS USE ONLY, NOT FOR SCHOOL USE. APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	Follow manufacturer's This product is for OUTSIDE use only by the roofing department. Do not a use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves a chemical spiash gaggles. Contact lenses should not be worn when worthis product. If PEL Store and use away from ignition sources. Wear nitrile rubber/neoprene and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceed. NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. Store away from ignition sources. Wear nitrile rubber/neoprene gloves or chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer was not provided by the provided respirator. Follow manufacturer was not provided provided by the provided organic vapor cartridge respirator. Follow manufacturer was not provided by the provided organic vapor cartridge respirator. Follow manufacturer was not provided organic vapor cartridge respirator. Follow manufacturer is label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves face shelid. Use with GOOD ventilation. If the described systoms occur, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. CAUTION: This product is corrosive. Wear nitrile rubber/neoprene gloves chemical splash gaggles. Use with GOOD ventilation. If the described systoms not provided organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
2741 LOCTITE (R) 271 (TM) THREADLOCKER HIGH STRENGTH	LOCTITE CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles.Use with GOOD
					ventilation. If (TLV) is exceeded, wear NIOSH approved organic vapor cartrid
2742 KNOCK-OUT	GOLDEN WEST CORP.	Automotive Products	APPROVED		respirator.Follow manufacturer's label.
2742		Additional	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2743 TARAFLEX SPORT M	TARAFLEX	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2/43 TARAFLEX SPORT M	TARAFLEX	Floor Care Products	APPROVED		
					PRODUCT NAMED ON TOP OF MSDS WAS ULTRA/BOND G19 (PART A). Wear nitri
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2744 ULTRA/BOND G13 (PART B)	MAPEI CORPORATION	Adhesive Products	APPROVED		respirator. Follow manufacturer's label.
					This product is approved for use for bonding metal by metal shops only unc
					local exhaust ventilation. It is not to be used at school sites. This product has
				APPROVED FOR USE BY METAL SHOPS ONLY UNDER LOCAL EXHAUST	very low flash point; store and use away from ignition sources. Wear nitrile
2746 ARMOR COAT	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	VENTILATION. NOT TO BE USED AT SCHOOL SITES.	rubber/neopren
		·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. A portable eye wash station shall be available at the work
					area. Wear impervious clothing. The approval of this product is FOR THE USE
2748 BLAST OUT	AMERICAN INDUSTRIAL SUPPLY INC.	Maintonance and Operations Products	APPROVED		PLUMBING SHOPS ONLY. Fol
2/48 BDAST OUT	AMERICAN INDUSTRIAL SUFFET INC.	Maintenance and Operations Products	APPROVED		
ACT VATE (NO. 5105)	RUPERDO				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2749 ACTI-VATE (NO: 5165)	SUPERCO	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Use and store away from flame and sparks. Follow manufacturer
2750 607 ALMASOL VARI-PURPOSE GEAR LUBRICANT	LUBRICATION ENGINEERS, INC.	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
2752 MULTI-CLEAN CROOSLINKER CATALYST	MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN	Floor Care Products	APPROVED		approvrd organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved org
ATTENDED TO THE PROPERTY OF TH	MULTI-CLEAN, A SUBSIDIARY OF HAKO MINUTEMAN				
2753 MULTI-CLEAN HI-TRAC	MULTI-CLEAN, A SUBSIDIARY OF HARO MINUTEMAN	Floor Care Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2754 ULTRA-HIDE DURUS MASONRY FLAT FINISH (2220)	ICI PAINTS	Paint Products	APPROVED		respirator. Follow manufacturer's label. Wear impervious clothing.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2755 VARATHANE ELITE DIAMOND FINISH	FLECTO COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					not flammable Wear nitrile rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
2756 DUCT SEAL 321	CARLISLE COATINGS AND WATERPROOFING	HVAC Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
2700		TIVAC TIGAGES	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia vapor
enen Billionell	MAINTEX INC.		APPROVED		
2757 BLUE SEAL	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
HYDRO-POX; WHITE, HI-CHEM RES. (PRODUCT CODE: CT.04-204)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2758 & B	CONTRACT COATINGS CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2759 COVERALL LATEX SEMI-GLOSS VISTA 7400	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Do not store in areas above 100 F. Follow manufacturer
2764 GRAFFITI OFF (AERO GRAFFITI OFF) - PRODUCT #50G012	BRULIN & COMPANY, INC.	Graffiti Products	APPROVED		label.
2,04 2		Statiliti Floracia	AFFROVED	THIS PRODUCT IS APPROVED FOR USE BY FLOOR COVERING DEPT. AND	- Marie M.1
					Wear necessary along and sharplest select several transitions and along the several transitions and along the several transitions are several transitions.
				TECHNICAL SERVICES UNIT ONLY. APPROVED PER SCAQMD RULE 1168-	Wear neoprene gloves and chemical splash goggles. Use with GOOD ventile
2768 BR828-RUBBER & VINYL STAIR TREAD ADHESIVE	BURKE FLOORING PRODUCTS	Adhesive Products	APPROVED	ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
2772 NO MESS ANTISEIZE	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
2772 NO MESS ANTISEIZE	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
2772 NO MESS ANTISEIZE	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label. This product is approved for use by the HVAC departments only. Wear nitri
2772 NO MESS ANTISEIZE	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label. This product is approved for use by the HVAC departments only. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2772 NO MESS ANTISEIZE 2773 PNEU-FLUSH	OMEGA INDUSTRIAL SUPPLY INC. NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY HVAC DEPARTMENTS ONLY.	respirator. Follow manufacturer's label. This product is approved for use by the HVAC departments only. Wear nitrile

					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOC
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
2776 AQUA SATIN COLORMATIC DEEPBASE	SINCLAIR PAINT COMPANY	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturers label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
					approved organic vapor cartridge respirator. Spraying operations require
2778 PROTECTO SHEILD S90 PACK A	AMERICAN GENERAL SUPPLIES, INC.	Paint Products	APPROVED		minimum: air purifying respi
2//8 PROTECTO SHEED 330 PACK A	AMERICAN CENERAL SUPELLS, INC.	ruini rioducis	AFFROVED		
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
					ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor ca
2780 PROTECTO SHIELD W/B 600 PACK A	AMERICAN GENERAL SUPPLIES, INC.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					USE THIS PRODUCT FOR EXTERIOR USE ONLY BY PAINT SHOPS ONLY. Wear nitri
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of described exposure symptoms occur, wear NIOSH app
					organic vapor cartridge respirator. Use and store away from any ignition
2781 ANTI-GRAFFITI COATING PART A (LOW VOC)	AMERICAN POLYMER, INC.	Graffiti Products	APPROVED		sources. USE THIS PR
2,01		Ordina Froducio	ATTROVES	For guto garages ONLY - Chemical ingredients information are	
2782 RK-10 DEGREASER	WORLD LABORATORIES			For auto garages ONLY- Chemical ingredients information are CONFIDENTIAL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
2/82 RK-10 DEGREASER	WORLD LABORATORIES	Automotive Products	APPROVED	CONFIDENTIAL	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If any of the described exposure symptoms occur, wear
					approved organic vapor cartridge respirator. Do not dispose of used can
2784 LX 110 (PRODUCT NO: 804)	POLYTECH	Maintenance and Operations Products	APPROVED		is empty. The approva
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2785 SANI-BAC-A (# 1085)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		mantenance and operations riducts	ALLMOVED		Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
					ventilation. Wear NIOSH approved Dust/mist respirator. Do not create dus
2786 AB-SORB-IT	SUPERCO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2787 FLEXI-COAT A	SUPERCO	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
2788 SURE FLO STRIP	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2789 TAPCO 701 (ROOF CEMENT-ASBESTOS FREE) # 701AF-1	TROPICAL ASPHALT PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear long-sleeve shirt and long pants. Use and store
					cartriage respirator, wear long-sleeve shirt and long parits, use and store
2790 TAPCO 101 (ROOF CEMENT-NON ASBESTOS) # 101AF-1	TROPICAL ASPHALT PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		from any ignition sources. Fol
2790 TAPCO 101 (ROOF CEMENT-NON ASBESTOS) # 101AF-1	TROPICAL ASPHALT PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		
2790 TAPCO 101 (ROOF CEMENT-NON ASBESTOS) # 101AF-1	TROPICAL ASPHALT PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile
2790 TAPCO 101 (ROOF CEMENT-NON ASSESTOS) # 101AF-1	TROPICAL ASPHALT PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
2790 TAPCO 101 (ROOF CEMENT-NON ASBESTOS) # 101AF-1 2791 ZEP FAST GASKET RED (# 0409)	TROPICAL ASPHALT PRODUCTS CORP. ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Foliow manufacturer's label.
					from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove
2791 ZEP FAST GASKET RED (# 0409)	ZEP MANUFACTURING COMPANY				from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
					from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
2791 ZEP FAST GASKET RED (# 0409)	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer
2791 ZEP FAST GASKET RED (# 0409)	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
2791 ZEP FAST GASKET RED (# 0409)	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		from any ignition sources. Fo! This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, wear NOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GODD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap
2791 ZEP FAST GASKET RED (# 0409)	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD venilidation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use ventile GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any Ignition sources. Theap of this product is FOR THE
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ* (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Thear of this product is FOR THE Wear nitrile fneoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD veniliation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ* (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD veniliation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ* (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any Ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ* (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any Ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO wear nitrile /neoprene gloves and chemical splash goggles. Use with GO
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2795 RM 720 EP EPOXY MORTAR-PART B	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w NIOSH approved organic vapor cartridge respirator. Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Thea of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Delow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved degranic vapor cartri respirator. Follow manufacturer's label.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2795 RM 720 EP EPOXY MORTAR-PART B	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD veniliation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Sealed, wear NIOSH approved organic vapor cartrid respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respi follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respi follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respi follow manufacturer's label.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2795 RM 720 EP EPOXY MORTAR-PART B	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any Ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartric respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. Follow manufacturer's label. War nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. If PEL is exceeded, wear NIOSH approved organic vapor cartridge ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2796 RM 720 EP EPOXY MORTAR-PART B 2798 RM 720EP EPOXYMORTAR-AGGREGATE (ZERODEGREEEPOXY)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with 600D ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Thear of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartric respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respir Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respir Follow manufacturer's label.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * O.J * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2795 RM 720 EP EPOXY MORTAR-PART B	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, were NIOSH approved Hepa cartridge respir Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartric respirator. Sea seceded, wear NIOSH approved organic vapor cartric respirator. Use and store oway frm any ignition sources. Do not dispose of cans UNLESS IT IS EMPTY.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2796 RM 720 EP EPOXY MORTAR-PART B 2798 RM 720EP EPOXYMORTAR-AGGREGATE (ZERODEGREEEPOXY)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any ignition sources. Fo! This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer word organic vapor contridge respirator. Follow manufacturer word ritrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, were NIOSH approved braganic vapor cartrider respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded, were NIOSH approved reganic vapor cartrider respirator. If PEL is exceeded, were NIOSH approved organic vapor cartrider respirator. If PEL is exceeded, were NIOSH approved organic vapor cartrider respirator. Use and store away firm any ignition sources. Do not dispose of cans NILKESS IT is EMPTY. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO ventilation.
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2796 RM 720 EP EPOXY MORTAR-PART B 2798 RM 720EP EPOXYMORTAR-AGGREGATE (ZERODEGREEEPOXY)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any Ignition sources. Fol This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any Ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved brapor cartri respirator. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved reganic vapor cartri respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GO ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartri respirator. If se succeeded, wear NIOSH approved organic vapor cartri respirator. If se succeeded, wear NIOSH approved organic vapor cartri respirator. Use and store away from any Ignition sources. Do not dispose of cans NILKESS IT is EMPTY. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO ventilation / If PEL is exceeded, wear NIOSH approved organic vapor cartri respirator. Use and store away from any Ignition sources. Do not dispose of cans NILKESS IT is EMPTY. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO
2791 ZEP FAST GASKET RED (# 0409) 2792 ZEP * OJ * (PRODUCT NO: 0771) 2793 KRYSTALKOTE TM CURING AGENT 2796 RM 720 EP EPOXY MORTAR-PART B 2798 RM 720EP EPOXYMORTAR-AGGREGATE (ZERODEGREEEPOXY)	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY TRADEWINDS INTERNATIONAL, INC. HILTI CONSTRUCTION CHEMICALS, INC.	Maintenance and Operations Products Maintenance and Operations Products Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		from any ignition sources. Fo! This product is a silicone gasket compound and sealant Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa i cartridge respirator. Foliow manufacturer's label. This product is a cleaner & degreaser Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Foliow manufacturer war nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Eve and store away from any ignition sources. Theap of this product is FOR THE Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOV ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridge respir Foliow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respir Foliow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOV ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away frm any ignition sources. Do not dispose of ventilation.

					Wear welders protective gloves. Wear face shield with colored absorptive lens.
					Wear welders leather apron,sleeves and leggings. Welding station shall have an
					approved local exhaust, otherwise wear NIOSH approved Hepa cartridge
2800 CERTANIUM 701 1/8'	CERTANIUM ALLOYS & RESEARCH CO.	Automotive Products	APPROVED		respirator. Follow manufactur
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2801 CHUMS	SUPERCO	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2802 ZEP ORANGE GEL DEGREASER - Product # 7111-Industrial Degr	reas ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2804 ZEP EXTRACT-IT PLUS: #6783 CARPET CLEANER - LIQ	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2004		wantenance and operations moducts	ALLKOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
OLOGO ED EDGOS ANTEGEN DEGIN (DADED A AND D)	LIII TURKO				GOOD ventilation. If the described symptoms occur, wear NIOSH approved
2808 CI 060 EP EPOXY INJECTION RESIN (PARTS A AND B)	HILTI, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
2809 CI 070 EP CRACK SEALING COMPOUND (PART A)	HILTI, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2810 CI 070 EP CRACK SEALING COMPOUND (PART B)	HILTI, INC.	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					CAUTION: This product is extremely caustic. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wed
					NIOSH approved organic vapor/acid gas cartridge respirator. Follow
28]1 HYDROSTRIP 502 (SPRAYING AND BRUSHING GRADE)	NAPIER INTERNATIONAL TECHNOLOGIES INC.	Paint Products	APPROVED		manufacturer's label.
ZOII TITOROSTRII SUZ (SERATINO AND BROSTINO ORADE)	NAMER INTERNATIONAL TECHNOLOGICS INC.	Paint Floadets	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms, wear NIOSH approved organic
2812 HYDROSTRIP 503 (SPRAYING AND BRUSHING GRADE)	NAPIER INTERNATIONAL TECHNOLOGIES INC.	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2813 WD-40	WD-40 COMPANY	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					This product is a rust converter and primer coat. Wear nitrile /neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If any of the described
					exposure symptoms occur, wear NIOSH approved acid gas cartridges with a
2815 UNITED 303 TRIUMPH	UNITED LABORATORIES	Paint Products	APPROVED		respirator. Follow manufacturer's label.
2010		Tantifoddolo	ATTROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2816 EXPLORER (438N-94A)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		ventilation. Follow manufacturer's label.
2010 ENTEONER (40014 34A)	THEETAKO INDOSTRIES	Floor Care Floadicts	AFFROVED		
					For use as a degreaser and drain opener. Wear rubber /neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If any of the described
					exposure symptoms occur, wear NIOSH approved organic vapor cartridge
2817 FORMULA 0-98 (NO: 2177)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Use and store away from any ignition sources. Follow manufacture
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
2818 BOND AD (NO: 067)	VISTA PAINT CORPORATION	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear cloth work gloves and chemical splash goggles. Use with GOOD ventilation
					If the described symptoms occur, wear NIOSH approved organic vapor cartridge
2820 SCS2009 SILICONE RUBBER SEALANT	GE SILICONES	Roofing Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND CONTACT CLEANED AFROCOL (PRODUCT No. 20070)	CRC INDUSTRIES, INC.	Malatan and an adding a	*DDDQ1/FD	APPROVED FOR USE BY THE ELECTRICAL DEPARTMENT ONLY.	GOOD ventilation. If the described syptoms occur, wear NIOSH approved organic
2822 CONTACT CLEANER AEROSOI (PRODUCT No. 03070)	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	AFFROVED FOR USE BY THE ELECTRICAL DEPARTMENT ONLY.	vapor cartridge respirator. Follow manufacturer's label.
,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
DUSTER AEROSOL DUST REMOVAL SYSTEM (PRODUCT NO.					GOOD ventilation. If the described syptoms occur, wear NIOSH approved organic
2823 14085,84085)	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY THE ELECTRICAL DEPARTMENT ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				FOR THE USE OF OUTSIDE CONTACTORS ONLY on fiberglass covers for	cartridge respirator. Use and store away from any ignition sources also away
2824 DEVTHANE 379 (0020)	ICI PAINTS	Paint Products	APPROVED	bleachers seats.	from heat or sunlight. The appr
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Wear dual strap Dust/mist respirator if spraying. Follow
2826 MODCO ACRASEAL	MODGO SPECIALTY COATINGS	Delet Dreducts	APPROVED		manufacturer's label.
ZOZU NIODCO ACRASEAL	MODEO SECIALIT COATINGS	Paint Products	APPROVED		
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur,wear NIOSH
2827 EMULSIFIER-404	WEXFORD LABS, INC.	Food Services Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2828 ECOMATE-MPC	SOQ ENVIRONMENTAL TECHNOLOGY	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
2829 ECOMATE-FN	SOQ ENVIRONMENTAL TECHNOLOGY	Food Services Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventilate
2830 AMS Hand Dishpowder Detergent	California Minerals INC.	Food Services Products	APPROVED		not create dust. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If any of the described expsoure symptoms occur, wear
2831 WHITE INT/EXT ACRYLIC SATIN ENAMEL	SMILAND PAINT COMPANY	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
2832 ISOGLOSS LATEX GLOSS ENAMEL, 111 (CKI 200111)	OLD QUAKER PAINT CC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2032 IOOCEOS ENTER OCCOS ENTRINES, III (ORI 20011)	OLD QUARENT AINT OU.	ruint rioducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. The approval of this product IS FOR THE USE OF PEST
2836 EPOLEON (R) NNZ DEODORIZER	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED	This product is used as a deodorizer by pest management personnel	MANAGEMNT PERSONNEL ONLY. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. Wear dust mist with P100 filter cartridge respirator. Follow
2837 WILCO GOPHER GETTER TYPE 2 BAIT .005% CHLOROPHACINONE	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources. THE
2838 MEMBRANE CLEANER	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Maintenance and Operations Products	APPROVED	FOR THE USE OF ROOFING SHOPS ONLY	APPROVAL OF THIS PRODUCT IS FOR THE U
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					${\tt GOOD\ ventilation. Use\ NIOSH\ approved\ organic\ vapor\ cartridge\ respirator.}$
					and store away from any ignition sources. THE APPROVAL OF THIS PRODUCT
2839 THERMOPLASTIC SEALANT	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Maintenance and Operations Products	APPROVED	FOR THE USE OF ROOFING SHOPS ONLY.	THE OUTDOOR ONE TIME USE
					This product is methylene phosohonic acid base water solution of inhibito
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If misting occurs, wear NIOSH approved acid gas/organ
					vapor cartridge respirator. THE APPROVAL OF THIS PRODUCT IS FOR THE USE
2840 KK101	KEM-KINETICS LABORATORIES	Maintenance and Operations Products	APPROVED		WATER TREATMENT DEPARTMENT
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If misting, wear NIOSH approved organic vapor cartridge
					respirator.THE APPROVAL OF THIS PRODUCT IS FOR THE USE OF THE WATER
2841 KK208	KEM-KINETICS LABORATORIES	Maintenance and Operations Products	APPROVED		TREATMENT DEPARTMENT ONLY. Follow manuf
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If misting, wear NIOSH approved organic vapor/acid ga
					cartridge respirator. THE APPROVAL OF THIS PRODUCT IS FOR THE USE OF THE
2842 KK201	KEM-KINETICS LABORATORIES	Maintenance and Operations Products	APPROVED		WATER TREATMENT DEPARTMENT ONLY.
					A REQUEST WAS MADE BY CYRIL DAVENPORT 8/11/00 FOR A NEW COVER LETTE
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2843 CONTENDER FINISH (PART A&B)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridgrespirator. Close container after each use. Follow manufacturer's label.
2843 CONTENDER FINISH (FART AGD)	HILLTARD INDUSTRIES	Floor Care Products	APPROVED		respirator. Close container after each use, rollow manufacturer's label.
					Wear who ar a consequent and a consequen
					ventilation. If PEL is exceeded or any of the described exposure symptoms
2044 7EP METER MIST EDENCH VANIII IA	7FP MANUFACTURING COMPANY	Maintanance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufac
2844 ZEP METER MIST FRENCH VANILLA	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label.
2844 ZEP METER MIST FRENCH VANILIA	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60
2844 ZEP METER MIST FRENCH VANILLA	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms
		·			ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms
2844 ZEP METER MIST FRENCH VANILLA 2845 ZEP METER MIST NO-ODOR	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactiabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufactilabel.
		·			ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO
		·			ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms
	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products			ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded or any of the described exposure symptoms
2845 ZEP METER MIST NO-ODOR		·	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel.
2845 ZEP METER MIST NO-ODOR	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear nitritle/neoprene gloves and chemical splash goggles. Use with GO.
2845 ZEP METER MIST NO-ODOR	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rilitile/neoprene gloves and chemical splash goggles. Use with GOC ventilation. If PEL is exceeded or any of the described exposure symptoms
2845 ZEP METER MIST NO-ODOR	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rilitile/neoprene gloves and chemical splash goggles. Use with GOC ventilation. If PEL is exceeded or any of the described exposure symptoms
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactobel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear nitritle/neoprene gloves and chemical splash goggles. Use with GOC ventilation. If PEL is exceeded or any of the described exposure symptoms was nitritle/neoprene gloves and chemical splash goggles. Use with GOC ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactobel.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rititle/neoprene gloves and chemical splash goggles. Use with GOO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and splash goggles. Use with GOO ventilation.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactions.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH 2847 ZEP FORMULA 50	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with 60 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubtile/neoprene gloves and chemical splash goggles. Use with 600 ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and splash goggles. Use with 600 ventilation. If PEL is exceeded or any of the described exposure symptoms occur, wear happroved organic vapor cartridge respirator. Follow manufactabel.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH 2847 ZEP FORMULA 50	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and splash goggles. Use with GOO ventilation. Wear rubber/neoprene gloves and splash goggles. Use with GOO ventilation. If PEL is exceeded or any of the described exposure symptoms occur, wear happroved organic vapor cartridge respirator. Follow manufactabrer's label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GOO ventilation.
2845 ZEP METER MIST NO-ODOR 2846 ZEP METER MIST PEACH 2847 ZEP FORMULA 50	ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY ZEP MANUFACTURING COMPANY	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufactabel. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approve organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubtile/neoprene gloves and chemical splash goggles. Use with GO ventilation. If PEL is exceeded or any of the described exposure symptoms wear NIOSH approved organic vapor cartridge respirator. Follow manufact label. Wear rubber/neoprene gloves and splash goggles. Use with GOO ventilate. Wear rubber/neoprene gloves and splash goggles. Use with GOO ventilate. EL is exceeded or any of the described exposure symptoms occur, wear Napproved organic vapor cartridge respirator. Follow manufacture's label.

				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded or any of the described exposure symptoms
				occur,wear NIOSH approved organic vapor cartridge respirator. Follow
2850 ZEP MIST ODOR NEUTRALIZER	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2851 EPOLEON NNZ DEODORIZER	EPOLEON CORPDIV. OF AIKOH CO., LTD.	Cleaning Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2852 ZEP WRITE AWAY	ZEP MANUFACTURING COMPANY	Graffiti Products	APPROVED	respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Store in a cool dry place away from light and heat. Follow
2854 BITREX TEST SOLUTION 2	ALLEGRO INDUSTRIES	OEHS Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2855 ROZOL BLUE TRACKING POWDER	LIPBA TECH INC.	Pesticide/Herbicide Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2856 CLEAR-COAT MASONRY CURE & SEAL	NATIONAL SANITARY SUPPLY CO.	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
-				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2857 C-SPRA COUNTRY	HYSAN CORPORATION	HVAC Products	APPROVED	respirator. Follow manufacturer's label.For the use of an HVAC contactor.
2637 6 6 144 66611111	mont oon on not	TIVAC FIOURCES	AFROVED	Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2858 EVAP POW'RR- C	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED	respirator. Follow manufacturer's label. For the use of an outside contractor.
2838 EVAF FOWRE-C	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED	
				Wear chemical splash goggles. Use with GOOD ventilation.If PEL is exceeded,
				wear NIOSH approved organic vapor cartridge respirator. Follow manufacture
2859 GOJO	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator.The approval is for the intermittent use of HVAC shop ONLY. Follow
2860 DEGREASING SOLVENT	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED	manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2861 OIL-X A P	GRIME EATER U.S., INC DBA TOTAL ACTION	Automotive Products	APPROVED	ventilation. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				cartridge respirator. Store and use away from ignition sources. Follow
2864 SPRA KLEEN	SPRA KLEEN	Office Products	APPROVED	manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If any of the described exposure symptoms occur, wear NIO
2865 8182 USADVANTAGE-NEW CITRUS (CONC CLEANER&DEGREAS)	AUSTIN DIVERSIFIED PRODUCTS	Automotive Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hep
				cartridge respirator. This approval is for the use of HVAC shops & welders
2866 141 ZINC RICH GAVANIZE (CODE: 16A2)	AERVOE-PACIFIC COMPANY, INC.	HVAC Products	APPROVED	ONLY.Store & use away from a
				This product is not to be used by students or in classrooms. Do not use this
2867 PURELL INSTANT HAND SANITIZER	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	product near open flame or any other source of ignition.
				Wear chemical splash goggles. Use with GOOD ventilation, Follow
2868 MED-DENT LIQUID HAND SOAP, TINCTURE	BREEN LABORATORIES	Maintenance and Operations Products	APPROVED	manufacturer's label.
			***************************************	Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation.if PEL is exceeded,wear NIOSH approved organic vapor/Hepa
				cartridge respirator. Use and store away from any ignition sources. This appro
2869 Z-COAT	METRO CHEM INDUSTRIES	Maintananaa and Co	ADDROVED	is for Roofing, HVAC & Fenc
2003 2 COM	METAG GIEM INDUSTRIES	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND DIG A IT MODIFIED DITH MEN THAN HAD BEEN TO THE	MONORY PROPULATE OF			GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2870 229 P/G A/F MODIFIED BITUMEN FLASHING CEMENT	MONSEY PRODUCTS CO.	Maintenance and Operations Products	APPROVED	cartridge respirator.Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2871 ACRY-NAMEL ACRYLIC S/G (CODE W 5000)	EVR-GARD COATINGS COMPANY	Paint Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
2872 WATER-BASED EPOXY FLOOR COATINGS (6010,68,71,82,86)	RUST-OLEUM CORPORATION	Paint Products	APPROVED	cartridge respirator.Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2873 VINYLTOLUENE ACRYLATE EMULSION (CC1-293)	CHEM-COAT INDUSTRIES INC.	Paint Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If any of the described exposure system occurs, wear NIOSH
2874 STRONG GUARD	HILLYARD INDUSTRIES	Floor Care Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
-				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator. Use and store away from any ignition sources. Follow manufacturer's
2875 SENTINEL 747 MASTIC REMOVER	SENTINEL CHEMICAL COMPANY, INC.	Maintenance and Operations Products	APPROVED	label.
2875 SENTINEL 747 MASTIC REMOVER	SENTINEL CHEMICAL COMPANT, INC.	Maintenance and Operations Products	APPROVED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2876 BUGS 'R' GONE FLY, COCKROACH AND ANT KILLER SPRAY	ENVIROMAN, INC.	Pesticide/Herbicide Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved dual strap Dust/mist
2877 CCI-1000 FORMULA	CHEM-COAT INDUSTRIES INC.	Paint Products	APPROVED	respirator. Follow manufacturer's label.
				Store containers tightly closed and in upright position. Follow manufacturer's
2878 CC1-450 NEUTRAL NO-RINSE CLEANER	CHEM-COAT INDUSTRIES INC.	Paint Products	APPROVED	label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. Wear NIOSH approved organic vapor cartridge respirator. Follow
2879 CC1-550 CLEANER DEGREASER	CHEM-COAT INDUSTRIES INC.	Paint Products	APPROVED	manufacturer's label.
2880 SHOWBOAT-DISHWASHING LIQUID	BALL INDUSTRIES, INC.	Food Services Products	APPROVED	Use with GOOD ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
2881 LEMON 64/PINE 64 DISINFECTANT CLEANER	BALL INDUSTRIES, INC.	Food Services Products	APPROVED	ventilation. Follow manufacturer's label.
2001 Eliion Saji ine sa Bisin Estanti Secareti	DALE INDUSTRIES, ING.	Toou services Froducts	AFROVED	
				Wear leather or cloth gloves and chemical splash goggles. Use with GOOD
				ventilation.Avoid creating dust, or wear NIOSH approved Hepa cartridge
2882 FLINTLASTIC GTA,WHITE&BLACK DIAMOND GTA GTA/FL	GS ROOFING PRODUCTS COMPANY, INC.	Maintenance and Operations Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2884 WALL & TRIM WHITE	FINE LINE PAINT CORP.	Paint Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2885 WALL & TRIM WHITE 640	FINE LINE PAINT CORP.	Paint Products	APPROVED	approved Dust/mist repirator with exhalation valve. Follow manufacturer's label.
				Wear nitrile/ neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
				approved Dust/mist respirator with exhalation valve. Follow manufacturer's
AAAA LATEV OLOOG FALAMEL MUUTE	FINE LINE PAINT CORP.			label.
2886 LATEX GLOSS ENAMEL WHITE	FINE DIVE PAINT CORF.	Paint Products	APPROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur,wear NIOSH
2887 ZEP BIG ORANGE-E	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2888 ZEP SUN SOLV	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
				approved organic vapor cartridge respirator. Use and store away from any
2889 ZEP ORANGE BUSTER	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	ignition sources.Follow manufacturer
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur,wear NIOSH
2890 ZEP BIG ORANGE	ZEP MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
2030 ZEI SIO ORANOE	ZEI MARTO AGTORING GOMI ART	Maintenance and Operations Froducts	AFFROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur,wear NIOSH
2891 WT 47 ENAMEL WHITE	WILSHIRE PAINT CO.	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor
2894 SPECIAL RUG SHAMPOO (NO: 315)	FLO-KEM, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2895 DEFOAMER (NO: 2053)	GENLABS	Maintenance and Operations Products	APPROVED	GOOD ventilation. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor
2896 MISTY HEAVY DUTY GLASS CLEANER	AMREP, INC.	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
2000 mio. I HEAVI DOTI OLAGO CILARER	rannes , arto.	maintenance and operations Products	AFFROYED	
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If the PEL (ceiling) is exceeded, wear NIOSH approved organic
2897 OLICOMER FLOOR FINISH	CHEMIFAX	Floor Care Products	APPROVED	vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
2898 WALL PRIME INTERIOR DRYWALL PRIMER	SMILAND PAINT COMPANY	Paint Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.

					USE THIS PRODUCT FOR EXTERIOR USE ONLY. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If the PEL is exceeded,
					wear NIOSH approved organic vapor cartridge respirator. Use and store away
2899 ANTI-GRAFFITI COATING PART B	AMERICAN POLYMER, INC.	Graffiti Products	APPROVED		from any ignition sources. USE THIS PRODUCT FOR EXTERIOR USE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources. THIS
2900 ALLEGRO ADHESIVE REMOVER	ALLEGRO INDUSTRIES	Adhesive Products	APPROVED		PRODUCT IS APPROVED FOR THE ASBES
					Wear nitrile rubber/neoprene shoulder length gloves, aprons and chemical
					splash goggles. Use with GOOD ventilation. If the PEL is exceeded, wear NIOSH
2901 CALJEN FAST CLEAN	CALJEN SALES COMPANY	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
2301 GALBERT AGT GEEAR	OABERT OALES COMM ATT	runtriodacts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
2902 COMMERCIALON STRONG SEAL 557	J & J INDUSTRIES	Adhesive Products	APPROVED		ventilatio. Follow manufacturer's label.
2902 COMMERCIATOR STRONG SEAL SS/	3 & 3 INECOTRIES	Adhesive Floducts	AFFROVED		
					* Water base neoprene latex . Wear nitrile /neoprene gloves and chemical
					splash goggles. Use with GOOD ventilation. If any of the described exposure
					symptoms occur,wear NIOSH approved organic vapor cartridge respirator.
2903 CONTACT ADHESIVE (NO: W-193)	STABOND CORPORATION	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATION:	S- ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2904 NUBROADLOK 11	PARA-CHEM SOUTHERN, INC.	Adhesive Products	APPROVED	9/1/01 VOC LIMITS	respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. Use and store away from any ignition sources.Follow manufacturer's
2905 FORMULA 007 (1092)	SUPERCO	HVAC Products	APPROVED		label
2000		TIVAS TIGUISIS	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor
2906 WHITE, INTERIOR VINYL ACRYLIC SEMI-GLOSS	SMILAND PAINT COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
2907 COMMERCIALON 500 MULTIPURPOSE ADHESIVE	J & J INDUSTRIES	Adhesive Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2908 VANISH-QTS (SAFETY SOLVENT)	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2909 LUSTRE EXTRACTOR (NO: 5062)	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile/ neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
2910 PRIME PLUS (NO: 1680700)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
2510 FRINCE FEES (NO. 1000/00)	TRAZEE INDUSTRIES, INC.	ruint rioducts	AFFROVED		Wear rubber/neoprene gloves and chemical splash goggles. Use with GOOD
A PROPERTY OF THE PROPERTY OF	GOLDEN PRODUCTS				
2911 CAR SHAMPOO	GOLDEN PRODUCTS	Automotive Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventilation. Do
2912 DISPATCH HOSPITAL CLEANER DISINFECTANT WITH BLEACH	CALTECH INDUSTRIES INC.	Nursing Services Products	APPROVED		not mix with acids or ammonia. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
2913 SPEED DRY WATER-BASED ENAMEL	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa
					cartridge respirator. Use and store away from any ignition sources. Follow
2914 URETHANE MASTIC BASE COMPONENT	RUST-OLEUM CORPORATION	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur,wear NIOSH
2915 AQUA SATIN COLORMATIC TINTBASE(NO:4098)	SINCLAIR PAINT COMPANY	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
ZSID MQUA SATIN COLORMATIC HIAIDWSE(MO:4080)	SATURATION AND STATE OF THE STA	Paint Products	APPROVED		
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. The approval of this product is for the intermittent use of HVAC SHOPS
2916 GASKET AND DECAL REMOVER (NO:475)	METRO CHEM INDUSTRIES	HVAC Products	APPROVED		ONLY. Use and store
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
2917 GRAFFITI PROTECTOR ACRYLIC CLEAR MATTE FINISH 0492	CAL-WESTERN PAINTS	Graffiti Products	APPROVED		respirator. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
					respirator. The approval of this product is FOR THE USE OF CERTIFIED MANAGEMEN
2918 MILDEW RESISTANT PRESSURIZED WHITE RIV SILICONE	LAWSON PRODUCTS, INC.	Pesticide/Herbicide Products	APPROVED		PERSONNEL ONLY. Follow m
2919 CHUMS (PREMOISTENED CLEANER DEGREASER TOWELS)	AMERICAN INDUSTRIAL SUPPLY INC.		APPROVED		
Zala CHOMO (LKEMOIO I EINED CIFANEK DEOKEASEK IOMETZ)	AINIERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		contains D-Limonene Use with GOOD ventilation. Follow manufacturer's label.

				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2920 PURSUE DISINFECTANT CLEANER	AMWAY CORPORATION	Food Services Products	APPROVED	GOOD ventilation. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
2923 MIRACLE COVER (ANTIGRAFFITIANT)	MIRACLE COVER INC.	Graffiti Products	APPROVED	ventilation. Wear impervious clothing. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				cartridge respirator. Use and store away from any ignition sources. Follow
2924 DEGADUR (NO: 1178)	DEGUSSA CORPORATION CHEMICAL GROUP	Maintenance and Operations Products	APPROVED.	manufacturer's label.
2324 525,550 (110,1110)	DECOURT COLL CHATTON CHEMICAE CHOCK	muniteriance and operations riodacts	AFFROVED	Use with GOOD ventilation. Apply reasonable amount to hands and massage
				thoroughly.Contiue massaging until foam vanishes and hands are dry. Use a
				store away from any ignition sources. The approval of this product is FOR
2925 DERMA-WEX	WEXFORD LABS, INC.	Food Services Products	APPROVED	CAFETERIA PERSONNEL ONLY to sani
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hep
2926 COTRONICS 900 SERIES THINNERS & HARDENERS	COTRONICS CORPORATION	HVAC Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2928 ALUMINUM EMULSION ROOF COATING (NO: 229)	HENRY COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
		·		(Synthetic rubber) Wear nitrile/neoprene gloves and chemical splash goggle
2929 FORBO L-910 LINOLEUM ADHESIVE	FORBO INDUSTRIES INC.	Adhesive Products	APPROVED	Use with GOOD ventilation. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2930 CITRUS EXPRESS GEL CITRUS-BASED SPOTTER(NO:6072)	THE RAMSEY COMPANY	Mainton anno and Operations 2	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
2930 CHROS EAFRESS OLE CHROS BASED SFOTTER(NO.0072)	THE RAWGET COMPANY	Maintenance and Operations Products	APPROVED	
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear NIOSH
2931 DELIBLE INK STAIN REMOVER SOLVENT SPOTTER (6022)	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any of the described exposure symptoms occur, wear approved
2933 PRE-OIL BREAK SPOTTER (MSDS NO: 6013)	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	organic vapor cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Acid gas
2934 COFFEE& TANNIN STAIN REMOVER (MSDS NO:6263)	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	cartridge respirator. Follow manufacturer's label.
				Wear nitrile/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation.If any of the described exposure symptoms occur, wear NIOSH
2935 KIL-ODER ENZYME SPOTTER (MSDS: 6262)	THE RAMSEY COMPANY	Maintenance and Operations Products	APPROVED	approved organic vapor cartridge respirator. Follow manufacturer's label.
2935 NL-ODER ENZYME SPOTTER (MSDS. 0202)	THE RAMSET COMPANY	Maintenance and Operations Products	APPROVED	
(Wear chemical splash goggles. Use with GOOD ventilation. Follow
2936 HYSPEED PINK (NO: 6321)	US CHEMICAL-A DIVISION OF HYDRITE CHEMICAL CO.	Maintenance and Operations Products	APPROVED	manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartrid
2938 WOOD SEALER (# 620)	CAMIG INC.	Paint Products	APPROVED	respirator. Follow manufacturer's label.
				Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
				respirator. Use and store away from any ignition sources. The approval of this
2940 ML-5	ANCHOR LITHKEMKO	Graphic Arts/Photography Products	APPROVED	product IS FOR THE USE O
				Wear nitrile rubber/neoprene gloves and chemical splash goaqles. Use with
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2041 GRAFFITI TERMINATOR (GE-RR)	GENESIS COATINGS INC	Graffiti Droducte	ADDROVIED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT
2941 GRAFFITI TERMINATOR (GE-66)	GENESIS COATINGS, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2941 GRAFFITI TERMINATOR (GE-66)	GENESIS COATINGS, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact
2941 GRAFFITI TERMINATOR (GE-66)	GENESIS COATINGS, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vap
2941 GRAFFIII TERMINATOR (GE-86) 2942 GT-1000	GENESIS COATINGS, INC. TRADEWINDS INTERNATIONAL, INC.	Graffiti Products Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitritle /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vag cartridge respirator. Wear impervious clothing. Follow manufacturer's label.
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vap
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitritle /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vag cartridge respirator. Wear impervious clothing. Follow manufacturer's label.
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitritie /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacture's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSLY APPROVED AS A WESTERN PAC
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS, PREVIOUSLY APPROVED AS A WESTERN PACE EQUITIES PRODUCT. Wear nitrile rubber/neoprene gloves and chemical splash
2942 GT-1000	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vap cartridge respirator. Wear impervious clothing, Follow manufacture's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSLY APPROVED AS A WESTERN PACEQUITES PRODUCT. Wear Intire rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
2942 GT-1000	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitritle /neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSLY APPROVED AS A WESTERN PAC EQUITES PRODUCT. Wear intrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-slip coating. Wear nitrile rubber/neoprene gloves and
2942 GT-1000	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS, PREVIOUSY APPROVED AS A WESTERN PACE EQUITIES PRODUCT. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-silp coating, Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
2942 GT-1000 2943 GT-2000	TRADEWINDS INTERNATIONAL, INC. TRADEWINDS INTERNATIONAL, INC.	Graffiti Products Graffiti Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vag cartridge respirator. Wear impervious clothing. Follow manufacturer's lobel. AVOID SPRAY APPICATION INDOORS. PREVIOUSLY APROVED S A WESTERN PACE EQUITIES PRODUCT. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-silip coating. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufacturer's lobes.
2942 GT-1000	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitritie /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacture's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSLY APPROVED AS A WESTERN PAC EQUITES PRODUCT. Wear intrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacture's label. For use as an anti-silp coating. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufactur label.
2942 GT-1000 2943 GT-2000	TRADEWINDS INTERNATIONAL, INC. TRADEWINDS INTERNATIONAL, INC.	Graffiti Products Graffiti Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSY APPROVED AS A WESTERN PACE EQUITES PRODUCT. Wear Intrile nubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-silip coating. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hepa cartridge respirator. Follow manufacture is label. CLEANING PRODUCT Use and store away from any ignition sources. Wear nitrile
2942 GT-1000 2943 GT-2000	TRADEWINDS INTERNATIONAL, INC. TRADEWINDS INTERNATIONAL, INC.	Graffiti Products Graffiti Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure iil effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSLY APPROVED AS A WESTERN PACE EQUITIES PRODUCT. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-silp coating, Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Hepa cartridge respirator. Follow manufactur label. CIEANING PRODUCT Use and store away from any ignition sources. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD
2942 GT-1000 2943 GT-2000	TRADEWINDS INTERNATIONAL, INC. TRADEWINDS INTERNATIONAL, INC.	Graffiti Products Graffiti Products	APPROVED APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. The approval of this product IS FOR THE USE OF THE PAINT SHOPS ONLY. Follow manufact Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organic vay cartridge respirator. Wear impervious clothing. Follow manufacturer's label. AVOID SPRAY APPLICATION INDOORS. PREVIOUSY APPROVED AS A WESTERN PACE EQUITES PRODUCT. Wear Intrile nubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. For use as an anti-silip coating. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/hepa cartridge respirator. Follow manufacture is label. CLEANING PRODUCT Use and store away from any ignition sources. Wear nitrile

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
					approved organic vapor cartridge respirator. Use and store away from any
2946 EPOXY PRIMER PART I C.A.R.B.(NO:7760)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		ignition sources. The approval
2040		mantenance and operations i roducts	ATTROVES		
					Wear safety glasses with eye shellds. Use with GOOD ventilation. If irriation
					occurs, wear NIOSH approved organic vapor/P100 cartridge respirator. Follow
2947 WEATHERWATCH & STORMGUARD (MSDS #1008)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY	manufacturer's label.
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
2948 PACKAGED ROOFING ASPHALTS TYPES I, II, III, IV (MSDS #1010)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follo
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	PLEASE SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neoprene
				CLOSED SYSTEM IN CONJUNCTION WITH MONDUR MR (A COMPONENT.) A	gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
				10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST BE	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2949 POLYTHANE COMPONENT B HCFC PSI - SH200 SERIES	POLYTHANE SYSTEMS, INC	Roofing Products	APPROVED	MAINTAINED	manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neoprene gloves and
					·
					chemical splash goggles. Use with GOOD ventilation. If TLV is exceeded, wear
2950 MONDUR MR (LIGHT) G1721000	BAYER CORPORATION PRODUCT SAFETY	Roofing Products	APPROVED	PSI - SH200 SERIES. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDI	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED FOR ALL	
				APPLICATIONS, APPROVED FOR USE BY PAINT AND CARPENTRY STAFF ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				USE WITH LOCAL EXHAUST (SPRAY PAINT BOOTH) DURING SPRAY	
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2952 80 6505 MOW SPAR VOC SATIN	VALSPAR CORPORATION	Paint Products	APPROVED	APPLICATION.	cartridge respirator. Follow manufacturer's label.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED FOR ALL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPLICATIONS APPROVED FOR USE BY PAINT AND CARPENTRY STAFF ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
**** 00 0F00 HOW 0D4D VOO 01 000	VALSPAR CORPORATION				
2953 80 6509 MOW SPAR VOC GLOSS		Paint Products	APPROVED	USE LOCAL EXHAUST (SPRAY PAINT BOOTH) DURING SPRAY APPLICATION.	cartridge respirator. Follow manufacturer's label.
2955 FEBREZE (ALL VARIATIONS EXCEPT PLUG-IN PRODUCTS)	PROCTER & GAMBLE	Office Products	APPROVED		Follow manufacturer's label for normal consumer use.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
2956 SOLSTA 700 (QUAT-128) DISINFECANT CLEANER	GENLABS	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
2000 GOLDIA 700 (QOAT 120) DIGIN COATH GLEANER	CLICADO	maintenance and operations rroducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
2957 ALL CRETE 20 MINUTE SET	CHEMREX, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2958 ALTERNATIVE	SUPERCO	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
2959 HENRY #906 FLASHMASTER	MONSEY BAKOR	Roofing Products	APPROVED	DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
		9			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2960 BLUESKIN AG	MONSEY BAKOR	Roofing Products	APPROVED	FOR USE BY THE ROOFING DEFARTMENT STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
2961 10001 1216 TWX CLEAR PASTE WAX	TREWAX HOUSEHOLD	Maintananae and Operations Constitute	APPROVED		
ZOUT TOUGHTZIO TWAN GELANT FASTE WAN	THE THE STATE OF T	Maintenance and Operations Products	AFFROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
EXTRA -NATURAL CITRUS PARTS WASHING SOLVENT (CODE NO.					GOOD ventilation. If the described symptoms occr, wear NIOSH approved organi
2962 5187)	SUPERCO SPECIALITY PRODUCTS	Graphic Arts/Photography Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					errors propular pri owiloo danaan si wana dalla adala
					STORE PRODUCT BELOW 100 degrees F. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
2964 REMOVABLE THREADLOCKER 242(R)	LOCTITE CORP.	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia
2967 SANI CLOTH HB SOLUTION	PDI- PROFESSIONAL DISPOSABLES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
255, 0011 02011110 002011017		antenance and operations rioducts	ALLICAED		
					Wear chemical splash goggles if splashing may occur. Use with GOOD
2968 SANI-DEX HAND WIPES	PDI- PROFESSIONAL DISPOSABLES, INC.	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS	- GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2969 SURE-N-EASY	PARA-CHEM SOUTHERN, INC.	Adhering Products	APPROVED	9/1/01 VOC LIMITS	cartridge respirator. Follow manufacturer's label.
2000 00112 11 2001	Siem coornen, mo.	Adhesive Products	AFFROVED	-, ,	

				TO BE USED IN CONJUNCTION WITH RT-2031-B AMINE SERIES. THIS	
					This product is approved for outdoor use by the roofing department only. Wear
				BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED	nitrile rubber/neoprene gloves and chemical splash goggles or face shelld. Use
				SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST	with GOOD ventilation. If PEL is exceeded, wear NIOSH approved positive pressur
2970 RT-2031-A	RESIN TECHNOLOGY COMPANY	Roofing Products	APPROVED	BE	air-supplied r
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
2971 RIGHT- OFF	CHEM WEST INC.	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2972 FLAME X	CHEM WEST INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2973 WHITE RDRY WB ST. CA (PRODUCT CODE: WW2342A9)	TMT- PATHWAY LLC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2974 YELLOW RDRY NO LEAD WB (PRODUCT CODE: WY2443A9)	TMT- PATHWAY LLC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2975 DEGADUR R41	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
2976 WAXIE SPRING CLEAN - 6X1 (#170281)	GENLABS	Maintenance and Operations Products	APPROVED		vapor/ammonia cartridge respirator. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR USE BY THE PAVING UNIT FOR OUTDOOR	Wear nitrile rubber/neoprene gloves and safety goggles. Use with GOOD
2980 OVER KOTE ASPHALT PAVEMENT COATING	DIVERSIFIELD ASPHALT PRODUCTS	Carpentry/ Construction Product	APPROVED	USE ONLY.	ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2981 ACT SEALER (MSDS # 1270)	MAINTEX INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
2982 PENETRATING SEALER	MAINTEX INC.	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR USE BY FLOOR COVERINGS AND	
				TECHNICAL SERVICES UNIT ONLY. APPROVED PER SCAQMD RULE 1168-	Wear /neoprene gloves and chemical splash goggles. Use with GOOD
2983 BR-829 EPOXY ADHESIVE PART A AND PART B	BURKE FLOORING PRODUCTS	Adhesive Products	APPROVED	ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	ventilation. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	
				CLOSED SYSTEM IN CONJUNCTION WITH ULTRATHANE 230 B COMPONENT.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST BE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2984 ULTRA-THANE 230 "COMPONENT- A"	GENERAL COATINGS INC.	Roofing Products	APPROVED	MAINTAIN	cartridge respirator. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	
				CLOSED SYSTEM IN CONJUNCTION WITH ULTRATHANE 230 A COMPONENT.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST BE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2985 ULTRA-THANE 230 "COMPONENT B"	GENERAL COATINGS INC.	Roofing Products	APPROVED	MAINTAIN	cartridge respirator. Follow manufacturer's label.
				DO NOT GRIND OR ABRADE THIS PRODUCT - FOR USE BY FLOOR COVERING	Wear nitrile rubber/neoprene gloves and safety goggles. Use with GOOD
2986 PYROSET	RESCO PRODUCTS, INC.	Floor Care Products	APPROVED	TILE AND MARBLE DEPT. ONLY	ventilation. Follow manufacturer's label.
					DO NOT WEAR CONTACT LENSES WHILE USING THIS PRODUCT. Wear goggles. Use
					with GOOD ventilation. Wash exposed skin with water and soap after use. If PEL i
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
2987 ROCK WOOL	FIBREX INSULATIONS INC.	Floor Care Products	APPROVED		manufacturer's label
		. 1001 Gard 1 Todadota	ALLIOVED		MATERIAL IS APPROVED AS AN INTACT BRICK DO NOT PULVERIZE MATERIAL WITHOUT
					RESPIRATORY PROTECTION. Wear abrasion resistant gloves and eye protection.
					Use with GOOD ventilation. If PEL is exceeded, wear a NIOSH approved HEPA (P10)
2988 BANNER, MOHITE, MO FLINT	WELLSVILLE FIRE BRICK CO.	Floor Care Breekingt	ADDDO: CD		
2000 DANNER, MODILE, MO FLINT	WELLSVILLE FIRE BRICK CO.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				APPROVED FOR FLOOR ON FEBRUAR AND TROUBURAL OFF	Warrantella mithaula sanan alama and abandad anlash.
				APPROVED FOR FLOOR COVERINGS AND TECHNICAL SERVICES UNIT ONLY	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	MARKATINO			AND APPROVED PER SCAQMD RULE 1168 FOR ADHESIVE AND SEALANT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2989 EMBOND #170M VINYL FLOORING ADHESIVE	MARLEY FLEXCO	Floor Care Products	APPROVED	APPLICATIONS. THIS MANUFACTURER NO LONGER MAKES THIS PRODUCT.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge
2990 800 ELASTIC CEMENT	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING DEPARTMENT STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE WITH EMPLOYEE EXPOSURE MONITORING AND FOR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2991 WELDWOOD NONFLAMMABLE CONTACT ADHESIVE	DAP INC.	Adhesive Products	APPROVED	WOODSHOP STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2992 REZTORE SURFACE & MAT CLEANER	DESCO	Graphic Arts/Photography Products	APPROVED	APPROVED FOR USE BY GRAPHIC ARTS STAFF ONLY.	cartridge respirator. Follow manufacturer's label.

2993 PFS-888 CLEANING CONCENTRATE				DO NOT USE SPRAY APPLICATION. APPROVED FOR USE BY OPERATIONS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
2000	PROFESSIONAL FINISHING SYSTEMS, INC.	Maintenance and Operations Products	APPROVED	STAFF ONLY.	manufacturer's label.
	<u> </u>	mantenance and operations i readets	ATTROVES		SEE USE RESTRICTIONS FOR ALEX PAINTER'S CAULK. THIS PRODUCT IS NOW CALLE
					ALEX PAINTER'S CAULK (CONTROL NUMBER 3907). SEE PRECAUTIONS FOR THIS
2994 ACRYLIC LATEX CAULK	DAP INC.	Paint Products	APPROVED		PRODUCT.
2504		Tantifoddolo	ATTROVES		THIS PRODUCT IS NOW CALLED ALEX PLUS. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, v
2995 DAP ACRYLIC LATEX CAULK WITH SILICONE (CLEAR)	DAP INC.	Paint Products	APPROVED		NIOSH approved ammonia/methylamine cartridge respirator. Follow manufacturer's label.
2995 DAF ACRITIC LATEX CAULK WITH SILICONE (CLEAR)	DAF INC.	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2996 CONSTRUCTION SEALANT	GE SILICONES	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use loca
					exhaust. If PEL is exceeded, wear NIOSH approved P00 cartridge respirator. Fo
2997 BORATE	LAGUNA CLAY COMPANY	School Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Do not w
					contact lenses while working with this product. Use with local exhaust. If PEL is
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufactu
2998 RUTILE	TAM CERAMICS	School Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				ONLY ART INSTRUCTORS SHALL USE THIS PRODUCT AND MIX IT UNDER	local exhaust ventilation when mixing. If PEL is exceeded, wear NIOSH approv
2999 CHROMIUM OXIDE	WHITTAKER, CLARK & DANIELS, INC	School Products	APPROVED	LOCAL EXHAUST VENTILATION (FUME HOOD).	P100 cartridge respirator. Follow manufacturer's label.
2000 I. Molinom Oxide	Service of the	CONSTRUCTION CONTRACTOR CONTRACTO	ALLKOALD		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
ann DV CLAVS	BFM SPECIALTY MINERALS				local exhaust. If PEL is exceeded, wear NIOSH approved P100 cartridge respira Follow manufacturer's label.
3000 PV CLAYS	BFM SPECIALTY MINERALS	School Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3001 REZTORE TOPICAL ANTISTAT	DESCO	Graphic Arts/Photography Products	APPROVED	APPROVED FOR USE BY GRAPHIC ARTS STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
3002 GAPPER ADHESIVE	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Adhesive Products	APPROVED	APPROVED FOR USE BY GRAPHIC ARTS TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY CARPENTRY STAFF ONLY, REQUIRES OFHS TO	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3003 PLASTER-WELD	LARSEN PRODUCTS CORP.	Adhesive Products	APPROVED	MONITOR STAFF DURING APPLICATION.	cartridge respirator. Follow manufacturer's label.
					Store and use away from ignition sources. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3005 CITRO BLAST (PRODUCT # 52042, 52043, 52052, 52041)	STATE CHEMICAL MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
3335 (mantenance and operations i reducts	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3006 STO BTS-8 (CEMENTITIOUS STUCCO COATING)	STO CORPORATION		APPROVED		respirator. Follow manufacturer's label.
3006 STO BIS-8 (CEMENTITIOUS STOCCO COATING)	STO CORPORATION	Carpentry/ Construction Product	APPROVED		respirator, rollow manufacturers label.
					Warner to the state of the stat
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3007 STO E, C, INTERMEDIATE MESH, ARMOR MAT, ARMOR MAT XX	STO CORPORATION	Carpentry/ Construction Product	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
3007 STO E, C, INTERMEDIATE MESH, ARMOR MAT, ARMOR MAT XX	STO CORPORATION	Carpentry/ Construction Product	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
		Carpentry/ Construction Product			GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
	STO CORPORATION STO CORPORATION	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with
3008 FIEX FINISH (WATERBASED STUCCO COATING)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3008 FLEX FINISH (WATERBASED STUCCO COATING)	STO CORPORATION	Carpentry/ Construction Product	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator, Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Fellow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING)	STO CORPORATION	Carpentry/ Construction Product	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P.	STO CORPORATION	Carpentry/ Construction Product	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/P10.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P.	STO CORPORATION COSCO ENTERPRISES, INC.	Carpentry/ Construction Product Nursing Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator, Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's la
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P.	STO CORPORATION COSCO ENTERPRISES, INC.	Carpentry/ Construction Product Nursing Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01)	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY	Carpentry/ Construction Product Nursing Services Products Point Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/Pil cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01)	STO CORPORATION COSCO ENTERPRISES, INC.	Carpentry/ Construction Product Nursing Services Products	APPROVED APPROVED	APPROVED FOR ITSE RV FLOOR COVERBING DEPARTMENTS ONLY ADDROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P11 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01)	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY	Carpentry/ Construction Product Nursing Services Products Point Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/P10 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's law Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955)	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS- 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955)	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY	Carpentry/ Construction Product Nursing Services Products Point Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P1c cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridgrespirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridgrespirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955)	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS- 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/F11 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AKMAN C-36E FLOOR PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AKMAN C-36E FLOOR PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS- 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/F11 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-36E FLOOR PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label.
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-36E FLOOR PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's lad Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3008 FIEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-38E FLOOR PRIMER 3014 HS- HYDRO-BOND 007 WATERBORNE PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10 cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3008 FIEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-38E FLOOR PRIMER 3014 HS- HYDRO-BOND 007 WATERBORNE PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION HYDROSEAL POLYMERS, INC.	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3008 FIEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-38E FLOOR PRIMER 3014 HS- HYDRO-BOND 007 WATERBORNE PRIMER	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION HYDROSEAL POLYMERS, INC.	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIL cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's lad Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved armonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. CLEAR ENCAPSULANT Wear nitrile rubber/neoprene gloves and chemical splash
3008 FLEX FINISH (WATERBASED STUCCO COATING) 3009 TINCTURE OF GREEN SOAP U.S.P. 3011 WHITE, DTM 100% ACRYLIC WHITE METAL PRIMER (# 9021-00-01) 3012 WHITE CAP GLUE 5 GAL (# 18955) 3013 COLLINS & AIKMAN C-36E FLOOR PRIMER 3014 HS-HYDRO-BOND 007 WATERBORNE PRIMER 3015 HS ACRYLIC BASE/TOP COAT WHITE, GREY OR BUFF	STO CORPORATION COSCO ENTERPRISES, INC. SMILAND PAINT COMPANY EDOCO COLLINS & AIKMEN CORPORATION HYDROSEAL POLYMERS, INC.	Carpentry/ Construction Product Nursing Services Products Paint Products Maintenance and Operations Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIC cartridge respirator. Avoid breathing sanding dust. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					CLEAR ENCAPSULANT Wear nitrile rubber/neoprene gloves and chemical
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approx
3017 FIBERSET PM (7475)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
301, 1.2		mantenance and operations reducts	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
3018 CALIFORNIA OFFICIAL #11 (C-3-12)	CALIFORNIA FLAMEPROOFING & PROCESSING CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
SOID CALL CHAIR CITICIAL WIT (C C IL)	OALI OMIA I LAME NOOTING &T NOOLSONG GO, INC.	wantenance and operations Froducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
3019 CALIFORNIA OFFICIAL DELUXE	CALIFORNIA FLAMEPROOFING & PROCESSING CO., INC.		APPROVED		cartridge respirator. Follow manufacturer's label.
3019 CALIFORNIA OFFICIAL DELUXE	CALI ORNIA I DAMER ROOF ING & PROCESSING CO., INC.	Maintenance and Operations Products	APPROVED		
					Product packaged under different label Wear nitrile rubber/neoprene glo
ANI ODEW	AULODOD INO				chemical splash goggles. Use with GOOD ventilation. Follow manufacture
3020 NILODEW	NILODOR, INC.	Maintenance and Operations Products	APPROVED		Idbel.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3021 GACOFLEX E-5320 PART A	GACO WESTERN, INC.	Roofing Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3022 GACOFLEX E-5320 PART B	GACO WESTERN, INC.	Roofing Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	cartridge respirator. Follow manufacturer's label.
				FOR OUTDOOR USE ONLY. RESTRICTED TO USE BY THE ROOFING DEPT. AND	Wear neoprene gloves and splash goggles. If PEL is exceeded, wear NIOSI
3023 GACOFLEX E-5325 PART-A	GACO WESTERN, INC.	Roofing Products	APPROVED	TECHNICAL SERVICES UNIT.	approved organic vapor cartridge respirator. Follow manufacturer's labe
				FOR OUTDOOR USE ONLY. RESTRICTED TO USE BY THE ROOFING DEPT. AND	Wear neoprene gloves and chemical splash goggles. If PEL is exceeded,
3024 GACOFLEX E-5325 PART-B	GACO WESTERN, INC.	Roofing Products	APPROVED	TECHNICAL SERVICES UNIT.	NIOSH approved organic vapor cartridge respirator. Follow manufacture
				FOR OUTDOOR USE ONLY. THESE PRODUCTS ARE RESTRICTED TO USE BY TH	E Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follo
3025 GACOFLEX E-54 PARTS A & B	GACO WESTERN, INC.	Roofing Products	APPROVED	ROOFING DEPT. AND TECHNICAL SERVICES UNIT.	manufacturer's label.
					AVOID CONTACT WITH SKIN. Wear nitrile rubber/neoprene gloves and che
				OUTDOOR USE ONLY. FOR USE BY ROOFING DEPT. AND TECHNICAL SERVICE:	S splash goggles. If PEL is exceeded, wear NIOSH approved organic vapor of
3027 GACOFLEX LM-60 H.V PART A	GACO WESTERN, INC.	Roofing Products	APPROVED	UNIT.	respirator. Follow manufacturer's label.
,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL
				FOR OUTDOOR USE ONLY. FOR USE BY ROOFING DEPT. AND TECHNICAL	exceeded, wear NIOSH approved organic vapor cartridge respirator. Folk
3028 GACOFLEX LM-60 PART B	GACO WESTERN, INC.	Doofing Products	APPROVED	SERVICES UNIT ONLY.	manufacturer's label.
3026 OACOILLA LW GOTAKT B	CACO WESTERN, INC.	Roofing Products	AFFROVED	SERVICES ONLI ONEI.	
				FOR OUTDOOR HOT ONLY APPROVED FOR ROOTING DEAT, AND TROUBURAL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL
				FOR OUTDOOR USE ONLY. APPROVED FOR ROOFING DEPT. AND TECHNICAL	
3029 GACOFLEX A-58 SERIES	GACO WESTERN, INC.	Roofing Products	APPROVED	SERVICES UNIT.	manufacturer's label.
					Wear abrasion resistant gloves. If PEL is exceeded, wear NIOSH approved
3030 FIBERGLASS ROOFING SHINGLES MSDS NO.0009-85E	CELOTEX CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE BY ROOFING DEPT. AND TECHNICAL SERVICES UNIT	(P100) cartridge respirator. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH.	Wear leather work gloves and safety goggles. If PEL is exceeded, wear NIC
3031 ASPHALT FELT	FONTANA PAPER MILLS, INC.	Roofing Products	APPROVED	UNIT AND ROOFING DEPT.	approved organic vapor cartridge respirator. Follow manufacturer's labe
				DO NOT GRIND OR ABRADE THIS PRODUCT - FOR USE BY FLOOR COVERING	Wear abrasion resistant gloves and safety glasses. Use with GOOD ventile
3032 RESCOCAST 7	RESCO PRODUCTS, INC.	Floor Care Products	APPROVED	TILE AND MARBLE DEPT. ONLY	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If the described symptoms occur, wear NIOSH approve
3033 MULTI-GARD 954 PART B	CARBOLINE COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3034 DENT-X IFP DEVELOPER	DENT-X	Personal Hygiene Products	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	cartridge respirator. Follow manufacturer's label.
		/ 5			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3035 FORM OIL RELEASE	W.R. MEADOWS OF S. CA	Poofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
gggg : 2 Oil nearne		Roofing Products	AFFROVED		
					THIS APPROVAL SUPERCEDES THE OCTOBER 3, 2000 MEMO. Wear leather or
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
3036 ASPHALT ROLL ROOFING PRODUCTS/GLASS MAT	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Roofing Products	APPROVED		manufacturer's label.
3038 0203 SELCOSHINE S.S. POLISH AEROSOL	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		
					This product is an aerosol wax stripper Wear nitrile rubber/neoprene gle
					chemical splash goggles. Use with GOOD ventilation. Use and store awa
3040 AEROSOL WAX STRIPPER (PRODUCT NO: 0005)	ZEP MANUFACTURING COMPANY	Floor Care Products	APPROVED		any ignition sources. Wear impervious clothing. Follow manufacturer's I
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridg
	CRAWFORD PRODUCTS	Paint Products	APPROVED		respirator. Follow manufacturer's label.
3042 CRAWFORD'S NATURAL BLEND PAINTER'S PLITTY			ALL NO VED		
3042 CRAWFORD'S NATURAL BLEND PAINTER'S PUTTY					Wear nitrile rubber/neoprope gloves and chemical enlash general tree
3042 CRAWFORD'S NATURAL BLEND PAINTER'S PUTTY					
3042 CRAWFORD'S NATURAL BLEND PAINTER'S PUTTY 3043 ELASTO-DECK BT (A-COMPONENT) ISOCYANATE FREE POLYURE		Roofing Products	APPROVED	re-evaluated on 1/31/03, for contractors' use only.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR OUTDOOR USE BY PAINT STAFF ONLY APPLY WITH A BRUSH	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3044 MCCLOSKEY MAN O'WAR MARINE SPAR VARNISH	VALSPAR CORPORATION	Paint Products	APPROVED	ONLY	cartridge respirator. Follow manufacturer's label.
3044 WCCEOSKET WAN O WAR WARRING STAR VARIEST	VALSI AR CORFORATION	ruint rioducts	AFFROVED	=:=::	caratage respirator. Follow manufacturers raper.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED FOR ALL	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				USE WITH LOCAL EXHAUST (SPRAY PAINT BOOTH) DURING SPRAY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3045 80 6507 MOW SPAR VOC SEMIGLS	VALSPAR CORPORATION	Paint Products	APPROVED	APPLICATION.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3046 UNIVERSAL DISPERSION OF C.I. PIGMENT GREEN 17	ENGELHARD CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					CAUTION: This product is extremelty flammable. Wear nitrile rubber/neoprene
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
				APPROVED FOR OUTDOOR USE OR IN A HOOD BY THE PAINT DEPARTMENT	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3047 WW 550-VOC BARTOP F/G ACETONE LACQ (LC-1400)	LILLY INDUSTRIES, INC.	Paint Products	APPROVED	ONLY.	manufacturer's label.
	* * * * * * * * * * * * * * * * * * * *				Wear leather or cotton gloves and chemical splash goggles. Use with GOOD
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
ADD DOLVECTED CDANIES SEDIES	FIRESTONE BUILDING PRODUCTS CO.			DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
3048 APP POLYESTER GRANULE SERIES	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED	DEPARTMENT ONLY.	• .
					Wear leather or cotton gloves and chemical splash goggles. Use with GOOD
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3049 APP GLASS BASE SERIES	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED	DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
				APPROVED FOR OUTDOOR USE BY ROOFING STAFF OR CONTRACTORS	
				ONLY. USE DURING NON-SCHOOL HOURS AND SHUT DOWN HVAC SYSTEM	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				AT EXISTING FACILITIES. BREATHING ZONE MONITORING FOR EMPLOYEE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3050 CHEM-CALK 900	BOSTIK INC.	Roofing Products	APPROVED	EXPOSURE MUST BE PERFORMED UNTIL FURTHER NOTICE.	cartridge respirator. Follow manufacturer's label.
					This product is a roof patching aerosol Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If any of the described
					exposure symptoms occur, wear NIOSH approved organic vapor cartridge
3054 ROOF REMEDY	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		respirator. Use and store away from any ignition sources. Do not dispo
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3055 ACRI-KOTE WHITE (2090001)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3057 MIRRO GLIDE (ALL COLORS) - PRODUCT #143	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3058 ACRYPRIME WHITE (#0650700)	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3036 ACKTIKINE WHITE (#0030700)	TRAZEE INDUSTRIES, INC.	ruint rioducts	AFFROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3059 100% ACRYLIC - WHITE (#265)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3060 100% ACRYLIC INT-EXT FLAT - WHITE (#266)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3061 EXT-INT 100% ACRYLIC SANDABLE UNDERCOAT - WHITE (#230)	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventilation. If
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3062 HERBAL ODOR COUNTERACTANT (NO: 0597A)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
SSSZ TIERDAE SSON SOSTIERAGTANT (NO. SSSTA)		mantenance and operations Froducts	AFFROVED		
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY. Do
					NOT store or use near iginition sources. Contact lenses should NOT be worn when
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	working with this material. Wear nitrile rubber/neoprene gloves and chemical
3063 APOC #109 WET SURFACE CEMENT (PRODUCT CODE: 7370)	APOC THE ROOFERS EDGE	Maintenance and Operations Products	APPROVED	DEPARTMENT ONLY.	splash goggles. Us
					Use and store away from ignition sources. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3064 PERSONAL SAFETY EQUIP. CLEANING PADS P/N 1001	ALLEGRO INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					If eye splash is possible, wear chemical splash goggles. Use with GOOD
3065 ALCOHOL FREE TOWELETTES (P/N 3001)	ALLEGRO INDUSTRIES	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
			.41.10120		
					Do NOT use or store poor ignition sources if enlessing is possible years to read the
Anna Mine Downin con courts	AUTODO MINUSTRIFO				Do NOT use or store near ignition sources. If splashing is possible, wear chemica
3066 WIPE DOWNS FOR EQUIPMENT P/N 5001	ALLEGRO INDUSTRIES	Maintenance and Operations Products	APPROVED		splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor/P100
3069 DOMCO106	DOMCO INC.	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.

				APPROVED FOR OUTDOOR USE BY BY METAL DEPARTMENT STAFF ONLY. USE	
				AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF.	Wear polyethylene gloves and chemical splash goggles. Use with GOOD
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED UNTIL FURTHER	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3070 A-4100 SERIES	CARDINAL INDUSTRIAL FINISHES	Paint Products	APPROVED	NOTICE.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia
3071 ALEX PLUS-ALL COLORS	DAP INC.	Maintenance and Operations Products	APPROVED		methylamine cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3072 CHILDERS CP-50A HV2	FOSTER PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 respirator. A
3073 NEO-FLEX	JONES BLAIR COMPANY	Paint Products	APPROVED		contact with skin and eyes. Follow manufacturer's label. FOR OUTDOOR USE
					NOTE: Everyone will eventually develop an allergy to epoxy given enough
					exposure. The product may generate considerable amount of heat if more
					200 grams were mixed. Wear safety goggles, vinyl gloves and barrier cream
					hands and forearms. Use in a well ventilated area. Wear NIOSH approved Pl
					cartridge respirator. USE DURING NON-SCHOOL OPERATING HOURS OR AWAY
3074 5430 PART A & B	APPLI-TEC, INC.	Maintenance and Operations Products	APPROVED		STUDENTS AND STAFF, TURN OFF HVAC DURING APPLIC
		· · · · · · · · · · · · · · · · · · ·			
				APPROVED FOR OUTDOOR USE BY CONTRACTORS OR M&O STAFF FOR	
					2 Wear shaming an lash general as Heartith outdoors If DEL 1
					G Wear chemical splash goggles. Use with outdoors. If PEL is exceeded, wear N
3076 SILICA SAND	U.S. SILICA COMPANY	Maintenance and Operations Products	APPROVED	MUST BE PERFORMED FOR DISTRICT STAFF UNTIL FURTHER NOTICE.	approved P100 cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY CONTRACTORS AND CARPENTRY STAFF DURING	
				NON-SCHOOL HOURS ONLY. SHUT DOWN HVAC SYSTEM DURING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPLICATION. PRODUCT USED WITH HETRON 72-G ACC CR (TWO PART	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3078 STYRENE MONOMER 50 PPM INHIBITOR	ASHLAND CHEMICAL COMPANY	Maintenance and Operations Products	APPROVED	PRODUCT).	cartridge respirator. Follow manufacturer's label.
5575		mantonance and operations reducts	ATTROVES	APPROVED FOR USE BY CONTRACTORS AND APPLICABLE M&O STAFF	
				DURING NON-SCHOOL HOURS ONLY. SHUT DOWN HVAC SYSTEM DURING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPLICATION. PRODUCT USED WITH STYRENE MONOMER 50PPM INHIBITOR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3079 HETRON 72-G ACC CR	ASHLAND CHEMICAL COMPANY	Maintenance and Operations Products	APPROVED	(TWO PART PRODUCT).	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3081 POLOPLAZ FAST BREAK GAME LINE PAINT	NATIONAL COATINGS CORPORATION	Paint Products	APPROVED	APPROVED FOR USE BY PAINTING STAFF OR CONTRACTORS ONLY.	cartridge respirator. Follow manufacturer's label.
				AT NOTES FOR OUR STATE OF SOME OF SOME	
3082 RISOGRAPH RA INK	RISO KAGAKU CORPORATION	Office Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PI
3083 KRYLON HOME DÉCOR DURABLE LATEX SPRAY - 1	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AGU	UNICOURDE MODI DIMPE INC				GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge
3084 AQUA SATIN	UNISOURCE WORLDWIDE, INC.	Food Services Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
3084 AQUA SATIN	UNISOURCE WORLDWIDE, INC.	Food Services Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
3084 AQUA SATIN	UNISOURCE WORLDWIDE, INC.	Food Services Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
3084 AQUA SATIN	UNISOURCE WORLDWIDE, INC.	Food Services Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
	UNISOURCE WORLDWIDE, INC. DYNA SYSTEMS A PARTMASTER CO DIV OF NCH		APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
		Food Services Products Maintenance and Operations Products			GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neopren gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neopren gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3096 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NIOT store or use near any ignition sources. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS				GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neopren gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3084 AQUA SATIN 3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NIOT store or use near any ignition sources. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator, Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with
3086 CLEAN N DRY II AEROSOL (FRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. GOOD ventilation if the described symptoms occur, wear NIOSH approved if GOOD ventilation. If the described symptoms occur, wear NIOSH approved if GOOD ventilation. If the described symptoms occur, wear NIOSH approved if
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator, Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY MAINTENANCE PERSONNEL TO	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved Facility in the described symptoms occur, wear NIOSH approved Facility in the described symptoms occur, wear NIOSH approved Facility respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY MAINTENANCE PERSONNEL TO APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved is GOOD ventilation. If the described symptoms occur, wear NIOSH approved is cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrille rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved is GOOD ventilation. If the described symptoms occur, wear NIOSH approved is cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. GOOD ventilation. If the described symptoms occur, wear NIOSH approved is cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved is cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrille rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow militile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If the described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PIOD cartridge respirator, Follow manufacturer's label. Do NIOT store or use near any ignition sources. Wear nitrite rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved it cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved it cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439) 3092 TITEBOND ACOUSTICAL TILE ADHESIVE	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS FRANKLIN INTERNATIONAL	Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neopren gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved in cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved in GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS FRANKLIN INTERNATIONAL	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PIOD cartridge respirator, Follow manufacturer's label. Do NIOT store or use near any ignition sources. Wear nitrite rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved it cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved it cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neopreme gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS FRANKLIN INTERNATIONAL	Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved Factividge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved for a nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS FRANKLIN INTERNATIONAL	Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved Fourtridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved FooD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3086 CLEAN N DRY II AEROSOL (PRODUCT CODE: 5496) 3088 LBS LATEX BASED CAULK 3089 STERI-GEL 3090 RUFF BE GONE INDUSTRIAL HAND CREAM 3091 FSP (PART NO. AA-418, 419, 445-448, 452, 464 & 439)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH NELSON FIRESTOP PRODUCTS SUPERCO AMERICAN INDUSTRIAL SUPPLY INC. NELSON FIRESTOP PRODUCTS FRANKLIN INTERNATIONAL	Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPLY INDOORS, ISOLATE THE BUILDINGS VENTILATION SYSTEM FROM THE WORK AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING	GOOD ventilation. If TLV is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Do NOT store or use near any ignition sources. Wear nitrile rubber/neoprem gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
3095 STUCCO FLAT-100% ACRYLIC 6200	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED	APPROVED FOR OUTDOOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3096 ACRYLIC SEMI-GLOSS 6700	TIBBETTS NEWPORT CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Wear
					positive pressure supplied-air
					respirator. THE APPROVAL OF THIS PRODUCT IS FOR THE FABRICATION PROCE
					ONLY-THIS PROCESS IS PERFORMED ONLY BY THE MANUFACTURER. Follow
3097 MIAC-TOPCOAT AL-58, PART "B"	VISURON TECHNOLOGIES, INC.	Paint Products	APPROVED	TO BE USED IN THE FABRICATION PROCESS ONLY.	manufacturer's
	· · · · · · · · · · · · · · · · · · ·				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. Wear impervious clothing.A portable eye wash station s
					available at the work area. The approval of this product is FOR THE USE OF
3098 SLAM DUNK (DRAIN LINE MAINTAINER & OPENER	SUPERCO	Maintenance and Operations Products	APPROVED	Revised - Approved for plumbing shops only.	PLUMBING SHOPS ONLY. Fo
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If any of the described symptoms occur, wear NIOSH ap
					organic acid/ acid gas cartridge respirator. Wear impervious clothing and
3099 ALKOT G.R.L STRIPPER	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED		boots. Follow manufacturer's
3300		mantonance and operations reduces	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If any of the described ill effects occur, wear NIOSH appr
3100 HYDRASOL-CA (NO: 7769)	SELIG CHEMICAL INDUSTRIES	Office Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
0.00		Cindo Freducio	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If any of the described ill effects occur, wear NIOSH appr
3102 MULTI-CLEAN CROSSLINKER CATALYST	MULTI-CLEAN (A DIV.OF MINUTEMAN INT. INC.)	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
SIDE MOETI SEERI GROSSEINER GATAETST	MOEN GEENT (ABIT.OF MINOTEMATRIX. INC.)	runtriodets	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product IS FOR THE USE OF ROOFI
3103 NEOGARD-2 GRAY LO (NO: 7430-01)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY AND W
3103 NEOGARD-2 GRAT LO (NO. 7430-01)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY AND W
					Wage nitrila rubber/neoprepa gloves and chemical splach googles lies wi
					Wear nitrile rubber/neoprene gloves and chemical splash goggles.Use wi
3]04 SHELTECH MULTI PURPOSE CLEANER/DEGRESER&WAX REMOV.	SHELTECH CCO.	For all Domestons Developes	4 DODO (/ CD		GOOD ventilation. If any of the described exposure symptoms occur, wear
3104 SHELTECH MOLTI FORFOSE CLEANER/ DEGRESERQWAX REMOV.	Shelfech CCO.	Food Services Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If any of thedescribed exposure symptoms occur, wear
3105 BLAST (SOLID DRAIN OPENER)	ALCO PRODUCTS, INC.	Malatan and On contain Book at	APPROVED		approved Dust/Mist respirator. Wear impervious clothing. Follow manufactures.
3105 BLAST (SOLID DRAIN OPENER)	ALCO PRODUCTS, INC.	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If any of the described exposure symptoms occur, wear
3106 HANDICAP BLUE ACRYLIC W/B TRAFFIC (NO: 3033)	PERVO PAINT CO.	Paint Products	APPROVED		approved organic vapor cartridge respirator. Wear impervious clothing. F manufacturer's label.
3100 HANDICAL BEDE ACKTEC W/B TRAITIC (NO. 3033)	PERVOTAINT CO.	Paint Floadets	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing. Use and store away from
COT MAN EED VOC DADTOD C/C 60 ACCTONG LACO (LC 1460)	LILLY INDUSTRIES, INC.	Pollat Post divista	4 DODO (/ CD		ignition sources. Follow
3107 WW 550-VOC BARTOP S/G-60 ACETONE LACQ (LC-1460)	LILLY INDUSTRIES, INC.	Paint Products	APPROVED	ADDDOVED DED COACAAD DUILE 1960 - ADUECTIVE AND CEALANT ADD	ignition sources, rollow ICATIONS- Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
3111 ARMSTRONG S-235 PREMIUM SHEET FLOORING ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adherite Berker	APPROVED	9/1/01 VOC LIMITS	
3111 ARMSTRONG 5-233 FREMIUM SHEET FLOORING ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED	9/1/01 VOC LIMITS	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
ONO MARI DRIMER DART A	KOLGILD WALDICAN CODD	Delet Desite state	4 DODO (/ CD		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3112 VAP I PRIMER PART A	KOESTER AMERICAN CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					MIXING OF PARTS A & B ARE TO BE DONE OUTDOORS ONLY. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
	VOTOTED ALVERYO AN OLORD				ventilation. If any of the described syptoms are observed, wear NIOSH app
	KOESTER AMERICAN CORP.	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
3113 VAP 1 PRIMER PART B					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
3113 VAP 1 PRIMER PART B					
3116 SAFE-SET 314 VINYL ADHESIVE CODE 314D	CHICAGO ADHESIVE PRODUCTS CO.	Adhesive Products	APPROVED	APPROVED FOR USE BY MAINTENCE PERSONELL ONLY.	cartridge respirator. Follow manufacturer's label.
		Adhesive Products Floor Care Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENCE PERSONELL ONLY.	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
3116 SAFE-SET 314 VINYL ADHESIVE CODE 314D	CHICAGO ADHESIVE PRODUCTS CO.			APPROVED FOR USE BY MAINTENCE PERSONELL ONLY.	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. WARNING: This product is flammable. Do NOT store or use near ignition so
3116 SAFE-SET 314 VINYL ADHESIVE CODE 314D	CHICAGO ADHESIVE PRODUCTS CO.			APPROVED FOR USE BY MAINTENCE PERSONELL ONLY.	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. WARNINO: This product is flammable. Do NOT store or use near ignition so Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
3116 SAFE-SET 314 VINYL ADHESIVE CODE 314D	CHICAGO ADHESIVE PRODUCTS CO.			APPROVED FOR USE BY MAINTENCE PERSONELL ONLY.	

					WARNING: This product is flammable. Do NOT store or use near ignition sources.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3119 STEEL IT, EPOXY COATING, PART "A" (ID# 4907-A)	STAINLESS STEEL COATINGS, INC	Paint Products	APPROVED		cartridge respirator. Fol
Sila diceen, con donino, rant a (ibii 400) ay	STAINLESS STEEL SOATHOS, INC	runtriodats	AFFROVED		Do NOT store or use this product near a possible source of ignition. If the PEL is
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	exceeded, wear NIOSH approved organic vapor/P-100 cartridge respirator. Do NOT wear contact lenses when working with this product. Wear nitrile
3120 APOC #101 A/F PLASTIC ROOF CEMENT	APOC THE ROOFERS EDGE	Deserve Brooksets	4.000.01/FD	DEPARTMENT ONLY.	
3120 AFOC #101 A/F FLASTIC ROOF CEMENT	AFOC THE ROOFERS EDGE	Roofing Products	APPROVED	DEFARIMENT ONLY.	rubber/neoprene gloves and
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Do not use
					contact lenses while working with this product. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved HEPA cartridge respirator. Follow
3121 APOC #400 SUNBRITE ALUMINUM	APOC THE ROOFERS EDGE	Roofing Products	APPROVED	THIS PRODUCT IS RESTRICTED TO USE BY THE ROOFING DEPARTMENT ONLY.	
					DO NOT USE AROUND SOURCES OF IGNITION. Wear nitrile rubber/neoprene glove.
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved HEPA
3122 NON-FIBERED EMULSION ROOFING COATING/APOC#300 PLAIN	APOC THE ROOFERS EDGE	Roofing Products	APPROVED	THIS PRODUCT IS RESTRICTED TO USE BY THE ROOFING UNIT.	cartridge respirator. Follow manufacturer's label.
					DO NOT USE THIS PRODUCT NEAR SOURCES OF IGNITION. DO NOT WEAR CONTACT
					LENSES WHILE USING THIS PRODUCT. Wear nitrile rubber/neoprene gloves and
				THIS PRODUCT IS APPROVED FOR USE BY THE ROOFING DEPT. AND TECH.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear a
3123 STA-KOOL 350 GREY ELASTOMERIC ROOF PATCH	GARDNER ASPHALT CORPORATION	Roofing Products	APPROVED	UNIT ONLY	NIOSH approved organic vap
					DO NOT USE THIS PRODUCT NEAR SOURCES OF IGNITION. DO NOT WEAR CONTCT
					LENSES WHILE USING THIS PRODUCT. Wear nitrile rubber/neoprene gloves and
				THIS PRODUCT IS APPROVED FOR USE BY THE ROOFING DEPT. AND TECH.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
3124 ELASTOMERIC / APOC#252 SUNWHITE ELASTOMERIC	APOC THE ROOFERS EDGE	Deserve Providents	APPROVED	UNIT ONLY	NIOSH approved organic vapor car
3124 EDASTOMERIC/ APOC#252 SUNWHITE EDASTOMERIC	AFOC THE ROOFERS EDGE	Roofing Products	APPROVED	ONIT ONET	The state of the s
					DO NOT USE THIS PRODUCT AROUND IGNITION SOURCES. DO NOT MIX WITH STRONG
					OXIDIZERS, ALKALIES, ACIDS. Wear nitrile rubber/neoprene gloves and chemical
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
3125 THE ANSWER (PRODUCT# A1001)	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		approved organic vapor cart
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3126 ULTRA-HIDE ACRYLIC PRIMER, INT WOOD UNDERCOAT 1020-1200	ICI PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3128 IRM LIQUID	DENTSPLY CAULK	Personal Hygiene Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3129 IRM POWDER	DENTSPLY CAULK	Developed Liverione Dreducts	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	cartridge respirator. Follow manufacturer's label.
2128 IKM LOMPEK	DENISTET CAGE	Personal Hygiene Products	AFFROVED	AFFROVED FOR USE BY OCCUPATIONAL CENTERS ONET.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3130 PERI-PRO DEVELOPER	AIR TECHNIQUES, INC	Personal Hygiene Products	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3131 PERI-PRO FIXER	AIR TECHINQUES, INC	Personal Hygiene Products	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3132 HYDROPONIC 0-5-2 BLOOM XTRA EDGE	GRO MORE, INC	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3133 HYDROPONIC 4-1-3 GROW XTRA EDGE	GROW MORE, INC	School Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3134 HYDROPONIC 3-0-1 MICRO XTRA EDGE	GROW MORE, INC	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
ZONOLOTE INDUSTRIAL, AGRICULTURAL, TERRA-LITE,	Show more, mo	SCHOOL FLOUDCIS	AFFROVED		coranage respirator. Follow manufacturer situati.
	W.R. GRACE & CO.				Fall and a second and a second a label
3135 HORTICULTURAL	W.R. GRACE & CU.	School Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3136 AMORPHOUS SILICEOUS MINERAL	THERMO-ROCK	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3137 SANITILE 250 WB FINISH PAT A	CARBOLINE COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure symptoms occur, wear NIOSH
3138 SANITILE 250 WB FINISH PART B	CARBOLINE COMPANY	Point Products	APPROVED		approved organic vapor/Hepa cartridge respirator. Follow manufacturer's label.
SIGO CAMATICE 200 WE FINISHT ART D	CARDOLINE CONTENTS	runtrioducts	AL PROVED		
				ADDROVED FOR HEE BY LAHED CERTIFIED DEET CONTROL TECHNICALIS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
WILLIAM OR ORGANIA GOLURDEL PAIT	VANUATERS & ROOFERS NO			APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3139 WILCO GROUND SQUIRREL BAIT	VAN WATERS & ROGERS INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3141 CITRIC ACIS, ANHYDROUS	GROW MORE, INC	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3141 CITRIC ACIS, ANNI DROUS	GROW MORE, INC	SCHOOL Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
ALLA DESTORED	LILLYADD INDUSTRIES				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3143 RESTORER	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3148 CRAYOLA WASHABLE MARKERS	BINNEY & SMITH INC.	Graphic Arts/Photography Products	APPROVED		Follow manufacturer's label.
3149 PACIFIC II (GLOSS, SILKMAT)	BONAKEMI USA, INC.	Floor Care Products	APPROVED		
					Store away from ignition sources. Wear nitrile rubber/neoprene gloves of
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, v
3150 MOTSENBOCKER'S LIFT OFF #5	MOTSENBOCKER'S LIFT OFF	Graffiti Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacture
					This product is very corrosive, avoid contact with eyes and skin. Wear nit
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				THIS PRODUCT IS APPROVED FOR USE BY THE WATER TREATMENT	ventilation. If dusting occurs, wear a NIOSH approved P100 cartridge resp
3151 LESLIE'S BROMINATING TABLETS	BIOLAB, INC	Maintenance and Operations Products	APPROVED	DEPARTMENT IN COOLING TOWERS ONLY.	Follow manufacturer's labe
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3152 ENVIRO PRO	PIONEER RESEARCH	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If any of the described symptoms occur, wear NIOSH of
					organic vapor cartridge respirator. Do NOT mix this product with other
3154 SANISOL PLUS	MISSION LABORATORIES/MISSION KLEENSWEEP PRODUCTS	Maintenance and Operations Products	APPROVED		chemicals, toxic fumes may be
					Avoid eye and skin contact Wear nitrile rubber/neoprene gloves and ch
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSI
3155 FORMULA 815 GD	BRULIN CORPORATION	Automotive Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's lab
0.00		Additional	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3156 TKX ALL PURPOSE PENETRANT, LUBRICANT, PROTECTANT	LPS LABORATORIES, INC.	Malaka and On carting Bandusk	APPROVED		cartridge respirator. Follow manufacturer's label.
3156 TRA ALL FOR OSL FEREINANT, EDDRICANT, FROTECTANT	B 3 EABORATORIES, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
PETRONOLOGIA TEMPANITI DUDDOCE UTINIA COMPLEY OPERO	C. DETROMONIOS MANUELO TURBINO OROUR INO			DESCRIPTION FOR TO UNITED STAFF ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3157 PETRON PLUS HI-TEMP MULTI-PURPOSE LITHIUM COMPLEX GREASE	PETRONOMICS MANUFACTURING GROUP, INC.	HVAC Products	APPROVED	RESTRICTED USE TO HVAC STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
PETRON PLUS HI-TEMP EXTREME PRESSURE MULTI-PURPOSE					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3158 POLYUREA	PETRONOMICS MANUFACTURING GROUP, INC.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved
3159 STRIDE CITRUS HC- USE SOLUTION	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3161 EVERMORE H&T EXTERIOR LATEX SEMI-GLOSS HD68XX	ICI PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3161 EVERMORE H&T EXTERIOR LATEX SEMI-GLOSS HD68XX	ICI PAINTS	Paint Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3161 EVERMORE H&T EXTERIOR LATEX SEMI-GLOSS HD68XX	ICI PAINTS	Paint Products	APPROVED		
3161 EVERMORE HAT EXTERIOR LATEX SEMI-GLOSS HD68XX 3162 INTERSEPT	ICI PAINTS INTERSEPT SPECIALITY PRODUCTS	Paint Products Floor Care Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label.
3162 INTERSEPT	INTERSEPT SPECIALITY PRODUCTS	Floor Care Products	APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow
3162 INTERSEPT	INTERSEPT SPECIALITY PRODUCTS	Floor Care Products	APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3162 INTERSEPT	INTERSEPT SPECIALITY PRODUCTS	Floor Care Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation, If PEL is exceeded, wear NIOSH approved acid gas can respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this
3162 INTERSEPT	INTERSEPT SPECIALITY PRODUCTS	Floor Care Products	APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES	Floor Care Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/spec
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES	Floor Care Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/speprecautions. Do NOT wear contact lenses when working with this material. Wear nitrile
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES	Floor Care Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/speprecautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES	Floor Care Products Floor Care Products	APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/speprecautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC.	Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organi vapor/f100 cartridge respirator. Follow
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC.	Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitri rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organi vepor/f100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC.	Floor Care Products Floor Care Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitri rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ vepor/f100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE	Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitri trubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ vapor/FI000 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic valuation of the control of the co
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE	Floor Care Products Floor Care Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ vapor/P100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use cartridge respirator. Follow manufacturer's label.
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A"	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAGMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitri rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ vapor/P100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use: GOOD ventilation. If Symptoms occur, wear NIOSH approved organic vacartridge respirator. Follow
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE	Floor Care Products Floor Care Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS	Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitri rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ ventridge respirator. Follow Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A"	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAGMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril inubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organ vapor/P100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vacantridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A" 3167 INTERCERAMIC USA CERAMIC WALL TILE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO INTERCERAMIC, USA	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organical protection information in the province of the province of the province of the province of the province or the province of the province of the province of the province or the province of the province or the provinc
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A"	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO INTERCERAMIC, USA	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAGMD RULE 1168 - ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car respirator. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organic vapor/P100 cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vacartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatrities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatrities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatrities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatrities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatritidge respirator. Follow manufacturer's label.
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A" 3167 INTERCERAMIC USA CERAMIC WALL TILE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO INTERCERAMIC, USA	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved acid gas car respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of thi including those sections containing special protection information/spe precautions. Do NOT wear contact lenses when working with this material. Wear nitril inubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NiOSH approved organi vapor/Pi00 cartridge respirator. Follow Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If Symptoms occur, wear NiOSH approved organic vapor/ritilge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use
3162 INTERSEPT 3163 COMMERCIALON 600 ADHESIVE 3164 K-15 SELF-LEVELING UNDERLAYMENT CONCRETE 3165 APOC #107 PROFESSIONAL COLD PROCESS ROOF CEMENT 3166 FLEXCO 77 EPOXY ADHESIVE, PART "A" 3167 INTERCERAMIC USA CERAMIC WALL TILE	INTERSEPT SPECIALITY PRODUCTS J & J INDUSTRIES ARDEX INC. APOC THE ROOFERS EDGE MARLEY FLEXCO INTERCERAMIC, USA	Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS 9/1/01 VOC LIMITS APPROVED FOR USE BY FLOORING STAFF ONLY. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cart respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this including those sections containing special protection information/spec precautions. Do NOT wear contact lenses when working with this material. Wear nitrit rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If respiratory symptoms occur, wear NIOSH approved organi vapor/PIOO cartridge respirator. Follow Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If supproved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3170 FIESTA SOLVENT STRIPPER	PROTECH INDUSTRIES, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
FIREDI CON IA O 0000 (0000)	FIBERLOCK TECHNOLOGIES, INC.				
3171 FIBERLOCK IAQ 2000 (8320)	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
3172 S-5000/S-500 PART C COLORQUARTZ AGGREGATE	SUMMITVILLE TILES	Floor Care Products	APPROVED		dust/particulate (P_100) cartridge respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap
3174 ELASTO-DECK 6500 (B-COMPONENT)	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
31/4 EBISTO BECK 0500 (B CONITONENT)	PACIFIC FOLIMERS INTERNATIONAL, INC.	ROOHING Products	AFFROVED	ALL KOVED LOK OUTDOOK OSE BY KOOTING STALL ONE!	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3175 ELASTO-DECK 6500 (A COMPONENT)	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE ONLY BY THE ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3176 STRIDE FLORAL SC (SUPER CONCENTRATE)	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
3170 UNIDETECTACES (COTEN CONCENTIALE)	SOURCE WAY I NOT ESSIONAL	maintenance and operations froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3177 IMAGE 3 UNDERCOAT SEALER (# 1047)	GENLABS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3178 IMAGE 4 HI-SPEED FINISH (# 9907)	GENLABS	Maintananaa 1 C	ADDDOVED		
21/8 IMAGE # HI-2AEED HINISH (# 8801)	GENLADS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If any of the described symptoms occur, wear a NIOS
3179 SUPER BOILED LINSEED OIL	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's lat
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3180 SOLSTA 300 NONACID BATHROOM CLEANER	GENLABS	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH acid gas vapor cartrid
3181 SOLSTA 310 MILD ACID WASHROOM CLEANER	GENLABS	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3182 SOLSTA 100 DEGREASER	GENLABS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3183 PRANG FUN PRO CRAYONS	DIXON TICONDEROGA	Graphic Arts/Photography Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
2104 ALI POLIFO MATERIAL	SOPPEMATISE INC		ADDDOVED	APPROVED FOR OUTDOOR LIKE BY THE DOORING DEPARTMENT ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3184 ALL ROLLED MATERIAL	SOPREMA USE, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
3184 ALL ROLLED MATERIAL	SOPREMA USE, INC.		APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Usr
3184 ALL ROLLED MATERIAL	SOPREMA USE, INC.		APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Usr
3184 ALL ROLLED MATERIAL 3185 NIBOR-D	SOPREMA USE, INC. NISUS CORPORATION		APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Usr
		Roofing Products		THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartri- respirator. Follow manufacturer's label.
3185 NIBOR-D		Roofing Products Pesticide/Herbicide Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Fol
	NISUS CORPORATION	Roofing Products		THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cortridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PI00 cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label.
3185 NIBOR-D	NISUS CORPORATION	Roofing Products Pesticide/Herbicide Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitriie rubber/ neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitriie/neoprene gloves and chemical splash goggles. Use with G
3185 NIBOR-D	NISUS CORPORATION	Roofing Products Pesticide/Herbicide Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follom manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G
3185 NIBOR-D	NISUS CORPORATION	Roofing Products Pesticide/Herbicide Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitriie rubber/ neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitriie/neoprene gloves and chemical splash goggles. Use with G
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338)	NISUS CORPORATION SEUG CHEMICAL INDUSTRIES	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cort respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338)	NISUS CORPORATION SEUG CHEMICAL INDUSTRIES	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cortridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Guernitrile/neoprene gloves and chemical splash goggles.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Ceventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Ceventilation. If PEL is exceeded, wear NIOSH approved organic vapor car
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338)	NISUS CORPORATION SEUG CHEMICAL INDUSTRIES	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap contridge respirator, Follow manufacturer's label. Wearn nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wearn nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wearn nitrile/neoprene gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wearn nitrile/neoprene gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical splash goggles.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. For manufacturer's label. Wear nitrile/neoprene gioves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile/neoprene gioves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical splash goggles.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with 6 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical splash goggles.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products	APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Ceventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Ceventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products	APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile fineoprene gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile fineoprene gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile fineoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile fineoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appropriation and skin contact Wear nitrile fineoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appropriation and skin contact Wear nitrile fineoprene gloves and chemical goggles. Use with GOOD ventilation.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Point Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, weer NIOSH approved PIOO cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apport goggles. Use with GOOD ventilation.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products	APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Point Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Point Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. We with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation of PEL is exceeded, wear NIOSH approvages. Use with GOOD ventilation of PEL is exceeded.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvaganic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approgranic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approgranic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, weer NIOSH approved PIOO cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appor organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appor organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described exposure symptoms occur, wear NICSH apport organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOD cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvagnic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile (neoprene gloves and chemical splash goggles. Use with ventilation. If neoprene gloves and chemical splash goggles. Use with ventilation. If any of the described exposure symptoms occur, wear NiCapproved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR 3191 ODORGONE	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC. MAINTEX INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY. APPROVED FOR USE BY THE ASSESTOS TECHNICAL UNIT AND ABATEMENT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemica goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (PRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved PIO0 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile /neoprene gloves and chemical splash goggles. Use with Cemanufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Cemanufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Cemanufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with Cemanufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approrganic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approrganic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with cood ventilation. If PEL is exceeded, wear NIOSH approprious occur, wear NiCSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR 3191 ODORGONE	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC. MAINTEX INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Paint Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY. APPROVED FOR USE BY THE ASSESTOS TECHNICAL UNIT AND ABATEMENT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartrirespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Fol manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvaganic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approvaganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with ventilation. If any of the described exposure symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3185 NIBOR-D 3186 SNO WHITE-CA (FRODUCT # 31338) 3187 GRAFFITI MELT COATING 3188 NEW EAZE AWAY REMOVER 3189 GOLD REMOVER 3190 GRAFFITI TERMINATOR 3191 ODORGONE	NISUS CORPORATION SELIG CHEMICAL INDUSTRIES GENESIS COATINGS, INC. GENESIS COATINGS, INC. GENLABS GENESIS COATINGS, INC. MAINTEX INC.	Roofing Products Pesticide/Herbicide Products Maintenance and Operations Products Graffiti Products Paint Products Paint Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY. APPROVED FOR USE BY THE ASSESTOS TECHNICAL UNIT AND ABATEMENT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's lobel. Wearn nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved PIOO cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Foll manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cart respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Avoid eye and skin contact Wear nitrile/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approrganic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with Coopproved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriler/neoprene gloves and chemical splash goggles. Use with Coopproved organic vapor cartridge respirator. Follow manufacturer's label.

IENRY COMPANY				Wear leather or canvas work gloves, long sleeve shirts and chemical spl
ENRY COMPANY				
ENRY COMPANY				goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appro
	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
				SEE INDEX ON MSDS FOR LISTING OF PRODUCTS COVERED. Wear nitrile
				rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartri
DUNN-EDWARDS CORP.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
COLGATE-PALMOLIVE COMPANY	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
THIRME RESERVOIT EADONATORIES, ING.	resticide/fielbicide rioddcts	AFFROVED		West nitrile white a particular and sharping angels angels the
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
DO INDUSTRIES INC. CONTINUS A RESIN ORGAN				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
GINDUSTRIES, INCCOATINGS & RESIN GROUP	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3G INDUSTRIES, INCCOATINGS & RESIN GROUP	Paint Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If any of the described exposure symptoms occur, we
PG INDUSTRIES, INCCOATINGS & RESIN GROUP	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's lab
			TO REDUCE DUST LEVELS, USE WET METHODS TO CUT PRODUCT OR TOOLS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
			EQUIPPED WITH LOCAL EXHAUST FILTERED VIA A HEPA VACUUM. APPROVED	
RMSTRONG WORLD INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	FOR M&O STAFF ONLY.	respirator. Follow manufacturer's label.
· · · · · · · · · · · · · · · · · · ·				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
JST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
			EQUIPPED WITH LOCAL EXHAUST FILTERED VIA A HEPA VACUUM. APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridg
RMSTRONG WORLD INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	FOR M&O STAFF ONLY.	respirator. Follow manufacturer's label.
			TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
RMSTRONG WORLD INDUSTRIES INC.	Maintenance and Operations Products	ADDDOVED		respirator. Follow manufacturer's label.
there were mederale, no.	Maintenance and Operations Products	AFFROVED	ATTROVESTOR MASS STALL SIZE.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartridg
				respirator. Do not create dust. The appoval of this product is FOR THE USE
IKA CORPORATION	Maintenance and Operations Products	APPROVED		CARPENTER'S SHOPS ONLY. Foll
				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
IKA CORPORATION				
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's labe
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's label
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's label Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's lab Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid
VA COPPORATION	·			GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab- Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufe
IIKA CORPORATION	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear intitile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufalabel.
KA CORPORATION	·			GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear nitrille rubber/neoprene glowes and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing, Follow manufe label. Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use
IKA CORPORATION	·			GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear nitrille rubber/neoprene glowes and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing, Follow manufe label. Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use
IIKA CORPORATION	·			GOOD ventilation. Wear impervious clothing, Follow manufacturer's labs Wear nitrille rubber/neoprene glowes and chemical spisals goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufoliabel. Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's labs Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation, If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing, Follow manufa label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label.
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab- Wear intrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing, Follow manufacturer, and the control of the control
ONAKEMI USA, INC.	Maintenance and Operations Products Floor Care Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's labe Wear intitile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa carrid label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporartridge respirator. Follow manufacturer's label.
	Maintenance and Operations Products	APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's labe Wear intitile rubber/neoprene gloves and chemical spicels goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vaporartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vaporartridge respirator. Follow manufacturer's label.
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear intrile rubber/neoprene gloves and chemical spidsh goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved hepa carrial respirator. Do not create dust. Wear impervious clothing, Follow manufalabel. Wear nitrile rubber/neoprene gloves and chemical spidsh goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapicartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spidsh goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapicartridge respirator. Follow manufacturer's label. Wear and chemical spidsh goggles. Use with GOOD ventilation. Follow
ONAKEMI USA, INC.	Maintenance and Operations Products Floor Care Products	APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's labit Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufa label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear and chemical spiash goggles. Use with GOOD ventilation. Follow manufacturer's label.
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's labs Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa carrid respirator. Do not create dust. Wear impervious clothing. Follow manufacturer label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear and chemical spicals goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical spicals goggles. Use with GOOD ventilation. If FEL is excee
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED		GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing, Follow manufe label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear and chemical splash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical splash gaggles. Use with GOOD ventilation. If PEL is excee
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved hepa carrial respirator. Do not create dust. Wear impervious clothing, Follow manufe label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear and chemical spicals goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical spicals goggles. Use with GOOD ventilation. If PEL is exceeded wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved hepa carrial respirator. Do not create dust. Wear impervious clothing, Follow manufe label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear and chemical spicals goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical spicals goggles. Use with GOOD ventilation. If PEL is exceeded wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab- Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufa label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear chemical splash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical splash gaggles. Use with GOOD ventilation. FPEL is exce- wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exce- wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use
ONAKEMI USA, INC. MERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab- Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manufa label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear chemical splash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical splash gaggles. Use with GOOD ventilation. FPEL is exce- wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exce- wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS IEDICAL CARE CONCEPTS, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's labit Wear intrile rubber/neoprene gloves and chemical spicats goggles. Use GOOD ventilation. If FEL is exceeded, wear NiOSH approved hepa carria/ respirator. Do not create dust. Wear impervious clothing, Follow manufa label. Wear nitrile rubber/neoprene gloves and chemical spicats goggles. Use GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicats goggles. Use GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic vapic cartridge respirator. Follow manufacturer's label. Wear and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. Fillow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wear NiOSH approved organic vapor cartridge respirator. Follow manuf label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label.
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS IEDICAL CARE CONCEPTS, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab- Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved hepa cartrid respirator. Do not create dust. Wear impervious clothing. Follow manuf- label. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If PEL is exceeded, were NiOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear chemical spicals gaggles. Use with GOOD ventilation. If PEL is exce- wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use GOOD ventilation. If symptoms occur, wear NiOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spicals gaggles. Use
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa carrid respirator. Do not create dust. Wear impervious clothing, Follow manuf label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is excee wear NIOSH opproved organic vapor cartridge respirator. Follow manuf label. Wear chemical splash gaggles. Use with GOOD ventilation. IF PEL is excee wear NIOSH approved organic vapor cartridge respirator. Follow manuf label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If symptoms occur, warer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use exhaust. If PEL is exceeded, wear NIOSH approved plash gaggles. Use exhaust. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator.
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS IEDICAL CARE CONCEPTS, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's lab Wear nitrile rubber/neoprene gloves and chemical spiash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa carrid respirator. Do not create dust. Wear impervious clothing, Follow manufi label. Wear nitrile rubber/neoprene gloves and chemical spiash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash gaggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear not chemical spiash gaggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical spiash gaggles. Use with GOOD ventilation. If PEL is exce wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use when the provided respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use whoust. If PEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow from the provided respirator. Follow manufacturer's label.
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's labit Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved Hepa carria/ respirator. Do not create dust. Wear impervious clothing, Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear and chemical splash goggles. Use with GOOD ventilation. If PEL is excee wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use exhaust. If PEL is exceeded, wear NiOSH approved PIOD cartridge respirator. manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC. ARDVARK CLAY & SUPPLIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's labit Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved Hepa carria/ respirator. Do not create dust. Wear impervious clothing, Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear and chemical splash goggles. Use with GOOD ventilation. If PEL is excee wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use exhaust. If PEL is exceeded, wear NiOSH approved PIOD cartridge respirator. manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing, Follow manufacturer's labit Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved Hepa carria/ respirator. Do not create dust. Wear impervious clothing, Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapic carridge respirator. Follow manufacturer's label. Wear and chemical splash goggles. Use with GOOD ventilation. If PEL is excee wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NiOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use exhaust. If PEL is exceeded, wear NiOSH approved PIOD cartridge respirator. manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC. ARDVARK CLAY & SUPPLIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved Hepa cartrid; respirator. Do not create dust. Wear impervious clothing. Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear and chemical spiash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear chemical spiash goggles. Use with GOOD ventilation. If PEL is excee wear NIOSH approved organic vapor cartridge respirator. Follow manuf label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use exhaust. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use exhaust If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use exhaust. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator.
IONAKEMI USA, INC. IMERICAN INDUSTRIAL SUPPLY INC. ANETTE COSMETICS MEDICAL CARE CONCEPTS, INC. MAJESTIC INDUSTRIES, INC. ARDVARK CLAY & SUPPLIES, INC.	Maintenance and Operations Products Floor Care Products Maintenance and Operations Products Food Services Products Floor Care Products Maintenance and Operations Products School Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR USE BY THE YEAR-AROUND FLOOR CREWS ONLY	GOOD ventilation. Wear impervious clothing. Follow manufacturer's labe Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved Hepa catrid, respirator. Do not create dust. Wear impervious clothing. Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use cartridge respirator. Follow manufacturer's label. Wear chemical splash goggles. Use with GOOD ventilation. If FEL is excee wear NIOSH approved organic vapor cartridge respirator. Follow manuf label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use exhaust. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use exhaust. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator manufacturer's label.
Pe	HITMIRE RESEARCH LABORATORIES, INC. GINDUSTRIES, INCCOATINGS & RESIN GROUP GINDUSTRIES, INCCOATINGS & RESIN GROUP GINDUSTRIES, INCCOATINGS & RESIN GROUP MSTRONG WORLD INDUSTRIES, INC. ST-OLEUM CORPORATION MSTRONG WORLD INDUSTRIES, INC. MSTRONG WORLD INDUSTRIES, INC.	HITMIRE RESEARCH LABORATORIES, INC. Pesticide/Herbicide Products G INDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products G INDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products G INDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products MSTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products	HITMIRE RESEARCH LABORATORIES, INC. Pesticide/Herbicide Products APPROVED APPROVED GINDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products APPROVED GINDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products APPROVED MISTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED MISTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED MISTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED MISTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED MISTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED	APPROVED GINDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products APPROVED GINDUSTRIES, INC.—COATINGS & RESIN GROUP Paint Products APPROVED TO REDUCE DUST LEVELS, USE WET METHODS TO CUT PRODUCT OR TOOLS EQUIPPED WITH LOCAL EXHAUST FILTERED VIA A HEPA VACUUM. APPROVED ST-OLEUM CORPORATION Paint Products APPROVED FOR M&O STAFF ONLY. Mointenance and Operations Products APPROVED FOR M&O STAFF ONLY. TO REDUCE DUST LEVELS, USE WET METHODS OR TOOLS EQUIPPED WITH LOCAL EXHAUST FILTERED VIA A HEPA VACUUM. APPROVED MSTRONG WORLD INDUSTRIES, INC. Mointenance and Operations Products APPROVED FOR M&O STAFF ONLY. TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS EQUIPPED WITH LOCAL EXHAUST FILTERED VIA A HEPA VACUUM. APPROVED MSTRONG WORLD INDUSTRIES, INC. Mointenance and Operations Products APPROVED FOR M&O STAFF ONLY. Mointenance and Operations Products APPROVED FOR M&O STAFF ONLY. Mointenance and Operations Products APPROVED FOR M&O STAFF ONLY. MSTRONG WORLD INDUSTRIES, INC. Maintenance and Operations Products APPROVED APPROVED FOR M&O STAFF ONLY.

				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3229 POLY TECH SPRAY & FROTH A-COMPONENT	FAI INTERNATIONAL, INC.	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	ammonia vapor cartridge respirator. Follow manufacturer's label.
3229 FOLF FECTISIKAT & FRONTIA COMPONENT	TATINTERNATIONAL, INC.	ROOMING Products	AFFROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	animonia vapor cartitage respirator. Follow manaractarer s rabei.
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3230 POLY TECH SPRAY & FROTH B-COMPONENT	FAI INTERNATIONAL, INC.	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	cartridge respirator. Follow manufacturer's label.
3230 FOLT TECH SPRAT & FROTH B-COMPONENT	PALINTERNATIONAL, INC.	Rooting Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	carriage respirator. Follow mandiacturer's label.
					Was a field on the order of the
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3231 POLY TECH POUR A-COMPONENT	FAI INTERNATIONAL, INC.	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	organic vapor cartridge respirator. Follow manufacturer's label.
					Do not use or store near ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
3232 DURAFLEX	STATE CHEMICAL MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3233 NEX PREP	NEX SYSTEMS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3234 NEX OXY-B	NEX SYSTEMS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3235 NEX-ZYME	NEX SYSTEMS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3236 NEX CITRUS GEL SPOTTER	NEX SYSTEMS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3236 NEX CIRCO OLE SPOTTER	NEX STSTEMS	Maintenance and operations Products	AFFROVED		caratage respirator. Follow mandiactarer staber.
					De NOT
					Do NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
3237 SEALERS CHOICE	AQUA MIX INC.	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3238 SMOOTH SET, SMOOTH SET LITE, & SMOOTH SET HIGH DENSITY	HAMILTON MATERIALS, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3239 COE-SPRAY	COE-LABORATORIES, INC	Personal Hygiene Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3240 COECIDE XL STERILIZING SOLUTION	GC AMERICA INC	Personal Hygiene Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					The user of this product must review the manufacturer's label and MSDS
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT MAY BE USED	thoroughly prior to use. The user shall adhere to all sections of the MSDS during
				BY LAUSD PEST CONTROL TECHNICIANS AND APPROVED CONTRACTORS	use of this product, including those sections containing special protection
324] TIM-BOR	NISUS CORPORATION	Pesticide/Herbicide Products	APPROVED	ONLY.	information/special precau
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. The approval of this product is for THE
					The state of the s
					USE OF FOOD SERVICES CAFETERIAS AND KITCHENS PERSONNEL ONLY. Follow
3242 HOOD AND GRILL CLEANER AK-021	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		manufacturer's label.
3242 HOOD AND ORIEL CELANER AK UZI	ALI A RELEIV CHEWICAE EABORATORIES, INC.	FOOD SHIVICHS FIODUCES	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation.If any of the
					described exposure sumptoms occur, wear NIOSH approved organic vapor
3243 LECTRO 2020 AEROSOL (NO: 0329)	SELIG CHEMICAL INDUSTRIES	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3246 FRESH AIR CITRUS (NO: 3032&5049)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF THE PAINT
3247 GRAFFITI GOBBLER (PREMOISTENED TOWEL)	AMERICAN INDUSTRIAL SUPPLY INC.	Paint Products	APPROVED	FOR THE USE OF PAINT SHOPS ONLY	SHOPS ONLY.
* * * * * * * * * * * * * * * * * * *					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described respiratory tract symptoms occur, w
					NIOSH approved organic vapor cartridge respirator. Use and store away from
3248 G.A-POWER FOAM	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		any ignition sources. Fo
3240 CA LOWER FOAM	MINICAN INDUSTRIAL SUFFLY INC.	HVAC PTODUCTS	APPROVED		any ignition address. FO

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
()					cartridge respirator. Use and store away from any ignition sources. The app
3249 FRESH AIR VANILLA (NO: 3046 & 5163)	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED		of this product IS FOR THE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from any ignition sources. The app
3250 COIL-X-A (NO: 1078)	AMERICAN INDUSTRIAL SUPPLY INC.	HVAC Products	APPROVED	FOR THE USE OF HVAC SHOPS ONLY.	of this product is FOR THE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Do not create dust. The use of this product is FOR THE USE
					CERTIFIED PEST MANAGEMENT PERSONNEL ONLY.
3251 ASCEND TM (FIRE AND BAIT-FORMULA 1)	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	For the use of certified pest management personnel ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3252 GALVA-POXY WHITE (NO: 4500)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3232 OALIA TOXI WITE (NO. 4000)	VIOTA PAINT COM CHARGET	runtriodacts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
					cartridge respirator. The approval of this product is
3253 PROSIDING PLUS LATEX FLAT-PASTEL (NO: 57-110)	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Paint Products	APPROVED		FOR THE USE OF THE PAINT SHOPS ONLY. Follow
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3255 RTV RED	SUPERCO	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3259 CONTACT SPRAY WASH	WURTH USA, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
0200		Additionate i reducts	ATTROVES		**NO LONGER IN STOCK OR AVAILABLE TO STAFF Wear nitrile rubber/neoprene
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3260 FUSILADE II TURF AND ORNAMENTAL HERBICIDE	ZENECA PROFESSIONAL PRODUCTS	Pesticide/Herbicide Products	APPROVED		manufacturer's label.
					A Coil Cleaner Wear nitrile rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. Dilution shall be done by adding the pre
3261 COIL COMMANDO	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		slowly to water. Follow manufacturer's label.
3261 COIL COMMANDO	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		
3261 COIL COMMANDO	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		slowly to water. Follow manufacturer's label.
328) COIL COMMANDO	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neo
326) COIL COMMANDO	THE STATE CHEMICAL MANUFACTURING CO.	HVAC Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE
					slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo glowes and chemical splash goggles. Use with MECHANICAL ventillation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper
3261 COIL COMMANDO 3262 BACTICIDE	THE STATE CHEMICAL MANUFACTURING CO. ALL PURE CHEMICAL COMPANY	HVAC Products Food Services Products	APPROVED APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper clothing. The approval of this product is FOR THE USE OF NEWMAN NUT
					slowly to water. Foliow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/nea gloves and chemical splash goggles. Use with MECHANICAL vertilation. If Pe exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impe- clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove
					slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
3262 BACTICIDE	ALL PURE CHEMICAL COMPANY	Food Services Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo glowes and chemical splash goggles. Use with MECHANICAL ventillation. If PLI exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wec NIOSH approved organic vapor cartridge respirator. Wear impervious cloth
	ALL PURE CHEMICAL COMPANY				slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nec glowes and chemical splash goggles. Use with MECHANICAL ventilation. If PI exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impe- clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glow chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval
3262 BACTICIDE	ALL PURE CHEMICAL COMPANY	Food Services Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nee gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PI exceeded, wear MIOSH approved Acid/gas cartridge respirator. Wear impe- clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove iniOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3262 BACTICIDE	ALL PURE CHEMICAL COMPANY	Food Services Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nee gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PI exceeded, wear MIOSH approved Acid/gas cartridge respirator. Wear impe- clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove iniOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3262 BACTICIDE	ALL PURE CHEMICAL COMPANY	Food Services Products	APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrille rubber/nec gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PI exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impectationing. The approval of this product is FOR THE USE OF NEWMAN NUT INTERPRODUCT IS A WOOD PRESERVATIVE Wear intilie rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lightlion sources. The approval Wear intilier rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor.
3262 BACTICIDE	ALL PURE CHEMICAL COMPANY	Food Services Products	APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrille rubber/nec gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PI exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impectationing. The approval of this product is FOR THE USE OF NEWMAN NUT INTERPRODUCT IS A WOOD PRESERVATIVE Wear intilie rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, were NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lightlion sources. The approval Wear intilier rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL	Food Services Products Maintenance and Operations Products	APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/nea gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PEI exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wea NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lignition sources. The approval Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vap cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts s label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL	Food Services Products Maintenance and Operations Products	APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imper clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts s label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splas
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventillation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imperciating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear intile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wec NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lightion sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any lil effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL	Food Services Products Maintenance and Operations Products	APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventillation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imperciothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wec NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any life effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splas goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing. I manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:908-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imperciothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neopene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wec NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neopene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts label. Adhesive Product Wear nitrile rubber/neopene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing. Immanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	For the Bungalow crew	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventilation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imperciothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wea NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vaportridge respirator. Wear impervious clothing. Follow manufacturer's label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing. Immanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:908-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neo gloves and chemical splash goggles. Use with MECHANICAL ventillation. If PE exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear imperciating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wec NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing. I manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE-906-909) 3264 SWIFT (R) 49349 (MSDS NO: S00I5821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nec glowes and chemical splash goggles. Use with MECHANICAL ventiliation. If P exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove-hamical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store oway from any lignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts albels. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:908-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nec gloves and chemical splash goggles. Use with MECHANICAL ventilation. If P exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neopene glove-hemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neopenen gloves and chemical splash goggles. Use will GOOD ventilation. If any lil effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacturer's label. Adhesive Product Wear nitrile rubber/neopenen gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neopenen gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neopenen gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE-906-909) 3264 SWIFT (R) 49349 (MSDS NO: S00I5821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nes glowes and chemical splash goggles. Use with MECHANICAL ventilation. If P exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glov-chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store oway from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufa s label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE-906-909) 3264 SWIFT (R) 49349 (MSDS NO: S00I5821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/negloves and chemical splash goggles. Use with MECHANICAL ventilation. If P exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glov-chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any lil effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufas label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing. manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE-906-909) 3264 SWIFT (R) 49349 (MSDS NO: S00I5821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nes gloves and chemical splash goggles. Use with MECHANICAL ventilation. If Pexceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove-hemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any lit effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufas Islabel. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Pollow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Tellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NIOSH approgranic vapor cartridge respirator. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neglowes and chemical splash goggles. Use with MECHANICAL ventilation. If exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glov-chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacturer's label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NIOSH appropring vapor cartridge respirator. Follow manufacturer's label. Approved for outdoor use by the roofling department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE-906-909) 3264 SWIFT (R) 49349 (MSDS NO: S00I5821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/ne- gloves and chemical splash goggles. Use with MECHANICAL ventilation. If e exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impe clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glov- chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any lignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vap- cartridge respirator. Wear long sleeve impervious clothing. Follow manufa- s label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing- manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi- GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi- GOOD ventilation. If any of the described symptoms occur, wear NiOSH ap- organic vapor cartridge respirator. Follow manufacturer's label. Approved for outdoor use by the roofing department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi- the GOOD ventilation. If EL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's labe.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERYBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP 3268 DUO-POWER 3269 NEOPRENE ROOF EMULSION (# 109)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/negloves and chemical splash goggles. Use with MECHANICAL ventilation. If exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE O'R NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear intrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NIOSH approved for outdoor use by the roofing department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If EL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERVBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP	JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/neglowes and chemical splash goggles. Use with MECHANICAL ventilation. If exceeded, wear NiOSH approved Acid/gas cartridge respirator. Wear impediation, The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove-hemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vap- cartridge respirator. Wear long sleeve impervious clothing. Follow manufa- s label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splas goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If any of the described symptoms occur, wear NIOSH ap- organic vapor cartridge respirator. Follow manufacturer's label. Approved for outdoor use by the roofing department only, Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If Ell is exceeded, wear MIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERYBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP 3268 DUO-POWER 3269 NEOPRENE ROOF EMULSION (# 109)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/ne- glowes and chemical splash goggles. Use with MECHANICAL vertilation. If e exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impe- clothing. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glov- chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any life effects occur, wear NIOSH approved organic vap- cartridge respirator. Wear long sleeve impervious clothing. Follow manufa- s label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Approved for outdoor use by the roolling department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NIOSH appropriation approached for outdoor use by the roolling department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERYBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP 3268 DUO-POWER 3269 NEOPRENE ROOF EMULSION (# 109)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to flight against LYSTERIA Wear nitrile rubber/nec gloves and chemical splash goggles. Use with MECHANICAL ventilation. If P exceeded, wear NiOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESENTATIVE Wear Intile rubber/peoprene glove chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious cloth Use and store away from any ignition sources. The approval Wear intile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any lif effects occur, wear NIOSH approved arganic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacts labels. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Wear impervious long sleeve clothing, manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NiOSH appropriative propriative programic vapor cartridge respirator. Follow manufacturer's label. Approved for outdoor use by the roofing department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Approved for outdoor use by the roofing department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
3262 BACTICIDE 3263 TERMIN-8 WOOD PRESERYBLACK (PRODUCT CODE:906-909) 3264 SWIFT (R) 49349 (MSDS NO: S0015821) 3265 HVU 3266 BUCKEYE STRAIGHT UP 3268 DUO-POWER 3269 NEOPRENE ROOF EMULSION (# 109)	ALL PURE CHEMICAL COMPANY JASCO CHEMICAL REICHHOLD, INC. HILTI, INC. BUCKEYE INTERNATIONAL, INC. CHEMSEARCH DIV. OF NCH CORP.	Food Services Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products HVAC Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	THIS PRODUCT IS A DEGREASER FOR MACHINIST AND HVAC USE ONLY, NOT FOR SCHOOL SITE USE.	slowly to water. Follow manufacturer's label. Will be used in floor drains to fight against LYSTERIA Wear nitrile rubber/nec gloves and chemical splash goggles. Use with MECHANICAL ventiliation. If P exceeded, wear NIOSH approved Acid/gas cartridge respirator. Wear impediating. The approval of this product is FOR THE USE OF NEWMAN NUT THIS PRODUCT IS A WOOD PRESERVATIVE Wear nitrile rubber/neoprene glove-hemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we NIOSH approved organic vapor cartridge respirator. Wear impervious clott Use and store away from any ignition sources. The approval Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If any it if effects occur, wear NIOSH approved organic vapor cartridge respirator. Wear long sleeve impervious clothing. Follow manufacturer's label. Adhesive Product Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If any of the described symptoms occur, wear NIOSH appropriation vapor cartridge respirator. Follow manufacturer's label. Approved for outdoor use by the roofling department only. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.

					Wear rubber/neoprene gloves and chemical splash goggles. Use with G
3272 EVANS 00411-00	EVANS ADHESIVE CORPORATION	Adhesive Products	APPROVED		ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and boots and chemical splash go
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
3273 RT-2011-B,RT-2031-B,RT-2041-B,RT-2050-B,RT-3041-B,RT-4041-B	RESIN TECHNOLOGY COMPANY	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY.	ammonia/methylamine/P100 cartridge respirator. Follow manufacturer's
					THIS PRODUCT DOES CONTAIN PROP 65 CHEMICALS. This product is combu
					Do NOT use or store near ignition sources. Wear nitrile, neoprene or viton
					apron boots and chemical splash goggles. Use with GOOD ventilation. If
3275 LOW SULFER DIESEL NO. 2	ARCO PRODUCTS COMPANY	Automotive Products	APPROVED		exceeded, wear NIOSH approved organic vapor cartridge respira
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3276 BURA TYPE I, II, III, & IV	OWENS-CORNING FIBERGLAS CORPORATION	Roofing Products	APPROVED	DEPARTMENT ONLY.	cartridge respirator. Follo
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT
					Wear long sleeve shirts, nitrile rubber/neoprene gloves and chemical spl
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appro
3277 AIRBLOWN ASPHALT TYPE III CODE 2223 & 2233	SAN JOAQUIN REFINING CO., INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	organic vapor/P100 cartridg
					This product is for OUTDOOR use by the ROOFING DEPT. ONLY. Wear long s
					shirt, nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3278 AIRBLOWN ASPHALT TYPE IV 2224 & 2234	SAN JOAQUIN REFINING CO., INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator.
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3279 TRULO LOW-FUMING ASPHALT BURA TRPE I, II, III, IV	OWENS-CORNING FIBERGLAS CORPORATION	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follo
ARMSTRONG RESILIENT SHEET FLOORING PRODUCTS & RESILENT					Wear gloves, goggles and NIOSH approved P100 cartridge respirator whe
3280 TILE	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		cutting or performing any mechanical impact. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia
3285 BIO-GRAFFITI SHIELD XX	BIO D PRODUCTS	Graffiti Products	APPROVED		methylamine cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3286 GUM, GLUE & ADHESIVE REMOVER	BIO D PRODUCTS	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY OPERATIONS STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3287 NO DRIP ADHESIVE REMOVER	BIO D PRODUCTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
**** AFRONUE FOALALIAND & DODY OUTLANDOO	DEB SBS INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
3288 AEROBLUE FOAM HAND & BODY SHAMPOO					
3288 AEROBLUE FOAM HAND & BODY SHAMPOU					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3288 VEKORITIE FOAM HAND & BODY SHAMPOO					
	PERSTOP FLOORING	Floor Care Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	
3289 PERGO PLANKS	PERSTOP FLOORING	Floor Care Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.
	PERSTOP FLOORING	Floor Care Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3289 PEROOPLANKS				APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
	PERSTOP FLOORING MORWEAR PAINT COMPANY	Floor Care Products Paint Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label.
3289 PEROOPLANKS				APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use va GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use variety is supported to the control of the control o
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve
3289 PEROOPLANKS				APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use va GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use variety is supported to the control of the control o
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use: GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use: GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical spiash goggles. Use: GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use: GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO N
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310)	MORWEAR PAINT COMPANY TREK ALLIANCE, INC.	Point Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. DO N AROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceeded.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO N AROUND SOURCES OF IOSNITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310)	MORWEAR PAINT COMPANY TREK ALLIANCE, INC.	Point Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO NAROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapor cartridge respirator. Follow manufacturer.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO AROUND SOURCES OF IoNITION. Use with GOOD ventilation. If FEL is exceeded. NIOSH approved organic vapor cartridge respirator. Follow manufacture. Wear nitrilie rubber/vinyl gloves and chemical splash goggles. Use with ventilation. If FEL is exceeded, wear NIOSH approved acid gas cartridge
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310)	MORWEAR PAINT COMPANY TREK ALLIANCE, INC.	Point Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO N AROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceeded, NIOSH approved organic vapor cartridge respirator. Follow manufacturer's wear nitrile rubber/vinyl gloves and chemical splash goggles. Use with continuous in the rubber/vinyl gloves and chemical splash goggles. Use with continuous rubber or nitrile rubber/vinyl gloves and chemical splash goggles. Use with continuous rubber or nitrile rubber of ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO AROUMS SOURCES OF IOSNITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacture. Wear nitrile rubber/niving gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & THE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC.	Paint Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. DO N AROUND SOURCES OF IONITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/vinyl gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/peoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved GOOD ventilation. If the described syptoms occur, wear NIOSH approved.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN	Paint Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use- GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use- GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO N AROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/nory gloves and chemical splash goggles. Use with G ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & THE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC.	Paint Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO AROUND SOURCES OF IONITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer wear nitrile rubber/niving gloves and chemical splash goggles. Use with ventilation. In PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
3289 PEROO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. DO N AROUND SCURCES OF (NSITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer went in the provided organic vapor cartridge respirator. Follow manufacturer is label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & THE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC.	Paint Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. DO N AROUND SOURCES OF IONITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/vinyl gloves and chemical splash goggles. Use with a ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
3289 PEROO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO NAROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceeded. NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrilie rubber/vinyl gloves and chemical splash goggles. Use with twentilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3289 PEROO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapar cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO IAROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is excee NIOSH approved organic vapar cartridge respirator. Follow manufacturer wear nitrile rubber/vinyl gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/vinyl gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapar cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved vapar cartridge respirator. Follow manufacturer's label.
3289 PEROO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY OUTSIDE VENDOR/CONTRACTOR ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. DO NAROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceeded. NIOSH approved organic vapor cartridge respirator. Follow manufacturer Wear nitrilie rubber/vinyl gloves and chemical splash goggles. Use with twentilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described syptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER 3298 ORANGE 90 3299 ORANGE 90 H.D., AEROSOL	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. DO AROUND SOURCES OF IGNITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer went latin. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3289 PERGO PLANKS 3292 EXT 100% ACRYLIC ELASTOMERIC, WHITE (# 2590-01) 3293 BIO-STAIN ELIMINATOR (PRODUCT # 310) 3294 LYSOL BRAND CONCENTRATE - ORIGINAL SCENT 3295 FLO-KING REG PORCELAIN & TILE CLEANER 3298 ORANGE 90 3299 ORANGE 90 H.D., AEROSOL	MORWEAR PAINT COMPANY TREK ALLIANCE, INC. RECKITT AND COLMAN FLO-KEM, INC. WARSAW CHEMICAL CO, INC.	Point Products Maintenance and Operations Products Maintenance and Operations Products Food Services Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. DO N AROUND SCURCES OF (NSITION. Use with GOOD ventilation. If PEL is exceed NIOSH approved organic vapor cartridge respirator. Follow manufacturer went in the rubber/neoprene gloves and chemical splash goggles. Use with continuous control of the provided organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described systoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3302 SANACOR 2303-A	SAN JOAQUIN CHEMICALS, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY	cartridge respirator. Follow manufacturer's label.
3302 SANACOR 2303 A	SAN SOAQUIN CHEMICAES, INC.	HVAC Floducts	AFFROVED	AFFROVED FOR USE BITHVAC STAIT ONE!	CAUTION: This product is extremely flammable. Do NOT store or use near ig
					sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
3303 SWD 2000 PRIMER	SWD URETHANE CO.	Roofing Products	APPROVED	APPROVED FOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respir
3304 ROOFING MEMBRANE (G-410, S-327)	SARNAFIL, INC.	Roofing Products	APPROVED	THIS PRODUCT IS FOR USE BY DISTRICT ROOFING PERSONNEL ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY MAINTENANCE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3305 LOW VOC HH GLOSS WHIT 9703247	RUST-OLEUM CORPORATION	Maintenance and Operations Products	APPROVED	PERSONELL. INDOOR USE MUST BE PERFORMED UNDER A HOOD.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3307 WD-40 AEROSOL	WD-40 COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				APPROVED FOR OUTDOOR USE BY THE HVAC AND ROOFING DEPARTMENTS	GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3310 ALDOSEAL 1602 SEAMSEAL	ALDO PRODUCTS CO. INC.	Roofing Products	APPROVED	ONLY.	organic vapor cartridge respirator. Follow manufacturer's label.
33 U ALDOSEAE 1002 SEAWISEAE	ALDO FRODUCTS CO. INC.	Rooting Products	APPROVED	ONET.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3314 6000, WHITE ACRYLIC TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3315 SIKADUR 52 INJECTION ADHESIVE PART B	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturer's lab
					Wear nitrile /neoprene gloves and chemical splash goggles. Use with GOO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrid
					respirator. FOR USE BY THE ROOFING DEPARTMENT ONLY. Follow manufacture
3316 ASTM D4586, TYPE II (ROOF CEMENT)	GIBSON HOMAS COMPANY	Maintenance and Operations Products	APPROVED		label.
· · · · · · · · · · · · · · · · ·					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved o
AND THE PROPERTY OF A CHOCKED OF A PARTY OF A PARTY OF A PARTY.	NAPIER INTERNATIONAL TECHNOLOGIES INC.				
3317 HYDROPLUS 504 (LIQUID, SPRAYING AND BRUSHING GRADE)	NAPIER INTERNATIONAL TECHNOLOGIES INC.	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear leather or canvas work gloves, long sleeve shirts and chemical splas
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
3318 80# UNDERLAYMENT NEUTRAL (605)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear leather or canvas work gloves, long sleeve shirts and chemical splas
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
3319 RUFTAC POLYPROPYLENE NON-WOVEN FABRIC (600)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	organic vapor/P100 cartridge respirator. Follow manufacturer's label.
					Wear leather or cotton work gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3320 PERMANENT BOND ADHESIVE (902)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	respirator. Follow manufacturer's label.
		3			Wear leather or cotton work gloves and chemical splash goggles. Use with
					ventilation. If the described syptoms occur, wear NIOSH approved organic
3321 PREMIUM ELASTOMERIC WHITE ROOF COATING (280)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
3322 TIETEX POLYESTER (196)	HENRY COMPANY		APPROVED	APPROVED FOR USE BY THE ROOFING DEPARTMENT ONLY.	Follow manufacturer's label.
3322 HETEX POLITESTER (180)	HENRY COMPANY	Roofing Products	APPROVED	AFFROVED FOR USE BY THE ROOFING DEPARTMENT ONLY.	
					Wear leather or cotton work gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrid
3323 ROOF INSULATION ADHESIVE (111)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	respirator. Follow manufacturer's label.
					Wear leather or cotton work gloves and chemical splash goggles. Use with
					ventilation. If the described symptoms occur, wear NIOSH approved P100
3324 STANDARD ASPHALT EMULSION (107)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	ventilation. If the described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
3324 STANDARD ASPHALT EMULSION (107)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
3324 STANDARD ASPHALT EMULSION (107)	HENRY COMPANY	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3324 STANDARD ASPHALT EMULSION (107) 3326 NAVY BLUE (#1922)	HENRY COMPANY RUST-OLEUM CORPORATION	Roofing Products Paint Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
				APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU!
					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit
3326 NAVYBLUE (#1922)	RUST-OLEUM CORPORATION	Paint Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near igni sources. Wear nitrile rubber/neoprene gloves and chemical splash goggl
					cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use w GOOD entillation. If PEL is exceeded, ware NISO4 approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical spiash goggle with GOOD ventilation. F
3326 NAVYBLUE (#1922) 3327 FUSE	RUST-OLEUM CORPORATION	Paint Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHN
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS &	RUST-OLEUM CORPORATION MERMEC FUSE	Paint Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSO CERTIFIED PEST CONTROL TECHN ONLY. Wear nitrile rubber/neoprene gloves and chemical splash goggles.
3326 NAVYBLUE (#1922) 3327 FUSE	RUST-OLEUM CORPORATION	Paint Products	APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHN
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS &	RUST-OLEUM CORPORATION MERMEC FUSE	Point Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventillation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHNIC ONLY. Wear nitrille rubber/neoprene gloves and chemical splash goggles. with GOOD ventillation. Follow manufacturer's label.
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS &	RUST-OLEUM CORPORATION MERMEC FUSE	Point Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical spiash goggles. Use w GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAU CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical spiash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHN ONLY. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. with GOOD ventilation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIFIED
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS &	RUST-OLEUM CORPORATION MERMEC FUSE	Point Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use will good on the provided organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFED PEST CONTROL TECHNICIANS CNIY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHN CNIY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. with GOOD ventilation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIFIED PEST CONTROL TECHN CNIY. Wear nitrile rubber or use during non-school hours by LAUSD CERTIFIED PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS &	RUST-OLEUM CORPORATION MERMEC FUSE	Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE BY LAUSD CERTIFIED PEST TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use will good on the provided organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFED PEST CONTROL TECHNICIANS CNIY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHN CNIY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. with GOOD ventilation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIFIED PEST CONTROL TECHN CNIY. Wear nitrile rubber or use during non-school hours by LAUSD CERTIFIED PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS & 3328 CARBOHYDRATE	RUST-OLEUM CORPORATION MERMEC FUSE WATERBURY COMPANIES, INC.	Point Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near ignit sources. Wear nitrile rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHNI ONLY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I with GOOD ventilation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIF PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer label.
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS & 3328 CARBOHYDRATE	RUST-OLEUM CORPORATION MERMEC FUSE WATERBURY COMPANIES, INC.	Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use wit GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near lightly sources. Wear nitrilie rubber/neoprene gloves and chemical splash goggle with GOOD ventilation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHNI ONLY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I with GOOD ventilation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIF PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer label. This product is approved for use during non-school hours by LAUSD CERTIF PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and
3326 NAVY BLUE (#1922) 3327 FUSE CB AATRAX DUAL SYRINGE ROACH BAIT W/ PROTEINS & 3328 CARBOHYDRATE	RUST-OLEUM CORPORATION MERMEC FUSE WATERBURY COMPANIES, INC.	Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE BY LAUSD CERTIFIED PEST TECHNICIANS ONLY. APPROVED FOR USE DURING NON-SCHOOL HOURS BY LAUSD CERTIFIED	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. This product is approved for outdoor use during non-school hours by LAUS CERTIFIED PEST CONTROL TECHNICIANS ONLY. Do NOT use or store near igniti- sources. Wear nitrille rubber/neoprene gloves and chemical splash gaggle with GOOD ventillation. F This product is approved for use by LAUSD CERTIFIED PEST CONTROL TECHNIC ONLY. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. L with GOOD ventillation. Follow manufacturer's label. This product is approved for use during non-school hours by LAUSD CERTIF PEST CONTROL TECHNICIAN ONLY. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventillation. Follow manufacturer's

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ
3331 CFC 113 CONTACT CLEANER (PRODUCT NO. 14000, 02015)	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY THE ELECTRICAL DEPARTMENT ONLY.	vapor cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY. APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATIONS- 9/1/01	GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ
3332 NOBLEBOND 21	THE NOBLE COMPANY	Floor Care Products	APPROVED	VOC LIMITS	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR MAINTENANCE & OPERATIONS PERSONELL ONLY. SEE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3333 LATEX PASTE PRODUCTS (PRODUCT CODE: 110B)	CUSTOM BUILDING PRODUCTS.INC.	Floor Care Products	APPROVED	ATTACHED MSDS FOR A LIST ON PRODUCTS THIS APPLIES TO.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR MAINTENANCE & OPERATIONS PERSONELL ONLY. SEE	GOOD ventilation. When mixing or using dry material, wear NIOSH approved
3334 POLYMER MODIFIED CEMENT MORTARS & GROUTS (100E)	CUSTOM BUILDING PRODUCTS.INC.	Floor Care Products	APPROVED	ATTACHED MSDS FOR A LIST OF PRODUCTS THIS APPLIES TO.	organic vapor/P100 cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3335 ANTI-STATIC OFFICE CLEANER TOWELS (# 1449)	TOTAL SOLUTIONS	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH P100 cartridge respirator.
3336 EASY PAKS NEUTRALIZER CONDITIONER/ODOR COUNTERACTANT	DRACKETT PROFESSIONAL	OEHS Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
SPIC AND SPAN DISINFECTING ALL-PURPOSE SPRAY AND GLASS					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3338 CLEAN	PROCTER & GAMBLE	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3339 A-B-C, ASBESTOS BINDING COMPOUND(6421,6422,6423)	FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					The approval of this product is for OUTSIDE USE BY THE ROOFING SHOPS ONLY. Do
					not store or use near ignition sources. Wear viton or polyvinyl alcohol (PVA)
				THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
3340 FM PREMIUM ASPHALT ELASTOMERIC EMULSION	FARROW MANUFACTURING INC.	Maintenance and Operations Products	APPROVED	DEPARTMENT ONLY.	exceeded, wear NIOSH a
					The approval of this product is for OUTSIDE USE BY THE ROOFING SHOPS ONLY. Do
					not store or use near ignition sources. Wear viton or polyvinyl alcohol (PVA)
				THIS PRODUCT IS APPROVED FOR USE BY THE ROOFING DEPARTMENT AND	gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
3341 NOVACOAT ACRYLIC COATING	FARROW MANUFACTURING INC.	Adhesive Products	APPROVED	CONTRACTORS ONLY.	exceeded, wear NIOSH a
					This product is for OUTSIDE use only by the roofing department. Do not store or
					use near ignition sources. Wear polyvinyl alcohol (PVA) or viton gloves and
				THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND ROOFING	chemical splash goggles. Contact lenses should not be worn when working wil
3342 FARROWFLEX/FARROWFLASH SELF-ADHERING MEMBRANE	FARROW MANUFACTURING INC.	Adhesive Products	APPROVED	DEPARTMENT ONLY.	this product. Use
					This product is for OUTSIDE use only by the roofing department. Do not use or
					store near ignition sources. Wear nitrile rubber/neoprene gloves and chemical
				THIS PRODUCT IS APPROVED FOR USE BY CONTRACTORS AND THE ROOFING	3 splash goggles. Contact lenses should not be worn when working with this
3343 APOC #103 ASPHALT PRIMER	GARDNER ASPHALT CORPORATION	Maintenance and Operations Products	APPROVED	DEPARTMENT ONLY.	product. If PEL is ex
		,			Store and use away from ignition sources. Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer
3344 ORANGE SOLVENT	POLAROME MANUFACTURING CO., INC	Personal Hygiene Products	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	label.
	<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3345 DENT-X IFP FIXATIVE	DENT-X	Personal Hygiene Products	APPROVED	APPROVED FOR USE BY OCCUPATIONAL CENTERS ONLY.	cartridge respirator. Follow manufacturer's label.
3346 ARMSTRONG/DLW LINOLEUM PRODUCTS	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		Follow manufacturer's label.
	*				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3347 FIBERLOCK IAO 2500 (8325)	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				FOR USE BY PAINTING STAFF AND CONTRACTORS ONLY. AVOID SPRAY ON	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3348 FIBERLOCK IAQ 3000 (8330)	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED	APPLICATION WHEN INDOORS.	respirator. Follow manufacturer's label.
2040 Intractived appartment		, and Floudota	AFFROYED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				FOR USE BY PAINTING STAFF AND CONTRACTORS ONLY. AVOID SPRAY ON	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3349 FIBERLOCK IAQ 4000 (8340)	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED	APPLICATION WHEN INDOORS.	respirator. Follow manufacturer's label.
2045 I IBENEDOK ING 4000 (0040)	TIBELEGOK TECHNOLOGICA, INC.	r dirit Floudets	AFFROVED	ALL BOATON WILLIAM DOORS.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3350 FIBERLOCK IAQ 5000	FIBERLOCK TECHNOLOGIES, INC.	Parlant Paradicipate	APPROVED		respirator. Follow manufacturer's label.
3300 LIDEVEOCK ING 2000	HIBERTOOK TECHNOLOGIES, INC.	Paint Products	APPROVED		
					COMBUSTIBLE: Dot NOT use or store near ignition sources. Wear nitrile
				ADDROVED FOR ADDRODDIATE STORAGE AND DISTRIBUTION AT DISTRICT	rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3353 ARCO ULTRA LOW SULFUR (EPA) DIESEL #2	ARCO PRODUCTS COMPANY	Automotive Breakers	4 DDD 0) (F-	APPROVED FOR APPROPRIATE STORAGE AND DISTRIBUTION AT DISTRICT GARAGES ONLY.	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3353 ARCO ULIKA LUW SULFUK (EPA) DIESEL #2	ARCO PRODUCTS COMPANY	Automotive Products	APPROVED	GARAGES CIVET.	respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3358 3 ENZYME CLEANER/ DEODORANT	MAINTEX INC.	Malakan and Oncoder D. C.	4 DDD 01/FD		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	MAINTEA INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3330 O ENETHIC OCCANCILITY DEODORANT					

3359 8 CLEANER/ DEGREASER					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3359 8 CLEANER/ DEGREASER					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved
3360 9 DAILY FLOOR CLEANER	MAINTEX INC.	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
3380 9 DAILY FLOOR CLEANER	MAINTEX INC.	Maintenance and Operations Products	APPROVED		vapor carriage respirator, rollow manufacturers label.
3363 APRIL FRESH PERINEUM WASH	CHESTER LABS, INC.	Nursing Condess Bradusts	APPROVED		Wear rubber gloves and chemical splash goggles. Follow manufacture
3303 AFRICTRESTITERINGOW WASTI	CHESTER DADS, INC.	Nursing Services Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3364 DEGADUR R7I	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene or vinyl gloves and chemical splash gogg
3366 UNIKEM NO-SLIME STRIP	UNI-KEM INC.	Maintenance and Operations Products	APPROVED		with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. Use and store away from any ignition sources. Follow
3369 FRESH AIR PEACH (AIS 005149)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If any of the described ill effects occur, wear NIOSH ap
3370 ND-165	CHEMSEARCH DIV. OF NCH CORP.	Maintenance and Operations Products	APPROVED	FOR: POWER TOOLS	organic vapor cartridge respirator. Follow manufacturer's label.
					This product is a siliceous volcanic glass liquid/ semi-liquid absorbent
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with 0
2271 INSTATORD	INSTATORD INTERNATIONAL INC	Adhesive Preduce*	A DDDOVICE		ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carti
3371 INSTAZORB	INSTAZORB INTERNATIONAL, INC.	Adhesive Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3372 MIRACLE CEILING TILE ADHESIVE (# 2114)	TAC INTERNATIONAL CORP	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					(This product is a formulated aerosol drain maintainer) Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor carts
3374 ECO-ORANGE	THE STATE CHEMICAL MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		<u>_</u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3375 GRAFFITI REMOVER	TOTAL SOLUTIONS	Graffiti Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					This product is a latex Paint. Wear nitrile rubber/neoprene gloves and c
3377 NOFIRE A18 CERAMIC INTUMESCENT FIRE RETARDANT COATING	NOFIRE TECHNOLOGIES, INC.	Paint Products	APPROVED		splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
00//		Tantifodado	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3379 CHEMSTAR SUPERCLEAN CONCENTRATE (# 9198)	CHEMCO PRODUCTS CO.	Graffiti Products	APPROVED		
33/9 CHEMSTAR SUFERCEAN CONCENTRATE (# 3130)	CIEMCO PRODUCTS CO.	Graniti Froducts	AFFROVED		GOOD ventilation. Wear impervious clothing. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
					cartridge respirator. Wear impervious clothing, chemical resistant apro
3380 RED ZERO RUST PRIMER (CODE: 28-60 ORIG)	ZEP MANUFACTURING COMPANY	Paint Products	APPROVED		boots. Use and store away from
					Distributed by: Fiber saver coatings,INC. 5360 Eastgate Mall Roa San Die
					92121 (916) 558-0800) Wear nitrile latex gloves and chemical splash go
					52121 (515) 555 5555) Wedi Tilanis latex gioves and chemical spicialinge
					with GOOD ventilation. If any of the described exposure symptoms occu
338] TWP MILDEW SEALER (CODE: TWP-MS)	AMTECO INC.	Paint Products	APPROVED		
338) TWP MILDEW SEALER (CODE: TWP-MS)	AMTECO INC.	Paint Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur
3381 TWP MILDEW SEALER (CODE: TWP-MS)	AMTECO INC.	Paint Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use
3381 TWP MILDEW SEALER (CODE: TWP-MS)	AMTECO INC.	Paint Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge
				THIS PRODUCT CAM BE USED ALSO BY PROCEEDS	with GOOD ventilation. If any of the described exposure symptoms occu- NIOSH approved organic vapor cartridge respirator. Follow manufactur- Wear nitrille rubber/neoprene gloves and chemical spicats goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO
	AMTECO INC. VISURON TECHNOLOGIES, INC.	Point Products Point Products	APPROVED APPROVED	THIS PRODUCT CAN BE USED ALSO BY ROOFERS.	with GOOD ventilation. If any of the described exposure symptoms occu NICSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO
				THIS PRODUCT CAN BE USED ALSO BY ROOFERS.	with GOOD ventilation. If any of the described exposure symptoms occu. NICSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use
				THIS PRODUCT CAN BE USED ALSO BY ROOFERS.	with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge
3382 MIAC TM CLEARCOT62, COMPONENT A	VISURON TECHNOLOGIES, INC.	Point Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical spicash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO
3382 MIAC TM CLEARCOT62, COMPONENT A				THIS PRODUCT CAN BE USED ALSO BY ROOFERS. THIS PRODUCT CAN BE USED ALSO BY ROOFERS.	with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC.	Point Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NICSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B	VISURON TECHNOLOGIES, INC.	Point Products	APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC.	Paint Products Paint Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF FAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use GOOD ventilation. Follow manufacturer's label.
3382 MIAC TM CLEARCOTÉ2, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC.	Paint Products Paint Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NICSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
33B3 MIAC TM CLEARCOAT 62-COMPONENT B	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC.	Paint Products Paint Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC.	Paint Products Paint Products Adhesive Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor.
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC. W.W. HENRY COMPANY	Paint Products Paint Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF FAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF FAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Use and store away from any ignition sources. Follo manufacturer's label.
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC. W.W. HENRY COMPANY	Paint Products Paint Products Adhesive Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC. W.W. HENRY COMPANY	Paint Products Paint Products Adhesive Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Use and store away from any ignition sources. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation if pecular in the province of the province or the provi
3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131 3386 GENERIC SOLVENTLESS ALKYD COATINGS (MSDS FORM #6)	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC. W.W. HENRY COMPANY DUNN-EDWARDS CORP.	Paint Products Paint Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED	THIS PRODUCT CAN BE USED ALSO BY ROOFERS.	with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Use and store away from any lignition sources. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If only of the described exposure symptoms occur, we approved organic cartridge respirator. The approval of this product is F
3381 TWP MILDEW SEALER (CODE: TWP-MS) 3382 MIAC TM CLEARCOT62, COMPONENT A 3383 MIAC TM CLEARCOAT 62-COMPONENT B 3384 HENRY 131 3386 GENERIC SOLVENTLESS ALKYD COATINGS (MSDS FORM #6)	VISURON TECHNOLOGIES, INC. VISURON TECHNOLOGIES, INC. W.W. HENRY COMPANY DUNN-EDWARDS CORP.	Paint Products Paint Products Adhesive Products	APPROVED APPROVED		with GOOD ventilation. If any of the described exposure symptoms occu. NIOSH approved organic vapor cartridge respirator. Follow manufactur Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SHO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear NIOSH approved organic vapor/hepa cartridge respirator. Wear impervious clothing. The approval of this product is FO OUTDOOR USE OF PAINT AND ROOFING SH Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Use and store away from any ignition sources. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation if pecular in the province of the province or the provi

					Wear pitrile rubber/peoprepe gloves and chemical splach goggles. He
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. THE APPROVAL OF THIS PRODUCT IS FOR THE USE OF CE
3389 ADVANCE TM GRANULAR ANT BAIT FORMULA I	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED	ONLY.	PEST MANAGEMENT PERSONNEL ONLY. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3390 BUCKEYE TOUCH AND GO (PRODUCT CODE: 5360)	BUCKEYE INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear latex or cotton gloves and chemical splash goggles. Use with GO
					ventilation. Do not create dust.
3391 THE ULTIMATE OIL EATERS MICROBES	THE ULTIMATE OIL EATERS	Automotive Products	APPROVED	Also for the use of operations and maintenance branch	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3392 CITRA FORCE (NO: 3044 & 3155)	SUPERCO	Maintenance and Operations Products	APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturer's le
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
essa onin i (propuot # 700)	auntago.				cartridge respirator. Use and store away from any ignition sources. Follows and store away from any ignition sources.
3393 GRIP A (PRODUCT # 782)	SUPERCO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. The approval of this product is FOR THE USE OF LOCK S
394 METAL GROOM II	X-ERGON, A PARTSMASTER CO., DIV OF NCH	Maintenance and Operations Products	APPROVED	FOR THE USE OF LOCK SHOP ONLY.	PERSONNEL ONLY. Follow manufacturer's label.
					This product is a waterbased duct liner adhesive Wear nitrile rubber/ne
					gloves and chemical splash goggles. Use with GOOD ventilation. Follow
3395 ECONO-TAC WATERBASED DUCT LINER ADHESIVE (# 11-400)	KING ADHESIVE CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
3396 BUCKEYE WORKOUT	BUCKEYE INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
	* * * * * * * * * * * * * * * * * * * *				This product is a primer/sealer stain killer Wear nitrile rubber/neoprene
					and chemical splash goggles. Use with GOOD ventilation. Follow manu
3397 Z-PRIME II (# 10403)	ZEHRUNG CORPORATION	Paint Products	APPROVED		Lite 1
339/ Z-PRIME II (# 10403)	ZEHRUNG CORPORATION	Paint Products	APPROVED		label.
					This product is a pigmented shellac Wear nitrile rubber/neoprene glov
					chemical splash goggles. Use with GOOD ventilation. If the PEL is exceed
					NIOSH approved organic vapor/Hepa cartridge respirator. Use and sto
398 ZEROLAC (#10203)	ZEHRUNG CORPORATION	Paint Products	APPROVED		from any ignition sources. The approval of this product is
3398 ZEROLAC (# 10203)					
					Primer sealer, Stain Blocker Wear nitrile rubber/neoprene gloves and c
					splash goggles. Use with GOOD ventilation. If any of the described expo
					splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge
					splash goggles. Use with GOOD ventilation. If any of the described expo
7200 7-PPIME PHIS (# 17807) 17803 17804)	ZEHRI ING CORPORATION	Relat Dodduste	ADDDOVED		splash goggles. Use with GOOD ventilation. If any of the described expr symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use
1399 Z-PRIME PLUS (#12802,12803,12804)	ZEHRUNG CORPORATION	Paint Products	APPROVED		splash goggles. Use with 6000 ventilation. If any of the described expr symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a
1399 Z-PRIME PLUS (#12802,12803,12804)	ZEHRUNG CORPORATION	Paint Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described expr symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pOlyethylene/ethylene vinyl alcohol gloves and chemical s
3399 Z-PRIME PLUS (#12802,12803,12804)	ZEHRUNG CORPORATION	Point Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exp symptoms occur, wear NiOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl cicohol gloves and chemical tagoggles. Use with GOOD ventilation. Wear NiOSH approved organic va
1399 Z-PRIME PLUS (#12802,12803,12804)		Paint Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described expresymptoms occur, wear NiOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NiOSH approved organic vap
	ZEHRUNG CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described expresymptoms occur, wear NiOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NiOSH approved organic vap
				For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exp symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with GOOD ventilation. Wear NIOSH approved organic va cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH
				For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exp symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pOlyethylene/ethylene vinyl alcohol gloves and chemical significant goggles. Use with GOOD ventilation. Wear NIOSH approved organic valuation of the product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash
				For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described expresymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDlyethylene/ethylene vinyl alcohol gloves and chemical saggles. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	ЗМ	Adhesive Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDlyethylene/ethylene vinyl alcohol gloves and chemical is goggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Acorosol car
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive				For Skate Stoppers For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	ЗМ	Adhesive Products	APPROVED		splash goggles. Use with 6000 ventilation. If any of the described expresymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pôlyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with 6000 ventilation. Wear NIOSH approved organic vay cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with 6000 ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	ЗМ	Adhesive Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	ЗМ	Adhesive Products	APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical s goggles. Use with GOOD ventilation. Wear NIOSH approved organic vap cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE	3M	Adhesive Products Adhesive Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Kee
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	ЗМ	Adhesive Products	APPROVED		splash goggles. Use with 6000 ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with 6000 ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with 6000 ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive	3M	Adhesive Products Adhesive Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDlyethylene/ethylene vinyl alcohol gloves and chemical s goggles. Use with GOOD ventilation. Wear NIOSH approved organic vap- cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us- GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE	3M AKZO NOBEL INDUSTRIAL COATINGS AB	Adhesive Products Adhesive Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exp symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile physethylene/ethylene vinyl alcohol gloves and chemical spaggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartricespirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ
1400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE	3M	Adhesive Products Adhesive Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described exp symptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile physethylene/ethylene vinyl alcohol gloves and chemical spaggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartricespirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ
1400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE	3M AKZO NOBEL INDUSTRIAL COATINGS AB	Adhesive Products Adhesive Products Paint Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described expsymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pôlyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with GOOD ventilation. Wear NIOSH approved organic valuratridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/ Ineoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Fol manufacturer's label.
1400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE	3M AKZO NOBEL INDUSTRIAL COATINGS AB	Adhesive Products Adhesive Products Paint Products	APPROVED APPROVED		splash goggles. Use with GOOD ventilation. If any of the described expsymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol glowes and chemical goggles. Use with GOOD ventilation. Wear NIOSH approved organic valoratridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol glowes and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic valorations and the product is FOR TH Wear polyethylene/ethylene vinyl alcohol glowes and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Be GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container lightly closed when not in use. Use and store away from any Wear nitrile rubber glowes and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Fol manufacturer's lobel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use on the producturer's lobel.
A400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 1402 SYNTEKO SEALMASTER 1800	3M AKZO NOBEL INDUSTRIAL COATINGS AB	Adhesive Products Adhesive Products Paint Products Maintenance and Operations Products	APPROVED APPROVED		splash goggles. Use with 6000 ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with 6000 ventilation. Wear NIOSH approved organic vaportridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with 6000 ventilation. Wear NIOSH approved organic vapor cartric respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIO0 cartridge respirator. Fol manufacturer's lobel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES	Adhesive Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/lethylene vinyl alcohol gloves and chemical spaggles. Use with GOOD ventilation. Wear NIOSH approved organic vaporatridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/lethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrides and the special spage of the spa
3400 Scotch-Weld ** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES	Adhesive Products Adhesive Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with GOOD ventilation. Wear NIOSH approved organic vaportridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Fol manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
3400 Scotch-Weld ** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC.	Adhesive Products Adhesive Products Point Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described expsymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical goggles. Use with GOOD ventilation. Wear NIOSH approved organic vagartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Fol manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3400 Scotch-Weld ** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES	Adhesive Products Adhesive Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDlyethylene/lethylene vinyl alcohol gloves and chemical significant goggles. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/lethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartricespirator. Use and store away from any ignition sources. Acorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container lightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/P100 cartridge respirator. Follomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3400 Scotch-Weld ** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC.	Adhesive Products Adhesive Products Point Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/goid gas/PIOO cartridge respirator. Fol manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/actridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved PiOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved PiOO cartridge respirator. Follow manufacturer's label.
3400 Scotch-Weld ** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER 3407 (PROD.CODE.SBI4)	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC. CAL-WESTERN PAINTS	Adhesive Products Adhesive Products Point Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDlyethylene/ethylene vinyl alcohol gloves and chemical soggles. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Aeorosol car DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gos/PIOO cartridge respirator. Foll manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
3400 Scotch-Weld *** 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 4005 SARNASOLV PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER 3407 (PROD.CODESB14)	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC.	Adhesive Products Adhesive Products Point Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pollyethylene/ethylene vinyl alcohol gloves and chemical signing goggles. Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid respirator. Use and store away from any ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Follomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER 3407 (PROD.CODE:SBI4)	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC. CAL-WESTERN PAINTS	Adhesive Products Adhesive Products Paint Products Maintenance and Operations Products Roofing Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	splash goggles. Use with GOOD ventilation. If any of the described exposymptoms occur, wear NIOSH approved organic vapor/Hepa cartridge respirator. Use and store away from any ignition sources. The a Wear nitrile pDiyethylene/ethylene vinyl alcohol gloves and chemical spaggles. Use with GOOD ventilation. Wear NIOSH approved organic vap cartridge respirator. Use and store away from any ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash Use with GOOD ventilation. Wear NIOSH approved organic vapor cartridge respirator. Use and store away from any ignition sources. Acorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If any of the described ill effects occur, wear organic vapor cartridge respirator. Ke container tightly closed when not in use. Use and store away from any Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIOO cartridge respirator. Foll manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridgrespirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. We seleves. Use with GOOD ventilation. Keep containers closed when not in Follow manufacturer's label.
3399 Z-PRIME PLUS (#12802,12803,12804) 3400 Scotch-Weld ™ 110 b/a Part a Translucent Epoxy Adhesive 3401 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE 3402 SYNTEKO SEALMASTER 1800 3403 KK502 3405 SARNASOLV PRIMETIME-SEALALL PRIMER SEALER UNDERCOATER 3407 (PROD.CODE-S814)	3M AKZO NOBEL INDUSTRIAL COATINGS AB KEM-KINETICS LABORATORIES SARNAFIL, INC. CAL-WESTERN PAINTS	Adhesive Products Adhesive Products Paint Products Maintenance and Operations Products Roofing Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For Skate Stoppers	and store away from any Ignition sources. The a Wear nitrile pDiyethylene/ethylene vinyl alcohol gloves and chemical si goggles. Use with GOOD ventilation. Wear NIOSH approved organic vap cartridge respirator. Use and store away from any Ignition sources. The of this product is FOR TH Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash to Use with GOOD ventilation. Wear NIOSH approved organic vapor cartrid, respirator. Use and store away from any Ignition sources. Aeorosol can DISPOSED ONLY WHEN IT IS EM Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If any of the described III effects occur, wear organic vapor cartridge respirator. Kee container tightly closed when not in use. Use and store away from any I Wear nitrile rubber gloves and chemical splash goggles. If misting occ NIOSH approved organic vapor/acid gas/PIO0 cartridge respirator. Foll- manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridg- respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridg- respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridg- respirator. Follow manufacturer's label.

					Wear nitrile rubber/peoprepa gloves and chemical enlash goggles. He with
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3411 POULTICE	AQUA MIX INC.		APPROVED		GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
34 POULICE	AQUA MIX INC.	Floor Care Products	APPROVED		The state of the s
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
ELASTO-DECK CONCRETE PRIMER (POLYURETHANE AROMATIC					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3413 PRIMER)	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	THIS PRODUCT IS FOR USE BY ROOFING PERSONNEL ONLY.	cartridge respirator. Follow manufacturer's label.
					THIS PRODUCT HAS A HIGH PH WHICH CAN BURN SKIN AND EYES. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate
3415 DPD REAGENT #1	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED		filter. Follow manufacturer's label.
0410		ommuning room roducts	ATTROVES		THIS PRODUCT IS HIGHLY CORROSIVE. IT CAN DAMAGE SKIN AND EYES. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved high efficiency filter
3416 LESLIE'S BROMINATING TABLETS	ASEPSIS, INC.	Swimming Pool Products	APPROVED		respirator. Follow manufacturer's label.
3417 ANTESEPTIC WIPE	THE CLINIPAD CORPORATION	Nursing Services Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3418 LAYFLAT SBS, LAYFAST SBS, FIREGUARD SBS, FASTORCH SBS, META	AF MB TECHNOLOGY	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					NO HAZARDOUS COMPONENTS AS DEFINED IN 29CFR1910.12OO(d) Follow
3419 MULTI-PURPOSE TOWELS	TOTAL SOLUTIONS	Malatan and Consetting Burdents	4.000.01/CD		manufacturer's label.
3419 MULTI-FURPUSE TOWELS	TO THE SULUTIONS	Maintenance and Operations Products	APPROVED		
					Wear abrasion resistant gloves. Use with GOOD ventilation. If PEL is exceeded,
					wear NIOSH approved HEPA (P100) cartridge respirator. Follow manufacturer's
3420 ARDEX SD-F	ARDEX INC.	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3421 CF-20, COIL FLUSH CLEANER	INTERNATIONAL #1, A DIV. OF COMSTAR INT. INC.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
5421,		TIVAO TTOGGOLO	ATTROVES		
					ON TROUTE IN CONTRACT TO A SECOND SEC
					CAUTION: This material is corrosive. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear
3422 CIBASET (TM) 1291 HARDENER	CIBA SPECIALTY CHEMICALS CORPORATION	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's labe
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
				CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING	ventilation. If the described symptoms occur, wear NIOSH approved organic
3423 SWD 525B "A"	SWD URETHANE CO.	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	vapor cartridge respirator. Follow manufacturer's label.
		3		THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3424 SWD 525B "B"	SWD URETHANE CO.	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3425 SWD 1929 F	SWD URETHANE CO.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3426 ANTISEPTIC HERBAL HAND SOAP	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
OAGT TEMONICITANIED (# 810)	TREK ALLIANCE, INC.	Malatan and G. C. S. S. S.	4.000.01/57		GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3427 LEMON CLEANER (# 610)		Maintenance and Operations Products	APPROVED		ammonia cartridge respirator. Follow manufacturer's label.
3428 LAUNDRY REGENERATOR (PRODUCT NO. 820)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
<u> </u>					Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved N95 cartridge respirator.
3429 HEAVY DUTY OVEN & GRILL CLEANER (PRODUCT CODE: 405)	CARROLL COMPANY	Food Services Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3430 SPRAY AND POLISH	GENLABS	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
GAGO GUNUMED LOCION	CENTENDS	rood services rroudcts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3431 SUPER PATCH AND SEAL #7088	SUPERCO SPECIALITY PRODUCTS	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3433 PROSTAR G21 NOZZLE GEL	DISTRIBUTION TECHNOLOGIES, INC	Roofing Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved P100
3434 PROSTAR PREMIUM ANTI-SPLATTER SPRAY	DISTRIBUTION TECHNOLOGIES, INC	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
JAJA TROSTAR TREMION MATE SEATTER SERAT					cararage respirator, rollow manaractalet stabet.
	DISTRIBUTION TECHNOLOGIES, INC	Rooming Froducts			DO NOT HIS WITH OTHER OUTS HOLD GUIDLES BUT AND LEVEL SHOW
	DISTRIBUTION TECHNOLOGIES, INC	Rooming Froducts			DO NOT MIX WITH OTHER CHEMICALS SUCH AS BLEACH, AUTOMATIC TOILET BOWL
	DISTRIBUTION TECHNOLOGIES, INC	Nooning Troubles			CLEANER, WALL OR TILE CLEANERS. Wear safety goggles. Use with GOOD ventilatio
	DISTRIBUTION TECHNOLOGIES, INC	icoming i roducio			
3436 POWDERED NON-CHLORINATED BLEACH	SOUTHERN CALIFORNIA SOAP CO, INC	Nursing Services Products	APPROVED		CLEANER, WALL OR TILE CLEANERS. Wear safety goggles. Use with GOOD ventilatio

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3437 EXPANDABLE INSULATING FOAM SEALANT	TERAND INDUSTIRES INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
343/ EXTANDABLE INSULATING FOAM SEABANT	TERAND INDUSTRES INC.	Maintenance and operations Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
2442 MATRIX CTANIDADD DIACTIC DOOF CEMENT 202	BMCA	O	40000VED		
3443 MATRIX STANDARD PLASTIC ROOF CEMENT 203	BMCA	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved chemical cartridge
					respirator. Follow manufacturer's label. KEEP AWAY FROM HEAT, OPEN FLAMES,
3444 H-B EPOXOLINE II WHITE	TNEMEC COMPANY INC.	Paint Products	APPROVED	FOR CONTRACTOR'S USE DURING NON-SCHOOL OPERATING HOURS ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved chemical cartridge
					respirator. Follow manufacturer's label. KEEP AWAY FROM HEAT, OPEN FLAMES,
3445 H-B EPOXOLINE II CONVERTER	TNEMEC COMPANY INC.	Paint Products	APPROVED	FOR CONTRACTOR'S USE DURING NON-SCHOOL OPERATING HOURS ONLY.	
					AVOID OPEN FLAME, DIRECT HEAT AND HIGH TEMPERATURE. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3446 SYN-LUSTRO ALKYD GLOSS ENAMEL 10 SERIES	DUNN-EDWARDS CORPORATION	Paint Products	APPROVED		respirator. Follow manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. APPROVED FOR OUTDOOR US	
				BY APPROVED CONTRACTORS ONLY. A 10-FOOT BARRACADED PERIMETER	The contractor must review the MSDS thoroughly prior to use. The contractor
					shall adhere to all sections of the MSDS during use of this product, including
3447 NORDOT ADHESIVE 34D-2	SYNTHETIC SURFACES INC.	Adhesive Products	APPROVED	PRODUCT MAY NOT BE SPRAY-APPLIED. DO NOT USE THIS PRODUCT IF AM	those sections containing special protection information/special precautions
					THIS PRODUCT IS A STRONG OXIDIZING AGENT AND MAY FORM EXPLOSIVE MIXTUR
					WITH COMBUSTIBLE MATERIALS. DO NOT MIX WITH ACIDS TO AVOID THE RELEASE OF
					CHLORINE GAS. THIS PRODUCT CAN CAUSE CHEMICAL BURNS TO SKIN AND EYES.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved respirator with
					chlorine gas cartridge and dust/mist filter. Use chemical resistant protective
3449 CALCIUM HYPOCHLORITE	STERLING PULP CHEMICALS	Swimming Pool Products	APPROVED		clothing. Follow manufact
		3			Thick clinging jell malodor counteractant Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. Follow manufacture
3450 ELIMINATOR- CARIBEEAN BREESE (PRODUCT NO; 1129)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3451 SCALE-KLEEN	EVERPURE INC.	HVAC Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear latex gloves and chemical splash goggles. Use with GOOD ventilation.
3452 ATHLETIC UNIFORM SOAP	ATHLETIC LAUNDRY SUPPLY	Maintenance and Operations Products	APPROVED		Follow manufacturer's label and safety guidelines.
					, ,
					This product is used as a drain cleaner Wear nitrile rubber/neoprene gloves a
					chemical splash goggles. Use with GOOD ventilation. If any of the described
					exposure symptoms occur, wear NIOSH approved organic vapor cartridge
3453 THE ANSWER (PRODUCT NO: A1001)	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		
3433 THE ANSWER (PRODUCT NO. AIGOT)	OMEGA INDUSTRIAL SUFFET INC.	maintenance and operations Products	AFFROVED		respirator. Use and store away from any ignition sources. Follow manuf
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid
					gas cartridge respirator with P100 filters
3454 PT 240 PERMA DUST	WHITMIRE RESEARCH LABORATORIES, INC.				. Follow manufacturer's label.
3454 F1 240 FERMA DUST	WITH MIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. ff any ill effect occurs, wear NIOSH approved organic vapor
3455 DEVRINOL 5G	ZENECA PROFESSIONAL PRODUCTS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any exposure ill effects occur, wear NIOSH approved organ
3456 SAGA WP INSECTICIDE	AGROEVO ENVIRONMENTAL HEALTH	Pesticide/Herbicide Products	APPROVED		vapor cartridge/P100 filter respirator. Follow manufacturer's label.
				THIS PRODUCT IS APPROVED FOR USE BY FLOOR COVERING DEPT. AND	
				TECHNICAL SERVICES UNIT ONLY. APPROVED PER SCAQMD RULE 1168-	Wear neoprene gloves and chemical splash goggles. Use with GOOD ventilation
3457 BR-830 ADHESIVE	BURKE FLOORING PRODUCTS	Adhesive Products	APPROVED	ADHESIVE AND SEALANT APPLICATIONS - 9/1/01 VOC LIMITS	Follow manufacturer's label.
3458 BURKE BASE '4 SECTIONS & CORNERS	BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
3459 ROULEAU TILE	BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
3460 BURKE ROULEAU STAIRTREAD	BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
3461 WALL BASE	BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
3462 MARBLE, ARIA, NATURAL ILLUSIONS/CONSTELLATIONS RUBBER TILE	BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
3463 MARBLE, ARIA, NATURALL ILLUSION/CONSELLATION RUBBER STAIRTF	R BURKE FLOORING PRODUCTS	Floor Care Products	APPROVED		NO CHEMICAL CONSTITUENTS LISTED
•			-		Wear neoprene gloves and chemical splash goggles. Follow manufacturer's
3464 ULTRA-FLEX 1000	GENERAL COATINGS INC.	Roofing Products	APPROVED	OUTDOOR USE ONLY, FOR USE ONLY BY THE ROOFING DEPARTMENT.	label.
		~			

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 and or
3465 ULTRA-HIDE AQUACRYLIC GRIPPER STAIN KILLER PRIMER- SEALER	ICI PAINTS	Paint Products	APPROVED		vapor cartridge respirators. Follow manufacturer's label.
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PM
3466 FIXALL (8060)	CUSTOM BUILDING PRODUCTS.INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3400 TIMALE (0000)	GOOTOM BOILDING TROODS IS.INC.	muliteriance and operations froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If the described symptoms occur, wear NIOSH appro
3470 CIBASET (TM) 1321 RESIN	CIBA SPECIALTY CHEMICALS CORPORATION	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
347] MIRACLE ALL PURPOSE (CONSTRUCTION ADHESIVE)	TACC INTERNATIONAL CORP	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
34/1 MIRACLE ALL FORFOSE (CONSTRUCTION ADRESIVE)	TACC INTERNATIONAL CORP	Adnesive Products	APPROVED		• .
					CAUTION: This product is corrosive. Wear nitrile rubber/neoprene glove
					face sheild. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH a
3472 CIBASET (TM) 1321 HARDENER	CIBA SPECIALTY CHEMICALS CORPORATION	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	organic vapor cartridge respirator. Follow manufacturer's label.
					Wear cloth work gloves and chemical splash goggles. Use with GOOD
					If the described symptoms occur, wear NIOSH approved organic vapor
3473 SCS2002 SILICONE RUBBER SEALANT	GE SILICONES	Roofing Products	APPROVED		respirator. Follow manufacturer's label.
					Wear long sleeve shirts, long pants, shoes with socks, nitrile rubber/ne
					gloves and chemical splash goggles. Use with GOOD ventilation. If the
				APPROVED FOR USE BE LAUSD CERTIFIED PEST CONTROL TECHNICIANS	symptoms occur, wear NIOSH approved organic vapor cartridge respi
3475 OUST HERBICIDE	DUPONT CO.	Doubloide / Hoybields Doubloids	APPROVED	ONLY.	Follow manufacturer's
9479 COO. MERDICIDE	50, 5,,, 60.	Pesticide/Herbicide Products	APPROVED	One.	
					FLAMMABLE: Do not store or use near ignition sources. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOI
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor ca
3477 ELC-PS	STATE CHEMICAL MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY THE ELECTRICAL DEPARTMENT ONLY.	respirator. Follow manufacturer's label.
		manterialice and operations i roducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
					cartridge respirator. The approval of this product is FOR OUTSIDE USE B
3479 HIGH PERFORMANCE WOOD HARDENER	MINWAX COMPANY, INC.	Paint Products	APPROVED		PAINT SHOPS ONLY. Use a
					The approval of this product is FOR OUTSIDE USE BY THE ROOFING SHOP
					not store or use near ignition sources. Wear polyvinyl alcohol (PVA) or
				THIS PRODUCT IS APPROVED FOR USE BY THE ROOFING DEPARTMENT AND	gloves and chemical splash goggles. Use with GOOD ventilation. If PEL
3481 ASPHALT CEMENTS	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Maintenance and Operations Products	APPROVED	CONTRACTORS ONLY.	exceeded, wear NIOSH a
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
3483 YELLOW W/B LEAD FREE TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		
3483 YELLOW W/B LEAD FREE TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3483 YELLOW W/B LEAD FREE TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut
1483 YELLOW W/B LEAD FREE TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas
1483 YELLOW W/B LEAD FREE TRAFFIC PAINT	PERVO PAINT CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas
	PERVO PAINT CO. NORTHWEST COATINGS, INC.		APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas
		Paint Products Maintenance and Operations Products			cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved PIOO cartridge respirator. Follo manufacturer's label.
					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
485 FIBRSELE	NORTHWEST COATINGS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NIOSH approved PIOD cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOD cartri
485 FIBRSELE					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NIOSH approved PIO0 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartric respirator. Follow manufacturer's label.
485 FIBRSELE	NORTHWEST COATINGS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventiliation. If area is poorly ventiliated or when performing Clas asbestos work, wear a NIOSH approved P100 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventiliation. If PEL is exceeded, wear NIOSH approved P100 cartric respirator. Follow manufacturer's label.
485 FIBRSELE	NORTHWEST COATINGS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Folic manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U
485 FIBRSELE 486 LAG-KOTE	NORTHWEST COATINGS, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Folic manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U
485 FIBRSELE 486 LAG-KOTE	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NIOSH approved P100 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrid respirator. Follow manufacturer's label. GOOD ventilation in PEL is exceeded, wear NIOSH approved P100 cartrid respirator. Follow manufacturer's Label.
1485 Fibrsele 1486 LAG-Kote	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		cortridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved PI00 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If FEL is exceeded, wear NiOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U
485 FBRSELE 486 LAG-KOTE 1487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Folice manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved propriets GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va
1485 FIBRSELE 1486 LAG-KOTE 3487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
1485 FIBRSELE 1486 LAG-KOTE 3487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If FEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If FEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If FEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 3487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U
485 FIBRSELE 486 LAG-KOTE 487 LAG-KOTE II 488 GRAFFITI OUT	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED APPROVED	APPONJED END LIGE BY C'HSTONIAL STASE CAN'Y	cortridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved PI00 cartridge respirator. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label.
3485 FIBRSELE 3486 LAG-KOTE 3487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	cortridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Class asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggies. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label.
485 FIBRSELE 486 LAG-KOTE 487 LAG-KOTE II 488 GRAFFITI OUT	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Folio manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1490 KLALL-PURP CUNR/DEOD PACKETS-2X90/.50Z	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggies. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartri respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1490 KLALL-PURP CUNR/DEOD PACKETS-2X90/.50Z	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follo manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1490 KLALL-PURP CUNR/DEOD PACKETS-2X90/.50Z	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follom manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded wear NiOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approcartridge respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1490 KL ALL-PURP CLNR/DEOD PACKETS-2X90/.5OZ	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Folio manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If the described symptoms occur, wear NiOSH approved rartridge respirator. Follow manufacturer's label.
3485 FIBRSELE 3486 LAG-KOTE 3487 LAG-KOTE II 3489 GRAFFITI OUT 3490 KL ALL-PURP CLNR/DEOD PACKETS-2X90/.5OZ	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follor manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label.
3485 FIBRSELE 3486 LAG-KOTE 3487 LAG-KOTE II 3489 GRAFFITI OUT 3490 KL ALL-PURP CLNR/DEOD PACKETS-2X90/.5OZ	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cortridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved Pi00 cartridge respirator. Follomanufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved riganic vacartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved Pi00 cartric respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approved proper cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approved proper gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approved vapor cartridge respirator. Follow manufacturer's label.
1485 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1490 KL ALL-PURP CLNR/DEOD PACKETS-2X90/.5OZ	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY.	contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved PI00 cartridge respirator. Follom manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved PI00 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If the described symptoms occur, wear NIOSH appro- cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If the described symptoms occur, wear NIOSH appro- cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If described symptoms occur, wear NIOSH appro- cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If described symptoms occur, wear NIOSH appro- cartridge respirator. Follow manufacturer's label.
486 LAG-KOTE 486 LAG-KOTE 487 LAG-KOTE II 488 GRAFFITI OUT 490 KLALL-PURP CLINF/DEOD PACKETS-2X90/.50Z 491 KL BOWL CLEANER PACKETS (2X90/.5 OZ)	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY. TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS EQUIPPED WITH A LOCAL EXHAUST FILTERED VIA A HEPA VACUUM.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NiOSH approved P100 cartridge respirator. Follom manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GODD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartri respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If the described symptoms occur, wear NiOSH appro- cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If Becaribed symptoms occur, wear NiOSH appro- cartridge respirator. Follow manufacturer's label.
1486 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1480 KL ALL-PURP CLIRI/DEOD PACKETS-2X90/.50Z 1491 KL BOWL CLEANER PACKETS (2X90/.5 OZ)	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY. TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If area is poorly ventilated or when performing Clas asbestos work, wear a NIOSH approved P100 cartridge respirator. Follom manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If described symptoms occur, wear NIOSH approved proved ritride rubber/neoprene gloves and chemical splash gaggles. Us GOOD ventilation. If described symptoms occur, wear NIOSH approved proved pr
1486 FIBRSELE 1486 LAG-KOTE 1487 LAG-KOTE II 1488 GRAFFITI OUT 1480 KL ALL-PURP CLIRI/DEOD PACKETS-2X90/.50Z 1491 KL BOWL CLEANER PACKETS (2X90/.5 OZ)	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY. TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS EQUIPPED WITH A LOCAL EXHAUST FILTERED VIA A HEPA VACUUM.	contridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GODD ventilation. If area is poorly ventilated or when performing Class absestos work, wear a NIOSH approved PIOO cartridge respirator. Follomanufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GODD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GODD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartric respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GODD ventilation. If PEL is exceeded, wear NIOSH approved organic valuation of the performance of the performanc
3483 YELLOW W/B LEAD FREE TRAFFIC PAINT 3485 FIBRSELE 3486 LAG-KOTE 3487 LAG-KOTE II 3489 GRAFFITI OUT 3490 KL ALL-PURP CLINE/DEOD PACKETS-2X90/.50Z 3491 KL BOWL CLEANER PACKETS (2X90/.5 OZ) 3492 KL FLOOR COND/NEUTRALIZER PACKETS (2X90)	NORTHWEST COATINGS, INC. FIBERLOCK TECHNOLOGIES, INC. FIBRERLOCK TECHNOLOGIES, INC CHEMSTAR RESEARCH STEARNS PACKAGING CORPORATION STEARNS PACKAGING CORPORATION	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Graffiti Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY CUSTODIAL STAFF ONLY. TO REDUCE DUST LEVELS, CUT PRODUCT USING WET METHODS OR TOOLS EQUIPPED WITH A LOCAL EXHAUST FILTERED VIA A HEPA VACUUM.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If area is poorly ventilated or when performing Class asbestos work, wear a NiOSH approved P100 cartridge respirator. Follon manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartrid respirator. Follon manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved P100 cartrid respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If the described symptoms occur, wear NiOSH approved ratridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If described symptoms occur, wear NiOSH approved vapor cartridge respirator. Follow manufacturer's label.

					Manage fields and the selection of the s
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation (outdoors). If described symptoms occur, wear NIOSH
3496 MONOLITHIC MEMBRANE 6125	AMERICAN HYDROTECH, INC.	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY.	approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation (outdoors). If described symptoms occur, wear NIOSH
3497 MONOLITHIC MEMBRANE 6125-EV	AMERICAN HYDROTECH, INC.	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY.	approved organic vapor cartridge respirator. Follow manufacturer's label.
3499 FLEX-FLASH F	AMERICAN HYDROTECH, INC.	Roofing Products	APPROVED	APPROVED FOR ROOFING STAFF USE ONLY	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3500 FLEX-FLASH UN	AMERICAN HYDROTECH, INC.	Roofing Products	APPROVED	APPROVE FOR ROOFING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
3300 TEX TEXATION	AMENICATI II DICTEOT, INC.	Rooming Froducts	AFFROVED	AT NOVE TON NOOT INCOME OF ALL	Wear nitrile rubber or PVC gloves and chemical splash goggles. Use with G
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
3501 ALCO MAGIC	ALCO PRODUCTS, INC.	Graffiti Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3504 MINWAX WOOD PUTTY-ALL SHADES (FORMULAS NO: 240-250)	MINWAX COMPANY, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					This product is also used as high-build monolithic liner for truck beds Wed
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Use and store away from any ignition sources. Keep container
					when not in use. The approval of this product is FOR THE OUTDOOR USE OF
3505 TUFLINER COATING TM BASE COMPOUND (AKA TLC TM)	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED		SHOPS AND TRUCK
3505 TOTELLER GOATING THE DAGE GOING GOTE (ARA TEG TIM)	mastrinos mananonas, mo.	Graniti Froducts	AFFROVED		
					This product is also used as high-build monolithic liner for truck beds Wed
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. Use and store away from any ignition sources. Keep container
					when not in use. The approval of this product is FOR THE OUTDOOR USE OF F
3506 TUFFLINER COATING TM CURING AGENT (AKA TLC TM)	TRADEWINDS INTERNATIONAL, INC.	Graffiti Products	APPROVED		SHOPS AND TRUCK M
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3507 IMAGE 1 SUPER STRIPPER (PRODUCT NO: 1098)	GENLABS	Floor Care Products	APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturer's lab
3307		Tioor cure riodacts	AFFROVED		THIS PRODUCT MAY HARM SOFT SURFACES LIKE SILVER. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If any of the described exposure symptoms occur, wear NIOSH
3508 POLISH PRO	NEUTRON INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. Store in a cool, dry area. Keep container tightly closed w
3509 S-230 EPOXY ADHESIVE PART B	ARMSTRONG	Adhesive Products	APPROVED		not in use. Wear impervious clothing. Follow manufacturer's label.
					Wear nitrile rubber gloves and safety glasses with side shields. Use with GO
					ventilation. Wear NIOSH approved P100 cartridge respirator. The approval
					product is FOR THE OUTDOOR USE OF THE ROOFING SHOPS ONLY. Follow
3510 POND PATCH TM (NO: 176)	HENRY COMPANY	Adhesive Products	APPROVED		manufacturer's label.
35IU FOND FAICH IM (NO. 170)	HENRY COMPANY	Adnesive Products	APPROVED		
					This product is a : Water emulsion latex adhesive Wear nitrile rubber/neop
					gloves and chemical splash goggles. Use with GOOD ventilation. If the des
					syptoms occur, wear NIOSH approved organic vapor cartridge respirator.
3511 HENRY 630 PEACHPRO PRESSURE SENSITIVE FLOORING ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED		manufacturer's label.
					Wear nitrile rubber and chemical splash goggles. Use with GOOD ventilation
3512 UNIVERSAL LAUNDRY DETERGENT (NO: 70225,70250,70210)	CHEMCOR CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		Follw manufacturer's label.
3513 BORAX HANDSOAP-WHITE	CHEMCOR CHEMICAL CORP.	Maintenance and Operations Products	APPROVED		Use with GOOD ventilation, Follow manufacturer's label.
000		mantenance and operations reducts	ATTROVES		Use with GOOD ventilation. Place used towels in a closed container. Follow
3514 MUSCLE MAN HAND CLEANER TOWELS	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					This product is for bubble gum remover from concrete surfaces. Wear nitr
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartrid
3515 NATURAL WAY	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					This product is non -conductive super solvent non-flammable aerosol for
					electrical shops Wear nitrile rubber/neoprene gloves and chemical splas
3516 RK-353	POLYTECH	Maintenance and Operations Products	APPROVED		goggles. Use with GOOD ventilation. Follow manufacturer's label.
55.5 ···· 566		antenance and operations rioducts	AFFROVED		goggios. 555 mai 5555 voluidatori. Follow mandactarers label.
					The construction of the co
					This product is a dtergent for wahing clothing Wear rubber gloves and ch
3517 BLUE RIBBON	STAR PACIFIC, INC.	Maintenance and Operations Products	APPROVED		splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
					Wear leather or lined neoprene coated gloves and chemical splash gogg
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartri
					respirator. If hydrogen sulfide odor is detected,
3518 LOW FUMING ASPHALT (MSDS NO: 15-MSD-13829-E)	OWENS-CORNING FIBERGLAS CORPORATION	Maintenance and Operations Products	APPROVED		cease use and call EHSB.Wear loose fitting,lo
3010 12 (SMINO NO. (INC.) (INODO NO. 10 MIDD 10020 E)	COMMING THE MODER CONTONATION	antenance and operations rioducts	ALLKOVED		ocase are and can area room toose ittingio

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product IS FOR THE USE OF ROOFING
3519 NEOGARD-Z-GRAY LO (NO: 7430-01)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY. Fol
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and boots and chemical splash goggles
				TO BE USED IN CONJUCTION WITH RT-2031-A BY THE ROOFING	Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
3520 RT-2031-B AMINE SERIES OR RT-3041-2.5-B AMINE SERIES	RESIN TECHNOLOGY COMPANY	Roofing Products	APPROVED	DEPARTMENT ONLY.	ammonia/methylamine/P100 cartridge respirator. Follow manufacturer's laborators
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3521 MULTIPURPOSE DEGREASER	MICROBEST, INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3522 SURFACE/GLASS CLEANER	MICROBEST, INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3523 BIODEODORIZER	MICROBEST, INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
5525		mantonance and operations reducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3524 AIR FORCE (NO. 0304)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3524 AIR TORGE (NO. 0304)	SEEG CHEWICAE INDUSTRIES	Maintenance and Operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
OFFICE MOTURIC AFROSOL (MO 0250)	SELIG CHEMICAL INDUSTRIES	Malatan and a second as a seco	* DDD 01		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3525 NOTHING- AEROSOL (NO. 0359)		Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3526 DOTTIE TUF TOWEL	LH. DOTTIE COMPANY	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3528 HIGH SOLIDS KILZ	MASTERCHEM INDUSTRIES, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					DO NOT WEAR CONTCT LENSES WHEN WORKING WITH THIS PRODUCT. Wear nitril
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3529 OUTPOST #20 HOT SPRINGS GENERAL PURPOSE CLEANER	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's lab
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear a NIOSH approved organic vapor/a
3531 OUTPOST #16 BATH MATE DISINFECT WASHROOM CLEANER	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		gas cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3532 SOLSTA 210 NEUTRAL CLEANER	GENLABS	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3533 SOLSTA 320 (SPRING CLEAN) DISINFECT BATHROOM CLEANER	GENLABS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	DOW CHEMICAL USA	Roofing Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
3538 STYROFOAM PLAZAMATE					
3538 STYROFOAM PLAZAMATE					
3538 STYROFOAM PLAZAMATE				APPROVED FOR OUTDOOR LISE BY THE ROOFING STAFF ONLY APPLY LISING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	WESTERN COLLOID S.C. INC.	Peofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3538 STYROFOAM PLAZAMATE 3539 ASPHALT EMULSION ROOF SURFACING #298	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING STAFF ONLY, APPLY USING MOP/BRUSH METHODS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3539 ASPHALT EMULSION ROOF SURFACING #298				MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation, If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofling Products Roofling Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298				MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE"	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION. APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3539 ASPHALT EMULSION ROOF SURFACING #298				MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE"	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION. APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator: Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE"	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION. APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSNE. CAUSES BURNET TO SKIN AND EYES. DO NOT MIX W. ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofing Products Roofing Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficience
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE"	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNES TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofing Products Roofing Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX W. ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficience particulate respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofing Products Roofing Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX W ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofing Products Roofing Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC.	Roofing Products Roofing Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING 'SILVERWHITE' 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS	Roofing Products Roofing Products Swimming Pool Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNES TO SKIN AND EYES. DO NOT MIX W. ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS	Roofing Products Roofing Products Swimming Pool Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNES TO SKIN AND EYES. DO NOT MIX W. ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS	Roofing Products Roofing Products Swimming Pool Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX W ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label. THIS PRODUCT HAS A LOW PIL AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING 'SILVERWHITE' 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS	Roofing Products Roofing Products Swimming Pool Products	APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulater respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulation. Follow manufacturer's label. THIS PRODUCT HAS A LOW PIL AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING 'SILVERWHITE' 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION 3544 UNI-KEM 8913	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS UNI-KEM, INC.	Roofing Products Roofing Products Swimming Pool Products HVAC Products	APPROVED APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSNE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventiliation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSNE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulat respirator. Follow manufacturer's label. THIS PRODUCT HAS A LOW PH. AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulat respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING 'SILVERWHITE' 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION 3544 UNI-KEM 8913	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS UNI-KEM, INC.	Roofing Products Roofing Products Swimming Pool Products HVAC Products	APPROVED APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved arganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gioves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particular respirator. Follow manufacturer's label. THIS PRODUCT HAS A LOW PH. AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING 'SILVERWHITE' 3541 ELASTAHYDE #720 ARC 3543 SODIUM HYPOCHLORITE SOLUTION 3544 UNI-KEM 8913	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS UNI-KEM, INC.	Roofing Products Roofing Products Swimming Pool Products HVAC Products	APPROVED APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EVES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EVES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN AND EVES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC 3542 SODIUM HYPOCHLORITE SOLUTION 3544 UNI-KEM 8913	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS UNI-KEM, INC.	Roofing Products Roofing Products Swimming Pool Products HVAC Products	APPROVED APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EYES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulat respirator. Follow manufacturer's label. THIS PRODUCT HAS A LOW PH. AVOID CONTACT WITH SKIN AND EYES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
3539 ASPHALT EMULSION ROOF SURFACING #298 3540 ALUMINUM REFLECTIVE ROOF COATING "SILVERWHITE" 3541 ELASTAHYDE #720 ARC 3542 SODIUM HYPOCHLORITE SOLUTION 3544 UNI-KEM 8913	WESTERN COLLOID S.C., INC. WESTERN COLLOID S.C., INC. VARIOUS MANUFACTURERS UNI-KEM, INC.	Roofing Products Roofing Products Swimming Pool Products HVAC Products	APPROVED APPROVED APPROVED	MOP/BRUSH METHODS ONLY. APPROVED FOR USE BY THE ROOFING STAFF ONLY, AVOID SPRAY APPLICATION, APPLY USING BRUSH METHODS OR EQUIVALENT. APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY, APPLY USING	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. CAUSES BURNS TO SKIN AND EVES. DO NOT MIX WI ACID. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficienc particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN OR EVES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency particulate respirator. Follow manufacturer's label. THIS PRODUCT IS CORROSIVE. AVOID CONTACT WITH SKIN AND EVES. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF ROOFING
3549 NEOGARD (EPOXY PRIMER PART 1 C.A.R.B.)PART A	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY AND W
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF ROOFING
3550 NEOGARD (EPOXY PRIMER PART 2 LOW VOC)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY AND W
0000 (manionance and operations reducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. The approval of this product is FOR THE USE OF ROOFING
3551 NEOGARD (NEOGARD EPOXY PRIMER PART 2 NO:7751)	JONES BLAIR COMPANY	Maintenance and Operations Products	APPROVED		OUTSIDE CONTRACTORS ONLY AND W
3331 RESOARD (RESOARD ELOXI TRIMER TART E NO. 701)	SOILE BEAT COMPANY	waintenance and operations moducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3552 CARBOWAX POLYETHYLENE GLYCOL 8000	UNION CARBIDE AND PLASTICS COMPANY INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3332 GARBOTTAN OFFERTILERE SET OFF 5550	SHOT SAIDE AT PLANTOS SOM ATT MO.	1000 Services Froducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3553 SUPERIOR PRIMER 171 (PART A)	SUPERIOR EPOXIES & COATINGS, INC.	Malatan and Consultan David at	APPROVED		cartridge respirator. Follow manufacturer's label.
3553 SUPERIOR PRIMER I/I (PART A)	SUPERIOR EPOXIES & COATINGS, INC.	Maintenance and Operations Products	APPROVED		Do NOT store or use near corrosive materials or solvents. Do NOT use open
					flames or weld on this material. Wear cotton or leather gloves and chemical
3554 PVC ROOFING & ACCESSORY MEMBRANES	JOHNS MANVILLE-ROOFING SYSTEMS GROUP				splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
3554 PVC ROOFING & ACCESSORY MEMBRANES	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Roofing Products	APPROVED		approved acid gas cartridge
					This product is approved for use by the ROOFING DEPARTMENT ONLY. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				REFER TO MSDS FOR SPECIFIC PRODUCT NAMES. MSDS # REFERS TO THE	ventilation. If PEL is exceeded, wear NIOSH approved oraganic vapror/P100
3556 ROLL ROOFING - GAFGLAS BUR MEMBRANES (MSDS# 1004)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED	PRODUCT CATEGORY.	cartridge respirator. Follow manu
					This product is only to be used OUTDOORS by the ROOFING DEPARTMENT ONLY.
				REFER TO MSDS FOR SPECIFIC PRODUCT NAMES. MSDS # REFERS TO	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				PRODUCT CATEGORY, FOR OUTDOOR USE ONLY BY THE ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved oraganic vapor/P100
3557 ROLL ROOFING - RUBEROID MEMBRANES (MSDS #1006)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED	DEPARTMENT.	cartridge respirator. Fol
					Approved for OUTDOOR use by ROOFING DEPARTMENT ONLY. Store and use away
					from ignition sources. Wear nitrile rubber/neoprene gloves and chemical splas
					goggles. DO NOT WEAR CONTACT LENSES WHEN WORKING WITH THIS MATERIAL U
3558 APOC #138 PRO-LASTIC SBS RUBBERIZED ROOF CEMENT	APOC THE ROOFERS EDGE	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING DEPARTMENT ONLY.	with GOOD ventilation. If PE
					Not for school use. Wear nitrile rubber/neoprene gloves and chemical splash
				REFER TO MSDS FOR SPECIFIC PRODUCT NAMES. APPROVED FOR USE BY	goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIC
3559 FIBER CEMENT, FIBER REINFORCED CEMENT	JAMES HARDIE BUILDING PRODUCTS	Maintenance and Operations Products	APPROVED	MAINTENANCE & OPERATIONS USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge
3561 US & O REMOVER	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE WITH A PORTABLE EYE-WASH STATION ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
3562 MORWEAR 3301 - WHITE, INT/EXT 100% ACRYLIC HIGH GLOSS	SMILAND PAINT COMPANY	Paint Products	APPROVED		vapor/P100 cartridge respirator. Follow manufacturer's label.
					Wear neoprene or vinyl gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3563 DEX COAT CLEAR & COLORS (PRODUCT CODE: 2700)	MONOPOLE INC. U.S. SPECIALTY COATINGS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					WET METHODS AND USE OF A P100 CARTRIDGE RESPIRATOR MUST BE UTILIZED WHEN
					IMPACTING (CUTTING, BREAKING, ETC.) THIS MATERIAL. Do NOT use compressed of
					for clean-up. Wear nitrile rubber/neoprene gloves and chemical splash goggle
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100
3564 INSULATING FIREBRICK AND FIREBRICK	THERMAL CERAMICS INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approvd P100 cartridge
3565 CASTABLE #16 (BRICK ADHESIVE)	RESCO PRODUCTS, INC.	Adhesive Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
GYPROC 45 AND 90 SETTING COMPOUND (PRODUCT # Q-994,					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3566 995)	GEORGIA-PACIFIC CORPORATION	Carpentry/ Construction Product	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3567 GLASS MAT FACED GYPSUM BOARDS	GEORGIA-PACIFIC CORPORATION	Carpentry/ Construction Product	APPROVED		respirator. Follow manufacturer's label.
		Family and an arrangement of the second			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3569 795 SILICONE BUILDING SEALANT, WHITE	DOW CORNING CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
			ALLIOTED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
ARDEX SD-F FEATHER FINISH SELF DRYING CEMENT-BASED					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3573 UNDERLAY	ARDEX INC.	Floor Care Products	APPROVED	Approved for use by trained contractors and M & O personnel only.	cartridge respirator. Follow manufacturer's label.
CO.O CHIDEREN		. ISSI CUITE FIDUUCIS	ALLKOVED		

					DO NOT BURN OR HEAT PRODUCT. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
3574 DAL-SEALTS	NOBEL MANUFACTURING COMPANY	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufacturer
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3577 ARMSTRONG S-480 FLOOR POLISH	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label. /LV
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapo
3578 MEGA BAC	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				APPROVED FOR OUTDOOR USE ONLY. DO NOT STORE AT TEMPERATURES	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3579 GRAFITTI BUSTER-A	SUPERCO SPECIALITY PRODUCTS	Graffiti Products	APPROVED	ABOVE 120 DEGREES FAHRENHEIT OR NEAR IGNITION SOURCES.	cartridge respirator. Follow manufacturer's label.
3581 50000 (8 OZ.SPRAY) WHITEBOARD CLEANER	CORRECT SOLUTIONS	School Products	APPROVED		Follow manufacturer's label.
					This product is approved for OUTDOOR use by the ROOFING DEPARTMENT
					NOT use around HVAC intakes or vents unless the system has been shut
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING	and sealed. Wear nitrile rubber/neoprene gloves and chemical splash g
3582 POLYURETHANE CAULK	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Maintenance and Operations Products	APPROVED	DEPARTMENT ONLY.	Use with GOOD ventilatio
					ALSO KNOWN AS, POLYVINYL CHLORIDE, PVC, VINYL Gloves and Safety glass
3583 FLEXIBLE VINYL PELLET COMPOUND	SPARTECH COMPOUNDING	Maintenance and Operations Products	APPROVED		recommended. Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
3584 CHEMSTAR GRAFFITI REMOVAL	FLO-KEM, INC.	Graffiti Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
0004		Statika i roddolo	ATTROVED		
					This product is a disinfectant floor finish Wear nitrile rubber/neoprene gl
					and chemical splash goggles. Use with GOOD ventilation. If misting, wear
3586 RE-JUV-NAL (PRODUCT NO: 152)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's labor
3586 KE 30V MAE (FRODUCT NO. 152)	THEFARD INDUSTRIES	FIGURE FIGURES	AFFROVED		This product is a mild all purpose paste cleaner and ink remover. Use wi
3587 ZIZ-O TM (PRODUCT NO: 090)	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		ventilation. Follow manufacturer's label and safety quidelines.
3587 ZIZ-O IM (PRODUCT NO . 090)	HILLTARD INDUSTRIES	Floor Care Products	APPROVED		, ,
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
OLOUDITOS OLAGO (PROPULOT # 070)	TREE ALLIANOS INO				GOOD ventilation. If the described symptoms occur, wear NIOSH approve
3588 CLOUDLESS GLASS (PRODUCT # 270)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
(, , , , , , , , , , , , , , , , , , ,					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follo
3589 DRAIN DIGESTANT (PRODUCT # 150)	TREK ALLIANCE, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3590 QC 52 GLASS CLEANER	ECOLAB INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3591 QC 53 MULTI- PURPOSE CLEANER	ECOLAB INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3594 QC 98 NA BATH CLEANER	ECOLAB INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator. Keep work area free of hot metal surfaces and ignit
3595 QUICK DRY POLYURETHANE PRIMER AND SEALER #850	HARCO CHEMICAL COATINGS INC.	Floor Care Products	APPROVED		sources. Follow manufacturer'
					Wear nitrile/neoprene gloves and chemical splash goggles. Use with GC
					ventilation. If any of the described exposure symptoms occur, wear NIOS
					approved organic vapor cartridge respirator.Wear impervious clothing.
3596 GENERIC WATERBASE LATEX COATINGS (W201 SERIES)	DUNN-EDWARDS CORP.	Paint Products	APPROVED	This product is a traffic paint (Outdoor use only)	manufacturer's label.
					Methanol added is 1% . Wear chemical splash goggles. Use with GOOD
					ventilation. If the PEL is exceeded, wear NIOSH approved organic vapor of
					respirator. Use and store away from any ignition sources. Follow manuf
3597 SURGICOL (PRODUCT NO: 2490)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		label.
· ·					Wear nitrile /neoprene gloves and chemical splash goggles. Use with G
					ventilation. If any ill effects occur, wear NIOSH approved Hepa/ organic
3598 SUPER CAMICLEAN CLEANER & DEGREASER	CAMIG INC.	Automotive Products	APPROVED		cartridge respirator. Wear impervious clothing. Follow manufacturer's Ic
					Wear rubber gloves and chemical splash goggles. Use with GOOD ventile
					PEL is exceeded, wear NIOSH approved Hepa cartridge respirator. The ap
					this product is for THE USE OF OUTSIDE CONTACTORS ONLY AND FOR WOR
					THIS PRODUCT IS FOR THE USE OF OUTSIDE CONTACTORS ONLY AND FOR WORL
area wary conjectitate/ hopists	VVDEV CHEMICAL CORPORATION	Material and a second and a second	4 DDD 07		FLEVATOR DITE
3599 XYPEX CONCENTRATE/ MODIFIED	XYPEX CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		ELEVATOR PITS
3599 XYPEX CONCENTRATE/ MODIFIED	XYPEX CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with LO
3599 XYPEX CONCENTRATE/ MODIFIED	XYPEX CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with LO CROSS ventilation. If PEL is exceed, wear NIOSH approved organic vapor of
3599 XYPEX CONCENTRATE/ MODIFIED 3600 PRONTO (B010009)	XYPEX CHEMICAL CORPORATION VARN PRODUCTS	Maintenance and Operations Products Graphic Arts/Photography Products	APPROVED		Wear nitrile /neoprene gloves and chemical splash goggles. Use with LO

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any ill effects occur, wear NIOSH approved organic vapor
3602 100% ACRYLIC -COLOR: BRAZIL	CAL-WESTERN PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing. The approval of this product i
3603 ORTHENE(CRACK&CREVICEPRESSURIZED RESIDUALFORMIULI)	WHITMIRE RESEARCH LABORATORIES, INC.				
3803 ORTHENE(CRACK&CREVICEPRESSURIZED RESIDUALFORMIULI)	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		FOR THE USE OF PESTICIDE MA
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing. The approval of this product i
3604 INTERN(CRACK&CREVICESPRESSURIZEDRESIDUALFORMUIL	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		FOR THE USE OF PEST MANAGEM
		<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing. The approval of this product i
3605 INTERN TM(CRACK&CREVICEPRESSURIZEDRESIDUALFORMULI)	WHITMIRE RESEARCH LABORATORIES, INC.	Pesticide/Herbicide Products	APPROVED		FOR THE USE OF BEST MANAGEM
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3606 UNIVERSAL REPAIR FILLER-SUPER STRENGTH	FIBRE GLASS-EVERCOAT CO. INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure effects occur, wear NIOSH
					approved organic vapor cartridge respirator. Wear impervious clothing. The
3608 ARMATEC 110 PART A (CODE: 182)	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		approval of this product is
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If any of the described exposure effects occur, wear NIOSH
					approved organic vapor cartridge respirator. Wear impervious clothing. The
	SIKA CORPORATION				
3609 ARMATEC 110 PART B (CODE 110 PART B)	SIKA CORPORATION	Maintenance and Operations Products	APPROVED		approval of this product is
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing. Keep containers closed when
3610 ACRYVAR ACRYLIC CLEAR GLOSS FINISH (NO: 0493)	CAL-WESTERN PAINTS	Paint Products	APPROVED		in use. Follow manufacturer
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Wear impervious clothing . Keep containers closed when
3611 CAL THANE CLEAR GLOSS (NO: 0497 CLEAR)	CAL-WESTERN PAINTS	Floor Care Products	APPROVED		not in use. Follow manufacturer
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3612 PACIFIC HIGH BUILD SEALER	BONAKEMI USA, INC.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND DIDITION	ECOLAB INC.				
3616 DIP IT XP	ECOLAB INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3617 DIP IT	ECOLAB INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia/organic
3619 GOSH - CA (# 30236)	SELIG CHEMICAL INDUSTRIES	Office Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
3019 COSIT CA (# 30230)	SELIO CI ILWICAE INDOSTRIES	Office Products	AFFROVED		
(Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3620 CLEAR CHOICE - CA (# 30235)	SELIG CHEMICAL INDUSTRIES	Office Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3621 CAREFREE HIGH GLOSS WHITE (# 8500)	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
* *					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occurr, wear NIOSH approved organic vapor
3623 B.M.O.C. PLUS 2190	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED	FOR USE BY YEAR-AROUND FLOOR CREWS ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, remove to fresh air. Follow
3625 2652 SUPER SELCOFOAM	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
		18.000			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
ODID OF ORFILOUS	SOURCE AMERICAN				GOOD ventilation. If described symptoms occur, wear NIOSH approved organ
3628 GRID-SET GREEN GLUE	SOURCE AMERICAS	Floor Care Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3631 MULTI-GARD 954 PART A	CARBOLINE COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE & OPERATIONS PERSONELL ONLY.	organic vapor cartridge respirator. Follow manufacturer's label.
					CAUTION: This product is flammable, do not store or use near ignition source
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3632 MADACIDE-FD SPRAY (#1130-15)	MADA MEDICAL, MADA EQUIPMENT, MADA INTERNATIONAL	Nursing Services Products	APPROVED		cartridge respirator. Foll
JULY IMPORTANT (THOU IS)	MADA MEDIDAG MADA EQUI MENT, MADA INTERNATIONAL	narang services rioducts	AFFROVED		carriage respirator. For

					Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear a NIOSH approved HEPA cartridge respir
3633 FLO-KEM MC-100	FLO-KEM, INC.	Cleaning Products	APPROVED		Follow manufacturer's label.
3634 SUNSHINE LEMON	GREENLINE LABORATORIES	Cleaning Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
3034 SONSI IINE ELINON	OKENEINE DADOKATOKIES	Cleaning Products	AFFROVED		Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
OCCUPATIONS OF STREET	GREENLINE LABORATORIES	Olevelan Bankarta	4 DODO (/ CD		ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
3635 LIME OFF	GREENLINE LABORATORIES	Cleaning Products	APPROVED	ROVED ROVED APPROVED FOR USE BY PAINT STAFF ONLY. USE LOCAL EXHAUST FOR SP APPLICATION. ROVED APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY ROOF STAFF ONLY. ROVED APPROVED FOR OUDOOR USE BY ROOFING STAFF ONLY. ROVED ROVED APPROVED FOR PAVING DEPARTMENT ONLY. ROVED APPROVED FOR USE BY HVAC STAFF ONLY. ROVED FOR USE BY PEST MANAGEMENT UNIT STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear a NIOSH approved organic vapor
3636 BREAK THRU 15	GREENLINE LABORATORIES	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3641 RAPID AID INSTANT COLD PACK	RAPID AID INSTANT LTD.	Nursing Services Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3642 FINAL CLEANUP	BIO-D PRODUCTS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				APPROVED FOR USE BY PAINT STAFF ONLY. USE LOCAL EXHAUST FOR SPRAY	GOOD ventilation. If described symptoms occur, wear NIOSH approved org
3647 UPHOLD SATIN FINISH (505N-85A)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED	APPLICATION.	vapor cartridge respirator. Follow manufacturer's label.
					USE WET METHODS WHEN CUTTING, GRINDING, OR DRILLING TO AVOID THE
					GENERATION OF DUST. Wear nitrile rubber/neoprene gloves and chemical s
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approve
3649 SUMMITVILLE QUARRY TILE	SUMMITVILLE TILES	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY ROOFING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3653 TREMCO BUTYL SEALANT	TREMCO LTD.	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		3			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If described symptoms occur, wear NIOSH approved org
3654 PROGLAZE	TREMCO LTD.	Roofing Products	APPROVED	APPROVED FOR OUDDOOR USE BY ROOFING STAFF ONLY	vapor cartridge respirator. Follow manufacturer's label.
JUJU TROUBLE	TREATON ETD.	Rooming Froducts	AFFROVED	AT NOTED TO CODDON OUE DE NOCEMBO CIALE CIALE.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
ACTO CUM ADDIA	OMEON INDUSTRIAL OURSELVENO			APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY ROOFIN STAFF ONLY. APPROVED FOR OUDOOR USE BY ROOFING STAFF ONLY. APPROVED FOR PAVING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3658 SUN APPEAL	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					USE AWAY FROM INGITION SOURCES. Wear nitrile rubber/neoprene gloves a
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
3659 POWER CITRUSOL A (1107)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3664 LECTRA CLEAN II-AEROSOL (PRODUCT NO. 02120, 72120)	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3334,		mantenance and operations roducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia vapo
ACDUALT DUIC	BIO D PRODUCTS			ADDDOVED FOR DAVING DEPARTMENT ONLY	
3665 ASPHALT PLUS	BIO D PRODUCTS	Maintenance and Operations Products	APPROVED	APPROVED FOR PAVING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapo
3666 SS-2000 WATER RINSABLE INDUSTRIAL SOY SOLVENT	ALCO PRODUCTS, INC.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapo
3667 SANASPERSE 2702	SAN JOAQUIN CHEMICALS, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Use with GOOD ventilation. If symptoms occur, wear NIOSH approved orga
3671 FIRSTLIN GT PLUS TERMITE BAIT STATION	FMC CORPORATION	Pesticide/Herbicide Products	APPROVED	FOR USE BY PEST MANAGEMENT UNIT STAFF ONLY.	vapor cartridge respirator. Follow manufacturer's label.
3672 BLUE MAGIC	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					outdoors. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
3675 EP SEAM CAULK	STEVENS ROOFING SYSTEMS	Deafing Draduate	ADDDOVED	APPROVED FOR OUTDOOR LISE BY POOFING STAFF ONLY	respirator. Follow manufacturer's label.
30/3 E. SENIII ONOEK	STEPENS ROOF INO STATEMS	Roofing Products	APPROVED	AT NOTES TON OUTDOOK OSE BY ROOFING STAFF ONET.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
AARE OTDIENO ED OUT EDOT OF ALANT	OTF VEND DOOF NO OVOTE NO			ADDROVED FOR GUITDOOD HOT BY ROOTING STAFF ONLY	outdoors. If PEL is exceeded, wear NIOSH approved organic vapor cartridg
3677 STEVENS EP CUT-EDGE SEALANT	STEVENS ROOFING SYSTEMS	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash go
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organ
3686 SCOTCH-WELD (TM) 2216 B/A PART B GRAY EPOXY ADHESIVE	3M	Adhesive Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile polyethylene/ethylene vinyl alcohol gloves and chemical splo
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approv
		Adhesive Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
3687 SCOTCH-WELD (TM) 2216 B/A PART A GRAY EPOXY ADHESIVE	3M				
3687 SCOTCH-WELD (TM) 2216 B/A PART A GRAY EPOXY ADHESIVE	зм	Adilesive Floducts			Wear nitrile rubber/neoprene gloves and chemical splash goagles. Use w
3687 SCOTCH-WELD (TM) 2216 B/A PART A GRAY EPOXY ADHESIVE	зм	Adriesive Froducts			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
3687 SCOTCH-WELD (TM) 2216 B/A PART A GRAY EPOXY ADHESIVE 3688 OUTPOST #4 SUNDANCE NEUTRAL CLEANER	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Managed and the second and the secon
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapa
3689 OUTPOST #8 BLUE SKIES DISINFECANT	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3009 COTTOST #0 BEDE SKIES DISHNI ECANT	THE BOTCHER COMPANT	Maintenance and operations Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
PETRON PLUS TRANSMISSION & GEAR BOX SUPPLEMENT (PART					
•	PETRONOMICS MANUFACTURING GROUP, INC.			THE PROPHET IS FOR HER BYTHE HAVE HART ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3690 #12123)		HVAC Products	APPROVED	THIS PRODUCT IS FOR USE BY THE HVAC UNIT ONLY.	cartridge respirator. Follow manufacturer's label.
3691 WALL TILE	DAL-TILE CORPORTAION / DAL-TILE GROUP	Floor Care Products	APPROVED		Use dust mask when wet-cutting tile. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					ONS- GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3692 FLEXCO 77 EPOXY ADHESIVE, PART "B"	MARLEY FLEXCO	Floor Care Products	APPROVED	9/1/01 VOC LIMITS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. When cutting or sanding, use wet methods and wear
3693 KEYSTONE TILE	DAL-TILE CORPORTAION / DAL-TILE GROUP	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENT ONLY.	approved P100 cartridge respirator. Follow manufacturer's label.
					Wet methods should be used when working with this material. Wear nitr
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respi
3694 KER 115 - ULTRA/FLEX 11 GRAY	MAPEI CORPORATION	Floor Care Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATI	ONS- GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap
8695 ARMSTRONG S-185 LATEX PRIMER	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED	9/1/01 VOC LIMITS	cartridge respirator. Follow manufacturer's label.
					Do NOT mix with other cleaning chemicals. Wear nitrile rubber/neopren-
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceed
					NIOSH approved ammonia vapor cartridge respirator. Follow manufact
3697 PURE AMMONIA	THE DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED		label.
	* *				REQUISITION REQUEST Wear nitrile rubber/neoprene gloves and chemica
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH appro
8699 SPECTRUM INT/EXT LATEX SEMI GLOSS WHITE (#850-00-01)	FINE LINE PAINT CORP.	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
1039 SPECINOW INT/EXTENTED SEWI OLOSS WITHE (#050 00 01)	THE DIVETARY CORP.	ruint Floudets	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
FUNDAL OBJECT F. MINISTE COMPOSITE COMPONENT TO THE ATTEMPT					
FUSION-CRETE 5-MINUTE CONCRETE COMPONENT "B" (ITEM FC-					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
700 V(B))	FUSION-CRETE, INC. & STEEL GRIP SYSTEMS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					WHEN USED IN FOOD PREPARATION OR STORAGE AREAS ALL FOOD ITEMS M
					SEALED. This product can emit ammonia vapors when exposed to heat.
FUSION-CRETE 5-MINUTE CONCRETE COMPONENT "A" LIQ.					nitrile rubber/neoprene gloves and chemical splash goggles. Use with 0
3701 ACTIVATOR	FUSION-CRETE, INC. & STEEL GRIP SYSTEMS, INC.	Maintenance and Operations Products	APPROVED		ventilation. If PEL is exceeded, we
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridg
3702 ARMSTRONG S-194 PATCH, UNDERLAYMENT & EMBOSSING LEVELE	R ARMSTRONG WORLD INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				APPROVED PER SCAQMD RULE 1168- ADHESIVE AND SEALANT APPLICATION	ONS- GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3703 ARMSTRONG S-195 UNDERLAYMENT ADDITIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	9/1/01 VOC LIMITS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridg
3704 KLEENSWEEP WAX BASE GREEN	MISSION LABORATORIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas car
3705 DEAR JOHN	ALKOT INDUSTRIES	Maintenance and Operations Products	APPROVED	HEAVY DUTY BATHROOM CLEANER	respirator. Follow manufacturer's label.
3703 BEAR SOIN	ALIOT INDUSTRIES	wantenance and operations moducts	AFFROVED	TEAT BOTT BATTICOM GERALE	
					THIS IS A GENERIC MSDS FOR ALL PRODUCTS LISTED IN ATTACHMENT Wear
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
, , , , , , , , , , , , , , , , , , , ,					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
706 GENERIC WATERBORNE LATEX COATINGS (MSDS FORM #1)	DUNN-EDWARDS CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Use and store away from ignition sources. Wear chemical splash goggl
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
3707 MED DENT TINCTURE SURGICAL SOAP	BREEN LABORATORIES	Maintenance and Operations Products	APPROVED	THIS PRODUCT IS APPROVED FOR USE BY NURSING SERVICES ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
5708 DEGADUR R61	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
1708 DEGADUR R61	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		
9708 DEGADUR R61	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD
	SILIKAL RESIN SYSTEMS DOW CORNING CORPORATION				cartridge respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD
		Floor Care Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor ca respirator. Follow manufacturer's label.
3708 DESADUR R61 3709 DAP (R) DOW CORNING (R) 100% SILICONE SEALTANT - WHITE					cartridge respirator. Follow manufacturer's label. Wear Silver Shield glowes and chemical splash goggles. Use with 600D ventilation. If symptoms occur, wear NIOSH approved organic vapor ca respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with 600D
2709 DAP (R) DOW CORNING (R) 100% SILICONE SEALTANT - WHITE	DOW CORNING CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear Silver Shield glowes and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear Silver Shield glowes and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car
3709 DAP (R) DOW CORNING (R) 100% SILICONE SEALTANT - WHITE					cartridge respirator. Follow manufacturer's label. Wear Silver Shield glowes and chemical splash goggles. Use with 600D ventilation. If symptoms occur, wear NIOSH approved organic vapor ca respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with 600D
2709 DAP (R) DOW CORNING (R) 100% SILICONE SEALTANT - WHITE	DOW CORNING CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label.
	DOW CORNING CORPORATION	Paint Products	APPROVED		Wear sliver shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear Sliver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3709 DAP (R) DOW CORNING (R) 100% SILICONE SEALTANT - WHITE	DOW CORNING CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label. Wear Silver Shield gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor car respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap
3720 WAXIE BALANCE PH NEUTRAL CLEANER 6X1	WAXIE SANITARY SUPPLY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3721 EXEL HEAVY DUTY ODOR NEUTRALIZER	EXPEL PRODUCTS, INC	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
	,				
					CAUTION: Do NOT use or store near ignition sources. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				THIS PRODUCT IS APPROVED FOR USE BY THE OPERATIONS' YEAR ROUND	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
3723 NEX FIBER PROTECTOR (SYNTHETIC TEXTILE)	NEX SYSTEMS	Maintenance and Operations Products	APPROVED	CREW ONLY, NOT FOR SCHOOL USE.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridg
3724 FIBERLOCK IAQ 6000	FIBERLOCK TECHNOLOGIES, INC.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
3724 TIBERESON INC 5555	TIBERESON TESTINOLOGIES, INC.	runtriodacts	ALLKOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3726 SHUTTERS LATEX ENAMEL HI-GLOSS BRIGHT RED	ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3728 MOP N BUFF	CARROLL COMPANY	Maintenance and Operations Products	APPROVED		
		<u> </u>			cartridge respirator. Follow manufacturer's label.
3729 EVERMORE SUPREME SEMI-GLOSS - ACCENT TINT BASE	THE GLIDDEN COMPANY	Paint Products	APPROVED		REQUEST FOR IMPREST AT THAT TIME, APPROVED 03/24/03 LV, NO LETTER SE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If described symptoms occur, wear NIOSH approved of
3731 KEEP IT WET LIQUID BRUSH SAVER FOR LATEX PAINT	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
3732 SUDS UP	GREENLINE LABORATORIES	Food Services Products	APPROVED		Follow manufacturer's label.
,,or a,		1 OOG SELVICES FIDUUCES	ALLINOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3733 POWDER HARDNER	SILIKAL RESIN SYSTEMS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves, chemical splash goggles, and foo
					protection. Use with GOOD ventilation and with an on-site eye wash stat
				THIS PRODUCT IS TO BE USED BY THE YEAR-AROUND FLOOR CLEANING	is exceeded, wear NIOSH approved organic vapor cartridge respirator. I
OURTRO STRIP NOV. AND SOURTED STRIPPED	UNISOURCE WORLDWIDE, INC.			CREW ONLY.	manufacturer's label.
3734 SUPERS STRIP NON-AMMONIATED STRIPPER	UNISOURCE WORLDWIDE, INC.	Floor Care Products	APPROVED	CREW ONLY.	
					If symptoms occur, wear NIOSH approved organic vapor cartridge resp
3737 PAN DAZZLE LOTIONIZED HAND DISH DETERGENT	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves, apron and overboots, and avoid a
					with skin. Wear chemical splash goggles. Use outdoors. If PEL is exceede
3739 HPL SEALANT CURING AGENT	TREMCO LTD.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufactur
5/38 THE SEADAINT CORING MOENT	TREMICO ETD.	Robining Floducts	AFFROVED	AFFROVED FOR GOTBOOK GSE BFROOTING STAFF ONET.	Mostrapproved organic vapor cartilage respirator, rollow manufactur
				APPROVED FOR USE BY PAINT STAFF ONLY DURING NON-SCHOOL HOURS.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE	wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3741 POLOPLAZ ARMOR SEAL COURT & GYM SEALER	NATIONAL COATINGS COMPANY	Paint Products	APPROVED		
3741 POLOPLAZ ARMOR SEAL COURT & GYM SEALER	NATIONAL COATINGS COMPANY	Paint Products	APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
3741 POLOPLAZ ARMOR SEAL COURT & GYM SEALER	NATIONAL COATINGS COMPANY	Paint Products	APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
	NATIONAL COATINGS COMPANY HILLYARD INDUSTRIES	Paint Products Floor Care Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacture's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
				SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label.
3742 SEAL 341				SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacture's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
7742 SEAL 341	HILLYARD INDUSTRIES	Floor Care Products	APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacture's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacture's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacture's label.
3742 SEAL 341	HILLYARD INDUSTRIES	Floor Care Products	APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label.
1742 SEAL 341 1744 NEOPRIME	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va
3742 SEAL 341 3744 NEOPRIME	HILLYARD INDUSTRIES	Floor Care Products	APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
3742 SEAL 341 3744 NEOPRIME 3745 ACRYPRIME ACRYLIC PRIMER	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use cartridge respirator. Follow manufacturer's label.
9742 SEAL 341 9744 NEOPRIME 9745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use cartridge respirator. Follow manufacturer's label.
9742 SEAL 341 9744 NEOPRIME 9745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. To spray manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss
1742 SEAL 341 1744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME IG7 RUST PENETRATING SEALER - CONVERTER/CLEAR	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label.
1742 SEAL 341 1744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME IG7 RUST PENETRATING SEALER - CONVERTER/CLEAR	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Follow manufacturer's label. GOOD ventilation. Follow manufacturer's label. GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store ner
1742 SEAL 341 1744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME IG7 RUST PENETRATING SEALER - CONVERTER/CLEAR	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear Intilitie Jubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved organic vacartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved organic vacartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nes sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chen
7742 SEAL 341 7744 NEOPRIME 7745 ACRYPRIME ACRYUC PRIMER PRE-PRIME IB7 RUST PENETRATING SEALER - CONVERTER/CLEAR 7746 BASE	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO.	Floor Care Products Roofing Products Roofing Products Paint Products	APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation if PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Uss GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nex sources. Wear nittile polyvinyl alcohol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
744 NEOPRIME 745 ACRYPRIME ACRYUC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 746 BASE	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY	Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OCHS UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store ne- sources. Wear nitrile polywinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo
744 NEOPRIME 745 ACRYPRIME ACRYUC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 746 BASE	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO.	Floor Care Products Roofing Products Roofing Products Paint Products	APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vag cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammabile. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo
1742 SEAL 341 1744 NEOPRIME 1745 ACRYPRIME ACRYUC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO.	Floor Care Products Roofing Products Roofing Products Paint Products	APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitritle rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitritle rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitritle rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitritle polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
1742 SEAL 341 1744 NEOPRIME 1745 ACRYPRIME ACRYUC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO.	Floor Care Products Roofing Products Roofing Products Paint Products	APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nessurces. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapartridge. CAUTION: This product is extremely flammable. Do NOT use or store nessurces. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polysthylene gloves and chem sources.
3742 SEAL 341 3744 NEOPRIME 9745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 9746 BASE 3747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4880-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store net sources. Wear nitrile polyvinyl clochol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo. CAUTION: This product is extremely flammable. Do NOT use or store net sources. Wear nitrile polyvinyl valochol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH goggles. Use with GOOD ventilation.
3741 POLOPIAZ ARMOR SEAL COURT & GYM SEALER 3742 SEAL 341 3744 NEOPRIME 3745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 3746 BASE 3747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO.	Floor Care Products Roofing Products Roofing Products Paint Products	APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms accur, wear NIOSH approved organic valuation of the control of
3742 SEAL 341 3744 NEOPRIME 3745 AGRYPRIME AGRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 3746 BASE 3747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile golyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo
3742 SEAL 341 3744 NEOPRIME 3745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 3746 BASE 3747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED PER SCAQMID RULE TIBBS - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile golyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS approved organic vapo
1742 SEAL 341 17744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER 1746 PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE 1747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION. EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIO approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIO approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile golyvinyl alcohol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIO approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1742 SEAL 341 17744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER 1746 PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE 1747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED PER SCAQMID RULE TIBBS - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If Spray manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store net sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store net sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1742 SEAL 341 17744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER 1746 PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE 1747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED PER SCAQMID RULE TIBBS - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store nec sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem sources. Wear nitrile polyvinyl alcohol or polyethylene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo OVERNITHIE rubber/neoprene gloves and chemical splash goggles. Use of SOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
1742 SEAL 341 17744 NEOPRIME 1745 ACRYPRIME ACRYLIC PRIMER 1746 PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 1746 BASE 1747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED PER SCAQMID RULE TIBBS - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If proporting splash goggles. Us GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store nessurces. Wear nitrile polyvinyl alcohol or polyethylene gloves and chemisplash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo. CAUTION: This product is extremely flammable. Do NOT use or store nessurces. Wear nitrile polyvinyl alcohol or polyethylene gloves and chemisplash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporoved organic
3742 SEAL 341 3744 NEOPRIME 3745 ACRYPRIME ACRYLIC PRIMER PRE-PRIME 167 RUST PENETRATING SEALER - CONVERTER/CLEAR 3746 BASE 3747 A/C 420 WASH PRIMER GRAY (PRODUCT # 4860-420)	HILLYARD INDUSTRIES RESIN TECHNOLOGY COMPANY RESIN TECHNOLOGY COMPANY DEVOE COATINGS CO. CARDINAL INDUSTRIAL FINISHES CARDINAL INDUSTRIAL FINISHES	Floor Care Products Roofing Products Roofing Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SHUT DOWN HVAC SYSTEM DURING APPLICATION, EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED BY OEHS UNTIL FURTHER NOTICE. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY, APPROVED PER SCAQMID RULE TIBBS - ADHESIVE AND SEALANT APPLICATIONS - 9/1/01	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If symptoms occur, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. CAUTION: This product is extremely flammable. Do NOT use or store ne- splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store ne- splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo CAUTION: This product is extremely flammable. Do NOT use or store ne- splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo Wear nitrile polyvinyl alcohol or polyethylene gloves and chen splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3752 GRAFFITI ERASE	L & T LAB.	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3753 CIRTUS 9000 (PRODUCT CODE # 1234)	AMERICARE DETERGENTS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3,33		maintenance and operations reducts	ATTROVES		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3755 MARINE MOLY	JET-LUBE, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3757 ROSEWOOD # 7928 500	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
5,57		Tallitifoddolo	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3758 HUNTER GREEN # 1938 504	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3759 POLYURETHANE GLOSS STAIN	PARKS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				ADDROVED FOR HEL BE LANCE CERTIFIED DEST CONTROL TECHNICIANS	
				APPROVED FOR USE BE LAUSD CERTIFIED PEST CONTROL TECHNICIANS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3760 DISTANCE FIRE ANT BAIT	VALENT USA CORPORATION	Pesticide/Herbicide Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved dust cartridg
3761 UNCALCINED GYPSUM PRODUCTS	GEORGIA-PACIFIC CORPORATION	School Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3762 THERMAFIBER GRANULATED PRODUCTS	THERMAFIBER LLC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					CAUTION: Extremely flammable, do NOT use or store near ignition source
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with 0
				ONE TIME APPROVAL FOR USE BY CONTRACTOR TO MOUNT WHITE BOARDS	ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartr
3764 TITEBOND TROWELABLE MULTIPURPOSE CONST. ADHESIVE (# 3164)	1) FRANKLIN INTERNATIONAL	Adhesive Products	APPROVED	AT GLASSEL PARK SCHOOL	respirator. Follow man
3/84 1112010 110112012 110211 011 002 00101 AD12012 (1/ 0104)) TRANSMITTERIALISME	Adhesive Floducts	AFFROVED	AT OLAGOLLT ANN OUTION	'
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
3765 PUTTY-COTE (# 592, 592C, 592E, 593, 593C, 593E)	BONDO/MAR-HYDE CORPORATION	Maintenance and Operations Products	APPROVED	DRINKING FOUNTAINS.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3766 ELECTROLUX TURBO SHAMPOO	CANDY & COMPANY	Maintenance and Operations Products	APPROVED		gas cartridge respirator. Follow manufacturer's label.
3700 ELECTROLOX FORDO STANIO CO	CARD & COMMAN	maintenance and operations moducts	AFFROVED		THIS IS A REVISED EVALUATION. Wear nitrile rubber/neoprene gloves and
					splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor
3767 GAMETIME GRAFFITI REMOVER	BAT TECHNOLOGIES INC.	Maintenance and Operations Products	APPROVED		
3767 GAMETIME GRAFFITI REMOVER	BAT TECHNOLOGIES INC.	Maintenance and Operations Products	APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label.
	BAT TECHNOLOGIES INC.	Maintenance and Operations Products	APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT					splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor.
	BAT TECHNOLOGIES INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157	AMERICAN INDUSTRIAL SUPPLY INC.		APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT					splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3788 #1157 3769 AMER GREEN	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3768 AMER GREEN	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label.
H-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768. #1157 3769. AMER GREEN	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation in the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation in the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 al coa	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 ol coa 3772 TAPCO #128 ALUMINUM COATING - NON-FIBERED	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approvaganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FeL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FeL is exceeded, wear NIOSH approved organic vapor artridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products	APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 GLOGG 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 ol coa 3772 TAPCO #128 ALUMINUM COATING - NON-FIBERED	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 GLOG 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 ol cod 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products	APPROVED APPROVED APPROVED APPROVED		splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approvaganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 GLOGG 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 al coa 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASSESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD venilidition. If PEL is exceeded, wear NIOSH approved organic vapor and the provided proposed organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 OL COG 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 al coa 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASSESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approv organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 OL COO 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 GLCCO 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approver organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
HI-TECH PENETRANT, LUBRICANT, DEMOISTURANT, PROTECTANT 3768 #1157 3769 AMER GREEN 3770 GERM GOBBLER 3771 OL COG 3772 TAPCO #126 ALUMINUM COATING - NON-FIBERED 3773 TAPCO #202 FIBERED ROOF COATING 3774 TAPCO #2100 RUBBERIZED FLASHING CEMENT ASBESTOS FREE	AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC. NATIONAL ASBESTOS FLOORING ENCASEMENT SYSTEMS, INC TROPICAL ASPHALT TROPICAL ASPHALT TROPICAL ASPHALT	Maintenance and Operations Products Maintenance and Operations Products Cleaning Products Floor Care Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY. APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	splash goggles. If TLV is exceeded, wear NIOSH approved organic vapor respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approverganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Warrantella antibanda anni alaman antibanda alaman antibanda di salaman
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3779 LINOSAFE LINOLEUM STRIPPER	JOHNSON WAX PROFESSIONAL	Floor Care Products	APPROVED	APPROVED FOR USE BY THE YEAR AROUND FLOOR CREW ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3782 FLUORESCENT GAS LEAK DETECTOR	NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3783 BLUE MAGIC THREAD SEALANT	J.C. WHITLAM MANUFACTURING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3785 NU TRI CLEAN AEROSOL (NO. 0407)	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3/83 10 111 02241 4210302 (10.0407)	OLLO GILIMORE INDOGRALES	Maintenance and Operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ
3787 INT/EXT 100% ACRYLIC SEMI GLOSS ENAMEL (# 5301-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3788 QUICK GRIP, INT/EXT ENAMEL UNDERCOATER (# 4077-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ
3790 INT/EXT 100% ACRYLIC STAIN BLOCK PRIMER (# 2098-01)	MORWEAR PAINT COMPANY	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					DO NOT SAND OR PERFORM OTHER ACTIVITIES WHICH MAY CREATE DUST. Wear
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
3792 PREMIUM MASTER TOUCH LATEX PAINTS	SHERWIN WILLIAMS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3/92 FREMION MASTER TOUCH DATEX FAINTS	SHERWIN WILLIAMS	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3793 ELASTOMERIC CLEAR SEALER	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3794 SATIN GLIDE II WHITE BASE 1098	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3795 ACRI-TEC MEDIUM	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3796 GLOSS BRONZE	ULTRA CHEM INDUSTRIES LTD.	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
8700		Tion date troducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
3797 NOVA NEUTRAL FLOOR CLEANER & SPRAY BUFF CONCENTRATE	PROTECH INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3798 EXPERIMENTAL WATER-BORNE SATIN FINISH (SOIN-83A)					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3798 EXPERIMENTAL WATER-BORNE SATIN FINISH (SOIN-83A)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		
3798 EXPERIMENTAL WATER-BORNE SATIN FINISH (SOIN-83A)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3798 EXPERIMENTAL WATER-BORNE SATIN FINISH (SOIN-83A)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3798 EXPERIMENTAL WATER-BORNE SATIN FINISH (SOIN-B3A) 3799 RE-JUV-NAL PLUS	HILLYARD INDUSTRIES HILLYARD INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical sptash goggles. Use with
					GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Fellow manufacturer's label.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3799 RE-JUV-NALPLUS	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved argar vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label.
3799 RE-JUV-NALPLUS	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128	HILLYARD INDUSTRIES BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128	HILLYARD INDUSTRIES BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved argan vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC.	Maintenance and Operations Products Food Services Products Food Services Products	APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved argan vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO.	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products	APPROVED APPROVED APPROVED		GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/acid
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO.	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor (acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO.	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products	APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved argan vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves an
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION 3805 SHOWER CLEAN	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO. MISSION LABORATORIES	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	EOR OIITDOOR IISE BY THE ROOFING DEPARTMENT ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves an chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO.	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products	APPROVED APPROVED APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOB use by the ROOTIND DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION 3805 SHOWER CLEAN	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO. MISSION LABORATORIES	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFINO DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved org
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION 3805 SHOWER CLEAN	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO. MISSION LABORATORIES	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved argan vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFING DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves an chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor organic vapor chemical splash goggles. Use with GOOD ventilation or the ROOFING DEPARTMENT ONLY.
3799 RE-JUV-NAL PLUS 3800 MAXIMA 128 3801 QUAT CLEAN II 3804 CALAMINE LOTION 3805 SHOWER CLEAN	HILLYARD INDUSTRIES BRULIN & COMPANY, INC. BRULIN & COMPANY, INC. L.T. YORK CO. MISSION LABORATORIES	Maintenance and Operations Products Food Services Products Food Services Products Nursing Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described syptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas cartridge respirator. Follow manufacturer's label. This product is approved for OUTDOOR use by the ROOFINO DEPARTMENT ONLY. NOT use or store near ignition sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved org

					SEE ATTACHED MSDS FOR A LIST OF PRODUCT NAMES THIS APPROVAL APPLIES TO.
					Wear safety glasses with side sheilds. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacture
3810 ROOFING SHINGLES - LAMINATED (MSDS #1002)	GAF MATERIALS CORPORATION	Roofing Products	APPROVED		label.
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber gloves and chemic
				CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING	splash goggles. Use with GOOD ventilation. If system is breached, cease
3812 LUPRANATE (R) M-20S	UCSC LTD	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	operation and notify Environmental Heatlh & Safety. Follow manufacturer's lat
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL	SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neoprene gloves a
				HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A	chemical splash goggles. No contact lenses should be worn when using this
				CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING	product. Use with GOOD ventilation. If TLV is exceeded, wear NIOSH approved
3813 SPS II 3.0 (COMPONENTB)**	UCSC LTD	Roofing Products	APPROVED	MUST BE MAINTAINED DURING APPLICATION.	organic vapor cartridge r
					OFF ADOLE DE LADEO FOR DESTRUCTIONS Were allelle with a description
				THE PROPERTY IS APPROVED FOR OUTPOOR HEE BY THE POOR HE	SEE ABOVE REMARKS FOR RESTRICTIONS. Wear nitrile rubber/neoprene gloves of
3814 AARP (ORM-D: PRODUCT ID# 9495)	ALKOT INDUSTRIES			THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
3814 AARP (ORM-D: PRODUCT ID# 9495)	ALKOT INDUSTRIES	Roofing Products	APPROVED	DEPARTMENT ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
					EXTREMELY FLAMMABLE: Do NOT use or store near ignition sources. During trans
					of the material, the container must be grounded and labelled. Keep the nozzle
					contact with the container while filling. Filling in to be done outside only. Wear
3815 REGULAR UNLEADED GASOLINE (CONVENTIONAL, CARB AND RFG)	EQUILON ENTERPRISES LLC	Automotive Products	APPROVED		nitrile
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10
3816 UNI-WELD	STANDARD MANFACTURING	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/acid gas
3817 SAFE #115	CHAMPION CHEMICAL CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Follow the manufacturer's recommendations for product storage and use. Us
3818 WAXIE QUAT-128 (#170301) (#170304)	WAXIE SANITARY SUPPLY	Maintenance and Operations Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	with proper PPE.
3819 STERI-TOWLS	SUPERCO SPECIALITY PRODUCTS	Maintenance and Operations Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3820 LUBRIPLATE SPECIAL MARINE GREASE	FISKE BROTHERS REFINING CO.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					DO NOT USE THIS PRODUCT WITH STRONG OXIDIZERS OR ACIDS. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3822 GREASE AWAY	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		-			DO NOT WEAR CONTACT LENSE WHILE USING THIS PRODUCT. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
				RESTRICTED TO USE BY PLUMBING TECHNICAL UNIT AND AREA PLUMBING	ventilation. If PEL is exceeded, wear a NIOSH approved HEPA (P100) cartridge
3823 RA-1000 (#7043)	SUPERCO	Maintenance and Operations Products	APPROVED	DEPARTMENTS	respirator. Follow manufacturer's label.
ASSES DOMESTICAL VIEW CHARLES VICTORIAN DOMESTICAL DESCRIPTION	COLLINS & AIKMAN FLOOR COVERINGS INC.				MFG. CERTIFICATION OF NO ASBESTOS, PCB's or LEAD Follow manufacturer's labe
3825 POWERBOND VINYL CUSHION, POWERBOND RS VINYL CUSHION	COLLINS & AIRMAN FLOUR COVERINGS INC.	Floor Care Products	APPROVED		MFG. CERTIFICATION OF NO ASSESTOS, PCB'S OF LEAD FOILOW MIGHLEGETS IGNO
3826 C-38 FLOOR PRIMER	COLLINS & AIKMAN FLOOR COVERINGS INC.	Floor Care Products	APPROVED		MFG. CERTIFICATION OF NO ASBESTOS, PCB's or LEAD Follow manufacturer's label
					Magy pitrile without passesses alouge and chamical enlach accades if DELie
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
				APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH. UNIT AND ROOFING	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3827 RIDGLASS-HIGH PROFILE RIDGE	RIDGLASS MANUFACTURING COMPANY, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH. UNIT AND ROOFING DEPT.	
3827 RIDGLASS-HIGH PROFILE RIDGE	RIDGLASS MANUFACTURING COMPANY, INC.	Roofing Products	APPROVED		exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
3827 RIDGLASS-HIGH PROFILE RIDGE	RIDGLASS MANUFACTURING COMPANY, INC.	Roofing Products	APPROVED		exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3827 RIDGIASS-HIGH PROFILE RIDGE 3828 ECO GRAFITTI WIPE-AWAY	RIDGIASS MANUFACTURING COMPANY, INC. NEW CHEMISTRY, INC.	Roofing Products Graffiti Products	APPROVED APPROVED		exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
		•			exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
		•			exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3828 ECO GRAFITTI WIPE-AWAY		Graffiti Products	APPROVED		exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	NEW CHEMISTRY, INC.	•			exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3828 ECO GRAFITTI WIPE-AWAY	NEW CHEMISTRY, INC.	Graffiti Products	APPROVED	DEPT.	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3828 ECO GRAFITTI WIPE-AWAY	NEW CHEMISTRY, INC.	Graffiti Products	APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3828 ECO GRAFITTI WIPE-AWAY	NEW CHEMISTRY, INC.	Graffiti Products	APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved positive pressure of the province of the provi
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER	NEW CHEMISTRY, INC.	Graffiti Products Maintenance and Operations Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow
3828 ECO GRAFITTI WIPE-AWAY	NEW CHEMISTRY, INC.	Graffiti Products	APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label.
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/26/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved positive pressure of supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with authority of the control of the number of
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S PERMAX 700-B-PERMAX-700-B-HP-PERMAX-700-B-R-PERMAX-PERMA	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH.	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label.
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/26/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full focepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S PERMAX 700-B-PERMAX-700-B-HP-PERMAX-700-B-R-PERMAX-PERMA	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/28/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH.	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. DO NOT USE THIS PRODUCT NEAR OPEN FLAME OR OTHER SOURCE OF IGNITION. V
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S PERMAX 700-B-PERMAX-700-B-HP-PERMAX-700-B-R-PERMAX-PERMA	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/26/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH. UNIT AND ROOFING DEPT.	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved positive pressure as upplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Do NOT USE THIS PRODUCT NEAR OPEN FLAME OR OTHER SOURCE OF IGNITION. W nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D nitrile rubber/neoprene gloves and chemical splash goggles. Use with 600D
3828 ECO GRAFITTI WIPE-AWAY 3829 ECO HEAVY-DUTY CLEANER AND DEGREASER 3830 PERMAX 700-A-R, PERMAS 700-A-R-S PERMAX 700-B-PERMAX-700-B-HP-PERMAX-700-B-R-PERMAX-PERMA	NEW CHEMISTRY, INC. NEW CHEMISTRY, INC. RESIN TECHNOLOGY COMPANY	Graffiti Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED	THIS MEMO SUPERCEDES THE CORRESPONDENCE DATED 8/26/2000. THIS PRODUCT IS APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY THE ROOFING DEPARTMENT ONLY. IT IS ONLY TO BE USED IN A CLOSED SYSTEM. A 10 FOOT BARRICADED PERIMETER AROUND THE BUILDING MUST THIS PRODUCT IS APPROVED FOR OUTDOOR USE ONLY BY ROOFING TECH. UNIT AND ROOFING DEPT.	exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved positive pressure a supplied respirator with full facepiece or an air supplied hood. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3836 HENRY 440 COVE BASE ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3837 TAPCO #104 ASPHALT PRIMER	TROPICAL ASPHALT	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3838 TAPCO #120 FIBERED ALUMINUM COATING (NON-ASBESTOS)	TROPICAL ASPHALT	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
3030 TALGO WILLTERING ADMINISTRATION GOATING (NOW ADDICTION)	THO TORE AND TIME!	ROUTING Products	AFFROVED	AT NOVED TO CONTROL OF THE ROOT IND BET ARTHUR TO NET.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
ARRA VELLOW 77 MIDE DULLING LURDIG ANT	IDEAL INDUSTRIES, INC.				GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3839 YELLOW 77 WIRE PULLING LUBRICANT	IDEAL INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3841 EVAP POW'R -C	NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products	APPROVED	FOR USE BY THE HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3842 FASTBOND (TM) 4323 CONSTRUCTION MASTIC ADHESIVE	3M CENTER	Adhesive Products	APPROVED	APPROVED FOR USE BY CONTRACTORS AND FLOOR COVERING ONLY.	cartridge respirator. Follow manufacturer's label.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED DURING ALL	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				APPLICATIONS UNTIL FURTHER NOTICE. APPROVED FOR USE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3844 DAP ALEX PAINTER'S CAULK	DAP INC.	Maintenance and Operations Products	APPROVED	MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				APPROVED FOR USE BY CONTRACTORS AND TRAINED MAINTENANCE STAFF	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3845 KWIK SEAL KITCHEN & BATH ADHESIVE CAULK	DAP INC.	Maintenance and Operations Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
		·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3847 GENETRON 12	HONEYWELL	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED DURING	• .
				APPLICATION UNTIL FURTHER NOTICE. APPROVED FOR USE BY PAINT AND	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				CARPENTRY STAFF ONLY, AND APPROVED FOR USE WITH LOCAL EXHAUST	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3848 WW H/S 550-VOC PREM MAR-RESIST F/G LACQ	VALSPAR-MONTERFILO	Paint Products	APPROVED	ONLY (SPRAY PAINT BOOTH).	cartridge respirator. Follow manufacturer's label.
3848 WW 11/3 330 VOCT KEW WAR KESISTI TO EACO	VALSEAR MONTEBEECO	Paint Products	APPROVED	ONET (STRATTAINT BOOTH).	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If described symptoms occur, wear NIOSH approved org
3849 SURE-WELD NON-REINFORCED (TPO) FLASHING	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3850 SURE-SEAL POLYISO HP	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED		respirator. Follow manufacturer's label.
				APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. FLAMMABLE.	
				STORE AND USE AWAY FROM ALL SOURCES OF HEAT, FLAME, OR SPARKS. DO	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				NOT SMOKE WHILE APPLYING. VAPORS ARE HEAVIER THAN AIR AND MAY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3851 WATER CUT-OFF MASTIC	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	TRAVEL ALONG GROUND OR MAY BE MOVED BY VENTILATION AND IGNITED B	3 cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. Use away from any ignit
3854 PETRON PLUS INDUSTRIAL SUPER LUBE (AEROSOL) - PART NO. 12125	PETRONOMICS MANUFACTURING GROUP, INC.	HVAC Products	APPROVED	THIS PRODUCT IS FOR USE BY THE HVAC UNIT ONLY.	sources.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved of
3855 STRIDE CITRUS HC (HYPERCONCENTRATE)					
3855 STRIDE CITRUS HC (HYPERCONCENTRATE)	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene aloves and chemical splash aggales. Use v
	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
age TRIAN II DISINECTANT CIEANED, LISE SOLUTION					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve
3856 TRIAD II DISINFECTANT CLEANER- USE SOLUTION	JOHNSON WAX PROFESSIONAL JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label.
3856 TRIAD II DISINFECTANT CLEANER- USE SOLUTION					Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v
	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's lobel. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lobel. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use a cartridge respirator.
3858 FREON II (R-II)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS	Maintenance and Operations Products	APPROVED		Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3856 TRIAD II DISINFECTANT CLEANER- USE SOLUTION 3858 FREON II (R-II) 3859 FREON I2 (R-I2)	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
3858 FREON II (R-II)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS	Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3858 FREON II (R-II)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS	Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use various vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the control o
3858 FREON II (R-II)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS	Maintenance and Operations Products HVAC Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use vaccount of the described symptoms occur, wear NiOSH approve organic vapor cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the provided organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the provided organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use value of the provided organic vapor cartridge respirator. Follow manufacturer's label.
3859 FREON 12 (R-12)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS DUPONT CO.	Maintenance and Operations Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation. If the described symptoms occur, wear NiOSH approve organic vapor cartridge respirator. Follow manufacturer's lobel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use a GOOD ventilation if PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3858 FREON II (R-II) 3859 FREON IZ (R-IZ)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS DUPONT CO.	Maintenance and Operations Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use various verification. If the described symptoms occur, wear NiOSH approve organic vapor cartridge respirator. Follow manufacturer's label. GODD ventilation. If FEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use vapor cartridge respirator. Follow manufacturer's label.
3858 FREON II (R-II) 3859 FREON I2 (R-I2)	JOHNSON WAX PROFESSIONAL DUPONT FLUOROPRODUCTS DUPONT CO.	Maintenance and Operations Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If the described symptoms occur, wear NIOSH approve organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor artridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3862 AK-020 HEAVY DUTY CLEANER/DEGREASER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3863 AK-013C ALL PURPOSE SPRAY, CITRUS	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3003 AK GIGG ALL FOR GOL GI KAT, GITKOS	ALL A RELEIT OF LEMIOAL DADONAT ONLES, INC.	1 00d 3etvices i Toddcts	ALLKOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3864 GENETRON 404A	HONEYWELL	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Do NOT store at temperatures above 120 degrees Farenhiet. Follow
3865 COLGATE AEROSOL SHAVE CREAM	COLGATE-PALMOLIVE COMPANY	School Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartrid
3867 WHITE MINERAL OIL	NORTON COMPANY	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
TERATIO	TERAWET CORPORATION			APPROVED FOR USE BY GARDENING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
3868 TERAFLO	TERAWET CORPORATION	Maintenance and Operations Products	APPROVED	AFFROVED FOR USE BY GARDENING STAFF ONLY.	• 1
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
3869 TERAWET T-200	TERAWET CORPORATION	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY GARDENING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
ANN DECORATE AG	DOW ADDOSOFTHORS	= and boards		ADDROVED FOR USE BY DEST MANY	
3871 RECRUIT AG	DOW AGROSCIENCES	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
872 RECRUIT II	DOW AGROSCIENCES	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
3072		1 contract from bload 1 fooders	ATTROVED		MUST USE WITH AN EYE WASH STATION DUE TO CORROSIVITY. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOI
					ventilation. If symptoms occur, wear NIOSH approved organic vapor of
3873 EZ SAN	I. SHAY COSMETICS	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrid
3874 100% EPOXY GROUT & MORTAR PART "A"	CUSTOM BUILDING PRODUCTS.INC.	Floor Care Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3877 STS-POLY, AEROSOL	ISI-POLY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY LOCK SHOP STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
		mantonance and operations reducts	ATTROVED		
					Wear nitrile butyl rubber gloves and chemical splash goggles. Use with
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor car
3878 790 SILICONE BUILDING SEALANT, NATURAL STONE	DOW CORNING CORPORATION	Roofing Products	APPROVED	FOR USE OUTSIDE BY ROOFING STAFF ONLY.	respirator. Follow manufacturer's label.
				Approved for use by contractors and trained Maintenance and	
1879 791 PERIMETER SEALANT, BLACK	DOW CORNING CORPORATION	Roofing Products	APPROVED	Operations staff only at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and
19073 TOTT ENIMETER SEALANT, BEAGR	DOW COMMING COM CHANGIN	Rooming Froducts	ALLKOVED	operations standing at an occupied sites of daming from someof floats.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1880 795 SILICONE BUILDING SEALANT, ADOBE TAN	DOW CORNING CORPORATION	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
				Approved for use by contractors and trained Maintenance &	
3881 786 MILDEW RESISTANT SILICONE SEALANT, WHITE	DOW CORNING CORPORATION	Deading Draduate	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
		Roofing Products		Operations stall only.	
882 BLACK DIAMOND BASE SHEET	CERTAINTEED CORPORATION	Roofing Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartric
886 UNI-MELT 3150	UNIPLAST	Adhesive Products	APPROVED		respirator. Follow manufacturer's label.
- *********************************		Addition to adole	ALLMOVED		<u>'</u>
					THIS IS A BACKING FOR PATCRAFT CARPET. VENTILATE THE ROOM BEFORE
					REOCCUPANCY. Wear gloves and chemical splash goggles. If PEL for n
					particulates is exceeded, wear NIOSH approved P100 cartridge respira
887 PATCRAFT CARPET	PATCRAFT COMMERCIAL CARPET	Floor Care Products	APPROVED		manufacturer's label.
**					USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPO
					DUST. Wear protective gloves and goggles. Use with GOOD ventilation.
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow mar
8888 PORCELAIN STONE TILE (FIRED TILE)	CROSSVILLE PORCELAIN STONE/U.S.A.	Floor Care Products	APPROVED		label.
*	*				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
8890 DULUX PROFESSIONAL EXTERIOR ACRYLIC SATIN	ICI PAINTS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
AGOS KITCHEN KLENZED	FITTRATRICK PROCUNC	Fred Ornitors F. 1. 1	4 DOD 0:		
3892 KITCHEN KLENZER	FITZPATRICK BROS. INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
894 FROSTY BLUE HAND & BODY SOAP	PIONEER CHEMICAL CO.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.

3896 MASTERSEAL PAVEMENT SEALER SEALMASTER INDUSTRIES, INC. Maintenance and Operations Products Approved Approved for use by students and staff in appreciations products Approved for use by students and staff in appreciations product person applying all-purpose cleaners should for safe and effective cleaning. This sprey is for use humans. Never apply product to skin or directly 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED Stored in the classroom. Maintenance and Operations Products APPROVED Stored in the classroom.	ropriate classes (labs, stellnes: Follow the totarge and use. Any follow best practices for see on surfaces, not by to food. SDS must be GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
Approved for use by students and staff in appro- culinary arts class, etc.) with the following guide manufacturer's recommendations for product i person applying all-purpose eleaners should fo safe and effective cleaning. This spray is for use humans. Never apply product to skin or directly 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	CONLY. respirator. Follow manufacturer's label. rapricte classes (rabs, sitellines: Follow the tastorage and use. Any follow best practices for see on surfaces, not by to food. SDS must be GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Fillow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
Approved for use by students and staff in appro- culinary arts class, etc.) with the following guide manufacturer's recommendations for product i person applying all-purpose cleaners should fo safe and effective cleaning. This spray is for use humans. Never apply product to skin or directly 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. Maintenance and Operations Products APPROVED	ropriate classes (labs, stellnes: Follow the totarge and use. Any follow best practices for see on surfaces, not by to food. SDS must be GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
Culinary arts class, etc) with the following guide manufacturer's recommendations for product to person applying all-purpose cleaners should for safe and effective cleaning. This sproy is for use humans. Never apply product to skin or directly stored in the classroom. 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom.	telines: Follow the tatorage and use. Any follow best practices for se on surfaces, not ly to food. SDS must be Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
manufacturer's recommendations for product in person applying all-purpose cleaners should for safe and effective cleaning. This spray is for use humans. Never apply product to skin or directly stored in the classroom. 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	t storage and use. Any follow best practices for se on surfaces, not ly to food. SDS must be Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventificition. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventificition. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
person applying all-purpose cleaners should for safe and effective cleaning. This spray is for use humans. Never apply product to skin or directly stored in the classroom. 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	follow best practices for se on surfaces, not ly to food. SDS must be Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
safe and effective cleaning. This spray is for use humans. Never apply product to skin or directly stored in the classroom. 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	se on surfaces, not If to food. SDS must be Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
humans. Never apply product to skin or directly 3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	ly to food. SDS must be Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3896 FORMULA 409 ANTIBACTERIAL ALL PURPOSE CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED stored in the classroom. 3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3897 FRESH SCENT TILEX FRESH SHOWER DAILY SHOWER CLEANER CLOROX COMPANY Maintenance and Operations Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
	cartridge respirator. Follow manufacturer's label.
3900 MEASURE UP SPRAY CLEANER UNISOURCE WORLDWIDE, INC. Food Services Products APPROVED	
3900 MEASURE UP SPRAY CLEANER UNISOURCE WORLDWIDE, INC. Food Services Products APPROVED	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3900 MEASURE UP SPRAY CLEANER UNISOURCE WORLDWIDE, INC. Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
	cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If the described syptoms occur, wear NiOSH approved org
3901 NEUTRA BRITE (MSDS No. 5767) FLO-KEM, INC. Food Services Products APPROVED	vapor cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If the product is heated or misted, wear NIOSH approved
3906 175 RUBBER WHITE RYVEC, INC. Maintenance and Operations Products APPROVED APPROVED FOR CARPENTERS ONLY	organic vapor and P100 cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3907 BLAST-IT #15 CHAMPION CHEMICAL CO. Cleaning Products APPROVED	cartridge respirator. Follow manufacturer's label.
·	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3909 FUSION-CRETE II CRYSTALS FUSION-CRETE, INC. Floor Care Products APPROVED APPROVED FOR OUTDOOR USE BY CARPENTRY STA	• ,
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
APPROVED FOR OUTDOOR USE BY ROOFING STAFF	FF ONLY. APPLY WITH NON- GOOD ventilation. If TLV is exceeded, wear NIOSH approved P100/organic vap
39]] MEGAFLEX METAL PRIMER (99800 (M-800)) MEGA INDUSTRIES, CORP. Maintenance and Operations Products APPROVED SPRAY METHODS.	cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3914 GLASS TACK 35 POLYMER ADHESIVE SEALANT SYSTEMS, INC. Adhesive Products APPROVED	cartridge respirator. Follow manufacturer's label.
Jan Green House	
	Wear nitrile rubber or polyvinyl chloride gloves and chemical splash goggle
	Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
3915 SAF-T-STEP (SUP RESISTANT FLOOR CLEANER & TREATMENT) DYNAMIC RESEARCH CO., INC. Maintenance and Operations Products APPROVED	vapor cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber or polyvinyl chloride gloves and chemical splash goggle
	Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
3916 N.A.C. (SUP RESISTANT TREATMENT CLEANER &TREATMENT) DYNAMIC RESEARCH CO, INC. Cleaning Products APPROVED	vapor cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If the described syptoms occur, wear NIOSH approved org
39 8 SANACOR 2615-DT SAN JOAQUIN CHEMICALS, INC. HVAC Products APPROVED	vapor cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3919 CHEM PRO 3030 CHEM PRO LABORATORY, INC. HVAC Products APPROVED APPROVED FOR USE BY THE WATER TREATMENT DE	DEPARTMENT ONLY. cartridge respirator. Follow manufacturer's label.
	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3920 CHEM PRO 3030 C CHEM PRO IABORATORY, INC. HVAC Products APPROVED APPROVED FOR USE BY THE WATER TREATMENT DE	
OLD THE WALL TROUBLES AFFROYED AFFROYED FOR USE BY THE WALL REALMENT DE	• .
	Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED	
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED 3923 UME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NiOSH approved acid gas cartridg respirator. Follow manufacture's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 UME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacture's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 UME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator, Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Foliow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile nubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile nubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3922 DISH SPARKIE MAINTEX FOOD Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES FOOD Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED 3925 6006, BLUE HI - PERF, W/B TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile rubber/necprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3922 DISH SPARKLE MAINTEX Food Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridg respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX FOOD Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES FOOD Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED 3925 6006, BILIE HI - PERF, W/B TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
3922 DISH SPARKLE MAINTEX INC. Food Services Products APPROVED 3923 LIME - X DESCALAR MISSION LABORATORIES Food Services Products APPROVED 3924 GRAFFITI NOT WIPES LAWSON PRODUCTS, INC. Graffiti Products APPROVED 3925 6006, BILIE HI - PERF, W/B TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3934 EXT-100% ACRYLIC ELASTOMERIC, WHITE	MORWEAR PAINT COMPANY	Paint Products	APPROVED	APPROVED FOR USE BY PAINT STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					RE-EVALUATED ON 12/03/02 Wear nitrile rubber/neoprene gloves and cl
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIO
3935 WEATHER MASTER EXCEL	VISTA PAINT CORPORATION	Paint Products	APPROVED		approved particulate cartridge respirator. Follow manufacturer's label.
3935 WEATHER MASTER EXCEL	VISTA PAINT CORPORATION	Paint Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
3936 PERGO GLUE	PERSTOP FLOORING	Floor Care Products	APPROVED	APPROVED FOR USE BY FLOOR COVERING STAFF ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					exhaust ventilation. If PEL is exceeded, wear NIOSH approved P100 cartri
3937 TILE & GROUT CAULK TINT BASE	COLOR FAST INDUSTRIES INC.	Floor Care Products	APPROVED	APPROVED FOR USE BY FLOOR COVERING STAFF ONLY.	respirator. Follow manufacturer's label.
3938 AEROGREEN ANTIBACTERIAL FOAM SOAP	DEB SBS INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
		manionance and operations measure	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3939 SPRED SOLO FLAT LATEX INTERIOR PAINT	ICI PAINTS	Paint Products	APPROVED		cartridge respirator with a P100 prefilter. Follow manufacturer's label.
					REQUESTED FOR IMPREST REFUND AT THAT TIME - APPROVED LV 03/24/03,
3940 GLIDDEN EVERMORE INT/EXT HIGH GLOSS LATEX ENAMEL	ICI PAINTS	Paint Products	APPROVED		SENT
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
EVERMORE SUPER WALL &TRIM LATEX INT SATIN (NOT 6213 OR					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
3941 6290)	ICI PAINTS	Paint Products	APPROVED		cartridge respirator with a P100 prefilter). Follow manufacturer's label.
3942 EVERMORE SUPER WALL & TRIM LATEX INT SATIN (6213 & 6290)	ICI PAINTS	Paint Products	APPROVED		REQUEST FOR IMPREST AT THAT TIME, APPROVED 03/24/03 LV, NO LETTER
2002 EVENIMONE SUI EN WALL OF INIMI LATEA INT SATIN (0213 & 0290)	ion millo	ruini rioducis	AFFRUVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1944 MEGAFLEX ELASTOMERIC ROOF COATING AND ACRYLIC PRIMER	MEGA INDUSTRIES, CORP.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY THE ROOFING STAFF ONLY	ammonia cartridge respirators. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If the described syptoms occur, wear NIOSH approve
3951 ALDOPRIME 708 (ACRYLIC ROOFING PRIMER)	ALDO PRODUCTS CO. INC.	Roofing Products	APPROVED	APRROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic v
3952 TASKI WIWAX	DIVERSEY LEVER INC.	Maintenance and Operations Products	APPROVED	TO BE USED ON RUBBER FLOORS	cartridge respirator. Follow manufacturer's label.
3952 TASKI WIWAX	DIVERSET LEVER INC.	Maintenance and Operations Products	APPROVED	TO BE USED ON ROBBER FLOORS	• '
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
3955 AMAZING CONCRETE CLEANER	MISSION LABORATORIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
3956 ADVANTAGE III - THE RESTORER	GENLABS	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
3956 ADVANTAGE III - THE RESTORER	GENLABS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3956 ADVANTAGE III - THE RESTORER	GENLABS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
	GENLABS ARTEX MFG. CO.	Maintenance and Operations Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE
9957 NOVA COLOR 299 ACRYLIC RETARDER	ARTEX MFG. CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEM MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti
9957 NOVA COLOR 299 ACRYLIC RETARDER					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE
3957 NOVA COLOR 299 ACRYLIC RETARDER	ARTEX MFG. CO.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Us GOOD vensilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHOOS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label.
9957 NOVA COLOR 299 ACRYLIC RETARDER	ARTEX MFG. CO.	Paint Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY. USE WET METHODS, WATER	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/heoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL
3957 NOVA COLOR 299 ACRYLIC RETARDER	ARTEX MFG. CO.	Paint Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/heoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC.	Paint Products Roofing Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash gaggies. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and gaggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer.
3957 NOVA COLOR 299 ACRYLIC RETARDER	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC.	Paint Products Roofing Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR
19957 NOVA COLOR 299 ACRYLIC RETARDER 1958 CLAY ROOF TILE	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO GLAY TILE CO., INC.	Paint Products Roofing Products Roofing Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC.	Paint Products Roofing Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO GLAY TILE CO., INC.	Paint Products Roofing Products Roofing Products	APPROVED APPROVED		cartridge respirator. Foliow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Foliow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Foliow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved PIOD cartridge respirator. Foliow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATEE. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP.	Paint Products Roofing Products Roofing Products	APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR. DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRAT FORY PROTECTION SHALL BE USED IF DUST IS CREATED.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO GLAY TILE CO., INC.	Paint Products Roofing Products Roofing Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR. DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRAT FORY PROTECTION SHALL BE USED IF DUST IS CREATED.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP.	Paint Products Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPE DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP.	Paint Products Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
19957 NOVA COLOR 299 ACRYLIC RETARDER 19958 CLAY ROOF TILE 19969 CLAY TILES 19960 FIRED TILE	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved PIOD cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPR DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BUSED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3960 FIRED TILE 3962 STEELMAN	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Foliow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Foliow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Foliow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Foliow manufacturer's label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Foliow manufacturer's label.
19957 NOVA COLOR 299 ACRYLIC RETARDER 19958 CLAY ROOF TILE 19959 CLAY TILES 19960 FIRED TILE 19962 STEELMAN 19963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 19964 COMET (REGULAR AND LEMON FRESH FRAGRANCES)	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved PIDD cartridge respirator. Follow manufacturer's label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THES APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrilie rubber/neoprene gloves and chemical splash goggles. US GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. US GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES 3960 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES)	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST, USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES 3960 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES)	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST, USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES 3960 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES)	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve PTE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MININIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3950 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES) 3968 HYDROFLEX IO SEPARATION/PROTECTION SHEET	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO., INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve PTE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MININIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3950 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES) 3968 HYDROFLEX IO SEPARATION/PROTECTION SHEET	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO, INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE AMERICAN HYDROTECH, INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve EYE protection. If PEL is exceeded, wear NIOSH approved parti- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESI APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use.
3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3960 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES) 3968 HYDROFLEX IO SEPARATION/PROTECTION SHEET	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO, INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE AMERICAN HYDROTECH, INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEN MACHINING OR CUTTING THIS MATE approve PTC protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THEST APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use. Follow manufacturer's label. Wear nitritile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitritile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitritile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitritile rubber/neoprene gloves and chemical splash goggles. Us
3956 ADVANTAGE III - THE RESTORER 3957 NOVA COLOR 299 ACRYLIC RETARDER 3958 CLAY ROOF TILE 3959 CLAY TILES 3960 FIRED TILE 3962 STEELMAN 3963 LYSOL BRAND ALL PURPOSE CLEANER, ALL SCENTS 3964 COMET (REGULAR AND LEMON FRESH FRAGRANCES) 3968 HYDROFLEX 10 SEPARATION/FROTECTION SHEET	ARTEX MFG. CO. MARUHACHI CERAMICS OF AMERICA, INC. DELEO CLAY TILE CO, INC. CROSSFIELD PRODUCTS CORP. OMEGA INDUSTRIAL SUPPLY INC. RECKITT BENCKISER, INC. PROCTER & GAMBLE AMERICAN HYDROTECH, INC.	Paint Products Roofing Products Roofing Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	SUPPRESSED SAW/GRINDER TO MINIMIZE EXPOSURE TO DUST.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. WET METHODS SHALL BE USED WHEM MACHINING OR CUTTING THIS MATEI approve EYE protection. If PEL is exceeded, wear NIOSH approved partic cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow man label. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMIZE EXPC. DUST. USE WET METHODS WHEN DRILLING, CUTTING OR MACHINING THESE APPROVED RESPIRATORY PROTECTION SHALL BE USED IF DUST IS CREATED Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. GOOD ventilation in FPEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for normal consumer use. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3973 E-Z CUT AEROSOL (PRODUCT CODE: 5035)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3977 JANIPAKS NEUTRALIZER CONDITIONER	JANISOURCE PROFESSIONAL PRODUCTS	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
3077		Tibble date Freducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
3978 HYDROPLUS 504TGRAFFITI REMOVER	ICI PAINTS NORTH AMERICA	Polot Pos de etc	4 DODGU (FD		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P10
39/8 HIDROPLUS SU4TORAFFITI REMOVER	ICI FAINTS NORTH AMERICA	Paint Products	APPROVED		series cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor seri
3979 HYDROSTRIP 502T PAINT STRIPPER	ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		cartridge respirator with a P100 pre-filter. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PIO
3980 HYDROSTRIP 503T PAINT STRIPPER	ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		series cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
3982 BIOGRAFFITI I	BIO-D PRODUCTS	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
3985 CRAWFORD'S FREE SPACKLING PASTE	CRAWFORD PRODUCTS	Paint Products	APPROVED		respirator. Follow manufacturer's label.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED FOR ALL	
				APPLICATIONS UNTIL FURTHER NOTICE. APPROVED FOR USE BY PAINT AND	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				CARPENTRY STAFF ONLY, AND APPROVED FOR USE WITH LOCAL EXHAUST	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3986 WW H/S 550-VOC PREM MAR-RESIST S/G-60 LACQ	VALSPAR-MONTEBELLO	Paint Products	APPROVED	ONLY (SPRAY PAINT BOOTH).	cartridge respirator. Follow manufacturer's label.
				EMPLOYEE EXPOSURE MONITORING MUST BE PERFORMED UNTIL FURTHER	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				NOTICE. APPROVED FOR USE BY PAINT AND CARPENTRY STAFF ONLY, AND	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3987 WW H/S 550-VOC PREM MAR-RESIST SATIN LACO	VALSPAR-MONTEBELLO	Paint Products	APPROVED	APPROVED FOR USE WITH LOCAL EXHAUST ONLY (SPRAY PAINT BOOTH).	cartridge respirator. Follow manufacturer's label.
3307 WW 170 000 YOU KEN MAK KESIOT SATIREAGQ	VALUE ART MOTTEDELLO	runtriodata	AFFROVED	ALTROVED FOR OLE WITH ESSALE MINES OF SHEET (OF NATIONAL DOCUME).	AVOID GENERATING DUSTS. Wear nitrile rubber/neoprene gloves and chemica
AAAA N AA ODOUT DOWNTO DANN	CROSSFIELD PRODUCTS CORP.				splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
3988 N-38 GROUT POWDER, PLAIN	CROSSFIELD PRODUCTS CORP.	Maintenance and Operations Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3989 3527&3993 NON-TOXIC LIQUID CEMENT	THE TESTOR CORPORATION	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					KEEP AWAY FROM HEAT, SPARKS, FLAME OR ANY SOURCES OF IGNITION. Wear nitr
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
3990 S-8600 SUPER-KRETE CLEAR SEAL PLUS	SUPER-KRETE INTERNATIONAL INC.	Carpentry/ Construction Product	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3991 S-8200 SUPER-KRETE TOP SEALER	SUPER-KRETE INTERNATIONAL INC.	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3992 3521,3522,3523&3996 NON-TOXIC CEMENT	THE TESTOR CORPORATION	School Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3992 002,0022,0020000011011 10310 02111211	THE TESTON SOME SMATISM	SCHOOL FIGURES	AFFROVED		· • • · · · · · · · · · · · · · · · ·
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
(4.40)					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
3997 MEGA FORCE DEGREASER CLEANER NATURAL CITRUS (# 418)	TERAND INDUSTRIES, INC.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
3998 TIMSEN LIQUID DISHWASH DETERGENT	UNIT CHEMICAL CORPORATION	Food Services Products	APPROVED		Follow manufacturer's label.
					THE SPECIFIC FRAGRANCES THIS APPROVAL APPLIES TO IS LISTED ON THE ATTACH
					MSDS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
4000 SANOR FRAGRANCES	ROCHESTER MIDLAND	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR OUTDOOR USE BY ROOFING DEPARTMENT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4001 33# FIBERGLASS BASE SHEET (#607)	HENRY COMPANY	Roofing Products	APPROVED	ONLY.	respirator. Follow manufacturer's label.
• • • • •		J			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4002 BLASTIC DOOF CEMENT (BDA)	HENRY COMPANY	Doofing Draduate	ADDDOVES	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	
4002 PLASTIC ROOF CEMENT (504)		Roofing Products	APPROVED	AFFROVED FOR OUTDOOK USE BY THE ROUPING DEPARTMENT ONLY.	cartridge respirator. Follow manufacturer's label.
4003 WILLTEC	ILLBRUCK INC.	OEHS Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR OUTDOOR USE BY PAINTING STAFF ONLY. MONITORING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4004 VORTEX ACTIVATOR	VORTEX SPRAYLINERS INC.	Maintenance and Operations Products	APPROVED	MUST BE PERFORMED DURING THE INITIAL APPLICATION OF THE PRODUCT.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4005 VORTEX COLOR RESIN BASE	VORTEX SPRAYLINERS INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR OUTDOOR USE BY PAINTING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR OUTDOOR USE BY PAINTING STAFF ONLY. MONITORING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4006 VORTEX CONCRETE RESIN BASE / VCR-1	VORTEX SPRAYLINERS INC.	Maintenance and Operations Products	APPROVED	MUST BE PERFORMED DURING THE INITIAL USE OF THIS PRODUCT.	cartridge respirator. Follow manufacturer's label.
4007 HYDROGUARD BALLASTED ROOF INSULATION	DOW CHEMICAL USA	Roofing Products	APPROVED	most better of miles bound the miles obe of this most of	Use with GOOD ventilation. Follow manufacturer's label.
4007 HTDROGUARD BALLASTED ROOF INSULATION	DOW CHEMICAL USA	Rooling Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND MONOUTING MEMBRANE 7000 TOWER ORANG	AMERICAN HYDROTECH, INC.			APPROVED FOR OUTDOOR HOT ONLY BY ROOFING STAFF	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4008 MONOLITHIC MEMBRANE 7800 TOWEL GRADE	AMERICAN HYDROTECH, INC.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE ONLY, BY ROOFING STAFF	cartridge respirator. Follow manufacturer's label.
					CAUTION: Flammable. Do not store or use near ignition sources. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4011 PN-105 AEROSOL (PRODUCT CODE: 5068)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE PERSONNEL ONLY.	respirator. Follow manufacturer
					CAUTION: Flammable. Do not store or use near ignition sources. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4012 DYNASOLV AEROSOL (PRODUCT CODE: 5491)	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE PERSONNEL ONLY.	respirator. Follow manufacturer
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY CARPENTRY STAFF ONLY. REQUIRES OEHS TO	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4014 WELD-CRETE	LARSEN PRODUCTS CORP.	Adhesive Products	APPROVED	MONITOR STAFF DURING APPLICATION.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4015 AK-021 HOOD & GRILL CLEANER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED	FOR FOOD SERVICES STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 and organic
4016 FLEXITHANE 700	MIDWEST ELASTOMERICS.INC	Maintenance and Operations Products	APPROVED	APPROVED FOR OUTDOOR USE BY CONTRACTORS ONLY.	vapor cartridge respirator. Follow manufacturer's label.
4010 TEENTHALE 700	MISTEST ESTOTOMENTOS,ITO	waintenance and operations froducts	AFFROVED	AT NOVED FOR GOLDGOK GUE BY GOMMAGTORG GNET.	
					Wear chemical splash goggles. Use with GOOD ventilation. If described
4020 PIONITE HIGH PRESSURE DECORATIVE LAMINATE	PANOLAM INDUSTRIES				symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow
4020 PIONITE HIGH PRESSURE DECORATIVE LAMINATE	PANOLAM INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4021 ARDEX CD CONCRETE DRESSING	ARDEX INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4022 FORMULA 815 MX	BRULIN & COMPANY, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Contact
					lenses should NOT be worn when using this product. Use with GOOD ventilation
					PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fol
4023 CLEARKOTE	BRULIN & COMPANY, INC.	Food Services Products	APPROVED		manufacturer's la
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4024 73 PREMIUM PLUS DRYWALL PRIMER (007399-24402)	BEHR PROCESS CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved ammonia cartridg
4025 HI POWER CARPET SPOTTER (# 3106)	GENLABS	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
4020		maintenance and operations reducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4026 3M BRAND NEUTRAL QUAT DISINFECTANT CLEANER	3M CENTER	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
TOLO TIO HEOTHAL GOAT DIGHT COTATT OLEANER		antendrice and operations Froducts	AFROVED		* '
					Wear nitrile rubber or polyvinyl alcohol gloves and chemical splash goggles.
ADD DVALANIA CIAD C CAAD DADT A C DE	DOLVATO ENCINICEDING CODD	Delet Desidents	4 DDD 0 1 FD		with GOOD ventilation. If the described syptoms occur, wear NIOSH approved
4027 DYNAMIX 6142 & 6442 PART "A & B"	POLYMER ENGINEERING CORP.	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4028 TRAFFIC PAINT SEMI-GLOSS WHITE (6800)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				FOR CONTRACTORS' USE DURING NON-SCHOOL HOURS ONLY. THIS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4030 ELASTO DECK BT (KNIFEGRADE)	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	PRODUCT REQUIRES PROPOSITION 65 WARNING SIGNS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4032 CLEARSEAL	NATIONAL COATINGS CORPORATION	Roofing Products	APPROVED	FOR USE BY THE ROOFING STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				ONLY ART INSTRUCTORS SHALL USE THIS PRODUCT AND MIX ITUNDER LOCA	AL local exhaust ventilation when mixing. If PEL is exceeded, wear NIOSH approve
4033 G ZIRCON MILLED FINE	TAM CERAMICS	School Products	APPROVED	EXHAUST VENTILATION (FUME HOOD).	P100 cartridge respirator. Follow manufacturer's label.
		-			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4034 COBALT CARBONATE	OMG AMERICAS INC.	School Products	APPROVED		respirator. Follow manufacturer's label.
NOON CONTROL CARBOTATE	OMO AMERICAS INC.	SCHOOL FLOUDERS	AFFROVED		rospirator. Folion Halladotarer a label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				ONLY ART INSTRUCTORS SHALL USE THIS PRODUCT AND MIX ITUNDER LOCA	AL local exhaust ventilation when mixing. If PEL is exceeded, wear NIOSH appro
4035 BLENDED IRON OXIDE	WHITTAKER, CLARK & DANIELS, INC	School Products	APPROVED	EXHAUST VENTILATION (FUME HOOD).	P100 cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4038 DISPATCH ENZYME PRESPRAY 4XI	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				THIS PRODUCT IS FOR USE BY SHEET METAL PERSONNEL AND PAINTERS ONL	Y. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor of
4039 KRYLON HOME DÉCOR DURABLE LATEX SPRAY SATIN BLACK	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	USE AWAY FROM ANY IGNITION SOURCES.	P100 cartridge respirators. Follow manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT, APPROVED FOR OUTDOOR US	E
				BY APPROVED CONTRACTORS ONLY, A 10-FOOT BARRACADED PERIMETER	The contractor must review the MSDS thoroughly prior to use. The contract
					S shall adhere to all sections of the MSDS during use of this product, includin
4040 NORDOT ADHESIVE 34G	SYNTHETIC SURFACES INC.	Adhesive Products	APPROVED	PRODUCT MAY NOT BE SPRAY-APPLIED. DO NOT USE THIS PRODUCT IF	those sections containing special protection information/special precauti
4040 NORDOT ADTESIVE 340	STATILLIC SORT ACES INC.	Adriesive Froducts	AFFROVED	PRODUCT MAT NOT BE STRAT AFFELD. DO NOT USE THIS PRODUCT II	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
4043 NC TOWER WASH	NATIONAL CHEMICAL COMPANY	HVAC Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
*** ***					
4047 AIR-FROTHED ELASTOMERIC POLYURETHANE POLYMER	DOW CHEMICAL USA	Floor Care Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
(GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4048 TRAFFIC PAINT SEMI-GLOSS RED (6802)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4049 TRAFFIC PAINT SEMI - GLOSS BLUE (6803)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4050 TRAFFIC A - BASE SEMI-GLOSS (GREEN/BLACK) (68A)	VISTA PAINT CORPORATION	Paint Products	APPROVED	FOR EXTERIOR USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4051 AS -17 - BRUSH TOP (# 7001)	AMERICAN INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		•			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4052 FAST TRACK DEGREASER	MISSION LABORATORIES	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4002		1000 00110001100000	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
4054 TARKETT QUIET-COR UNDERLAYMENT	TARKETT INC.	Floor Care Products	APPROVED	APPROVED FOR USE BY FLOOR COVERING DEPARTMENTS ONLY.	organic vapor cartridge respirator. Follow manufacturer's label.
4004 PARKET GOLD OOK ONDERENTMENT	TARRETT ING.	FIGOI Care Fiducts	AFFROVED	AT NOTED TO NOTE DITTOON OF PENNIO DEL ANTINENTO ONE.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4055 SURFACE AMERICA PLAYABOUND AROMATIC BINDER	SURFACE AMERICA, INC.			APPROVED FOR OUTDOOR USE BY CONTRACTORS ONLY.	cartridge respirator. Follow manufacturer's label.
4055 SURFACE AMERICA PLAYABOUND AROMATIC BINDER	SURFACE AMERICA, INC.	Adhesive Products	APPROVED	APPROVED FOR OUTDOOR USE BY CONTRACTORS ONLY.	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4059 ARMSTRONG S-200 ADHESIVE (PART A AND PART B)	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED	APPROVED FOR US BY THE FLOOR COVERING DEPARTMENTS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear leather or cotton work gloves, long sleeve shirt and chemical splash
					goggles. Use with GOOD ventilation. If the described syptoms occur, wear
4060 SBS MODIFIED BITUMEN WATERPROOFING MEMBRANE	BITEC, INCORPORATED	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY THE ROOFING DEPARTMENT ONLY.	approved organic vapor/P100 cartridge respirator. Follow manufacturer's
					Wear cotton or leather work gloves and chemical splash goggles. Use with
					ventilation. When cutting or grinding, wear NIOSH approved P100 cartridge
4061 FAYETTE QUARRY TILE	DAL-TILE CORPORATION/DAL-TILE GROUP	Floor Care Products	APPROVED		respirator. Follow manufacturer's label.
					Wear cotton or leather work gloves and chemical splash goggles. Use with
					ventilation. When cutting or grinding, wear NIOSH approved P100 cartridge
4062 LEWISPORT QUARRY TILE	DAL-TILE CORPORATION/DAL-TILE GROUP	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	respirator. Follow manufacturer's label.
					Wear cotton or leather work gloves and chemical splash goggles. Use wit
					ventilation. When cutting or grinding, wear NIOSH approved P100 cartridge
4063 KER 107 - KERAQUICK M GRAY	MAPEI CORPORATION	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	respirator. Follow manufacturer's label.
		11001 Caro 110adota	ALLICATED	ONE ACCOUNTS ONE I	Wear cotton or leather work gloves and chemical splash goggles. Use wit
					ventilation. When cutting or grinding, wear NIOSH approved P100 cartridge
4064 KER 102 - KERABOND WHITE	MAPEI CORPORATION	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENT ONLY.	respirator. Follow manufacturer's label.
4UU4 NEN IOZ KERADORD WITTE	WAS EL CORFORMITON	Floor Care Products	APPROVED	AT A SYLD FOR OSE BY THE FLOOR COVERING DEPARTMENT ONLY.	
					Wear cotton or leather work gloves and chemical splash goggles. Use with
					ventilation. When cutting or grinding, wear NIOSH approved P100 cartridge
4065 KER 101 - KERABOND GRAY	MAPEI CORPORATION	Floor Care Products	APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	respirator. Follow manufacturer's label.
				APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
4065 KER 101 - KERABOND GRAY 4066 GROUT RELEASE	MAPEI CORPORATION AQUA MIX INC.	Floor Care Products	APPROVED APPROVED	APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	•
				APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				APPROVED FOR USE BY THE FLOOR COVERING DEPARTMENTS ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi

					We will be the second of the s
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved
4068 KER 307 - KERAPLY	MAPEI CORPORATION	Floor Care Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4069 PENETRATING SEALER	AQUA MIX INC.	Adhesive Products	APPROVED		respirator. Follow manufacturer's label.
4009 FENETRATINO SEALER	AQUA MIX INC.	Adriesive Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY THE ROOFING STAFF ONLY. OEHS WILL MONITOR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4071 U-62 SERIES POLY PART A (CENTAFLEX)	GACO WESTERN, INC.	Roofing Products	APPROVED	ROOFING STAFF DURING APPLICATION.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY THE ROOFING STAFF ONLY. OEHS WILL MONITOR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4072 U-62 ISO PART B	GACO WESTERN, INC.	Roofing Products	APPROVED	ROOFING STAFF DURING APPLICATION.	cartridge respirator. Follow manufacturer's label.
70/2		Rooming Froducts	ATTROVED		Wear leather or cotton work gloves and chemical splash goggles. Use with GO
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4073 AR/AC PAVING GRADE ASPHALT	HUNTWAY REFINING COMPANY	Carpentry/ Construction Product	APPROVED	APPROVED FOR OUTDOOR USE BY THE PAVING DEPARTMENT ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4075 DRY FABRIC CLEANER	CHEMICAL SPECIALITIES MANUFACTURING CORPORATION	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		,			SEE MSDS FOR A COMPLETE LIST OF PRODUCT NAMES FOR THIS APPROVAL Wear
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator.
4076 SIKATOP 121 PLUS PART B	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED		Follow manufacturer's label.
				Approved for outdoor use by contractors only. LAUSD staff may not use	Ensure appropriate personal protection equipment is used with this product
4077 SIKATOP (111, 121,122, 123) PLUS PART A	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	this product.	including chemical resistant gloves, goggles and respiratory protection.
				<u> </u>	SEE MSDS FOR A COMPLETE LIST OF PRODUCT NUMBERS AND COLORS. Wear nitril
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4078 RUST TOUGH WATER-BASED FOR METAL - 3 (RTWR3/KRI)	KRYLON PRODUCTS GROUP	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4079 HUNTER GREEN (ID NO. 1938 830)	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
40/3 10/11/20 00/20/ (15/10/2000)	NOOT OLEOW CONTON	runtriodatis	AFFROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4080 SUN YELLOW (ID NO. 1945 504)	RUST-OLEUM CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described syptoms occur, wear NIOSH approved orga
4083 HS-1000	DIANA INDUSTRIES INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
4083 113 1000	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4084 EP-680 STANDARD	DIANA INDUSTRIES INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					THIS PRODUCT MEETS SCAQMD RULE 1168 FOR ADHESIVE AND SEALANT
					APPLICATIONS. Wear nitrile rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. If the described sypmtoms occur, wear
4087 HENRY 595 COVE BASE ADHESIVE	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's la
					CAUTION: This product is extremely fllammable. Do not store or use near igniti
					sources. Wear nitrile rubber/neoprene gloves and chemical splash goggles.
					with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
4089 BATTERY TERMINAL PROTECTOR (PRODUCT NO. 03175, 83175)	CRC INDUSTRIES, INC.	Maintenance and Operations Breducts	APPROVED	APPROVED FOR OUTDOOR USE BY ELECTRICAL DEPARTMENT ONLY.	cartridge respi
4003 DATTER TERMINALTROTECTOR (FRODUCTINO, 03173, 03173)	ONO INDUSTRIES, INC.	Maintenance and Operations Products	ACTROVED	ATTROVES TON COTOGON USE BY ELECTRICAL DEPARTMENT ONET.	cararage rosp.
					Do NOT store or use near ignition sources. Wear nitrile rubber/neoprene glove
				THIS PRODUCT IS APPROVED FOR USE BY LAUSD PEST CONTROL	and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, w
4090 BIOGANIC BROADLEAF HERBICIDE	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lal
4093 FORMULA 623 SUNSCREEN TOWELETTE SPF 30	SUPERCO	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4000 - SAMOLA OLO SONOSALLA TOMELLITE SIT SU		antenance and operations rioducts	ALLINOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4096 CONCRETE PAVERS	WESTILE AN OLDCASTLE COMPANY	Roofing Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
ADOT SUBE-MED BEINEODOED MEMPRANT	CARLISLE SYNTEC INCORPORATED	Daniel - Dan	4 DDD 01/	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	
4097 SURE-WELD REINFORCED MEMBRANE	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4098 FREON 502	DUPONT CO.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					······································
					COOR
4					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4099 FORANE (R)134A	ATOFINA CHEMICALS, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symtoms occur, wear NIOSH approved organic vapor
4100 SUVA HP62 (R404A)	DUPONT CO.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4101 HOT SHOT, R-414B	ICOR INTERNATIONALING.	HVAC Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
*	<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate cartri
4102 DRIVE TOP	SAF-T-SEAL, INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
4102		mantenance and operations reduces	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency
4103 KOTE SOIL SHIELD	KAY CHEMICAL COMPANY	Food Services Products	APPROVED		particulate respirator. Follow manufacturer's label.
4100		Toda Sarvicas Fradacis	ATTROVES		F
					Wear general purpose gloves and safety glassess. Use with GOOD ventilation
4104 PH INDICATOR SOLUTION	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED		PEL is exceeded, wear NIOSH approved respirator. Follow manufacturer's laborators
	,				THIS IS AN ALKALI PRODUCT WITH HIGH PH. AVOID CONTACT WITH SKIN AND EYE
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved high efficiency
4105 BASE DEMAND REAGENT	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED		particulate respirator. Follow manufacturer's label.
4103 BAGE BENANCI REPORTS	TATEOR TEORNOLOGICS, INC	Swiffining Foor Floadets	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4106 PLAZA PLUS	JOHNSON WAX PROFESSIONAL	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4100 TOLATUS	JOHNSON WAX PROFESSIONAL	FIJOT Care Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4108 STENCH AND STAIN DIGESTER	JOHNSON WAX PROFESSIONAL				GOOD ventilation. If the described syptoms occur, wear NIOSH approved org
4108 STENCH AND STAIN DIGESTER	JOHNSON WAX PROFESSIONAL	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
, -					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4110 SERPILOC CLEAR/WHITE SSPO5	W. R. GRACE AND CO.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY ASBESTOS TECHNICAL UNIT STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4111 MATRIX STANDARD WET/DRY CEMENT 204	BMCA	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
4112 ANTIBACTERIAL LIQUID HAND SOAP	CARROLL CO	Personal Hygiene Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4113 FLAMEX	GUARDIAN PARK LABORATORIES	Fire Retardants	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4114 STEEL MASTER 9500-30% SILICONE ALKYD	SHERWIN WILLIAMS CO.	Fire Retardants	APPROVED	FOR CONTRACTOR'S USE ONLY	cartridge respirator. Follow manufacturer's label.
					TO APPLY INDOORS, ISOLATE THE BUILDING'S VENTILATION SYSTEM FROM THE WO
					AREA(S) AND PROVIDE SEPARATE VENTILATION TO THE WORKING SPACE(S). Wed
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOO
4115 HENRY 237	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED		ventilation. Follow manufacturer's label.
					RE-EVALUATED AS APPROVED CONTINGENT UPON EMPLOYEE EXPOSURE FOR
					TOLUENE, A PROPOSITION 65 CHEMICAL. Wear nitrile rubber/neoprene gloves
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wed
					NIOSH approved organic vapor cartridge respirator. Follow manufacturer's
4116 KOT BLACK	STATE CHEMICAL MANUFACTURING COMPANY	Paint Products	APPROVED		NO SPRAY APPLICATION AND FOR OUTDOOR USE ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4117 BASO Y70AA GAS VALVE GREASE	JOHNSON CONTROLS, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
Shoo I VAN OND THEY'E OREAGE	SOLINGS CONTINUES, INC.	maintenance and operations rioducts	MITROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved chemical cartrid
4310 ENDURA-SHELD II WALITE	THEMES COMPANY INC	Paint Products	APPROVED	EOD CONTRACTOR'S LISE DIIDING NON-SCHOOL OPERATING VIOLES ONLY	respirator. Follow manufacturer's label. KEEP AWAY FROM HEAT, OPEN FLAMES
4119 ENDURA-SHIELD II WHITE	TNEMEC COMPANY INC.	Paint Products	APPROVED	FOR CONTRACTOR'S USE DURING NON-SCHOOL OPERATING HOURS ONLY.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
was very hear oom/enter	THE ACC COMPANY INC	-1		FOR CONTRACTOR'S USE BURBLE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved chemical cartrid
4120 1074/1075 CONVERTER	TNEMEC COMPANY INC.	Paint Products	APPROVED	FOR CONTRACTOR'S USE DURING NON-SCHOOL OPERATING HOURS ONLY.	
4127 ECOBOARD	ICS GROUP INC.	Exterior Landscape/ Playground Products	APPROVED		FOLLOW MANUFACTURER'S RECOMMENDATION.
					Wear nitrile rubber/neoprene gloves, chemical resistant clothing and chem
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
4128 SCALE B-GON	GORDON FERON & CO.	Swimming Pool Products	APPROVED		approved acid vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4129 WEATHERPROOF ALUMINUM PAINT	BENJAMIN MOORE & CO.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
		<u> </u>			Wear general purpose gloves, safety glasses and dust mask. Use with GOOD
4130 SODIUM BICARBONATE	FMC WYOMING CORPORATION	Swimming Pool Products	APPROVED		ventilation. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4131 SODIUM BISULFATE	JONES-HAMILTON CO.	Swimming Pool Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. FLAMMABLE.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				NOT SMOKE WHILE APPLYING. VAPORS ARE HEAVIER THAN AIR AND MAY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4132 CUT-EDGE SEALANT	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	TRAVEL ALONG GROUND OR MAY BE MOVED BY VENTILATION AND IGNITED E	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
				APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. DO NOT USE	GOOD ventilation. If described symptoms occur, wear NIOSH approved orga
4134 SURE-WELD MEMBRANE CLEANER	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	SPRAY-ON METHODS.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4135 ELASTO-THANE 920 (A & B COMPONENTS)	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	FOR ROOFING DEPARTMENT USE ONLY, NPFA HEALTH RATING = 3	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4136 COLOR-PAK CONCRETE GREY	PACIFIC POLYMERS INTERNATIONAL, INC.	Roofing Products	APPROVED	FOR MAINTENANCE & OPERATIONS USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4137 SEALER OR ULTRA SEAL	ULTRA CHEM INDUSTRIES LTD.	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					\ensuremath{GOOD} ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4138 SL-125 SILICONIZED ACRYLIC LATE	SUMMITVILLE TILES, INC.	Paint Products	APPROVED	FOR FLOORING STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4139 S-120 EPOXY PART A RESIN	SUMMITVILLE TILES	Floor Care Products	APPROVED	FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4140 S-120 EPOXY PART B CATALYST	SUMMITVILLE TILES	Maintenance and Operations Products	APPROVED	FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4141 S-9000 WATERPROFF/CRACK ISOLAT.MEMBRANE	SUMMITVILLE TILES	Floor Care Products	APPROVED	REVISED APPROVAL - APPROVED FOR USE BY FLOORING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4142 S-775 LATEX ADMIXTURE FOR GROUT	SUMMITVILLE TILES	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label.
4144 S-710 POLYCHROME SANDED JOINT FILLER	SUMMITVILLE TILES	Maintenance and Operations Products	APPROVED	FOR CENTRAL SHOPS STAFF USE ONLY	Approved respiratory protection shall be worn by staff
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
4145 FORCE	SUNBURST CHEMICAL INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
				THIS PRODUCT APPROVED FOR EXTERIOR USE ONLY BY CONTRACTOR	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				DURING NON-SCHOOL HOURS. SCHOOL VENTILATION SYSTEM SHOULD	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4147 EMC SMOOTH WHITE	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED	ALSO BE TURNED OFF DURING PRODUCT APPLICATION.	cartridge respirator. Follow manufacturer's label.
					Store and use away from ingnition sources. Wear nitrile rubber/neoprene
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded
					NIOSH approved organic vapor and P100 cartridge respirators. Follow
4148 MICRO-SEAL CONCENTRATE	RAINGUARD INTERNATIONAL COMPANY	Paint Products	APPROVED	FOR EXTERIOR USE BY PAINTING STAFF AND CONTRACTORS ONLY	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4149 SIKADUR 35 HI-MOD LV PART A	SIKA CANADA	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
			-	APPROVED FOR USE BY MANUFACTURER TRAINED MAINTENANCE STAFF AND)
				CONTRACTORS ONLY. USE ONLY WITH PLUMBED OR SELF-CONTAINED	
				EYEWASH OR EYE/FACEWASH EQUIPMENT AND AN EMERGENCY SHOWER IN	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR	GOOD ventilation. If described symptoms occur, wear NIOSH approved org
4150 SIKADUR 35 HI-MOD LV PART B	SIKA CANADA	Maintenance and Operations Products	APPROVED	THE INJURED	vapor cartridge respirator. Follow manufacturer's label.
4152 SLIC-TITE PASTE WITH TEFLON	LA-CO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED	RE-EVALUATED ON 1/8/03 FOR MAINTENANCE STAFF USE ONLY.	Use with GOOD ventilation. Follow manufacturer's label.
4102 000 METAGIE WITH TELLOR	S. SO INDUSTRIES, INC.	maintenance and operations Products	AFFROVED	THE EXPLOSITED ON 17 07 03 TOK MAINTENANCE STATE 03E ONET.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4153 ACOUSTICAL SEALANT	TREMCO LTD.	Deefing Breduct	ADDDOVIED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	
4103 ACCOSTICAL SEALANT	INEMICO EID.	Roofing Products	APPROVED	ALL NOVED LOR OUTDOOR USE BY ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
4157 AK-020C HEAVY DUTY CLEANER/DEGREASER, CITRUS	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					War and the state of the state
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
.,					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PII
4158 MONOCHEM I (PARTS A & B) - PRODUCT CODE 1100	MONOPOLE INC. U.S. SPECIALTY COATINGS	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4163 PAN PADS CONDENSATE	NU-CALGON WHOLESALER, INC.	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					THE PRODUCT IS FLAMMABLE. USE AWAY FROM IGNITION SOURCES. Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4164 LEAK LOCK	HIGHSIDE CHEMICALS, INC.	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
4164 LEAK LOCK	HIGHSIDE CHEMICALS, INC.	HVAC Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4165 PULL SPOUT OILER, CO-1	DIVERSITECH CORP.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					WE RECOMMEND USING A LESS VOLATILE PRODUCT IF AVAILABLE TO REDUCE IND
					SOLVENT EMISSIONS. Wear nitrile rubber/neoprene gloves and chemical spla
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
4166 CONIPUR 45 A	CONICA TECHNIK AG	Floor Care Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
4167 TARKETT HEAT WELD THREAD					
416/ TARKETT HEAT WELD THREAD	TARKETT INC.	Floor Care Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4168 TARKETT VINYLBOND	TARKETT INC.	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
4169 AMERISPORT II	TARKETT INC.	Floor Care Products	APPROVED		FOLLOW MANUFACTURER'S LABEL
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4170 UNI-KEM 5549	UNI-KEM, INC.	HVAC Products	APPROVED	FOR HVAC CREW USE ONLY.	cartridge respirator. Follow manufacturer's label.
41/0 UNI-KEM 5549	UNI-KEM, INC.	HVAC Products	APPROVED	FOR HVAC CREW USE ONLY.	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4171 UNI-KEM BT 885	UNI-KEM, INC.	HVAC Products	APPROVED	FOR HVAC STAFF USE ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4172 GERFIX SP FLOOR ADHESIVE	ARCHITECHTURAL FLOOR SYSTEMS	Floor Care Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					KEEP PRODUCT AWAY FROM IGNITION SOURCES DURING PRODUCT APPLICATION
					AND STORAGE. Wear nitrile rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
4173 B-I-N PRIMER-SEALER STAIN KILLER	WILLIAM ZINSSER & CO., INC.	Paint Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4174 SHAKE-AWAY	MDW OUTDOOR GROUP	Pesticide/Herbicide Products	APPROVED	FOR PEST MANAGEMENT TECHNICIANS USE ONLY.	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4175 PRESCRIPTION TREATMENT BRAND ADVANCE 375A	WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.	Pesticide/Herbicide Products	APPROVED		
4175 PRESCRIPTION TREATMENT BRAND ADVANCE 375A	WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.	Pesticide/Herbicide Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
4175 PRESCRIPTION TREATMENT BRAND ADVANCE 375A	WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.	Pesticide/Herbicide Products	APPROVED		GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4176 TERMIN-8 WOOD PRESERVATIVE GREEN	WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC. JASCO CHEMICAL CORP.	Pesticide/Herbicide Products Paint Products	APPROVED APPROVED		GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
					GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene glows and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC.
					GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene glows and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC.
					GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
					GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
4176 TERMIN-8 WOOD PRESERVATIVE GREEN	JASCO CHEMICAL CORP.	Paint Products	APPROVED	This is a one time/conditional approval only. Carpentry Tech Services	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neaprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN	JASCO CHEMICAL CORP.	Paint Products	APPROVED	This is a one time/conditional approval only. Carpentry Tech Services shall coordinate a meeting with the manufacturer for further ingradient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A	JASCO CHEMICAL CORP. SIKA CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4176 TERMIN-8 WOOD PRESERVATIVE GREEN	JASCO CHEMICAL CORP.	Paint Products	APPROVED		GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical spiash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A	JASCO CHEMICAL CORP. SIKA CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTs. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A	JASCO CHEMICAL CORP. SIKA CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIOS. TURN OUT ALL ELECTRIC UBHTS. PILOT LIGHTS DURNG APPUCATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A	JASCO CHEMICAL CORP. SIKA CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTs. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A	JASCO CHEMICAL CORP. SIKA CORPORATION	Paint Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIOS. TURN OUT ALL ELECTRIC UBHTS. PILOT LIGHTS DURNG APPUCATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4176 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONS OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS FILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE CREANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OF SPARKS. APLLY WHEN AREA IS UNOCCUPIED.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Le with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded very NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT ILIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OR SPARKS. APLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4176 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPUCATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR, KEEP AWAY FROM HEAT, FLAME OF SPARKS. APLIY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene glowes and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. WEAD TO TIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OF SPARKS. APLIY WHEN AREA IS UNDOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALL DUSTS. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE GORANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OI SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS. PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED US GORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OR SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene glowes and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALK. DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Lu with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIOS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED US CORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OR SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALK DUSTS. Wear nitrille rubber/neoprene gloves and chemical splash goggles. I with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME O SPARKS. APLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's laber.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALE DUSTS. Wear nitrille rubber/neoprene gloves and chemical splash goggles. with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with AVOID STRONG OXIDIZERS, ALKALIS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPUCATION. FOLLOW MANUFACTURER'S LABEL IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME O SPARKS. APLIY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg respirator. Follow manufacturer's label. WARNING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALE DUSTS. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT ILIGHTS DURING APPLICATION. FOLLOW MANUFACTURERS LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME O SPARKS. APLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. HE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg respirator. Follow manufacturer's label. CAUSING SUBSTANCE KNOWN TO THE STATE OF CALIFORNIA. Wear nitrile
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALE DUSTS. Wear nitrille rubber/neoprene gloves and chemical splash goggles. With GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAILS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME O SPARKS. APLILY WHEN AREA IS LINGCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrille rubber/neoprene glowes and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridg respirator. Follow manufacturer's label. WARNING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER CAUSING SUBSTANCE KNOWN TO THE STATE OF CALIFORNIA. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION SUPER-KRETE INTERNATIONAL INC.	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC UGHTS PILOT LIGHTS DURING APPUCATION. FOLLOW MANUFACTURER'S LABEL IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OI SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. WARRING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER CAUSING SUBSTANCE KNOWN 10 THE STATE OF CALIFORNIA. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Luw with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN OUT ALL ELECTRIC LIGHTS PILOT LIGHTS DURING APPLICATION. FOLLOW MANUFACTURER'S LABEL. IF PEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OF SPARKS. APLY WHEN AREA IS LINOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. WARNING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER CAUSING SUBSITANCE KNOWN TO THE STATE OF CAUFORNIA. Ween ritrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION SUPER-KRETE INTERNATIONAL INC.	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OR SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANNEACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. WARNING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER CAUSING SUBSTANCE KNOWN TO THE STATE OF CALIFORNIA. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved particulate respirator. For manufacturer's label.
4176 TERMIN-8 WOOD PRESERVATIVE GREEN 4177 SIKADUR INJECTION GEL PART A 4178 SIKADUR INJECTION GEL PART B 4180 INVADE AIR VERY BERRY 4181 PYROSEAL	JASCO CHEMICAL CORP. SIKA CORPORATION SIKA CORPORATION CNS INDUSTRIES THE RECTORSEAL CORPORATION SUPER-KRETE INTERNATIONAL INC.	Paint Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	shall coordinate a meeting with the manufacturer for further ingredient	GOOD ventilation. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. SANDING OF THE CURED PRODUCT IS NOT ALLOWED FOR IT WILL GENERATE TALC DUSTS. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. AVOID STRONG OXIDIZERS, ALKAUS AND ACIDS. TURN DUT ALL ELECTRIC UGHTS. PILOT LIGHTS DURING APPUCATION. FOLLOW MANUFACTURER'S LABEL. IF FEL IS EXCEEDED USE ORGANIC VAPOR RESPIRATOR. KEEP AWAY FROM HEAT, FLAME OR SPARKS. APLLY WHEN AREA IS UNOCCUPIED. WEAR DUST MASK, RUBBER GLOVES AND SAFETY GLASSES. USE WITH GOOD VENTILATION. FOLLOW MANUFACTURER'S LABEL. THE MATERIAL MAY GENERATE FORMALDEHYDE WHEN HEATED. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. WARRING: THIS PRODUCT CONTAINS A PROPOSITION 65 CHEMICAL, A CANCER CAUSING SUBSTANCE KNOWN 10 THE STATE OF CALIFORNIA. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4186 RIDGID PREMIUM DARK THREAD CUTTING OIL	RIDGID TOOL COMPANY	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4187 RIDGE PREMIUM NUCLEAR THREAD CUTTING OIL	RIDGID TOOL COMPANY	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
4107		mantenance and operations models	ALLIGATED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. Avoid excessive heat, sparks
4188 35 3546 ASTM RAW LINSEED OIL	CARGILL, INC.	Maintenance and Operations Products	APPROVED		open flames.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4190 XP-1 GLASS FABRICATION AND GRINDING FLUID	EASTECH, LLC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4190 AT TODAGETABRICATION AND CRIMENTO LEGIS	ENOTEON, E.O.	Maintenance and operations Froducts	AFFROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4191 S50 GLASS CLEANER	C.R. LAURENCE CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If the described symptoms occur, wear NIOSH approved P10
4193 KL NEUTRAL CLEANER PACKETS (2X90/.5 OZ)	STEARNS PACKAGING CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4193 KENEDIKAL CILANEK FACKETS (2x30).3 OZ)	STEAKING FACKAGING COKFOKATION	Maintenance and operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved P100
4194 STEARNS DET/DISINFECT PACKETS-2X90/.50Z	STEARNS PACKAGING CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR RRUSH-ON APPLICATION OLITOGORS BY POOFING STAFF O	R GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4195 ELASTAHYDE #790 AFC	WESTERN COLLOID S.C., INC.	- 4 - 1 .		CONTRACTORS ONLY.	
4195 ELASTAHYDE #790 AFC	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	CONTRACTORS ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY. APPLY USING	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4196 ELASTOMERIC ASPHALT EMULSION	WESTERN COLLOID S.C., INC.	Roofing Products	APPROVED	MOP/BRUSH METHODS ONLY.	respirator. Follow manufacturer's label.
		-			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4197 PWE 14 PERMA-SER WET EDGE EXTENDER	DUNN-EDWARDS CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4198 GOJO NATURAL ORANGE LOTION HAND CLEANER	GO-JO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4199 TERMINATOR II	VISTA PAINT CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4199 12.00	VIDIATAIN COM CIANON	rdint rioducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				THIS PRODUCT IS APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL	
4200 MANAGE TURF HERBICIDE	MONSANTO COMPANY	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
4200 MANAGE TURF HERBICIDE	MONSANTO COMPANY	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label.
4200 MANAGE TURF HERBICIDE	MONSANTO COMPANY	Pesticide/Herbicide Products	APPROVED	TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge
4200 MANAGE TURF HERBICIDE 4202 ROACH X BORIC ACID PASTE 35%	MONSANTO COMPANY WELLA LABS	Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	TECHNICIANS ONLY. APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label.
					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical spirash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with
					cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label.
					cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical spirash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with
4202 ROACH X BORIC ACID PASTE 35%	WELLA LABS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4202 ROACH X BORIC ACID PASTE 35%	WELLA LABS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA	WELLA LABS JOHNSON WAX PROFESSIONAL	Pesticide/Herbicide Products Floor Care Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with SOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4202 ROACH X BORIC ACID PASTE 35%	WELLA LABS	Pesticide/Herbicide Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA	WELLA LABS JOHNSON WAX PROFESSIONAL	Pesticide/Herbicide Products Floor Care Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA	WELLA LABS JOHNSON WAX PROFESSIONAL	Pesticide/Herbicide Products Floor Care Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA	WELLA LABS JOHNSON WAX PROFESSIONAL	Pesticide/Herbicide Products Floor Care Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash gaggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35%. 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35%. 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOD0 ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOD0 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOD0 ventilation. If PEL is exceeded, wear NIOSH approved PI00 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOD0 ventilation. If PEL is exceeded, wear NIOSH approved proportion goggles. Use with GOD0 ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35%. 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If Symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. Use with GOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cortridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventillation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved procurer vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If Symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved proporting to cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150 4209 COURT PREP	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC. HILLYARD INDUSTRIES	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If symptoms occur, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC.	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GODO ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150 4209 COURT PREP	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC. HILLYARD INDUSTRIES	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If Symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4202 ROACH X BORIC ACID PASTE 35% 4203 VECTRA 4205 ACOUSTONE ACOUSTICAL CEILING PANELS AND TILES 4206 PENNZKUT B METALWORKING OILS 4207 STAY SOFT PUTTY 4208 HIT HY 150 4209 COURT PREP	WELLA LABS JOHNSON WAX PROFESSIONAL USG INTERIORS INC. PENNZOIL PRODUCTS COMPANY BLACK SWANN MANUFACTURING CO. HILTI CONSTRUCTION CHEMICALS, INC. HILLYARD INDUSTRIES	Pesticide/Herbicide Products Floor Care Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If Symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If the described symptoms occur, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4217 SIKADUR 32 HI MOD LPL PART A/B	SIKA CORPORATION	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4218 SIKADUR 32 HI MOD PART A/B	SIKA CORPORATION	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					If symptoms occur, wear NIOSH approved organic vapor cartridge respirator.
4219 CITRUS GREEN DISH DETERGENT	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4219 OTROS CREEK DIOT BETEROERY	TROCEAR OF AREONA, INC.	wantenance and operations Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4220 CUTTS ALL	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4221 DEGREASER CLEANER	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4225 GREASE TRAP ZAP	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. This product is flammable
					• .
4226 4TOI WINDOW CLEANER	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		should be used away from
					If symptoms occur, wear NIOSH approved organic vapor cartridge respirator
4228 POTLICKER HAND DISH DETERGENT	PROCLEAN OF ARIZONA, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved P100 cartridge
4229 COLOR BRITE	GREENLINE LABORATORIES	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge
INI 1771 0404	UNI-KEM INC.			APPROVED FOR USE BY THE HVAC DEPARTMENTS ONLY.	
4230 UNI-KEM 9434	UNI-KEM INC.	HVAC Products	APPROVED	APPROVED FOR USE BY THE HVAC DEPARTMENTS ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4231 AK-013 ALL PURPOSE SPRAY	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartridge
4232 AK-011 TILE, CHROME & PORCELAIN	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				FOR USE BY THE ROOFING STAFF ONLY. REMOVE CONTACT LENSES BEFORE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4233 SILPRUF	GE SILICONES	Roofing Products	APPROVED	USE.	cartridge respirator. Follow manufacturer's label.
4233 SILI NOI	GE SILICONES	Rooming Froducts	AFFROVED	USE.	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4234 SANITARY 1700	GE SILICONES	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY CONTRACTORS AND TRAINED MAINTENANCE AND	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				OPERATIONS STAFF ONLY IN CONSTRUCTION AREAS OR DURING NON-	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4237 AC-20 ACRYLIC LATEX PLUS SILICONE	PECORA CORPORATION	Roofing Products	APPROVED	SCHOOL HOURS.	cartridge respirator. Follow manufacturer's label.
		-			THE MANUFACTURER NOW USES ENVIROLITE FROM SHELL AS THEIR PAINT THINNER
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organ
	STARTEX CHEMICAL INC.				
4241 ENVIROLITE SOLVENT	STARTEX CHEMICAL, INC.	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4242 FIXALL	CUSTOM BUILDING PRODUCTS.INC.	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4246 FORBO T-940 ADHESIVE	FORBO INDUSTRIES INC.	Floor Care Products	APPROVED	APPROVED FOR FLOORING STAFF USF ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridae respirator. Follow manufacturer's label.
4246 FORBO T-940 ADHESIVE	FORBO INDUSTRIES INC.	Floor Care Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
4246 FORBO T-940 ADHESIVE 4247 LIFESPAN MG	FORBO INDUSTRIES INC. BENTLEY CARPETS	Floor Care Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
				APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4247 LIFESPAN MG	BENTLEY CARPETS	Maintenance and Operations Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4247 LIFESPAN MG	BENTLEY CARPETS	Maintenance and Operations Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4247 LIFESPAN MG	BENTLEY CARPETS	Maintenance and Operations Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4247 LIFESPAN MG	BENTLEY CARPETS	Maintenance and Operations Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4247 LIFESPAN MG 4248 HEALTHBOND 3000	BENTLEY CARPETS RESOURCE TECHNOLOGIES; INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If described symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label.
4247 LIFESPAN MG 4248 HEALTHBOND 3000	BENTLEY CARPETS RESOURCE TECHNOLOGIES; INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Follow manufacturer is label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with 6000 venillation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with 6000 ventilation. If described symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with
4247 LIFESPAN MG 4248 HEALTHBOND 3000	BENTLEY CARPETS RESOURCE TECHNOLOGIES; INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR FLOORING STAFF USE ONLY APPROVED FOR USE BY ROOFING STAFF ONLY. USE WET METHODS, WATER SUPPRESSED SAW/GRINDER TO MINIMAZE EXPOSURE TO DUST.	cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If described symptoms occur, wear NIOSH approved organ vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4251 BC-158 ALL COLORS EXCEPT 345	PECORA	Roofing Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
4252 PECORA 864	PECORA CORPORATION	Roofing Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
4252 FECORA 604	PECORA CORPORATION	Rooting Products	APPROVED		vapor cartriage respirator. Follow manufacturer's label.
				Approved for use by contractors and by trained Maintenance &	
				Operations staff only. Use indoors only in unoccupied areas or after	
4254 BA-98	PECORA CORPORATION	Carpentry/ Construction Product	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and
				Approved for use by contractors and trained Maintenance &	
4257 TREMFLEX 834 ACRYLIC LATEX CAULK	TREMCO LTD.	Roofing Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
				.,,	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
4258 TREMFLEX 834 - SPECIAL COLOURS (925)	TREMCO LTD.	Roofing Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1259 TREMFLEX 834-SPECIAL COLOURS (S39)	TREMCO LTD.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
233		Rooming Froducts	AITROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If described symptoms occur, wear NIOSH approve
260 SPECTREM 1	TREMCO LTD.	Roofing Products	APPROVED	APPROVED FOR OUTDOOR USE BY ROOFING STAFF ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
262 SMOKE & ODOR REMOVER IX	NATURAL SOLUTIONS	OEUS Broducts	APPROVED		
SMOKE & ODOK REMOVER IX	NATIONAL SOLUTIONS	OEHS Products	AFFROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4267 KRYLON HOME DÉCOR DURABLE LATEX SPRAY - 4	SHERWIN-WILLIAMS CO.	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge. Follow manufacturer's label.
1268 CLEARY ROACH TERMINAL	CLEARY CHEMICAL CORPORATION	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY THE PEST MANAGEMENT STAFF ONLY	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1270 ENDURAWALL	DUNN-EDWARDS CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrid
1272 FORMULA 86'D	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	facepiece respirator. Follow manufacturer's label.
12/2		mantenance and operations froducts	ATTROVED		USE WET METHODS WHEN CUTTING, DRILLING OR SANDING TO AVOID GEN
					OF DUST. Wear nitrile rubber/neoprene gloves and chemical splash g
HARDIBACKER (MULTILAY), NON-ASBESTOS DISCRETE FIBER-					with GOOD ventilation. If cutting, drilling or sanding, wear NIOSH appro
4273 CEMENT B	JAMES HARDIE BUILDING PRODUCTS	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear leather gloves and a protective brazing lens, #3 or darker. Use v
1274 ULTRA-FLOW BRAZING ALLOY	X-ERGON, A PARTSMASTER CO., DIV OF NCH	Floor Care Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	exhaust or a supplied air respirator. Follow manufacturer's label.
12/4		Tiodi Gare Froducts	ATTROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1278 CHILDERS CP-50AMVI	FOSTER PRODUCTS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
279 FOSTER 30-36	FOSTER PRODUCTS CORPORATION	Bullet Book divists	APPROVED		cartridge respirator. Follow manufacturer's label.
127g 10012R00 00	1 SSTEAT RODGETS CONFORMIUN	Paint Products	AFFROVED		• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
280 NON-FLAM METAL CLEANER & DEG					ooob vonalation. Il i Ecito exceeded, wear moon approved organic vo
	ISI-POLY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
	ISI-POLY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
	ISI-POLY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
ADD SATINGIO				APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve
4281 SATIN GLO	ISI-POLY MAINTEX INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label.
4281 SATIN GLO				APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD verillation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
4281 SATIN GLO				APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD verillation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
				APPROVED FOR USE BY MAINTENANCE STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD verillation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/ neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/ neoprene gloves and chemical splash goggles. U GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
	MAINTEX INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NiOSH approver vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
1282 HALOCARBON R-401A	MAINTEX INC. AIRGAS INC.	Maintenance and Operations Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approver vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A)	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
4282 HALOCARBON R-401A 4283 FRIGC, FR-12 REFRIGERANT (R416A)	MAINTEX INC. AIRGAS INC.	Maintenance and Operations Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approver vapor cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A) 1284 WINNING HANDS PEARUZED PINK LOTION HAND CLEANER	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A) 284 WINNING HANDS PEARLIZED PINK LOTION HAND CLEANER 285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waern ritrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Waern ritrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEI, is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wearn ritrilie rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEI, is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label.
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A) 284 WINNING HANDS PEARLIZED PINK LOTION HAND CLEANER 285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitriie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash gaggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label. Follow manufacturer's label.
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A) 1284 WINNING HANDS PEARUZED PINK LOTION HAND CLEANER 1285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
1282 HALOCARBON R-401A 1283 FRIGC, FR-12 REFRIGERANT (R416A) 284 WINNING HANDS PEARLIZED PINK LOTION HAND CLEANER 285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If described symptoms occur, wear NIOSH approve vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
4282 HALOCARBON R-401A 4283 FRIGC, FR-12 REFRIGERANT (R416A) 4284 WINNING HANDS PEARLIZED PINK LOTION HAND CLEANER 4285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If described symptoms occur, wear NiOSH approved vapor cartridge respirator. Follow manufacturer's label. Waar nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label.
4282 HALOCARBON R-401A 4283 FRIGC, FR-12 REFRIGERANT (R416A) 4284 WINNING HANDS PEARUZED PINK LOTION HAND CLEANER 4285 KNUCKLE UNDER ORANGE	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation if PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
4281 SATIN GLO 4282 HALOCARBON R-401A 4283 FRIGC, FR-12 REFRIGERANT (R416A) 4284 WINNING HANDS PERJUZED PINK LOTION HAND CLEANER 4285 KNUCKLE UNDER ORANGE 4286 LOYAL PUMICE GEL WATERLESS HAND CLEANER	MAINTEX INC. AIRGAS INC. INTERCOOL ENERGY CORPORATION BETCO CORPORATION BETCO CORPORATION	Maintenance and Operations Products HVAC Products HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY HVAC STAFF ONLY. APPROVED FOR USE BY M&O STAFF ONLY.	cartridge respirator. Follow manufacturer's label. Waar nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Follow manufacturer's label for use instructions. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation if PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4288 S-400.S-500.S-600.S-4500.S-5000 PART A	SUMMITVILLE TILES	Carpentry/ Construction Product	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
4200 - 1-1/21/21/21/2		опротитут солинасионт годае.	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label.
					caranage respirator. Follow mandiacturers adder.
4289 S-400,S-500,S-600,S-4500,S-5000 PART B	SUMMITVILLE TILES	Carpentry/ Construction Broduct	APPROVED	FOR FLOORING USE ONLY	If PEL for particulates or nuisance dust is exceeded.
4203 0 400,0 000,0 000,0 4000,0 0000 FART D	OUTHINIT VILLE TILLO	Carpentry/ Construction Product	AFFROVED	Approved for use by contractors and trained Maintenance &	Tree particulation of manufact data to exceeded,
4290 732 Multi -Purpose Sealant (Clear)	DOW CORNING CORPORATION	Pollot Pos de esta	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
4291 DERMAPRO LOTION SKIN CLEANSER	GOJO INDUSTRIES, INC.	Paint Products		operations stair only.	Follow manufacturer's label.
4291 DERMAPRO LOTION SKIN CLEANSER	GOJO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
4292 WINDEX POWDERIZED FORMULA	DRACKETT PROFESSIONAL	Maintenance and Operations Products	APPROVED		gas cartridge respirator. Follow manufacturer's label.
					THIS EVALUATION IS FOR NUMBERS \$03405, 08, 09, & \$03410. APPROVED FOR
					OUTDOOR USE ONLY AND USE AWAY FROM IGNITION SOURCES. SEE CONTROL
					NUMBER 4399 FOR OTHER COLORS. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
					NIOSH approved organic vapor/P100 cartridge respirator. Follow manufact
4295 QUICK MARK INVERTED MARKING PAINTS	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
4296 WATER-BASED M/P-ALL COLORS	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	APPROVED FOR OUTDOOR USE ONLY. USE AWAY FROM INGITION SOURCES.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid gas cartrid
4298 ULTRA CARPET CARE / NEUTRALIZER	ULTRA CHEM INDUSTRIES LTD.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY OPERATIONS STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If described symptoms occur, wear NIOSH approved org
4299 AMR 101M, PART A & B	AMR INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
4233		maintenance and operations riodacts	AFFROVED		USE RESPIRATOR AS DESCRIBED BELOW DURING APPLICATION PROCESSES SUC
					SANDING. Wear standard work gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4302 EXTERIOR SPEEDY PATCH	MISSION STUCCO CO.	Malatan and On coding Burdent	APPROVED		respirator. Follow manufacturer's label.
4303 CS-15L LIQUID HAND SOAP	IMPERIAL WESTERN PRODUCTS	Maintenance and Operations Products			Follow manufacturer's label.
4303 CS TSEELQOID TIMING SOM	IMI ERIAE WESTERIY RODUCTS	Maintenance and Operations Products	APPROVED		
				THIS IS A DE CHANNETON OF THIS PROPRIET THIS PROPRIET IS APPROVED.	Wear nitrile rubber/neoprene gloves, chemical splash goggles and imper
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED	apron and boots during use. USE ONLY WITH GOOD VENTILATION AND DO NO
				FOR USE ONLY BY THE PLANT MANAGER AT EVANS ADULT SCHOOL DURING	IN CLOSED ROOMS. The user of this product shall adhere to all sections of the
4308 ULTRA 23	MISSION LABORATORIES	Floor Care Products	APPROVED	NON-SCHOOL HOURS.	Material Safety Data Sheet
					WARNING: Contains chlorine bleach. Do NOT mix with ammonia. Wear nitri
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respira
4310 INSTITUTIONAL AJAX CLEANSER WITH CHLORINE BLEACH	CPL INDUSTRIES	Maintenance and Operations Products	APPROVED	APPROVED FOR ONE-TIME USE AT BROAD AVENUE ELEMENTARY SCHOOL.	Follow manufacturer's label.
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4311 RESOLVE PROCARE CARPET DEODORIZER	NATIONAL LABORATORIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4312 BONATECH BONASEAL BRAND WOOD FLOOR SEALER	BONAKEMI USA, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR ONE-TIME USE AT BROAD AVENUE ELEMENTARY SCHOOL.	cartridge respirator. Follow manufacturer's label.
4313 BLEACH	THE DARRON COMPANY, INC.	Cleaning Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				APPROVED FOR USE BY PAINT, CARPENTRY AND FURNITURE REPAIR STAFF	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4314 WOOD DOUGH - ALL COLORS	DAP INC.	Paint Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
			, 		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
				APPROVED FOR USE BY PAINT, CARPENTRY AND FURNITURE REPAIR STAFF	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4315 FAMOWOOD WOOD FILLER - ALL COLORS	ECLECTIC PRODUCTS, INC.	Paint Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
7910		- G. I.C. F. FOUGUES	A. FROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
				APPROVED FOR USE BY PAINT, CARPENTRY AND FURNITURE REPAIR STAFF	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				ONLY.	
4010 MOOD BATCH	DADIMODTH COMPANY DIVISION OF SHOOM PROVIDED TO	Delet Desidents			cartridge respirator. Follow manufacturer's label.
4316 WOOD PATCH	DARWORTH COMPANY DIVISION OF ENSIGN-BICKFORD INDUS	Paint Products	APPROVED	OIL.	
				O.E.	Follow manufacturer's label for normal consumer use. This approval does
4316 WOOD PATCH 4317 ANTIBACTERIAL FANTASTIK ALL PURPOSE CLEANER	DARWORTH COMPANY DIVISION OF ENSIGN-BICKFORD INDUS	Paint Products Maintenance and Operations Products	APPROVED APPROVED	O.E.	Follow manufacturer's label for normal consumer use. This approval does apply to plug-in type products.
					Follow manufacturer's label for normal consumer use. This approval does apply to plug-in type products. RE-EVALUATED ON 1/31/03. Wear nitrile rubber/neoprene gloves and chem
4317 ANTIBACTERIAL FANTASTIK ALL PURPOSE CLEANER	S.C. JOHNSON & SON, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label for normal consumer use. This approval does apply to plug-in type products. RE-EVALUATED ON 1/31/03. Wear nitrile rubber/neoprene gloves and chem splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
4317 ANTIBACTERIAL FANTASTIK ALL PURPOSE CLEANER 4318 ELASTODECK BT (B-COMPONENT) ISOCYANATE FREE POLYUREA	S.C. JOHNSON & SON, INC. PACIFIC POLYMERS INTERNATIONAL, INC.				Follow manufacturer's label for normal consumer use. This approval does
4317 ANTIBACTERIAL FANTASTIK ALL PURPOSE CLEANER	S.C. JOHNSON & SON, INC. PACIFIC POLYMERS INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED	see 3951: APPROVED FOR CONTRACTOR USE ONLY, DURING NON-SCHOOL	Follow manufacturer's label for normal consumer use. This approval does apply to plug-in type products. RE-EVALUATED ON 1/31/03. Wear nitrile rubber/neoprene gloves and chemi splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
4317 ANTIBACTERIAL FANTASTIK ALL PURPOSE CLEANER 4318 ELASTODECK BT (8-COMPONENT) ISOCYANATE FREE POLYUREA	S.C. JOHNSON & SON, INC. PACIFIC POLYMERS INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label for normal consumer use. This approval do- apply to plug-in type products. RE-EVALUATED ON 1/31/03. Wear nitrile rubber/neoprene gloves and cher splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOS

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrid
4320 SLICK POINT OILER	DYNA SYSTEMS A PARTMASTER CO DIV OF NCH	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
AND OURS WEIGHT WEIGHRIE WALKENAUGHAN BOLLO	O ADURE CONTROL MOODDODATED			ADDROVED FOR ROOFING STAFF USE ONLY	
4323 SURE-WELD HEAT WELDABLE WALKWAY ROLLS	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	APPROVED FOR ROOFING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4324 SURE-WELD PIPE SEAL	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	APPROVED FOR ROOFING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4325 SURE-WELD FLASHING	CARLISLE SYNTEC INCORPORATED			APPROVED FOR ROOFING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
4325 SURE-WELD FLASHING	CARLISLE SYN IEC INCORPORATED	Roofing Products	APPROVED	APPROVED FOR ROOFING STAFF USE ONLY	• '
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
4326 SURE-WELD UNIVERSAL INSIDE/OUTSIDE CORNERS	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	APPROVED FOR ROOFING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
4327 ROOFING & CONSTRUCTION PRODUCTS	OLYMPIC MANUFACTURING GROUP, INC.	Roofing Products	APPROVED		Follow manufacturer's label.
					Mean pitrile who evince property and abomical aplach accades He
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
4328 STEVENS EP ROOFING MEMBRANE	STEVENS ROOFING SYSTEMS	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY.	vapor cartridge respirator. Follow manufacturer's label.
4331 ICON (MILL STYLE #8858)	MELFABCO, INC.	Maintenance and Operations Products	APPROVED	THIS PRODUCT IS REGISTERED WITH THE STATE FIRE MARSHALL (F-23203)	Follow manufacturer's label.
		<u> </u>			
4332 ORBIT (MILL STYLE #8641)	MELFABCO, INC.	Maintenance and Operations 2	APPROVED	THIS PRODUCT IS REGISTERED WITH THE STATE FIRE MARSHALL (FA-23200).	Follow manufacturer's label
		Maintenance and Operations Products		THIS PRODUCT IS REGISTERED WITH THE STATE FIRE MARSHALL (FA-23200).	
4334 FLINTLASTIC STA, FLINTLASTIC STA PLUS	CERTAINTEED CORPORATION	Roofing Products	APPROVED		Follow manufacturer's label.
4335 YOSEMITE BUFFER BASE SHEET, ALL WEATHER EMPIRE BASE SHEET, M	CERTAINTEED CORPORTIAON	Roofing Products	APPROVED		Follow manufacturer's label.
4336 FLINTGLAS PLYSHEET TYPE IV, FLINTGLAS PREMIUM PLYSHEET TYPEVI	CERTAINTEED CORPORATION	Deading Draduate	APPROVED		Follow manufacturer's label.
		Roofing Products			
4337 FLEXIGLAS BASE SHEET, FR BASE SHEET, PREMIUM CAP SHEET 960	CERTAINTEED CORPORATION	Roofing Products	APPROVED		Follow manufacturer's label.
4338 FLINTLASTIC FR, FR CAP SHEET, PREMIUM FR-P	CERTAINTEED CORPORATION	Roofing Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4341 EXT SATIN ACCENT BASE 9670	BEHR PROCESS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4341 EXT GATHE AGGENT BAGE 6076	BETAT REGELEG COM CANTON	ruint rioducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4343 STA-KOOL	GARDNER ASPHALT CORPORATION	Roofing Products	APPROVED	APPROVED FOR USE BY ROOFING STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Mixing of the product must be done outdoors and away from students
					Wear NIOSH approved P100 cartridge respirator if the PEL is exceeded.
	LA LIADDA PRODUCTO NO				
4344 LA HABRA EXTERIOR STUCCO	LA HABRA PRODUCTS INC.	Maintenance and Operations Products	APPROVED		contact with the mixed
1344 LA HABRA EXTERIOR STUCCO	LA HABRA PRODUCTS INC.	Maintenance and Operations Products	APPROVED		contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4344 LA HABRA EXTERIOR STUCCO	LA HABRA PRODUCTS INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR OUTDOOR USE BY PAINT STAFF ONLY. FLAMMABLE-USE AND	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
	LA HABRA PRODUCTS INC. AERVOE-PACIFIC COMPANY, INC.	Maintenance and Operations Products Paint Products	APPROVED APPROVED	APPROVED FOR OUTDOOR USE BY PAINT STAFF ONLY. FLAMMABLE-USE AND STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
					contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
4346 W/B STRIPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nittile rubber/neoprene gloves and chemical splash goggles. Us 6 GODD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var
4346 W/B STRIPING PAINT-ALL COLORS					contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
4346 W/B STRIPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's load. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
1346 W/B STRIPING PAINT-ALL COLORS 1347 18A1 STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC.	Paint Products Paint Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va carriridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1346 W/B STRIPING PAINT-ALL COLORS 1347 18A1 STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC.	Paint Products	APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 IBAI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC.	Paint Products Paint Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 4347 ISAI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAPINC:	Paint Products Paint Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC.	Paint Products Paint Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAPINC:	Paint Products Paint Products Adhesive Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAPINC:	Paint Products Paint Products Adhesive Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULLETIN NO. 86 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING Pix
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAPINC:	Paint Products Paint Products Adhesive Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULIETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIL THE THOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH THE THOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH
1346 W/B STRIPING PAINT-ALL COLORS 1347 ISAI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va gartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PI TET HIOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 ISAI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAPINC:	Paint Products Paint Products Adhesive Products	APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES.	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULIETIN NO. 68 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAININS PR THE THOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH reganic vapor cartridge respirator. Follow manufacturer's label. THE PI WAS EVALUATED FOR OUTDOOR USE ONLY.
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PR THE THIOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE FI MAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR
1346 W/B STRIPING PAINT-ALL COLORS 1347 18AI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PR THE THIOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE FI MAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR
4346 W/B STRIPING PAINT-ALL COLORS 4347 18A1 STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. THE THIOLON FIBERS USED. Wear goggles. If FEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE PI WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOURS WITH LOCAL EXHAUST VENTILATION. AVOID 6
4346 W/B STRIPING PAINT-ALL COLORS 4347 18A1 STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPICTY NON-LEAD CONTAINING PI TET HIOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH ORGANICATE ORGANICATE ORGANICATE ORGANICATE ORGANICATE ORGANICATE ORGANICATE THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOUSE WITH LOCAL EXHAUST VENTILLATION. AVOID OR DUST MAKING SILICA A JIRBORNE. Wear safety goggles. Use with GOOD w
1346 W/B STRIPING PAINT-ALL COLORS 1347 IBAI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN 1350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va carriridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. BULIETIN NO. 68 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PI THE THIOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH arganic vapor cartridge respirator. Follow manufacturer's label. THE PI WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINGOENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOURS WITH LOCAL EXHAUST VENTILATION. AVOID G DUST MAXING SILICA AIRBORNE. Wear safety goggles. Use with GOOD v PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follon
4346 W/B STRIPING PAINT-ALL COLORS 4347 IBAI STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN 4350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIR THE THICLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE FI WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOUSE WITH LOCAL EXHAUST VENTILATION. AVOID G DUST MAKING SILICA AIRBORNE. Wear safety goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4346 W/B STRIPING PAINT-ALL COLORS 4347 IBAI STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN 4350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIR THE THICLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE FI WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOUSE WITH LOCAL EXHAUST VENTILATION. AVOID G DUST MAKING SILICA AIRBORNE. Wear safety goggles. Use with GOOD ver PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
1346 W/B STRIPING PAINT-ALL COLORS 1347 IBAI STRIPPING PAINT-ALL COLORS 1348 CAULK BE GONE 1349 CLEANER AND CONDITIONER OR ULTRA CLEAN 1350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PH THE THICLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE PI WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DUR SCHOOL OPERATING HOURS WITH LOCAL EXHAUST VENTILATION. AVOID of DUST MAKING SILICA AIRBORNE. Wear safety goggles. Use with GOOD w PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4346 W/B STRIPING PAINT-ALL COLORS 4347 18AI STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN 4350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC SUPER-KRETE INTERNATIONAL INC.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us 0.6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vary cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us 0.6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vary cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us 0.6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vary cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us 0.6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vary cartridge respirator. Follow manufacturer's label. BULLETIN NO. 68 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIC THE THOLON FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE PR WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS BILCA A CARCINOGENIC SUBSTANCE. USE DURI SCHOOL OPERATING HOURS WITH LOCAL EXHAUST VENTILATION. AVOID G DUST MAKING SILCA A BREORNE. Wear safety goggles. Use with 0000 ver PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label. Wear safety goggles. Use with 6000 ventilation. If PEL is exceeded, wear NIOSH was proved for the proved proposed to the proved proposed prop
4346 W/B STRIPING PAINT-ALL COLORS 4347 IBAI STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN 4350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC SUPER-KRETE INTERNATIONAL INC.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. BULLETIN NO. 68 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIC THE THOLON FIBERS USED. Wear goggles. Us PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. THE FR WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE USE DUR SCHOOL OPERATING HOURS WITH LOCAL EXHAUST VENTILLATION. AVOID G DUST MAXING SILICA AIRBORNE. Wear safety goggles. Use with GOOD ve PEL is exceeded, wear NIOSH approved PIOD cartridge respirator. Follow manufacturer's label. Wear safety goggles. Use with GOOD ventilation. If PEL is exceeded, we approved PIOD cartridge respirator. Follow manufacturer's label. Wear safety goggles. Use with GOOD ventilation. If PEL is exceeded, we
4344 LA HABRA EXTERIOR STUCCO 4346 W/B STRIPING PAINT-ALL COLORS 4347 18AI STRIPPING PAINT-ALL COLORS 4348 CAULK BE GONE 4349 CLEANER AND CONDITIONER OR ULTRA CLEAN 4350 THIOLON LSR PE FIBERS OR POLYLOOM PE FIBERS 4351 S-9300 SUPER-CRETE BOND-KOTE 4352 S-9304 SUPER-CRETE MICRO-BOND	AERVOE-PACIFIC COMPANY, INC. AERVOE-PACIFIC COMPANY, INC. DAP INC. ULTRA CHEM INDUSTRIES LTD. AVTURE LLC SUPER-KRETE INTERNATIONAL INC.	Paint Products Paint Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	STORE AWAY FROM IGNITION SOURCES:	contact with the mixed Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. BULLETIN NO. 66 MUST BE ENFORCED. SPECIFY NON-LEAD CONTAINING PIK THE THICOMS FIBERS USED. Wear goggles. If PEL is exceeded, wear NIOSH organic vapor cartridge respirator. Follow manufacturer's label. THE FR WAS EVALUATED FOR OUTDOOR USE ONLY. THIS PRODUCT CONTAINS SILICA A CARCINOGENIC SUBSTANCE. USE DURI SCHOOL OPERATING HOUSE WITH LOCAL EXHAUST VENTILATION. AVOID 6 DUST MAKING SILICA AIRBORNE. Wear safety goggles. Use with GOOD ve FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.

					APPLY PRODUCTS IN AREAS INACCESSIBLE TO CHILDREN ONLY. DO NOT USE IN ARE
					OF FOOD HANDLING ESTABLISHMENT. AVOID CONTACT WITH SKIN AND EYES. FOR
					OUTDOOR USE ONLY. Wear chemically-resistant glove and chemical splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
4354 DRAX LIQUIDATOR LIQUID ANT BAIT SYSTEM	WATERBURY COMPANIES, INC.	Pesticide/Herbicide Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use o
					in well-ventilated areas. Do not apply this product in ares where school staff of
4355 BURKE/Mannington MR-101	BURKE INDUSTRIES INC.	Adhesive Products	Approved	THIS PRODUCT REPLACES BURKE/MERCER BR-101.	students are present. Follow manufacturer's instructions.
4000,		Adicusto Froducto	Арріотов	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4356 H/B BLOCK FILLER	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4330 TIJ BLOCK TIELEK	TRAZEE INDUSTRIES, INC.	ruint rioducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
AND BUT CATHLOAD	RUST-OLEUM CORP.				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4357 INT. SATIN GAL.	RUST-OLEUM CORP.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridg
4360 BAR KEEPERS FRIEND	SERVAAS LABORATORIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4361 TIMBER FLEX PUTTY (PART A)	WOOD CARE SYSTEMS	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4362 TIMBER FLEX PUTTY (PART B)	WOOD CARE SYSTEMS	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					EXPOSURE MONITORING MUST BE CONDUCTED IN ORDER TO DETERMINE THE NEED
					FOR RESPIRATORY PROTECTION. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
4363 KODAK T-MAX DEVELOPER	EASTMAN KODAK COMPANY	Graphic Arts/Photography Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lal
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved respirator. Follow
4364 KODAK PHOTO-FLO 200 SOLUTION	EASTMAN KODAK COMPANY	Graphic Arts/Photography Products	APPROVED		manufacturer's label.
					EXPOSURE MONITORING MUST BE CONDUCTED IN ORDER TO DETERMINE THE NEED
					FOR RESPIRATORY PROTECTION. Wear nitrile rubber/neoprene gloves and
					chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear
4365 PRINTOL 12 PAPER DEVELOPER	NATIONAL RESEARCH AND CHEMICAL COMPANY	Cranbio Arta/Dhatagraphy Products	APPROVED		NIOSH approved organic vapor respirator. Follow manufacturer's label.
4303 PRINTOLIZ PAPER DEVELOPER	NATIONAL RESEARCH AND CHEMICAL COMPANY	Graphic Arts/Photography Products	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4366 NACCOFIX	NATIONAL RESEARCH AND CHEMICAL COMPANY		APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved dusts masks. Follow manufacturer's label.
4366 NACCOFIX	NATIONAL RESEARCH AND CHEMICAL COMPANY	Graphic Arts/Photography Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4367 EP6001A	PACKAGING SYSTEMS INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and safety goggles. Use sufficient local
					exhaust ventilation. If PEL is exceeded, wear NIOSH approved particulate
4368 TYPE S MORTAR	E-Z MIX INC.	Carpentry/ Construction Product	APPROVED		respirator. Follow manufacturer's label.
					AVOID GENERATING DUSTS. Use with GOOD ventilation. Wear NIOSH approved
4369 RAPID SET CEMENT	CTS CEMENT MANUFACTURING COMPANY	Carpentry/ Construction Product	APPROVED		particulate respirator and safety goggles. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and safety goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4370 SAFETY TWO	SURFACE TECH PRODUCTS/R.B. MORRISS CO. INC.	Carpentry/ Construction Product	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4373 RUBBER WALL BASE (VPI)	VPI, LLC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4375 NYLON FIBER	MONSANTO COMPANY	Carpentry/ Construction Product	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respire
4376 FORAPERLE 501	ELF ATOCHEM NORTH AMERICA, INC	Adhesive Products	APPROVED		Follow manufacturer's label.
4970 · Ente 001	oonem non mannay mo	Addresive Floducts	AFFROVED		EXERCISE CAUTION, THE PRODUCT IS CORROSIVE. Wear nitrile rubber/neoprene
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
TOTALINE SOUND SOULT TOTALINE	NORTH AMERICAN PERSONNEL				exceeded, wear NIOSH approved vapor cartridge respirator. Follow
4378 TOTALINE SOUND COIL CLEANER	NORTH AMERICAN RESEARCH CORPORATION	HVAC Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4380 EP6001B	PACKAGING SYSTEMS INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.

				THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, FOR OUTDOOR USE	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING	
AND DIVABULE SE SULVENIES (SEALED DADE A	SIKA GODDONATION				SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
4381 SIKADUR 55 SLV HEALER/SEALER-PART A	SIKA CORPORATION	Maintenance and Operations Products	APPROVED	APPLICATION OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIOINS AND CONTROL MEASURES.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED	
				CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. FOR OUTDOOR USE	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
4382 SIKADUR 55 SLV HEALER/SEALER-PART B	SIKA CORPORATION	Maintenance and Operations Products	APPROVED	APPLICATION OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4383 ER FAST SET RUBBERSIDEWALKS PART A	ERC IN RI	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 respirator. Follo
4385 VACUUM PUMP OIL	J/B INDUSTRIES INC	HVAC Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 respirator. Follo
4386 VACUUM PUMP OIL	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4388 SUPER 5 ALL PURPOSE CLEANER	C & W ENTERPRISES	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor respirato
4389 DESCALER FORMULA A	NATIONAL CHEMICAL	HVAC Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH particulate cartridge respirator
4390 CYANURIC ACID DRY	OCCIDENTAL CHEMICAL CORPORATION	HVAC Products	APPROVED	FOR SWIMMING POOL MAINTENANCE STAFF USE ONLY.	Follow manufacturer's label.
4530 517416116 7516 5111	SOURCE OF LANGUE SOME STATION	TIVAC FIOLICES	AFFROVED	TOR OTHER MORE OF SECULAR TO SECULE.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				FOR PAINTERS USE ONLY. EXTREMELY FLAMMABLE. KEEP AWAY FROM	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
439] KLEAN-STRIP LACQUER THINNER	MAA DADD S COMPANIV INC	Profess Providents	40000VED		
4391 KLEAN-STRIP LACQUER THINNER	W.M. BARR & COMPANY, INC.	Paint Products	APPROVED	SOURCES OF IGNITION.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved chlorine cartridge
4392 HTH SUPER SHOCK	ARCH CHEMICALS, INC.	HVAC Products	APPROVED	FOR SWIMMING POOL MAINTENANCE STAFF USE ONLY.	respirator. Follow manufacturer's label.
4393 SUNSWIPE SUNSCREEN TOWELETTE	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label
4333 SUISTIII E SUITSUNEER TOWELETTE	CRC INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4393 SUNSWIFE SUNSCIEEN TOWELETTE 4394 BRISTOL DR 8560	DRUMMOND AMERICAN CORPORATION	Maintenance and Operations Products Nursing Services Products	APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
				EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4394 BRISTOL DR 8560	DRUMMOND AMERICAN CORPORATION			EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation, if PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560	DRUMMOND AMERICAN CORPORATION	Nursing Services Products	APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products	APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation, if PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560	DRUMMOND AMERICAN CORPORATION	Nursing Services Products	APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products	APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products	APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products	APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products Adhesive Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products Adhesive Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION	Nursing Services Products Adhesive Products Adhesive Products	APPROVED APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GIUE	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GIUE 4397 HGP	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GIUE 4397 HGP	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GIUE 4397 HGP	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Mointenance and Operations Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitril rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Mointenance and Operations Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Mointenance and Operations Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL. FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GLUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hygiene Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GLUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hygiene Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow minufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GLUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hygiene Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hyglene Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hyglene Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GILE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL 4402 USR SALT REMOVER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Adhesive Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hygiene Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GILIE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC.	Nursing Services Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hyglene Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GIUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL 4402 USR SALT REMOVER 4404 1057V SPRAY MIST VANILLA	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Adhesive Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. CORROSIVE FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BULLDOG GRIP SUPER GEL 4396 BULLDOG GRIP SUPER GILE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL 4402 USR SALT REMOVER	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Adhesive Products Adhesive Products Adhesive Products Maintenance and Operations Products Maintenance and Operations Products Personal Hygiene Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GIUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL 4402 USR SALT REMOVER 4404 1057V SPRAY MIST VANILLA	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Adhesive Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. CORROSIVE FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Fellow manufacturer's label.
4394 BRISTOL DR 8560 4395 BUILDOG GRIP SUPER GEL 4396 BUILDOG GRIP SUPER GIUE 4397 HGP 4398 TRADEWINDS 4399 WORX ALL NATURAL HAND CLEANER 4401 SANI-GEL 4402 USR SALT REMOVER 4404 1057V SPRAY MIST VANILLA	DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION DRUMMOND AMERICAN CORPORATION STATE CHEMICAL MANUFACTURING COMPANY STATE CHEMICAL MANUFACTURING COMPANY WORX ENVIRONMENTAL PRODUCTS INC. AMERICAN INDUSTRIAL SUPPLY INC. AMERICAN INDUSTRIAL SUPPLY INC.	Adhesive Products Adhesive Products Adhesive Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. EXTREMELY FLAMMABLE MATERIAL FOR MAINTENANCE STAFF USE ONLY. CORROSIVE FOR MAINTENANCE STAFF USE ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4408 KINGCO GLENCOAT 181 DUCT SEALANT	TACC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
4409 EVERLAST TILE	DODGE-REGUPOL, INC.	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
4400		maintenance and operations i roducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
44]] DEPENDABLE CUTDOWN	DEPENDABLE CHEMICAL CO. INC.	Malatan and Constitute Bandons	APPROVED		
44 DEFENDABLE COTDOWN	DEPENDABLE CHEMICAL CO. INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4412 DP74004	BOSTIK FINDLEY, INC.	Paint Products	APPROVED	FOR MAINTENANCE STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate cart
4413 LESLIE'S POWER POWDER PLUS	PPG INDUSTRIES, INC.	Swimming Pool Products	APPROVED	ONLY TO BE USED BY SWIMMING POOL MAINTENANCE STAFF	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
4414 ULTRA PINK	ARCHER MANUFACTURING	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label.
4415 AMIGO D.C. DISINFECTANT CLEANER	ARCHER MANUFACTURING	Maintenance and Operations Products	APPROVED		Manufacturer provided needed information. Approved 03
		·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4416 CENTSABLE MAX DETERGENT DISINFECTANT	ARCHER MANUFACTURING	Maintenance and Operations Products	APPROVED	MANUFACTURER PROVIDED NEEDED INFORMATION. APPROVED 03-04-03L	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4417 CENTSABLE DISINFECTANT CLEANER	ARCHER MANUFACTURING	Mainton anno and Operations Brodusts	APPROVED	MANUFACTURER PROVIDED NEEDED INFORMATION. APPROVED 03-04-03LV	
	ARCHER MANUFACTURING	Maintenance and Operations Products		MANUFACTURER PROVIDED NEEDED INFORMATION, AFFROVED 03-04-03L	Cartriage respirator. Follow manufacturer's label.
4418 ULTRA ORANGE	ARCHER MANUFACTURING	Maintenance and Operations Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate cart
4419 OXONE	DUPONT CHEMICALS	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4420 GUARDEX SUPER OXIDIZER	ASEPSIS, INC.	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4421 SODA ASH	LOS ANGELES CHEMICAL	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4422 LESLIE'S ALKALINITY UP	FMC WYOMING CORPORATION	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor cart
4423 HYDROCHLORIC ACID	VARIOUS MANUFACTURERS	Swimming Pool Products	APPROVED	CORROSIVE, FOR SWIMMING POOL STAFF USE ONLY.	respirator. Follow manufacturer's label.
		3		·	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor carts
4424 MURIATIC ACID	VARIOUS MANUFACTURERS	Swimming Pool Products	APPROVED	CORROSIVE, FOR SWIMMING POOL MAINTENANCE USE ONLY.	respirator. Wear acid resistant apron or clothing. Follow manufacturer's lai
4424 MONATO AGIS	VARIOUS MARKET ACTURERS	Swiffining FoorFroducts	AFFROVED	CONTROL OF CONTRACTOR COST CONTROL COST CONTROL	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
A A A A A A A A A A A A A A A A A A A	LESLIE'S SWIMMING POOL SUPPLIES			FOR SWIMMING POOL STAFF USE ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4425 LESLIE'S CHLORINE NEUTRALIZER	LESLIE'S SWIMMING POOL SUPPLIES	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4426 LESLIE'S CHLOR BRITE	OCCIDENTAL CHEMICAL CORPORATION	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
4427 CP 643 FIRESTOP COLLAR	HILTI, INC.	Maintenance and Operations Products	APPROVED	FOR MAINTENANCE STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate res
4428 GUARDEX GIANT SIZE CHLORINATING TABLETS	ASEPSIS, INC.	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor car
4429 DPD POWDER	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	respirator. Follow manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4432 MEGATREAT SATIN MASONRY SEALER	MEGATREAT 2000	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
THE WASHINGTON ON THE MANDOTER! SERVER	EURINERI 2000	Corporary, Construction Froduct	ALLIKOVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wi
AAOO MAINDEDENV CONCRETE DATOURIO CONCRETE	CTC CEMENT MANUEACTURING COMPANY	0	4 DDD G:		GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate resp
4433 WUNDERFIXX CONCRETE PATCHING COMPOUND	CTS CEMENT MANUFACTURING COMPANY	Carpentry/ Construction Product	APPROVED		Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4434 MEGATREAT MASONRY BASECOAT	MEGATREAT 2000	Carpentry/ Construction Product	APPROVED		cartridge respirator. Follow manufacturer's label.
4404 INCOMMENT INFOOTHET DAGEGORY	MEGATIENT 2000	curpentry/ construction reduct	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
					cartridge respirator. Follow manufacturer's label.
4435 MEGATREAT SANDSTONE	MEGATREAT 2000	Carpentry/ Construction Product	APPROVED	FOR CARPENTRY SERVICES STAFF ONLY	Respiratory protection required if the product is sand
4436 MODULAR TILE POWERBOND ER3	COLLINS & AIKMAN FLOOR COVERINGS INC.	Carpentry/ Construction Product	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4437 RXII-FLUSH	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED	HVAC STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4438 RAPID SET STUCCO PATCH	CTS CEMENT MANUFACTURING COMPANY	Carpentry/ Construction Product	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4439 RAPID SET ONE PASS	CTS CEMENT MANUFACTURING COMPANY	Carpentry/ Construction Product	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor
4440 INDUSTRIAL METAL CLEANER	INDUSTRIAL METAL SUPPLY	Maintenance and Operations Products	APPROVED	FOR MAINTENANCE AND OPERATIONS USE ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4441 GUARDEX CHLORINATING CONCENTRATE	ASEPSIS, INC.	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor
4442 ISOCYANURIC ACID	SHIKOKU CHEMICALS CORPORATION	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4443 DPD REAGENT #3	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
4443 D.D. KENGERT 1/0	TATESK TESTINOLOSIES, INO	Swiffining Fooi Floddets	AFFROVED	TOR OTHER MINISTER COLUMN TO SECURE.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4444 TOTAL ALKALINITY INDICATOR	TAYLOR TECHNOLOGIES, INC		APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4444 TOTAL ALKALINITY INDICATOR	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4445 CALCIUM BUFFER	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED	MAY CAUSE SKIN AND EYE BURNS, FOR SWIMMING POOL STAFF USE ONLY.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved acid vapor
4446 SULFURIC ACID	TAYLOR TECHNOLOGIES, INC.	Swimming Pool Products	APPROVED	CORROSIVE, FOR SWIMMING POOL STAFF USE ONLY.	respirator. Follow manufacturer's label.
		<u> </u>			
		•			MAY CAUSE SKIN AND EYE BURNS. Wear nitrile rubber/neoprene gloves of
		· ·			chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded
4447 HARDNESS REAGENT	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label.
4447 HARDNESS REAGENT	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
		Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label.
	TAYLOR TECHNOLOGIES, INC AMERICAN INTERNATIONAL CHEMICAL	Swimming Pool Products Swimming Pool Products	APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4447 HARDNESS REAGENT 4448 POTASSIUM ALUM		-		FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate.
		-		FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label.
4448 POTASSIUM ALUM		-		FOR SWIMMING POOL STAFF USE ONLY. FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us
4448 POTASSIUM ALUM	AMERICAN INTERNATIONAL CHEMICAL	Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator, Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate
4448 POTASSIUM ALUM	AMERICAN INTERNATIONAL CHEMICAL	Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label.
	AMERICAN INTERNATIONAL CHEMICAL	Swimming Pool Products	APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products	APPROVED APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's lobel. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products	APPROVED APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products	APPROVED APPROVED		chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC.	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC.	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3603	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear later gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Wear later gloves and chemical splash goggles. Follow manufacturer's label. Wear later gloves and chemical splash goggles. Follow manufacturer's label. Wear later gloves and chemical splash goggles. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3803	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3603 4459 SUPERCO SUPER SHINE	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS SUPERCO (VALENCIA)	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY. FOR CARPENTERS' USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Tellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Woar nitrile rubber/neoprene gloves and chemical splash goggles. Semanufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3803	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3603 4459 SUPERCO SUPER SHINE	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS SUPERCO (VALENCIA)	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY. FOR CARPENTERS' USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Wear later gloves and chemical splash goggles. Follow manufacturer' wear nitrile rubber/neoprene gloves and chemical splash goggles. Dis manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4459 SUPERCO SUPER SHINE 4462 ACID DEMAND REAGENT (ADR)	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALITY PRODUCTS SUPERCO (VALENCIA) TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR CARPENTERS' USE ONLY. This product is approved for pool maintenance staff only.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Editow manufacturer's label. Wear intrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4458 SEEK #3603 4459 SUPERCO SUPER SHINE	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALTY PRODUCTS SUPERCO (VALENCIA)	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR SWIMMING POOL STAFF USE ONLY. FOR CARPENTERS' USE ONLY.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Evilow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Woarn nitrile rubber/neoprene gloves and chemical splash goggles. Evilopo ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4459 SUPERCO SUPER SHINE 4462 ACID DEMAND REAGENT (ADR)	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALITY PRODUCTS SUPERCO (VALENCIA) TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR CARPENTERS' USE ONLY. This product is approved for pool maintenance staff only.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vag cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vag cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vag cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vag cartridge respirator. Follow manufacturer's label.
4448 POTASSIUM ALUM 4449 CALCIUM INDICATOR LIQUID 4452 ADHESIVE GROUND COAT 4454 RED TOP GYPSUM PLASTER 4457 ONE STEP 4459 SUPERCO SUPER SHINE 4462 ACID DEMAND REAGENT (ADR)	AMERICAN INTERNATIONAL CHEMICAL TAYLOR TECHNOLOGIES, INC CHEMREX INC. USG INTERIORS INC. CNS INDUSTRIES SUPERCO SPECIALITY PRODUCTS SUPERCO (VALENCIA) TAYLOR TECHNOLOGIES, INC	Swimming Pool Products Swimming Pool Products Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	FOR CARPENTERS' USE ONLY. This product is approved for pool maintenance staff only.	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved particulate Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Evilow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow manufacturer's label. Woarn nitrile rubber/neoprene gloves and chemical splash goggles. Evilopo ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.

Approved for use by transener and operations staff and contractors only of unaccupied after or in construction areas during contractors only of unaccupied after or in construction areas during contractors only of unaccupied after or in construction areas during contractors and unage of unaccupied after or in construction areas during for product storage for the contract of unaccupied after or in construction areas during for product storage for the contract of unaccupied after or in construction areas during for product storage for a contract of unaccupied after or in construction areas during for product storage for a contract of unaccupied after or in construction areas during for product storage for product storage for a contract of unaccupied after or in construction areas during for product storage for a contract or in construction areas during for product storage for a contractor and a co
4466 BAR FLAME 200 WHITE LIFE PAINT CORP. Point Products APPROVED non-school hours. Follow the manufacturer's recommendations for product storage Warn filter ubber in represe gloves and chemical splaint groggle GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic GOOD ventilation. If Etil sexceeding were NIOSI approved organic contrider respirator. Follow manufacturer's label. 4477 BREAK OUT RECTORSAL HYAC Products APPROVED RESTRICT TO USE BY HYAC AND PULMBRIO STAFF Cortridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash gaggle 4487 6005, GREEN H-PERF. W/B TRAFFIC PAINT PETRON INTERNATIONAL INC. Paint Products APPROVED FOR EXTERIOR USE ONLY CONCEPTION FOR EXTE
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. 4467 6005, GREEN HI-PERF. W/B TRAFFIC PAINT PERFO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY OCTOBER PRINTED SET ONLY FOR EXTERIOR USE ONLY OCTOBER PRINTED SET ONLY O
4467 6005, GREEN H-PERF. W/B TRAFFIC PAINT PETRON INTERNATIONAL, INC. Paint Products APPROVED FOR EXTERIOR USE ONLY Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Paint Products APPROVED FOR EXTERIOR USE ONLY Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation. If PEL is exceeded, wear NIOSH approved organic advantage respirator. Follow manufacturer's label. Wear nitrile nubber / neoperate gloves and chemical splosth goggles (OCD ventilation.) ### APPROVED ### APP
Wear nitrille rubber/ neoprene gloves and chemical splash goggles GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic A469 8005, GREEN HI-PERF W/B TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY Cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/ neoprene gloves and chemical splash goggles GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic A470 8004, RED HI-PERF. WATER BORNE TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY Cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/ neoprene gloves and chemical splash goggles GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD vent
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic alpital approved organic contrider respirator. Follow manufacturer's label. APPROVED FOR EXTERIOR USE ONLY contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler and specific proportion. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler and specific proportion. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler and specific proportion. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label. Wear nitrie nubber/neoprene gloves and chemical splash goggler gloves. APPROVED Contrider respirator. Follow manufacturer's label.
4469 6005, GREEN HI-PERF W/B TRAFFIC PAINT PERV PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED FOR EXTERIOR USE ONLY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic and the products APPROVED GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler good ventilation. If PEL is exceeded, wear NIO
Wear nitrie rubber/neoprene gloves and chemical splash goggler 4470 6004, RED HI-PERF. WATER BORNE TRAFFIC PAINT PERVO PAINT CO. Paint Products APPROVED FOR EXTERIOR USE ONLY Cartridge respirator. Follow manufacturer's label. Wear nitrie rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler BOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler BOOD ventilation. If PEL is exceeded, wear NIOSH approved organic activities rubber/neoprene gloves and chemical splash goggler BOOD ventilation. If PEL is
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic address of the second of the period of the perio
4470 6004, RETURN TER BORNE TRAFFIC PAINT PERF. WATER BORNE TRAFFIC PAINT PROPERTY Glober and charmical splash goggle of the paint perf. Water bright perf. Paint Perf. Water Borne Traffic Paint Perf. Water Borne Traffic Paint Perf. Water Borne Traffic Paint Perf. Water Borne Paint Perf. Water Borne Traffic Paint Perf. Water Borne Traffic Paint Perf. Water Borne Paint Products Paint Paint Perf. Water Borne Traffic Paint Products Paint Pain
Wear nitrie rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. 4475 EXXON COMPRESSOR OIL EXXON MOBIL CORPORATION HVAC Products APPROVED Wear nitrie rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. Wear nitrie rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contrider respirator. Follow manufacturer's label. Wear nitrie rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. 4475 EXXON COMPRESSOR OIL EXXON MOBIL CORPORATION HVAC Products APPROVED APPROVED Wear nitride respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic contridge respirator. Follow manufacturer's label. Wear nitride respirator. Follow manufacturer's label. RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
4475 EXXON COMPRESSOR CILL EXXON MOBIL CORPORATION HVAC Products APPROVED Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. Ti PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. HVAC Products APPROVED cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic specification. If PEL is exceeded, wear NIOSH approved organic good or niter labels. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic good or niter labels.
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. 4476 BIG BLU RTI00, LEAK DETECTOR REFRIGERATION TECHNOLOGIES HVAC Products APPROVED cartridge respirator. Follow manufacturer's label. 4477 BREAK OUT RECTORSAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
4476 BIG BLU RTIO0, LEAK DETECTOR REFRIGERATION TECHNOLOGIES HVAC Products APPROVED cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggler GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic 4477 BREAK OUT RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash goggle GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic 4477 BREAK OUT RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic 4477 BREAK OUT RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
4477 BREAK OUT RECTORSEAL HVAC Products APPROVED RESTRICT TO USE BY HVAC AND PLUMBING STAFF cartridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash goggle.
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
cartridge respirator. Follow manufacturer's label.
\$ - T
4478 RHINO FILLI DRY TPS COATINGS Maintenance and Operations Products APPROVED APPROVED FOR MAINTENANCE USE ONLY Approved respiratory protection shall be worn to drill
Wear nitrile rubber/neoprene gloves and chemical splash goggle
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
cartridge respirator. Follow manufacturer's label.
Contrage represent 1 and 1 manufacture 3 accounts
4479 RHINO FILLI LIQUID TPS COATINGS Maintenance and Operations Products APPROVED APPROVED FOR MAINTENANCE USE ONLY Approved respiratory protection shall be worn to drill
THIS IS A "HI" EPA APPROVED LUBRICIANT Wear nitrile rubber/neoprer
chemical splash goggles. Use with GOOD ventilation. If PEL is excee
4480 BEL-REY NO-TOX HD GREASE # 2 BEL-RAY CO, INC. Maintenance and Operations Products APPROVED NIOSH approved organic vapor cartridge respirator. Follow manuf
Wear nitrile rubber/neoprene gloves and chemical splash goggle
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4481 TURBINE OIL R & O ROSEMEAD OIL PRODUCTS, INC Maintenance and Operations Products APPROVED contridge respirator. Follow manufacturer's label.
4492 UPS THERMAPLEX FOODLIBE BEARING GREASE UPS LABORATORIES, INC. Mointenance and operations Products APPROVED Follow manufacturer's label.
<u> </u>
·
Wear nitrile rubber/neoprene gloves and chemical splash goggles
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY cartridge respirator AND chemical resistance protective clothing a
4486 HANDI-FOAM TWO COMPONENT FOMO PRODUCTS, INC. Roofing Products APPROVED ROOFING STAFF ONLY 'B'. Follow manufacturer's
Wear nitrile rubber/neoprene gloves and chemical splash goggle
VERY FLAMMABILE, APPROVED FOR USE BY PAINT DEPARTMENT STAFF OR GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4487 ULTRASHIELD, CLEAR IP631 DUNN-EDWARDS CORP. Paint Products APPROVED LICENSED CONTRACTOR USE, ONLY WHEN STUDENTS ARE NOT PRESENT. cartridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash goggle
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4489 AQUAPELL 4300 MONOPOLE INC. U.S. SPECIALTY COATINGS Paint Products APPROVED cartridge respirator. Follow manufacturer's label.
Wear nitrile rubber/neoprene gloves and chemical splash goggle
GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED contridge respirator. Follow manufacturer's label.
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED cartridge respirator. Follow manufacturer's label.
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED contridge respirator. Follow manufacturer's label. 4491 SPILL MAGIC MAGIC 4, INC. Maintenance and Operations Products APPROVED Follow manufacturer's label.
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED cartridge respirator. Follow manufacturer's label. 4491 SPILL MAGIC MAGIC 4, INC. Maintenance and Operations Products APPROVED Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggle
4491 SPILL MAGIC Maintenance and Operations Products APPROVED cartridge respirator. Follow manufacturer's label. 4491 SPILL MAGIC MAGIC 4, INC. Maintenance and Operations Products APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED 4491 SPILL MAGIC MAGIC 4, INC. Maintenance and Operations Products APPROVED APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD worm undicuturer's lobel. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD worm undicuturer's lobel. GOOD worm undicuturer's lobel. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD worm undicuturer's lobel. GOOD worm undicuturer's lobel.
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED cartridge respirator. Follow manufacturer's label. 4491 SPILL MAGIC MAGIC 4, INC. Maintenance and Operations Products APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY 4492 QUICKDRY ASPHALT PRIMER # 104 HENRY COMPANY Roofing Products APPROVED ROOFING STAFF ONLY Cartridge respirator. Follow manufacturer's label. 4492 QUICKDRY ASPHALT PRIMER # 104 HENRY COMPANY Roofing Products APPROVED ROOFING STAFF ONLY Cartridge respirator. Follow manufacturer's label. 4492 WICKDRY ASPHALT PRIMER # 104 HENRY COMPANY ROOFING Products APPROVED ROOFING STAFF ONLY Cartridge respirator. Follow manufacturer's label. 4492 WICKDRY ASPHALT PRIMER # 104 HENRY COMPANY ROOFING STAFF ONLY CARTRIDGE ROOFING STAFF ONLY Wear nitrile rubber/neoprene gloves and chemical splash goggles.
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY OGO Ventilation. If PEL is exceeded, wear NIOSH approved organic GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical splash goggler Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggler Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respir
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED 4491 SPILL MAGIC MGIC4, INC. Mdintenance and Operations Products APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical sploah goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical sploah goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Wear nitrile rubber/ neoprene gloves and chemical sploah goggler OGO Ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical sploah goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical sploah goggler APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Follow manufacturer's label. PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR S
4490 SEAL-CRETE, INC. Maintenance and Operations Products APPROVED APPROVED APPROVED APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic cartridge respirator. Follow manufacturer's label. Wear nitrid unbear/neoprene gloves and chemical splash goggle APPROVED ROOFING STAFF ONLY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY
4490 SEAL-KRETE SKID-PROOF EZ-COAT SEAL-CRETE, INC. Maintenance and Operations Products APPROVED 4491 SPILL MAGIC MGIC4, INC. Mdintenance and Operations Products APPROVED APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic APPROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY Contridge respirator. Follow manufacturer's label. FOR THE INSTITUTE STAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE SQUARE FOOT, BY FOR THE PROVED FOR SMALL AREA PATCH, LESS THAN ONE

4496 SAFECOAT SEMIGLOSS ENAMEL 4497 SAFECOAT NEW WALLBOARD PRIMECOAT HPV	AMERICAN FORMULATING & MANUFACTURING				Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
	AMERICAN FORMULATING & MANUFACTURING				vicar name rapper, neep one groves and enermed sprash goggress of
	AMERICAN FORMULATING & MANUFACTURING				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
AAOT SAEECOAT NEW WALLDOADD DDIMECOAT LIDV		Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
AAOZ SAECOAT NEW WALLDOADD DDIMECOAT LIDV					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4407 SAEECOAT NEW WALLBOARD DRIMECOAT HRV					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
	ALIFBIO ALIFORNIII ATINO S MANUELOTURINO				
449/ SALECCAT NEW WALEBOARD FRINIECCAT III V	AMERICAN FORMULATING & MANUFACTURING	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4498 SAFECOAT TRANITIONAL PRIMER	AMERICAN FORMULATING & MANUFACTURING	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4499 NOKORODE AQUA FLUX	THE RECTORSEAL CORPORATION	Malatan and Consellant Books to	APPROVED	APPROVED FOR METAL SHOP STAFF ONLY	cartridge respirator. Follow manufacturer's label.
4499 NOKORODE AQUA FLOX	THE RECTORSEAL CORPORATION	Maintenance and Operations Products	APPROVED	AFFROVED FOR METAL SHOP STAFF ONLY	• .
					This product is not to be used by students or in classrooms. Do not use
4501 ANTISEPTIC BIO-HAND CLEANER	SAFETEC OF AMERICA , INC.	Maintenance and Operations Products	APPROVED		product near open flame or any other source of ignition.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4502 GREEN CLEAN	NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
1002		mantenance and operations reducts	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4505 2B FORM-A-GASKET #2 3OZ	PERMATEX INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. For
1508 SNOOP	SWAGELOK	Maintenance and Operations Products	APPROVED		manufacturer's label.
·					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If described symptoms occur, wear NIOSH approved
4511 STAIN AWAY PLUS	GREENLINE LABORATORIES	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4513 EZ HAND WIPES	STATE CHEMICAL MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4515 CITRISTRIP STRIPPING GEL	W. M. BARR & COMPANY	Paint Products	APPROVED	Approved - All Users/All Sites	Follow the manufacturer's recommendations for product storage and
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL for oil mists is exceeded, wear NIOSH approved
4517 MOBIL DTE 24	MOBIL OIL CORP	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL for oil mists is exceeded, wear NIOSH approved
4518 PENNZBELL® AW HYDRAULIC OIL-ALL GRADES	PENNZOIL PRODUCTS COMPANY	Maintenance and Operations Products	APPROVED		vapor/P100 cartridge respirator. Follow manufacturer's label.
4010		mantonanos ana operationo i rodacto	ATTROVES		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4524 EXT SEMI DEEP BASE 5340	BEHR PROCESS CORPORATION	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4525 PRO MAINTENANCE INT/EXT FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1525 PRO MAINTENANCE INT/EXT FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV
1525 PRO MAINTENANCE INT/EXT FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
1525 PRO MAINTENANCE INT/EXT FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1525 PRO MAINTENANCE INT/EXT FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED	APPROVED FOR ELECTRICAL DEPARTMENT USE ONLY IN APPROVED PAINT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
1525 PRO MAINTENANCE INT/EXT FLAT	GUDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED	APPROVED FOR ELECTRICAL DEPARTMENT USE ONLY IN APPROVED PAINT SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
	GUDDEN-ICI PAINTS NORTH AMERICA				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
		Point Products Point Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacture's label/L/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacture's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO
				SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacture's labels [J.V. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitritle rubber/neoprene gloves and chemical splash goggles. Ut
3527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label/L/V Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities.
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)				SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacture's label/L/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacture's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuantifieg respirator, Follow manufacturer's labels [I/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuaritidge respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuarities.
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatified respirator. Follow manufacture's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
4527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY, USE AT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's labels [J.V Wear nitritile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitritle rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuaritidge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ritings and the splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer in the province of the splash goggles. Ut good ventilation. If PEL is exceeded, wear NIOSH approved organic valuer.
4527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR)	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF, EMPLOYEE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's labels [I/V Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer respirator. Follow manufacturer's label.
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80	3M BEL-RAY CO., INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value of the NIOSH approved organic value of the NIOSH approved organic value or NIOSH approved organic value or NIOSH approved organic value organica organica value organica value organica value organica value organ
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80	зм	Paint Products	APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGRING AREA AWAY FROM STUDENTS AND STAFF, EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE.	GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's labels/L/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PFL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use.
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80	3M BEL-RAY CO., INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's labels (I/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use.
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80	3M BEL-RAY CO., INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGRING AREA AWAY FROM STUDENTS AND STAFF, EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's labels (I/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use.
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80	3M BEL-RAY CO., INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuant in the contridge respirator. Follow manufacturer's labels [I/V Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuant in the contribution of PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuant in the contribution of PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuant in the contribution of PEL is exceeded, wear NIOSH approved organic valuant in the contribution. If PEL is exceeded, wear NIOSH approved organic valuant in the contribution of PEL is exceeded, wear NIOSH approved organic valuant in the contribution in the province of the contribution of the province of the contribution of the province of the provin
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEL-RAY CO., INC. ELUS PAINT CO	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's labels [I/V] Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop 85 regulations must be implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations must be implemented when in use.
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEL-RAY CO., INC.	Paint Products Maintenance and Operations Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's labels [J.V. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrite rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop. 65 regulations implemented when in use.
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEL-RAY CO., INC. ELUS PAINT CO	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's labels [I/V] Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation in the period organic valuer rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation in the period organic valuer rubber/neoprene gloves and chemical splash goggles. Ut
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEL-RAY CO., INC. ELUS PAINT CO	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. U EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation in the period ventilation of the period ventila
1527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEL-RAY CO., INC. ELUS PAINT CO	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE.	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label./LV Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. U EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation in the period ventilation of the period ventila
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE	3M BEI-RAY CO, INC. ELIIS PAINT CO SHERWIN WILLIAMS	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE)	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's labels/L/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Use of the provided respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use.
4527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 4539 BEL-RAY NO-TOX GEAR OIL 80 4540 SHAFT LAC CLEAR BASE	3M BEI-RAY CO, INC. ELIIS PAINT CO SHERWIN WILLIAMS	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE)	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label. [J.V. Wear Intrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valued rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuertidge respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuertidge respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use.
1527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 1539 BEL-RAY NO-TOX GEAR OIL 80 1540 SHAFT LAC CLEAR BASE 1542 OMNI-PAK	SHERWIN WILLIAMS UNI-KEM INC.	Paint Products Maintenance and Operations Products Paint Products Paint Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE) APPROVED FOR HVAC STAFF USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's labels (I/V Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC BO Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label. Prop 85 regulations must be implemented when in use. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label. Prop. 85 regulations implemented when in use. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer ridge respirator. Follow manufacturer's label.
4527 3M SCOTCH BRAND 1801 INSULATING SEALER (CLEAR) 4539 BEL-RAY NO-TOX GEAR OIL 8D 4540 SHAFT LAC CLEAR BASE 4542 OMNI-PAK	3M BEI-RAY CO, INC. ELIIS PAINT CO SHERWIN WILLIAMS	Paint Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE)	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's labels [I/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC 80 Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatified respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label.
4527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 4539 BEL-RAY NO-TOX GEAR OIL 80 4540 SHAFT LAC CLEAR BASE 4542 OMNI-PAK	SHERWIN WILLIAMS UNI-KEM INC.	Paint Products Maintenance and Operations Products Paint Products Paint Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE) APPROVED FOR HVAC STAFF USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuer in the International Control of
4525 PRO MAINTENANCE INT/EXT FLAT 4527 3M SCOTCH BRAND 1601 INSULATING SEALER (CLEAR) 4539 BEL-RAY NO-TOX GEAR OIL 80 4540 SHAFT LAC CLEAR BASE 4542 OMNI-PAK 4543 SAFE-CORR 100	SHERWIN WILLIAMS UNI-KEM INC.	Paint Products Maintenance and Operations Products Paint Products Paint Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	SPRAY BOOTH APPLICATION. ANY ADDITIONAL USE SHALL BE APPROVE BY THIS OFFICE PRIOR TO USE. APPROVED FOR OUTDOOR USE BY METAL DEPARTMENT STAFF ONLY. USE AT AN ISOLATED STAGING AREA AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL TOLUENE. APPROVED FOR OUTDOOOR USE ONLY BY METAL DEPARTMENT STAFF ONLY. USE AT ISOLATED STAGING AREA, AWAY FROM STUDENTS AND STAFF. EMPLOYEE MONITORING MUST BE PERFORMED UNTIL FURTHER NOTICE. CONTAINS PROP 65 CHEMICAL (ETHYL BENZENE) APPROVED FOR HVAC STAFF USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's labels [I/V Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. EXTREMELY FLAMMABLE, APPROVED FOR THE COATING OF PC 80 Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label. Prop 65 regulations must be implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuations implemented when in use. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatified respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuating respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4546 CLEAN UP SOLUTION STEP # 4	MIDAS TILE AND GROUT RESTORATION	Maintenance and Operations Products	APPROVED	FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4548 STAR BRITE 25 SEALER-FINISH	MIDAS TILE AND GROUT RESTORATION	Maintenance and Operations Products	APPROVED	APPROVED FOR FLOORING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
1946 STAR BRITE 25 SEALER TINISTI	WIDAS THE AND ORGOT RESTORATION	Maintenance and Operations Products	AFFROVED	AFTROVED FOR FEDORINO STAFF USE ONE!	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				APPROVED FOR CARPENTRY USE ONLY. USE WHEN NO STUDENTS OR STAFF	
549 PHENOSEAL VINYL ADHESIVE CAULK	GLOUCESTER CO., INC.	Floor Care Products	APPROVED	ARE PRESENT WHEN APPLIED OR UNTIL DRIED.	cartridge respirator. Follow manufacturer's label.
1552 ALTRO IMPRESSIONIST II	Altro Floors, Inc.	Floor Care Products	APPROVED		Use with GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1556 PROTECTA TABS	SUPERCO SPECIALITY PRODUCTS	HVAC Products	APPROVED	APPROVED FOR HVAC USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4557 AR-X FEEDER SYSTEM WITH AR-10 CARTRIDGE	EVERPURS, INC.	HVAC Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
1560 CHEVRON AUTOMATIC TRANSMISSION FLUID MERCON V	CHEVRON PRODUCTS COMPANY	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4561 CHEVRON AUTOMATIC TRANSMISSION FLUID DEXRON III / MERCON	N CHEVRON PRODUCTS COMPANY	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
I WERGOT			ALLIOVED		3
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4562 CHEVRON DELO GREASE EP	CHEVRON PRODUCTS COMPANY	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4563 CHEVRON RPM HEAVY DUTY MOTOR OIL	CHEVRON PRODUCTS COMPANY	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4563 CHEVROV KI WITEAVT BOTT MOTOR OIL	CHEVROIT RODUCTS COWN AIT	Automotive Products	APPROVED		······································
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				APPROVED FOR GARAGE STAFF USE ONLY, MUST COMPLY WITH	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4564 BRAKLEEN BRAKE PARTS CLEANER - NON-CHLORINATED	CRC INDUSTRIES, INC.	Automotive Products	APPROVED	PROPOSITION 65 REQUIREMENTS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4565 SILOO STARTING FLUID	CRC INDUSTRIES, INC.			APPROVED FOR GARAGE STAFF ONLY	
4565 SILOU STARTING FLUID	CRC INDUSTRIES, INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4566 POWER LUBE MULTI-PURPOSE LUBRICANT - AEROSOL	CRC INDUSTRIES, INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
				APPROVED FOR GARAGE STAFF ONLY, MUST COMPLY WITH PROPOSITION 65	
4567 CLEAN-R-CARB CARBURETOR CLEANER	CRC INDUSTRIES, INC.	Automotive Products	APPROVED	REQUIREMENTS	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					vical filling rapper/respirate gloves and electrical spids rapages.
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4568 FIBERBOARD	IKO PRODUCTION	Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
4568 FIBERBOARD	IKO PRODUCTION	Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL	L			FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO		Roofing Products Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL	L			FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO	L			FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL	L IKO PRODUCTION	Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX,	L IKO PRODUCTION IKO INDUSTRIES LTD.	Roofing Products Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI	L IKO PRODUCTION	Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX,	L IKO PRODUCTION IKO INDUSTRIES LTD.	Roofing Products Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL	L IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. US GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX,	L IKO PRODUCTION IKO INDUSTRIES LTD.	Roofing Products Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic val- cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL	L IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 1569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 1570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 1571 TORCHFL	L IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR	L IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatiridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us good organic valuation of the protective gloves and chemical splash goggles. Us good organic valuation of the protection of the
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us good very respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us good very respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS	I IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatiridge respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Ut GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS	I IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear ritritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us good organic valuativities rubber/neoprene gloves and chemical splash goggles. Us cartridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS 4574 GACOFLEX A-62 SERIES	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC. GACO WESTERN, INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS	I IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	FOR EXTERIOR USE ONLY APPROVED FOR FLOORING STAFF USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear ritritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities rubber/neoprene gloves and chemical splash goggles. Us good organic valuativities rubber/neoprene gloves and chemical splash goggles. Us cartridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS 4574 GACOFLEX A-62 SERIES	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC. GACO WESTERN, INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrilie rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuatridge respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS 4574 GACOFLEX A-62 SERIES	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC. GACO WESTERN, INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label.
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS 4574 GACOFLEX A-62 SERIES	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC. GACO WESTERN, INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic value of the proved organic value or proved organic value orga
MINERAL SURFACE FIBERGLASS BASE ASPHALT SHINGLES AND ROLL 4569 RO MINERAL SURFACE ORGANIC BASE ASPHALT SHINGLES AND ROLL 4570 ROOFI ARMOURPLAST CLASSIC, ARMOURPLAST GRANULAR, MODIFLEX, 4571 TORCHFL 4572 ARMOURBARD ICE AND WATER PROTECTOR 4573 COATED ROLL ROOFING AND SBS & APP MODIFIED PRODUCTS 4574 GACOFLEX A-62 SERIES	IKO PRODUCTION IKO INDUSTRIES LTD. IKO PACIFIC INC. IKO PACIFIC INC. TAMKO ROOFING PRODUCTS INC. GACO WESTERN, INC.	Roofing Products Roofing Products Roofing Products Maintenance and Operations Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear protective gloves and goggles. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic valuativities respirator. Follow manufacturer's label.

					Wage sitella without according along and abording animal angels and along the
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. If dust is created when produc
4580 ARDEX SD-P	ARDEX INC.	Floor Care Products	APPROVED		is curred, wear Niosh
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4582 VARIOUS FIBERGLASS INSULATION PRODUCTS, SEE MSDS	OWENS-CORNING FIBERGLAS CORPORATION	Roofing Products	APPROVED	APPROVED FOR EXTERIOR USE ONLY.	vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4586 ECOEXEMPT IC	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products	APPROVED	APPROVED FOR PEST MANAGEMENT STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4587 ECOEXEMPT™ HC	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products	APPROVED	APPROVED FOR PEST MANAGEMENT USE ONLY	cartridge respirator. Follow manufacturer's label.
4589 GREEN TWIST	GREENLINE LABORATORIES	Food Services Products	APPROVED	APPROVED FOR FOOD SERVICES ONLY	Follow manufacturer's label.
4389 OKER IWISI	OKEENEINE DABOKATOKIES	rood services rroducts	AFFROVED	AFFROVED FOR FOOD SERVICES ONE!	
					SEE CN4704 Wear nitrile rubber/neoprene gloves and chemical splash goggles
					Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic
4590 PRO FINISH INT LATEX FLAT	GLIDDEN-ICI PAINTS NORTH AMERICA	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4593 CLEARCO WELDING JELLY	CLEARCO PRODUCTS CO	Maintenance and Operations Products	APPROVED	APPROVED FOR WELDING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR FLOORING STAFF USE ONLY. APPROVED FOR OUTDOOR USE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4594 HENRY 663 INDOOR/OUTDOOR CARPET ADHESIVE	HENRY COMPANY	Floor Care Products	APPROVED	ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
LATICOUTE 0225 WATERDROOFING HOURD	LATICRETE INTERNATIONAL, INC				
4600 LATICRETE 9235 WATERPROOFING LIQUID	LATICRETE INTERNATIONAL, INC	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4601 SELIG KWIK SHINE # K095	SELIG CHEMICAL INDUSTRIES	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4602 INDUSTRIAL WIPES	SELIG CHEMICAL INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR M&O USE ONLY, OUTDOORS OR IN A PAINT BOOTH. MUST	cartridge respirator. Follow manufacturer's label. this material is highly
4604 WINTER GRAY	RUST-OLEUM CORP.	Paint Products	APPROVED	COMPLY WITH PROPOSTION 65 REQUIREMENTS	flammable
4004 WHYLK OKAT	KOST OLEOW COKT.	ruint rioducts	AFFROVED	COMPET WITH ROPOSHON OS REQUIREMENTS	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
PHENOSEAL SURPASS HIGH PERFORMANCE CAULK AND SEALANT					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4605 COLORS	GLOUCESTER CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4606 PHENOSEAL VALUESEAL ACRYLIC LATEX CAULK CLEAR	GLOUCESTER CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4607 PHENOSEAL VALUESEAL ACRYLIC LATEX CAULK COLORS	GLOUCESTER CO., INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4007		manicination and operations (roadets	ATTROVES		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ARREST AND EDITOR DATA POOR	SUPERCO				
4608 AIR FRESH BAMBOO	SUPERCO	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					LIST OF INGREDIENTS IN CONFIDENTIAL FILE Wear nitrile rubber/neoprene gloves
					and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, we
4609 S.A.V.E. Q	SUPERCO	Maintenance and Operations Products	APPROVED		NIOSH approved organic vapor cartridge respirator. Follow manufacturer's lab
					HVAC UNITS MUST RUN 4 HOURS AFTER CLEANING PRIOR TO OCCUPANCY. Wear
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4610 AT-8	AWAY CHEMICAL CORP	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
					HVAC UNITS MUST RUN 4 HOURS AFTER CLEANING PRIOR TO OCCUPANCY Wear
					nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4611 CALCLEAN	NU-CALGON WHOLESALER, INC.	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR THIS ONE TIME USE OF DUCT CLEANING AT THE BEAUDRY	cartridge respirator. Follow manufacturer's label. Approved for one time use of
4612 CLOROX LIQUID BLEACH	CLOROX COMPANY	Cleaning Products	APPROVED	BUILDING. NOT APPROVED FOR GENERAL USE IN THE DISTRICT.	duct cleaning at Beaudry
		<u> </u>		APPROVED FOR OUTDOOR USE AND RESTROOM USE WHEN NO STUDENTS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					D GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
ACCO MATER AND CTAIN DEDELLARY	HILLYARD INDUSTRIES	Flore Come Provident	4 DDD 01 :	SPRAYING OF THIS PRODUCT SHALL BE APPLIED BY MOP OR ROLLER ONLY. NO	
4613 WATER AND STAIN REPELLANT	HILLY ARD INDUSTRIES	Floor Care Products	APPROVED	SPRAYING OF THIS PRODUCT	cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
4614 BUCKEYE TERMINATOR	BUCKEYE INTERNATIONAL, INC.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
TRILLOGGGG	MASTER CHEMICAL CORPORATION				-
4615 TRIM 9106CS	MASTER CHEMICAL CORPORATION	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					THIS COVERS CLEAR, WHITE, BLACK, AUTUMN BROWN, BISON, BOMBAY, BF
					CHARCOAL, GULL GRAY, LIGHT BUFF, PATIO GREEN, PEARL GRAY, SANDSTO
					SEAFOAM GREEN, SILVER GRAY, TERRA COTTA, TILE RED, DEEP BASE, NEUTR
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
					cartridge respirator. Follow manufacturer's label. USE WET METHODS I
					• '
4617 H & C BLOCK SHEILD PLUS CONCRETE STAIN	H & C CONCRETE STAINS	Paint Products	APPROVED		SANDING, GRINDING, MACHINING, D
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
4618 FLO QUAT 630	UNI-KEM INC.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
<u> </u>		3			
4619 GRIME GOBBLER HEAVY DUTY INDUSTRIAL HAND CLEANING TOW	VELC. AMEDICAN INDUSTRIAL CURRING	Olassalasa Basahasta	APPROVED		Follow manufacturer's label.
1019 GRIME GOBBLER HEAVY DOLY INDUSTRIAL HAND CLEANING TOW	ELS AMERICAN INDUSTRIAL SUFFET INC.	Cleaning Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
1620 RUBBASEAL SILICONE SEALANT	KASON INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
4001 OE-20	ODVINI EVTERMINIATING CO. INIC	Oleveler Berter	* DDDO 1/FD		
4621 OE-30	ORKIN EXTERMINATING CO., INC,	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
1623 ODOR NEUTRALIZER	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
625 PRE-EMULSION	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
626 HEAVY DUTY STRIPPER	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
627 STEAM SHAMPOO	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
				APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
629 MAXPOX 16	CIBA SPEZIALITATENCHEMIE AG	Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/peoprene gloves and chemical splash goggles I
				APPROVED FOR CONTRACTOR HOT ONLY TO BE HOTEL MILEN ATHERATION	
-				APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
630 MAXPOX 32 NH	VANTICO AG	Maintenance and Operations Products	APPROVED	APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	
630 MAXPOX 32 NH	VANTICO AG	Maintenance and Operations Products	APPROVED		GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
630 MAXPOX 32 NH	VANTICO AG	Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vecartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I
	VANTICO AG			AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
		Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
				AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I.
1631 MAXPOX 48	VANTICO AG	Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
1631 MAXPOX 48				AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48	VANTICO AG	Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical spiash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
1631 MAXPOX 48	VANTICO AG	Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.
4631 MAXPOX 48 632 MAXPOX 64	VANTICO AG	Maintenance and Operations Products Maintenance and Operations Products	APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64	VANTICO AG VANTICO AG	Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY, TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY, TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64	VANTICO AG VANTICO AG	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It was not respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-UNER RESIN PART A	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-UNER RESIN PART A	VANTICO AG VANTICO AG	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It was not respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-UNER RESIN PART A	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-UNER RESIN PART A	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-LINER RESIN PART A 634 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic wear nitrile rubber/neoprene gloves and chemical splash goggles. It
1631 MAXPOX 48 B32 MAXPOX 64 B33 PERMA-LINER RESIN PART A B34 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC. PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Is GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Is GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Is GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Is GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Is GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 B32 MAXPOX 64 B33 PERMA-LINER RESIN PART A B34 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC. PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I GOOD ventilation of the province organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-LINER RESIN PART A 634 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 4B 1632 MAXPOX 64 1633 PERMA-UNER RESIN PART A 1634 PERMA-LATERAL RESIN PART B 1635 MAXPOX 15	VANTICO AG VANTICO AG PERMA-UNER INDUSTRIES, INC. PERMA-UNER INDUSTRIES, INC.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-LINER RESIN PART A 634 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.
4630 MAXPOX 32 NH 4631 MAXPOX 48 4632 MAXPOX 64 4633 PERMA-LINER RESIN PART A 4634 PERMA-LATERAL RESIN PART B 4635 MAXPOX 15	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 1632 MAXPOX 64 1633 PERMA-UNER RESIN PART A 1634 PERMA-LATERAL RESIN PART B 1635 MAXPOX 15	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG MODI-SYSTEM, INC.	Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GODD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. I. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 632 MAXPOX 64 633 PERMA-UNER RESIN PART A 634 PERMA-LATERAL RESIN PART B 635 MAXPOX 15	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG	Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.
1631 MAXPOX 48 1632 MAXPOX 64 1633 PERMA-UNER RESIN PART A 1634 PERMA-LATERAL RESIN PART B 1635 MAXPOX 15	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG MODI-SYSTEM, INC.	Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
4631 MAXPOX 48 1632 MAXPOX 64 1633 PERMA-LINER RESIN PART A 1634 PERMA-LATERAL RESIN PART B	VANTICO AG VANTICO AG PERMA-LINER INDUSTRIES, INC. PERMA-LINER INDUSTRIES, INC. VANTICO AG MODI-SYSTEM, INC.	Maintenance and Operations Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED APPROVED FOR CONTRACTOR USE ONLY. TO BE USED WHEN STUDENTS AND/OR STAFF SHALL NOT BE EFFECTED	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. It GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic we cartridge respirator. Follow manufacturer's label.

4640 SWISHER ROYAL EDITION ANTI-BACTERIAL LOTION SOAP	ROYAL SOAP & CHEMICAL CO.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4642 CARPET STEAM CLEANER	GENERAL CHEMICAL COMPANY	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4643 AMAZING GRAFITTI REMOVER	MISSION LABORATORIES	Graffiti Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR SPECIFIC USES ONLY. THIS APPROVAL IS RESTRICTED TO	cartridge respirator. Follow manufacturer's label.
				CAFETERIA, BLOOD BORNE PATHOGENS AND TREATMENT OF EARTHQUAKE	curtings respirator, renew managed are a labor.
4644 BLEACH	GREENLINE LABORATORIES	Oleveler Bredist	APPROVED	WATER USES.	THIS IS A RESTRICTED APPROVAL
4044 BLEACH	GREENLINE LABORATORIES	Cleaning Products	APPROVED	WATER USES.	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4645 SH50 SANITIZER	SWISHER HYGIENE FRANCHISE CORP.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4646 SANI-MIST	SWISHER HYGIENE FRANCHISE CORP.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4647 GOJO PINK HAND SOAP	SWISHER HYGIENE FRANCHISE CORP.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4648 VERASHIELD UNDERLAYMENT	ELK CORPORATION OF TEXAS	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4649 REDGARD WATERPROO & ANTI-FRACTURE MEMBRAND	CUSTOM BUILDING PRODUCTS INC	Roofing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4043 RESOURCE WALLET ROOM AND THAT THE MEMBERSHIP	COSTON BOLDING FRODUCTION.	Roomigriodaets	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4650 CONGOLEUM COMPOSITION TILE	MAPEI CORPORATION				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4650 CONGOLEUM COMPOSITION TILE	MAPEI CORPORATION	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					APPLICATION BY BRUSH, ROLLER OR MOP. NOT APPROVED FOR SPRAY APPLICATION
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4653 SUPERSHIELD, PART B	SANIGLAZE INTERNATIONAL, LLC	Adhesive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4654 SATIN FINISH	SANIGLAZE INTERNATIONAL, LLC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4655 GLOSS FINISH	SANIGLAZE INTERNATIONAL, LLC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4656 FLAZING COMPOUND, PART A WHITE TINT BASE	SANIGLAZE INTERNATIONAL, LLC	Glazing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4000 TOLINO COM COND, TAKTA WINE INT BACE	SANODEE INTERNATIONAL ES	Glazing Floadets	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4657 GLAZING COMPOUND, PART A , ACCENT BASE	SANIGLAZE INTERNATIONAL, LLC	Glazing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4658 GLAZING COMPOUND, PART B	SANIGLAZE INTERNATIONAL, LLC	Glazing Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					STAFF SHALL WEAR RESPIRATORS WHEN MIXING THIS COMPONENT Wear nitrile
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved cartridge respirator. Follo
4659 DRY SOLIDS	SANIGLAZE INTERNATIONAL, LLC	Glazing Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4660 CLEAN UP SOLUTION	SANIGLAZE INTERNATIONAL, LLC	Cleaning Products	APPROVED	APPROVED FOR MAINT. & OPERATIONS USE ONLY	cartridge respirator. Follow manufacturer's label.
	*	<u> </u>			WET METHODS SHALL BE USED IF THESE ARE MACHINED, DRILLED, CUT, ETC, Wear
					approved Eye protection if machining. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved particulater cartridge respirator. Follow
4662 REZ-CAST SAFETY TREADS, MATS	REZ-TECH INDUSTRIES, INC.	Maintanance and Operations Braderst	APPROVED		manufacturer's label.
	, , , , , , , , , , , , , , , , , , , ,	Maintenance and Operations Products			
4663 RUBBER SIDE WALK	RUBBERSIDEWALKS, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4664 ANER 01538	FALCON WATERFREE TECHNOLOGIES, LLC	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					COOD contilation If DELia expanded upon NIOCI approved examin caper
4665 CHEMQUEST 201	UNI-KEM INC.				GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4666 MAXI BATTERY STILL AND SUPRA LIQUID REFILL	AIR-SCENT INTERNATIONAL	Nursing Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4668 POWER-STRIP	HILLYARD INDUSTRIES	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4669 PROTECTIVE COATING	HILLYARD INDUSTRIES				
4669 PROTECTIVE COATING	HILLYARD INDUSTRIES	Floor Care Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4670 KAIDRI	KAIVAC INCORPORATED	Food Services Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4671 KAIO	KAIVAC INCORPORATED	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4672 KAISAN	KAIVAC INCORPORATED	Cleaning Prestucts	APPROVED		cartridge respirator. Follow manufacturer's label.
		Cleaning Products			<u> </u>
4674 WONDER TAPE B4038	OMEGA INDUSTRIAL SUPPLY INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4675 SHAKERTOWN CEDAR SIDING PANEL	SHAKERTOWN 1992, INC	Roofing Products	APPROVED	FOR EXTERIOR USE ONLY	Follow manufacturer's label. Approved for exterior use only.
4676 NAILABLE BASE - 3	RMAX, INC.	Roofing Products	APPROVED	APPROVED FOR EXTERIOR USE ONLY	Follow manufacturer's label. FOR EXTERIOR USE ONLY
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4677 JOHNSON'S NO. 1 STAINLESS STEEL FLUX	JOHNSON MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED	APPROVED FOR WELDING STAFF ONLY	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
	JOHNSON MANUFACTURING COMPANY			APPROVED FOR WELDING STAFF USE ONLY	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
4678 LLOYDS STAINLESS STEEL FLUX, 03-00		Maintenance and Operations Products	APPROVED	APPROVED FOR WELDING STAFF USE ONLY	cartridge respirator. Follow manufacturer's label.
4679 I. C. RELEASE	I. C. COMPOUND COMPANY	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4680 I. C. HAND CLEANER	I. C. COMPOUND COMPANY	Cleaning Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4681 DURAFLEX TEXTURE COATING FINE 555WA	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
	<u> </u>				Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4682 CAL COAT ELASTOMERIC WHITE 970A	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4683 ELASTOMERIC COATING - WHITE 585	CAL WESTERN PAINTS, INC	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4684 SILGLAZE II, SCS 2800 SILICONE SEALANT	GE SEALANTS & ADHESIVES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo
4685 CONCRETE BONDING ADHESIVE	OUIKRETE COMPANIES				cartridge respirator. Follow manufacturer's label.
		Adhesive Products	APPROVED		
1686 WASTE PAINT HARDENER	NAPIER ENVIRONMENTAL TECHNOLOGIES, INC.	Adhesive Products	APPROVED	FOR USE ONLY WITH WATER-BASED PAINT	Follow manufacturer's label.
1687 SUPER-CRETE S-7000	SUPER-KRETE INTERNATIONAL INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. L
					0000
					6000 ventilation. If PEL is exceeded, wear NIOSH approved organic vo
1688 S-12000 HEAVY DUTY DEGREASER	SUPER-KRETE INTERNATIONAL INC.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4688 S-12000 HEAVY DUTY DEGREASER	SUPER-KRETE INTERNATIONAL INC.	Cleaning Products	APPROVED	CAUTION: FLAMMABLE PRODUCT, DO NOT USE NEAR OPEN FLAME OR ANY	cartridge respirator. Follow manufacturer's label.
4688 S-12000 HEAVY DUTY DEGREASER	SUPER-KRETE INTERNATIONAL INC.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
		· ·		SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
	SUPER-KRETE INTERNATIONAL INC. XIM PRODUCTS, INC.	Cleaning Products Paint Products	APPROVED APPROVED		cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vocartridge respirator. Follow manufacturer's label.
		· ·		SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. L
1689 XIM 400 CLEAR QUICK DRY # 1101	XIM PRODUCTS, INC.	Paint Products	APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve
1689 XIM 400 CLEAR QUICK DRY # 1101		· ·		SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va cartridge respirator. Follow manufacturer's label. Wear nitriile rubber/neoprene gloves and chemical splash goggles. L
1689 XIM 400 CLEAR QUICK DRY # 1101	XIM PRODUCTS, INC.	Paint Products	APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve- cartridge respirator. Follow manufacturer's label. Wear nittile rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve- cartridge respirator. Follow manufacturer's label.
1689 XIM 400 CLEAR QUICK DRY # 1101	XIM PRODUCTS, INC.	Paint Products	APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vacartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vacartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L Wear nitrille rubber/neoprene gloves and chemical splash goggles. L
4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DUIUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH	XIM PRODUCTS, INC.	Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nittille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic volartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol
4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DUIUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH	XIM PRODUCTS, INC.	Paint Products Paint Products	APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic volartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic volartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NiOSH approved organic volartridge respirator. Follow manufacturer's label.
4690 DULUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH	XIM PRODUCTS, INC.	Paint Products Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic ve cartridge respirator. Follow manufacturer's label.
4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DULUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH 4692 DEVFLEX 4208 INT/EXT WATERBORNE ACRYLIC GLOSS	XIM PRODUCTS, INC. ICI PAINTS	Point Products Point Products Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. L GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vo cartridge respirator. Follow manufacturer's label.
4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DULUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH 4692 DEVFLEX 4208 INT/EXT WATERBORNE ACRYLIC GLOSS	XIM PRODUCTS, INC.	Paint Products Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label.
4688 S-12000 HEAVY DUTY DEGREASER 4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DULUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH 4692 DEVFLEX 4208 INT/EXT WATERBORNE ACRYLIC GLOSS 4693 BEYOND MULTIPURPOSE ACRYLIC URETHANE ENAMEL, \$38, \$39	XIM PRODUCTS, INC. ICI PAINTS	Point Products Point Products Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic va- cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
4689 XIM 400 CLEAR QUICK DRY # 1101 4690 DULUX INTERIOR/EXTERIOR ACRYLIC GLOSS FINISH 4692 DEVFLEX 4208 INT/EXT WATERBORNE ACRYLIC GLOSS	XIM PRODUCTS, INC. ICI PAINTS ICI PAINTS SIERRA PERFORMANCE COATINGS	Point Products Point Products Paint Products	APPROVED APPROVED	SOURCE OF IGNITION. APPROVED FOR USE BY THE PAINT DEPARTMENT	cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. U GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vol cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4695 PROCLASSIC WATERBORNE B21 INT. ACRYLIC SATIN	THE SHERWIN-WILLIAMS COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4696 PROCLASSIC WATERBORNE B21 INT. ACRYLIC SEMI-GLOSS	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					CONFIDENTIAL MSDS ON FILE Wear nitrile rubber/neoprene gloves and chemic
					splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
4698 MATTE FINISH	SANIGLAZE INTERNATIONAL ILC	Paint Products	APPROVED		approved organic vapor cartridge respirator. Follow manufacturer's label.
4000		TankTloadob	ATTROVED		COMPLETE MATERIAL SAFETY DATA SHEET ON FILE IN PROPRIETARY FILE. Wear nitr
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4699 SUPER SCRUB SURFACE REJUVENATOR	SANIGLAZE INTERNATIONAL, LLC	Cleaning Products	APPROVED		respirator. Follow manufacturer's label.
4000		Cidaling Freducts	ATTROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4700 SEAL REMOVER	SANIGLAZE INTERNATIONAL ILC	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4700		Clearing Froducts	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4701 POLYMER REMOVER	SANIGLAZE INTERNATIONAL, LLC	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4/01 FOLINIER REMOVER	SANIODAZE INTERNATIONAL, EC	Cleaning Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4703 GEL CONTAMINANT REMOVER	SANIGLAZE INTERNATIONAL LLC	Oleveler Brederich	APPROVED		cartridge respirator. Follow manufacturer's label.
4/03 GEL CONTAMINANT REMOVER	SANIGLAZE INTERNATIONAL, LLC	Cleaning Products	APPROVED		* '
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4704 ERADICATE SUPER STRIPPER	SANIGLAZE INTERNATIONAL, LLC	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4706 POWER 92	MAINTEX INC.	Cleaning Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY CONTRACTOR ONLY, THE BUILDING SHALL NOT BE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR CONTRACTO
4707 ENVIROCON	EXTRACTION SERVICES	Cleaning Products	APPROVED	PRIOR TO OCCUPATION.	USE ONLY. BUILDING SHALL NOT
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR USE BY THE
4708 FAST DRY SELF VULCANIZING CEMENT	PATCH RUBBER COMPANY	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	GARAGE STAFF ONLY
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE STA
4709 PENCOOL 3000	PENRAY COMPANIES, INC	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	USE ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR USE BY THE
47]] PRIMER FOR REARVIEW MIRROR ADHESIVE	HENKEL LOCTITE CORPORATION	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	GARAGE STAFF ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE STA
4712 REARVIEW MIRROR ADHESIVE	HENKEL LOCTITE CORPORATION	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	USE ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR OUTDOOR U
4713 SPEARS LW-5 LOW VOC CEMENT FOR CPVC PLASTIC PIPE	IPS CORP.	Maintenance and Operations Products	APPROVED	APPROVED FOR OUTDOOR USE BY M&O STAFF ONLY	BY M&O STAFF ONLY
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4714 RUST BREAKER CR-1	DIVERSITECH CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE STA
4715 HARDWARE FIBER RESIN	FIBRE GLASS-EVERCOAT CO. INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF ONLY. FLAMMABLE LIQUID AND VAPOR	ONLY, FLAMMABLE LIQUID AND
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE STA
4716 LAMINATING RESIN	FIBRE GLASS-EVERCOAT CO. INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE STA ONLY. FLAMMABLE LIQUID AND

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE
47)7 Z-GRIP LIGHTWEIGHT BODY FILLER	FIBRE GLASS-EVERCOAT CO. INC.		APPROVED	APPROVED FOR GARAGE STAFF USE ONLY.	• .
4/I/ Z-GRIP LIGHT WEIGHT BODY FILLER	FIBRE GLASS-EVERCOAT CO. INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY.	USE ONLY. FLAMMABLE LIQUID
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE
4718 METAL GLAZE	FIBRE GLASS-EVERCOAT CO. INC.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY.	USE ONLY. FLAMMABLE LIQUID
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. FOLLOW MANUFACTURER'S LABEL FOR STORAGE, HANDL
4719 LIQUID HARDENER	3M CENTER	Automotive Products	APPROVED	DANGEROUS ORGANIC PEROXIDE. APPROVED FOR GARAGE STAFF USE ONLY	. AND USE. APPROVED FOR GARAGE STA
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4720 TEXACO AIRCRAFT HYDRAULIC OIL 5606G	CHEVRON TEXACO GLOBAL LUBRICANTS	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4721 ANTI-SIEZE LUBRICANT 133K	LOCTITE CORP.	Automotive Products	APPROVED		Follow manufacturer's label.
4722 ULTRA COPPER HIGH TEMP RTV SILICONE	LOCTITE CORP.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	Follow manufacturer's label. APPROVED FOR GARAGE STAFF USE ONLY
4/22 ULIKA COFFER HIGH TEMP RTV SILICONE	LOCITIE CORP.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	Follow manufacturer's label. APPROVED FOR GARAGE STAFF USE ONLY. USE
OUDED MEATHEDOTRID ADVISORY	LOCTITE CORP.			APPROVED FOR GARAGE STAFF USE ONLY, USE WITH GOOD VENTILATION	GOOD VENTILATION.
4723 SUPER WEATHERSTRIP ADHESIVE	LOCTITE CORP.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY, USE WITH GOOD VENTILATION	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4724 DIELECTRIC GREASE	LOCTITE CORP.	Automotive Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
				APPROVED FOR USE ONE TIME ONLY, MUST BE APPROVED ON JOB SPECIFIC	cartridge respirator. Follow manufacturer's label. APPROVED FOR USE ONE
4725 HIT-HY 20, PARTS A & B	HILTI CONSTRUCTION CHEMICALS, INC.	Adhesive Products	APPROVED	APPLICATION.	ONLY. ADDITIONAL USE SHALL
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4726 PERMATEX * 598 ULTRA BLACK * HI-TEMP RTV	LOCTITE CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
4/20 FERWATEA 330 DETRA BEACK THI TEMP KTV	LOCHIE CONT.	Maintenance and Operations Products	AFFROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4727 PIPE SEALANT WITH TEFLON 565, PST *	LOCTITE CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use w
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4728 HIGH STRENGTH THREADLOCKER RED 271 *	LOCTITE CORP.	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE
4729 PLASTIC BONDING AGENT	LOCTITE CORP.	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	USE ONLY.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
					cartridge respirator. Follow manufacturer's label. APPROVED FOR GARAGE
4730 COLD WELD BONDING COMPOUND, LOCTITE RESIN AND HARDNER	LOCTITE CORP	Automotive Products	APPROVED	APPROVED FOR GARAGE STAFF USE ONLY	USE ONLY
4700 GOLD WELD BONDING GOMIN GOND, EGGINE REGIN AND HARDNER	LOGITE COM.	Automotive rioducts	AFFROVED	AT NOTED FOR GAMAGE STATE SOE SHEET	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use v
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4734 LIFETIME BRAND ADHESIVE SEALANT	RED DEVIL INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
	•		ATTROVES		
	· · · · · · · · · · · · · · · · · · ·		ATTROVES	APPROVED FOR USE BY MAINTENANCE STAFF AND CONTRACTORS ONLY.	
			ATTROVES	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR	Wear chemical resistant gloves and an apron made of multi-layer lamin
	·		ATTROVES	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED	polyethylene and ethylene-vinly alcohol or equivalent and chemical sple
			A.110725	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR	Wear chemical resistant gloves and an apron made of multi-layer lamin polyethylene and ethylene-vinly alcohol or equivalent and chemical spic goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. D
4735 88M4I	FOAM SUPPLIES, INC.	Maintenance and Operations Products	APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED	polyethylene and ethylene-vinly alcohol or equivalent and chemical splo
4735 88M41	FOAM SUPPLIES, INC.			CONTACT ORHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical splog goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. D
4735 88M41	FOAM SUPPLIES, INC.			CONTACT ORHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical sple goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. D
4735 88M4I	FOAM SUPPLIES, INC.			CONTACT ORHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical spi goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING
4735 88M41 4737 KODAFLEX TXIB	FOAM SUPPLIES, INC. ASHLAND CHEMICAL COMPANY			CONTACT ORHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical spli goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. De allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING
	·	Maintenance and Operations Products	APPROVED	CONTACT ORHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical spl goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T
	·	Maintenance and Operations Products	APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED	polyethylene and ethylene-vinly alcohol or equivalent and chemical spi goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING. THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS.
	·	Maintenance and Operations Products	APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK	polyethylene and ethylene-vinly alcohol or equivalent and chemical spi gaggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncurred product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamin
	·	Maintenance and Operations Products	APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-SCHOOL HOURS. FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE	polyethylene and ethylene-vinly alcohol or equivalent and chemical spi goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T SYSTEM. SEE CONTROL NUMBERS 4916, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamil polyethylene and ethylene-vinly alcohol or equivalent and chemical spi
4737 KODAFLEXTXIB	ASHLAND CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-SCHOOL HOURS. FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-	polyethylene and ethylene-vinly alcohol or equivalent and chemical spl goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E allow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamil polyethylene and ethylene-vinly alcohol or equivalent and chemical spl goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. E
	·	Maintenance and Operations Products	APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON FLAYGROUND MATTIMS SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-SCH	polyethylene and ethylene-vinly alcohol or equivalent and chemical spi goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. It allow uncurred product it THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF T SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamil polyethylene and ethylene-vinly alcohol or equivalent and chemical spi goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. It allow uncurred product it
4737 KODAFLEX TXIB 4740 SPORT SURFACE SD 300	ASHLAND CHEMICAL COMPANY NO FAULT INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCH	polyethylene and ethylene-vinly alcohol or equivalent and chemical split goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. Dallow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF TIS SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamir polyethylene and ethylene-vinly alcohol or equivalent and chemical split goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. Dallow uncured product t
4737 KODAFLEXTXIB	ASHLAND CHEMICAL COMPANY	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-SCHOOL HOURS. FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED APPLICATORS. APPLY PRODUCT DURING NON-SCH. APPROVED FOR USE BY MAINTENANCE STAFF AND CONTRACTORS ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM.	polyethylene and ethylene-vinly alcohol or equivalent and chemical spligaggles. Use outdoors. Wear a NIOSH approved supplied air respirator. Deallow uncured product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF TISYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamil polyethylene and ethylene-vinly alcohol or equivalent and chemical spligaggles. Use outdoors. Wear a NIOSH approved supplied air respirator. De allow uncured product t
4737 KODAFLEX TXIB 4740 SPORT SURFACE SD 300	ASHLAND CHEMICAL COMPANY NO FAULT INDUSTRIES	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR OUTDOOR USE ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY AS PART OF A POURED ON PLAYGROUND MATTING SYSTEM. CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR PERSONAL EXPOSURE MONITORING, USE MANUFACTURER CERTIFIED APPLICATORS, APPLY PRODUCT DURING NON-SCH	polyethylene and ethylene-vinly alcohol or equivalent and chemical sple goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. Earlier in the product t THIS PRODUCT IS USED AS PART OF A POURED ON PLAYGROUND SURFACING THE HAZARDS FOR THIS SYSTEM ARE DRIVEN BY ANOTHER COMPONENT OF TI SYSTEM. SEE CONTROL NUMBERS 4915, 4920, AND 4923 FOR PRECAUTIONS. Wear chemical resistant gloves and an apron made of multi-layer lamin polyethylene and ethylene-vinly alcohol or equivalent and chemical sple goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. Earlier in the product to the product of th

				APPROVED FOR USE BY MAINTENANCE STAFF AND CONTRACTORS ONLY.	
				CONTACT OEHS AT LEAST ONE WEEK BEFORE USING THE PRODUCT FOR	Many abandard variations alouge and an enven made of multi-layor laming
				PERSONAL EXPOSURE MONITORING. USE MANUFACTURER CERTIFIED	Wear chemical resistant gloves and an apron made of multi-layer lami
				APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	polyethylene and ethylene-vinly alcohol or equivalent and chemical spl
A DIDUCTOR A COLUMN TO THE DISCOURT OF THE CARD A COLUMN TO	POLYTECH INTERNATIONAL PLC. NAB WORKS		APPROVED	APPLICATORS, APPLY PRODUCT DURING NON-SCHOOL HOURS, FOR	goggles. Use outdoors. Wear a NIOSH approved supplied air respirator. I
4743 DIPHENYLMETHANE DIISOCYANATE (MDI) MODIFIED	POLYTECH INTERNATIONAL PLC. NAB WORKS	Maintenance and Operations Products	APPROVED	OUTDOOK USE ONLY.	allow uncured product t
				APPROVED FOR USE BY TRAINED OPERATIONS STAFF ONLY. THIS PRODUCT	
				CAUSES SEVERE EYE IRRITATION. WHEN WORKING WITH THE CONCENTRATE,	
				USE PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10	GOOD ventilation. If described symptoms occur, wear a NIOSH approved
4747 FLUORECEIN GREEN CONCENTRATE	DWYER INSTRUMENTS INC.	Maintenance and Operations Products	APPROVED	SECONDS	cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY YEAR-ROUND CLEANING DEPARTMENT STAFF ONLY.	
				USE ONLY WITH A PLUMBED OR SELF-CONTAINED EYEWASH OR	Wear nitrile rubber/neoprene gloves, chemical resistant apron and boo
				EYE/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION THAT REQUIRES	chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, v
4749 METRO-CHEM BASE BOARD STRIPPER	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED	NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH.	NIOSH approved organic vapor cartridge respirator. Follow manufacture
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If described symptoms occur, wear NIOSH approved of
4750 METRO CHEM FLOOR FINISH	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
4/50 METRO OFICIA FEORETHION	METRO GLEM RESOURCE	Maintenance and Operations Products	AFFROVED		
					USE ONLY WITH A PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWA
					EQUIPMENT IN AN ACCESSIBLE LOCATION THAT REQUIRES NO MORE THAN 10
					SECONDS FOR THE INJURED PERSON TO REACH. Wear nitrile rubber/neopre
					gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follows
4752 METRO-CHEM DEFOAMER	METRO CHEM INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4757 AK-020C CITRUS MAGIC, HEAVY DUTY CLEANER/DEGREASER	ALFA KLEEN CHEMICAL LABORATORIES, INC.	Food Services Products	APPROVED	APPROVED FOR USE BY FOOD SERVICE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·			APPROVED FOR OUTDOOR USE BY SHEET METAL/WELDING STAFF ONLY. DO	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				NOT STORE IN TRUCK/VEHICLE CABS. ENSURE THAT FIRE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapi
4760 AEROSOL SPRAY-N-BOND	NU-CALGON WHOLESALER, INC.	Adhesive Products	APPROVED	PROTECTION/EXTINGUISHER IS IMMEDIATELY AVAILABLE.	cartridge respirator. Follow manufacturer's label.
4/60 AEROSOL SPRAY-N-BOND	NU-CALGON WHOLESALER, INC.	Adhesive Products	APPROVED		• '
				APPROVED FOR OUTDOOR USE BY SHEET METAL/WELDING STAFF ONLY. DO	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				NOT STORE INSIDE OF VEHICLES. HAVE A FIRE EXTINGUISHER ON HAND	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4761 AEROSOL ZINC RICH COLD GALV	NU-CALGON WHOLESALER, INC.	Maintenance and Operations Products	APPROVED	DURING USE.	cartridge respirator. Follow manufacturer's label.
				APPROVED FOR OUTDOOR USE BY SHEET METAL/WELDING STAFF ONLY. DO	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				NOT STORE IN TRUCK/VEHICLE CABS. ENSURE THAT FIRE	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapo
4762 DP 77 INDUSTRIAL SPRAY ADHESIVE	DESIGN POLYMERICS	Adhesive Products	APPROVED	PROTECTION/EXTINGUISHER IS IMMEDIATELY AVAILABLE.	cartridge respirator. Follow manufacturer's label.
				Approved for use by trained Maintenance & Operations staff and	
4763 DP 2501 & DP 2502 DUCT LINER ADHESIVE	DESIGN POLYMERICS	HVAC Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and u
					VENTILATE THE ROOM AFTER INSTALLATION AND BEFORE REOCCUPANCY. PLA
					EXHAUST FANS IN OPERATION, FORCE ALL AIR HANDLING UNITS AND AIR
4765 INTERFACE CUBIC ON GLASBAC BACKING	INTERFACE AMERICAS RE:SOURCE TECHNOLOGIES; INC	Floor Care Products	APPROVED		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture
1785 INTERFACE CUBIC ON GLASBAC BACKING	INTERFACE AMERICAS RESOURCE TECHNOLOGIES; INC	Floor Care Products	APPROVED		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
		Floor Care Products	APPROVED		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
	INTERFACE AMERICAS RESOURCE TECHNOLOGIES; INC	Floor Care Products Cleaning Products	APPROVED		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
			·		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90			·	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash gaggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90	HILLYARD INDUSTRIES	Cleaning Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY HYAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GCOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
4766 CITRUS-SCRUB 90	HILLYARD INDUSTRIES	Cleaning Products	APPROVED		AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use GCOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
4766 CITRUS-SCRUB 90	HILLYARD INDUSTRIES	Cleaning Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation, if described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label.
4766 CITRUS-SCRUB 90	HILLYARD INDUSTRIES	Cleaning Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitritie rubber/neoprene gloves and chemical spicash goggles. Use GOOD ventilation. If described symptoms occur, wern NIOSH approved vopor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use
4766 CITRUS-SCRUB 90 4768 SANACOR 2531	HILLYARD INDUSTRIES	Cleaning Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved
4766 CITRUS-SCRUB 90 4768 SANACOR 2531	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC.	Cleaning Products	APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NICSH approved a vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation if described symptoms occur, wear NICSH approved to cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC.	Cleaning Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved a vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. THIS IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC.	Cleaning Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NicisH approved vopor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC.	Cleaning Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. HISI SA COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufabel.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC.	Cleaning Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. HISI SA COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manu- label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS)	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC.	Cleaning Products HVAC Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. HISI SA COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manu- label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS)	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA	Cleaning Products HVAC Products HVAC Products Fire Retardants	APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved upor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. THIS IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manu- label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation if described symptoms occur, wear NIOSH approved upor cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA	Cleaning Products HVAC Products HVAC Products Fire Retardants	APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture: Wear nitritie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitritie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitritie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved cartridge respirator. Follow manufacturer's label. THIS IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manu- label. Wear nitritie rubber/ neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear gloves and tight fitting goggles. Use with GOOD ventilation. If PEL is
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS)	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA	Cleaning Products HVAC Products HVAC Products Fire Retardants Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufactures Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved- vapor cartridge respirator. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrite rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved to cartridge respirator. Follow manufacturer's label. THIS IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufabel. Wear nitritie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved to splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved to splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved to splash goggles. Use OOD ventilation. If described symptoms occur, wear NIOSH approved to splash goggles. Use with GOOD ventilation. If PEL is
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS) 4773 HIT-HY 20	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA HILTI, INC.	Cleaning Products HVAC Products HVAC Products Fire Retardants	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved for cartridge respirator. Follow manufacturer's label. HISI SA COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufable. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufacturer's label. Wear gloves and tight fitting goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS) 4773 HIT-HY 20	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA HILTI, INC.	Cleaning Products HVAC Products HVAC Products Fire Retardants Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacturer Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved ocartridge respirator. Follow manufacturer's label. HISIS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved ovapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved ovapor cartridge respirator. Follow manufacturer's label. Wear gloves and tight fitting goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS) 4773 HIT-HY 20	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA HILTI, INC.	Cleaning Products HVAC Products HVAC Products Fire Retardants Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ APPROVED FOR USE BY MAINTENANCE STAFF ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of upon cartridge respirator. Follow manufacture's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacture's label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of cartridge respirator. Follow manufacture's label. THIS IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manu label. Wear nitriie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of upon cartridge respirator. Follow manufacture's label. Wear gloves and tight fitting goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow manu label.
4766 CITRUS-SCRUB 90 4768 SANACOR 2531 4769 A-102 4772 FLAME RETARDANT PET FIBER (PLUS) 4773 HIT-HY 20	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA HILTI, INC.	Cleaning Products HVAC Products HVAC Products Fire Retardants Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE BRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCE, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ APPROVED FOR USE BY MAINTENANCE STAFF ONLY. APPROVED FOR USE BY YEAR-ROUND CLEANING DEPARTMENT STAFF ONLY. USE ONLY WITH PLUMBED OR SELF-CONTAINED EYEWASH OR	AND COOLING LOCKED OUT AND FLUSH THE BUILDING Follow manufacture Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved for cartridge respirator. Follow manufacturer's label. His IS A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufable. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufable. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved of vapor cartridge respirator. Follow manufable. Wear gloves and tight litting goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufable. Wear nitrile rubber/neoprene gloves, apron and boots and chemical sp
4773 НТ-НУ 20	HILLYARD INDUSTRIES SAN JOAQUIN CHEMICALS, INC. SAN JOAQUIN CHEMICALS, INC. KOSA HILTI, INC.	Cleaning Products HVAC Products HVAC Products Fire Retardants Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY HVAC STAFF ONLY. THIS PRODUCT CAUSES SEVERE EYE IRRITATION OR CHEMICAL BURNS THUS REQUIRING, PER CCR, PLUMBED OR SELF-CONTAINED EYEWASH OR EYE/FACEWASH EQUIPMENT IN ACCESSIBLE LOCATIONS THAT REQUIRE NO MORE THAN 10 SECONDS FOR THE INJ APPROVED FOR USE BY MAINTENANCE STAFF ONLY. APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved Footh this is A COMPONENT OF AVORA FLAME RETARDANT FABRIC. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved or vapor cartridge respirator. Follow manufacturer's label. Wear gloves and tight litting goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved PIOO cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY MAINTENANCE STAFF ONLY, USE WET METHODS FOR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4780 PERMABASE AND PERMABASE FLEX	NATIONAL GYPSUM COMPANY	Floor Care Products	APPROVED	CUTTING/GRINDING/DRILLING.	respirator. Follow manufacturer's label.
4781 ARTEFFECTS	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED		Follow manufacturer's label.
	•				Wear gloves and chemical splash goggles. Use with GOOD ventilation. If PEL
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufact
4782 FA 88	FRITZ INDUSTRIES INC.	Floor Care Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY.	label.
4783 FRITZTILE	FRITZ INDUSTRIES INC.	Floor Care Products	APPROVED	ATTIOTES FOR OLE ST MAINTENANCE STATE OF ET.	Follow manufacturer's label.
4/83 FRIIZILE	FRITZ INDUSTRIES INC.	Floor Care Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY HVAC STAFF ONLY. DO NOT VENT TO THE	GOOD ventilation. If described symptoms occur, wear NIOSH approved orgo
4784 GENETRON AZ-20 (R-410A)	HONEYWELL	HVAC Products	APPROVED	ATMOSHPHERE.	vapor cartridge respirator. Follow manufacturer's label.
					DO NOT SPRAY APPLY DUE TO LOCAL EXHAUST RECOMMENDATIONS. Wear nitri
					rubber/neoprene gloves and chemical splash goggles. Use with GOOD
					ventilation. If described symptoms occur, wear NIOSH approved P100 cartrid
4785 CONCRETE FLOOR COATING, PART 1 (\$40/\$42)	SIERRA PERFORMANCE COATINGS	Paint Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY PAINT STAFF AND CONTRACTORS ONLY. DO NOT	GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4786 CONCRETE FLOOR COATING, PART 2 (\$40/\$42)	SIERRA PERFORMANCE COATINGS	Paint Products	APPROVED	SPRAY APPLY.	respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved orga
4787 SEAL-KRETE WATERPROOFING SEALER	SEAL-KRETE INC.	Paint Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
4/6/ SEAL MILIE WATER ROOF TO SEALER	OEAE METE, ING.	ruint rioducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor/F
4790 BULLSEYE WATERBASE	WILLIAM ZINSSER & CO., INC.	Paint Products	APPROVED		cartridge respirator. Follow manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED	
				CONTRACTOR ONLY, DURING NON-SCHOOL HOURS. FOR OUTDOOR USE	
				ONLY. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA DURING	The contractor shall adhere to all sections of the MSDS during use of this pr
				THE APPLICATION OF THIS PRODUCT. A CLASS ABC FIRE EXTINGUISHER	including those sections containing special protection information/special
4793 8400 VOC ADHESIVE	BOSTIK (NZ) LTD	Adhesive Products	APPROVED	MUST BE A	precautions.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P
4794 SERIES 010 TNEMEC PRIMER	TNEMEC COMPANY INC.	Paint Products	APPROVED	APPROVED FOR USE BY MAINTENANCE STAFF ONLY. DO NOT SPRAY APPLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4795 MOBIL EAL ARCTIC 22 CC	MOBIL OIL CORP	HVAC Products	APPROVED		respirator. Follow manufacturer's label.
4/95 MODIL EAL ARCTIC 22 CC	MOBIL OIL CORP	HVAC Products	APPROVED		•
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved P100
4796 BIOMATIC	ULTRA CHEM, INC.	Pesticide/Herbicide Products	APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
4796 BIOMATIC	ULTRA CHEM, INC.	Pesticide/Herbicide Products	APPROVED		GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4796 BIOMATIC	ULTRA CHEM, INC.	Pesticide/Herbicide Products	APPROVED		GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label.
4796 BIOMATIC 4797 ACETYLENE	ULTRA CHEM, INC. AIRGAS INC.	Pesticide/Herbicide Products Automotive Products	APPROVED APPROVED		GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe
4797 ACETYLENE		Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil
	AIRGAS INC.			APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splosh goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, owary from sources of heat and sprittion. Follow manufacturer's labe Wear protective gloves and chemical splosh goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label.
4797 ACETYLENE	AIRGAS INC.	Automotive Products Automotive Products	APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, THIS PRODUCT IS HIGHLY FLAMMABEL.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store upright
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR (CRYOGENIC	AIRGAS INC.	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN	AIRGAS INC. AIRGAS INC. LIQUID CARBONIC INDUSTRIES	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR (CRYOGENIC	AIRGAS INC.	Automotive Products Automotive Products	APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN	AIRGAS INC. AIRGAS INC. LIQUID CARBONIC INDUSTRIES	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN	AIRGAS INC. AIRGAS INC. LIQUID CARBONIC INDUSTRIES	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%, Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPLED AI
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN	AIRGAS INC. AIRGAS INC. LIQUID CARBONIC INDUSTRIES	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/ neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%, Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	GOOD ventilation. If described symptoms occur, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's label. Wear protective gloves and chemical splash goggles. Use with GOOD ventilit to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%, Store upright and secure. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Picartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED AL RESPIRATOR. Follow manufacturer
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPANING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufacturer's
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventilation oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufa
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO., INC.	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventilation around to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED AIR RESPIRATOR. Follow manufa
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO., INC.	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to MFRAYING, WEAR A POSITIVE PRESSURE SUPPUED AI RESPIRATOR. Follow manufa Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED AI RESPIRATOR. Follow manufa Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO., INC.	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and socure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and socure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Pactridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPLIED A RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Pactridge respirator. PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING	GOOD ventilation. If described symptoms occur, wear NIOSH approved PIOC cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Focartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Focartridge respirator. Fellow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO., INC.	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH.	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and socure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store uprig and socure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Factifidge respirator. WHEN SPRANING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Fellow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. (WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION THAT	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels below 25%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Factificial processors. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Factificial processors. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS 4805 DEGREASE IT/SPRAY & WIPE	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION POWER CHEMICAL	Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION THAT REQUIRES NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventilation oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/Pactridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED A RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION THAT	GOOD ventilation. If described symptoms occur, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's labe. Wear protective gloves and chemical splash goggles. Use with GOOD ventil to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store uprig and secure. Follow manufacturer's label. Wear nitrille rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPUED AI RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.
4797 ACETYLENE 4798 LIQUEFIED ARGON-AR,(CRYOGENIC 4800 OXYGEN 4801 CARBON DIOXIDE REFRIGERATED LIQUID 4802 WATERBORE PRODUCTS 4804 PIG GRAFFITI TOWELS 4805 DEGREASE IT/SPRAY & WIPE	AIRGAS INC. LIQUID CARBONIC INDUSTRIES CARDOX E.I. DU PONT DE NEMOURS & CO, INC. NEW PIG CORPORATION POWER CHEMICAL	Automotive Products Automotive Products Automotive Products Automotive Products Graffiti Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS HIGHLY FLAMMABEL. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT ACCELERATES COMBUSTION. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE AND OPERATIONS STAFF ONLY. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION REQUIRING NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO REACH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE WITH EYEWASH/FACEWASH EQUIPMENT IN AN ACCESSIBLE LOCATION THAT REQUIRES NO MORE THAN 10 SECONDS FOR THE INJURED PERSON TO	GOOD ventilation. If described symptoms occur, wear NIOSH approved PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure, away from sources of heat and ignition. Follow manufacturer's label. Wear protective gloves and chemical splash goggles. Use with GOOD ventilation oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels below 25%. Store upright and secure. Follow manufacturer's label. Use with GOOD ventilation to maintain oxygen levels above 19.5%. Store upright and secure. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor/PIC cartridge respirator. WHEN SPRAYING, WEAR A POSITIVE PRESSURE SUPPLED All RESPIRATOR. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor/PI
4809 2 CYCLE 50-1 ENGINE OIL	GUARDSMAN PRODUCTS INC.	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
48)] TACK-IT	HILLYARD INDUSTRIES		APPROVED		
48 TACK-11	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear butyl rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirator
4819 P.R.O. FILL E-Z SAND/PART A	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	wet methods when cutting/grinding/drilling. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PII
4820 IMPERIAL MACHINE GLAZE	3м			APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	
4820 IMPERIAL MACHINE GLAZE	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear polyethylene/ethylene vinyl alcohol, polyvinyl alcohol,
					polytetrafluoroethylene (Teflon), or fluoroelastomer (Viton) gloves and cher
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	splash goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH
4821 GENERAL PURPOSE ADHESIVE CLEANER	3M	Automotive Products	APPROVED	IGNITION SOURCES.	approved organic vapor cartridge resp
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P
4822 PERFECT-IT™ FOAM POLISHING PAD GLAZE-DARK	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PI
					cartridge respirator. Use wet methods when cutting/grinding/drilling. Follow
4823 AUTOMIX™ E-Z SAND (OR P.R.O. FILL) RIGID PARTS REPAIR	3M	Automotive Products	APPROVED	APPROVED FOR USE BY AUTO/BUS MAINTENANCE STAFF ONLY.	manufacturer's label.
4823 AUTOMIX. E-2 SAND (OR F.R.O. FILL) RIGID PARTS REPAIR	SIN	Automotive Products	APPROVED	AFFROVED FOR USE BY AUTO/BUS MAINTENANCE STAFF ONLY.	
					Wear butyl rubber gloves and chemical splash goggles. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. This product is	ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respirate
4825 RIGID PARTS REPAIR MATERIAL-ADHESIVE (PART A)	3M	Automotive Products	APPROVED	used with Part B.	wet methods when cutting/drilling/grinding. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
					cartridge respirator. Use and store away from sources of ignition. Follow
4826 RELEASE AGENT	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/PI
4827 SUPER DUTY RUBBING COMPOUND	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved orga
4828 SUPER SILICONE SEALANT-BLACK	3M	Automotive Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear butyl rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved organic vapor cartridge
4829 VINYL TRIM ADHESIVE	3M	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	respirator. Follow manufacturer's label.
1020		Additionate Froducts	ATTROVED		•
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P
4830 MCKANICA POWER CAN SEAM SEALER YELLOW	NEUTRADERS SALES & MARKETING	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
AES HIGH PERFORMANCE ANTIFREEZE, HP 50/50, HP CONCENTI	RATE,				GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor/
4831 H	ROMIC ENVIRONMENTAL TECHNOLOGIES CORP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
7001		Additionate Froducts	ATTROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wil
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/
4832 AES HEAVY DUTY ANTIFREEZE	ROMIC ENVIRONMENTAL TECHNOLOGIES CORP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/f
4833 DOT 3-PREMIUM PLUS BRAKE FLUID	FEDERAL-MOGUL	Automotive Drestvete	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	
4033 DOT 3-LKEWIOM LT03 BKWKF LTDD	I EDERAL MODUL	Automotive Products	APPROVED	ALT NOVED FOR USE BY FLEET MAINTENANCE STAFF UNLY.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use wit
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4834 DX41	PPG INDUSTRIES, INC.	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear protective gloves and chemical splash goggles. Use with GOOD vent
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4835 DX42	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
					Wear butyl rubber gloves and chemical splash goggles. Use with GOOD
					ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge respiral
4836 RIGID PARTS REPAIR MATERIAL-FILLER (PART A)	3М	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	wet methods when cutting/drilling/grinding. Follow manufacturer's label.
TOOL		Automotive moducts	AFFROVED	STED FOR OUR DIFFEET MANUFERMINGE STAFF ONE!	
					Wear protective gloves and chemical splash goggles. Use with GOOD vent
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4837 DX43	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
					Wear protective gloves and chemical splash goggles. Use with GOOD vent
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4838 DX44	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.

					Wear protective gloves and chemical splash goggles. Use with GOOD v
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4839 DX45	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
					Wear protective gloves and chemical splash goggles. Use with GOOD v
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4840 DX46	PPG INDUSTRIES, INC.	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
					Wear protective gloves and chemical splash goggles. Use with GOOD v
					If PEL is exceeded, wear NIOSH approved P100 cartridge respirator. Follow
4841 DX62	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	manufacturer's label.
4041		Additioner	ATTROVES		
					Warrant at a start and a transfer to the same to the s
					Wear protective gloves and chemical splash goggles. Use with GOOD v
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS	If PEL is exceeded, wear NIOSH approved organic vapor/P100 cartridge r
4842 DX 63	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	HIGHLY FLAMMABLE.	Use away from sources of ignition. Follow manufacturer's label.
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				USE IN A SPRAY BOOTH, USE NEAR ACCESSIBLE EYEWASH OR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
4843 DX393	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP			EYE/FACEWASH EQUIPMENT.	cartridge respirator. Follow manufacturer's label.
4843 DX393	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED		• .
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING,	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
844 DX394	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	EYE/FACEWASH EQUIPMENT.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AND STORE	cartridge respirator or a positive pressure, supplied air respirator. Follo
1845 NCP270	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE A SPRAY BOOTH.	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1846 PRL88	PPG INDUSTRIES, INC.	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
1846 FRL00	PPG INDUSTRIES, INC.	Automotive Products	APPROVED	AFFROVED FOR USE BY FLEE I MAINTENANCE STAFF ONLY.	• .
					USE FORCED VENTILATION FOR 5 DAYS AFTER INSTALLATION BEFORE REOCO
854 PERFORMER 28 MC023	MOHAWK INDUSTRIES	Floor Care Products	APPROVED		THE ROOM. Follow manufacturer's label.
					USE FORCED VENTILATION FOR FIVE DAYS BEFORE REOCCUPYING THE ROOF
1855 PRISM COLOR MC046	MOHAWK INDUSTRIES	Floor Care Products	APPROVED		manufacturer's label.
					USE FORCED VENTILATION FOR FIVE DAYS BEFORE REOCCUPYING THE ROOF
	MOHAWK INDUSTRIES				
4856 BAY RIDGE MC028	MOHAWK INDUSTRIES	Floor Care Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If described symptoms occur wear NIOSH approved
4858 SPRAY LOCK 6500 PRESSURE SENSITIVE ADHESIVE	INTERLOCK INDUSTRIES, INC.	Adhesive Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC
				ADDDOVED FOR LIST BY FLEET MAINTENANCE STAFF ONLY LIST AWAY FROM	
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air resp
4859 DBU MSDS #2	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	
4859 DBU MSDS #2	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED		ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label.
1859 DBU MSDS #2	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED		ventilation. Wear a NIOSH approved positive pressure supplied-air rest Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC
	PPG INDUSTRIES, DELAWARE			IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO
		Automotive Products Automotive Products	APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label.
				IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with OC ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO
				IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with OC ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with OCC
1860 DBU MSDS #1				IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with OC ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO
1860 DBU MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air rest Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC ventilation. Wear a NIOSH approved positive pressure supplied-air rest Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NIOSH approved positive pressure, supplied-air rest Follow manufacturer's label.
1860 DBU MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC ventilation. Wear a NIOSH approved positive pressure supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC
1860 DBU MSDS #1 4861 DCC MSDS #2	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products	APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gioves and a full face shield. Use with OC ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gioves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gioves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label.
4861 DCC MSDS #2	PPG INDUSTRIES, DELAWARE	Automotive Products	APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label.
4861 DCC MSDS #2	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products	APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR	ventilation. Wear a NiOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC ventilation. Wear a NiOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NiOSH approved positive pressure, supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NiOSH approved positive pressure, supplied-air respective manufacturer's label.
4861 DCC MSDS #2	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products	APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GC ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCC ventilation.
4861 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products	APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label.
4860 DBU MSDS #1 4861 DCC MSDS #2 4862 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	ventilation. Wear a NIOSH approved positive pressure supplied-air respective pressure supplied air respective pressure, supplied air respective press
4861 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with OC ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC show manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH, USE NEAR ACCESSIBLE FYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOC ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air respective pressure supplied air respective pressure, supplied air respective press
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH, USE NEAR ACCESSIBLE FYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label.
860 DBU MSDS #1 1861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH, USE NEAR ACCESSIBLE FYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 wentilation. Wear a NIOSH approved positive pressure supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res- Follow manufacturer's label.
860 DBU MSDS #1 4861 DCC MSDS #2 882 DCC MSDS #1 883 CLV MSDS #2 884 CLV MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with SC ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label.
860 DBU MSDS #1 4861 DCC MSDS #2 882 DCC MSDS #1 883 CLV MSDS #2 884 CLV MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2 1864 CLV MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with SC ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GCO ventilation. Wear a NIOSH approved positive pressure, supplied air resp. Follow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2 1864 CLV MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO wentilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied air response proved positive press
860 DBU MSDS #1 4861 DCC MSDS #2 862 DCC MSDS #1 863 CLV MSDS #2 864 CLV MSDS #1 865 DCH2086	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied air respollow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2 1864 CLV MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied air res Follow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2 1864 CLV MSDS #1	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 wentilation. Wear a NIOSH approved positive pressure supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied air res Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. If PEL is exceeded, wear NIOSH approved progranic var cartridge respirator. If PEL is exceeded, wear NIOSH approved organic var cartridge respirator. Follow manufacturer's label.
860 DBU MSDS #1 4861 DCC MSDS #2 8862 DCC MSDS #1 8863 CLV MSDS #2 8864 CLV MSDS #1 8865 DCH2086	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, INCCOATINGS & RESIN GROUP PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air respective manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO wentilation. Wear a NIOSH approved positive pressure supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied-air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOO ventilation. Wear a NIOSH approved positive pressure, supplied air respollow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOO ventilation. If PEL is exceeded, wear NIOSH approved organic vagaratridge respirator. Follow manufacturer's label.
860 DBU MSDS #1 4861 DCC MSDS #2 8862 DCC MSDS #1 8863 CLV MSDS #2 8864 CLV MSDS #1 8865 DCH2086	PPG INDUSTRIES, DELAWARE	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 wentilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 wentilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If FEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
860 DBU MSDS #1 4861 DCC MSDS #2 8862 DCC MSDS #1 8863 CLV MSDS #2 8864 CLV MSDS #1 8865 DCH2086	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, INCCOATINGS & RESIN GROUP PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 60 wentilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with 600 ventilation. Wear a NIOSH approved positive pressure, supplied air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use 6000 ventilation. If FEL is exceeded, wear NIOSH approved arganic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use 6000 ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label.
1860 DBU MSDS #1 4861 DCC MSDS #2 1862 DCC MSDS #1 1863 CLV MSDS #2 1864 CLV MSDS #1	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, INCCOATINGS & RESIN GROUP PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO ventilation. Wear a NIOSH approved positive pressure supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOI ventilation. IFEL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOO ventilation. Wear a NIOSH approved positive pressure, supplied-air resp. Follow manufacturer's label.
4859 DBU MSDS #2 4860 DBU MSDS #1 4861 DCC MSDS #2 4862 DCC MSDS #2 4863 CLV MSDS #1 4865 DCH2086 4866 DCU2010 4867 DCU2042	PPG INDUSTRIES, DELAWARE PPG INDUSTRIES, INCCOATINGS & RESIN GROUP PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF, USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH USE NEAR APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO ventilation. Wear a NIOSH approved positive pressure supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied-air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOI ventilation. Wear a NIOSH approved positive pressure, supplied air resp Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. IP EL is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied- respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied- respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, WHEN SPRAYING,	
4870 DCX2012	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	USE IN A SPRAY BOOTH.	Follow manufacturer's label
4870 DCX2012	PTO INDUSTRIES, INC. CONTINUS & RESIN OROUT	Automotive Products	AFFROVED	USE IN A STRAIT BOOTIL	Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				ADDROVED FOR LISE BY ELECT MAINTENANCE STACE ONLY MILEN SERAVING	ventilation. If PEL is exceeded, wear NIOSH approved positive pressure, supplied-
4871 DCX2011	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	USE IN A SPRAY BOOTH.	air respirator. Follow manufacturer's label.
48/I DCX20II	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	USE IN A SPRAT BOOTH.	Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, USE IN A SPRAY	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4872 DCX2091	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP			BOOTH.	Follow manufacturer's label.
48/2 DCX2091	FFG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	BOOTH.	
					Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE IN A SPRAY	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4873 DCX2092	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE IN A SPRAY	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4875 DFH535	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AND STORE	$ventilation. \ We ar a \ {\tt NIOSH} \ approved \ positive \ pressure, supplied-air \ respirator.$
4876 DFX7	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM IGNITION SOURCES. USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AND STORE	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4877 DFX11	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM IGNITION SOURCES. USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AND STORE	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4878 DHS MSDS #1	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
				•	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, USE AND STORE	GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-air
4879 DHS MSDS #2	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH.	
4073	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Addition of Florida	AFFROVED		Wear nitrile rubber/neoprene gloves and full face sheild. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AND STORE	ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4880 DHS MSDS #3	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	AWAY FROM INGITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	
4000 DIS MSDS #3	TTO INDUSTRIES, INC. CONTINUS & RESIN GROUP	Additioning Floddets	AFFROVED	AWAT I KOM INOTHON SOURCES. WHEN SE KATHO, USE IN A SEKAT BOOTT.	
				ADDDOVED FOR USE BY FIFET MAINTENANCE STAFF ONLY USE ANY AVEROMA	Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	
4881 DHS MSDS #4	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING PRODUCT USE A SPRAY BOOTH.	manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	
4882 DPX801	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respirator.
4883 DU MSDS #1	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respirator.
4884 DU MSDS #2	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respirator.
4885 DU MSDS #3	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respirator.
4886 DU MSDS #4	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
					Wear butyl rubber gloves and full face shield. Use with GOOD ventilation. Wear a
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	
4887 DU5	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	label.
				•	Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, WHEN SPRAYING,	
4888 DXR80	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	USE IN A SPRAY BOOTH.	Follow manufacturer's label.
.555		Automouro (Toddota	A TROVED		Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	
4889 DX830	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
4003 DA030	PPO INDUSTRIES, INC. "COATINGS & RESIN GROUP	Automotive Products	APPROVED		
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH, USE NEAR	Wear nitrile rubber/neoprene gloves and full face shield. Use with GOOD
NOD OT	DOG INDUSTRIES ING. CONTINUES S DE				ventilation. Wear a NIOSH approved positive pressure, supplied-air respirator.
4890 NCP 271	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	ACCESSIBLE EYEWASH OR EYE/FACEWASH EQUIPMENT.	Follow manufacturer's label.
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH. USE NEAR	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor/P100
4891 NCP280	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	ACCESSIBLE EYE OR EYE/FACEWASH EQUIPMENT.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and a full face shield. Use with GOOD
l .				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	ventilation. Wear a NIOSH approved positive pressure supplied-air respirator.
4892 NCS1996	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
*					

					We are shallow the color and an area of a few and a few
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	
4893 NCX285	PPG INDUSTRIES, INCCOATINGS & RESIN GROUP	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	respirator. Follow manufacturer's label.
					Wear polyethylene/ethylene vinyl alcohol, polyvinyl alcohol,
					polytetrafluoroethylene (Teflon), or fluoroelastomer (Viton) gloves and
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	splash goggles. Use with GOOD ventilation. Wear a NIOSH approved po
4894 POLYOLEFIN ADHESION PROMOTER P/N 5907	3M	Automotive Products	APPROVED	IGNITION SOURCES, WHEN SPRAYING, USE IN A SPRAY BOOTH.	pressure, supplied-air respirator. F
4894 FOLTOLEFIN ADHESION FROMOTER F/N 5907	SW	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRATING, USE IN A SPRAT BOOTH.	
					Wear polyethylene/ethylene vinyl alcohol, polyvinyl alcohol,
					polytetrafluoroethylene (Teflon), or fluoroelastomer (Viton) gloves and
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. IF SPRAYING, USE	splash goggles. Use with GOOD ventilation. Wear a NIOSH approved po-
4896 HEAVY DRIP-CHEK™ SEALER, P.N. 08531	3M	Automotive Products	APPROVED	IN A SPRAY BOOTH, USE AWAY FROM IGNITION SOURCES.	pressure, supplied-air respirator. F
					Wear polyethylene/ethylene vinyl alcohol, polyvinyl alcohol,
					polytetrafluoroethylene (Teflon), or fluoroelatomer (Viton) gloves and o
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	splash goggles. Use with GOOD ventilation. Wear a NIOSH approved po
4897 JOINT AND SEAM SEALER (WHITE), P.N. 08646	3M	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	pressure, supplied-air respirator. Fo
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
PERFECT-IT™ II RUBBING COMPOUND, P.N. 05967,05968,05973,					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vap
1898 059	3М	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	cartridge respirator. Follow manufacturer's label.
1030 000	OH .	Adiomotive Floddets	AITROVED	AT NOTES FOR OUR STILLET MAINTENANCE STATE ONE!	
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartrido
899 P.R.O. FILL E-Z SAND/PART B P.N. 05895, 05896	3М	Automotive Products	APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY.	respirator. Follow manufacturer's label.
					Wear butyl rubber gloves and chemical splash goggles. Use with GOOD
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. THIS PRODUCT IS	ventilation. Use and store away from ignition sources. If PEL is exceeded
DIAGNO AND SAMESTA ADMISSION	0.4				· -
1900 PLASTIC AND EMBLEM ADHESIVE-CLEAR, P.N. 08061	3M	Automotive Products	APPROVED	HIGHLY FLAMMABLE.	NIOSH approved organic vapor cartridge respirator. Follow manufactu
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	GOOD ventilation. Wear A NIOSH approved positive pressure, supplied-
4901 SPRAY TRIM ADHESIVE PART NO. 08074	3M	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	respirator. Follow manufacturer's label.
					Wear polytetrafluoroethylene (Teflon) gloves and chemical splash gog
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	with GOOD ventilation. Wear a NIOSH approved positive pressure, supp
1902 SUPER WEATHER STRIP ADHESIVE (YELLOW) P.N. 08001,08002,08012	2 3M	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	respirator. Follow manufacturer's label.
					Wear polyethylene/ethylene vinyl alcohol gloves and chemical splash
				APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY, USE AWAY FROM	Use with GOOD ventilation. Wear a NIOSH approved positive pressure, s
4903 WELD-THRU COATING/AEROSOL, P.N. 05913	3M	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	air respirator. Follow manufacturer's label.
				, , , , , , , , , , , , , , , , , , , ,	Wear nitrile rubber/neoprene gloves and a full face shield. Use with GO
					ventilation. Wear a NIOSH approved positive pressure, supplied-air resp
4904 CORRO-GUARD BLACK 14.75 OZ NW	PREMIER FARNELL CORP.	Automotive Products	APPROVED	IGNITION SOURCES. WHEN SPRAYING, USE IN A SPRAY BOOTH.	Follow manufacturer's label.
4905 BLOC-IT HEAT SINK PASTE	LA-CO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
906 COOLGEL	LA-CO INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					USE FORCED AIR VENTILATION FOR FIVE DAYS BEFORE REOCCUPYING THE R
	MOHAWK INDUSTRIES				
1907 BAY SHORE BYS	MOHAWK INDUSTRIES				
		Floor Care Products	APPROVED		Follow manufacturer's label.
1908 BOILER LIQUID	HERCULES CHEMICAL CO., INC.	Floor Care Products HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles. Follow manufacturer's label.
	HERCULES CHEMICAL CO., INC. STOCKHAUSEN, INC.			APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	
909 SOLOPOL HAND SOAP		HVAC Products Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles. Follow manufacturer's label.
909 SOLOPOL HAND SOAP	STOCKHAUSEN, INC.	HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label.
909 SOLOPOL HAND SOAP	STOCKHAUSEN, INC.	HVAC Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles, Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic
909 SOLOPOL HAND SOAP 1910 ESTESOL	STOCKHAUSEN, INC. STOCKHAUSEN, INC.	HVAC Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles, Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app
909 SOLOPOL HAND SOAP 1910 ESTESOL	STOCKHAUSEN, INC.	HVAC Products Maintenance and Operations Products	APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles, Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic
909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER	STOCKHAUSEN, INC. STOCKHAUSEN, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles, Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app
909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUBBLIT LABORATORIES	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Uses with GoOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label.
1909 SOLOPOL HAND SOAP 1910 ESTESOL 1911 CHERRY DEODORIZER	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUBBLIT LABORATORIES	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
1909 SOLOPOL HAND SOAP 1910 ESTESOL 1911 CHERRY DEODORIZER 1912 PINK WASH AND WAX	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear Intrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear Intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-
1909 SOLOPOL HAND SOAP 1910 ESTESOL 1911 CHERRY DEODORIZER 1912 PINK WASH AND WAX	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUBBLIT LABORATORIES	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED		Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apporganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's tabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label.
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approrganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label.
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GODO ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GODO ventilation. Wear a NIOSH approved positive pressure, supplied- respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 1912 PINK WASH AND WAX 1913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us GOOD ventilation. If described symptoms occur, wear NIOSH approved gloves and chemical splash goggles. Us GOOD ventilation. If described symptoms occur, wear NIOSH approved
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear Intitie tubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressures, supplied-respirator. Follow manufacturer's label. Wear nitrie rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIO0 cartridge respirator. Follow manufacturer's label.
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apporganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's tabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1909 SOLOPOL HAND SOAP 1910 ESTESOL 1911 CHERRY DEODORIZER 1912 PINK WASH AND WAX 1913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 1914 ECI-CERAMIC INSULCOAT RE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apporganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's tabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1909 SOLOPOL HAND SOAP 1910 ESTESOL 1911 CHERRY DEODORIZER 1912 PINK WASH AND WAX 1913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 1914 ECI-CERAMIC INSULCOAT RE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apporganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's tabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT R.E	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approaries vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear intitile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIO0 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIO0 cartridge respirator. Follow manufacturer's label.
1909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT R.E	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH app organic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressures, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/P100 cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT RE 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apporganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's tabel. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vag
909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT R:E 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemic goggles. Use with 600D ventilation. If PEL is exceeded, wear NIOSH approgramment of the programment of the progra
1909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT RE 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. DO NOT SPRAY APPLY. Wear nittile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approraganic vapor cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOC cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOC cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation if TIV is exceeded, wear NIOSH approved organic vaportridge respirator. Follow manufacturer's label.
909 SOLOPOL HAND SOAP 1910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT RE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Do NOT SPRAY APPTY. Wear Intrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH apprograms or granic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. GOOD ventilation. Wear a NIOSH approved positive pressures, supplied-respirator. Follow manufacturer's label. GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOO cartridge respirator. Follow manufacturer's label. Wear Intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOO cartridge respirator. Follow manufacturer's label. Wear Intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOO cartridge respirator. Follow manufacturer's label. Wear Intrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use
1909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT RE 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approgramic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressures, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If the scribed symptoms occur, wear NIOSH approved vapor/PIO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If Tut is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If Tut is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If Tut is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label.
4910 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT R:E 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE 4918 Graffiti Remover	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. DO NOT SPRAY APFLY. Wear nittrile rubber/neoprene gloves and chemical goggles. Use with GOCD ventilation. If PEL is exceeded, wear NIOSH approrganic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOCD ventilation. Wear a NIOSH approved positive pressures, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOCD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOCD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOG cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOCD ventilation. If It v is exceeded, wear NIOSH approved organic vap cartridge respirator. Follow manufacturer's label.
4908 BOLIER UQUID 4909 SOLOPOL HAND SOAP 4910 ESTESOL 4911 CHERRY DEODORIZER 4911 CHERRY DEODORIZER 4912 PINK WASH AND WAX 4913 GENERAL PURPOSE ADHESIVE CLEANER-AEROSOL 4914 ECI-CERAMIC INSULCOAT RE 4916 ECI-INTERIOR EGGSHELL/LOW LUSTRE 4918 Graffiti Remover 4919 GLASS AND WINDOW CLEANER	STOCKHAUSEN, INC. STOCKHAUSEN, INC. SUNBELT LABORATORIES CHEMCO PRODUCTS CO. 3M ENVIROCOAT TECHNOLOGIES, INC. ENVIROCOAT TECHNOLOGIES, INC.	HVAC Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Automotive Products Automotive Products Roofing Products Roofing Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY FLEET MAINTENANCE STAFF ONLY. USE AWAY FROM	Wear chemical splash goggles. Follow manufacturer's label. Do NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approgramic vapor cartridge respirator. Follow manufacturer's label. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. Wear a NIOSH approved positive pressure, supplied-respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIOO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If described symptoms occur, wear NIOSH approved vapor/PIO cartridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If It is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use GOOD ventilation. If It is exceeded, wear NIOSH approved organic vaporatridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
4922 CLINGING TOILET BOWL CLEANER	NATURALLY YOURS	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
4923 VORTEX	ECOLINK, INC.	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
		<u> </u>			DO NOT SPRAY APPLY. Wear nitrile rubber/neoprene gloves and chemical splash
					goggles. Use with GOOD ventilation. If PEL is exceeded, wear NIOSH approved
4924 VG-151	ECOLINK, INC.	Maintenance and Operations Products	APPROVED		organic vapor cartridge respirator. Follow manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4926 NATURAL BASIN, TUB & TILE CLEANER	THE CLEAN ENVIRONMENT COMPANY	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
		<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If symptoms occur, wear NIOSH approved organic vapor
4927 THE NATURAL HEAVY DUTY CLEANER/DEGREASER	THE CLEAN ENVIRONMENT COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		<u> </u>			Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4929 THE NATURAL NON-AMMONIATED GLASS CLEANER	THE CLEAN ENVIRONMENT COMPANY	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
		The state of the s			Wear protective gloves and chemical splash goggles. Use with GOOD ventilation
					If described symptoms occur, wear NIOSH approved P100 cartridge respirator.
493] RUBBERIZER BOOMS, PILLOWS, FILTER MEDIA, MATS & PARTICULATI	E HAZ-MAT RESPONSE TECHNOLOGIES, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
		The state of the s			Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
					exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufacturer's
4932 CLEANSER	DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED		label.
4933 ALL PURPOSE LAUNDRY DETERGENT	DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4934 LAUNDRY DETERGENT	DARRON COMPANY, INC.	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
4935 CASHMERE BOUQUET SOAP	COLGATE-PALMOLIVE INSTITUTIONAL PRODUCTS	<u> </u>	APPROVED		Follow manufacturer's label.
4935 CASHMERE BOOQUET SOAF	COLONIE PALMOLIVE INSTITUTIONAL PRODUCTS	Maintenance and Operations Products	APPROVED		
4936 EZ-DIP (CLEANER/BLEACH/DEODORIZER	UNIT CHEMICAL CORPORATION	Maintananae and Operations Bradusto	APPROVED		Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with GOOD ventilation. Follow manufacturer's label.
4937 FLOOR SHIELD-PROTECTIVE MASKING FOR HARD SURFACES	SURFACE SHIELDS, INC.	Maintenance and Operations Products			Follow manufacturer's label.
		Paint Products	APPROVED		
4938 CARPET SHIELD	SURFACE SHIELDS, INC.	Paint Products	APPROVED		Follow manufacturer's label.
4939 DIRT GRABBER	SURFACE SHIELDS, INC.	Paint Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If described
	***				symptoms occur, wear NIOSH approved organic vapor cartridge respirator.
4943 FIRE BARRIER 2000+ PREMIUM SILICONE SEALANT	3M	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor
4946 HYDRASOL CABLE GEL REMOVER	AMERICAN POLYWATER CORPORATION	Office Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
4948 SCOTCHARD TILE AND GROUT PROTECTOR	3M	Maintenance and Operations Products	APPROVED		vapor cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
PRESSURE TREATED WOOD WITH ALKALINE COPPER AND					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4949 QUATERNARY AM	CHEMICAL SPECIALTIES INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
				APPROVED FOR BULK PURCHASE AND FOR USE IN APPROVED EXISTING	
4951 NATURE'S GATE ORGANICS LAVENDER & ALOE LIQUID SOAP	LEVLAND INCORPORATED	Maintenance and Operations Products	APPROVED	CONTAINERS.	Follow manufacturer's label.
				APPROVED FOR BULK PURCHASE AND USE IN APPROVED EXISTING	
4952 Product Name Here	LEVLAND INCORPORATED	Maintenance and Operations Products	APPROVED	CONTAINERS.	Follow manufacturer's label.
NATURE'S GATE ORGANICS NEROLI ORANGE & CHOCOLATE MINT					
4953 LIQUID	LEVLAND INCORPORATED	Maintenance and Operations Products	APPROVED		Follow manufacturer's label.
				APPROVED FOR BULK PURCHASE AND FOR APPROVED EXISTING	
4955 NATURE'S GATE ORGANICS TEATREE & BLUE CYPRESS LIQUID SOA		Maintenance and Operations Products	APPROVED	CONTAINERS.	Follow manufacturer's label.
4963 FIRESTONE ULTRAPOLY TPO MEMBRANE	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		Follow manufacturer's label.
4964 TPO QUICK SEAM FLASHING	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		Wear chemical splash goggles. Follow manufacturer's label.
4967 ULTRAPLY TPO WALKWAY PAD	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
					exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
4969 WATER-BASED BONDING ADHESIVE WBA-4091M	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		manufacturer's label.
4970 ULTRAPLY TPO SERIES	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
					exceeded, wear NIOSH approved organic vapor/P100 cartridge respirator. Follow
497 WATER-BASED BONDING ADHESIVE	FIRESTONE BUILDING PRODUCTS CO.	Roofing Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
4976 GRAFFITI ERASE	E. T. GLOBAL ENVIRONMENTAL LAB, INC.	Maintenance and Operations Products	APPROVED		vapor/P100 cartridge respirator. Follow manufacturer's label.

					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR ONE TIME USE AT 186TH STREET ELEMENTARY SCHOOL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4978 KILZ PREMIUM*	MASTERCHEM INDUSTRIES, INC.	Delet Desidents	APPROVED	DURING NON-SCHOOL HOURS.	cartridge respirator. Follow manufacturer's label.
49/8 KILZ PREMIUM*	MASTERCHEM INDUSTRIES, INC.	Paint Products	APPROVED	DURING NON-SCHOOL HOURS.	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				APPROVED FOR ONE TIME USE AT 186TH STREET ELEMENTARY SCHOOL	GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4979 KILZ EXTERIOR®	MASTERCHEM INDUSTRIES, INC.	Paint Products	APPROVED	DURING NON-SCHOOL HOURS.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4980 ARDEX CP	ARDEX INC.	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
				DISPOSE OF WASTE RAGS ONLY IN APPROVED FIRE SUPPRESSION	GOOD ventilation. If TLV is exceeded, wear NIOSH approved organic vapor/P100
4981 BIOACT EC7M	MICRO CARE CORPORATION	OFHS Products	APPROVED	CONTAINERS.	cartridge respirator. Follow manufacturer's label.
4981 BIOACT EC/W	MICRO CARE CORTORATION	OEHS Products	APPROVED	CONTAINERS.	• .
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
4986 LIQUID ENZYME II	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
					exceeded (when spraying), wear NIOSH approved organic vapor/P100 cartridge
4988 SEALER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4990 SUPER Z HIGH SOLIDS	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
****					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
4991 TAKE DOWN (FRESH AND CLEAN)	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
4551 TAKE DOWN (TRESTTAND CLEAN)	THE TARD INDUSTRIES	Maintenance and Operations Froducts	AFFROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved P100 cartridge
4992 TOP SHAPE	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4993 TYPHOON	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
4994 WINDOW-CLEAN+	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		GOOD ventilation. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
4996 ARSENAL BONNET CLEANER	HILLYARD INDUSTRIES				cartridge respirator. Follow manufacturer's label.
4996 ARSENAL BONNET CLEANER	HILLTARD INDUSTRIES	Maintenance and Operations Products	APPROVED		
					USE OF THIS PRODUCT REQUIRES A DISTRICT APPROVED EMERGENCY EYEWASH
					STATION. Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us
					with GOOD ventilation and a District approved emergency eyewash station. If P
					is exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
4998 ARSENAL DEGREASER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
					USE OF THIS PRODUCT REQUIRES A DISTRICT APPROVED EMERGENCY EYEWASH
					STATION. Wear nitrile rubber/neoprene gloves and chemical splash goggles. U
					with GOOD ventilation and an emergency eyewash station. If PEL is exceeded,
					wear NIOSH approved organic vapor cartridge respirator. Follow manufacturer
4999 ARSENAL HEAVY DUTY FLOOR CLEANER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		label.
					Wear nitrile rubber/neoprene gloves and full face sheild. Use with GOOD
5000 ARSENAL HILLYARD LEMON DISINFECTANT	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		ventilation. Follow manufacturer's label.
					USE OF THIS PRODUCT REQUIRES A DISTRICT APPROVED EMERGENCY EYEWASH
					STATION. DO NOT SPRAY. Wear nitrile rubber/neoprene gloves and chemical
					splash goggles. Use with GOOD ventilation and a District approved emergency
5001 ARSENAL NON-ACID RESTROOM DISINFECTANT CLEANER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		eyewash station. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
					GOOD ventilation. If described symptoms occur, wear NIOSH approved organic
5004 ARSENAL TOP CLEAN CONCENTRATE	HILLYARD INDUSTRIES	Maintenance and Co	ADDDOVICE		
DUUM ARSENAL TOP GLEAN GONGENTRATE	THE TARD INDUSTRIES	Maintenance and Operations Products	APPROVED	ADDDOVED FOR USE BY HOEKING I	vapor/P100 cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY LICENSED HVAC STAFF ONLY. THIS PRODUCT IS	Wear insulated gloves for cylinder handling and chemical splash goggles. Use
				FLAMMABLE, STORE AND USE AWAY FROM IGNITION SOURCES, DO NOT	with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
5011 HC-12A	OZ TECHNOLOGY INC.	HVAC Products	APPROVED	VENT TO THE ATMOSPHERE. LIQUID MAY CAUSE FROSTBITE.	cartridge respirator. Follow manufacturer's label.
				APPROVED FOR USE BY LICENSED HVAC STAFF ONLY. THIS PRODUCT IS	Wear insulated gloves for cylinder handling and chemcical splash goggles. Us
				FLAMMABLE. STORE AND USE AWAY FROM IGNITION SOURCES. DO NOT	with GOOD ventilation. If PEL is exceeded, wear NIOSH approved organic vapor
5013 HC-22A	OZ TECHNOLOGY INC.	HVAC Products	APPROVED	VENT TO THE ATMOSHPERE. LIQUID MAY CAUSE FROSTBITE.	cartridge respirator. Follow manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Use with
5014 POLYPAVEMENT SOIL SOLIDIFIER	POLYPAVEMENT COMPANY	Maintenance and Operations Products	APPROVED		outdoors or with GOOD ventilation. Follow manufacturer's label.
5015 TITANIUM-UDL SYNTHETIC ROOFING UNDERLAYMENT					Salassis S. W.C. SOOD Vertiliation, Follow Hamadactarer & label.
5015 THANIUM-UDL SYNTHETIC ROOFING UNDERLAYMENT	INTERWRAP	Roofing Products	APPROVED		
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
5016 TIRE INFLATOR	SUPERCO SPECIALITY PRODUCTS	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
5018 G-FORCE ALL-PURPOSE & GLASS CLEANER CONCENTRATE	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.

5019 G-PORCE WASHROOM CLEMEN-USE SOUTHON BUTCHER COMPANY Maintenance and Operations Products APPROVED FOR USE BY MAINTENINCE AND OPERATIONS STAFF ONLY. APPROVED for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- proved for use by contractors only at unoccupied siles or during row- which is unber-/neoprane gioves and chemical splash googles. If exceeded, were NiOsit approved organic vapor cortridge respirator. For manufacturer's recommendations for product storage and Approved for use by trained contractors and Maintenance. A Ensure appropriate personal productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved productions grow and chemical splash googles. If exceeded, were NiOsit approved and on grow a						Wear nitrile rubber/neoprene gloves and chemical splash goggles. Follow
Here the second process of the second proces	5019 G-FORCE WASHROOM CLEANER-USE SOLUTION	BUTCHER COMPANY	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY MAINTENANCE AND OPERATIONS STAFF ONLY.	
Part					Approved for use by contractors only at unoccupied sites or during nor) -
Hereigness and the second process of the sec	5020 SPECSEAL® TYPE SSS SEALANT	SPECIFIED TECHNOLOGIES INC.	Carpentry/ Construction Product	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and use.
Management of the property of						Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
Page						exceeded, wear NIOSH approved organic vapor cartridge respirator. Follow
Segregation of the control of the co	5024 RAPID RESULTS	MAINTEX INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
Segregation of the segregation o						Follow the manufacturer's recommendations for product storage and use.
					Approved for use by trained contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this product
Management of the property of	5026 SPECSEAL® TYPE LCI SEALANT	SPECIFIED TECHNOLOGIES INC.	Carpentry/ Construction Product	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
Membershammer with the property of the propert						Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
변						exceeded, wear NIOSH approved P100 cartridge respirator. Follow manufactors
Mathematical Control	5027 G00716 HYDROMENT GROUT/CEMENT-ALL COLORS	BOSTIK FINDLEY, INC.	Maintenance and Operations Products	APPROVED		label.
	5032 PINK BORAX HAND SOAP	SOUTHERN CALIFORNIA SOAP CO. INC	Maintenance and Operations Products	APPROVED		
Segregation of the segregation o						Wear chemical-resistant gloves and an apron made of multi-layer lamina
Modernational Mo						polyethylene and ethylene-vinyl alcohol (or equivalent), and chemical spla
변						goggles. For outdoor use only. Wear a NIOSH-approved supplied-air respira
	5034 CHILD SAFE BINDER	CHILD SAFE PRODUCTS, INC	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY M&O STAFF AND CONTRACTORS ONLY.	Do not allow uncured pr
## 1987 (1997)	5036 PROFOAM PLATINUM	NISUS CORPORATION	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and use.
정						Wear nitrile rubber/neoprene gloves and chemical splash goggles. If PEL is
Management Man						exceeded, wear NIOSH approved organic vapor/P100 cartridge respirator. For
	5037 ELVANOL	DUPONT CHEMICALS	Paint Products	APPROVED		manufacturer's label.
Page						
1						
Part					OCCUPIED HOURS. DO NOT ALLOW RE-ENTRY TO TREATED AREAS UNTIL ALL	
1	5040 ALKALINE SPOTTER	CHEMICAL SPECIALITIES MANUFACTURING CORPORATION	Maintenance and Operations Products	APPROVED	DETECTABLE ODORS HAVE DISSIPATED.	
COURT COUR					THIS PRODUCT MAY ONLY BE USED BY EMPLOYEES OF COIT SERVICES. USE	
1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1						
Page						
Page	5043 DEODORIZER	CHEMICAL SPECIALITIES MANUFACTURING CORPORATION	Maintenance and Operations Products	APPROVED		
County C						
변 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전						
Part						
Part	5046 PRESPRAY	CHEMICAL SPECIALITIES MANUFACTURING CORPORATION	Maintenance and Operations Products	APPROVED		
COUNTED-FOUND ALLOW RE-PIRTY DIRECT DATA DATA DATA DATA DATA DATA DATA DA						
FOR EXECUTION NUMBER 1999						
WITH ATTO DERICAL WARK FROM IELE TRICAL WA	5048 PROFESSIONAL SPOT LIFTER	CHEMICAL SPECIALITIES MANUFACTURING CORPORATION	Office Products	APPROVED		
Sept Water Manual Da Amador Materiano Panna Masses Coupen, Nick. Penin Products						
Wear nitite nubble/neoprese gioves and chemical splaint gagges dut Wear of NDSH reproved organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor contridge respirator with a dusfind/Imme prefilter dump genory organic vegor organic vegor from the prefilter with genory organic vegor organic vegor from vegor organic vegor organic vegor from vegor organic vegor organic vegor organic vegor organic vegor from vegor organic vegor from vegor organic vegor organic vegor organic vegor organic vegor from vegor organic v						
More NORSH approved again was part persisted with a depth and persisted wit	5050 WATERTITE MOLD & MILDEW-PROOF WATERPROOFING PAINT	ZINSSER COMPANY, INC.	Paint Products	APPROVED	OTHER POSSIBLE IGNITION SOURCE.	
Sez DEVELOR ACCORDENCE FOR EACH PRIMER & TAT FINISH 10 PAINTS 10						
PATE PROMISE SELECT OMETAL PRIMER & FLAT FRIMEN CIP ANTS PROMISE P						
Mean ADDITION Mean ADDITIO						
SOS DULY PROFESSIONAL EXTERIOR 100% ACRYLIC FLAT FINISH 220 (I PAINTS POINT PROJUCTS POINT PROJUCTS PROJUCT PROJUCTS PRO	5052 DEVFLEX 4020PF DIRECT TO METAL PRIMER & FLAT FINISH	ICI PAINTS	Paint Products	APPROVED		
4 MPROVED FOR USE BY LAUSD CERTIFED PEST CONTROL TECHNICIANS 1 METRIFORM TO MAIN THROUGH VIOLATION AND ACCOUNT THROUGH VIOLATION AND ACCOUNT THROUGH VIOLATION AND ACCOUNT THROUGH VIOLATION TH						
SOS DULIX PROFESSIONAL EXTERIOR 100X ACRYLIC FLAT FINISH 2200 IN PORTURE SELF-CONTRIANE PER ACRYLIC FLAT FINISH MICRO-GEN RESEARCH LABORATORIES INC. IN PORTURE SELF-CONTRIANE PER ACRYLIC FLAT FLAT FLAT FLAT FLAT FLAT FLAT FLAT						
APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile rubber/neoprene gloves, chemical splash goggles and Nix ONLY. USE ONLY IN WELL-VERTITATED AREAS, AWAY FROM ELECTRICAL approved organic vapor/[P100 cartridge respirator during use. Follow manufacturer's label. 5.055 PT 565 PUS XLO FORMULA 2 WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC. Pesticide/Herbicide Products APPROVED APPROVED APPROVED APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS opproved organic vapor/[P100 cartridge respirator during use. Follow manufacturer's label. Wear standard work gloves, chemical splash goggles and NiXOH approved organic vapor/[P100 cartridge respirator during use. Avoid contact with skin. Follow manufacturer's label. Wear standard work gloves, chemical splash goggles and NiXOH approved organic vapor/[P100 cartridge respirator during use. Avoid contact with skin. Follow manufacturer's label. Wear standard work gloves, chemical splash goggles and NiXOH approved organic vapor/[P100 cartridge respirator during use. Avoid contact with skin. Follow manufacturer's label. Has IS A RE-EVALUATION OF THIS PRODUCT. Wear nitrile nubber/neoprene and chemical splash goggles and NIXOH approved organic vapor/[P100 cartridge respirator during use. Avoid contact with skin. Follow manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. Wear nitrile nubber/neoprene gloves, chemical splash goggles and NIXOH approved organic vapor/[P100 cartridge respirator during use. Products APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICLANS Wear nitrile/neoprene gloves, chemical splash goggles. Use War nitrile/neoprene gloves and chemical splash goggles. Use War nitrile nubber/neoprene gloves and chemical splash goggles. Use War nitrile nubber/neoprene gloves and chemical splash goggles. Use War nitrile nubber/neoprene gloves and chemical splash goggles. Use War nitrile nubber/neoprene gloves and chemical splash goggles. Use War nitrile nubber/neoprene gloves and chemical splash goggles. Use War ni	FOR DILLIN DROFTERIONAL EXTERIOR 1999 A COMMO FLAT FOR THE	ICI DAINTE	Bullet Book doorte	40000V		
ONLY, USE ONLY IN WELL-VENTILATED AREAS, AWAY FROM ELECTRICAL ORDINATION OF THIS PRODUCT WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRESERANCH LABORATORIES NC. ORDINATION OF THIS PRODUCT. WHITE CORPORATION PRODUCT. WHITE PRODUCT. COMPANY ONLY, DURING NON-SCHOOL ORDINATION OF THIS PRODUCT. WHITE PRODUCT. WHITE PRODUCT. WHITE PRODUCT. WHITE PRODUCT WHITE PRODUCT. WHITE PRO	2003 DULUA FROFESSIONAL EXTENIOR 100% ACRYLIC FLAT FINISH 2200	IGI FAIINTO	Paint Products	APPROVED	ADDROVED FOR LISE BY LAUSD CERTIFIED REST CONTROL TECHNICIANS	
505 PT 565 PLUS XLO FORMULA 2 WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC. Pesticide/Herbicide Products Products PROVED						
5057 PORTABLE SELF-CONTAINED EYEWASH SOLUTION PRESERVATIVE BRADLEY FIXTURE CORPORATION OLHS Products APPROVED FOR USE BY FILM PRODUCTION COMPANY ONLY, DURING NON-SCHOOL contridge respirator during use. Avoid contact with skin. Follow manufacturer's label. Wear standard work glows, chemical splash goggles and NIOSH approved or contridge respirator during use. Avoid contact with skin. Follow manufacturer's label. Wear standard work glows, chemical splash goggles and NIOSH approved or contridge respirator during use. Avoid contact with skin. Follow manufacturer's label. **THIS IS A RE-EVALUATION OF THIS PRODUCT. Wear nitrile rubber/neopres and chemical splash goggles until nitrile rubber and chemical splash goggles. Use water a NIOSH approved or contridge respirator with a dust/fume/mist prefilter during spray applications. APPROVED ONLY. **APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS** **Wear nitrile/neoprese glows, chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitrile/neoprese glows and chemical splash goggles. Use monufacturer's label. **Wear nitril	EASE DT 565 DILIS VIA FORMULA 2	MILITARIDE MICRO-CEN DESCARCH LABORATORIES INC	Destinide / Leviniside Dreducte	APPROVED		
Wear standard work gloves, chemical splash goggles and NIOSH approach to contridge respirator during use. Avoid contact with skin. Follow manufactors approach to the follow foll					STARR, OF LIST LAME OR ANY OTHER POSSIBLE IGNITION SOURCE.	
FOR USE BY FILM PRODUCTION COMPANY ONLY, DURING NON-SCHOOL cartridge respirator during use. Avoid contact with skin. Follow manufactors and Operations Products APPROVED HOURS, AT SHERMAN OAKS SCHOOL label. THIS IS A RE-EVALUATION OF THIS PRODUCT. Wear nitrile rubber/neopres and chemical splash goggles during use. Wear a NIOSH approved organic vapor/iP100 cartridge respirator during use. Avoid contact with skin. Follow manufactors and chemical splash goggles and niOSH approved organic vapor/iP100 cartridge respirator during use. Avoid contact with skin. Follow manufactors and chemical splash goggles during use. Wear a NIOSH approved organic vapor/iP100 cartridge respirator during use. Avoid contact with skin. Follow manufactors and chemical splash goggles during use. Wear a NIOSH approved organic vapor/iP100 cartridge respirator during use. Avoid contact with skin. Follow manufactors and chemical splash goggles and niOSH approved organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the control of the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are provided by the provided organic vapor/iP100 cartridge respirator during use. Follow manufactors are p	DUD/ FORTABLE SELF-CONTAINED EYEWASH SOLUTION PRESERVATIVE	DRADLET FIXTURE CURPORATION	OEHS Products	APPROVED		
5059 STRUCTO-LITE USG INTERIORS INC. Maintenance and Operations Products APROVED HOURS, AT SHERMAN OAKS SCHOOL. Ideal Index of the Company of					FOR LISE BY FILM PRODUCTION COMPANY ONLY DURING MON-SOLICO	
THIS IS A RE-EVALUATION OF THIS PRODUCT, Wear nitrile rubber/neopred org and chemical splash goggles during use. Wear a NIOSH approved org contridge respirator with a dust/fume/mist prefilter during spray applied to contridge respirator with a dust/fume/mist prefilter during spray applied to contridge respirator with a dust/fume/mist prefilter during spray applied to contridge respirator with a dust/fume/mist prefilter during spray applied to contridge respirator with a dust/fume/mist prefilter during spray applied to contridge respirator with skin. Follow manufactured to the contridge respirator for the skin. Follow manufactured to the contridge respirator during use. Follow manufactured to the contridge respirator	EGEO STOLICTO-LITE	LIGG INTEDIODS INC	Maintananaa and Co	ADDDOV/CD		
and chemical splash goggles during use. Wear a NIOSH approved org cartridge respirator with a dust/fume/mist prefilter during spray applied 5062 Ultra Hide Flat Interior Wall Paint 1210 ICI PANTS Paint Froducts APPROVED APPROVED APPROVED WEAR INTERIOR AND CERTIFIED PEST CONTROL TECHNICIAN Wear niltrile/neoprene gloves, chemical splash goggles and NIOSH approved org APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIAN Organic vapor//P100 cartridge respirator during use. Follow monutacture Wear niltrile rubber/neoprene gloves and chemical splash goggles. Use	SUSS STRUCTO-FILE	USO INTERIORS INC.	muintenance and Operations Products	APPROVED	HOUNS, AT SPERMAN CARS SCHOOL	iduoi.
and chemical splash goggles during use. Wear a NIOSH approved org cartridge respirator with a dust/fume/mist prefilter during spray applied 5062 Ultra Hide Flat Interior Wall Paint 1210 ICI PANTS Paint Froducts APPROVED APPROVED APPROVED WEAR INTERIOR AND CERTIFIED PEST CONTROL TECHNICIAN Wear niltrile/neoprene gloves, chemical splash goggles and NIOSH approved org APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIAN Organic vapor//P100 cartridge respirator during use. Follow monutacture Wear niltrile rubber/neoprene gloves and chemical splash goggles. Use						THIS IS A DE-EVALUATION OF THIS PRODUCT Was pitrile ribber/seepress of
cartridge respirator with a dust/fume/mist prefilter during spray applied to the Float Interior Wall Point 1210 (I PANTS Point Products Point Product Point Product Products Point Product Products Point Product						
5062 Ultra Hide Flat Interior Wall Point 1210 ICI PAINTS Paint Products APPROVED APPROVED USE WITH GOOD VENTILATION. Avoid contact with skin. Follow manual point 1210 Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved For Use BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS OF Approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS OF Approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approved FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles. Use the province of the						
APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH app 5064 CONTRAC BLOX BELL LABORATORIES, INC. Pesticide/Herbicide Products APPROVED ONLY. organic vapor/P100 cartridge respirator during use. Follow manufacture was applicated by the control of th	EDGO Liltra Lida Flat Interior Wall Paint 1910	ICI DAINTS	Design Drawdy rate	ADDDOV/CD		
5084 CONTRAC BLOX BELL LABORATORIES, INC. Pesticide/Herbicide Products APPROVED ONLY. organic vapor/P100 cartridge respirator during use. Follow manufactus Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us	2002 Out a nide Flat Interior Wall Paint IZIU	IGI FAIINTO	Paint Products	APPROVED		USE WITH GOOD VENTILATION, AVOID CONTACT WITH SKIN, FÖRRM MANU
5084 CONTRAC BLOX BELL LABORATORIES, INC. Pesticide/Herbicide Products APPROVED ONLY. organic vapor/P100 cartridge respirator during use. Follow manufactus Wear nitrille rubber/neoprene gloves and chemical splash goggles. Us					APPROVED FOR LISE BY LAUSD CERTIFIED DEST CONTROL TECCHNICIANIC	Wear nitrile/neoprene aloyes chemical epideb accades and NICCLI approxi-
Wear nitrile rubber/neoprene gloves and chemical splash goggles. Us	EGG 4 CONTRAC PLOY	DELL LABORATORIES INIC	Destinide / Haybields Destinit	ADDDOV/CD		
	3004 CONTRAC BLOX	DELE LABORATORIES, INC.	resticiae/ Herbiciae Products	APPROVED	ONEI.	
Good Ventilation, avoid contact with skin. Follow manufacturer's tabel.	Ence Liltra-Hide DVA Interior Primer-Segler 1020-1220	ICI DAINTS	Design Drawdy rate	ADDROVED		
	3003 Sala mae i va interior miner Sedier 1030 1200	ion partie	ranicrioducis	AFFROVED		good vortalistics. Avoid contact with skin, Follow manufacturer's label.

				THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED	The contractor shall adhere to all sections of the MSDS during use of this
				CONTRACTORS ONLY. FOR OUTDOOR USE ONLY, DURING NON-SCHOOL	including those sections containing special protection information/speci
5067 Dymonic FC	TREMCO INCORPORATED	Maintenance and Operations Products	APPROVED	HOURS.	precautions.
3007 57.11011010	TREMOS MOSKI SKATES	Muliteriance and operations Froducts	AFFROVED	nooks.	Wear nitrile/neoprene gloves and chemical splash goggles during use. F
5073 ARSENAL CARPET PRE-SPRAY	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
30/3 ARSENAL CARLETTRE STRAT	THEFARD INDUSTRIES	Maintenance and operations Froducts	AFFROVED		
					USE ONLY WITH ADEQUATE VENTILATION. Wear nitrile/rubber gloves, chemic
					splash goggles, and a NIOSH approved P100 cartridge respirator during u
5076 POWER COIL CLEAN	BBJ ENVIRONMENTAL SOLUTIONS	HVAC Products	APPROVED		Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. F
5077 FIBERSEAL DUCT SEALANT	DUCTMATE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. F
5078 PROSEAL DUCT SEALANT	DUCTMATE INDUSTRIES, INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
5080 BBJ MicroBiocide	BBJ ENVIRONMENTAL SOLUTIONS	HVAC Products	APPROVED		Wear nitrile/rubber gloves and chemical splash goggles during use.
<u> </u>				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	. 0 1 000
				ONLY. FOR OUTDOOR USE ONLY. PRODUCT MAY BE APPLIED ONLY DURING	Wear nitrile/neoprere gloves, chemical splash goggles and a NIOSH appr
THE RESIDENCE OF THE	CLARKE MOSOUITO CONTROL				
5081 MOSQUITO LARVICIDE GB-1111	CLARKE MOSQUITO CONTROL	Pesticide/Herbicide Products	APPROVED	NON-SCHOOL HOURS.	organic vapor/P100 cartridge respirator during use. Follow manufacturer
					Wear nitrile rubber/neoprene gloves and chemical splash goggles during
					Wear a NIOSH approved organic vapor cartridge respirator with a
					dust/fume/mist prefilter during spray applications. USE WITH GOOD VENT
5082 ULTRA HIDE DURUS INT/EXT 3038	ICI PAINTS	Paint Products	APPROVED		Avoid contact with skin. Follow man
					Wear nitrile/neoprene gloves and chemical splash goggles during use. V
					NIOSH approved organic vapor cartridge respirator with a dust/fume/mi
					prefilter during spray applications. USE WITH GOOD VENTILATION. Avoid co
5083 DULUX PROFESSIONAL EXTERIOR 100% ACRYLIC LATEX PRIMER 2000	IÚ ICI PAINTS	Paint Products	APPROVED		with skin. Follow manufacture
3000 BOLDAT NOT EDUCATE ENTERIOR 180% AONTED ENTER TRIMER 2000	o lorraino	runtriodets	AFFROVED		Wear nitrile/neoprene gloves and splash goggles during use. USE WITH G
THE A DUBLIN PROFESSIONAL ENTERIOR 1999, A ORDINIO SEAL OLOGO FINIS	NI IOLDANIZO	Paint Products	APPROVED		VENTILATION. Avoid contact with skin. Follow manufacturer's label.
5084 DULUX PROFESSIONAL EXTERIOR 100% ACRYLIC SEMI-GLOSS FINISH		Paint Products	APPROVED		
WOODPRIDE INTERIOR WATERBORNE AQUACRYLIC GLOSS VARNISH					Wear nitrile/neoprene gloves and chemical splash goggles during use. U
5085 1808	ICI PAINTS	Paint Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
WOODPRIDE INTERIOR WATERBORNE AQUACRYLIC SATIN VARNISH	d				Wear nitrile/neoprene gloves and chemical splash goggles during use. U
5086 1802	ICI PAINTS	Paint Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufactuer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. \
					impervious clothing or boots and NIOSH approved respirator for mists, du
					nitrogen oxide gases (as per MSDS). USE WITH GOOD VENTILATION. Follow
5087 CHEM PRO 3800S	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY.	manufacturer's label and review MS
3007		TIVAC FIOURIS	AFFROVED		
					Wear nitrile/neoprene gloves, work clothing/long sleeve shirt and chemi-
					splash goggles during use. Avoid contact with skin, eyes, clothing. Avoid
					breathing mist/vapors. Keep away from acids or heat. Follow manufactu
5090 SANASOLV 6103	SAN JOAQUIN CHEMICALS, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY.	label and review MSDS thoroughl
					Wear latex gloves (optional), chemical safety goggles, long sleeves and
5091 UNI-KEM CLC 525	UNI-KEM, INC.	HVAC Products			
		HVAC FIDUUCIS	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY	during use. Follow manufacturer's label.
		HVAC Floducts	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY	during use. Follow manufacturer's label. Wear nitrile/neoprene gloves, impermeable apron and chemical splash
5092 CHEM PRO 4000/221 PL		HVAC FIOURIS	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY	Wear nitrile/neoprene gloves, impermeable apron and chemical splash
					Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION. Follow
	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY.	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
0002				APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH appr
	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Fr
				APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE.	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION. Follow
5093 BOSTIK MATTA ACTIVATOR	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD	HVAC Products Adhesive Products	APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Fr
5093 BOSTIK MATTA ACTIVATOR	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE.	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Fr
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD	HVAC Products Adhesive Products	APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273).	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. For manufacturer's label.
5093 BOSTIK MATTA ACTIVATOR	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD	HVAC Products Adhesive Products	APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. F.
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD	HVAC Products Adhesive Products	APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273).	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Franculacturer's label.
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED	HVAC Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HIVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH appropriate value of the properties of the prop
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED	HVAC Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HIVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/PIOO cartridge respirator during use. Follow manufacturer
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED	HVAC Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NICSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Franculacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NICSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED	HVAC Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-apporganic vapor/P100 cartridge respirator during use. Follow manufacture.
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/905. A REPRESENTATIVE FROM MGO AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Fmanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approrganic vapor cartridge respirator when setting up this product for discand when re-entering the room immediately after the discharge cycle is
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED	HVAC Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT FERSONNEL ONLY, FOR OUTDOOR USE ONLY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-apporganic vapor/P100 cartridge respirator during use. Follow manufacture.
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/905. A REPRESENTATIVE FROM MGO AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH-approganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH-approganic vapor cartridge respirator when setting up this product for discland when re-entering the room immediately after the discharge cycle is completed. Do NOT REMAIN IN TH
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIGSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH-approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIGSH-approrganic vapor cartridge respirator when setting up this product for discident when re-entering the room immediately after the discharge cycle in completed. Do NOT REMAIN NI TH
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. F. manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacturer's vapor/P100 cartridge respirator during use. Follow manufacturer wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approgranic vapor cartridge respirator when setting up this product for disciand when re-entering the room immediately after the discharge cycle is completed. Do NOT REMAIN NI TH
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. F. manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approgranic vapor/P100 cartridge respirator during use. Follow manufacturer wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approgranic vapor/P100 cartridge respirator during use. Follow manufacturer wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approgranic vapor cartridge respirator when setting up this product for discion when re-entering the room immediately after the discharge cycle from pleted. DO NOT REMAIN IN TH
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS 5096 BIG D FIRE D ONE SHOT	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL	Adhesive Products Adhesive Products Adhesive Products Pesticide/Herbicide Products Nursing Services Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NiOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NiOSH approrganic vapor/Pl00 cartridge respirator during use. Follow manufacturer was present to the program of the pro
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS 5096 BIG D FIRE D ONE SHOT	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL BIG D INDUSTRIES, INC.	HVAC Products Adhesive Products Adhesive Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approgranic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approgranic vapor cartridge respirator when setting up this product for discland when re-entering the room immediately after the discharge cycle in completed. Do NOT REMAIN IN TH USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IN SOURCE. Wear nitrile/neoprene gloves, chemical splash goggles, protection for the production of the provided respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer
5093 BOSTIK MATTA ACTIVATOR 5094 BOSTIK MATTA ADHESIVE 5095 ALTOSID BRIQUETS 5096 BIG D FIRE D ONE SHOT	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL BIG D INDUSTRIES, INC.	Adhesive Products Adhesive Products Adhesive Products Pesticide/Herbicide Products Nursing Services Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approrganic vapor/P100 cartridge respirator during use. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approrganic vapor cartridge respirator when setting up this product for disci and when re-entering the room immediately after the discharge cycle in completed. DO NOT REMAIN NI TH USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE is SOURCE. Wear nitrile/neoprene gloves, chemical splash goggles, protectabiling uniform or coveralls) and NIOSH approved organic vapor cartrespirator during use. USE WITH GOOD VENTILATION, Follow manufacturer respirator during use. USE WITH GOOD VENTILATION, Follow manufacturer
5093 BOSTIK MATTA ACTIVATOR	CHEM PRO LABORATORY, INC. BOSTIK (NZ) LTD BOSTIK FINDLEY (NZ) LIMITED WELLMARK INTERNATIONAL BIG D INDUSTRIES, INC.	Adhesive Products Adhesive Products Adhesive Products Pesticide/Herbicide Products Nursing Services Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY TRAINED LAUSD HVAC PERSONNEL ONLY. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY. FOR OUTDOOR USE ONLY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGNITION SOURCE. APPROVED FOR USE BY TRAINED LAUSD METAL DEPARTMENT PERSONNEL ONLY, FOR USE WITH BOSTIK MATTA ACTIVATOR (CONTROL # 5273). APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY IN ROOM 32 AT CASTELAR STREET SCHOOL ON 6/5/90.5. A REPRESENTATIVE FROM M&O AREA 4 MUST REMAIN OUTSIDE THE	Wear nitrile/neoprene gloves, impermeable apron and chemical splash during use. Avoid contact with skin. USE WITH GOOD VENTILATION, Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approrganic vapor cartridge respirator during use. Avoid contact with skin. Finanufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approrganic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH approgranic vapor/P100 cartridge respirator during use. Follow manufacture. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approgranic vapor cartridge respirator when setting up this product for discland when re-entering the room immediately after the discharge cycle in completed. Do NOT REMAIN IN TH USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IN SOURCE. Wear nitrile/neoprene gloves, chemical splash goggles, protection for the production of the provided respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer

					Wassachard advantage and a during a second and a second property at 100 p.
5101 GLASS CLEANER #1	3M	Cleaning Products	APPROVED		Wear chemical splash goggles during use. USE WITH GOOD VENTILATION. For manufacturer's label.
		ologiming i roddolo	ATTROVES		Wear chemical splash goggles during use. USE WITH GOOD VENTILATION. Fo
5102 FLOOR CLEANER # 24	3м	Cleaning Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5103 CRITICAL CARE	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5105 H2ORANGE2 CARPET COMPLETE CONCENTRATE	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5106 H2ORANGE2 QUICK-SPOT	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5107 H2ORANGE2 GLASS SAFE	ENVIROX, LLC	Cleaning Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5108 ONE	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical safety goggles during use. Avo
5109 H2ORANGE2 ULTIMATE	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Ave
5110 H2ORANGE2 GROUT SAFE	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. US
5111 H2ORANGE2 SUPER CONCENTRATE 112	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5112 H2ORANGE2 CONCENTRATE 117	ENVIROX, LLC	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves, chemical splash goggles, protective overalls
					NIOSH approved P100 cartridge respirator with a dust/fume/mist prefilter d
5]]3 K-40-B	KOTT ENTERPRISE, INC.	Maintenance and Operations Products	APPROVED		use. USE WITH GOOD VENTILATION. Follow manufacturer's label.
					Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH approve
				APPROVED FOR USE BY TRAINED FLOOR COVERING DEPT. STAFF, YEAR-	organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION
5]]4 BONA EON 70	BONAKEMI USA, INC.	Floor Care Products	APPROVED	ROUND CLEANING DEPT. STAFF, AND CERTIFIED CONTRACTORS ONLY.	Follow manufacturer's label and review MSDS thoroughly prior to use.
		Tiodi Gale Froducts	ATTROVES	* * * * * * * * * * * * * * * * * * * *	Wear nitrile/neoprene gloves, chemical splash goggles and NIOSH-approv
				APPROVED FOR USE BY LAUSDApproved CONTRACTORS ONLY. FOR USE	organic vapor respirator cartridge during use. USE WITH GOOD VENTILATION
5]]6 PRO-SMOKE	HARVARD CHEMICAL RESEARCH	HVAC Products	APPROVED	ONLY DURING NON-SCHOOL HOURS, IN UNOCCUPIED BUILDINGS.	Follow manufacturer's label and review MSDS thoroughly prior to use.
5.10		TIVAS TIGUISES	ATTROVES		Wear nitrile/neoprene gloves and chemical splash goggles during use. Fol
5117 G-FORCE MULTIPURPOSE CLEANER #70	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		manufacturer's label.
3117		wantenance and operations moducts	AFFROVED		Wear nitrile/neoprene gloves, chemical splash goggles and protective close
5]]8 G-FORCE BATHROOM CLEANER #7]	THE BUTCHER COMPANY	Maintenance and Operations Products	APPROVED		during use. Avoid contact with skin. Follow manufacturer's label.
Silo o Tokot Barrikoom otzarek 1171	THE BOTOTIER COMPART	wantenance and operations moducts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5120 FILM ON	CP FILMS, INC.	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
	· · · · · · · · · · · · · · · · · · ·				Wear safety glasses when working with film. Do not heat film in excess of 4
5121 LLUMAR (WINDOW FILM)	CP FILMS, INC.	Maintenance and Operations Products	APPROVED		degrees Fahrenheit. Follow manufacturer's label.
3121		wantenance and operations moducts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
5122 X-100	CP FILMS, INC.	Maintenance and Operations Products	APPROVED		contact with skin. Follow manufacturer's label.
5123 GREEN SELECT GLASS CLEANER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		Wash thoroughly after use. Follow manufacturer's label.
JIZO OKEET GEEGT GEAGG GEEATER	THE TAKE HOSSINES	wantenance and operations moducts	AFFROVED		Wear chemical splash goggles during use. Wash thoroughly after use. Follo
5124 GREEN SELECT DEGREASER CLEANER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		manufacturer's label.
5/24 OKEEN SEECT DEOKEASER CEEANER	THEF AND INDUSTRIES	Maintenance and Operations Products	AFFROVED		Wear chemical splash goggles during use. Wash thoroughly after use. Follo
5125 GREEN SELECT BATHROOM CLEANER	HILLYARD INDUSTRIES	Malatan and a sandara Bardara	APPROVED		manufacturer's label.
5125 GREEN SELECT BATHROOM CLEANER	HILLYARD INDUSTRIES	Maintenance and Operations Products	APPROVED		
					DO NOT MIX WITH AMMONIA, BLEACH OR ANY OTHER CLEANING PRODUCT. We
5126 CREW BATHROOM CLEANER & SCALE REMOVER					nitrile/neoprene gloves, protective clothing and chemical splash goggles
	IOLINISONIDIVEDSEV INIC	Additional and a second a second and a second a second and a second an	400001:		use Avoid contact with skin Follow manufacturer's label
5120	JOHNSONDIVERSEY, INC.	Maintenance and Operations Products	APPROVED		use. Avoid contact with skin. Follow manufacturer's label.
		<u> </u>			Wear nitrile/neoprene gloves and chemical splash goggles during use. Fol
5128 STRIDE SC NEUTRAL CLEANER	JOHNSONDIVERSEY, INC. JOHNSONDIVERSEY, INC.	Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label.
5128 STRIDE SC NEUTRAL CLEANER	JOHNSONDIVERSEY, INC.	Maintenance and Operations Products	APPROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS		<u> </u>		APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label.
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical spiash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical spiash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical spiash goggles during use. Fo
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS	JOHNSONDIVERSEY, INC.	Maintenance and Operations Products	APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label.
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label.
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGHT.
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGN SOURCE. DO NOT USE ON OR NEAR HYAC SYSTEMS. Wear nitrile/neoprene gli
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE 5134 FORM)	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY LUBRICATION ENGINEERS, INC.	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IG SOURCE. DO NOT USE ON OR NEAR HYAC SYSTEMS. Wear nitrile/neoprene g chemical splash goggles and NIOSH-approved organic vapor cartridge
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY	Maintenance and Operations Products Pesticide/Herbicide Products	APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IG SOURCE. DO NOT USE ON OR NEAR HYAC SYSTEMS. Wear nitrile/neoprene g chemical splash goggles and NIOSH-approved organic vapor cartridge
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE 5134 FORM)	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY LUBRICATION ENGINEERS, INC.	Maintenance and Operations Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGIS SOURCE. DO NOT USE ON OR NEAR HYAC SYSTEMS. Wear nitrile/neoprene gloves and NiCSH-opproved organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE 5134 FORM)	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY LUBRICATION ENGINEERS, INC.	Maintenance and Operations Products Pesticide/Herbicide Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGN SOURCE. DO NOT USE ON OR NEAR HVAC SYSTEMS. Wear nitrile/neoprene gle chemical splash goggles and NICSH-approved organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.I. BRIQUETS 4025 (H) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE 5134 FORM) 5135 LPS 2 INDUSTRIAL - STRENGTH LUBRICANT	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY LUBRICATION ENGINEERS, INC. LPS LABORATORIES, INC.	Maintenance and Operations Products Pesticide/Herbicide Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE IGN SOURCE. DO NOT USE ON OR NEAR HYAC SYSTEMS. Wear nitrile/neoprene gloves and NICSH-opproved organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's Wear nitrile/neoprene gloves, chemical splash goggles and protective clo
5128 STRIDE SC NEUTRAL CLEANER 5129 SUMMIT B.T.L BRIQUETS 4025 (HI) QUINPLEX FOOD MACHINERY LUBRICANT (GREASE 5134 FORM) 5135 LPS 2 INDUSTRIAL - STRENGTH LUBRICANT 5139 STRIDE FLORAL HC (HYPERCONCENTRATE)	JOHNSONDIVERSEY, INC. SUMMIT CHEMICAL COMPANY LUBRICATION ENGINEERS, INC. LPS LABORATORIES, INC. JOHNSONDIVERSEY, INC.	Maintenance and Operations Products Pesticide/Herbicide Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED	APPROVED FOR USE BY PEST MANAGEMENT STAFF ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. For manufacturer's label. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR ANY OTHER POSSIBLE ION SOURCE. DO NOT USE ON OR NEAR HVAC SYSTEMS. Wear nitrile/neoprene glochemical splash goggles and NIOSH-approved organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's wear nitrile/neoprene gloves, chemical splash goggles and protective cloduring use. Avoid contact with skin. Follow manufacturer's label.

					Manager and the second and the secon
					Wear nitrile/neoprene gloves, chemical splash goggles and protective
					during use. Wear a NIOSH-approved organic vapor cartridge respirator
					dust/fume/mist prefilter during spray applications. Avoid contact with
5144 ULTRA HIDE ACRYLIC ELASTOMERIC ROOF COATING 2070	ICI PAINTS	Paint Products	APPROVED	FOR OUTDOOR USE ONLY.	Follow manufacturer's la
					Wear nitrile/neoprene gloves, chemical splash goggles and protective
					during use. Wear a NIOSH-approved organic vapor cartridge respirator
					dust/fume/mist prefilter during spray applications. Avoid contact with
5145 ULTRA HIDE ACRYLIC COPOLYMER ROOF COATING 2071	ICI PAINTS	Paint Products	APPROVED	FOR OUTDOOR USE ONLY	Follow manufacturer's la
5145 DETRA HIDE ACRITIC COPOLIMER ROOF COATING 2071	ICI PAINTS	Paint Products	APPROVED	FOR OUTDOOR USE ONLY	
					Wear safety goggles and a NIOSH-approved P100 cartridge respirator w
					dust/fume/mist prefilter when cutting this product. Follow manufacture
5146 FLINTLASTIC SA (SBS BASE/MID PLY/CAP)	CERTAINTEED CORPORTIAON	Roofing Products	APPROVED		label/instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, chemical resist
					clothing and NIOSH-approved organic vapor cartridge respirator during
				FOR OUTDOOR USE ONLY, DURING NON-SCHOOL HOURS. DO NOT SPRAY-	Add face shield if splashing is possible. Avoid contact with skin. Follow
5147 FLINTPRIME SA (ROOFING SYSTEM PRIMER)	CERTAINTEED CORPORTIAON		APPROVED	APPLY THIS PRODUCT (MAY BE APPLIED BY BRUSH ONLY).	manufacturer's label and review
5/4/ FLINTPRIME SA (ROOFING SYSTEM PRIMER)	CERTAINTEED CORPORTIAON	Roofing Products	APPROVED	APPLY THIS PRODUCT (MAY BE APPLIED BY BRUSH ONLY).	
					Wear nitrile/neoprene gloves and chemical splash goggles during use.
5159 QUICK FILL 510 E GENERAL PURPOSE CLEANER	ECOLAB INC.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use.
5160 QUICK FILL 520 E GLASS CLEANER	ECOLAB INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Follow manufacturer's label.
					Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-a
	, .				P100 cartridge respirator with a dust/fume/mist prefilter during use. Foll
5164 TITANIUM DIOXIDE, TITANIUM WHITE TITANIA	ISHIHARA CORPORATION (USA)	Paint Products	APPROVED	FOR USE DURING NON-SCHOOL HOURS ONLY.	manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use.
5167 ACRYLIC PATCHING CEMENT	IMPAC CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE ONLY.	manufacturer's label.
		<u> </u>			Wear nitrile/neoprene gloves and chemical splash goggles during use.
					NIOSH-approved organic vapor cartridge respirator with a dust/fume/
5168 IMPAC PRIMER	IMPAC CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE ONLY.	prefilter during spray applications. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use.
IMPAC ELASTOMERIC ROOF COATING (5000, 7000, METAL,					NIOSH-approved organic vapor cartridge respirator with a dust/fume/
5169 PREMIUM)	IMPAC CORPORATION	Roofing Products	APPROVED	FOR OUTDOOR USE ONLY.	prefilter during spray applications. Follow manufacturer's label.
					THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY
					DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I
					ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI
					AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash of
					and a NIOSH-approved organic vapor cartridge respirator with a
					dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5170 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA RED	SHERWIN-WILLIAMS KRYLON PRODUCTS				
5170 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA RED	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label.
					THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY
					DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN
					ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI
					AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash
					and a NIOSH-approved organic vapor cartridge respirator with a
					duet/fume/miet profilter during use USE WITH GOOD VENTUATION Follow
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label.
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label.
5171 KRYLON INDUSTRIALECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY
BI71 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		MONUTOCTURE'S IODEI. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE, HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		MONUTOCTURE'S IODEI. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT, THIS PRODUCT REPLACES KR DÉCOR DURABLE LATEX SPARY, USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOUNCE, HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURINO USE. Wear nitrile/neoprene gloves, chemical splash- and a NIOSH-approved organic vapor cartridge respirator with a
	SHERWIN-WILLIAMS KRYLON PRODUCTS SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products Point Products	APPROVED		manufacturer's label. THIS IR A RE-EVALUATION OF THIS PRODUCT, THIS PRODUCT REPLACES KR. DÉCOR DURABLE LATEX SPARY, USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash and a NIOSH-approved organic vapor cartridge respirator with a
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KIR DECOR DURABLE LATEX SPAY. USE AWAY FROM ELECTRICAL SPAIK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION. Folic manufacturer's label.
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY. DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN. ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI. AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash: and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY.
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash is and a NIOSH-opproved organic vapor cartridge respirator with a dust/hume/mist prefilter during use. USE WITH GOOD VENTILATION. Folio manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN.
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI. AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION, HAVE A CLASS ABC FIRE EXTING
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI. AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION, HAVE A CLASS ABC FIRE EXTING
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT, THIS PRODUCT REPLACES KR. DÉCOR DURABLE LATEX SPAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOUNCE. HAVE A CLASS ABC FIRE EXTINGUI. AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash- and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Folio manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KR DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINN
					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash- and a NIOSH-opproved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTIN AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash- and a NIOSH-approved organic vapor cartridge respirator with a
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE, HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-opproved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICALS ABAK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS AGC FIRE EXTIN AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-opproved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE					manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KR DÉCOR DURABLE LATEX SPAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUI AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash- and a NIOSH-approved organic vapor cartridge respirator with a dust/hume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo- manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KR DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTIN AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash and a NIOSH-approved organic vapor cartridge respirator with a dust/hume/mist prefilter during use. USE WITH GOOD VENTILATION. Follo- manufacturer's label.
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINOUI AVALLABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION. Follo manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT, THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINA AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash; and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION. Folio manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY
	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY, USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUIS AVAILABLE DURING USE. Wear nititiel/neoprene gloves, chemical splash of an NOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION, Folion manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY, USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE SOURCE OF IGNITION HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE Warn intille/neoprene gloves, chemical splash of and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION, Folion manufacturer's label.
5171 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA GREEN 5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE 5173 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA YELLOW	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUIS AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING. AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUIS AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-opproved organic vapor cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follor manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-opproved organic vapor cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follor manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DECOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINOUIS AVALLABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash of and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefiller during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN I ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash of and a NIOSH-approved organic vapor cartridge respirator with a dust/furme/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPRAY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPRAY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPRAY, OPEN I ANY OTHER PROSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash of ANY OTHER PROSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash of
5172 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, OSHA BLUE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED		manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE IGNITION SOURCE. HAVE A CLASS ABC FIRE EXTINGUIS AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-opproved organic vapor cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follor manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash g and a NIOSH-opproved organic vapor cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follor manufacturer's label. THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRY DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN IF ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTING

				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME.
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5175 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, SATIN WHITE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5176 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, SATIN GRAY	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vaopr cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5177 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, SATIN BLACK	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
OILL		runicrioducts	MITOVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5178 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, GLOSS WHITE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5179 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, GLOSS BLACK	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5180 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, ISLAND GREEN	SHERWIN-WILLIAMS KRYLON PRODUCTS	Polot Pos de etc	ADDROVED	manufacturer's label.
STOU ARTEON INDUSTRIAL ECO-GUARD LATEX ENAMEL, ISLAND GREEN	STIER VVIII - VVIILLIAMS KRITON PRODUCTS	Paint Products	APPROVED	
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE IF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5181 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, MAX FLAT BLACK	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
				dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5182 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, FLAT WHITE	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HOME
				DÉCOR DURABLE LATEX SPRAY, USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OR
				ANY OTHER POSSIBLE SOURCE OF IGNITION, HAVE A CLASS ABC FIRE EXTINGUISHER
				AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chamical splash goggles
				and a NIOSH-approved organic vapor cartridge respirator with a
WAS AND ON THE DAY OF THE PARTY	OUTDAMEN AND AND AND AND AND AND AND AND AND AN			dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5183 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, CLEAR GLOSS	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	manufacturer's label.

					THOUGH A DE EVALUATION OF THIS PROPRIEST THIS PROPRIEST PERMANER WHICH HAVE
					THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT REPLACES KRYLON HON- DÉCOR DURABLE LATEX SPRAY. USE AWAY FROM ELECTRICAL SPARK, OPEN FLAME OF
					ANY OTHER POSSIBLE SOURCE OF IGNITION. HAVE A CLASS ABC FIRE EXTINGUISHER
					AVAILABLE DURING USE. Wear nitrile/neoprene gloves, chemical splash goggles
					and a NIOSH-approved organic vapor cartridge respirator with a
5)84 KRYLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, CHERRY RED	SHERWIN-WILLIAMS KRYLON PRODUCTS	Perlant Personal contra	4 DDD OVED		dust/mist/fume prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label.
5)84 KRTLON INDUSTRIAL ECO-GUARD LATEX ENAMEL, CHERRY RED	SHERWIN-WILLIAMS KRYLON PRODUCTS	Paint Products	APPROVED	ADDROVED FOR HELD BY TRAINED LIVAG REDCONNEL ONLY. THE DRODLEGT IS	Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing an
				HIGHLY TOXIC BY INGESTION AND MUST BE STORED IN A LOCKED CABINET	
5185 ETHYLENE GLYCOL - FIBER GRADE	SHELL CHEMICAL COMPANY	HVAC Products	APPROVED	WHEN NOT IN USE.	a NIOSH-approved organic vapor cartridge respirator during use. Follow manufacturer's label and review MSDS thoroughly prior to use.
SISS ETHTLENE GLTCOL - FIDER GRADE	SHELL CHEMICAL COMPANY	HVAC Products	APPROVED	WHEN NOT IN USE.	Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WI
5186 GRAFFITI WIPES # 2447	TOTAL SOLUTIONS	Graffiti Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
3100 OKATTI WI 23 // 244/	10172 0020110110	Ordina Froducts	AFFROVED		SSS VERTICAL ATOM SOMEON WILLIAMS TO HOW THAT MANGE CONTROL ADDI.
				APPROVED FOR OUTDOOR USE DURING NON-SCHOOL HOURS BY ROOFING	Wear nitrile/neoprene gloves and chemical splash goggles during use. Avoid
				DEPARTMENT PERSONNEL OR APPROVED CONTRACTORS ONLY. IT IS ONLY	contact with skin. USE WITH GOOD VENTILATION. If PEL is exceeded or cannot be
				TO BE USED IN A CLOSED SYSTEM. A 10-FOOT BARRICADED PERIMETER	determined, wear a NIOSH-approved positive pressure supplied-air respirator
5187 RT-2035 (PART A)	RESIN TECHNOLOGY COMPANY	Roofing Products	APPROVED	AROUND THE BUILDING MUST BE MAINTAINED DURING APPLICATION.	with full facepiece or a s
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Avoid
					contact with skin. USE WITH GOOD VENTILATION. If PEL is exceeded or cannot be
				TO BE USED EXCLUSIVELY IN CONJUNCTION WITH RT-2035 (PART A) BY	determined, wear a NIOSH-approved positive pressure supplied-air respirator
5188 RT-2035 (PART B)	RESIN TECHNOLOGY COMPANY	Roofing Products	APPROVED	ROOFING DEPARTMENT PERSONNEL OR APPROVED CONTRACTORS ONLY.	with full facepiece or a s
				APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY. FOR	<u> </u>
				OUTDOOR USE ONLY. PRODUCT MAY BE APPLIED ONLY DURING NON-	Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5189 ROZOL POCKET GOPHER BAIT	LIPOTECH, INC.	Pesticide/Herbicide Products	APPROVED	SCHOOL HOURS.	manufacturer's label and review MSDS thoroughly prior to use.
		-			Wear appropriate work gloves, chemical splash goggles and a NIOSH-approve
5191 HALEX HU-845 PLYWOOD UNDERLAYMENT	HALEX CORPORATION	Floor Care Products	APPROVED		dust/fume/mist respirator when cutting or sanding this material.
					DO NOT ALLOW STUDENTS TO USE OR COME IN CONTACT WITH THIS PRODUCT. WE
					nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approved
5192 POWDER DAM	STATE CHEMICAL MANUFACTURING COMPANY	Maintenance and Operations Products	APPROVED		dust/fume/mist respirator during use. Follow manufacturer's label.
5194 SENSI-CARE PERINEAL/SKIN CLEANSER	CONVATEC	Maintenance and Operations Products	APPROVED		Wear safety glasses during use. Follow manufacturer's label.
		<u> </u>			Wear safety glasses during use. Do not mix with ammonia or other chemicals.
5195 HERITAGE CLEANSER	SOUTHERN CALIFORNIA SOAP CO. INC	Food Services Products	APPROVED		Follow manufacturer's label.
					Wear chemical splash goggles and a NIOSH-approved organic vapor/P100
				APPROVED FOR USE BY LAUSD PEST CONTROL TECHNICIANS ONLY. FOR	cartridge respirator during use. Follow manufacturer's label and review MSDS
5196 ECOEXEMPT D	ECOSMART TECHNOLOGIES, INC.	Pesticide/Herbicide Products	APPROVED	OUTDOOR USE ONLY.	thoroughly prior to use.
					Wear nitrile/neoprene gloves, chemical splash goggles, protective
					clothing/boots and a NIOSH-approved P100 cartridge respirator with a
					dust/fume/mist prefilter during mixing and use. Avoid contact with skin. Follow
5198 GEM	ERICO	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5199 SI - ULTRATAC 200 ADHESIVE	SEALFLEX INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5200 SI-ULTRATAC 255 ADHESIVE	SEALFLEX INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5201 SI-ULTRATAC 220 CONDUCTIVE ADHESIVE	SEALFLEX INDUSTRIES, INC.	Adhesive Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5202 PH BLOCKER/PRIMER 100	SEALFLEX INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label.
				THIS PRODUCT MAY BE USED BY APPROVED CONTRACTOR(S) ONLY. FOR	The contractor must review the MSDS thoroughly prior to use. The contractor
				USE IN NEW CONSTRUCTION ONLY - NOT TO BE USED IN OCCUPIED	shall adhere to all sections of the MSDS during use of this product, including
5205 CP 672 FIRESTOP JOINT SPRAY	HILTI, INC.	Fire Retardants	APPROVED	BUILDINGS.	those sections containing special protection information/special precautions
				FOR OUTDOOR USE ONLY, FOR USE BY APPROVED CONTRACTORS ONLY, A 10	0-
				FOOT BARRACADED PERIMETER AROUND THE WORK AREA MUST BE	
				MAINTAINED DURING APPLICATION. THIS PRODUCT MAY NOT BE SPRAY-	The contractor must review the MSDS thoroughly prior to use. The contractor
				APPLIED. DO NOT USE THIS PRODUCT IF AMBIENT WIND OR AIR MOVEMENT	shall adhere to all sections of the MSDS during use of this product, including
5206 ROYALBOND B-871	CROMPTON CORPORATION	Adhesive Products	APPROVED	WILL CAUS	those sections containing special protection information/special precautions
					Wear nitrile/neoprene gloves, chemical splash goggles and a chemical-
					resistant apron during use. Avoid contact with skin. USE WITH GOOD VENTILATIO
5210 HE289 - SOLARFLEX ELASTOCAULK	HENRY COMPANY	Maintenance and Operations Products	APPROVED	FOR OUTDOOR USE ONLY.	Follow manufacturer's label.
5212 INTEX INK SGI - ALL COLORS	INTERNATIONAL TRADING COMPANY, LTD	School Products	APPROVED		Young children should be supervised while using this product.
5213 INTEX INK MGI - ALL COLORS	INTERNATIONAL TRADING COMPANY, LTD	School Products	APPROVED		Young children should be supervised while using this product.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W
5215 STICKWELD	POLYMERIC SYSTEMS, INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
					The contractor must review the MSDS thoroughly prior to use. The contractor
				THIS PRODUCT IS FOR USE BY APPROVED CONTRACTORS ONLY, IN	shall adhere to all sections of the MSDS during use of this product, including
5216 CONIPUR 2211 W	UNITED SPORTS GROUP	Adhesive Products	APPROVED	COMBINATION WITH CONIPUR 315.	those sections containing special protection information/special precautions.

				FOR OUTDOOR USE ONLY. FOR USE BY APPROVED CONTRACTORS ONLY.	
				THIS PRODUCT MAY ONLY BE USED DURING NON-SCHOOL HOURS. A 10-	
				FOOT BARRACADED PERIMETER AROUND THE WORK AREA MUST BE	The contractor must review the MSDS thoroughly prior to use. The contractor
				MAINTAINED DURING APPLICATION. THIS PRODUCT MAY NOT BE SPRAY-	shall adhere to all sections of the MSDS during use of this product, including
5218 CONIPUR 315	UNITED SPORTS GROUP	Adhesive Products	APPROVED	APPLIED. DO NOT USE	those sections containing special protection information/special precaution
					Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv
					organic vapor cartridge respirator during use. USE WITH GOOD VENTILATION.
5220 7000 ACRIGLO GLOSS	VISTA PAINT CORPORATION	Paint Products	APPROVED		Avoid contact with skin. Follow manufacturer's label.
5221 BROCK FOAM	BROCK USA	Exterior Landscape/ Playground Products	APPROVED	FOR USE BY APPROVED CONTRACTORS ONLY. FOR OUTDOOR USE ONLY.	
				FOR USE BY APPROVED CONTRACTORS ONLY. THIS PRODUCT MAY ONLY BE	
				USED DURING NON-SCHOOL HOURS, IN UNOCCUPIED BUILDINGS. THE	
				CONTRACTOR MUST PREVENT VAPORS/ODORS FROM THIS PRODUCT FROM	The contractor must review the MSDS thoroughly prior to use. The contractor
					shall adhere to all sections of the MSDS during use of this product, including
5223 ARMSTRONG S-202	ARMSTRONG WORLD INDUSTRIES, INC.	Adhesive Products	APPROVED	BEING USE	those sections containing special protection information/special precaution
3223		Adresive Floducts	AFFROVED	FOR USE BY APPROVED CONTRACTORS ONLY, THIS PRODUCT MAY ONLY BE	3-FF
				USED DURING NON-SCHOOL HOURS, IN UNOCCUPIED BUILDINGS. THE	
					The second secon
					The contractor must review the MSDS thoroughly prior to use. The contractor
				MIGRATING TO AREAS WITHIN THE BUILDING WHERE THE PRODUCT IS NOT	shall adhere to all sections of the MSDS during use of this product, including
5224 ARMSTRONG S-392	ARMSTRONG WORLD INDUSTRIES, INC.	Floor Care Products	APPROVED	BEING USE	those sections containing special protection information/special precaution
				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	The contractor must review the MSDS thoroughly prior to use. The contractor
				APPPLICATION OF THIS PRODUCT. THIS PRODUCT MAY NOT BE SPRAY-	shall adhere to all sections of the MSDS during use of this product, including $$
5226 SURE KLEAN WEATHER SEAL BLOK GUARD & GRAFFITI CONTROL WB	PROSOCO, INC.	Graffiti Products	APPROVED	APPLIED.	those sections containing special protection information/special precaution
				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	
				ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	The contractor must review the MSDS thoroughly prior to use. The contractor
				APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY NOT BE SPRAY-	shall adhere to all sections of the MSDS during use of this product, including
5227 SURE KLEAN WEATHER SEAL BLOK GUARD & GRAFFITI CONTROL II	PROSOCO, INC.	Graffiti Products	APPROVED	APPLIED.	those sections containing special protection information/special precaution
3227		Ordina Products	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V
mana RIO OLUD	ATOO INTERNATIONAL				GOOD VENTILATION. Do not allow students to use or handle this product. Follow
5229 BIG GULP	ATCO INTERNATIONAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V
					GOOD VENTILATION. Do not allow students to use or handle this product. Follow
5230 BRIGADIER	ATCO INTERNATIONAL	Maintenance and Operations Products	APPROVED		manufacturer's label.
				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	The contractor must review the MSDS thoroughly prior to use. The contractor
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	shall adhere to all sections of the MSDS during use of this product, including
5231 PERMASEAL	MONOPOLE INC. U.S. SPECIALTY COATINGS	Maintenance and Operations Products	APPROVED	APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special percaution
				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	The contractor must review the MSDS thoroughly prior to use. The contractor
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING	shall adhere to all sections of the MSDS during use of this product, including
5232 AQUQASEAL HEAVY DUTY	MONOPOLE INC. U.S. SPECIALTY COATINGS	Graffiti Products	APPROVED	APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precaution
					Wear chemical splash goggles and a NIOSH-approved respirator with a
5234 VERMICULITE	THERM-O-ROCK WEST, INC.	OEHS Products	APPROVED		dust/fume/mist prefilter during use. Follow manufacturer's label.
5234 VERWICOLITE	TIERW O ROCK WEST, INC.	OERS FIOUUCIS	AFFROVED		The contractor must review the MSDS thoroughly prior to use. The contractor
					shall adhere to all sections of the MSDS during use of this product, including
5235 LOCTITE POWER GRAB CONSTRUCTION ADHESIVE	HENKEL CONSUMER ADHESIVES				
5236 BOONE BOARD WIPES		Adhesive Products	APPROVED	FOR USE BY APPROVED CONTRACTORS ONLY.	those sections containing special protection information/special precaution
5236 BOONE BOARD WIFES	KLEANTOUCH LLC	Office Products	APPROVED		
5250 BOOKE BOAKB VIII EB	KLEANTOUCH LLC			FOR USE BY APPROVED CONTRACTORS ONLY. THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED	those sections containing special protection information/special precaution
2230 BOOKE BOOKE WILL	KIEANTOUCH LIC				those sections containing special protection information/special precaution
JZZO BOOK BOKKO III EU	KIEANTOUCH LIC			THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label.
JOB CONCOMO MICO	KLEANTOUCH LIC			THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY, DISTRICT STAFF	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label.
5238 GSS-10 ANT-GRAFFITI COATING PART A	KLEANTOUCH LLC AMERICAN POLYMER, INC.			THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proc
		Office Products	APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this procincluding those sections containing special protection information/special precautions.
		Office Products	APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this prodincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this procincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the
		Office Products	APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this prodincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the MSDS during use of this product, including the manufacture of the man
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY, FOR USE BY APPROVED CONTRACTORS ONLY, HOURS, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions.
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT, THIS PRODUCT MAY ONLY BE USED ON	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor must review the MSDS thoroughly prior to use. The contractor must review the MSDS thoroughly prior to use. The contractor
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY, FOR USE BY APPROVED CONTRACTORS ONLY, HOURS, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions.
5238 GSS-10 ANT-GRAFFITI COATING PART A	AMERICAN POLYMER, INC.	Office Products Graffiti Products	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT, THIS PRODUCT MAY ONLY BE USED ON	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this pro- including those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including it sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including
5238 GSS-10 ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A	AMERICAN POLYMER, INC. SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SURFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including
5238 GSS-10 ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A	AMERICAN POLYMER, INC. SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT, FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SUBFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND AL	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution.
5238 GSS-ID ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A 5241 SIKATOP III PART B	AMERICAN POLYMER, INC. SIKA CORPORATION SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SUFFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND AL. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhrer to all sections of the MSDS during use of this product, including these sections containing special protection information/special precaution. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS thoroughly prior to use. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including
5238 GSS-10 ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A	AMERICAN POLYMER, INC. SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product	APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SURFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND ALL	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhrer to all sections of the MSDS during use of this product, including these sections containing special protection information/special precaution. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS thoroughly prior to use. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including
5238 GSS-ID ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A 5241 SIKATOP III PART B	AMERICAN POLYMER, INC. SIKA CORPORATION SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SUFFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND AL. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this proincluding those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including the sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precautions.
5238 GSS-ID ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A 5241 SIKATOP III PART B	AMERICAN POLYMER, INC. SIKA CORPORATION SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SUBFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND ALL. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this pro- including those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including th sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution Wear chemical splash goggles, nitrile/neoprene gloves and a NiOSH-approx
5238 GSS-ID ANT-GRAFFITI COATING PART A 5240 SIKATOP III PART A 5241 SIKATOP III PART B	AMERICAN POLYMER, INC. SIKA CORPORATION SIKA CORPORATION	Office Products Graffiti Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED	THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED ONLY IF THE CONTRACTOR TAKES APPRO FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY ONLY BE USED ON SUFFACES THAT WILL BE ENCAPSULATED AFTER THE PRODUCT HAS BEEN APPLIED AND AL. FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	those sections containing special protection information/special precaution. Use with good ventilation. Follow manufacturer's label. The contractor shall adhere to all sections of the MSDS during use of this production including those sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhre to all sections of the MSDS during use of this product, including th sections containing special protection information/special precautions. The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including those sections containing special protection information/special precaution.

				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	
				ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING	
				APPLICATION OF THIS PRODUCT. THIS PRODUCT MAY BE SPRAY-APPLIED	The contractor shall adhere to all sections of the MSDS during use of this product,
				ONLY IF THE CONTRACTOR TAKES APPROPRIATE MEASURES TO PREVENT	including those sections containing special protection information/special
5246 GSS-10 ANT-GRAFFITI COATING PART B	AMERICAN POLYMER, INC.	Graffiti Products	APPROVED	ODORS/EMISSION	precautions.
5240 CSS TO ANY CHAITITIC CONTINCT ANY B	AWERICAN FOETWER, INC.	Graniti Froducts	AFFROVED	ODORS) ENISSION	The contractor must review the MSDS thoroughly prior to use. The contractor
				EOD LISE BY ADDROVED CONTRACTORS IN NEW CONSTRUCTION DRO IECTS	shall adhere to all sections of the MSDS during use of this product, including
5247 AP 306 CLEAR VU BASE COATING	AMERICAN POLYMER, INC.	Graffiti Products	APPROVED	ONLY.	those sections containing special protection information/special precautions.
3247 AL GOO SEENI VO BASE GOATING	AMERICAN I CETHER, INC.	Ordina Products	AFFROVED	ore.	The contractor must review the MSDS thoroughly prior to use. The contractor
				EOD LISE BY ADDROVED CONTRACTORS IN NEW CONSTRUCTION DRO IECTS	shall adhere to all sections of the MSDS during use of this product, including
5248 AP 400 R ERASOL-DL	AMERICAN POLYMER, INC.	Graffiti Products	APPROVED	ONLY	those sections containing special protection information/special precautions.
3240 AL 400 K EKADOL DE	AMERICAN I CETHER, INC.	Ordina Products	AFFROVED		The contractor must review the MSDS thoroughly prior to use. The contractor
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	shall adhere to all sections of the MSDS during use of this product, including
5249 MONOKOTE FIREPROOFING	W.R. GRACE & CO.	Fire Retardants	APPROVED	APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precautions.
5245 WONOKOTETIKET KOOTINO	W.R. ORACL & CO.	riie ketaraants	AFFROVED		The contractor must review the MSDS thoroughly prior to use. The contractor
				ONLY, DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING THE	shall adhere to all sections of the MSDS during use of this product, including
5250 MONOKOTE ACCELERATOR	W.R. GRACE & CO.	Fire Retardants	APPROVED	APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precautions.
5250 MONOROTE ACCELERATOR	W.R. ORACL & CO.	Fire Retardants	APPROVED	THIS PRODUCT IS APPROVED FOR A ONE-TIME USE AT WHITMAN HIGH	those sections containing special protection information, special precations.
				SCHOOL IT MAY BE USED ONLY BY AN APPROVED CONTARCTOR DURING	The contractor must review the MCDC there uply well to use The contractor
					The contractor must review the MSDS thoroughly prior to use. The contractor shall adhere to all sections of the MSDS during use of this product, including
5251 DALLAS WALL TILE	DAL-TILE CORPORTAION / DAL-TILE GROUP	Clasing Products	APPROVED	AREA DURING THE APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precautions.
5251 DALLAS WALL TILE	DAL-TILE CORPORTATION / DAL-TILE GROUP	Glazing Products	APPROVED	AREA DURING THE APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precautions.
				THE PRODUCT MAY ONLY BE USED ONLY BY AN APPROVED CONTRACTOR	The contractor must review the MSDS thoroughly prior to use. The contractor
					E shall adhere to all sections of the MSDS during the use of this product, including
5252 POLYBLEND SANDED (GROUT)	CUSTOM BUILDING PRODUCTS.INC.	Adhership Berghan	APPROVED	WORK AREA DURING THE APPLICATION OF THIS PRODUCT.	those sections containing special protection information/special precautions.
5252 POLIBLEND SANDED (GROUT)	CUSTOM BUILDING PRODUCTS.INC.	Adhesive Products	APPROVED	WORK AREA DURING THE AFFLICATION OF THIS PRODUCT.	
					Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mist prefilter during use.
5255 ALPHA 8 LEAD-CAP	ACE COATING COMPANY	Paint Products	APPROVED		USE WITH GOOD VENTILATION. Follow manufacturer's label.
5255 ALFRA 6 LEAD-CAF	ACE COATING COMPANY	Paint Products	APPROVED	FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	
				PROJECTS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA	The contractor shall adhere to all sections of the MSDS during use of this product,
5256 PYROLITE 15 HIGH YIELD	CARBOLINE COMPANY	Fire Retardants	APPROVED	DURING THE APPLICATION OF THIS PRODUCT.	including those sections containing special protection information/special precautions.
5256 FINOLITE IS THOT TILLES	CARDOLINE CONIF ANT	riie ketaraants	AFFROVED	FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during use of this product,
				PROJECTS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA	
5257 MONOKOTE MK-6 HY	W.R. GRACE & CO.	Fire Retardants	APPROVED	DURING THE APPLICATION OF THIS PRODUCT.	including those sections containing special protection information/special precautions.
5257 MONOKOTE MIK OTTI	W.R. ORACL & CO.	riie ketaraants	AFFROVED	DOKING THE AFFECATION OF THIS PRODUCT.	•
5258 RED CARPET ROMBUS CARPET CLEAN W 145	PROFESSIONAL CHEMICALS CORP.	Maintananae and Operations Bradusts	APPROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH GOOD VENTILATION. Follow manufacturer's label.
9296 RED CARPET ROWIDGS CARPET CEEAN W 143	PROFESSIONAL CHEMICALS CORF.	Maintenance and Operations Products	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles when handling or
5259 TOP GUARD	American Industrial Supply Inc.	Floor Care Products	APPROVED		mixing concentrate. USE WITH GOOD VENTILATION. Follow manufacturer's label.
5259 TOF GUARD	American maasarar sappry me.	Floor Care Floadicts	AFFROVED	FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during application of this
				PROJECTS, DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA	product, including those sections containing special protection
5262 PREPRITE HIGH BUILD INTERIOR LATEX PRIMER/SURFACER	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	DURING THE APPLICATION OF THIS PRODUCT.	information/special precautions.
5262 PREPRIETHOTIBOLE INTERIOR BATEX PRIMER/SORFACER	THE SHERWIN WILLIAMS COMPANY	Paint Products	APPROVED	DOKING THE AFFECATION OF THIS PRODUCT.	
				FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during application of this product, including those sections containing special protection
5263 PREP & PRIME HI-HIDE WALL PRIMER INTERIOR WATERBORNE 1000	ICL DAINTS NORTH AMERICA	Paint Products	APPROVED	PROJECTS	information/special precautions.
9203 FREE & FRIME TIL TIIDE WALLFRIMER INTERIOR WATERBORNE 1000	CITAINTS NORTH AMERICA	runt rioducts	AFFROVED	FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during application of this
				PROJECTS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA	product, including those sections containing special protection
5264 UNI PREP 190	VISTA PAINT CORPORATION	Paint Products	APPROVED	DURING SPRAY-APPLICATION OF THIS PRODUCT.	information/special precautions.
2204 GMILLE 190	NOTA FAIRT CONFORMITOR	r dirit Floducts	AFFROVED	FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	
5265 CAFCO SPRAYFILM - WB 3	CAFCO INDUSTRIES	Fire Retardants	APPROVED	PROJECTS.	For contractor use only, in new construction or at unoccupied sites. This product may not be applied if District personnel are present in the work area.
5203 CALCO SERATION WD 3	ON SO INDUSTRIES	FII & KOLOTOONIS	APPROVED	. 1002010.	
				FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during application of this
5266 FS-ONE FIRESTOP SEALANT	HILTI, INC.	Fire Retardants	APPROVED	PROJECTS.	product, including those sections containing special protection information/special precautions.
3200 13 ONETHERSTOR SEMERAL	meny mo.	ine ketuluulis	AFFROVED	. 1002010.	
				FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	The contractor shall adhere to all sections of the MSDS during application of this
5267 CP 617/618/619T FIRESTOP PUTTY	HILTI, INC.	Circ Determinate	APPROVED	PROJECTS.	product, including those sections containing special protection information/special precautions.
5267 CP 617/618/6191 FIRESTOP POTTY 5268 DYNAMITE 7111 WALLCOVERING ADHESIVE	GARDNER GIBSON	Fire Retardants		reduction.	Follow manufacturer's label.
		Adhesive Products	APPROVED	Approved for all ident and staff up	
5269 LIQUID HAND SOAP	MAINTEX INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION PROJECTS. DISTRICT STAFF MAY NOT BE PRESENT IN THE WORK AREA	The contractor shall adhere to all sections of the MSDS during application of this
5271 TOUCH 'N SEAL	DAR	Malatana and O	* PPD 01 /5=		product, including those sections containing special protection
02/1 TOUCH NISEAL	DAP	Maintenance and Operations Products	APPROVED	DURING THE APPLICATION OF THIS PRODUCT.	information/special precautions.
					Wear nitrile/neoprene gloves, chemical splash goggles and solvent-resistant
FORD FLOOR SEALER # 2040)	CHEMICOR CHEMICAL CORR	Malatana and O	* PPD 01 /5=	FOR LIST DURING MON. COLICOL HOUSE CARRY	boots & clothing during use. USE WITH GOOD VENTILATION. Follow manufacturer's label.
5273 FLOOR SEALER # 20401	CHEMCOR CHEMICAL CORP.	Maintenance and Operations Products	APPROVED	FOR USE DURING NON-SCHOOL HOURS ONLY	iupei.

					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5284 MS-3 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5285 MS-29 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
3203 *** == == ===		Cidzing Products	AFFROVED		STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
140 4 050 1140 01475	LAGUNA CLAY COMPANY				
5286 MS-4 CERAMIC GLAZE	LAGUNA CLAT COMPANT	Glazing Products	APPROVED		glaze powder. Follow manufact
					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5287 MS-91 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5288 MS-74	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5289 MS-63 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
0200		Ciazing i roddoto	ATTROVES		STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5290 MS-78 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
5290 MS-76 CERAMIC GLAZE	LAGUNA CLAT COMPANT	Glazing Products	APPROVED		
					STUDENTS MAY NOT HANDLE OR MIX DRY CERAMIC GLAZE POWDER. Provide
					adequate ventilation to keep dust concentrations below acceptable exposure
					limits, and avoid inhaling dust generated from this product. Wear
					nitrile/neoprene or latex gloves and chemical splash goggles when mixing dry
5291 MS-65 CERAMIC GLAZE	LAGUNA CLAY COMPANY	Glazing Products	APPROVED		glaze powder. Follow manufact
					The contractor shall adhere to all sections of the MSDS during application of this
				FOR USE BY APPROVED CONTRACTORS ONLY IN NEW CONSTRUCTION	product, including those sections containing special protection
5292 AQUASEAL ME 7	MONOPOLE INC. U.S. SPECIALTY COATINGS	Graffiti Products	APPROVED	PROJECTS.	information/special precautions.
					THIS PRODUCT MAY BE CUT ON-SITE ONLY DURING NON-SCHOOL HOURS. Wear dust
					impervious gloves, eye protection and a NIOSH-approved P100 cartridge
					respirator with a dust/fume/mist prefilter when cutting this material. The user of
					this product shall adhere to all sections of the MSDS, including those sections
5294 CERAMIC TILES DOTTI FILDISI MAT 53 (2X2)	VITRA USA (EKOM)	Glazing Products	APPROVED		containing s
					THIS PRODUCT MAY BE CUT ON-SITE ONLY DURING NON-SCHOOL HOURS. Wear dust
					impervious gloves, eye protection and a NIOSH-approved P100 cartridge
					respirator with a dust/fume/mist prefilter when cutting this material. The user of
					this product shall adhere to all sections of the MSDS, including those sections
5296 QUARRY FLOOR TILE	IRONROCK CAPITAL INC.	Glazing Products	APPROVED		containing s
0200		Ciazing i roddoto	ATTROVES		
					DUE TO THE HIGH pH OF THIS PRODUCT (>11.5), AN EYEWASH STATION IS REQUIRED IN
					THE WORK AREA WHEN THIS PRODUCT IS IN USE (GISO TITLE 8, SECT. 5162). THIS
					PRODUCT MAY BE USED DURING NON-SCHOOL HOURS ONLY. Wear nitrile/neoprene
					gloves and tight-fitting chemical splash goggles when using this product. USE
750 50 MINO 0011 5:	TERMANUE A OTHERWO				WITH GOOD VENTILATION. Avoid contact with skin and do not inhale spray mist
5299 ZEP FOAMING COIL CLEANER	ZEP MANUFACTURING COMPANY	HVAC Products	APPROVED		generated from the use of this product. The user of this product shall adhere t
					Wear oil impervious gloves and chemical splash goggles during use. Follow
5300 MOBILITH AW-2	EXXON MOBIL CORPORATION	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles diring use. USE WITH
5307 PRISTINE	MAINTEX INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
5308 GLACIER	MAINTEX INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Follow manufacturer's label.
t and the second se					

					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
5309 SHIMMER	MAINTEX INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Avoid contact with skin. Follow manufacturer's label.
		<u>-</u>			Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
5310 TRAILWINDS	MAINTEX INC.	Maintenance and Operations Products	APPROVED		GOOD VENTILATION. Follow manufacturer's label.
				FOR USE BY APPROVED CONTRACTORS DURING NON-SCHOOL HOURS	
				ONLY. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK	
				AREA DURING APPLICATION OF THIS PRODUCT. THE CONTRACTOR MUST	The user of this product shall adhere to all sections of the Material Safety Data
				TAKE APPROPRIATE MEASURES TO PREVENT VAPORS FROM DRIFTING OUT	Sheet (MSDS), including those sections containing special protection
5315 PREMIUM POLYURETHANE CONSTRUCTION ADHESIVE	OSI SEALANTS, INC.	Adhesive Products	APPROVED	OF THE WOR	information, special precautions and control measures.
					The user of this product shall adhere to all sections of the Material Safety Data
					Sheet (MSDS), including those sections containing special proetction
5316 EN-115 E-Z-NAILS ADHESIVE CAULK	MACCO ADHESIVES	Adhesive Products	APPROVED	FOR USE BY APPROVED CONTRACTORS ONLY. FOR OUTDOOR USE ONLY.	information, special precautions and control measures.
					THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
5318 BT-925	SAN JOAQUIN CHEMICALS, INC.			THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS FOR USE ONLY BY LA.U.S.D. WATER TREATMENT DEPARTMENT PERSONNEL.	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
2318 RI-872	SAN JUAQUIN CHEMICALS, INC.	HVAC Products	APPROVED	ONLY BY LA.U.S.D. WATER TREATMENT DEPARTMENT PERSONNEL	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				THIS IS A RE-EVALUATION OF THIS PRODUCT. THIS PRODUCT IS FOR USE	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS OF THE MATERIAL
5319 TBCH	UNI-KEM INC.	HVAC Products	APPROVED	ONLY BY LA.U.S.D. WATER TREATMENT DEPARTMENT PERSONNEL.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
2319 10011	ON REWING.	HVAC Products	APPROVED	ONET BY EAGUS.D. WATER TREATMENT DEPARTMENT PERSONNEE.	A DISTRICT-APPROVED EYEWASH STATION MUST BE AVAILABLE DURING
					HANDLING/MIXING OF THE CONCENTRATED PRODUCT, AS REQUIRED BY CCR TITLE 8,
					SECTION 5162. Wear nitrile/neoprene gloves and chemical splash goggles during
5321 ALL FIBER RINSE	PROFESSIONAL CHEMICALS CORP.	Maintenance and Operations Products	APPROVED		use. Follow manufacturer's label.
3321		maintenance and operations moducts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5322 CALIFORNIA ULTRAPAC TRAFFICLEAN S712	PROFESSIONAL CHEMICALS CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
0011		maniorianos ana operaciono i roducio	ATTROVES		Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5324 COMPASSRINSE	PROFESSIONAL CHEMICALS CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					A DISTRICT-APPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF THIS
					PRODUCT, AS REQUIRED BY CCR TITLE 8, SECTION 5162. Wear nitrile/neoprene
					gloves and chemical splash goggles during use. Avoid contact with skin. Follow
5326 COMPASSSHINE RTU	PROFESSIONAL CHEMICALS CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
		· · · · · · · · · · · · · · · · · · ·			Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5327 FLUOROSIL ODOR NEUTRALIZER FLORAL A224	PROFESSIONAL CHEMICALS CORP.	Maintenance and Operations Products	APPROVED		manufacturer's label.
					Wear nitrile/neoprene gloves, chemical splash goggles, a chemical resistant
				FOR OUTDOOR USE ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY.	apron and a NIOSH-approved organic vapor cartridge respirator during use. THE
				HVAC SYSTEMS WITH ROOFTOP MAKE-UP AIR INTAKES SHOULD BE SHUT	USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY
5329 HE204-PLASTIC ROOF CEMENT	HENRY COMPANY	Roofing Products	APPROVED	DOWN BEFORE USING THIS PRODUCT.	DATA SHEET (MSDS), INCLUDING
				For contractor use only, in new construction projects or at unoccupied	
				sites. Do not use this product if District personnel are present in the world	
5330 HE208 - Wet Patch Roof Cement	HENRY COMPANY	Roofing Products	APPROVED	area.	
				FOR USE BY APPROVED CONTRACTORS ONLY. FOR OUTDOOR USE ONLY,	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY NOT ENTER THE WORK	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5331 SONNEBORN PREMIUM ADHESIVE	DEGUSSA BUILDING SYSTEMS	Adhesive Products	APPROVED	AREA DURING APPLICATION OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
					THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5332 IRON STONE ACRYLIC STEEL	THE BUTCHER COMPANY	Floor Care Products	APPROVED	HOURS.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS DURING NON-SCHOOL HOURS	
				ONLY. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK	
				AREA DURING APPLICATION OF THIS PRODUCT. THE CONTRACTOR MUST	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
TARREST AND ADD TO PROVIDE THE TOTAL OF THE	AIR RECOVERS AND OUTSIDE			TAKE APPROPRIATE MEASURES TO PREVENT VAPORS FROM DRIFTING OUT	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5334 ANCAREZ AR550 EPOXY RESIN	AIR PRODUCTS AND CHEMICALS, INC.	Glazing Products	APPROVED	OF THE WOR	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS DURING NON-SCHOOL HOURS	
				ONLY. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING APPPLICATION OF THIS PRODUCT. THE CONTRACTOR MUST	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
5335 ANQUAMINE 419 CURING AGENT	AIR PRODUCTS AND CHEMICALS, INC.	Claring Bradusts	APPROVED	TAKE APPROPRIATE MEASURES TO PREVENT VAPORS FROM DRIFTING OUT OF THE WO	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
5335 ANQUAMINE 419 CURING AGENT 5336 WOODWARD'S HANDCLENS	WOODWARD LABORATORIES, INC.	Glazing Products		OF THE WO	Follow manufacturer's label.
2220 WOODWARD'S HANDCLENS	WOODWARD LABORATORIES, INC.	Cleaning Products	APPROVED		
5337 SUPER CLEAN PLUS	SUPERCO SPECIALITY PRODUCTS	Maintenance and Operations 2	ADDDOVED	FOR OUTDOOR USE ONLY.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow manufacturer's label.
5337 SUPER CLEAN PLUS 5338 HANDZ-ON-G HAND CLEANER	SUPERCO SPECIALITY PRODUCTS SUPERCO	Maintenance and Operations Products	APPROVED	I ON COTDOOR USE ONLY.	Follow manufacturer's label.
DJJ8 FIAINDZ-UN-G HAND CLEANER	SUFERCO	Maintenance and Operations Products	APPROVED	FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	rollow manaracturer's Iadel.
				HOLIBS FOR OUTDOOR USE ONLY DISTRICT STACE MAY NOT ENTED THE	
				HOURS, FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE	THE USED OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				WORK AREA DURING APPLICATION OF THIS PRODUCT. THE CONTRACTOR	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFFTY DATA SHEFT (MSDS) INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5341 CRUMB RUBBER	CRUMB RUBBER MANUFACTURER	Exterior Landscape/ Playground Products	APPROVED.		THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.

					Wear leather or cotton gloves and safety glasses with side shields when
					handling this material. In addition, a NIOSH-approved organic vapor/P100
					cartridge (combination) respirator with a dust/fume/mist prefilter should be
5342 SBS SELF-ADHERING MEMBRANE (CAP/BASE)	JOHNS MANVILLE-ROOFING SYSTEMS GROUP	Roofing Products	APPROVED	FOR OUTDOOR USE ONLY.	worn when cutting this material.
		-		FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				HOURS, FOR OUTDOOR USE ONLY, DISTRICT STAFF MAY NOT ENTER THE	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5346 ROT-FIX PART A	WOOD CARE SYSTEMS	Paint Products	APPROVED	WORK AREA DURING MIXING/APPLICATION/CURING OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				HOURS, FOR OUTDOOR USE ONLY, DISTRICT STAFF MAY NOT ENTER THE	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5347 ROT-FIX PART B	WOOD CARE SYSTEMS	Paint Products	APPROVED	WORK AREA DURING MIXING/APPLICATION/CURING OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				HOURS. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5348 SCULPWOOD PART A	WOOD CARE SYSTEMS	Paint Products	APPROVED	WORK AREA DURING MIXING/APPLICATION/CURING OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				HOURS. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER THE	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5349 SCULPWOOD PART B	WOOD CARE SYSTEMS	Paint Products	APPROVED	WORK AREA DURING MIXING/APPLICATION/CURING OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5350 BOND -PLEX WATER BASED COATING, EXTRA WHITE	SHERWIN WILLIAMS CO.	Paint Products	APPROVED	FOR OUTDOOR USE ONLY. THIS PRODUCT MAY NOT BE SPRAY-APPLIED.	manufacturer's label.
				THIS PRODUCT IS APPROVED FOR ONE-TIME USE ONLY AT FRANKLIN HIGH	
				SCHOOL FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				SCHOOL HOURS. FOR OUTDOOR USE ONLY. DISTRICT STAFF MAY NOT ENTER	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5351 WEARLON 711	ECOLOGICAL COATINGS, LLC	Paint Products	APPROVED	THE WORK AREA DURING APPLICATION OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
				FOR USE BY APPROVED CONTRACTORS IN NEW CONSTRUCTION PROJECTS	THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				ONLY. DISTRICT STAFF MAY NOT ENTER THE WORK AREA DURING	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5353 VAPOR-GUARD DC	ADVANCED MOISTURE CONTROL, INC.	Maintenance and Operations Products	APPROVED	APPLICATION/CURING OF THIS PRODUCT.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
					THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL
				FOR USE BY APPROVED CONTRACTORS ONLY, DURING NON-SCHOOL	SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL
5354 SIKACRETE 211	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	HOURS.	PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES.
					Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approve
				FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY	P100 cartridge respirator with a dust/fume/mist prefilter during use. Follow
5355 OMEGA FLEX/COLOR TEK	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	IN EXISTING FACILITIES. FOR OUTDOOR USE ONLY.	manufacturer's label and review MSDS thoroughly prior to use.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W
5356 TITEBOND III ULTIMATE WOOD GLUE	FRANKLIN INTERNATIONAL	Adhesive Products	APPROVED		GOOD VENTILATION. Follow manufactuere's label.
5356 TITEBOND III ULTIMATE WOOD GLUE 5358 GERMZAPPER HAND SANITIZER	FRANKLIN INTERNATIONAL VAJEN MANAGEMENT GROUP, LLC	Adhesive Products Cleaning Products	APPROVED APPROVED		
				FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT SPRAY-APPLY THIS	GOOD VENTILATION. Follow manufactuere's label.
				FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR	GOOD VENTILATION. Follow manufactuere's label.
					GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes.
				PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes.
				PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W
5368 GERMZAPPER HAND SANITIZER	VAJEN MANAGEMENT GROUP, LLC	Cleaning Products	APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER	VAJEN MANAGEMENT GROUP, LLC	Cleaning Products	APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro
5358 GERMZAPPER HAND SANITIZER	VAJEN MANAGEMENT GROUP, LLC	Cleaning Products	APPROVED	PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT SPRAY-APPLY THIS	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT SPRAY-APPLY THIS PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lat
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NOWN-SCHOOL HOURS ONLY, DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lai and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT SPRAY-APPLY THIS PRODUCT, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lai and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's latent review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's latent review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5369 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYLAND RUBBER SEALANT	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lail and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's late and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label.
5358 GERMZAPPER HAND SANITIZER 5369 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYLAND RUBBER SEALANT	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious aproand boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lail and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves chemical splash goggles and a NIOSH-approv PIOO cartridge respirator with a dust/tume/mist prefilter during use. USE WITH-
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE "HIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's latent of review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv P100 cartridge respirator with a dust/tume/mist prefilter during use. USE WITH-GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E. INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's la and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv P100 cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (I.E., ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WTH GOOD VENTILATION. Follow manufacturer's latent and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv P100 cartridge respirator with a dust/fume/mist prefilter during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv PIOC cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv dust/furne/mist respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lad nareview MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv PIOO cartifage respirator with a dust/furne/mist prefitter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv dust/furne/mist respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's label SVENTILATION. Follow manufacturer's label.
5358 GERMZAPPER HAND SANITIZER 5369 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products	APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE VIGOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lain and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE VIGOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approximation of the properties of the propertie
5359 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 6.1 / Z-90 WOOD MAGIC / PLUS	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE N. GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE NITH GOOD VENTILATION. Follow manufacturer's la and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE NITH GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approvention of the properties of the proper
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V. GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's la and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv PIOO cartifage respirator with a dust/furne/mist prefitter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv dust/furne/mist respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), NICULDING THOSE SECTIONS CONTAINING SPECIAL PRECAUTIONS AND CONTROL MEASURES.
5359 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 6.1 / Z-90 WOOD MAGIC / PLUS	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE to GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apround the properties of the control of the properties of the control of the
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 3:1 & 6:1 / Z-90 WOOD MAGIC / PLUS	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, IN NEW CONSTRUCTION PROJECTS.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE VIGOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's laid and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apround the properties of the properti
5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEALLOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T POR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PREMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE to GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's ladent and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles and a NiOSH-approx Pilo cartridge respirator with a dust/furne/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approx dust/furne/mist respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THE USER OF THIS PRODUCT SHALL ADHER TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious clot boots and aprons during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEWASH STATION MUST BE AVAILABLE DURING USE OF T POR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PREMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lad and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and an MOSH-approv PHIDLATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approv PHIDLATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv Mear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv dust/fume/mist respirator with a dust/fume/mist prelitter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL. SAFETY DATA SHET (MSDS), NICLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious clott boots and aprons during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Cleaning Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EYEMASH MUST BE AVAILABLE DURING THE USE OF THIS PRODUCT (CCR TITLE 8, SECTION 5162).	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE V GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's lat and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apro and boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NiOSH-approw P100 cartridge respirator with a dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approw manufacturer's label. THE USER OF THIS PRODUCT SHALL ADHER TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS OF THE MATERIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious clott boots and aprons during use. USE WITH GOOD VENTILATION. Follow manufucturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and a NiOSH-approx
5369 GERMZAPPER HAND SANITIZER 5369 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EXECUTION 5182). FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EXECUTION 5182).	GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W. GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WITH GOOD VENTILATION. Follow manufacturer's latent review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W. GOOD VENTILATION. Follow manufacturer's latent review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approw Wear Intitile/neoprene gloves, chemical splash goggles, and a NIOSH-approw dust/fume/mist respirator during use. USE WITH GOOD VENTILATION. Follow manufacturer's label. THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious cloth boots and aprons during use. USE WITH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approw Piloo cartridge respirator with a dust/fume/mist prefilter during use. Follow manufacturer's label and review MSDS thoroughly prior to use.
5358 GERMZAPPER HAND SANITIZER 5359 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 21 & 6:1 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICTAPPROVED EYEMASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EVENTS HAVE BY AVAILABLE DURING THE USE OF THIS PRODUCT (CCR TITLE 8, SECTION 5162). FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. FOR OUTDOOR USE ONLY.	GOOD VENTILATION. Follow manufacturer's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves and chemical splash goggles and impervious apround boots during use. USE WTH GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approve MSDS WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approve manufacturer's label. THE USER OF THE PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS AND CONTRINING SPECIAL PRECAUTIONS AND CONTRINING SPECIAL PRECAUTIONS AND CONTRION MESSURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious cloth boots and approns during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.
5369 GERMZAPPER HAND SANITIZER 5369 MIRACLE SOLUTION 5360 MIRACLE SOLUTION VINYL AND RUBBER SEALANT 5361 SEAL LOK 5363 HIGH BUILD INTERIOR ACRYLIC DRYWALL SURFACER 5364 THE BIO-CLEANER 31 & 61 / Z-90 WOOD MAGIC / PLUS 5366 BUILDERS SOLUTION INTERIOR LATEX PRIMER/SURFACER	VAJEN MANAGEMENT GROUP, LLC LONE STAR SOLUTIONS, INC. LONE STAR SOLUTIONS, INC. MISSION LABORATORIES NATIONAL GYPSUM COMPANY ELMAR SHERWIN WILLIAMS CO.	Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Paint Products Cleaning Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). A DISTRICT Approved EYEWASH STATION MUST BE AVAILABLE DURING USE OF T FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT SPRAY-APPLY THIS PRODUCT. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, INDOOR USE IS PERMITTED ONLY IF ADEQUATE VENTILATION IS PRESENT). FOR USE DURING NON-SCHOOL HOURS ONLY. DO NOT USE THIS PRODUCT IN "CLOSED" ROOMS (LE, ADEQUATE VENTILATION MUST BE PRESENT DURING USE). FOR USE DURING NON-SCHOOL HOURS ONLY. FOR USE DURING NON-SCHOOL HOURS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE BY APPROVED CONTRACTORS ONLY, IN NEW CONSTRUCTION PROJECTS. FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EXECUTION 5182). FOR USE IN NEW CONSTRUCTION, OR DURING NON-SCHOOL HOURS ONLY IN EXISTING FACILITIES. A DISTRICTAPPROVED EXECUTION 5182).	GOOD VENTILATION. Follow manufactuere's label. Do not spray in eyes. Wear nitrile/neoprene gloves and chemical splash goggles during use. USE W. GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles and impervious apround boots during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles during use. USE W. GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approw GOOD VENTILATION. Follow manufacturer's label. Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approw GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approw dust/fume/mist respirator during use. USE WTH GOOD VENTILATION. Follow manufacturer's label. THE USER OF THIS PRODUCT SHALL ADHERE TO ALL SECTIONS OF THE MATERIAL SAFETY DATA SHEET (MSDS), INCLUDING THOSE SECTIONS CONTAINING SPECIAL PROTECTION INFORMATION, SPECIAL PRECAUTIONS AND CONTROL MEASURES. Wear nitrile/neoprene gloves, chemical splash goggles, and impervious cloth boots and aprons during use. USE WTH GOOD VENTILATION. Follow manufacturer's label and review MSDS thoroughly prior to use.

					Wear neoprene gloves, chemical splash goggles, protective clothing and boots
					and a NIOSH-approved organic vapor cartridge respirator with a
					dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5374 ENDURABLE GLOSS WHITE 1440001	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label and review MSDS thoroug
					Wear neoprene gloves, chemical splash goggles, protective clothing and boots
					and a NIOSH-approved organic vapor cartridge respirator with a
					dust/fume/mist prefilter during use. USE WITH GOOD VENTILATION. Follow
5375 ENDURABLE S/G WHITE 1310001	FRAZEE INDUSTRIES, INC.	Paint Products	APPROVED		manufacturer's label and review MSDS thoroug
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5378 NU BROADLOCK PREMIUM MULTIPURPOSE ADHESIVE	THE MOHAWK GROUP, MOHAWK INDUSTRIES, INC.	Adhesive Products	APPROVED	Approved - All Users/All Sites	manufacturer's label and review MSDS thoroughly prior to use.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
					GOOD VENTILATION. An eyewash station must be made available during the use
					of this product, as per CCR Title 8, Section 5162. Follow manufacturer's label and
FOOT SANACOR 2561	SAN JOAQUIN CHEMICALS, INC.	Malatan and On continue Books at	4 DDD 01 /FD	For Lies by contractors and LAUSD HVAC personnal only	review MSDS prior t
5381 SANACOR 2561	SAN SOAQUIN CHEMICAES, INC.	Maintenance and Operations Products	APPROVED	For Use by contractors and LAUSD HVAC personnel only.	•
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
					GOOD VENTILATION. A District-approved eyewash station must be made
				THIS PRODUCT IS HIGHLY ACIDIC. DO NOT ALLOW SCHOOL STAFF OR	available during the use of this product, pursuant to CCR Title 8, Section 5162.
5383 URATIC SALT REMOVER	NEXGEN	Maintenance and Operations Products	APPROVED	STUDENTS TO COME IN CONTACT WITH THIS PRODUCT!	Follow manufacturer's label a
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Follow
5384 ORANGE AID	NEXGEN	Cleaning Products	APPROVED	Approved - Limited/Restricted Use Only	manufacturer's label and review MSDS prior to use.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. USE WITH
					GOOD VENTILATION. A District-approved eyewash station must be made
				THIS PRODUCT IS HIGHLY CORROSIVE. DO NOT ALLOW SCHOOL STAFF OR	available during the use of this product, pursuant to CCR Title 8, Section 5162.
5385 NEX FOAM (ANF-269)	NEXGEN	Maintenance and Operations Products	APPROVED	STUDENTS TO COME IN CONTACT WITH THIS PRODUCT!	Follow manufacturer's label a
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use with
					adequate ventilation and avoid prolonged contact with skin. Follow
5398 Rally Gym Finish	Hillyard Industries	Floor Care Products	APPROVED	This is a re-evaluation of this product (originally evaluated on 3/23/06)	
5596 Kally Syllinan	ranyara maastros	FIOOI Care Floadcts	AFFROVED	This is a re-evaluation of this product. Wear nitrile/neoprene gloves an	
				chemical splash goggles during use. Use with good ventilation. Follow	
Files Wetsfee Sealest	Custom Chemical Formulators		APPROVED	manufacturer's label and review MSDS prior to use.	
5403 Falcon Waterfree Sealant	Custom Chemical Formulators	Paint Products	APPROVED	· · · · · · · · · · · · · · · · · · ·	
				This is a re-evaluation of this product. Wear nitrile/neoprene gloves an	d
				chemical splash goggles during use. Use with good ventilation. Follow	
5404 Everprime Odor Trap	Custom Chemical Formulators	Cleaning Products	APPROVED	manufacturer's label and review MSDS prior to use.	
				This is a re-evaluation of this product (originally evaluated on 4/3/06).	
5406 Hi-Bild Primer Part A	Ellis Paint Co.	Paint Products	APPROVED	This product is for use only by contractors at new/unoccupied sites.	
				This is a re-evaluation of this product (originally evaluated on 4/3/06).	
5408 Hi-Bild Primer Part B	Ellis Paint Co.	Paint Products	APPROVED	This product is for use only by contractors at new/unoccupied sites.	
				This is a re-evaluation of this product (originally evaluated on 4/3/06).	
5409 PoolPoxy Hi-Bild- White Part A	Ellis Paint Co.	Paint Products	APPROVED	This product is for use only by contractors at new/unoccupied sites.	
				This is a re-evaluation of this product (originally evaluated on 4/3/06).	
5410 PoolPoxy Hi-Bild- Cat Part B	Ellis Paint Co.	Paint Products	APPROVED	This product is for use only by contractors at new/unoccupied sites.	
5416 Hands2GO	Water Journey,Ltd	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	Discontinue use of this product if skin irritation occurs. Do not get in eyes.
5420 Sani-Foam Hand Sanitizer	K-12 Specialties	Personal Hygiene Products	APPROVED	This is a re-evaluation of this product.	Discontinue use of this product if skin irritation occurs. Do not get in eyes.
	• ***				Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approved
					ammonia/methylamine cartridge respirator during use. Add a dust/fume/mist
					prefilter to the respirator cartridge assembly during spray applications. Do not
r sos Acrushoon Socier	United Coatings Manufacturing Co	Delet Bee de ete	4000C:	This product is far use during non-school hours only	
5421 Acrysheen Sealer	United Coatings Manufacturing Co.	Paint Products	APPROVED	This product is for use during non-school hours only.	use this product indoors
					Wear nitrile/neoprene gloves and chemical splash goggles when handling the
5422 Dawn Manual Pot & Pan Detergent	Procter & Gamble	Cleaning Products	APPROVED	Approved - All Users/All Sites	undiluted product.
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	
5423 Recruit IV Termite Bait	Dow AgroSciences	Pesticide/Herbicide Products	APPROVED	ONLY.	Wear gloves when handling the termite bait.
				APPROVED FOR USE BY LAUSD CERTIFIED PEST CONTROL TECHNICIANS	
5424 Recruit IV AG Termite Bait	Dow AgroSciences	Pesticide/Herbicide Products	APPROVED	ONLY.	Wear gloves when handling the termite bait.
					Wear nitrile/neoprene gloves, chemical splash goggles and impervious clothing
				This is a re-evaluation of this product. Do not use this product in rooms	during use. Use only in well-ventilated areas. Have an eyewash station available
5450 Supersport One (New Formulation)	BonaKemi USA, Inc.	Adhesive Products	APPROVED	that are occupied by school staff or students.	during use. Follow manufacturer's label and review MSDS thoroughly prior to use.
5450 Supersport One (New Formulation) 5451 Zep Foamy Sanz	BonaKemi USA, Inc. Zep Manufacturing Co.	Adhesive Products Personal Hygiene Products	APPROVED APPROVED	that are occupied by school staff or students. Approved - All Users/All Sites	during use. Follow manufacturer's label and review MSDS thoroughly prior to use.
					during use. Follow manufacturer's label and review MSDS thoroughly prior to use.

					Wear nitrile/neoprene gloves, chemical splash goggles, tight-fitting
					boots/clothing, and a NIOSH-approved P-100 cartridge respirator with a
					dust/fume/mist prefilter during mixing/application of this product. Avoid conto
5467 Rapid Set Stucco Mix	CTS Cement Manufacturing Corp.	Carpentry/ Construction Product	APPROVED	For use during non-school hours only.	with skin. Follow manufacturer's
					Wear nitrile/neoprene gloves, chemical splash goggles, tight-fitting
					boots/clothing, and a NIOSH-approved P-100 cartridge respirator with a
					dust/fume/mist prefilter during mixing/application of this product. Avoid conto
5468 Rapid Set Eisenwall	CTS Cement Manufacturing Corp.	Carpentry/ Construction Product	APPROVED	For use during non-school hours only.	with skin. Follow manufacturer's
3400 Kapia oot Elloriman	oro comercinaria actaining corp.	Curpentry/ Construction Froduct	AFFROVED	ror ass daring non sonoornous only.	Wear rubber/plastic gloves and chemical splash goggles during use. Use only
					well-ventilated areas. Do not mix ammonia with any other chemical or cleaning
5474 Ammonia	O.C.C.S.	Cleaning Products	APPROVED	Approved - All Users/All Sites	product. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles and a splash bib and
5475 Sto Decocoat	Sto Corp.	Carpentry/ Construction Product	APPROVED	This product may not be spray-applied.	protective clothing when using this product. Follow manufacturer's label.
				For contractor use only, in new construction projects or at unoccup	pied
				sites. Do not use this product if District personnel are present in the	work
5484 CAFCO 300	Cafco International	Fire Retardants	APPROVED	area.	
5488 Coconut Body & Shower Liquid Moisturizing Body Soap	Maintex	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	
5490 Pink Body & Shower Liquid Soap	Maintex	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	
3430 Tilk body a citoriol aquia bodp	Wall ICOX	reisonarnygiene riodacts	AFFROVED	Approved All osciol All olices	
	-11 -				
5492 Sikadur Anchor Fix-4 (Part A)	Sika Corp.	Carpentry/ Construction Product	APPROVED	Approved for contractor use only. For use during non-school hours	only.
5493 Sikadur Anchor Fix-4 (Part B)	Sika Corp.	Carpentry/ Construction Product	APPROVED	Approved for contractor use only. For use during non-school hours	s only.
5494 Sikaguard 701	Sika Corp.	Carpentry/ Construction Product	APPROVED	Approved for contractor use only. For use during non-school hours	only.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated areas. Do not use this product in areas where school staff or
5518 Flexco 106	Flexco	Adhesive Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
9910 116/00/100				11	Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear
					NIOSH-approved organic vapor cartridge respirator for indoor use. Use in wel
					ventilated areas. Do not use this product in areas where school staff or studen
5519 Flexco Flex-Tuft Adhesive	Flexco	Adhesive Products	APPROVED	Approved - All Users/All Sites	are present. Follow
					Wear neoprene gloves and chemical splash goggles during application of this
5521 Ultra-Bond 10 Primer	General Coatings, Inc.	Paint Products	APPROVED	For outdoor use only. For use during non-school hours only.	product. Follow manufacturer's label and review MSDS prior to use.
				Approved for exterior use only by contractors within construction a	ireas
5524 PVC AND KEE HP MEMBRANE CLEANER	Carlise-Syntec Inc.	Roofing Products	APPROVED	or during non-school hours	Follow the manufacturers recommendations for product storage and use
					Wear nitrile/neoprene gloves, chemical splash goggles and long-sleeved
					shirts/long pants during application of this product. Avoid contact with skin ar
					use only in well-ventilated areas. Follow manufacturer's label and review MSD:
5538 Laticrete 9 Ceramic Tile Adhesive	Laticrete International, Inc.	Adhesive Products	APPROVED	Approved - All Users/All Sites	prior to use.
3330 Editorete e Gordinio Ilio Adricavo	Editorete memational, me.	Adilesive Floddets	AFFROVED	Approved All osciol All olices	Wear vinyl or rubber gloves, chemical splash goggles, and a NIOSH-approved
					dust/fume/mist respirator during use of this product. Avoid contact with skin.
5539 Laticrete 253 Gold Multipurpose Thin-Set Mortar	Laticrete International, Inc.	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	Follow manufacturer's label and review MSDS prior to use.
					Wear vinyl or rubber gloves, chemical splash goggles and a NIOSH-approved
					dust/fume/mist respirator during use of this product. Avoid contact with skin.
5540 317 Floor N Wall Thin-Set Mortar	Laticrete International, Inc.	Floor Care Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer's label and review MSDS prior to use.
					Wear vinyl or rubber gloves, chemical splash goggles and a NIOSH_approved
					dust/fume/mist respirator during use of this product. Avoid contact with skin.
5542 Laticrete 253 Multipurpose Thinset	Laticrete International, Inc.	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	Follow manufacturer's label and review MSDS prior to use.
3542		Sulpointly Scholadion Found	ATTROVES	·	This product may not be mixed or applied in areas occupied by school
	SPEC MIX				
5543 SPEC MIX PCL Sand Mortar Types M, S, N, O	SPEC MIX	Carpentry/ Construction Product	APPROVED	Approved for contractor use only.	personnel or students.
					For outdoor use only, during non-school hours. This product may not be applied
5544 OlyBond Ashesive Fastener (Part A)	Olympic Manufacturing Group	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
					For outdoor use only, during non-school hours. This product may not be applied
5545 OlyBond Ashesive Fastener (Part B)	Olympic Manufacturing Group	Adhesive Products	APPROVED	Approved for contractor use only,	in areas occupied by school personnel or students.
					For outdoor use only, during non-school hours. This product may not be appli-
5546 Ultragard PVC Membrane Adhesive (Low VOC)	Johns Manville Roofing Group	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
•	• •			,	For outdoor use only, during non-school hours. This product may not be appli-
5547 UltraGard PVC Membrane Adhesive Latex Based	Johns Manville Roofing Group	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
5547 Surdodia i vo membrane Adriestve tatex based	ssale marvine rooming group	Autresive Floducts	AFFRUVED	Approved for contractor use offity.	
					For outdoor use only, during non-school hours. This product may not be appli-
5548 UltraGard PVC Membrane Adhesive Water-Based	Johns Manville Roofing Group	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
					For outdoor use only, during non-school hours. This product may not be appl
5549 Olybond 500 BA (Part A)	Olympic Manufacturing Grope	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
					For outdoor use only, during non-school hours. This product may not be appli
5550 Olybond 500 BA (Part B)	Olympic Manufacturing Grope	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
, , , , ,	, ,				For outdoor use only, during non-school hours. This product may not be appli
555] Urethane Insulation Adhesive	Johns Manville Roofing Group	Adhesive Products	APPROVED	Approved for contractor use only.	in areas occupied by school personnel or students.
555, 2. Salaho maladan nandilya	marring results or out	Addresse Floducts	AFFROVED	. Pr. Stock for contractor and only.	2.22 occupied by serious personnier or students.

					Wear nitrile/neoprene gloves, chemical splash goggles and protective clot
					during use. Avoid contact with skin. Follow manufacturer's label and review
5554 Service Pro Hydraulic Fluid AW-32	Citgo Petroleum Corporation	Automotive Products	APPROVED	For use by Automotive Maintenance personnel only.	prior to use.
					Wear latex/rubber gloves and chemical splash goggles during use. Follow
5556 Henry 237 "AcoustiGum"	W. W. Henry Company	Cleaning Products	APPROVED	Note: This product replaces Henry Acoustical Tile Adhesive # 237.	manufacturer's label.
				This is a re-evaluation of this product. This product is approved for use	
5563 Roppe 535 (Part A)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only. This is a re-evaluation of this product. This product is approved for use	
5564 Roppe ECCC (Part A)	MAPEI	One and all One and and an American	APPROVED	by contractors in new construction projects only.	9
5564 корре ЕССС (Рагга)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only. This is a re-evaluation of this product. This product is approved for use	
5565 Roppe ECCC (Part B)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only.	
ээвэ корретсесе (гатта)	WAT LI	Curpentry/ Construction Froduct	AFFROVED	by confidences in new constituction projects only.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Avo
					contact with skin and use only in well-ventilated areas. Follow manufactur
5566 Roppe 205	MAPEI	O	APPROVED	This is a re-evaluation of this product.	label and review MSDS prior to use.
5566 koppe 205	MAFCI	Carpentry/ Construction Product	APPROVED	mis is a re-evaluation of this product.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Av
					contact with skin and use only in well-ventilated areas. Follow manufacture
5567 Roppe 319	MAPEI	One and all One and and an American	APPROVED	This is a re-evaluation of this product.	label and review MSDS prior to use.
226\ kobbe 21a	MAFCI	Carpentry/ Construction Product	APPROVED	mis is a re-evaluation of this product.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Av contact with skin and use only in well-ventilated areas. Follow manufacture
PROG. Prog. 975	MAPEI			This is a second order of this countries	
5568 Roppe 375	MAPEI	Carpentry/ Construction Product	APPROVED	This is a re-evaluation of this product.	label and review MSDS prior to use.
FFCC Penns 42E (Part A)	MADEL	0	4 DDF =: :==	This is a re-evaluation of this product. This product is approved for use	d .
5569 Roppe 435 (Part A)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only.	
Panna 425 (Part P.)	MAPEI			This is a re-evaluation of this product. This product is approved for use	9
5570 Roppe 435 (Part B)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. A
					contact with skin and use only in well-ventilated areas. Follow manufactu
5571 Roppe 475	MAPEI	Carpentry/ Construction Product	APPROVED	This is a re-evaluation of this product.	label and review MSDS prior to use.
(This is a re-evaluation of this product. This product is approved for use	
5572 Roppe 535 (Part B)	MAPEI	Carpentry/ Construction Product	APPROVED	by contractors in new construction projects only.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. A
					contact with skin and use only in well-ventilated areas. Follow manufactu
5573 Roppe 550	MAPEI	Carpentry/ Construction Product	APPROVED	This is a re-evaluation of this product.	label and review MSDS prior to use.
					Wear nitrile/neoprene gloves and chemical splash goggles. Avoid contact
					skin and use only in well-ventilated areas. Follow manufacturer's label and
5574 Roppe 604	MAPEI	Carpentry/ Construction Product	APPROVED	This is a re-evaluation of this product.	review MSDS prior to use.
				This is a re-evaluation of this product. This product is for use by	Wear nitrile/neoprene gloves and chemical splash goggles during use. Fo
5576 Chevron Moly Grease EP	Chevron Texaco Global Lubricants	Automotive Products	APPROVED	automotive maintenance personnel only.	manufacturer's instructions.
				This is a re-evaluation of this product. This product is for use by	Wear nitrile/neoprene gloves and chemical splash goggles during use. For
5577 Chevron Rykon Oil AW	Chevron Texaco Global Lubricants	Automotive Products	APPROVED	automotive maintenance personnel only.	manufacturer's instructions.
				This is a re-evaluation of this product. This product is approved for	
5578 Dex-O-Tex AJ-44 Dressing	Crossfield Products Corp.	Carpentry/ Construction Product	APPROVED	contractor use only, during non-school hours.	
				This product is approved for contractor use only, during non-school	
5579 Pro -Tech EC-100	Protech Products Inc	Carpentry/ Construction Product	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5580 A-P PRIMER	Protech Products Inc	Paint Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5581 SUPERIORSEAL TOPCOAT	Protech Products Inc	Adhesive Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5582 ULTRASHIELD TOPCOAT	Protech Products Inc	Paint Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5583 PRO-WHITE	Protech Products Inc	Adhesive Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5584 Pro-Tech Spray Polyurethane Foam (Part A)	Protech Products Inc	Adhesive Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5585 Pro-Tech spray polyurethane foam (Part B)	Protech Products Inc	Adhesive Products	APPROVED	hours.	
				This product is approved for contractor use only, during non-school	
5586 Flexilon 1118	Rose Hill Mills	Carpentry/ Construction Product	APPROVED	hours. This product may not be spray-applied.	
				Approved for use by contractors and trained Maintenance &	
5589 Fire Barrier Moldable Putty +	3M Consumer Safety & Light Management	Fire Retardants	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and us
					Wear nitrile/neoprene gloves and chemical splash goggles during use. W
				This product is approved for use by contractors in new construction	NIOSH-approved organic vapor cartridge respirator during indoor use. Us
				projects. It may be used during non-school hours only in existing	in well-ventilated areas. Follow manufacturer's instructions and review M
5590 SEI Graffiti Proofer & Concrete Curing Agent	SEI Chemicals	Graffiti Products	APPROVED	facilities. Do not spray-apply this product indoors in existing facilities.	
5591 CP 606 Flexible Firestop Sealant	Hilti Inc	Fire Retardants	APPROVED	This product is approved for contractor use in new construction only.	
•				This product is approved for contractor use in new construction	
5592 Recycled Tire Retread Rubber	Atlas Track & Tennis	Automotive Products	APPROVED	projects only.	
/		Automouvo i Toddota	ALLMOYED		

				This could be be a second of the second of t	
5594 Conipur 216, Part A	Conica Tenhnik	Adhesive Products	APPROVED	This product is approved for use by contractors in new construction projects only.	
3334		Adresive Floddets	AFFROVED	This product is approved for use by contractors in new construction	
5595 Conipur 322	Conica Tenhnik	Adhesive Products	APPROVED	projects only.	
				For contractor use in carpet cleaning machines, during non-	All areas cleaned with this product must be ventilated for at least 72 hours pric
5596 Longevity	Future Floor Technology	Floor Care Products	APPROVED	school/business hours.	to re-occupancy.
				Approved for use by contractors and trained Maintenance &	
				Operations staff only in unoccupied areas (construction areas) or	
5597 Powerstick	Dewalt Industrial Tools	Adhesive Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
					Wear nitrile/neoprene gloves, chemical splash goggles and protective clothing
				This is a re-evaluation of this product. For outdoor use only, during non-	during use. Follow manufacturer's instructions and review MSDS thoroughly pri
5610 RCS 4000	LaPolla Industries, Inc.	Maintenance and Operations Products	APPROVED	school hours.	to use.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approve
					- ammonia/methylamine cartridge respirator during use. Follow manufacturer
5611 RCS 5000	LaPolla Industries, Inc.	Maintenance and Operations Products	APPROVED	school hours.	instructions and review MSDS thoroughly prior to use.
				This product is approved for use by contractors only, during non-	
				schools hours (i.e., it may be used only when staff/students are not	The contractor must comply with all sections of the MSDS during the applicati
5612 White Knight	Garland Company, Inc.	Roofing Products	APPROVED	present at the site). For outdoor use only.	process.
5613 Amazing Magic Glass Sparkle	Southern California Soap	Cleaning Products	APPROVED	Approved - All Users/All Sites	Wear protective goggles and rubber gloves during use, per MSDS.
				This is a re-evaluation of this product. This product is approved for use	
5614 Patch-It-Wood #711W	Superco Specialty Products	Maintenance and Operations Products	APPROVED	by Central Shops personnel only.	Wear nitrile/neoprene gloves and safety glasses or goggles during use.
mana and antique Annual Dates	Outro Balancia			Approved for use by contractors only, during non-school hours. For	
5623 Servicefirst Aerosol Paint	Custom-Pak Products	Paint Products	APPROVED	outdoor use only.	
5624 Sikaflex 221	Sika Corp.	/	APPROVED	Approved for use by contractors only, during non-school hours. For outdoor use only.	
5624 Sikuliex 221	sika corp.	Carpentry/ Construction Product	APPROVED	outdoor use only.	Wass pitalla (naapsana alayaa ahamigal anjaah agaalaa and haata that asa
					Wear nitrile/neoprene gloves, chemical splash goggles and boots that are
					impervious to water during use. Wear a NIOSH-approved P-100 cartridge respirator with a dust/fume/mist prefilter when handling or mixing the dry
5627 Colton Portland Cement	California Portland Cement Company	One and One of the Breakers	APPROVED	For use during non-school hours only.	powder form of this product. Avoid co
5827 Colton Fortidad Cernent	California Portiana Cernent Company	Carpentry/ Construction Product	APPROVED	For use during non-school hours only.	<u> </u>
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Avoid prolonged and/or repeated skin contact. An eye wash station and safety sho
5628 Citgo Citgard 500 Motor Oil SAE 30	Citgo Petroleum Corporation	Automotive Products	APPROVED	This product is for use by automotive maintenance personnel only.	should be located near the work-station, as per the MSDS. Follow manufactur instructions and revie
5633 Envirotac II	Environmental Products & Applications, Inc.	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only, at new construction sites.	maradian and rate
3033 21111010011	Environmental Froducts & Applications, inc.	Carpentry/ Construction Froduct	AFFROVED	Approved for doe by contractors only, at now construction sites.	Wear rubber/vinyl gloves and chemical splash goggles during use. Use only i
					well-ventilated areas. DO NOT MIX THIS PRODUCT WITH ANY OTHER CLEANING
					PRODUCTS/CHEMICALS. Avoid contact with skin. Follow manufacturer's
5634 Bleach, Liquid	Orange County Chemicals	Cleaning Products	APPROVED	Approved - All Users/All Sites	instructions.
5636 Metal Pro-Primer Finish #4800	Vista Paint	Paint Products	APPROVED	177	Re-evaluated and approved.
3030 Metal 110 Tillion 1 Million 11 4 4 4 4	VIOLATI GITA	runtrioducts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles during use. Avoid
					prolonged contact with skin. Follow manufacturer's label and review the MSD:
5637 Pennzoil 2-Cycle Oil for Air-Cooled Engines	Sopus Products	Automotive Products	APPROVED	Approved - All Users/All Sites	prior to use.
3		Additional	ATTROVES	11	Wear nitrile/neoprene gloves and chemical splash goggles during use. Avoid
					prolonged contact with skin. Follow manufacturer's label and review the MSDS
5638 Pennzoil Long Life SB Engine Oil	SOPUS Products	Automotive Products	APPROVED	Approved - All Users/All Sites	prior to use.
				11	Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approve
5639 Foster 32-61 (Lockdown)	Specialty Construction Brands, Inc.	Adhesive Products	APPROVED	For use in asbestos containments only.	100 cartridge respirator during use. Follow manufacturer's label.
				,	Wear nitrile/neoprene gloves, chemical splash goggles and a NIOSH-approve
5640 Foster 32-80 (Bridging Encapsulants)	Specialty Construction Brands, Inc.	Adhesive Products	APPROVED	For use in asbestos containments only.	100 cartridge respirator during use. Follow manufacturer's label.
					Wear butyl rubber gloves, a long-sleeved shirt, and a NIOSH-approved
					combination P-100/organic vapor FULL-FACE respirator during use. Do not alle
				For use in asbestos containments only. The containment must be unde	r this product to come in contact with skin or eyes. Have an eye wash station
FO.41 Factor CD210 (Facementants)				negative pressure during the application of this product.	
5641 Foster CP210 (Encapsulants)	Specialty Construction Brands, Inc.	Adhesive Products	APPROVED	negative pressure during the application of this product.	available, as per Section 8 of t
5541 Poster Cr210 (Ericupsularits)	Specialty Construction Brands, Inc.	Adhesive Products	APPROVED	riegative pressure during the application or this product.	available, as per Section 8 of t Children under 10 years of age should only use this product with adult
5649 Dry Erase Marker, Low Odor, GDE11	Specialty Construction Brands, Inc. BIC Corporation		APPROVED APPROVED	Approved - All Users/All Sites	Children under 10 years of age should only use this product with adult
		Adhesive Products School Products Adhesive Products			
5649 Dry Erase Marker, Low Odor, GDE11	BIC Corporation	School Products	APPROVED	Approved - All Users/All Sites	Children under 10 years of age should only use this product with adult
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer 5652 Primer Barrier Coating 3300	BIC Corporation Carlisle SynTec Inc. Re:Source Technologies	School Products Adhesive Products	APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only.	Children under 10 years of age should only use this product with adult
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer	BIC Corporation Carlisle SynTec Inc.	School Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only.	Children under 10 years of age should only use this product with adult supervision.
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer 5652 Primer Barrier Coating 3300 5653 Grid-Set Green Glue 2000	BIC Corporation Carlisle SynTec Inc. Re:Source Technologies Re:Source Technologies	School Products Adhesive Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only.	Children under 10 years of age should only use this product with adult supervision. Wear nitrile/neoprene gloves and chemical splash gaggles during use. Use a
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer 5652 Primer Barrier Coatling 3300	BIC Corporation Carlisle SynTec Inc. Re:Source Technologies	School Products Adhesive Products Paint Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only. Approved - All Users/All Sites	Children under 10 years of age should only use this product with adult supervision.
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer 5652 Primer Barrier Coating 3300 5653 Grid-Set Green Glue 2000	BIC Corporation Carlisle SynTec Inc. Re.Source Technologies Re.Source Technologies Frazee Paint & Wallcoverings	School Products Adhesive Products Point Products Adhesive Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only. Approved - All Users/All Sites For use in new construction projects only. LAUSD employees must not	Children under 10 years of age should only use this product with adult supervision. Wear nitrile/neoprene gloves and chemical splash goggles during use. Use or
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Fourable Sealer 5652 Primer Barrier Coating 3300 5653 Grid-Set Green Glue 2000 5654 Frazee #24197 Acrylic Latex Caulk w/Silicone	BIC Corporation Carlisle SynTec Inc. Re:Source Technologies Re:Source Technologies	School Products Adhesive Products Paint Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only. Approved - All Users/All Sites For use in new construction projects only. LAUSD employees must not be present in the work area during the application of this product.	Children under 10 years of age should only use this product with adult supervision. Wear nitrile/neoprene gloves and chemical splash gaggles during use. Use a
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pouroble Sealer 5652 Primer Barrier Coating 3300 5653 Grid-Set Green Glue 2000 5654 Frazee #24197 Acrylic Latex Caulk w/Silicone	BIC Corporation Carlisle SynTec Inc. ResSource Technologies ResSource Technologies Frazee Paint & Wallcoverings Connor Sports Flooring Corporation	School Products Adhesive Products Paint Products Adhesive Products Point Products Point Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only. Approved - All Users/All Sites For use in new construction projects only. LAUSD employees must not be present in the work area during the application of this product. For use in new construction projects only. LAUSD employees must nor	Children under 10 years of age should only use this product with adult supervision. Wear nitrile/neoprene gloves and chemical splash goggles during use. Use or
5649 Dry Erase Marker, Low Odor, GDEII 5650 Sure-Seal One-Part Pourable Sealer 5652 Primer Barrier Coating 3300 5653 Grid-Set Green Glue 2000 5654 Frazee #24197 Acrylic Latex Caulik w/Silicone	BIC Corporation Carlisle SynTec Inc. Re.Source Technologies Re.Source Technologies Frazee Paint & Wallcoverings	School Products Adhesive Products Point Products Adhesive Products Point Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For outdoor use by contractors only. For use in unoccupied rooms/areas only. For use in unoccupied rooms/areas only. Approved - All Users/All Sites For use in new construction projects only. LAUSD employees must not be present in the work area during the application of this product.	Children under 10 years of age should only use this product with adult supervision. Wear nitrile/neoprene gloves and chemical splash goggles during use. Use or

				Wear nitrile/neoprene gloves and chemical splash goggles during use	
5660 Q-Sol 300 Cleaning Solvent	GE Silicones	Cleaning Products	APPROVED	Follow manufacturer's label.	
					Wear rubber gloves, protective clothing and chemical splash goggles during
					use. Avoid contact with skin and eyes. An eyewash station shall be made
					available during the use of this product. Follow manufacturer's instructions ar
5661 EZ 10-20-30	Plant Marvel Labs, Inc.	Carpentry/ Construction Product	APPROVED	For outdoor use only.	review MSDS prior to use.
					Wear rubber gloves, protective clothing and chemical splash goggles during
					use. Avoid contact with skin and eyes. An eyewash station shall be made
					available during the use of this product. Follow manufacturer's instructions at
5662 EZ 25-15-10	Plant Marvel Labs, Inc.	Carpentry/ Construction Product	APPROVED	For outdoor use only.	review MSDS prior to use.
3002		curpentry/ construction reduct	AFFROVED		Wear rubber gloves, protective clothing and chemical splash goggles during
					use. Avoid contact with skin and eyes. An eyewash station shall be made
					• • •
F700 0 10	Plant Marvel Labs. Inc.			For outdoor use only.	available during the use of this product. Follow manufacturer's instructions a
5663 EZ 28-8-18	Fidit Marver Labs, Inc.	Carpentry/ Construction Product	APPROVED	roi outdooi use oriiy.	review MSDS prior to use.
					Wear chemical-resistant gloves and safety glasses during use. Use with
5665 Graffiti Towels-Vanilla Scented # 1551	Total Solutions	Graffiti Products	APPROVED	Approved - All Users/All Sites	adequate ventilation. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, protective clothing and chemical splash goggl
					during use. An eye wash station and safety shower should be located near th
					work-station. Follow manufacturer's instructions and review the MSDS prior to
5667 Citgo Lithoplex CM-2	Citgo Petroleum Corporation	Automotive Products	APPROVED	Approved - All Users/All Sites	use.
				For use by contractors only, in unoccupied buildings (i.e. buildings	
				under construction/renovation). District staff may not enter the work	
5668 BAR-RUST 235H	Devoe Coatings	Miscellaneous	APPROVED	area while this product is being used.	
5669 Wipes, Board, Dry Erase, Low Odor, White #52-180032	Spacemax International LLC (Acco/Boone)	School Products	APPROVED	This is a re-evaluation of this product.	Use with good ventilation.
				<u> </u>	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated area. Mechanical ventilation (e.g. electric fans) shall be provide
5671 3M Stainless Steel Cleaner & Polish	3м	Cleaning Breducts	APPROVED	To be used during non-business hours only.	when this product is used in elevators.
5671 om stammens steet ereamen a remain	UIII	Cleaning Products	AFFROVED	To be used during from business floure only.	<u> </u>
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated area. An emergency eyewash station should be available in c
5672 Aqua Green Urinal Sealant	Zurn Plumbing Producats Group	Plumbing Supply Products	APPROVED	Approved - All Users/All Sites	of accidental eye contact.
					Wear nitrile/neoprene gloves and chemical splash goggles during dilution ar
					use of this product. Avoid contact with skin or clothing. A District-approved
					eyewash station must be available whenever the concentrated form of this
5687 CollShine	Goodway Technology Corporation	HVAC Products	APPROVED	For use only by HVAC technicians, during non-school hours.	product is handled (e.g. du
				For contractor use only. This product may not be applied in areas	
5689 PX-300 Soil Stabilizer	G.M. Boston Co. Intl. LLC	Exterior Landscape/ Playground Products	APPROVED	occupied by school staff or students.	
					Wear rubber gloves/apron and chemical splash goggles during use. Use only
					well-ventilated areas. Avoid eye/skin contact and avoid breathing vapors. Fo
5691 Urinal Cleaner	Kohler Company	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions and review MSDS prior to use.
					Wear latex/rubber gloves and chemical splash goggles during use. Follow
5694 Armstrong S-750	Armstrong World Industries	Floor Care Products	APPROVED	This is a re-evaluation of this product.	manufacturer's instructions.
<u> </u>	•			<u> </u>	Wear cotton or loop-pile gloves, chemical splash goggles and a NIOSH-
					approved organic vapor cartridge respirator during use. Follow manufactures
5695 Armstrong S-515	Armstrong World Industries	Floor Care Products	APPROVED	This is a re-evaluation of this product.	instructions.
3033		Tion care Froducts	AFFROVED		Wear latex/rubber gloves and chemical splash goggles during use. Wear a
					NIOSH-approved P-100 cartridge respirator with a dust/fume/mist prefilter wh
					handling or mixing the dry powder form of this product. A District-approved
5696 Armstrong S-184	Armstrong World Industries	Floor Care Products	APPROVED	This is a re-evaluation of this product.	eyewash station must be avai
					Wear latex/rubber gloves and chemical splash goggles during use. Wear a
					NIOSH-approved P-100 cartridge respirator with a dust/fume/mist prefilter wh
					handling or mixing the dry powder form of this product. A District-approved
5697 Armstrong S-183	Armstrong World Industries	Floor Care Products	APPROVED	This is a re-evaluation of this product.	eyewash station must be avai
					Wear latex/rubber gloves and chemical splash goggles during use. Follow
5698 SUPERENZYMES (LSZ-466)	Nexgen	Cleaning Products	APPROVED	For use by Plumbing Department employees only.	manufacturer's instructions.
5703 SINAK WCE	SINAK Corporation	Carpentry/ Construction Product	APPROVED	Approved for contractor use in new construction projects only.	
				<u> </u>	Wear rubber/neoprene gloves, chemical splash goggles and impervious
					apron/boots
					during use. Use in well-ventilated areas and avoid inhalation of dust generate
					from the use of this product. Provide emergency safety showers and eye wast
5707 O-O-O-P-S Absorbent Powder/Granular	Mission Laboratories	Maintenance and Operations Products	APPROVED	For use by school custodial staff only.	fountain near work
5/0/ 5 5 5 F 3 Absoluent Fowder/Ordinala	mission cabol atolies	mantenance and operations Products	AFFROVED	1.0. das 27 serior custodial stall only.	
					Wear nitrile/neoprene gloves, chemical splash goggles, and solvent-resistan
					protective clothing during use. Avoid contact with skin. Follow manufacturer's
5708 K Stencil Ink	Marsh Company	Office Products	APPROVED	For outdoor use only. This product is for use by Mail Unit personnel only	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
5709 SEI Graffiti Remover	SEI Chemical	Graffiti Products	APPROVED	only.	well-ventilated areas only. Follow manufacturer's instructions.

					Wear waterproof gloves and chemical splash goggles during use. We approved organic vapor cartridge respirator with a dust/fume/mist
5710 W720 ACRI-HUES	Dunn-Edwards Corporation	Paint Products	APPROVED	This is a re-evaluation of this product. For outdoor use only.	during spray applications. Follow manufacturer's instructions.
					Wear butyl rubber gloves and apron, chemical splash goggles and c
					approved organic vapor cartridge respirator with a dust/fume/mist
					during use. Use only in well-ventilated areas. Follow manufacturer's
5711 New Dimensions Disappear Graffiti Remover	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	For use during non-school hours only.	and review MSDS prior to
				Approved for use by contractors only at unoccupied sites or during nor	n-
5714 Sikaflex -552	Sika Corporation	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage ar
				For contractor use only, at new or existing sites (for use only during non) -
5725 SBR Rubber 03290	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	school hours at existing sites).	
5726 Qualipur 5001 Part A	Advanced Polymer Technology	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5727 Qualipur 5001 Part B	Advanced Polymer Technology	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5728 Qualipur 1220	Advanced Polymer Technology	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5729 Qualipur 5460S	Advanced Polymer Technology		APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are on site.
	, ,,	Carpentry/ Construction Product			
5730 Qualipur 3910	Advanced Polymer Technology	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present or
				For contractor use only, at new or existing sites (for use only during non	1-
5731 EPMD Rubber 03292	Advanced Polymer Technology	Adhesive Products	APPROVED	school hours at existing sites).	
5733 BEYPUR 100 (1-C Structural Spray)	Beynon Enterprises, Inc	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5734 BEYPUR 200A (2-C Sealer Part A)	Beynon Enterprises, Inc	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5735 BEYPUR 200B (2-C Sealer Part B)	Beynon Enterprises, Inc	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	
5736 RETRO PLATE 99	Advanced Floor Products	Floor Care Products	APPROVED	For contractor use only, during non-school hours only.	
5737 BEYPUR 220A (2-C Wear Coat Part A)	Beynon Enterprises, Inc	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5738 BEYPUR 220B (2-C Wear Coat Part B)	Beynon Enterprises, Inc	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5739 BEYPUR 300 (Track Binder)	Beynon Enterprises, Inc	Adhesive Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present.
3/33 ()	,	Adhesive Floducts	AFFROVED		Wear nitrile/neoprene gloves and chemical splash goggles when
5741 Cascade Pure Rinse	Procter & Gamble	Cleaning Products	APPROVED	Approved - All Users/All Sites	handling/measuring this product.
5/41 Cascade Fulle Rillise	Procter & Garrible	Cleaning Products	APPROVED	Approved - All osers/All sites	
					This product may be used only in well-ventilated areas. District staff
				For contractor use only at LAUSD Headquarters, during non-business	occupy areas in which this product has been applied until at least 2
5742 MicroGuard AD708 Part A	Adsil	Graffiti Products	APPROVED	hours in unoccupied rooms/areas.	the application.
					This product may be used only in well-ventilated areas. District staff
				For contractor use only at LAUSD Headquarters, during non-business	occupy areas in which this product has been applied until at least 2
5743 MicroGuard AD708 Part B	Adsil	Graffiti Products	APPROVED	hours in unoccupied rooms/areas.	the application.
					This product may be used only in well-ventilated areas. District staff
				For contractor use only at LAUSD headquarters, during non-business	occupy areas in which this product has been applied until at least 2
5744 MicroGuard AD708 Part C	Adsil	Graffiti Products	APPROVED	hours in unoccupied rooms/areas.	the application.
					Wear nitrile/neoprene gloves, chemical splash goggles, rubber boot
					NIOSH-approved organic vapor cartridge respirator during use. Do r
				This is a re-evaluation of this product. For use during non-school hours	product to come in contact with skin. Use only in well-ventilated area
5747 XS-100 Stripper	Gorm Incorporated	Miscellaneous	APPROVED	only.	approved eyewash
				,	Ensure appropriate personal protection equipment is used with this
5749 GACOFLEX A-38C	GACOFLEX	Carpentry/ Construction Product	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protect
5750 Polyfoam A&B	Gaco Western, Inc.	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
,	*				
5751 Gacoflex N-1207	Gaco Western, Inc.	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
					Wear nitrile/neoprene gloves, protective clothing and chemical spla
					during use. Wear a NIOSH-approved dust/fume/mist cartridge respi
				This is a re-evaluation of this product. For outdoor use only, during non-	
5752 GACOFLEX S-20	GACOFLEX	Carpentry/ Construction Product	APPROVED	school hours.	prior to use.
					Wear impervious rubber gloves, chemical splash goggles and impe
					clothing during use. Wear a NIOSH-approved dust/fume/mist cartrid
				For outdoor use only. This product may be spray-applied only during	respirator during spray applications. Follow manufacturer's label an
5753 Duratone 2000	Vista Paint	Paint Products	APPROVED	non-school hours.	MSDS prior to use.
					Wear impervious rubber gloves, chemical splash goggles and impe
					clothing during use. Wear a NIOSH-approved dust/fume/mist cartri
				For outdoor use only. This product may be spray-applied only during	respirator during spray applications. Use eye wash and safety show
5754 4800 Metal Pro Coating Primer Finish	Vista Paint	Paint Products	APPROVED	non-school hours.	manufacturer's instructions and review M
		- GIRCI FORGO		This is a re-evaluation of this product. For use by contractors only,	
5755 Road Tech 2000	Road Technologies International	Exterior Landscape/ Playground Products	APPROVED	during non-school hours or at unoccupied sites.	
3733 NOGO 100112000	1000 reciniologies international	exterior turiuscupe/ riayground Products	AFFROVED	caring non-scribbi flours of at anoccupied sites.	Wage nitrile/poonrone gloves and chemical enlash session during
					Wear nitrile/neoprene gloves and chemical splash goggles during u
					NIOSH-approved air purifying particulate respirator during spray ap
					An eye bath and safety shower should be available during use. Follo
5756 Gacoflex A-38	Gaco Western, Inc.	Carpentry/ Construction Product	APPROVED	For outdoor use only, during non-school hours.	manufacturer's instructions and
5762 TARKETT Vinyl Bond	DOMCO Tarkett	Adhesive Products	APPROVED	For contractor use only, at new or unoccupied existing sites only.	Do not use this product when students or school staff are present on
5763 AD-444	Estrie Products International	Paint Products	APPROVED	For contractor use only, at new or unoccupied existing sites.	Do not use this product when students or school staff are present on

				Do not use this product in areas where school staff or students are	Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing a NIOSH-approved organic vapor cartridge respirator with a dust/fume/mis prefliter during use. Use only in well-ventilated areas. Follow manufacturer's
765 Graffiti Proofer Bulk	SEI Chemical	Graffiti Products	APPROVED	present.	instructions and review
766 SOY BUSTER	Superco Specialty Products	Graffiti Products	APPROVED	For contractor use only, at new or unoccupied existing sites.	Do not use this product when students or school staff are present on site.
767 GRAFF-X	Superco Specialty Products	Graffiti Products	APPROVED	For contractor use only, at new or unoccupied existing sites.	Do not use this product when students or school staff are present on site.
768 DOMCO 960	DOMCO Tarkett	Carpentry/ Construction Product	APPROVED	For contractor use only, at new or unoccupied existing sites.	Do not use this product when students or school staff are present on site.
700		ошрониу, сонынасион годае.	ATTROVED	, , , , , , , , , , , , , , , , , , ,	Wear nitrile/neoprene gloves, chemical splash goggles, general protective
					clothing, and a NIOSH-approved organic vapor cartridge respirator during
					Add a NIOSH-approved particulate pre-filter to the respirator cartridge stace
775 SpartaGloss	Dunn-Edwards	Paint Products	APPROVED	This is a re-evaluation of this product.	during spray operations.
				<u> </u>	Wear nitrile/neoprene gloves, chemical splash goggles, impervious apron c
					boots, and a NIOSH-approved organic vapor cartridge respirator with a
					particulate pre-filter during use. Use only with good ventilation. Do not mix t
776 Graffiti Crew / Soy - It	Envirotek Corporation	Graffiti Products	APPROVED	Do not use this product in areas occupied by school staff or students.	product with other chemica
					Wear impervious gloves and chemical splash goggles during use. Use only
778 Oasis 258G Glass Cleaner	Ecolab	Cleaning Products	APPROVED	Approved - All Users/All Sites	well-ventilated areas. Follow manufacturer's label and review MSDS prior to
780 Tough E Pumice D'Limonene Hand Cleaner	Envirotek Corporation	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	Avoid contact with eyes.
0	· · · · · · · · · · · · · · · · · · ·			Children under 10 years of age should only use this product with adult	·
781 Crayola Dry Erase Markers (Various Colors)	Binney & Smith	School Products	APPROVED	supervision.	
. , ,	•			•	Wear nitrile/neoprene gloves and chemical splash goggles during use. We
					NIOSH-approved organic vapor cartridge respirator during indoor applicat
					Use only in well-ventilated areas, and do not use in areas where school sta
792 Sierra S30 Griptec Primer	Rust-Oleum Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	students are present
		rancioados	ALLIOVED	11	Wear nitrile/neoprene gloves and chemical splash goggles during use. We
					NIOSH-approved organic vapor cartridge respirator during indoor applicat
					Use only in well-ventilated areas, and do not use in areas where school sta
793 Sierra S39 Beyond	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	students are presen
33 dona dda bayana	nast oldari corporation	curpently/ construction reduct	AFFROVED	Approved Air occioy Air occo	Wear gloves and chemical splash goggles during use. Follow manufacture
94 BioZap Mold and Mildew Cleaner	Novion Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	instructions.
34 Sideap mora and milador dicand.	Novon III.	Clearing Froducts	AFFROVED	Approved Air occioy Air occo	Wear rubber gloves, chemical splash goggles, impervious/slip-resistant bo
					and a NIOSH-approved ammonia/ethanolamine cartridge respirator durin
				This is a re-evaluation of this product. For use in unoccupied	Use only in well-ventilated areas. Follow manufacturer's instructions and re
795 Green Select Stripper	Hillyard Industries	Floor Care Products	APPROVED	buildings/areas only.	MSDS prior to use.
733 Creen Select Stripper	Tilliyara maasties	Floor Care Floaticts	AFFROVED	bullulings) dreds only.	Wear gloves and chemical splash goggles during use. Follow manufacture
796 BioZap Air Purifier & Deodorizer	Novion. Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	instructions.
790 Biologip All Fallifor & Deceatility	NOTICE TO STATE OF THE STATE OF	Cleaning Products	AFFROVED	Approved All oscioly All dices	Wear protective gloves, chemical splash goggles, and a NIOSH-approved
				This is a re-evaluation of this product. For use in unoccupied	organic vapor cartridge respirator during use. Use only in well-ventilated a
797 One Plus	Hillyard Industries	Floor Care Products	APPROVED	buildings/areas only.	Follow manufacturer's instructions.
/9/ One Flus	Hillyara industries	Floor Care Products	APPROVED	buildings/ dieds only.	
					Wear neoprene/rubber gloves, chemical splash goggles, and impervious clothing during use. Avoid contact with eyes, skin, and clothing. An eye was
				This is now a subjection of this was don't for one in our country	
and Comments	Hillyard Industries			This is a re-evaluation of this product. For use in unoccupied	safety shower must be readily available when working with this product. For
98 Suprox Concentrate	Hillyara industries	Cleaning Products	APPROVED	buildings/areas only.	manufacturer's label and
					Wear rubber gloves, chemical splash goggles, anti-slip boots, and a NIOSH
					approved ammonia/ethanolamine cartridge respirator during use. Use on
Total difference of the control of t	Malaka	-1		Assessed All March (All Ober	well-ventilated areas. Do not use this product in areas where school staff o
99 Trend ES Floor Stripper	Maintex	Paint Products	APPROVED	Approved - All Users/All Sites	students are present. Avoid
					Wear rubber gloves, chemical splash goggles, and anti-slip shoes/boots d
				a service demand	use. Do not use this product in areas where school staff or students are pre
00 Dura ZF	Maintex	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer's instructions.
				and the second s	Wear nitrile/neoprene gloves and chemical splash goggles when handling
801 MopPac Lite 1802 & 1804 Neutral Cleaner	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	concentrated product.
				a service demand	Wear nitrile/neoprene gloves and chemical splash goggles when handling
02 GlassPacLite Glass Cleaner	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	concentrated product.
				This is a re-evaluation of this product. For use in unoccupied	Wear nitrile/neoprene gloves and chemical splash goggles during use. Ava
03 Suprox Ready-To-Use	Hillyard Industries	Cleaning Products	APPROVED	buildings/areas only.	contact with eyes, skin and clothing. Follow manufacturers instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do
					use this product in areas where school staff or students are present. Avoid
					contact with eyes and skin. Use only in well-ventilated areas. Follow
04 Germicidal Detergent 200 Series, 202,204,205,264	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions and
04 Germicidal Detergent 200 Series, 202,204,205,264	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	
04 Germicidal Detergent 200 Series, 202,204,205,284	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	
04 Germicidal Detergent 200 Series, 202,204,205,284	PortionPac Chemical Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and anti-slip boots

					Magy pitrile and protective of an include and protective of
					Wear nitrile/neoprene gloves, chemical splash goggles and protective cle during use. Use only in well-ventilated areas. Do not use this product in ar
5809 GS Extra-Strength Cleaner Concentrate	Steams Backgring Corneration	Olevelan Breducts	APPROVED	This is a re-evaluation of this product.	where school staff or students are present. An eye bath and safety shows should be made availabl
5809 GS Extra-Strength Cleaner Concentrate	Stearns Packaging Corporation	Cleaning Products	APPROVED	This is a re-evaluation of this product.	
					Wear nitrile/neoprene gloves, chemical splash goggles and protective clo
					during use. Use only in well-ventilated areas. Do not use this product in ar
					where school staff or students are present. An eye bath and safety showe
5810 GS Neutral Cleaner Concentrate	Stearns Packaging Corporation	Cleaning Products	APPROVED	This is a re-evaluation of this product.	should be made availabl
					Wear nitrile/neoprene gloves, chemical splash goggles and protective clo
					during use. Use only in well-ventilated areas. Do not use in areas where so
					staff or students are present. An eyewash station must be readily available
5811 GS Window Cleaner Concentrate	Stearns Packaging Corporation	Cleaning Products	APPROVED	This is a re-evaluation of this product.	working with thi
		•		<u> </u>	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-app
					ammonia/methanolamine cartridge respirator during use. Use only in we
					ventilated areas. Do not use this product in areas where school staff or stu
	Waxie			This is a second control of their construct	
5812 Green Cleaner Degreaser	waxie	Cleaning Products	APPROVED	This is a re-evaluation of this product.	are present. An eyewash s
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Us
					in well-ventilated areas. Do not use in areas where school staff or student
5813 Green Glass and Surface Cleaner (RTU)	Waxie	Cleaning Products	APPROVED	This is a re-evaluation of this product.	present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Us
					well-ventilated areas only. Do not use in areas where school staff or stude
5814 Green Neutral Cleaner	Waxie	Cleaning Products	APPROVED	This is a re-evaluation of this product.	present. Follow manufacturer's instructions.
					Wear rubber gloves, chemical splash goggles, and a NIOSH-approved air
					purifying particulate respirator during use. Do not use this product in area
					where school staff or students are present. Follow manufacturer's instruct
5815 RadonSeal Penetrating Concrete Sealer/Preservative	Novion, Inc.	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	and review MSDS prior to use
3613 Radonsed Fenetialing Concrete Sediel/Freservative	NOVIOT, IIIC.	Carpentry/ Construction Froduct	AFFROVED	Approved All osers/All Sites	
					Wear rubber gloves and chemical splash goggles during use. Use in well-
					ventilated areas during spray applications. Do not use this product in are
5816 LastiSeal Concrete & Brick Sealer	Novion Inc.	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	where school staff or students are present. Follow manufacturer's instruct
				Children under 10 years of age should only use this product with adult	
5818 Liqui-Mark Water-Based Markers (All Colors)	Liqui-Mark Corp.	School Products	APPROVED	supervision.	
					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothin
					a NIOSH-approved organic vapor cartridge respirator with a dust/fume/r
					prefilter during use. For outdoor use only, during non-school hours. Do not
5833 830-2024 Cal-Tint II Exterior Med Yellow	Degussa	Paint Products	APPROVED	Approved - All Users/All Sites	apply this product.
					Wear rubber gloves, chemical splash goggles and long-sleeved clothing
				This is a re-evaluation of this product. For outdoor use only during non-	use. Wear a NIOSH-approved particulate respirator and protective coverd
5834 Pyramic Coating	The Garland Co., Inc	Paint Products	APPROVED	school hours.	during spray application of this product. Follow manufacturer's instruction
5834 Fyrdinic Codding	The Garlana Co., Inc	Paint Products	APPROVED	school hours.	
					• • • • • • • • • • • • • • • • • • • •
					Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of
					Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NIOSH-approved organic vapor cartridge respirator with a
					Wear rubber folastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where so
5835 ND Graffiti Shield	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	This is a re-evaluation of this product.	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NIOSH-approved organic vapor cartridge respirator with of
5835 ND Graffiti Shield	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	This is a re-evaluation of this product.	Wear rubber / plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s
5835 ND Grafffti Shield	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	This is a re-evaluation of this product.	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of
5835 ND Graffiti Shield	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	This is a re-evaluation of this product.	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where settler or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a
					Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
	New Dimensions Solutions, LLC New Dimensions Solutions, LLC	Graffiti Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product.	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where settler or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a
5835 ND Graffiti Shield 5836 One Coat Water Based Primer/Sealer/Finish				This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
				This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish	New Dimensions Solutions, LLC	Point Products	APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where sets taff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where sets.
				This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish	New Dimensions Solutions, LLC	Point Products	APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish	New Dimensions Solutions, LLC	Point Products	APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish	New Dimensions Solutions, LLC	Point Products	APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish	New Dimensions Solutions, LLC	Point Products	APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coot Water Based Primer/Sealer/Finish 5838 NC245-27R	New Dimensions Solutions, LLC National Coatings Corp.	Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coot Water Based Primer/Sealer/Finish 5838 NC245-27R	New Dimensions Solutions, LLC National Coatings Corp.	Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R	New Dimensions Solutions, LLC National Coatings Corp.	Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Seater/Finish 5839 NC245-27R 5840 NC245-30R	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R	New Dimensions Solutions, LLC National Coatings Corp.	Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre
5836 One Coat Water Based Primer/Seater/Finish 5839 NC245-27R 5840 NC245-30R	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/gloves and chemical splash goggles during use. Use in well
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R 5840 NC245-30R 5841 National Coatings Isocyanate	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where sistaff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with oparticulate pre-filter during use. Do not use this product in areas where sistaff or students are pre Wear rubber gloves and chemical splash goggles during use. Use in well-ventilated areas. Do not use this product where such as the
5836 One Coat Water Based Primer/Seater/Finish 5839 NC245-27R 5840 NC245-30R	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products	APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where s staff or students are pre Wear rubber/gloves and chemical splash goggles during use. Use in well
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R 5840 NC245-30R 5841 National Coatings isocyanate	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber / plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where set of a students are pre-wear and a NIOSH-approved organic vapor cartridge respirator with trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where set affor students are pre- Wear rubber gloves and chemical splash goggles during use. Use in well-wentilated areas. Do not use this product in come where section staff or students are pre- Wear rubber gloves and chemical splash goggles during use. Use in well-wentilated areas. Do not use this product in rooms where school staff or start present. Follow manufacturer's instructions.
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R 5840 NC245-30R 5841 National Coatings isocyanate	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber / plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where set of a students are pre-wear and a NIOSH-approved organic vapor cartridge respirator with trousers, and a NIOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where set affor students are pre- Wear rubber gloves and chemical splash goggles during use. Use in well-wentilated areas. Do not use this product in come where section staff or students are pre- Wear rubber gloves and chemical splash goggles during use. Use in well-wentilated areas. Do not use this product in rooms where school staff or start present. Follow manufacturer's instructions.
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R 5840 NC245-30R 5841 National Coatings isocyanate	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where is staff or students are pre Wear rubber/plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where is staff or students are pre Wear rubber gloves and chemical splash goggles during use. Use in well-ventilated areas. Do not use this product in come where school staff or students are present. Follow manufacturer's instructions. Wear polyethylene gloves, chemical splash goggles, impervious clothing, NiOSH-approved organic vapor cartridge respirator during use. Add a
5836 One Coat Water Based Primer/Sealer/Finish 5839 NC245-27R 5840 NC245-30R 5841 National Coatings isocyanate	New Dimensions Solutions, LLC National Coatings Corp. National Coatings Corp.	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	This is a re-evaluation of this product. For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to prevent vapors from entering the building(s). The For use by contractors only, during non-school hours on unoccupied buildings. For outdoor use only. The contractor must shut down HVAC systems during and after the application of this product as needed to	Wear rubber / plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with particulate pre-filter during use. Do not use this product in areas where so staff or students are pre Wear rubber / plastic gloves, chemical splash goggles, long sleeved shirt of trousers, and a NiOSH-approved organic vapor cartridge respirator with a particulate pre-filter during use. Do not use this product in areas where so staff or students are pre Wear rubber gloves and chemical splash goggles during use. Use in well-ventilated areas. Do not use this product in comes where section of the product of the pr

					Wear polyethylene gloves, chemical splash goggles, impervious clothing, and a
					NIOSH-approved organic vapor cartridge respirator during use. Add a
					dust/fume/mist prefilter to the respirator cartridge during spray applications.
5845 Morewear Ext. 100% Acrylic Multi-Surface Primer	Diversified Coatings Inc	Paint Products	APPROVED		Use in well-ventilated areas
					Wear polyethylene gloves, chemical splash goggles, impervious clothing, and a
					NIOSH-approved organic vapor cartridge respirator during use. Add a
					dust/fume/mist prefilter to the respirator cartridge during spray applications.
5846 Morewear White, QD Latex Undercoater	Diversified Coatings Inc	Paint Products	APPROVED	Approved - All Users/All Sites	Use in well-ventilated areas
					Wear cloth gloves, chemical splash goggles, and suitable protective
					clothing/face protection during use. Use only in well-ventilated areas. Do not use
					this product in areas where school staff or students are present. Do not allow this
5847 Silicone Sealant GE 5050	GE	Adhesive Products	APPROVED	Approved - All Users/All Sites	product to come in c
					Wear polyethylene gloves, chemical splash goggles and impervious clothing
					during use. Wear a NIOSH-approved particulate respirator during spray
					applications. Use in well-ventilated areas only. Do not use this product in areas
5849 Morewear Hi Hide White	Diversified Coatings Inc	Paint Products	APPROVED	Approved - All Users/All Sites	where school staff or student
					Wear nitrile/neoprene gloves, chemical splash goggles, and a long sleeve
					shirt/apron during use. Use only in well-ventilated areas. Do not use this product
5854 PIGNX Caulking Gel	New Century Channel Group Inc.	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	in areas where school staff or students are present. Follow manufacturer's label.
3034 TIOTA Gallering Col	now contary charmer croup inc.	Culperitry/ Constitution Froduct	AFFROVED	Approved Air obstray Air ottos	
					Wear neoprene gloves and chemical splash goggles during use. Wear a NIOSH-
					approved particulate respirator during spray applications. Use in well-ventilated
					areas only. Do not use this product in areas where school staff or students are
5855 Mildew Sealer	Amteco, Inc	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	present. An eyewash
					Wear neoprene gloves and chemical splash goggles during use. Wear a NIOSH-
					approved particulate respirator during spray applications. Use in well-ventilated
					areas only. Do not use this product in areas where school staff or students are
mana DO 000 Subsides Ulbridge State Association	Andrew too			Annual Allifornia (All Olera	
5856 PC-800 Exterior Hibuild Flat Acrylic	Amteco, Inc	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. An eyewash
					Wear neoprene coated gloves, chemical splash goggles, chemical resistant
					apron/boots/other clothing needed to prevent skin contact, and a NIOSH-
					approved organic vapor cartridge respirator during use. For outdoor use only,
5858 Black Zero Rust Primer	Amteco, Inc	Paint Products	APPROVED	Approved - All Users/All Sites	during non-school hours. An eye-w
					Wear neoprene coated gloves, chemical splash goggles, chemical resistant
					apron/boots/other clothing needed to prevent skin contact, and a NIOSH-
					- · · · · · · · · · · · · · · · · · · ·
					approved organic vapor cartridge respirator during use. For outdoor use only,
5859 Silicone Poly Plus Gloss & Satin - 250 G/L	Amteco, Inc	Adhesive Products	APPROVED	Approved - All Users/All Sites	during non-school hours. An eye-w
					Wear neoprene gloves and chemical splash goggles during use. Use in well
					ventilated areas only. Do not use this product in areas where school staff or
5860 Prime & Seal Bio-Control	Amteco, Inc	Paint Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear gloves and chemical splash goggles during use. Do not use this product in
					areas where school staff or students are present. Follow manufacturer's
5861 TASKI ULTRA Floor Finish / Sealer	Johnson Diversey, Inc.			Approved - All Users/All Sites	instructions.
5861 TASKI OLIKA FIOOI FIITISTI / SHUHI	Johnson Diversey, Inc.	Floor Care Products	APPROVED	Approved - All osers/ All sites	
					Wear nitrile/neoprene gloves, chemical splash goggles and protective clothing
5865 McLogan Degreaser	McLogan Supply Co, Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	during use. Follow manufacturer's instructions.
					Wear neoprene gloves, chemical splash goggles and protective clothing during
5866 Emulsion Remover Concentrate	McLogan Supply Co, Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	use. Follow manufacturer's instructions.
					Wear gloves and chemical splash goggles during use. Do not use this product in
					areas where school staff or students are present. Follow manufacturer's
5869 Forbo L-910	Forbo Linoleum Inc.	Floor Core Brook :-*-	APPROVED	This is a re-evaluation of this product.	instructions.
ממסא נחומס F-AID	FUIDO LINOIBUM INC.	Floor Care Products	APPROVED	inis is a re-evaluation of this product.	
					Wear gloves and chemical splash goggles during use. Do not use this product in
					areas where school staff or students are present. Follow manufacturer's
5870 Forbo T-940	Forbo Linoleum Inc.	Floor Care Products	APPROVED	This is a re-evaluation of this product.	instructions.
					Wear gloves and chemical splash goggles during use. Do not use this product in
					areas where school staff or students are present. Follow manufacturer's
5871 Forbo V-920	Forbo Linoleum Inc.	Floor Care Products	APPROVED	This is a re-evaluation of this product.	instructions.
55/1 15/55 7 525	. 2.50 Endournino.	Floor Care FloadCts	AFFROVED	<u> </u>	
				For contractor use only, during non-school hours. This product may no	t.
5872 RW 306 P (Hot Applied Sealants)	Road Works Inc.	Carpentry/ Construction Product	APPROVED	be applied when school staff/students are present on campus.	
					Wear rubber gloves and chemical splash goggles during use. Do not use this
					product in areas where school staff or students are present. Follow
5877 #42 Ultra Spray Cleaner	Essential Industries Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
		<u> </u>			Wear rubber gloves and chemical splash goggles during use. Do not use this
					product in areas where school staff or students are present. Follow
==== #42 Dally Bootsoon Cl	Facential Industrias Inc			Approved All Heard All Cites	manufacturer's instructions.
5878 #43 Daily Restroom Cleaner	Essential Industries Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	
					Wear rubber gloves and chemical splash goggles during use. Do not use this
					product in areas where school staff or students are present. Follow
5879 #41 Glass Advantage	Essential Industries Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.

					Wear rubber gloves and chemical splash goggles during use. Do not use this
					product in areas where school staff or students are present. Follow
5880 Green Clean	Essential Industries Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
5555		oleaning (readed	ATTROVES	***************************************	Wear rubber gloves and chemical splash goggles during use. Use only in well-
					ventilated areas. Do not use this product in areas where school staff or students
588] Green Finish	Essential Industries Inc.	Paint Products	APPROVED	Approved - All Users/All Sites	are present. Follow manufacturer's label.
3001 31331111131	Essertial industries inc.	raintriodacts	AFFROVED	Approved Air doctor Air dictor	Wear rubber gloves and chemical splash goggles during use. Use only in well-
					ventilated areas. Do not use this product in areas where school staff or students
5882 Green Restore	Essential Industries Inc.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	are present. Follow manufacturer's instructions.
2887 01001114021010	Essential industries inc.	Maintenance and Operations Products	APPROVED	Approved Air Osers/Air Sites	· · · · · · · · · · · · · · · · · · ·
					Wear rubber gloves, chemical splash goggles and protective clothing during use. Use only in well-ventilated areas. An eyewash station must be readily
					available during the use of this product. Do not use this product in areas where
5883 Green Strip	Essential Industries Inc.			Approved - All Users/All Sites	school staff or students
5883 Green Strip	Essential industries inc.	Floor Care Products	APPROVED	approved - All Users/All Sites	school staff or students
				This is a re-evaluation of this product. For use by contractors only, at	
5884 Skimflow ES	Dependable Chemical Co., Inc.	Food Services Products	APPROVED	unoccupied sites or during non-school hours in unoccupied buildings	
					Wear impervious gloves and chemical splash goggles during use. Wear a NIOSI
					approved dust/fume/mist respirator during spray applications. For outdoor use
5885 AcryShield	NATIONAL COATINGS CORP.	Paint Products	APPROVED	This is a re-evaluation of this product.	only, during non-school hours. Follow manufacturer's instructions.
				This is a re-evaluation of this product. For use by contractors only, at	
5886 SKIMCRETE XL	Dependable Chemical Co., Inc	Floor Care Products	APPROVED	unoccupied sites or during non-school hours in unoccupied buildings	
				For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT B	<u> </u>
5887 Formula One	Schofield	Carpentry/ Construction Product	APPROVED	USED BY DISTRICT PERSONNEL.	
					Wear gloves and chemical splash goggles during use. Follow manufacturer's
5889 Look NA Glass & Multi-Purpose Cleaner	The Butcher Company	Cleaning Products	APPROVED	Approved - All Users/All Sites	instructions.
	. ,	3			Wear gloves and chemical splash goggles when using this product. Follow
5891 Aquaria Floor Finish	JohnsonDiversey	Floor Care Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
3031 Aduaria 11001 1111011	Commonitation	Tion care riodacts	AFFROVED	Approved Air doctor Air dictor	Wear gloves and chemical splash goggles when using this product. Follow
5892 G-Force Floor Finish	The Butcher Company	Floor Care Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
2887 G-LOICE LIGOI LILIISTI	The Butcher Company	Floor Care Products	APPROVED	Approved - All osers/All sites	manuacturer's instructions.
				and the second second	
5893 Raindance	The Butcher Company	Cleaning Products	APPROVED	Approved - All Users/All Sites	Wear gloves and splash goggles during use. Follow manufacturer's instructions
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					particulate (dust/fume/mist) respirator during mixing and handling of this
					product. For outdoor use only. Do not use this product in areas where school sto
5898 Omega Color Pak, Omega Cement Color Paks	Omega Products International, Inc.	Miscellaneous	APPROVED	Approved - All Users/All Sites	or students are prese
					Wear rubber gloves and chemical splash goggles during use. Do not use this
5899 Neutral Cleaner Plus	Essential Industries Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	product in areas occupied by school staff. Follow manufacturer's instructions.
				For use only by District employees who have received training for	A NIOSH-approved respirator must always be worn during the use of this
5900 SILVABRITE 100	WOLVERINE JOINING TECHNOLOGY	Maintenance and Operations Products	APPROVED	hazards associated with welding operations.	product. Follow manufacturer's instructions and review MSDS prior to use.
					Wear gloves, chemical splash goggles, and a NIOSH-approved organic vapor
					cartridge respirator during use. Use only in well-ventilated areas. Do not use this
					product in areas where school staff or students are present. Follow
5901 ERASE-A	CNS Industries DBA Superco	Graffiti Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
				Approved for use by contractors only, during non-school hours in	
5902 A/D FIREFILM III	Carboline Company	Fire Retardants	APPROVED	unoccupied areas/buildings.	
		THE NOTAL GALLS	ALLIGATED	,	Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
Table W 201 Flow Tow Connection	Dunn Edwards Cornes 1			Approved All Heard All Sites	during spray applications. Use only in well-ventilated areas. Do not use this
5908 W 321 Flex-Tex Smooth	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas occu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator with a particulate pre-filter during use. Use
					only in well-ventilated areas. Do not use this product in areas occupied by
5909 W 320 Flex-Tex Fine	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or studen
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray applications. Use only in well-ventilated areas. Do not use this
5910 W 101V Vinylastic	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas occu
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during use. Use only in well-ventilated areas. Do not use this product in areas
5911 W 411V Suprema	Dunn-Edwards Corporation	Boint Broducts	ADDDOVED	Approved - All Users/All Sites	occupied by school
DAIL AL ALLA SUBJETTIO	Daini-Edwards Corporation	Paint Products	APPROVED	white all nearly all ottes	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray operations. Use only in well-ventilated areas. Do not use this
5912 W 401V Decovel	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas occupi

					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
5913 W 420 Walltone	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	during spray applications. Use only in well-ventilated areas. Do not use this product in areas occu
	· · · · · · · · · · · · · · · · · · ·				For use by Roofing Department personnel only. Wear gloves and safety glasses
					when handling this product. Do not expose this product to excessive heat or
5916 SARNATRED MEMBRANE (S-380)	Sika Sarnafil Inc.	Roofing Products	APPROVED	Approved - Limited/Restricted Use Only	open flame. Follow manufacturer's instructions.
5917 Liquid Seal for Waterless Urinals	Kohler Company	Plumbing Supply Products	APPROVED	This is a re-evaluation of this product.	Wear oil-resistant gloves and chemical splash goggles during use. Use in well- ventilated areas. Follow manufacturer's instructions.
5918 Gojo Thick Pink Antiseptic Lotion Soap	Gojo Industries Inc.	Nursing Services Products	APPROVED	Approved - All Users/All Sites	This product may cause eye irritation.
	,				Wear nitrile gloves and chemical splash goggles during use. Wear a NIOSH-
				This product is for use in new construction projects or during non-	approved P-100 cartridge respirator with a particulate pre-filter if the dried
				school hours at occupied sites. Do not apply this product in areas	product is sanded, abraded or disturbed. Use in well-ventilated areas only.
5919 Childers CP-35	Foster Corporation Products	Adhesive Products	APPROVED	where school staff or students are present.	Follow manufacturer's instr Wear gloves and chemical splash goggles during use. Use in well-ventilated
					areas. Do not use this product in areas occupied by school staff or students.
5921 Mannington Commercial Premium Acrylic Adhesive MT790	Mannington Commercial	Adhesive Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer's instructions.
				For use by contractors only, during non-school hours. This product mo	sy
5922 Premium Polyurethane Construction Adhesive	Henkel Consume Adhesives	Adhesive Products	APPROVED	not be used in areas where school staff or students are present.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray applications. Use only in well-ventilated areas. Do not use this
5924 W 707V Unikote	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas occu
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
5925 W 708 E-Z Prime	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	during spray applications. Use only in well-ventilated areas. Do not use this product in areas occu
5925 177601 2111110	Sam Editardo Sos portation	ruint Floducts	AFFROVED	Approved for use by contractors and trained Maintenance &	product in drop occu
5926 Evershield Ext. Flat Paint EVSH10	Dunn-Edwards Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
5927 W 705V Enduracryl	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	during spray applications. Use only in well-ventilated areas. Do not use this product in areas wher
3927 W 763V Enduracity	built tawards corporation	ruint Floducts	AFFROVED	Approved All Osers/All Sites	Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray applications. Use only in well-ventilated areas. Do not use this
5928 W 704V Acri-flat	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas wher
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray applications. Use only in well-ventilated areas. Do not use this
5929 W 615 Acoustikote	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas wher
				Approved for use by contractors and trained Maintenance &	
5930 Ultra-Grip Premium (UGPROO)	Dunn-Edwards Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
5931 Super-Loc SLPR00 Premium Int/Ext Masonry Bonding Primer	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
3931 dapor cod oz koo rromannik zakimasoniy zonang rimor	Sam Editards Sorporation	ruint Floducts	AFFROVED	operations stati only.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray operations. Use only in well-ventilated areas. Do not use this
5932 W 801 Vin-L-Stripe	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas where
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator when handling this product. For use by M&O personnel only, at schools and facilities with gasoline-powered generators.
5934 Star Tron	Star Bright	Maintenance and Operations Products	APPROVED	Approved - Limited/Restricted Use Only	Follow manufacturer's ins
					Wear gloves, chemical splash goggles, and a NIOSH-approved particulate
5935 7-7-7 Seven Iron	Turfgrass Management	Exterior Landscape/ Playground Products	APPROVED	This is a re-evaluation of this product.	respirator during use. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter during spray applications. Use only in well-ventilated areas. Do not use this
5936 W 709 Eff-Stop	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas wher
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved particulate respirator during spray applications. For use during
FOOT PRO-AZON	Nieue Corporation	Booklotele (Controllete - 1111	4.000.0\(C=	For use by Bost Managament ampleyees eaby	non-school hours only. Follow manufacturer's instructions and review MSDS prior to use, with attent
5937 Bac-Azap	Nisus Corporation	Pesticide/Herbicide Products	APPROVED	For use by Pest Management employees only.	to use, with attent Wear chemical splash goggles during use. Use only in well-ventilated areas. Do
					not use this product in areas where school staff or students are present. Follow
5939 SCD Bio Klean	SCD,LLC	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
•					· ·

					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
TO BE WARM PROPERTY.	Dura Shunda Ouranatan			Assessed All House All Glass	during spray operations. Use only in well-ventilated areas. Do not use this
5940 W 901V Permasheen	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas where
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Wear a
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-filter
					during spray operations. Use only in well-ventilated areas. Do not apply this
5942 W 940V Permashell	Dunn-Edwards Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	product in areas wher
					Wear impervious gloves and chemical splash goggles when handling the
					concentrated form of this product. Do not mix this product with other chemicals.
5943 Tough'E Wash & Wax	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					areas. Do not use this product in areas where school staff or students are
5944 Ardex AM 100	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated $$
					areas. Do not use this product in areas where school staff or students are
5945 Ardex FB 9L	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					areas. Do not use this product in areas where school staff or students are
5946 Ardex Flex Sanded Grout	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
5947 Crayola(R) Oil Pastels	Crayola LLC	School Products	APPROVED	Approved - All Users/All Sites	
					Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					areas. Do not use this product in areas where school staff or students are
5948 Ardex TL 1000	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
-	•	, , , , , , , , , , , , , , , , , , ,			Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					areas. Do not use this product in areas where school staff or students are
5949 Ardex X 7 Plus	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
5540		Carponary Construction Troduct	ATTROVES		Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					greas. Do not use this product in greas where school staff or students are
5950 Ardex X5	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
SSSU MILLER XS	Ardex Engineered Cerrients	Carpentry/ Construction Froduct	AFFROVED	Approved All osers/All sites	Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated
					areas. Do not use this product in areas where school staff or students are
5951 Ardex X3G/X3W	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	present. A District-
SSSI AIGEN ASO/ASW	Ardex Engineered Cerrients	Carpentry/ Construction Froduct	AFFROVED	Approved All osers/All sites	Wear nitrile/neoprene gloves, chemical splash goggles, protective clothing, and
					a NIOSH-approved particulate respirator during use. Use only in well-ventilated $$
				and the second	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are
5952 Ardex TL Wood	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	a NIOSH-approved particulate respirator during use. Use only in well-ventilated $$
5952 Ardex TL Wood 5954 Fluorescent Highlighters	Ardex Engineered Cements Liquimark	Carpentry/ Construction Product Office Products	APPROVED APPROVED	Approved - All Users/All Sites	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are
				Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3,	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are
5954 Fluorescent Highlighters	Liquimark	Office Products	APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are
				Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3,	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District-
5954 Fluorescent Highlighters	Liquimark	Office Products	APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
5954 Fluorescent Highlighters	Liquimark	Office Products	APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitritle/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local
5954 Fluorescent Highlighters	Liquimark	Office Products	APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
5954 Fluorescent Highlighters	Liquimark	Office Products	APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitritle/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber	Liquimark L.M. Scoffeld Company	Office Products Carpentry/ Construction Product	APPROVED APPROVED	Approved - All Users/ All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avaid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber	Liquimark L.M. Scoffeld Company	Office Products Carpentry/ Construction Product	APPROVED APPROVED	Approved - All Users/ All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber	Liquimark L.M. Scoffeld Company	Office Products Carpentry/ Construction Product	APPROVED APPROVED	Approved - All Users/ All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avaid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber	Liquimark L.M. Scoffeld Company	Office Products Carpentry/ Construction Product	APPROVED APPROVED	Approved - All Users/ All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District Wear nitritle/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow
5954 Fluorescent Highlighters 5955 Lithochrome Cs-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409	Liquimark L.M. Scoffeld Company Permatex.Inc.	Office Products Carpentry/ Construction Product Automotive Products	APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor CNLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has
5954 Fluorescent Highlighters 5955 Lithochrome Cs-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409	Liquimark L.M. Scoffeld Company Permatex.Inc.	Office Products Carpentry/ Construction Product Automotive Products	APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor CNLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District- Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409	Liquimark L.M. Scoffeld Company Permatex.Inc.	Office Products Carpentry/ Construction Product Automotive Products	APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor CNLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409	Liquimark L.M. Scoffeld Company Permatex.Inc.	Office Products Carpentry/ Construction Product Automotive Products	APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor CNLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only, Avoid contact with skin. Follow manufacturer's instructions and review MSD. For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NiOSH-approved
5954 Fluorescent Highlighters 5955 Uthochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409 5957 Planipatch	Liquimark L.M. Scoffeld Company Permatex.inc. MAPEI	Office Products Carpentry/ Construction Product Automotive Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only. For contractor use only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Do not allow school person
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409 5957 Planipatch	Liquimark L.M. Scoffeld Company Permatex.inc. MAPEI	Office Products Carpentry/ Construction Product Automotive Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only. For contractor use only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only, Avoid contact with skin. Follow manufacturer's instructions and review MSDS. For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Do not allow school person
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409 5957 Planipatch	Liquimark LM. Scoffeld Company Permatex.inc. MAPEI Ecolab	Office Products Carpentry/ Construction Product Automotive Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only. For contractor use only. Approved - All Users/All Sites	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Do not allow school person Wear impervious gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Ultra Gasket Sealant, P/N 85409 5957 Planipatch	Liquimark L.M. Scoffeld Company Permatex.inc. MAPEI	Office Products Carpentry/ Construction Product Automotive Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only. For contractor use only.	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Do well-ventilated areas. Do not use this product in areas where school staff or students are present. Buse only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions.
5954 Fluorescent Highlighters 5955 Lithochrome CS-15 Antique Amber 5956 Litra Gasket Sealant, P/N 85409 5957 Planipatch	Liquimark L.M. Scoffeld Company Permatex,inc. MAPEI Ecolab	Office Products Carpentry/ Construction Product Automotive Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use at Dodson Middle School during the week of July 30 - August 3, 2007 (unoccupied campus) by approved contractor ONLY, as per Jess Aguallo, Facilities Project Manager. For use by Automotive Maintenance/District Garage employees only. For contractor use only. Approved - All Users/All Sites	a NIOSH-approved particulate respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. A District— Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use outdoors or with local exhaust ventilation only. Avoid contact with skin. Follow manufacturer's instructions and review MSDS For use only during non-school/non-office hours only. This product may not be applied in areas where students or District employees are present. Do not allow students/District employees to re-enter the work area until the product has completely dried. Do Wear impervious gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Do not allow school person Wear impervious gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or

					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use o
					in well-ventilated areas or outdoors. Avoid contact with skin. Follow
5965 Hylomar HPS Gasket Dressing & Flange Sealant	Permatex,Inc.	Automotive Products	APPROVED	For use by Automotive Maintenance/District Garage employees only.	manufacturer's instructions and review MSDS prior to use.
<u> </u>					Wear chemical splash goggles during use. Use local exhaust ventilation durin
					the application of this product. For use during non-school/non-office hours of
					Do not apply this product in areas where school/office staff or students are
5966 Redi-Set II Commercial Patterned Carpet Adhesive	W.F. Taylor Co., Inc.	Adhesive Products	APPROVED	Approved - All Users/All Sites	present. Follow ma
3300 Real Set II Sommersian attended Surper Adnosive	Mar. Taylor 00, me.	Adiresive Floducts	AFFROVED	For contractor use only, during non-school hours or in unoccupied	procedure to move that
				buildings. To be used only as an undercoating for Hillyard Contender	
5967 Hillyard 1907 Gym Finish	Hillyard Industries		APPROVED	Finish.	
5967 Hillyara 1907 Gym Finish	Hillyara inaustries	Paint Products	APPROVED	Finish.	Warrant III a constant and a constan
					Wear nitrile/neoprene gloves, chemical splash goggles, impervious apron an
					boots, and a NIOSH-approved organic vapor cartridge respirator during use.
					only in well-ventilated areas. Do not use this product in areas where school s
5969 WALL PREP and Surface Cleaner	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	or students are p
					Wear neoprene/rubber gloves, chemical splash goggles, and impervious apr
					& boots during use. Use only with good ventilation. Do not spray-apply this
					product indoors. Do not use this product in areas where school staff or studer
5971 SHIELD SACRIFICIAL GRAFFITI COATING	Envirotek Corporation	Graffiti Products	APPROVED	Approved - All Users/All Sites	are present. Do not mix
					Wear nitrile/neoprene gloves, standard issue work clothes, and chemical splo
					goggles during use. Use with good ventilation. Avoid prolonged contact with
5972 Rotella T Oil 30W	Sopus Product	Automotive Products	APPROVED	For use by automotive maintenance personnel only.	Follow manufacturer's instructions.
					Wear rubber/PVC gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated are
				This product is a replacement for OFF and OFF # 1110 (previously	For use during non-school hours only. Do not use this product in areas where
5973 OFF PLUS	American Industrial Supply, Inc.	Cleaning Products	APPROVED	evaluated and disapproved).	school staff or students a
		•			Wear nitrile/neoprene gloves, coveralls, chemical splash goggles, and a NIOS
					approved organic vapor cartridge respirator during use. Use in well-ventilate
					areas only. Do not use this product in areas where school staff or students are
5974 Pre-Game	Hillyard Industries	Floor Care Products	APPROVED	Approved - All Users/All Sites	present. Follow ma
5978 SIKAFLEX 2C SL PART A/B	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only during none school hours.	Follow the manufacturer's recommendations for product storage and use.
59/6 SHALEX 25 SET ANT A/D	SIKA GONI SIKATION	Carpentry/ Construction Froduct	AFFROVED	THIS PRODUCT IS APPROVED FOR CONTRACTOR USE ONLY, DURING NON-	- Show the managedates a recommendations for product storage and abo.
				SCHOOL HOURS. FOR USE ON UNOCCUPIED BUILDINGS ONLY, ALL HVAC	
				SYSTEMS MUST BE SHUT DOWN DURING THE USE OF THIS PRODUCT. THE	
				SYSTEM(S) MAY NOT BE RE-STARTED UNTIL THE PRODUCT HAS COMPLETED.	Y
5983 Ploy-I-Guard 246 SF	Polycoat Products	Carpentry/ Construction Product	APPROVED	DRIED/	_
				THIS PRODUCT IS APPROVED FOR CONTRACTOR USE ONLY, DURING NON-	
				SCHOOL HOURS. FOR USE ON UNOCCUPIED BUILDINGS ONLY. ALL HVAC	
				SYSTEMS MUST BE SHUT DOWN DURING THE USE OF THIS PRODUCT. THE	
				SYSTEM(S) MAY NOT BE RE-STARTED UNTIL THE PRODUCT HAS COMPLETELY	Υ
5985 Aquaseal 5000	Polycoat Products	Exterior Landscape/ Playground Products	APPROVED	DRIED/	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv
					organic vapor cartridge respirator during use. Use in well-ventilated areas or
					Do not use this product in areas where school staff or students are present.
5987 Gum-X	Champion Chemical Company	Cleaning Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer'
				For use by contractors only at unoccupied sites or during non-school	
				hours. DO NOT USE THIS PRODUCT IN BUILDINGS OCCUPIED BY DISTRICT	
				PERSONNEL OR STUDENTS. ALL HVAC SYSTEMS MUST BE SHUT DOWN	
5988 U-984 Universal Urethane Wood & Rubber Adhesive	All Purpose Adhesive Company (APAC)	Carpentry/ Construction Product	APPROVED	DURING THE APPLICATION OF THIS PRODUCT. DO NOT RE-START HVAC SY	
	.,				Wear impervious rubber gloves and chemical splash goggles during use.
					Provide mechanical ventilation for indoor applications. Do not spray-apply ti
### 10000 Pulston	For death to O comment to a			Annual All Harry (All Olars	product indoors. Do not use this product in areas where school staff or stude
5991 LOGOS Paintout	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	are present. Follow manu
				For contractor use only. Do not use this product on buildings occupied	
				by school staff or students. Do not spray-apply this product during	
5992 PERMAX-120 Acrylic Elastomeric Coating	Resin Technology Division (RTC)	Paint Products	APPROVED	school hours.	
					Wear impervious rubber gloves and chemical splash goggles during use. We
					NIOSH-approved organic vapor cartridge respirator with a particulate pre-f
					during spray operations. Do not apply this product in areas that are occupie
5993 Semi Gloss Direct to Metal	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or s
					Wear impervious rubber gloves, impervious clothing, and chemical splash
					goggles during use. Wear a NIOSH-approved organic vapor cartridge respire
					with a particulate pre-filter during spray operations. Do not apply this produ
5994 Satin Direct to Metal	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	areas that are occupie

					Wear impervious rubber gloves, impervious clothing, and chemical splas
					goggles during use. Wear a NIOSH-approved organic vapor cartridge res
					with a particulate pre-filter during spray operations. Do not apply this pro
5995 Aqua Fusion Gloss Enamel	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	areas that are occupie
					Wear impervious rubber gloves, impervious clothing, and chemical splas
					goggles during use. Wear a NIOSH-approved organic vapor cartridge res
					with a particulate pre-filter during spray operations. Do not apply this pro-
5996 Direct to Metal, White Base	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	areas that are occupie
3330 Billiot to Motal, Willio Baso	TISCO I GIIN	rumeriodaeta	AFFROVED	Approved Air oscioly Air orco	Wear impervious rubber gloves, impervious clothing, and chemical splas
					goggles during use. Wear a NIOSH-approved organic vapor cartridge res
					with a particulate pre-filter during spray operations. Do not apply this pro
5997 W/B Alkyd Semi Gloss	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	areas that are occupie
5998 180 F. Slack Wax	NexPave	Maintenance and Operations Products	APPROVED	Approved - Contractors/All Sites	For contractor use only. For outdoor use only.
					Wear impervious rubber gloves, impervious clothing, chemical splash go
					and a NIOSH-approved organic vapor cartridge respirator with a particul
					filter during use. Do not apply this product in areas that are occupied by
5999 Production Aqualac	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	staff or students
3000		Tank Todaca	ATTROVES	·	
					Wear impervious rubber gloves, impervious clothing, chemical splash go
					and a NIOSH-approved organic vapor cartridge respirator with a particul
					filter during use. Do not apply this product in areas that are occupied by
6000 Aqua Lac Undecoat	Vista Paint	Paint Products	APPROVED	Approved - All Users/All Sites	staff or students
					Wear nitrile/neoprene gloves and chemical splash goggles during use. U
					in well-ventilated areas. Do not use this product in areas where school ste
					students are present. Follow manufacturer's instructions and review MSD:
6001 Tough'e RTU Cleaner & Degreaser	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	to use.
				Process and the second	Wear nitrile/neoprene gloves and chemical splash goggles during use. U
					in well-ventilated areas. Do not use this product in areas where school st
					students are present. Follow manufacturer's instructions and review MSD
6002 Proglass RTU Glass Cleaner	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	to use.
6003 CC-400 - Stiff Foam Rotary Carpet Shampoo	Surtec, Inc	Cleaning Products	APPROVED	For contractor use only, during non-school/business hours only.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. U
					in well-ventilated areas. Do not use this product in areas where school st
					students are present. Follow manufacturer's instructions and review MSDS
6004 Proglass 64-1 Glass Cleaner	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	to use.
1004 Tragians of Totals oldaridi	Environa corporation	Clearing Froducts	AFFROVED	Approved Air oscio) Air orco	Wear nitrile/neoprene gloves during use. Use only in well-ventilated area
					not use this product in areas where school staff or students are present. F
6005 Pre Moistened Cleaning Towles	Envirotek Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
					Wear nitrile/neoprene or other impermeable gloves during use. Wear che
					splash goggles when handling the powdered concentrate. Follow
6006 Pink Powder Truck Wash	Envirotek Corporation	Cleaning Products	APPROVED		manufacturer's instructions.
				Approved for use by contractors only. For use during non-school	
6007 CS-2000	Concrete Waterproofing Products Inc/ CRETESEAL	Carpentry/ Construction Product	APPROVED	hours.LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and us
	, , , , , , , , , , , , , , , , , , ,			,	Wear chemical-resistant nitrile, butyl rubber, or neoprene gloves during
anna Cumor Chiar OVO Minea	Medtrol, Inc.			Approved All Horro All Citos	
6008 Super-Chlor 9X9 Wipes		Cleaning Products	APPROVED	Approved - All Users/All Sites	Avoid eye contact with this product. Follow manufacturer's instructions.
6010 Accel TB	Virox Technologies, Inc.	Adhesive Products	APPROVED	Approved - All Users/All Sites	Avoid eye contact with this product. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. L
					in well-ventilated areas. Do not use this product in areas where school st
6013 Wet-Look	Champion Chemical Company	Floor Care Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
				For contractor use only, during non-school hours. This product may no	t
6014 PERMAX ACRYPRIME Asphalt Blocking Primer	HENRY COMPANY	Paint Products	APPROVED	be used in areas where school staff or students are present.	
5514		Tantifodota	ATTROVES		Wear nitrile/neoprope gloves chemical eplach apagles and a NIOSH-an
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ap
					organic vapor cartridge respirator during use. Use only in well-ventilated
					Do not apply this product in areas where school staff or students are pre
6028 Sierra S50 Activator	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	not spray-apply
					Wear protective gloves, apron, and safety glasses when handling this pro
6029 QT-Discharge	Ulano	Maintenance and Operations Products	APPROVED		Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ap
					organic vapor cartridae respirator durina use. Add a particulate pre-filte
AAA 8 (Assessed All Description	respirator during spray operations. Use only in well-ventilated areas. Do
6030 Sierra S22 Bases	Rust-Cleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	
6030 Slerra S22 Bases	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	For contractor use only, during non-school hours. Do not use this	respirator during spray operations. Use only in well-ventilated areas. Do
6030 Sierra S22 Bases	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED		respirator during spray operations. Use only in well-ventilated areas. Do
6030 Sierra S22 Bases	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	For contractor use only, during non-school hours. Do not use this	respirator during spray operations. Use only in well-ventilated areas. Do
6030 Sierra S22 Bases 6031 One Clean Traffic Lane Cleaner	Rust-Oleum Corporation Chemspec	Carpentry/ Construction Product Cleaning Products	APPROVED APPROVED	For contractor use only, during non-school hours. Do not use this product in areas where school staff or students are present. The	organic vapor cartridge respirator during use. Add a particulate pre-filte respirator during spray operations. Use only in well-ventilated areas. Do n apply this product

					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ap
					organic vapor cartridge respirator during use. Use only in well-ventilate
					Do not apply this product in areas where school staff or students are pre
6032 Sierra S51 Activator	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	not spray-apply
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ap
					organic vapor cartridge respirator during use. Add a particulate pre-filt
					respirator during spray applications. Do not apply this product in areas
6034 Sierra S16 Base	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	school staff or s
6034 Sierra Sio Base	kast olean corporation	Carpentry/ Construction Froduct	AFFROVED	Approved All Osers/All Sites	
					Wear nitrile/neoprene gloves, chemical splash goggles, and Tyvek suit o
					use. For outdoor use only. Do not allow this product to come in contact v
					or eyes. Do not use this product when school staff or students are preser
6037 Jasco Prep and Primer	Homax Products Inc.	Paint Products	APPROVED	Approved - Limited/Restricted Use Only	campus. Do not spr
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ap
					organic vapor cartridge respirator during use. Add a particulate pre-filt
					respirator during spray operations. Use only in well-ventilated areas. Do
6038 Sierra S71 Epoxy Primer	Rust-Oleum Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	apply this product
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a
					organic vapor cartridge respirator. Use only in well-ventilated areas. Do
					apply this product in areas where school staff or students are present. I
6039 Sierra S70 & S71 Activator	Rust-Oleum Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	spray-apply this produ
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a
					organic vapor cartridge respirator during use. Add a particulate pre-fil
					respirator during spray applications Use only in well-ventilated areas. E
6040 S-37 MetalMax	Rust-Oleum Corporation	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	apply this produc
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a
					organic vapor cartridge respirator during use. For outdoor use only. Do
					this product to come in contact with skin or eyes. Do not apply this product
6041 HIT-RE 500	Hilti Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	areas where schoo
6041 HII-RE 500	mild Iric.	Cleaning Products	APPROVED	**	
				For use by contractors only at unoccupied sites. Do not spray-apply th	IS
				product. The contractor must conform to ALL sections of the Material	
6042 Deck Thane Primer (VOC)	Pacific Polymers International, Inc.	Paint Products	APPROVED	Safety Data Sheet when using this product.	
				For use by contractors only in UNOCCUPIED BUILDINGS. For use during	
				non-school hours only. School staff/students shall NOT be on site when	1
				this product is used. The Project Manager shall ensure that all residual	
6043 Ardex MC Rapid	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	odors have been eliminated before the work	
					For contractor use only at Central L.A. New High School #9. District person
6045 Atlas Elite HS					
	Atlas Tech Products	Exterior Landscape/ Playaround Products	APPROVED	Approved - Contractors/Unoccupied Sites	must not be present in the work area during the application of this produce
DOGS AND ENGINE	Atlas Tech Products	Exterior Landscape/ Playground Products	APPROVED	Approved - Contractors/Unoccupied Sites	
0040 And Elice to	Atlas Tech Products	Exterior Landscape/ Playground Products	APPROVED	Approved - Contractors/Unoccupied Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a
9040 Alde Litter 10	Atlas Tech Products	Exterior Landscape/ Playground Products	APPROVED	Approved - Contractors/Unoccupied Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fil
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas w
	Atlas Tech Products Envirotek Corporation	Exterior Landscape/ Playground Products Paint Products	APPROVED APPROVED	Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu
					Wear nitrile/neoprene gloves, chemical spiash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical spiash goggles, and a NiOSH-c
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flot 9041					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flat 9041	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flot 9041	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c
6047 MASTERONE Flot 9041	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during syay applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042	Envirotek Corporation Envirotek Corporation	Paint Products Paint Products	APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during syray applications. Do not use this product in areas w school staff or stu Wear intitile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w
6047 MASTERONE Flot 9041	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042	Envirotek Corporation Envirotek Corporation	Paint Products Paint Products	APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042	Envirotek Corporation Envirotek Corporation	Paint Products Paint Products	APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c splash goggles, and a nioSH-c school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042	Envirotek Corporation Envirotek Corporation	Paint Products Paint Products	APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during guse. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066	Envirotek Corporation Envirotek Corporation	Paint Products Paint Products	APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during guse. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products	APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products	APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fill respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge proves, chemical splash goggles, and a NiOSH-corganic vapor cartridge spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products	APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear sittlie/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fil varing use. Add a particulate pre-fil respirator during spray applications. Do not use this product in areas v school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products	APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas we school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas we school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas we school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas we school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-corganic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas we school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-filt respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli respirator during spray applications. Do not use this product in areas v school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-c organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli organic vapor cartridge respirator during use. Add a particulate pre-fli
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042	Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during stray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-a organic vapor cartridge respirator during use. Add a particulate pre-fili respirator during pray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-a organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu
6047 MASTERONE Flat 9041 6050 MASTERONE Flat / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- organic vapor cartridge respirator during use. Add a particulate pre-file respirator during spray applications. Do not use this product in areas w school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH- areas vachool staff or stu
6047 MASTERONE Flot 9041 6050 MASTERONE Flot / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu.
6047 MASTERONE Flot 9041 6050 MASTERONE Flot / Angular Sheen 9042 6051 First Image High Gloss 9066 6052 First Image Semi Gloss 9067	Envirotek Corporation Envirotek Corporation Envirotek Corporation Envirotek Corporation	Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when school staff or stu Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when a nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-ar organic vapor cartridge respirator during use. Add a particulate pre-filit respirator during spray applications. Do not use this product in areas when the product in a particulate pre-filit product in areas when the product in a particulate pre-filit product in areas when the product in areas when the product in a particulate pre-filit product in areas when the product in areas when the product in areas when the product in

					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6057 Potterstone Semi Gloss 9996	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
5557 *		TankTrodoco	ATTROVES		Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6058 Potterstone Satin Finish 9997	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
BOSO TOTAL STATE TO S	Environment of portation	runtrioducts	ALLKOVED	Approved All decisy All dices	Wear gloves, chemical splash goggles, and a NIOSH-approved organic vapor
					cartridge respirator during use. Do not apply this product in areas where schoo
					staff are present. Do not spray-apply this product. Follow manufacturer's
6059 Modern Masters "Metallic Paint Collection"	Modern Masters Inc	Paint Products	APPROVED	Approved - All Users/All Sites	instructions.
5039 Modern Musters Metallic Fairt Collection	Wodelli Wasters IIIC	ruint riodacts	AFFROVED	Approved Air Osers/Air Sites	Wear nitrile/neoprene gloves, chemical splash goggles, slip-resistant boots, an
					a NIOSH-approved organic vapor cartridge respirator during use. Do not allow
					this product to come in contact with skin or eyes. For use during non-school
6060 Modern Masters "Master Clear Semi-Gloss"	Modern Masters Inc	Paint Products	APPROVED	Approved - All Users/All Sites	hours in unoccupied
6060 Modelli Masters Master Clear Seriil-Gloss	MODELLI MUSTELS ILIC	Paint Products	APPROVED	Approved - All Osers/ All Sites	Wear rubber gloves and chemical splash goggles during use. Follow
6061 Pro- Tek 922	Rhomar Water Management, Inc			Approved - All Users/All Sites	manufacturer's instructions.
6061 FIO- 16K 922	ktionial water management, inc	Maintenance and Operations Products	APPROVED	Approved - All Osers/ All Sites	
					Wear rubber gloves and chemical splash goggles during use. Follow
6062 Pro- Tek AL	Rhomar Water Management, Inc	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
					For use by HVAC personnel only. Do not use this product in areas that are
					occupied by school staff or students. Review MSDS thoroughly prior to use and
					follow all protective and engineering measures as detailed in Section 7
6065 Genetron 134A Refrigerant	Honeywell	HVAC Products	APPROVED	Approved - Limited/Restricted Use Only	(Exposure Controls/Personal Pro
				Approved for one-time use only in elevator pits on Level D Garage at	
				LAUSD Headquarters. For use during non-business hours only. Access to	
				Level D must be blocked during the application/curing of this product.	
6066 Hydro Active Cut	De Neef Construction Chemicals NV/SA	Carpentry/ Construction Product	APPROVED	The Project Manager must ensure that no fugit	
				For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not use this product if District personnel are present in the	
				work area. Do not spray-apply this product. The Project Manager/O.A.R.	
6067 Sikaguard 62 Part A/B	Sika Corporation	Carpentry/ Construction Product	APPROVED	must ensure that the work area is free of vap	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas occupied by school staff or students. Follow
6068 NovaLink SL	CHEM LINK INC.	Maintenance and Operations Products	APPROVED		manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas occupied by school staff or students. Follow
6069 NovaLink	CHEM LINK INC.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
				For use by contractors at new/non-occupied sites ONLY. DO NOT apply	
				this product if District personnel are present in the work area! The	
				contractor must ensure that no fugitive vapors/odors escape from the	
6071 SARNACOL LR-2001 PART A & PART B	Sika Sarnafil Inc.	Roofing Products	APPROVED	work area during the application of this product.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas where school staff or students are present. Follow
6072 MEAN GREEN	CHEM LINK INC.	Cleaning Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas where school staff or students are present. Follow
6073 M-1 Structural Sealant	CHEM LINK INC.	Adhesive Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
				**	Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas where school staff or students are present. Follow
6074 DuraLink / Dura Tex	CHEM LINK INC.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
* * * * * * * * * * * * * * * * * * * *				· · · · · · · · · · · · · · · · · · ·	Wear nitrile/neoprene gloves and chemical splash goggles during use. Do not
					use this product in areas where school staff or students are present. Follow
6075 CLEAR	CHEM LINK INC.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
00,0		maintenance and operations rioducts	METROVED	11	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated areas only. Do not use this product in areas where school staff of
6076 BARR Waterproof Mastic	CHEM LINK INC.	Miscellaneous	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
00/0 DAKK Waterproof Mastic	CHEMICIAN INC.	MISCHIANEOUS	APPROVED	APPLATED AN OSDIS/AN SILES	·
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use local
					exhaust when pouring or applying this product in areas with poor ventilation. D
Anna I Bard Barradda Garda	OUT MANY INC.			Annual All March All Glass	not use this product in ares where school staff or students are present. A Distric
6077 1-Part Pourable Sealer	CHEM LINK INC.	Adhesive Products	APPROVED	Approved - All Users/All Sites	approved ey
				For use by contractors only IN UNOCCUPIED BUILDINGS ONLY. Only the	
				"Citrus" formulation of this product may be used on District property.	
				The "Cherry" formulation may NOT be used because it contains	
6078 Thermo 55	II Rep-Z, Inc.	Carpentry/ Construction Product	APPROVED		

					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. For outdoor use only. FOR USE
					DURING NON-SCHOOL HOURS ONLY. Do not apply this product in areas where
6080 Rust-Oleum Chain link fence paint (7787402) Metallic Silver	Rust-Oleum Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or students are pr
	•			For use by contractors only (swimming pool repair). For use during non	
				school hours only. This product may not be used if school staff or	
				students are present in the work area. The contractor must ensure that	
6081 PSI 270	Polymeric Systems, Inc.	Carpentry/ Construction Product	APPROVED	no fugitive vapors/odors escape from the work	
				For use by contractors only (swimming pool repair). For use during non	-
				school hours only. This product may not be used if school staff or	
				students are present in the work area. The contractor must ensure that	
6082 Primer 67	Polymeric Systems, Inc.	Paint Products	APPROVED	no fugitive vapors/odors escape from the work	
5552	,,	Tantifoddolo	ATTROVED	··	For use by staff at Special Education Centers ONLY. This product is to be sprayed
					on hard surfaces ONLY and wiped dry. Use only in well-ventilated areas. Do not
					use this product in areas where students are present. Wear protective gloves
COOA Madi Aira Unacented	Bard Medical	Number Control Products	4 DDD 01/FD	Approved - Limited / Destricted Line Only	and chemical spl
6084 Medi-Aire, Unscented	Buta Medical	Nursing Services Products	APPROVED	Approved - Limited/Restricted Use Only	
					Wear nitrile/neoprene gloves, fabric overalls and chemical splash goggles
					during use. Wear a NIOSH-approved organic vapor cartridge respirator with a
					particulate pre-filter during spray applications. For outdoor use only, during non-
6086 ULTRA-FLEX 1500	General Coatings, INC	Paint Products	APPROVED	Approved - All Users/All Sites	school hours. A Distri
					Wear nitrile/neoprene gloves, fabric overalls and chemical splash goggles
					during use. Wear a NIOSH-approved organic vapor cartridge respirator with a
					particulate pre-filter during spray applications. For outdoor use only, during non-
6087 ULTRA-FLEX 1600	General Coatings, INC	Paint Products	APPROVED	Approved - All Users/All Sites	school hours. A Distri
6089 EYE WASH	ALTAIRE PHARMACEUTICALS INC.	Personal Hygiene Products	APPROVED	Follow manufacturer's instructions.	
				For use by contractors only, during non-school/business hours only.	
				The contractor must ensure that the ventilation system(s) has/ have	
				been properly de-energized prior to the application of this product. The	
6090 7/11"	Maintex	Cleaning Products	APPROVED	contractor must also ensure that the system(s)	
6092 Carbomastic 15	Carboline	Maintenance and Operations Products	APPROVED	Approved - Contractors/Unoccupied Sites	
		·		For contractor use only. Do not use this product in areas where District	
6093 Super Blue, Ambient Temp. Cleaner Degreaser	Foxfire Enterprises Inc.	Cleaning Products	APPROVED	staff or students are present.	
	· · · · · · · · · · · · · · · · · · ·			For contractor use only. Do not use this product in areas where District	
6094 P-1007 Segler	Foxfire Enterprises Inc.	Maintenance and Operations Products	APPROVED	staff or students are present.	
0004	· · · · · · · · · · · · · · · · · · ·	manicharios ana operations i rodaets	ATTROVED	For use by contractors only in new construction projects. Do not use this	
6095 Elasto-Deck BT 100% Solids (Type-1)	Pacific Polymers International, Inc.	Carpentry/ Construction Product	APPROVED	product if District staff or students are present in the work area.	•
0000 Elasto Book B1 100% contac (1) po 1)	Tabilio Torymoro intornational, inc.	culpentry/ construction rroduct	ALTROVED	For use by contractors only in new construction projects. Do not use this	
6096 Elasto-Deck BT 100% Solids (Type-2)	Pacific Polymers International, Inc.	0	APPROVED	product if District staff or students are present in the work area.	•
6096 Edato Peck Bi look Solids (Type 2)	rucine rolymers international, inc.	Carpentry/ Construction Product	APPROVED	product in district stain or students are present in the work area.	
				For a section of the	
6097 Sika Grout 212	Sika Corporation			For contractor use only, in new construction projects. This product may	
6097 Sikd Grout 212	Sika Corporation	Carpentry/ Construction Product	APPROVED	not be used in areas where District employees or students are present.	
				For contractor use only at unoccupied sites or during non-school hours	S.
				For outdoor use only. Do not use this product if school staff or students	
6098 POLYSET	FOMO PRODUCTS, INC	Carpentry/ Construction Product	APPROVED	are present on campus.	
				For contractor use only, in areas not occupied by school staff or	
6099 Ultra Fine AG - Gypsum Soil Conditioner	Western Mining & Minerals	Exterior Landscape/ Playground Products	APPROVED	students.	
				For contractor use only during non-school hours. For outdoor use only.	
				Do not use this product in areas where school staff or students are	
6100 ENECLAD FPS 2000 TOP COAT	ENECON CORP.	Paint Products	APPROVED	present.	
				For contractor use only during non-school hours. For outdoor use only.	
				Do not use this product in areas where school staff or students are	
6101 ENECLAD CHEMCLAD SC TOP COAT	ENECON CORP.	Paint Products	APPROVED	present.	
				For contractor use only during non-school hours. For outdoor use only.	
				Do not use this product in areas where school staff or students are	
6102 ENECLAD CFS PRIMER	ENECON CORP.	Paint Products	APPROVED	present.	
				For use by contractors only, during non-school hours or at unoccupied	
				sites. Do not use this product if school staff or students are present in	
6103 Permashield "Premium", #5600, 5650	Monopole Inc.	Paint Products	APPROVED	the work area. Do not spray-apply this product.	
	·			Approved for exterior use by contractors and trained maintenance and	
6104 Gorilla - Snot	Soilworks, LLC	Exterior Landscane/ Playaround Broducts	APPROVED	operations staff.	Follow the manufacturer's recommendations for product storage and use.
5,54 coming since		Exterior Landscape/ Playground Products	AFFROVED	-p-: -:::::::::::::::::::::::::::::::::	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. For outdoor use only. For use on
aver leters & Mary (OTO Tasta (Ones On Tasta)	North Associates Oli Consequent			Assessment United (Destricted Use Only)	CNG buses at Sun Valley/Gardena Bus Garage only. A fire extinguisher (Type A-B-
6105 Inject-R-Kleen (OTC Tools / Snap On Tools)	North American Oil Company	Automotive Products	APPROVED	Approved - Limited/Restricted Use Only	C) must be readily a

					Wear nitrile/neoprene gloves, rubber or PVC apron, and chemical splash
					goggles during use. Wear a NIOSH-approved dust/fume/mist respirator when
					handling or mixing the dry powdered form of this product. A District-approved
6106 LOYAL BLUE CONCRETE CLEANER	ROYAL SOLUTIONS, INC.	Cleaning Products	APPROVED	Approved - All Users/All Sites	eyewash station must be readily a
0100 LOTAL BLOC GONORETE GLEANER	NOTAL BOLDMOND, INC.	Cleaning Floadets	AFFROVED	Approved Air doctor Air dictor	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvec organic vapor cartridge respirator during use. Use only in well-ventilated areas
					Do not use this product in rooms or areas where school/office staff or students
6110 QUICK SETTING EPOXY ADHESIVE (PART A & B)	PACER TECHNOLOGY	Adhesive Products	APPROVED	For use by contractors and M&O personnel only.	are present.
GIID QUICK CETTING ELOXI ABITESTE (FAKTAGE)	TAGENTEGRINGEGOT	Adriesive Floddets	AFFROVED	For contractor use only, in new construction or during non-	dio procent.
				school/business hours only. Do not apply this product if school/office	
6112 Synthetic 30 Parts A & B	Synthetic International	Adhesive Products	APPROVED	staff or students are present on-site.	
ONZ OVINIONO DO FARON A D	oyntotio mematoria	Adriesive Floddets	AFFROVED	For contractor use only. Approved for use in LAUSD Headquarters	
				Parking Garage (B-1) during non-business hours only. Access to the	
				work area must be blocked during the application/curing of this	
6113 PENATRON 3246 PART A/B	ASTC POLYMERS, INC	Adhesive Products	APPROVED	product. The Project Manager must ensure that no fugitive va	
Olio TENANON OZAO TANI AJE	ADTO TOLIMENO, INC	Adriesive Floddets	AFFROVED	For contractor use only. Approved for use in LAUSD Headquarters	
				Parking Garage (B-1) during non-school hours only. Access to the work	
					•
6114 PENATRON 6012-2F	ASTC POLYMERS, INC	Authorative Providents	APPROVED	area must be blocked during the application/curing of this product.	
5 4 FENATRON 6012-2F	ASTC POLIMERS, INC	Adhesive Products	APPROVED	The Project Manager must ensure that no fugitive vap	Wage sitella a convene glavae protective elething chamical enlach gaggles an
					Wear nitrile/neoprene gloves, protective clothing, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. For use durin
6)15 Adeka ultra seal P-201	Adeka Corporation	Delint Deady	APPROVED	Approved - Limited/Restricted Use Only	non-school hours only. Do not use this product if school staff or students are
6 5 Adeka ultra seal P-20	Adeka Corporation	Paint Products	APPROVED	approved - Limited/Restricted use Only	present in the wo
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSHApproved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
	.W. = 1 . =				respirator during spray applications. Do not use this product in areas where
6116 New Acrylic Flat Hi Hide White	Life Paint Company	Paint Products	APPROVED		school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6117 100% Acrylic Semi-Gloss #4200	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6118 Aqua Life White High Gloss #3600	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6119 Porclyn Mettalic White #72-3500/150	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6120 White Traffic Paint #150w/150	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Do not use this product in areas where
6121 100% Acrylic Eggshell White Base 47-00/150	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or stu
				For contractor use only (swimming pool repair) during non-school	
				hours only. District personnel may not be present in the work area	
6123 Sikadur Anchor Fix 3 Part A/B	Sika Corp	Carpentry/ Construction Product	APPROVED	during the application of this product.	
				This product is for CONTRACTOR USE ONLY and is approved for use in	
				NEW CONSTRUCTION and at UNOCCUPIED SITES ONLY. District personnel	
6124 POLYPRO AH160 A - B	POLYFOAM PRODUCTS INC.	Carpentry/ Construction Product	APPROVED	may not enter the work area during the application of this product.	
6125 Green Link Shell Shock	Zep	Cleaning Products	APPROVED	May cause eye irritation.	
				For use by contractors only in new construction or at unoccupied sites	
				only. Do not use this product if District staff or students are present in	
6128 MR 1121	American Recycling Center, Inc.	Miscellaneous	APPROVED	the work area.	
				For contractor use only, in new construction or at unoccupied sites. Do	
6129 DEFTHANE SEMI-GLOSS 275 VOC	Deft Inc.	Paint Products	APPROVED	not use this product if District staff or students are present on site.	
				For contractor use only, in new construction or at unoccupied sites. Do	
6130 DEFTHANE SATIN 275 VOC	Deft Inc.	Paint Products	APPROVED	not use this product if District staff or students are present on site.	
				For contractor use only, in new construction or at unoccupied sites. Do	
6131 DEFTHANE GLOSS 275 VOC	Deft Inc.	Paint Products	APPROVED	not use this product if District staff or students are present on site.	

				For contractor use only, in new construction or at unoccupied sites. Do	
				not use this product if District employees or students are present on	
6132 Sikaflex -2c NS	Sika Corporation	Carpentry/ Construction Product	APPROVED	site.	
				For contractor use only, in new construction or at unoccupied sites. Do	
				not use this product if District employees or students are present on	
6133 Sikadur 22 Lo Mod	Sika Corporation	Carpentry/ Construction Product	APPROVED	site.	
	· ·	7		For exterior use only by contractors or training District staff at	
6134 Psyllium Seed Powder	Natracil by Science Lab	Exterior Landscape/ Playground Products	APPROVED	unoccupied sites or when students are not present.	
0104 Toylinam occur owaci	Had don't by oblance cab	Exterior Editascape, Flayground Floadets	ATTROVED	anoccapica sices of microstations are not present.	Wass shaming transferred states and animals are of sefety alreads or shaming
					Wear chemical-resistant gloves and splash-proof safety glasses or chemical
					splash goggles during use. Use in well-ventilated areas only. Avoid contact v
					skin. This product is to be used for laundry care only. Keep out of reach of
6135 Liquid Starch	The Dial Corporation	Cleaning Products	APPROVED	Approved - All Users/All Sites	children. Follow manuf
				For contractor use only, in new construction projects or at unoccupied	
6136 Triple Superphosphate 0-45-0	J.R. Simplot Company	Exterior Landscape/ Playground Products	APPROVED	sites.	
				For contractor use only, in new construction projects or at unoccupied	
6137 Sulfate of Potash 0-0-50	J.R. Simplot Company	Carpentry/ Construction Product	APPROVED	sites.	
				For contractor use only, in new construction projects or at unoccupied	
6141 CeRam-Kote 99M	CERAM-KOTE COATINGS INC	Carpentry/ Construction Product	APPROVED	sites.	
				For contractor use only, in new construction projects or at unoccupied	
6142 CeRam-Kote 99P	CERAM-KOTE COATINGS INC	Carpentry/ Construction Product	APPROVED	sites.	
6143 CeRam-Floor SST Primer Parts A & B	CERAM-KOTE COATINGS INC	Floor Care Products	APPROVED	Approved - Contractors/Unoccupied Sites	For contractor use only, in new construction projects or at unoccupied sites.
U140 1001 001 1111101 1 010 N 0 0	KOIL GOATING	1000 Care Floadicts	AFTROVED		
6144 Ammonium Sulfate 21-0-0	ID Cimplet Company	Paralestando (-)	**************************************	Approved for outdoor use by Contractors and Maintenance &	Follow the manufacturer's recommendation of the second second
6144 Ammonium Sulfate 21-0-0	J.R. Simplot Company	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro-
					organic vapor cartridge respirator during use. Add a particulate pre-filter to
					respirator during spray applications. Use only in well-ventilated areas. Do no
6145 Concrete Sealer White	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
					Wear impervious gloves, chemical splash goggles, and a NIOSH-approved
					nuisance dust respirator during application of this product. Do not apply this
					product in areas where school staff or students are present. Follow
6146 Kellogg Big R Redwood Soil Conditioner	Kellogg Garden Products	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
0.40	99	Exterior cariascapo, maygrouna modacis	ATTROVES	·	Wear impervious gloves, chemical splash goggles, and a NIOSH-approved
					nuisance dust respirator during application of this product. Do not apply this
					product in areas where school staff or students are present. Follow
6147 Kellogg Nitrohumus Soil Amendment	Kellogg Garden Products	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
					Wear impervious gloves, chemical splash goggles, and a NIOSH-approved
					nuisance dust respirator during application of this product. Do not apply this
					product in areas where school staff or students are present. Follow
6148 E. B. Stone Organics Redwood Compost	E. B. Stone & Sons, Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
				For contractor use only, in areas where school staff or students are not	
6149 ECOtrend Collagen Natural Interior Paint	ECOtrend Corporation	Paint Products	APPROVED	For contractor use only, in areas where school staff or students are not present.	
6149 ECOtrend Collagen Natural Interior Paint	<u>'</u>	Paint Products		present.	
6151 8010 HI-Performance White W/B Traffic	Pervo Paint	Paint Products	APPROVED	present. For contractor use only. For use at unoccupied or new sites only.	For any trade of a set, if you are trade or a se
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint	Pervo Paint Pervo Paint	Paint Products Paint Products	APPROVED APPROVED	present. For contractor use only. For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites	For contractor use only. For use at unoccupied or new sites only.
6151 8010 HI-Performance White W/B Traffic	Pervo Paint	Paint Products	APPROVED	present. For contractor use only. For use at unoccupied or new sites only.	For contractor use only, For use at unoccupied or new sites only. For use by contractors only, at unoccupied sites.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint	Pervo Paint Pervo Paint	Paint Products Paint Products	APPROVED APPROVED	present. For contractor use only. For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint	Pervo Paint Pervo Paint	Paint Products Paint Products	APPROVED APPROVED	present. For contractor use only. For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint	Pervo Paint Pervo Paint	Paint Products Paint Products	APPROVED APPROVED	present. For contractor use only. For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint	Pervo Paint Pervo Paint	Paint Products Paint Products	APPROVED APPROVED	present. For contractor use only. For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvorganic vapor cartridge respirator during use. Use only in well-ventilated are
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow I/F Traffic Paint 6153 3100 Clear Resin Flooring	Pervo Paint Pervo Paint Life Paint Company	Paint Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro- organic vapor cartridge respirator during use. Use only in well-ventilated are bo not use this product in areas where school staff or students are present. Follow manufacturer'
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow I/F Traffic Paint 6153 3100 Clear Resin Flooring	Pervo Paint Pervo Paint Life Paint Company	Paint Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvarganic vapor cartridge respirator during use. Use only in well-ventilated are bo not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approv
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow I/F Traffic Paint 6153 3100 Clear Resin Flooring	Pervo Paint Pervo Paint Life Paint Company	Paint Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approving and
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approraganic vapor cartridge respirator during use. Use only in well-ventilated are Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approraganic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow I/F Traffic Paint 6153 3100 Clear Resin Flooring	Pervo Paint Pervo Paint Life Paint Company	Paint Products Paint Products Floor Care Products	APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-appro organic vapor cartridge respirator during use. Use only in well-ventilated are bo not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-appro organic vapor cartridge respirator during use. Add a porticulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product i
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Use only in well-ventilated are Do not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical spiash goggles, and a NiOSH-appro organic vapor cartridge respirator during use. Use only in well-ventilated are Do not use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical spiash goggles, and a NiOSH-approorganic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product i Wear nitrile/neoprene gloves, chemical spiash goggles, and a NiOSH-approorganic vapor cartridge respirator during use. Add a particulate pre-filter during use.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Use only in well-ventilated are Do not use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter during use. Add a particulate pre-filter during vapor cartridge respirator during use. Add a particulate pre-filter during use. Add a particulate pre-filter during use.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Use only in well-ventilated are Do not use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter during use. Add a particulate pre-filter during vapor cartridge respirator during use. Add a particulate pre-filter during use. Add a particulate pre-filter during use.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-appror organic vapor cartridge respirator during use. Use only in well-ventilated are to not use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-appror organic vapor cartridge respirator during use. Add a particulate pre-filler to respirator during spray operations. Use only in well-ventilated areas. Do not this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-appror organic vapor cartridge respirator during use. Add a particulate pre-filler for spray operations. Use only in well-ventilated areas. Do not apply this product areas where sc
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appror organic vapor cartridge respirator during use. Use only in well-ventilated are no not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appror organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not a this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appror organic vapor cartridge respirator during use. Add a particulate pre-filter du spray operations. Use only in well-ventilated areas. Do not apply this product areas where sc
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Use only in well-ventilated are bo not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not in this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter dusprox operations. Use only in well-ventilated areas. Do not apply this product areas where sc. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter dusprox operations. Use only in well-ventilated areas. Do not apply this product areas where sc.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation Life Paint Corporation Life Paint Corporation Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Paint Products Roofling Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-apprororganic vapor cartridge respirator during use. Use only in well-ventilated are bont use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-apprororganic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product I Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-apprororganic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated presented spray operations. Use only in well-ventilated areas. Do not apply this produc areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-apprororganic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this produc arganic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use in well-ventilated areas only. Do not apply this produc
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Use only in well-ventilated are bo not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not in this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter dusprox operations. Use only in well-ventilated areas. Do not apply this product areas where sc. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approx organic vapor cartridge respirator during use. Add a particulate pre-filter dusprox operations. Use only in well-ventilated areas. Do not apply this product areas where sc.
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation Life Paint Corporation Life Paint Corporation Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Paint Products Roofling Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Use only in well-ventilated are to not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Use only in well-ventilated are no not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not this product I Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro organic vapor cartridge respirator during use. Add a particulate pre-filter dusproy operations. Use in well-ventilated areas only. Do not apply this product areas where sc Wear imprevious abrasion- and alkali-resistant gloves, boots, long-sleeved
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvariant organic vapor cartridge respirator during use. Use only in well-ventilated are to not use this product in areas where school staff or students are present. Follow manufacturer Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvariant vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray operations. Use only in well-ventilated areas. Do not a this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvariant vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvarganic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approvaganic vapor cartridge respirator during use. Add a particulate pre-filter duspray operations. Use in well-ventilated areas only. Do not apply this product areas where sc
6151 8010 HI-Performance White W/B Traffic 6152 8010 HI-Performance Yellow L/F Traffic Paint 6153 3100 Clear Resin Flooring 6154 Diamond Glaze Part A/B 14-00/150 6155 Fast Dry Base Coat FM System 15-89/150 6156 Roof Coating Underseal Tan 88-76/250	Pervo Paint Pervo Paint Life Paint Company Life Paint Corporation	Paint Products Paint Products Floor Care Products Paint Products Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	present. For contractor use only, For use at unoccupied or new sites only. Approved - Contractors/Unoccupied Sites Approved - Contractors/Unoccupied Sites Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	For use by contractors only, at unoccupied sites. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro- organic vapor cartridge respirator during use. Use only in well-ventilated are on out use this product in areas where school staff or students are present. Follow manufacturer? Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro- organic vapor cartridge respirator during use. Add a particulate pre-filter to respirator during spray aperations. Use only in well-ventilated areas. Do not this product! Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro- organic vapor cartridge respirator during use. Add a particulate pre-filter du spray operations. Use only in well-ventilated areas. Do not apply this product areas where sc Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appro- organic vapor cartridge respirator during use. Add a particulate pre-filter du spray operations. Use only in well-ventilated areas. Do not apply this product areas where sc

					Magaz pitalla /n consens alougo abandagi anigab goggilos and a NICCLI appround
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use in well-ventilated areas only
					Do not use this product in areas where school staff or students are present.
6160 Life Deck Cement Modifier	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer'
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use in well-ventilated areas only
					Do not use this product in areas where school staff or students are present.
6161 Stretch - Guard Caulking Smooth 9277/150	Life Paint Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	Follow manufacturer'
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas
					Do not use this product in areas where school staff or students are present.
6162 Texture Caulking 9077-150	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer
6163 Life Deck F/M Primer	Life Paint Corporation	Paint Products	APPROVED	For contractor use only. For use at new or unoccupied sites only.	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas
					Do not use this product in areas where school staff or students are present.
6164 Wood Caulking 9177/150	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer
3134		TankTroddod	ATTROVES	· 	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas
Olde Testure Coat FIM District Verylone	Life Deint Corneration	Parlant Providence	4000 C :	Approved All Heavy All Cites	Do not use this product in areas where school staff or students are present.
6165 Texture Coat F/M System 1577/250	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer'
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas
					Do not use this product in areas where school staff or students are present.
6166 HR Floor Coating Sand	Life Paint Corporation	Floor Care Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer'
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use in well-ventilated areas only
					Do not use this product in areas where school staff or students are present.
6167 Concrete Sealer White 10-00/150	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	Follow manufacturer
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use in well-ventilated areas only.
					Do not use this product in areas where school staff or students are present.
6168 Stretch - Guard Smooth White 92-00/150	Life Paint Corporation	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present.
6168 Stretch - Guard Smooth White 92-00/150	Life Paint Corporation Life Paint Corporation	Carpentry/ Construction Product Paint Products	APPROVED APPROVED	Approved - All Users/All Sites For contractor use only, For use at new or unoccupied sites only.	
6168 Stretch - Guard Smooth White 92-00/150 6169 Acrylic Stainblocking Primer	Life Paint Corporation Life Paint Corporation	Carpentry/ Construction Product Paint Products		Approved - All Users/All Sites For contractor use only. For use at new or unoccupied sites only.	Do not use this product in areas where school staff or students are present. Follow manufacturer'
					Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitriie/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the
6189 Acrylic Stainblocking Primer	Life Paint Corporation	Paint Products	APPROVED	For contractor use only. For use at new or unoccupied sites only.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
				For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the
6169 Acrylic Stainblocking Primer	Life Paint Corporation	Paint Products	APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
6169 Acrylic Stainblocking Primer	Life Paint Corporation	Paint Products	APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan	Life Paint Corporation Life Paint Corporation	Paint Products Paint Products	APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B	Life Paint Corporation Life Paint Corporation Custom Building Products	Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual odors/vapors have been eliminated before the	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone	Life Paint Corporation Life Paint Corporation Custom Building Products 3M	Paint Products Paint Products	APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adors/vapors have been eliminated before the For contractor use only, in new construction projects.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B	Life Paint Corporation Life Paint Corporation Custom Building Products	Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual odors/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in new construction projects.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone	Life Paint Corporation Life Paint Corporation Custom Building Products 3M	Paint Products Paint Products Paint Products Fire Retardants	APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adors/vapors have been eliminated before the For contractor use only, in new construction projects.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone	Life Paint Corporation Life Paint Corporation Custom Building Products 3M	Paint Products Paint Products Paint Products Fire Retardants	APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual odors/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in new construction projects.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M	Paint Products Paint Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual odors/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in new construction projects. For contractor use only, in new construction projects.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during nonschool/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in two coupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during nonschool/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in two coupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during nonschool/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in two coupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NIOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene glowes, chemical splash goggles, and a NIOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in ew construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during nonschool/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in two coupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in ew construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved was the product.
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6176 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in ew construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during spray applications. Use only in well-ventilated areas. Do not use this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical spiash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical spiash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical spiash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6176 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co.	Paint Products Paint Products Paint Products Fire Retardants Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in ew construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites.	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene glowes, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor artridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not opply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the very nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the very nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approves organic vapor cartridge respirator during use. Add a particulate pre-filter to the cartering use.
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6176 NW-310 6176 NW-400 6176 4001 Gloss Acrylic Urethane Sealer	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in the construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approve organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approve organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approve organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approve organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not respirator during spray applications. Use only in well-ventilated areas. Do not
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6172 FireDam Spray 200 6175 NW-310 6176 NW-400	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only. For use at new or unoccupied sites only. Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non-school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not opply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the very nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the very nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approvec organic vapor cartridge respirator during use. Add a particulate pre-filter to the control of the control
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400 6178 4001 Gloss Acrylic Urethane Sealer	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in the construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator dupor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400 6178 4001 Gloss Acrylic Urethane Sealer	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in the construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400 6178 4001 Gloss Acrylic Urethane Sealer	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in the construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product
6169 Acrylic Stainblocking Primer 6170 Life Deck FM Underseal Tan 6171 100% Solids Epoxy Grout Part A & B 6172 FireDam Spray 150+ Caulk, Limestone 6173 FireDam Spray 200 6175 NW-310 6176 NW-400 6178 4001 Gloss Acrylic Urethane Sealer	Life Paint Corporation Life Paint Corporation Custom Building Products 3M 3M Johnsons Screens / A Weatherford Co. Johnsons Screens / A Weatherford Co. Life Paint Company Life Paint Company	Paint Products Paint Products Paint Products Fire Retardants Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved - All Users/All Sites For use by contractors only in UNOCCUPIED BUILDINGS, during non- school/business hours only. District employees shall NOT be on site when this product is used. The Project Manager shall ensure that all residual adars/vapors have been eliminated before the For contractor use only, in new construction projects. For contractor use only, in the construction projects. For contractor use only, at unoccupied sites. THIS PRODUCT MAY NOT USED IF SCHOOL STAFF OR STUDENTS ARE PRESENT ON SITE. For contractor use only, at unoccupied sites. Approved - All Users/All Sites Approved - All Users/All Sites	Do not use this product in areas where school staff or students are present. Follow manufacturer' Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use in well-ventilated areas only. Do not use this product i Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray operations. Use only in well-ventilated areas. Do not apply this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Add a particulate pre-filter to the respirator during spray applications. Use only in well-ventilated areas. Do not use this product

					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					methanolamine/ammonia vapor cartridge respirator during use. Add a
				and the second second	particulate pre-filter to the respirator during spray applications. For use during
6182 2003, 2004, 2005 Waterbase CRU - Resin	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	non-school hours only. Use on
					Wear gloves, chemical splash goggles, and a NIOSH-approved particulate
					respirator during use. Do not use this product in areas where school staff or
6183 Best Super Iron 9-9-9	Best	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6184 CRRC Roof Coating 88-40/150	Life Paint Corporation	Roofing Products	APPROVED	Approved - All Users/All Sites	apply this produ
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6185 Apt Maint Flat White	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
6186 LD7530-Clear aliphatic Moisture Cure Urethane	Life Paint Corporation	Paint Products	APPROVED	For contractor use only, at unoccupied sites.	
·	·				Wear gloves, chemical splash goggles, and a NIOSH-approved particulate
					respirator during use. Do not use this product in areas where school staff or
6188 Best Turf Supreme 16-6-8	Best	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
		zacio carascapo, raygrodia riodoto	.3110725	FF	Wear gloves, chemical splash goggles, and a NIOSH-approved particulate
					respirator during use. Do not use this product in areas where school staff or
COOR Book Trust Cold 22 E 6	Best	Extended and the second Plantage 17	4 DODO (/ CD	Approved All Heavy All Cites	
6189 Best Turf Gold 22-5-6	Dest	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear gloves, chemical splash goggles, and a NIOSH-approved particulate
					respirator during use. Do not use this product in areas where school staff or
6190 Best 6-24-24XB+	Best	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6191 Field Marking Paint 03-168	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6192 Concrete Transparent Stain Grey Slate 20-62/150	Life Paint Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
6193 Polyurea Parts A & B #9700	Life Paint Company	Paint Products	APPROVED	For contractor use only, at new or unoccupied sites.	
0133 /		runtriodets	ALLKOVED		Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
100% And the Board Florible Florible	Ma Delat Consumer			Accessed All December 1	respirator during spray applications. Use only in well-ventilated areas. Do not
6194 100% Acrylic Semi-Flexible Flat White	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
6195 FlameSafe FS 3000 Red Firestop Spray Sealant	W.R. Grace & Co.	Fire Retardants	APPROVED	Approved - Contractors/Unoccupied Sites	For contractor use only, in new construction.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
6196 Industrial Drain Cleaner	Green Bull Products, Inc.	Plumbing Supply Products	APPROVED	Approved - All Users/All Sites	in well-ventilated areas. Follow manufacturer's instructions.
				For contractor use only, in new construction projects. Do not apply this	
6198 Coal Tar Emulsion	Coopers Creek Chemical Corporation	Carpentry/ Construction Product	APPROVED	product if District employees are present in the work area.	
				Approved for use by trained maintenance and operations staff and	Product contains crystalline silica. Dust control required at all times. Dry mixing
				contractors only at unoccupied sites or during non-school hours. LAUSE	on LAUSD sites is prohibited. If vacuums are used for cleanup they must be
				staff may not use this product. No dry mixing of product on site. Dust	equipped with HEPA filters. Follow the manufacturer's instructions for product
				control required during mixing, cleanup, or removal of dried product.	storage and use. Ensure PPE is used, including gloves, long sleeves, eye
6199 Quickrete Portlant Cement Based Concrete Products	The Quikrete Companies	Carpentry/ Construction Product	APPROVED	Do not create dust. Silica safe work methods required.	protection, and respiratory protection if necessary.
6200 Permashield Base (Item No. 6000, 6100)	Monopole	Paint Products	APPROVED	For contractor use only, in new construction/unoccupied sites.	·
6201 Ultra-Lastic (Item No. 2175)	Monopole	Adhesive Products	APPROVED	For contractor use only, in new construction/unoccupied sites.	
525, 545 2556 (1641116, 2173)		Muliesive i loudCtS	AFFROVED	For contractor use only, in new construction/unoccupied sites. For contractor use only, in new construction/unoccupied sites. Do not	
6202 BD Classic 70-30	BD Classic	Competed Construction Product	APPROVED		
0202 DD Clussic /0=30	DD CIUSSIC	Carpentry/ Construction Product	APPROVED	apply this product if District employees are present in the work area.	Wear pitals a convene along chamical which we also and a MOST
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Do not spray-apply this product.
					Use only in well-ventilated areas. Do not apply this product in areas where
6218 Sierra S70 Epoxy Primer Base	Rust-Oleum Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	school staff or student
					Wear nitrile/neoprene gloves, impervious clothing, chemical splash goggles, and
					a NIOSH-approved organic vapor cartridge respirator during use. For outdoor
					use only, during non-school hours. Do not apply this product in areas where
6220 2GUARD	Guard	Maintenance and Operations Products	APPROVED		school staff or student
					Wear neoprene gloves, chemical splash goggles, and impervious clothing
					(including apron, pants and jacket) during use. Use in well-ventilated areas only
					Avoid contact with skin. Do not use this product in areas where school staff or
6221 Aquaseal W20	Monopole Inc.	Exterior Landscane / Discussional Description	APPROVED		students are present.
טבבו הקששמשנו זייבט	monopole IIIo.	Exterior Landscape/ Playground Products	AFFROVED		stations are prosellit.

					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator with a particulate pre-filter during use. For
					outdoor use only, during non-school hours. Do not use this product in areas
6225 Deco Bond	Deco Asphalt & Granite Materials	Carpentry/ Construction Product	APPROVED	Approved - All Users/All Sites	where school staff or
				Approved for use by contractors only, at unoccupied sites or in new	
6226 CuraPoxy Part A & Part B	CuraFlo	Adhesive Products	APPROVED	construction.	
					Wear protective gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas
					with adequate air circulation. Do not use this product in areas where school sto
6228 Industrial Orangepeel Quick Patch Spray Texture	SPRAYTEX, Inc.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	or students are prese
					Wear protective gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas with adequate air circulation. Do not use this product in areas where school sta
6229 Orangepeel Drywall Patch Spray Texture	SPRAYTEX Inc.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	or students are prese
02239		wantendice and operations Froducts	AFFROVED		Wear chemical-resistant, impervious gloves, chemical splash goggles, and a
					synthetic apron when using this product. Use only in well-ventilated areas. Do
					not allow this product to come in contact with eyes, skin or clothing. A District-
6230 Spearhead 18077	Ecolab, Inc.	Cleaning Products	APPROVED	Approved - Limited/Restricted Use Only	approved eyewash st
					Wear protective gloves and chemical splash goggles when using this product.
					Use in well-ventilated areas only. Do not use this product in areas where school
6231 PURETi™ Basecoat	Coatings Specialist Group	Paint Products	APPROVED	Approved - All Users/All Sites	staff or students are present. Follow manufacturer's instructions.
					Wear protective gloves and chemical splash goggles when using this product.
					Use in well-ventilated areas only. Do not use this product in areas where school
6233 PURETi™ Clear	Coatings Specialist Group	Paint Products	APPROVED	Approved - All Users/All Sites	staff or students are present. Follow manufacturer's instructions.
					Wear protective gloves and chemical splash goggles when using this product.
					Use only in well-ventilated areas. Do not use this product in areas where schoo
6234 PURETI™ Clean	Coatings Specialist Group	Paint Products	APPROVED	Approved - All Users/All Sites	staff or students are present. Follow manufacturer's instructions.
					Wear vinyl gloves and chemical splash goggles during application. Use only in
					well-ventilated areas. Avoid eye, skin and clothing contact. Do not use this
6235 PTS E-101 CAULKING	His Polist Commence			Approved - All Users/All Sites	product in areas where school staff or students are present. Follow
6235 PISE-IUI CAULKING	Life Paint Company	Carpentry/ Construction Product	APPROVED	approved - All Users/All Sites	manufacturer's instructions. Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6237 AQUA LIFE WHITE PRIMER 3900/150	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	use this produc
				The second secon	Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Add a particulate pre-filter to the
					respirator during spray applications. Use only in well-ventilated areas. Do not
6238 AQUA LIFE WHITE SATIN 34-00/150	Life Paint Company	Paint Products	APPROVED	Approved - All Users/All Sites	use this product
					Wear impervious gloves and chemical splash goggles during application. For
					outdoor use only, during non-school hours only. Follow manufacturer's
6240 ExtremeLine	Pioneer Manufacturing Co.	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	instructions.
				For contractor use only, in NEW CONSTRUCTION or at UNOCCUPIED SITES	
6241 Rhino Top	C-United Coating	Carpentry/ Construction Product	APPROVED	ONLY.	
AN IN DISPOSA ANTISPOSTATIONOU ANT	OLD WORLD INDUSTRIES, INC			Assessed All Users (All Oles-	Wear chemical resistant gloves and chemical splash goggles during use. Use
6247 SIERRA ANTIFREEZE/COOLANT	OLD WORLD INDUSTRIES, INC	Automotive Products	APPROVED	Approved - All Users/All Sites	only in well-ventilated areas. Follow manufacturer's instructions.
					Wear butyl rubber gloves/apron, chemical splash goggles, and a NiOSH- approved organic vapor cartridge respirator during application. Use only in we
New Dimensions DISAPPEAR™ Organic Graffiti/Adhesive/Paint					ventilated areas. Do not spray-apply this product. Do not use this product in
6250 Re	New Dimensions Solutions, LLC	Graffiti Products	APPROVED	Approved - All Users/All Sites	areas where school staff or
6251 Green Sweep	ULINE	Exterior Landscape/ Playground Products	APPROVED	For contractor use at new construction sites only.	
· ···r					For use by M&O Welding personnel only. Follow manufacturer's instructions and
6256 600 FLUX	HARRIS PRODUCTS GROUP	MAINTENANCE AND OPERATIONS PRODUCTS	APPROVED	Approved - Limited/Restricted Use Only	review MSDS prior to use.
6259 BT-40	Coast Water Technologies, Inc.	HVAC Products	APPROVED	For contractor use only, during non-school hours only.	.
6260 Chem Pro Bromigen Tabs	Chem Pro Laboratory, Inc.	HVAC Products	APPROVED	For contractor use only, during non-school hours only.	
6261 CPL 3050	Chem Pro Laboratory, Inc.	HVAC Products	APPROVED	For contractor use only, during non-school hours only.	
6262 Chem Pro ED Liquid	Chem Pro Laboratory, Inc.	HVAC Products	APPROVED	For contractor use only, during non-school hours only.	
				·	Wear nitrile/neoprene gloves and chemical splash goggles during application.
					Use only in well-ventilated areas. Do not apply this product in areas where
6263 Shaw 3500 Ecoworx Broadloom Adhesive	Shaw Industries	Adhesive Products	APPROVED	Approved - All Users/All Sites	school staff or students are present. Follow manufacturer's instructions.
				For contractor use only, in new construction projects. Do not apply this	
6264 JM Two-Part Urethane Insulation Adhesive Part 1	Johns Manville Roofing Systems Group	Adhesive Products	APPROVED	product if District personnel are present in the work area.	
				For contractor use only, at new construction sites. Do not apply this	
6265 JM Two-Part Urethane Insulation Adhesive Part 2	Johns Manville Roofing Systems Group	Adhesive Products	APPROVED	product if District personnel are present in the work area.	
				For contractor use only, at new construction sites. Do not apply this	
6266 JM TPO-1 Bonding Adhesive (Water Based)	Johns Manville Roofing Systems Group	Adhesive Products	APPROVED	product if District personnel are present in the work area.	

6267 Ivory Soap	Proctor and Gamble	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	
		, 9		For contractor use only, in new construction projects. Do not use this	
6268 DURABOND - D-818	BOSTIK	Adhesive Products	APPROVED	product if District personnel are present in the work area.	
				For contractor use only, in new construction or at unoccupied sites. Do	
6269 Sarnacol 2166	Sika Sarnafil Inc.	Adhesive Products	APPROVED	not use this product if District personnel are present in the work area.	
				For contractor use only, in new construction or at unoccupied sites. This	
				product may not be used if District staff or students are present in the	
				work area. The contractor must ensure that no vapors/odors (from the	
6273 DANACOLORS BULLETIN ENAMELS	ONE SHOT, LLC	Paint Products	APPROVED	product) are present prior to re-occupa	
				For contractor use only, in new construction or at unoccupied sites. This	
				product may not be used if District staff or students are present in the	
				work area. The contractor must ensure that no vapors/odors (from the	
6274 DANACOLORS HIGHLUSTER	ONE SHOT, LLC	Paint Products	APPROVED	product) are present prior to re-occupa	
				For contractor use only, in new construction or at unoccupied sites. This	
				product may not be used if District staff or students are present in the	
				work area. The contractor must ensure that no vapors/odors (from the	
6275 CHEM LOCK PART A & B	T. J. RONAN PAINT CORP.	Paint Products	APPROVED	product) are present prior to re-occupa	
				For contractor use only, in new construction or at unoccupied sites only.	
				Do not apply this product if District personnel are present in the work	
6278 PL 400 Sub-Floor & Deck Adhesive	Henkel Corporation	Adhesive Products	APPROVED	area.	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator during use. Use only in well-ventilated areas. $ \\$
					Do not apply this product if school staff or students are present in the work area. $\label{eq:controller}$
6279 Dura Seal Floor Sealer	American Chemical/ Technichem	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	Follow manufa
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product if school staff or students are
6280 Gemstar Laser	Ecolab	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	present in the work area. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product if school staff or students are
6281 19% Floor Finish	Hillyard Industries	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	present in the work area. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product in areas where school staff or
6283 VECTRA Floor Finish	JohnsonDiversey-Canada, Inc.	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product in areas where school staff or
6284 ABOVE Floor Finish	The Butcher Company	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product in areas where school staff or
6285 High Mileage Floor Finish	JohnsonDiversey	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					organic vapor cartridge respirator with a particulate pre-filter during use. Use
					only in well-ventilated areas. Do not use this product in areas where school staff
6286 CITRUS CLEAN SUPER	MONOPOLE, INC.	Cleaning Products	APPROVED	Approved - All Users/All Sites	or students are
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated areas only. Do not use this product in areas where school staff or
6287 Dura Plus	American Chemical/ Technichem	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear rubber gloves and chemical splash goggles during use. Use in well-
					ventilated areas only. Do not use this product in areas where school staff or
6288 LiquiMax	Buckeye International, Inc.	FLOOR CARE PRODUCTS	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear solvent-resistant gloves, apron, boots, and chemical splash goggles
					during use. For outdoor use only. Do not use this product in areas where school
6291 CON-PATCH	American Industrial Supply Inc.	MAINTENANCE AND OPERATIONS PRODUCTS	APPROVED	Approved - All Users/All Sites	staff or students are present. Follow manufacturer's instructions.
				Approved for use by contractors only at unnocupied sites. LAUSD staff	
6292 Sikafloor MultiDur TG	Sika Corporation	Floor Care Products	APPROVED	may not use this product.	
				For contractor use only, in new construction or at unoccupied sites only.	
				Do not apply this product if District personnel are present in the work	
6293 Marlite Silicone Sealant MS250 MS251	Silco Incorporated	Carpentry/ Construction Product	APPROVED	area.	
				For contractor use only, in new construction or at unoccupied sites only.	
				Do not apply this product if District personnel are present in the work	
6294 Polyseamseal Acrylic Caulk with Silicone	OSI Sealants Inc.	Carpentry/ Construction Product	APPROVED	area.	
				For contractor use only, in new construction or at unoccupied sites only.	
				Do not apply this product if District personnel are present in the work	
6295 MONOKOTE Z-146	Grace Fireproofing Products	Fire Retardants	APPROVED	area.	
6296 Genlabs #02020 Pink Hand Soap	Genlabs	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	Avoid contact with eyes.

				Note: This product was formerly known as "Mannington V-11	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in well-ventilated areas only. Avoid contact with skin. Do not use this product in areas where school staff or students are present. Follow manufacturer's
6297 M-Guard V-11 Adhesive	Mannington Mills, Inc.	Adhesive Products	APPROVED	Commercial Tile Adhesive". For contractor use only, in new construction projects or at unoccupied	instructions.
				sites only. Do not apply this product if District personnel are present in	
3298 Permacrete Alkali Resistant Primer 4-603	PPG Industries, Inc.	Paint Products	APPROVED	the work area.	
	·			For contractor use only, in new construction projects or at unoccupied	
				sites. Do not apply this product if District personnel are present in the	
6300 Pittcryl Plus Flat Wht and Pastel 10-1110SC	PPG Industries, Inc.	Paint Products	APPROVED	work area.	
				For contractor use only, in new construction or at unoccupied sites. Do	
6301 Seal Grip Interior Latex Enamel Undercoat 17-955	PPG Industries, Inc.	Paint Products	APPROVED	not apply this product if District personnel are present in the work area.	
0301		runtriodets	AFFROVED	Approved for exterior use by contractors and trained Maintenance &	
6303 Amerlock 2VOC	PPG Industries, Inc	Adhesive Products	APPROVED	Operations staff only during non school hours.	Follow the manufacturer's recommendations for product storage and use.
				For contractor use only, in new construction projects. Do not use this	
6304 Sika Repair SHA	Sika Corporation	Carpentry/ Construction Product	APPROVED	product if District personnel are present in the work area.	
6305 Sarnacol 2121	Sika Sarnafii			Approved for use by contractors only at unoccupied sites or during nor school hours.	
6305 3dilldcol 2121	Sika Sarriani	Roofing Products	APPROVED	For contractor use only, in new construction projects or at unoccupied	Follow the manufacturer's recommendations for product storage and use.
6306 ACE SEAL	Asphalt Coatings Engineering	Exterior Landscape/ Playground Products	APPROVED	sites only.	
		,-,, 5		For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not apply this product if District personnel are present in	
6307 Biosolve	Westford Chemical Corp.	Exterior Landscape/ Playground Products	APPROVED	the work area.	
				For contractor use only, in new construction projects or at unoccupied	
				sites/during non-school hours. Do not use this product if District	
6308 Manor Hall Gloss Latex	PPG Industries, Inc.	Paint Products	APPROVED	personnel are present in the work area.	
					Wear protective gloves, safety glasses with side shields, and a NIOSH-approve
					particulate respirator during the handling of this product. Follow manufacture
6309 Potting Soil	Agromin Premium Soil Products	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	instructions.
				For contractor use only, in new construction projects or at unoccupied sites only. Do not apply this product if District personnel are present in	
63[0 Carbozinc1]HS	Carboline	Paint Products	APPROVED	the work area.	
63IU CUIDOZIICIII3	Curpoline	Fullit Floudets	AFFROVED	For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6312 Cafco SprayFilm WB4 Intumescent Coating	Isolatek International	Paint Products	APPROVED	work area.	
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not apply this product if District personnel are present in	
6316 Mondo PU 105 Parts A & B	Mapei Corporation	Adhesive Products	APPROVED	the work area.	
					Wear gloves, safety glasses, and a NIOSH-approved particulate (dust) respire
6317 GROW POWER HI NITROGEN 14-4-09	GROW POWER INC	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	when handling this product. Follow manufacturer's instructions.
					Wear gloves, safety glasses, and a NIOSH-approved particulate (dust) respire
6318 GROW POWER HI NITROGEN 18-3-7	GROW POWER INC	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites	when handling this product. Follow manufacturer's instructions.
				and the second second	Wear gloves, safety glasses, and a NIOSH-approved particulate (dust) respire
6319 ORGANIC SOIL CONDITIONER 75/20	GROW POWER INC	Exterior Landscape/ Playground Products	APPROVED	Approved - All Users/All Sites For contractor use only, in new construction projects and at	when handling this product. Follow manufacturer's instructions.
6320 CAFCO BOND-SEAL/ BOND-SEAL Type X	CAFCO INDUSTRIES	Carpentry/ Construction Product	APPROVED	unoccupied sites only.	
,		corporary construction modest	ALLOTED	For contractor use only, in new construction projects or at unoccupied	
6321 CAFCO QUIK-SET	CAFCO INDUSTRIES	Carpentry/ Construction Product	APPROVED	sites.	
		* *		For contractor use only, in new construction or at unoccupied sites only	<i>i</i> .
				Do not apply this product if District personnel are present in the work	
6322 Burke 715 epoxy nose filler parts A & B	Helmitin Inc.	Adhesive Products	APPROVED	area.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use in
					well-ventilated areas only. Do not use this product in areas where school staff
6323 Burke BR-711	Burke Industries, Inc.	Adhesive Products	APPROVED	Approved - All Users/All Sites	students are present. Follow manufacturer's instructions.
					Wear rubber gloves and chemical splash goggles during use. Do not use this
					product in areas where school staff or students are present. Follow
6324 GREEN with ENVI (QGE-489, LGE-490)	Nexgen	PLUMBING SUPPLY PRODUCTS	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
6325 Germs B Gone (SGG-447)	Novgon	PLUMBING SUPPLY PRODUCTS	APPROVED	Approved - Limited/Restricted Use Only	This product is not to be used by students or in classrooms. Do not use this
0320 Centils B GOITE (300-447)	Nexgen	PLUMBING SUPPLY PRODUCTS	APPROVED	мругочец - штивалкезинскец use uniy	product near open flame or any other source of ignition.
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Do no use this product in areas where school staff or students are present. Follow
6326 ECO SEAL (QGS-484)	Nexgen	PLUMBING SUPPLY PRODUCTS	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
		FEOMERINO SOFFET PRODUCTS	MITTOVED		

				For contractor use only, in new construction OR in unoccupied buildings	
				only. Do not use this product if District personnel are present in the work	
200 01 of 005 D U.S.D.	Oller Oner continu			area. The Project Manager/O.A.R. must ensure that the work area is free	
6327 Sikafloor 265 Parts H & R	Sika Corporation	Floor Care Products	APPROVED	of vapors and/or odors (associated	
				For contractor use only, in new construction projects OR at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6328 Metal Etch	Jasco Chemical Corp	Paint Products	APPROVED	work area.	
					Wear nitrile/neoprene gloves and safety glasses/goggles/face shield during use
6329 Bird-Off Gel	Bird- Off Gel	Pesticide/Herbicide Products	APPROVED	Approved - Limited/Restricted Use Only	For use by pest management employees only.
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6331 Power Foam	Power Fasteners, Inc.	Adhesive Products	APPROVED	work area.	
				Approved for exterior use only by contractors at unoccupied sites (in	
6332 Low VOC PVC Bonding Adhesive	Carlisle Syn Tec	Roofing Products	APPROVED	construction areas). LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				For contractor use only at UNOCCUPIED SITES ONLY. Do not use this	
				product if District personnel are present in the work area. The Project	
				Manager/O.A.R. must ensure that the work area is free of vapors and/or	
6333 SubZero Components A & B	Elastomer Specialties, Inc.	Adhesive Products	APPROVED	odors (associated with the use of this product	
6334 DP 2501/DP 2502 Duct Liner Adhesive	Design Polymerics	Adhesive Products	APPROVED	For contractor use only, in new construction or at unoccupied sites.	
0334 Bi 2001/Bi 2002 Buot Elitor Aditionto	- Design of Mineries	Adhesive Floddcts	AFFROVED		
				For contractor use only at UNOCCUPIED SITES ONLY. Do not use this	
				product if District personnel are present in the work area. The Project	
				Manager/O.A.R. must ensure that the work area is free of vapors and/or	
6335 Sikafloor 90	Sika Corporation	Floor Care Products	APPROVED	odors (associated with the use of this product	
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6336 Tyfo S Component A	Fyfe Co, LLC	Adhesive Products	APPROVED	work area.	
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6337 Tyfo S Component B	Fyfe Co, LLC	Adhesive Products	APPROVED	work area.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
					in well-ventilated areas. Do not use this product in areas where school staff or
					students are present. A District-approved eyewash station must be readily
6338 Green Oven & Grill Cleaner	Maintex Inc.	Cleaning Products	APPROVED	Approved - All Users/All Sites	accessible to employee
0330 Crosmovana oniii cicanoi	mantos no.	Cleding riodacts	AFFROVED	Approved All coordy All crices	Wear nitrile/neoprene gloves, chemical splash goggles, and a chemical-
					resistant apron during use. Use in well-ventilated areas only. Do not use this product in areas where school staff or students are present. A District-approved
and District Control of the Charles	Overlande			Annual Allinois All Observation	
6341 Brk-Away FoodServices Cleaner/degreaser	Genlabs	Cleaning Products	APPROVED	Approved - All Users/All Sites	eyewash station must be i
				For contractor use only, in new construction or at unoccupied sites only	
					Do not use this product if District personnel are present in the work area. The
				The Project Manager/O.A.R. must ensure that the work area is free of	Project Manager/O.A.R. must ensure that the work area is free of vapors/odors
6342 "No More Graffiti"	Advanced Graffiti Solutions	Graffiti Products	APPROVED	vapors/odors (associated with the us	(associated with the us
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
6343 832 Multi-surface adhesive sealant, grey	Dow-Corning Corporation	Adhesive Products	APPROVED	Approved - All Users/All Sites	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only
6343 832 Multi-surface adhesive sealant, grey	Dow-Corning Corporation	Adhesive Products	APPROVED	Approved - All Users/All Sites Children under the age of 10 should be supervised while using this	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or
6343 832 Multi-surface adhesive sealant, grey	Dow-Corning Corporation MonAmi Co. Ltd.	Adhesive Products School Products	APPROVED APPROVED	**	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or
,				Children under the age of 10 should be supervised while using this	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or
,				Children under the age of 10 should be supervised while using this	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions.
,		School Products	APPROVED	Children under the age of 10 should be supervised while using this product.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand,
6345 Liqui-Mark Dry Erase Markers	MonAmi Co. Ltd.			Children under the age of 10 should be supervised while using this	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions.
6345 Liqui-Mark Dry Erase Markers	MonAmi Co. Ltd.	School Products	APPROVED	Children under the age of 10 should be supervised while using this product.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand,
6345 Liqui-Mark Dry Erase Markers	MonAmi Co. Ltd.	School Products	APPROVED	Children under the age of 10 should be supervised while using this product.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX	Monami Co. Ltd. HARRIS PRODUCTS GROUP	School Products Maintenance and Operations Products	APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of
6345 Liqui-Mark Dry Erase Markers	MonAmi Co. Ltd.	School Products	APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION	School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by contractors and trained Maintenance &	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX	Monami Co. Ltd. HARRIS PRODUCTS GROUP	School Products Maintenance and Operations Products	APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use.
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION	School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by contractors and trained Maintenance &	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand,
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum	Monami Co. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by contractors and trained Maintenance & Operations staff only.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION	School Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by contractors and trained Maintenance &	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand,
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum	Monami Co. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by contractors and trained Maintenance & Operations staff only.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum	Monami Co. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum	Monami Co. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only For use by contractors only, in new construction or at unoccupied sites	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum 6353 NOKORODE SILVER SOLDERING FLUX	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning THE RECTORSEAL CORP.	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only For use by contractors only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area.	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum 6353 NOKORODE SILVER SOLDERING FLUX	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning THE RECTORSEAL CORP.	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only For use by contractors only, in new construction or at unoccupied sites	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum 6353 NOKORODE SILVER SOLDERING FLUX	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning THE RECTORSEAL CORP.	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only For use by contractors only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area. For use by HVAC personnel only, as a testing reagent. Wear nitrile/neoprene gloves, chemical splash goggles, and a plastic/rubber	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding
6345 Liqui-Mark Dry Erase Markers 6350 STAY CLEAN PASTE SOLDERING FLUX 6351 CITRIC ACID, ANHYDROUS 6352 732 Multi-Purpose Sealant, Aluminum	MONAMI CO. Ltd. HARRIS PRODUCTS GROUP CHEM ONE CORPORATION Dow Corning THE RECTORSEAL CORP.	School Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED	Children under the age of 10 should be supervised while using this product. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved for use by contractors and trained Maintenance & Operations staff only. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only For use by contractors only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area. For use by HVAC personnel only, as a testing reagent. Wear	Wear nitrile/neoprene gloves and chemical splash goggles during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding operations. Follow manufacturer's instructions. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product in conjunction with welding operations (also see "Exposure Controls/Personal Protection" section of MSDS). A District-approv Follow the manufacturer's recommendations for product storage and use. For use by Metal Department personnel only. Always wear proper eye, hand, body and respiratory protection while using this product during welding bedy and respiratory protection while using this product during welding

				Facus by INVO account of the control	
				For use by HVAC personnel only, as a testing reagent. Wear	
				nitrile/neoprene gloves, chemical splash goggles, and a plastic/rubbe	
				apron during use. Follow all precautionary measures as detailed in	
6361 Meta-Cresol Purple Indicator	TAYLOR TECHNOLOGIES, INC	HVAC Products	APPROVED	Section 6 of the MSDS.	
				For use by HVAC personnel only, as a testing reagent. Wear	
				nitrile/neoprene gloves, chemical splash goggles, and a plastic/rubbe	
				apron during use. Follow all precautionary measures as detailed in	
6362 Ferroin Indicator	TAYLOR TECHNOLOGIES, INC	HVAC Products	APPROVED	Section 6 of the MSDS.	
					Wear nitrile/neoprene gloves, chemical splash goggles, rubber apron and
					appropriate clothing during use. A local exhaust system (vented to the exterior o
					the building) must be used during the application of this product. For use during
6363 Poly-Fill UJF	Dur-A-Flex, Inc.	Adhesive Products	APPROVED	Approved - Limited/Restricted Use Only	non-school hours o
					Wear plastic or rubber gloves, chemical splash goggles, and a NIOSH-approved
					respirator with ammonia cartridges (as specified in Section 8 of the MSDS)
					during use. Use only in well-ventilated areas. Follow manufacturer's instructions.
6364 Allen Sal Ammoniac Bars, 24-100-00	Johnson Manufacturing Company	Maintenance and Operations Products	APPROVED	Approved - Limited/Restricted Use Only	For use by Metal Dep
0304 Alich cal Ammoniae Bars, 24 100 00	company	waintenance and operations Products	AITROVED	Approved annical residues and any	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					dust/fume/mist (particulate) respirator during use. Do not spray-apply this
					product. Do not use this product in areas where school staff or students are
6366 Expo GX2 Premium Exterior Stucco	Expo Stucco Products	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	present. Follow manufactur
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					dust/fume/mist (particulate) respirator during use. Do not spray-apply this
					product. Do not use this product in areas where school staff or students are
6367 Expo MX3 Premium Scratch and Brown	Expo Stucco Products	Maintenance and Operations Products	APPROVED	Approved - All Users/All Sites	present. Follow manufactur
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					dust/mist/fume (particulate) respirator during use. Use only in well-ventilated
					areas. Do not apply this product in areas where school staff or students are
6368 Paintout Versions 9978	Envirotek Corporation	Paint Products	APPROVED	Approved - All Users/All Sites	present. Follow manufa
					This product is not to be used by students or in classrooms. Do not use this
6369 Instant Hand Sanitizer - Briggs	Hydrox Laboratories	Personal Hygiene Products	APPROVED	Approved - All Users/All Sites	product near open flame or any other source of ignition.
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
					dust/fume/mist (particulate) respirator during use. For use during non-school
					dust/fume/mist (particulate) respirator during use. For use during non-school hours only or at unoccupied sites. Do not use this product in areas where school
6370 Expo Cure	Expo Stucco Products	MAINTENANCE AND OPERATIONS PRODUCTS	APPROVED	Approved - All Users/All Sites	
6370 Expo Cure	Expo Stucco Products	MAINTENANCE AND OPERATIONS PRODUCTS	APPROVED	Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites. Do	hours only or at unoccupied sites. Do not use this product in areas where school
6370 Expo Cure	Expo Stucco Products	MAINTENANCE AND OPERATIONS PRODUCTS	APPROVED	***	hours only or at unoccupied sites. Do not use this product in areas where school
6370 Expo Cure 6372 CONIPUR 210 USA, PART A & B	Expo Stucco Products Degussa Construction Chemicals (Schweiz)	MAINTENANCE AND OPERATIONS PRODUCTS Adhesive Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do	hours only or at unoccupied sites. Do not use this product in areas where school
,				For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
·				For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
·				For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B	Degussa Construction Chemicals (Schweiz)	Adhesive Products	APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in ew construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B	Degussa Construction Chemicals (Schweiz)	Adhesive Products	APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in ew construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B	Degussa Construction Chemicals (Schweiz)	Adhesive Products Adhesive Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not spray-apply this product. Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115	Degussa Construction Chemicals (Schweiz) TNEMEC	Adhesive Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only, Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix	Degussa Construction Chemicals (Schweiz) TNEMEC	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115	Degussa Construction Chemicals (Schweiz) TNEMEC Profile	Adhesive Products Adhesive Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix	Degussa Construction Chemicals (Schweiz) TNEMEC Profile	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix	Degussa Construction Chemicals (Schweiz) TNEMEC Profile	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix	Degussa Construction Chemicals (Schweiz) TNEMEC Profile	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical spites goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product to areas where school staff or students a Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Flumbling Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nittliel/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas.
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS	APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical spites goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product to areas where school staff or students a Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin, Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS	APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product to areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NIOSH-approved.
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS	APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical spices have goggles, why apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nittile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nittile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas.
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALLS CLEAR (QAC-167)	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For use in new construction or at unoccupied sites only, Do not apply this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, why apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved war under the product in areas where school staff or present. Follow manufacturers instructions Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved war gaint way or cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present.
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167)	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS	APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. For use in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin, Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer'
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167)	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. For use in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin, Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer'
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167) 6379 Quick and Tuff Varnish Waterbase 756-42	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin, Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer'
6372 CONIPUR 210 USA, PART A & B 6373 Unl-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALLS CLEAR (QAC-167)	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. For use in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical splash goggles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor artridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturer?
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167) 6379 Quick and Tuff Varnish Waterbase 756-42	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical product to come in contact with skin. Do not use this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers' Wear viton/PVA gloves, chemical splash goggles, coveralls, and a NiOSH-
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167) 6379 Quick and Tuff Varnish Waterbase 756-42	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical spices pageles, vinyl apron and sleeve guards during use. Do not allow this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nittle product in areas where school staff or present. Follow manufacturers instructions Wear intitle ineoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille ineoprene gloves, chemical splash goggles, and a NIOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers.
6372 CONIPUR 210 USA, PART A & B 6373 Uni-Bond Series 115 6374 Hydro Blanket Bonded Fiber Matrix 6375 Conwed Hydro Mulch 1000 6378 ALL'S CLEAR (QAC-167) 6379 Quick and Tuff Varnish Waterbase 756-42	Degussa Construction Chemicals (Schweiz) TNEMEC Profile Profile Product LLC Nexgen Amteco	Adhesive Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products PLUMBING SUPPLY PRODUCTS Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	For contractor use only, in new construction or at unoccupied sites. Do not spray-apply this product. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not spray-apply this product. Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only Do not use this product if District personnel are present in the work area. For contractor use only, in new construction or at unoccupied sites only. Do not use this product if District personnel are present in the work area. Approved - Limited/Restricted Use Only Approved - All Users/All Sites Approved - All Users/All Sites For contractor use only, in new construction or at unoccupied sites only. Do not apply this product if District personnel are present in the work area.	hours only or at unoccupied sites. Do not use this product in areas where school staff or students ar For use by Plumbing Department personnel only. Wear rubber gloves, chemical product to come in contact with skin. Do not use this product to come in contact with skin. Do not use this product in areas where school staff or students a Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or present. Follow manufacturers instructions Wear nitrille/neoprene gloves, chemical splash goggles, and a NiOSH-approved organic vapor cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in areas where school staff or students are present. Follow manufacturers' Wear viton/PVA gloves, chemical splash goggles, coveralls, and a NiOSH-

				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not apply this product if District personnel are present in	
6385 7430-CA	Neogard	Floor Care Products	APPROVED	the work area.	
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not apply this product if District personnel are present in	
6386 Neogard 7780/7781	Neogard	Floor Care Products	APPROVED	the work area.	
33039		Tibbl Gare Froducts	ATTROVED		
				For contractor use only, in new construction projects. Do not apply this	
6387 Termin-8 H2O Brown Wood Preservative	Jasco (Homax Products, Inc.)	Exterior Landscape/ Playground Products	APPROVED	product if District personnel are present in the work area.	
				For contractor use only, in new construction projects or at unoccupied	
				sites only. Do not use this product if District personnel are present in the	
6388 70410-CA	Neogard	Floor Care Products	APPROVED	work area.	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appr
					ammonia/methylamine cartridge respirator during use. For outdoor use or
					Avoid contact with skin. Do not spray-apply this product. Do not use this pr
6389 Coating / TF1000	LaPolla Industries, Inc	Paint Products	APPROVED	Approved - All Users/All Sites	in areas where school
				For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not apply this product if District personnel are present in the	
6390 Release #1	Edoco by Dayton Superior	Adhesive Products	APPROVED	work area.	
	· · · ·			For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not apply this product if District personnel are present in the	
and the bank of 010 part 4 5 part p	Married Control				
6391 Ultrabond G19 Part A & Part B	Mapei	Floor Care Products	APPROVED	work area.	
				For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not apply this product if District personnel are present in the	
6392 Ultra Clear / Clear Coat	Master Coating Technologies	Paint Products	APPROVED	work area.	
<u> </u>				For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not apply this product if District personnel are present in the	
6393 Metalli-Coat 2000	Master Coating Technologies	Paint Products	APPROVED	work area.	
					Wear nitrile/neoprene gloves and chemical splash goggles during use. Use
					local exhaust ventilation system with a minimum capture velocity of 100 ft/
					the point of application during the use of this product. Do not use this prod
6394 Cold Patch	0			Approved - All Users/All Sites	areas where sc
6394 Cold Patch	Cornerstone Coatings	Maintenance and Operations Products	APPROVED	The second secon	
				For use in NEW CONCSRUCTION PROJECTS ONLY. Do not use this product	
6395 KOESTER VAP 1-2000 (A/B)	Koester American Corporation	Floor Care Products	APPROVED	if District personnel are present in the work area.	
					Wear nitrile/neoprene gloves, chemical splash goggles, and a NIOSH-appr
					ammonia/methylamine cartridge respirator during use. For outdoor use or
					during NON-SCHOOL HOURS ONLY. Do not spray-apply this product. Follow
				and the second second	
6396 RCS 5000 Series	LaPolla Industries, Inc	Paint Products	APPROVED	Approved - All Users/All Sites	manufacturer's instructions.
				For contractor use only, in new construction or at UNOCCUPIED SITES	
				ONLY. Do not use this product if District personnel are present in the	
6398 1100-Clear					
UJOU HOU CITUI	W.R Meadows	Adhesive Products	APPROVED	work area.	
0380 1150 Citali	W.R Meadows	Adhesive Products	APPROVED	work area.	
				work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new	
6403 Quicklime	W.R Meadows Chemical Lime Co.	Adhesive Products Exterior Landscape/ Playground Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only.	
	Chemical Lime Co.			work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new	
				work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only.	
6403 Quicklime	Chemical Lime Co.	Exterior Landscape/ Playground Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use	Wear nitrile/neoprene gloves and chemical splash goggles during use. Us
6403 Quicklime	Chemical Lime Co.	Exterior Landscape/ Playground Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use	
6403 Quicklime 6406 Planiseal VS	Chemical Lime Co. MAPEI Corporation	Exterior Landscape/ Playground Products Floor Care Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school s
6403 Quicklime	Chemical Lime Co.	Exterior Landscape/ Playground Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use	well-ventilated areas only. Do not use this product in areas where school s students are present. Follow manufacturer's instructions.
6403 Quicklime 6406 Planiseal VS	Chemical Lime Co. MAPEI Corporation	Exterior Landscape/ Playground Products Floor Care Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school s students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap
6403 Quicklime 6406 Planiseal VS	Chemical Lime Co. MAPEI Corporation	Exterior Landscape/ Playground Products Floor Care Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school s students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap
6403 Quicklime 6406 Planiseal VS	Chemical Lime Co. MAPEI Corporation	Exterior Landscape/ Playground Products Floor Care Products	APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school s students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school's students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical spiash goggles during use. Aponly in well-ventilated areas. Do not apply this product in areas where sch staff or students are present.
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school s students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap- only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gogg
6406 Planiseal VS 6407 Hillyard - TERRAZZINE	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Aj only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this producting use. Use only in well-ventilated areas. Do not spray-apply this producting use. Use only in well-ventilated areas. Do not spray-apply this producting use.
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nittile/neoprene gloves and chemical splash goggles during use. All only in well-ventilated areas. Do not apply this product in areas where school students are present. Wear nittile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area.	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ay only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer'
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ay only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer'
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. A noh jin well-ventilated areas. Do not apply this product in areas where sal staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer' Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash gogglies during use. Aj only in well-ventilated areas. Do not apply this product in areas where sold staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer' Wear neoprene gloves, chemical splash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this pro-
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrite/neoprene gloves and chemical splash goggles during use. Ay only in well-ventilated areas. Do not apply this product in areas where schotaff or students are present. Wear nitrite/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-opply this product in areas where school staff or students are present manufacturer? Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved ammonia/methylemine cartridge respirator during application of this protuse only in well-ventilated areas. Do not spray-apply this product. Do not
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ay only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present manufacturer' Wear neoprene gloves, chemical splash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this product. So not spray-apply this product. Do not this product in areas where sch
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school is students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical spiash goggles during use. As only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gogg during use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present. manufacturer Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved ammonia/methylamine cartridge respirator during application of this product. Do not this product. Do not this product. In areas where scho
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/necprene gloves and chemical splash goggles during use. Aronly in well-ventilated areas. Do not apply this product in areas where schot for students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved ammonia/methylamine cartridge respirator during application of this product. Do not this product in areas where scho not spray-apply this product. Do not this product in areas where sch
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. A jonly in well-ventilated areas. Do not apply this product in areas where sat staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gog during use. Use only in well-ventilated areas. Do not spray-apply this product in areas where school staff or students are present manufacturer Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved ammonia/methylamine cartridge respirator during application of this profuse only in well-ventilated areas. Do not spray-apply this product. Do not this product in areas where scho
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600 6411 Permaseal Clear	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school is students are present. Fallow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash goggleduring use. Use only in well-ventilated areas. Do not spray-apply this product no tapply this product in areas where school staff or students are present. manufacturer' Wear neoprene gloves, chemical splash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this product be only in well-ventilated areas. Do not spray-apply this product. Do not this product in areas where sch Wear nitrile/neoprene gloves, chemical splash goggles, clothing that fully arms and legs, and a NiOSH-approved dust/fume/mist cartridge respirated during use. Use only in well-ventilated areas. Do not use this product in areas
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school's students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical splash goggles during use. Aponly in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gogg during use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present. manufacturer' Wear neoprene gloves, chemical splash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this pro Use only in well-ventilated areas. Do not spray-apply this product. Do not this product in areas where sch Wear nitrile/neoprene gloves, chemical splash goggles, clothing that fully arms and legs, and a NiOSH-approved dust/fume/mist cartridge respirate during use. Use only in well-ventilated areas. Do not use this product in area where school staff or
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600 6411 Permaseal Clear	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school is students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical spiash goggles during use. Aponly in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical spiash goggleduring use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present. manufacturer Wear neoprene gloves, chemical spiash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this product. Do not use only in well-ventilated areas. Do not spray-apply this product. Do not this product in areas where sch Wear nitrile/neoprene gloves, chemical splash goggles, clothing that fully arms and legs, and a NiOSH-approved dust/fume/mist cartridge respirate during use. Use only in well-ventilated areas. Do not use this product in are where school staff or
6403 Quicklime 6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600 6411 Permaseal Clear 6412 Pavemend5.0,30.0,SLQ,TR,VR&SubZERO, SubZERO XL, surfix	Chemical Lime Co. MAPEl Corporation Hillyard Floor Care Champion Chemical Monopole Inc. CERATECH, inc	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved - All Users/All Sites Approved - All Users/All Sites Approved - All Users/All Sites	Wear nitrile/neoprene gloves and chemical splash goggles during use. Ap only in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical splash gogg during use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present. manufacturer' Wear neoprene gloves, chemical splash goggles, and a NIOSH-approved ammonia/methylamine cartridge respirator during application of this pro- Use only in well-ventilated areas. Do not spray-apply this product. Do not of this product in areas where sch Wear nitrile/neoprene gloves, chemical splash goggles, clothing that fully, arms and legs, and a NIOSH-approved dust/fume/mist cartridge respirator during use. Use only in well-ventilated areas. Do not use this product in are where school staff or For contractor use only, in new construction or at unoccupied sites only (e. during non-school hours). Do not apply this product if District personnel are
6406 Planiseal VS 6407 Hillyard - TERRAZZINE 6408 Concrete-Seal #70 6410 Aquaseal Stain 7500, 7600, 8500,8600 6411 Permaseal Clear	Chemical Lime Co. MAPEI Corporation Hillyard Floor Care Champion Chemical Monopole Inc.	Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	work area. Approved for use by Pavement Recycling Systems Inc. ONLY, in new construction or at unoccupied sites only. For contractor use only, in new construction projects only. Do not use this product if District personnel are present in the work area. Approved – All Users/All Sites Approved – All Users/All Sites	well-ventilated areas only. Do not use this product in areas where school is students are present. Follow manufacturer's instructions. Wear nitrile/neoprene gloves and chemical spiash goggles during use. Aponly in well-ventilated areas. Do not apply this product in areas where sch staff or students are present. Wear nitrile/neoprene gloves, protective apron, and chemical spiash goggleduring use. Use only in well-ventilated areas. Do not spray-apply this product not apply this product in areas where school staff or students are present. manufacturer Wear neoprene gloves, chemical spiash goggles, and a NiOSH-approved ammonia/methylamine cartridge respirator during application of this product. Do not use only in well-ventilated areas. Do not spray-apply this product. Do not this product in areas where sch Wear nitrile/neoprene gloves, chemical splash goggles, clothing that fully arms and legs, and a NiOSH-approved dust/fume/mist cartridge respirate during use. Use only in well-ventilated areas. Do not use this product in are where school staff or

APROVED For contractor use only, in new construction or of unoccupied alies only, 6415 Beypur 250 A & B Beyon Enterprises, inc. Adhesive Products Approved For contractor use only, in new construction or at unoccupied alies only, Do not apply this product if District personnel are present in the work For contractor use only, in new construction or at unoccupied alies only, Do not apply this product if District personnel are present in the work For contractor use only, in new construction or at unoccupied alies only, For contractor use only, in new construction or at unoccupied alies For contractor use only, in new construction or at unoccupied alies For contractor use only, in new construction or at unoccupied alies APROVED Approved - Contractors/Unoccupied Sites For contractor use only, in new construction or at unoccupied alies. For contractor use only, in new construction projects or at unoccupied alies. For contractor use only, in new construction projects or at unoccupied alies. For contractor use only, in new construction projects or at unoccupied alies. For contractor use only, in new construction projects or at unoccupied alies. Do not apply in product if District personnel ore present in the work area. For contractor use only, in new construction projects or at unoccupied alies. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied alies. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied alies. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied alies. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied alies. Do not apply this product if District personnel are present in the work area. For contrac	
Beyon Enterprises, Inc. Adhesive Products ApproveD orec. For contractor use only, in new construction projects only, Do not use 6416 Sure Klean Burnished Custom Cleaner Prosoco Ordfili Products ApproveD Approved - Contractor use only, in new construction projects only, Do not use 6418 Genon Rubber Granulates Genon Rubber Granulates Genon Inc. Betain Inc. Hot Melt Technologies Exterior Landscape/ Playground Products APROVED Approved - Contractor use only, in new construction or of unoccupied sites. For contractor use only, in new construction or of unoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. For contractor use only, in new construction projects or dunoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or of unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or of unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or of unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or of unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in the work area	
Beyon Enterprises, Inc. Adhesive Products APPROVED Orea. For contractor use only, in new construction projects only. Do not use 6416 Sure Klean Burnished Custom Cleaner Bell Sure Klean Burnished Custom Cleaner Bell Sure Klean Burnished Custom Cleaner Bell Sure Klean Custom Masonry Cleaner B	
For contractor use only, in new construction projects only. Do not use 6415 Sure Klean Burnished Custom Cleaner Prosoco Graffiti Products APPROVED this product if District personnel are present in the work area. 6416 Genon Rubber Granuldtes Genon Inc. Exterior Landscape/ Playground Products APPROVED 6418 Hot Melt Adhesive Hot Melt Technologies Exterior Landscape/ Playground Products APPROVED 6419 Hot Melt Adhesive Hot Melt Technologies Exterior Landscape/ Playground Products APPROVED 6419 Dack O Seal Gun Grade 6420 Dack O Seal Gun Grade 6421 PG Primer 6421 PG Primer 6421 PG Primer 6422 BECK FLEX HT 6423 BECK FLEX HT 6424 PRO-Seal PRODUCTS INC 6425 Carpentry/ Construction Product 6426 Carpentry/ Construction Product 6426 Carpentry/ Construction Product 6426 PROVED 6426 PROVED 6426 PROVED 6427 PG Primer Patch Flexible 6428 PROVED 6428 PROVED 6428 PROVED 6429 PROVED 6429 PROVED 6424 Pro-seal Power Patch Flexible 6424 Pro-seal Power Patch Flexible 6425 PROVED 6426 PROVED 6426 PROVED 6426 PROVED 6427 Pro-seal Prower Patch Flexible 6426 PROVED 6427 Pro-seal Power Patch Flexible 6428 PROVED 6428 PROVED 6428 PROVED 6429 Pro-seal Prower Patch Flexible 6429 Pro-seal Power Patch Flexible 6420 Pro-seal Prower Patch Flexible 6424 Pro-seal Power Patch Flexible 6426 Pro-seal Power Patch Flexible 6426 Pro-seal Power Patch Flexible 6427 Pro-seal Power Patch Flexible 6428 Pro-seal Power Patch Flexible 6429 Pro-seal Power Patch Flexible 6429 Pro-seal Power Patch Flexible 6429 Pro-seal Power Patch Flexible 6420 Pro-seal Prower Patch Flexible 6420 Pro-seal Power Patch Flexible 6420 Pro-seal Prower Patch Flexible 6420 Pro-seal Prower Patch Flexible 6420 Pro-seal Prower Patch Flexible 6421 Pro-seal Power Patch Flexible 6424 Pro-seal Power Patch Flexible 6425 Pro-seal Prower Patch Flexible 6426 Pro-seal Power Patch Flexible 6426 Pro-seal Power Patch Flexible 6427 Pro-seal Power Patch Flexible 6428 Pro-seal Prower Patch Flexible	
6416 Sure Klean Burnished Custom Cleaner Prosoco Graffiti Products APROVED Approved - Contractors/Unoccupied Sites 6417 Sure Klean custom Masonry Cleaner Prosoco Graffiti Products APROVED Approved - Contractors/Unoccupied Sites 6418 Genon Rubber Granulates Gena Inc. Exterior Landscape/ Playground Products APROVED For contractor use only, in new construction or at unoccupied sites. 6419 Hot Melt Adhesive Hot Melt Technologies Exterior Landscape/ Playground Products APROVED sites. 6419 Deck O Seal Gun Grade W.R. Meadows Swimming Pool Products APROVED work area. 6420 Deck O Seal Gun Grade W.R. Meadows Swimming Pool Products APROVED work area. 6421 PO Primer W.R. Meadows Swimming Pool Products APROVED work area. 6421 PO Primer W.R. Meadows Swimming Pool Products APROVED work area. 6422 DECK FLEX HT PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible Fig. 54000 Citructural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible Fig. 54000 Citructural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. 6425 PROVED this product if District personnel are present in the work are	
6417 Sure Klean custom Masonry Cleaner Prosoco Graffiti Products APROVED Approved - Contractors/Unoccupied Sites 6418 Genan Rubber Granulates Genan Inc. Exterior Landscape/ Playground Products APROVED For contractor use only, in new construction projects or at unoccupied eles. 6419 Hot Melt Adhesive Hot Melt Technologies Exterior Landscape/ Playground Products APROVED sites. 6420 Deck O Seal Gun Grade W.R. Meadows Swimming Pool Products APROVED work area. 6421 PO Primer W.R. Meadows Swimming Pool Products APROVED Work area. 6422 PO Primer W.R. Meadows Swimming Pool Products APROVED Work area. 6423 DECK FLEX HT PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product I District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product I District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product I District personnel are present in the work area. 6425 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6426 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6427 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6428 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6429 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6420 Pro-seal Power Patch Flexible FROSEAL PRODUCTS INC Carpentry/ Construction Product APROVED this product II District personnel are present in the work area. 6421 Pro-seal Pow	
B418 Genan Rubber Granulates Genan Inc. Exterior Landscape/ Playground Products APPROVED For contractor use only, in new construction or at unoccupied sites. For contractor use only, in new construction projects or at unoccupied sites. For contractor use only, in new construction projects or at unoccupied sites. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
For contractor use only, in new construction projects or at unoccupied sites. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the sites. On the product of product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the sites. On the product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply district personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if Distr	
6419 Hot Melt Adhesive Hot Melt Technologies Exterior Landscape/ Playground Products APPROVED sites. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply during non-school hours (unoccupied campus). Do not apply bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply dispendent personnel are present in the work area.	
For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the work area. For contractor use only, or Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area.	
sites. Do not apply this product if District personnel are present in the 8420 Deck O Seal Gun Grade W.R. Meadows Swimming Pool Products APPROVED Work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the sites. Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
6420 Deck O Seal Gun Grade W.R. Meadows Swimming Pool Products APPROVED Swink area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 16420 PROVED	
For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, in new construction projects or at unoccupied sites. Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply displayed uning non-school hours (unoccupied campus). Do not apply one of this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply one of this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply one of contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply one of contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
sites. Do not apply this product if District personnel are present in the stage. W.R. Meadows Swimming Pool Products APPROVED work area. For contractor use only, ct Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply for contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply for contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply for contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply for contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
6421 PG Primer W.R. Meadows Swimming Pool Products APPROVED work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product If District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product If District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product If District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply for contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 6423 DECK FLEX HT PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 6424 Pro-seal Power Patch Flexible From the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
bridge) during non-school hours (unoccupied campus). Do not apply 8423 DECK FLEX HT PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, ort Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 8424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, ort Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
6423 DECK FLEX HT PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply this product if District personnel are present in the work area. 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, of Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
bridge) during non-school hours (unoccupied campus). Do not apply 6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
6424 Pro-seal Power Patch Flexible PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area. For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
For contractor use only, at Venice High School (structural concrete bridge) during non-school hours (unoccupied campus). Do not apply	
bridge) during non-school hours (unoccupied campus). Do not apply	
6425 UreFlex AL PROSEAL PRODUCTS INC Carpentry/ Construction Product APPROVED this product if District personnel are present in the work area.	
6426 Woterless Car wash Eco Touch, Inc. Cleaning Products APPROVED Approved - All Users / All Sites	
6427 1029-11W Enduratione Theme Company, Inc. Paint Products APPROVED Product can be used by contractor during non-school hours only.	
6428 FISHWHUN-Bond DF White Theme Company, Inc. Point Products APROVED Approved for use by contractor during non-school hours only.	
Approved for use by District staff. This product is not approved for September 1.	
	er's recommendations for use and storage.
	er's recommendations for storage and use.
Approved for contractor use only at unoccupied sites or during non-	or a recommendation and storage and asset
	er's recommendation for storage and use.
·	er's recommendations for use and storage.
	er's recommendations for storage and use.
	protection when using this product. Ensure all residua
	off surface after application. follow manufacturer's
	for storage and use.
	protection when using this product. Ensure all residua
·	off surface after application. follow manufacturer's
	for storage and use.
	er's recommendations for storage and use. Ensure
appropriate perso	al protective equipment is used including chemical re
6437 ALTROFIX 30, Part A Altro Floors, Inc. Floor Care Products APPROVED Approved for use by contractors only during non-school hours. gloves, goggles an	d respiratory protection.
	er's recommendations for storage and use. Ensure
	al protective equipment is used including chemical re
appropriate person	d respiratory protection.
6438 ALTROFIX 30, Part B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles an	ection should be worn when working with this product.
6438 ALTROFIX 30, Part B Altro Floors, inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles an	ection should be worn when working with this product. ommendations for storage and use.
6438 ALTROFIX 30, Part B Altro Floors, inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles an	
6438 ALTROFIX 30, Part B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles an Hand and eye prot address of the products APPROVED Approved for use by Maintenance and Operations. Hand and eye prot address of the products APPROVED Approved for use by Maintenance and Operations. manufacturer's recommendation of the products APPROVED Approved - Limited/Restricted Use Only	
6438 ALTROFIX 30, Part B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Hand and eye profuse and Operations Products APPROVED Approved for use by Maintenance and Operations. Hand and eye profuse and Operations Products APPROVED Approved for use by Maintenance and Operations. In advantage research and operations are set of the figure o	ommendations for storage and use.
6438 ALTROFIX 30, Part B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Hand and eye prot more products APPROVED Approved for use by Maintenance and Operations. Approved for use by Maintenance and Operations. Approved for use by Maintenance and Operations. In advanced to the school for the scho	ommendations for storage and use.
6438 ALTROFIX 30, Part B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Hand and eye prot to see the product of the	ommendations for storage and use. or's recommendations for storage, use and installation or's recommendations for product storage and use.
Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Hand and eye prot and school hours. Hand and eye prot and school hours. Hand and eye prot and school hours. Approved for use by Maintenance and Operations. Maintenance and Operations Products APPROVED Approved for use by Maintenance and Operations. Maintenance and Operations Products APPROVED Approved - Limited/Restricted Use Only. Approved for use by Maintenance and Operations. Follow manufacturer's recursive for the school of t	ommendations for storage and use. ar's recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use.
Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Altro Floors, inc. Floor Care Products APPROVED Approved for use by Maintenance and Operations. Hand and eye part of the data of the product of the data of the product of the data of the product of the prod	ommendations for storage and use. Ser's recommendations for storage, use and installation of seroommendations for product storage and use. Ser recommendations for storage and use. Seroommendation for storage and use. Ser's recommendation for storage and use.
Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and season of the products and operations products and percentage of the product and percentage of the percentage of the percentage of the percentage of the percentag	ommendations for storage and use. ser's recommendations for storage, use and installation ser's recommendations for product storage and use. ser's recommendations for storage and use. ser's recommendation for storage and use. ser's recommendations for storage and use. ser's recommendations for storage and use.
Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and Hand and eye protuct APPROVED Approved for use by Maintenance and Operations. Maintenance and Operations Products APPROVED Approved for use by Maintenance and Operations. Maintenance and Operations Products APPROVED Approved for use by Maintenance and Operations. Follow manufacture's recommendation of the Maintenance and Operations INC Adhesive Products APPROVED Approved for use by Maintenance and Operations. Follow manufacture's recommendation of the Maintenance and Operations is follow manufacture's recommendation of the Maintenance and Operations is follow manufacture's recommendation of the Maintenance and Operations is follow manufacture's recommendation of the Maintenance and Operations is follow manufacture's recommendation of the Maintenance and Operations is follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Maintenance and Operations only. Follow manufacture's recommendation of the Mainte	ommendations for storage and use. or's recommendations for storage, use and installation or's recommendations for product storage and use. or's recommendations for storage and use. or's recommendation for storage and use. or's recommendations for storage and use. or's recommendations for storage and use. or's recommendations for storage and use.
Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. Bland and eye prote Approved for use by Maintenance and Operations. Band of eye products APPROVED Approved for use by Maintenance and Operations. APPROVED Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved of use by Maintenance and Operations. Follow manufacture's rec Approved Approved of use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only. Follow manufacture Approved Approved for use by Maintenance and Operations only.	ommendations for storage, use and installation ar's recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. By recommendations for storage and use. The recommendations for storage and use. The recommendations for storage and use.
Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. Hand and eye profuse 6439 Combinity IP Industrial Top 940 Combinity Inc. Maintenance and Operations Products APPROVED Approved for use by Maintenance and Operations. APPROVED Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved of use by Maintenance and Operations. Follow manufacture of the Adhesive Products APPROVED Approved for use by Maintenance and Operations. Follow manufacture 6442 6490 Hot Melt Adhesive At Noted Surface Care Clift Industries, INC Cleaning Products APPROVED Approved for use by Maintenance and Operations. APPROVED Approved for use by Maintenance and Operations stuff only. Follow manufacture 6445 BioRem-2000 Surface Cleaner Clift Industries, INC Cleaning Products APPROVED Approved for use by Maintenance and Operations stuff only. Follow manufacture 6446 Five Star Brite Grout Clift Industries, INC Cleaning Products APPROVED Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Operations only. Follow manufacture 6446 Five Star Brite Grout Approved for use by Maintenance and Oper	ommendations for storage, use and installation ar's recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. By recommendations for storage and use. The recommendations for storage and use. The recommendations for storage and use.
Floor Care Products APPROVED Approved for contractor use only during non-school school hours. gloves, goggles and season of the product of th	ommendations for storage, use and installation ar's recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. By recommendations for storage and use. The recommendations for storage and use. The recommendations for storage and use.
Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. Hand and eye protect APPROVED Approved for use by Maintenance and Operations. Follow manufacture's rec APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations. Follow manufacture APPROVED Approved for use by Maintenance and Operations staff only. Follow manufacture APPROVED Approved for use by Maintenance and Operations staff only. Follow manufacture Follow manuf	ommendations for storage and use. It is recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. Bris recommendations for storage and use. The recommendations for storage and use. The recommendations for storage and use. The proper acquipment is used including a NIOSH air-purifying res
Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. Based School Combinity Inc. Adhesive Products APPROVED Approved for use by Maintenance and Operations. APPROVED Approved Imited/Restricted Use Only Approved In use by Maintenance and Operations. Follow manufacture Follow manufacture Approved Imited/Restricted Use Only Approved In use by Maintenance and Operations only. Follow manufacture Follow manufacture Approved Imited/Restricted Use Only Approved In use by Maintenance and Operations only. Follow manufacture Approved In use by Maintenance and Operations only. Follow manufacture Approved Imited/Restricted Use Only Approved In use by Maintenance Approved In use by Maintenance Operations only. Follow manufacture Approved In use by Maintenance Operations only. Follow manufacture Approved In use Dy Maintenance Operations only. Approved In use Dy Maintenance Operations only. Approved In use	ommendations for storage and use. ar's recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. ar's recommendation for storage and use. ar's recommendations for storage and use. Brunner and use. Bru
6438 ALTROFIX 30, Port B Altro Floors, Inc. Floor Care Products APPROVED Approved for contractor use only during non-school school hours. Boyless, goggles an Hand and eye profit 6439 Combimist IP Industrial Top 940 Combimis Inc. Maintenance and Operations Products APPROVED Approved for use by Maintenance and Operations. Approved - Limited/Restricted Use Only Approved - Limited/Restricted Use Only Approved or use by Maintenance and Operations. Follow manufacture 6442 6490 Hot Met Achesive Hot Met Technologies, Inc. Adhesive Products APPROVED Approved for use by Maintenance and Operations. Follow manufacture 6442 5490 Hot Met Achesive APPROVED Approved for use by Maintenance and Operations. Follow manufacture 6442 5490 Hot Met Achesive APPROVED Approved for use by Maintenance and Operations. Follow manufacture 6443 Total Surface Care Clift industries, INC Cleaning Products APPROVED Approved for use by Maintenance and Operations stuff only. Follow manufacture 6445 BioRem-2000 Surface Cleaner Clift industries, INC Cleaning Products APPROVED Approved for use by Maintenance and Operations stuff only. Follow manufacture Follow manufacture Follow manufacture Follow manufacture Follow manufacture Follow manufacture Follow for use by Maintenance and Operations only. Follow manufacture Approved for use by Maintenance and Operations only. Follow manufacture Follow manufacture Follow for use by Maintenance and Operations only. Follow manufacture Follow for use by Maintenance and Operations only. Follow manufacture Follow for use by Maintenance and Operations only. Follow manufacture Follow for use by Maintenance and Operations only. Follow manufacture Follow for use of the follow is a population of the use of the follow is a population of the use of the follow is a population of the use of the follow is a population of the use of the follow is a population of the use of the follow is a population of the use of the follow is a population of the use of the follow is a	ommendations for storage and use. It is recommendations for storage, use and installation ar's recommendations for product storage and use. ar's recommendations for storage and use. Bris recommendations for storage and use. The recommendations for storage and use. The recommendations for storage and use. The proper acquipment is used including a NIOSH air-purifying res

				This product is approved for contractor and Maintenance & Operations	
6451 D64010/ D-250 Moisture Vapor Barrier (Part A & B)	Bostik	Carpentry/ Construction Product	APPROVED	use only.	Follow the manufacturer's recommendation for storage and use.
6455 IND 600	Eco-Bond Adhesives LLC	Adhesive Products	APPROVED	Approved - Contractors/All Sites	Follow manufacturer's recommendations for storage and use.
0433 112 000	200 Bona Admostes 220	Adilesive Floddets	AFFROVED	Approved Contractory All Ottos	Tollow managed and accommendations for storage and acc.
				Approved for use outdoors by contractors and trained Maintenance &	
6458 Sarnatherm- 20 psi	SIKA CORPORATION	Roofing Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
8438 Surriculetti 20 psi	SIKA CORFORATION	Rooting Products	APPROVED	Operations stail only. This iterms considered to be all writine, ker 6436.	Tollow the managed and ase.
				Approved for use by contractors and Maintenance & Operations staff	Follow manufacturer's recommendations for storage and use. Personal
6459 Procedo Flooring PRO620	Mapei	Adhesive Products	APPROVED	only.	
ů .	The second secon			• 1	protective equipment must be used including safety glasses and nitrile gloves
6463 CRL 533 SERIES PUTTY	C.R. Laurence CO. inc	Maintenance and Operations Products	APPROVED	Approved for contractor and Maintenance and Operations use only.	Follow manufacturer's guidelines for storage and use.
				Approved for use by contractors and Maintenance & Operations staff	
6464 LG Hi-Macs Sheets - Acrylic Solid Surface	LG Hausys	Carpentry/ Construction Product	APPROVED	only.	Follow manufacturer's recommendations for storage and use.
				Approved for outdoor use by contractors only at unoccupied sites.	This product is extremely flammable. Ensure manufacturer's recommendation
6465 CF 116-14 Grip Filler Foam	Hilti, Inc.	Carpentry/ Construction Product	APPROVED	LAUSD staff may not use this product.	for storage and use are followed.
					Follow manufacturer's recommendations for storage and use. Ensure
					appropriate personal protective equipment is utilized including gloves, splash
6466 Suprox-D	Hillyard Industries	Cleaning Products	APPROVED	Approved for use by Maintenance & Operations staff only.	goggles and proper ventilation.
6467 Fiberset PM (White Sealant - Code # 7470)	Fiberlock Technologies, Inc.	Maintenance and Operations Products	APPROVED	Approved for use by Maintenance & Operations only.	Follow manufacturer's recommendations for storage and use.
					Follow manufacturer's recommendations for storage and use. Ensure proper
				Approved for use by contractors and Maintenance & Operations staff	personal protective equipment is used including protective gloves, safety
6468 Combimix Final Finish 830 (FF 830)	Combimix Inc.	Carpentry/ Construction Product	APPROVED	only.	goggles and respiratory protection. Provide adequate ventilation during use.
					Follow manufacturer's recommendations for storage and use. Ensure proper
				Approved for use by contractors and Maintenance & Operations staff	personal protective equipment is used including protective gloves, safety
6469 Combimix LP QuickSet 740	Combimix Inc.	Carpentry/ Construction Product	APPROVED	only.	goggles and respiratory protection. Provide adequate ventilation during use.
					Follow manufacturer's recommendations for storage and use. Ensure proper
					personal protective equipment is used including protective gloves, safety
6470 Combimix LP Fiber 760	Combimix Inc.	Carpentry/ Construction Product	APPROVED	Approved for contractor and Maintenance & Operations use only.	goggles and respiratory protection. Provide adequate ventilation during use.
					Follow manufacturer's recommendations for storage and use. Ensure proper
				Approved for use by contractors and Maintenance & Operations staff	personal protective equipment is used including protective gloves, safety
6471 Combimix LP Leveler 720	Combimix Inc.	Carpentry/ Construction Product	APPROVED	only.	goggles and respiratory protection. Provide adequate ventilation during use.
GH/T GOTTENTIALE EGYCLOT / 20	CONTRACTOR.	Carpenay/ Construction Froduct	AFFROVED	July.	Follow manufacturer's recommendations for storage and use. Ensure proper
					personal protective equipment is used including protective gloves and safety
6472 Combimix PP 600 Primer	Combinix Inc.	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations only.	goggles. Provide adequate ventilation during use.
	COMBINIA IIIC.	Curpentry/ Construction Froduct	AFFROVED	Approved for use by contractors and maintenance a operations only.	goggles. Provide adequate vertiliation during use.
	V CALIBUR CONSTRUCTION SWITTING INC	!			Tall and the state of the state
6473 X-Shield Vinyl Diamond- Part B	X-CALIBUR CONSTRUCTION SYSTEMS, INC	Carpentry/ Construction Product	APPROVED	Approved for contractor use only at unoccupied sites.	Follow manufacturer's recommendations for storage and use.
	·			Approved for use by contractors and Maintenance & Operations staff	
6473 X-Shield Vinyl Diamond- Part B 6474 X-Shield Vinyl Diamond- Part A	X-CALIBUR CONSTRUCTION SYSTEMS, INC	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED		Follow manufacturer's recommendations for storage and use.
	·			Approved for use by contractors and Maintenance & Operations staff	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper
6474 X-Shield Vinyl Diamond-Part A	X-CALIBUR CONSTRUCTION SYSTEMS, INC	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and
	·			Approved for use by contractors and Maintenance & Operations staff	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses.
6474 X-Shield Vinyl Diamond- Part A	X-CALIBUR CONSTRUCTION SYSTEMS, INC	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper
6474 X-Shield Vinyl Diamond - Part A 6475 Fresh Flush (AFF-443)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen	Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and
6474 X-Shield Vinyl Diamond- Part A	X-CALIBUR CONSTRUCTION SYSTEMS, INC	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper
6474 X-Shield Vinyl Diamond - Part A 6475 Fresh Flush (AFF-443)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen	Carpentry/ Construction Product HVAC Products	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen	Carpentry/ Construction Product HVAC Products	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide
6474 X-Shield Vinyl Diamond - Part A 6475 Fresh Flush (AFF-443)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen	Carpentry/ Construction Product HVAC Products	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen	Carpentry/ Construction Product HVAC Products HVAC Products	APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen	Carpentry/ Construction Product HVAC Products HVAC Products	APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combirnix LP Industrial 920	X-CALBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced or properties and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combirnix LP Industrial 920	X-CALBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced eventilation when used indoors. Follow manufacturer's recommendations for storage and use. Provide forced eventilation when used indoors.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combirnix LP Industrial 920	X-CALBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced eventilation when used indoors. Follow manufacturer's recommendations for storage and use. Provide forced eventilation when used indoors.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix IP Industrial 920 6478 Meta Creme	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced a ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper sepresonal protective equipment is utilized including nitrile gloves and chemical goggles.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix IP Industrial 920 6478 Meta Creme	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced eventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover- Gel	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced exentilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemical googgles. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemical googgles.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix IP Industrial 920 6478 Meta Creme	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide oventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper sepersonal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper sepersonal protective equipment is utilized including nitrile gloves and chemical speaks of the protective equipment is utilized including nitrile gloves and chemical splash goggles.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover- Gel	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced a ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper se personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper se personal protective equipment is utilized including nitrile gloves and chemical splost gloggles. Follow manufacturer's recommendations for storage and use. Ensure proper se personal protective equipment is utilized including nitrile gloves and chemical splost gloggles. Follow manufacturer's recommendations for storage and use. Ensure proper septical goggles.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc. Dry Treat, inc. ECO Chemical. inc ECO Chemical. inc LA-CO Industries inc./Markal Co.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a despiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical spages. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical spages. Follow manufacturer's recommendations for storage and use. Ensure proper sollow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. inc LA-CO Industries inc./Markal Co. NEXGEN	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by Maintenance & Operations staff only. Approved for use by Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a prespiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper is personal protective equipment is utilized including nitrile gloves and chemical googgles. Follow manufacturer's recommendations for storage and use. Ensure proper is personal protective equipment is utilized including nitrile gloves and chemical splost googgles. Follow manufacturer's recommendations for storage and use. Ensure proper follow manufacturer's recommendations for storage and use. Ensure proper spersonal protective equipment is utilized including nitrile gloves and chemical splost googgles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combimix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc. Dry Treat, inc. ECO Chemical. inc ECO Chemical. inc LA-CO Industries inc./Markal Co.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by Maintenance & Operations staff only. Approved for use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemica goggles. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemica spisash goggles. Follow manufacturer's recommendations for storage and use. Ensure proper seprend protective equipment is utilized including nitrile gloves and chemica spisash goggles. Follow manufacturer's recommendations for storage and use. Ensure proper seprend protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combimix IP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air 6500 Duz It	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirmix Inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. Inc LA-CO Industries Inc./Markal Co. NEXGEN NEXGEN	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Point Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splast goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. inc LA-CO Industries inc./Markal Co. NEXGEN	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemica goggles. Follow manufacturer's recommendations for storage and use. Ensure proper s personal protective equipment is utilized including nitrile gloves and chemica spisash goggles. Follow manufacturer's recommendations for storage and use. Ensure proper seprend protective equipment is utilized including nitrile gloves and chemica spisash goggles. Follow manufacturer's recommendations for storage and use. Ensure proper seprend protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene Insulation	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. Inc LA-CO Industries Inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractor only, in unoccupied areas.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical spices goggles. Follow manufacturer's recommendations for storage and use. Ensure proper is personal protective equipment is utilized including nitrile gloves and chemical spices goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including sofety glasses. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combimix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bemboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene insulation 6511 Spray-Lock 9500 Spray Adhesive	X-CALBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. Inc LA-CO Industries Inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC Interlock industries, Inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Point Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splast goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combirnix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene Insulation	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. Inc LA-CO Industries Inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractors only during non-school hours.	Follow manufacturer's recommendations for storage and use. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a crespiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper se personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper se personal protective equipment is utilized including nitrile gloves and chemical splast goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combimix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bomboo Air 6500 Duz It 6503 Foarmular Extruded Polystyrene insulation 6511 Spray-Lock 9500 Spray Adhesive 6515 Fast Break (Clear White & Various colors)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirmix inc. Dry Treat, inc. ECO Chemical. inc LA-CO Industries inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC Interlock industries, inc. ECO Chemical inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations at aff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractors only during non-school hours.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced of ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splash goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coil (AGCO-486) 6477 Combinix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bamboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene insulation 6511 Spray-Lock 9500 Spray Adhesive	X-CALBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirnix Inc. Dry Treat, Inc. ECO Chemical. Inc ECO Chemical. Inc LA-CO Industries Inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC Interlock industries, Inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product	APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractors only during non-school hours.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced a ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splash goggles. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combimix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bomboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene Insulation 6511 Spray-Lock 9500 Spray Adhesive 6515 Fast Break (Clear White & Various colors)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirmix inc. Dry Treat, inc. ECO Chemical. inc LA-CO Industries inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC Interlock industries, inc. ECO Chemical inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product Adhesive Products	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations at aff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractors only during non-school hours.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced of ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splash goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6474 X-Shield Vinyl Diamond- Part A 6475 Fresh Flush (AFF-443) 6476 Green Coll (AGCO-486) 6477 Combimix LP Industrial 920 6478 Meta Creme 6481 Templine Remover - Gel 6482 Templine Remover - LV 6483 Visu-Glow 6499 Bomboo Air 6500 Duz It 6503 Foamular Extruded Polystyrene Insulation 6511 Spray-Lock 9500 Spray Adhesive 6515 Fast Break (Clear White & Various colors)	X-CALIBUR CONSTRUCTION SYSTEMS, INC NexGen NexGen Combirmix inc. Dry Treat, inc. ECO Chemical. inc LA-CO Industries inc./Markal Co. NEXGEN NEXGEN Owens Corning Foam Insulation, LLC Interlock industries, inc. ECO Chemical inc.	Carpentry/ Construction Product HVAC Products HVAC Products Carpentry/ Construction Product Swimming Pool Products Paint Products Paint Products Maintenance and Operations Products Maintenance and Operations Pro Maintenance and Operations Pro Carpentry/ Construction Product Adhesive Products	APPROVED APPROVED	Approved for use by contractors and Maintenance & Operations staff only. Approved for use by Maintenance & Operations only. Approved for use by Maintenance & Operations only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operation staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractor only, in unoccupied areas. Approved for use by Maintenance & Operations and contractors only during non-school hours.	Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Ensure proper personal protective equipment including chemically resistance gloves and safety glasses. Follow manufacturer's recommendations for storage and use. Provide appropriate personal protective equipment including eye protection, gloves a respiratory protection. Follow manufacturer's recommendations for storage and use. Provide forced of ventilation when used indoors. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical goggles. Follow manufacturer's recommendations for storage and use. Ensure proper so personal protective equipment is utilized including nitrile gloves and chemical splash goggles. Follow manufacturer's recommendations for storage and use. Ensure appropriate personal protection equipment is used including safety glasses. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

6519 CP572 Smoke and Acoustic Spray	Hilti	Carpentry/ Construction Product	APPROVED	Approved for use by Maintenance & Operations and contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during no	
				school hours. M&O can use this product according to technical specs	Ensure appropriate personal protection equipment is used with this product
6520 CAV-GRIP PVC ADHESIVE	Carlisle Coatings & Waterproofing Incorporated	Roofing Products	APPROVED	and training.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by Maintenance & Operations staff only during non-	
6521 # 302 PARK TOP SEALCOAT & # 327 (Tight Surface Sealcoat)	Western Colloid S.C., Inc.	Carpentry/ Construction Product	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and use.
6522 Neutral Concentrate	ThorWorks Industries, Inc.	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6523 Bona Supersport DTS	BonaKemi USA, Inc. (dba Bona US)	Floor Care Products	APPROVED	Approved - Limited/Restricted Use Only	
				Approved for use by Maintenance & Operations and contractors only of	at Ensure appropriate personal protection equipment is used with this product
6524 WIP 300HT	Carlisle Coatings & Waterproofing Incorporated	Roofing Products	APPROVED	unoccupied sites or during non-school hours.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors only at unoccupied sites or during no	n-
6528 STYROFOAM(TM) UTILITYFIT(TM) XPS 15 PSI Scored Insulation	The Dow Chemical Company	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
6530 Waterborne Latex Coatings	DUNN-EDWARDS CORPORATION	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	Ensure appropriate personal protection equipment is used with this product
6531 TREMproof 6100	Tremco Incorporated	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff only	Ensure appropriate personal protection equipment is used with this product
6533 PolyMax PM-400 (Parts A&B)	PolyMax Flooring/Milamar Coatings	Floor Care Products	APPROVED	during non-school hours.	including chemical resistant gloves, goggles and respiratory protection.
6536 ENRICH 'N' SEAL	AQUA MIX	Floor Care Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and Maintenance & Operations staff	Ensure appropriate personal protection equipment is used with this product
6538 Titebond Fast Grab FRP Adhesive	Franklin International	Adhesive Products	APPROVED	only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors and trained Maintenance &	
6539 Nora 485 Adhesive	Nora Systems, Inc.	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by Maintenance & Operations staff only during non-	
6547 Procedo PRO610 Adhesive	Procedo	Adhesive Products	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	
6551 Sure Klean Weather Seal Siloxane WB Concentrate	Prosoco, Inc.	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	Ensure appropriate personal protection equipment is used with this product
6553 CCW-500	Carlisle Coatings & Waterproofing Incorporated	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff &	Follow the manufacturer's recommendations for product storage and use. This
6555 TRUNANO GRAFFITI ARMOR	EVOLUTION SURFACE SOLUTIONS	Carpentry/ Construction Product	APPROVED	contractors only.	product is flammable and is not to be stored in areas above 100 F.
				Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6557 Bona Sportive IK Finish	BonaKemi USA, Inc. (dba Bona US)	Floor Care Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
6560 Graffiti Wipes	Total Solutions	Graffiti Products	APPROVED	Approved for use by trained staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	Ensure appropriate personal protection equipment is used with this product
6565 Bos Green Fusion ADH 4GL	Bostik, Inc	Exterior Landscape/ Playground Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for outdoor use by contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this product
6566 Xeripave Pervious Paver	Xeripave LLC	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
					Ensure appropriate personal protection equipment is used with this product
6568 SikaTop 122 Plus Part B	Sika	Carpentry/ Construction Product	APPROVED	Approved for outdoor use by contractors only.	including chemical resistant gloves, goggles and respiratory protection.
					Ensure appropriate personal protection equipment is used with this product
6580 Sikaset Plug	Sika Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
					Ensure appropriate personal protection equipment is used with this product
6581 Sikaset Mortar	Sika Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff &	Ensure appropriate personal protection equipment is used with this product
6608 Key Primer/Low Modulus Binder #502 Part A	Key Resin Company	Paint Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff &	Ensure appropriate personal protection equipment is used with this product
6609 Key Primer/Low Modulus Binder #502 Part B	Key Resin Company	Paint Products	APPROVED	contractor only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6611 Key 100% Solids Epoxy Coating 520 Part A	Key Resin Company	Paint Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff &	Ensure appropriate personal protection equipment is used with this product
6613 Key 100% Solids Epoxy Coating 520 Part B	Key Resin Company	Paint Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for outdoor use by Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6615 SEC2401 05G Silicone Coating (SilShield Optic)	GE Waterford Plant	Paint Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff and	
6620 VPI 600	VPI Corporation	Adhesive Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6621 Shaw 6300 Adhesive	Mapei	Adhesive Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6623 SyntheticPrimer	Synthetics International	Carpentry/ Construction Product	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
					Follow the manufacturer's recommendations for product storage and use. This
6624 Isopropyl Alcohol, 70%	The Kroger Co.	Miscellaneous	APPROVED	Approved for use by trained Maintenance & Operations staff only.	product is highly flammable. Keep away from ignition sources.
6626 Lysol Dual Action Disinfecting Wipes	Reckitt Benckiser, Inc.	Cleaning Products	APPROVED	Approved for use by staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
6629 Star	Hillyard Industries	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6631 NEXZYME 106 (PNZ-421)	NEXGEN	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.

					Ensure appropriate personal protection equipment is used with this product
6632 Aramakleen MPC Cleaning Solution	The Aramakleen Co.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6633 5000-Sc Cleaning Solution	Orbio Technologies	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		-		Approved for use by contractors only at unoccupied sites or during nor	n- Ensure appropriate personal protection equipment is used with this product
6634 Tera-Gem III Wall & Floor (WF) Epoxy Resin	Tera-Lite, Inc.	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors only at unoccupied sites or during nor	n- Ensure appropriate personal protection equipment is used with this product
6635 Tera-Gem III Wall & Floor (WF) Curing Agent	Tera-Lite, Inc.	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
					Follow the manufacturer's recommendations for product storage and use. This
					product is highly flammable. Store away from ignition sources. Store in
6650 70% Isopropyl Rubbing Alcohol	Medline	Nursing Services Products	APPROVED	Approved for staff use.	flammable chemical cabinets, with proper labeling, when in warehouse.
, •		.		Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product
6651 1510 Enviro-Coat / Eggshell 222 Medium Base Enamel	Kelly-Moore Paints	Paint Products	APPROVED	contractors only.	including chemical resistant gloves, goggles and respiratory protection.
	•			Approved for use by trained Maintenance & Operations staff and	0 10 00 1 11
6654 1520 Enviro-Coat Zero-VOC Semi-Gloss 121 Base (1520-121)	Kelly-Moore Paints	Paint Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
, , ,	. ,			Approved for student and staff use. Students must be supervised while	
6665 BestTemp Liquid Tempera Paints, Various Colors	Certified Color Corp.	School Products	APPROVED	using this product.	
				Approved for use by trained Maintenance & Operations staff and	
6667 Aquaseal ME12	Monopole Inc	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
0007		Carpentry/ Construction Froduct	AFFROVED	Approved for use by contractors only at unoccupied sites or during nor	
6671 HELMICOL 3407A	HELMITIN Inc.	Eutories Landesane / Diameround Dreducts	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
GG/1 TIEDRICOL SHOTA	reconnecting.	Exterior Landscape/ Playground Products	AFFROVED		
6672 HELMICOL 3407B	HELMITIN Inc.	Futurior Landscape / 21	APPROVED	Approved for use by contractors only at unoccupied sites or during nor	n- Follow the manufacturer's recommendations for product storage and use.
007Z RELMICUL 34U/B	DELIVITIN IIIG.	Exterior Landscape/ Playground Products	APPROVED	school hours. LAUSD staff may not use this product.	
					Ensure appropriate personal protection equipment is used with this product
				Approved for outdoor use by trained Maintenance & Operations and	including chemical resistant gloves, goggles and respiratory protection. Follow
6673 Contego HS Intumescent Fire Barrier Latex	Contego International, Inc.	Fire Retardants	APPROVED	contractor staff only.	manufacturer's instruction for storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	
6675 Thermo-Lag 3000-A Part B Color 0900	CARBOLINE COMPANY	Fire Retardants	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Ensure chemically resistant gloves and adequate ventilation are used with this
6676 Icon Gym Finish - #274 (Parts A & B)	Hillyard Industries	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	product.
					Follow manufacturer's recommendations for storage and use. Ensure proper
					personal protective equipment is used including protective gloves and safety
6677 Protec Metal Prime 9600	Vista Paint Corporation	Paint Products	APPROVED	Approved for use by contractors and Maintenance & Operations only.	goggles. Provide adequate ventilation during use.
					Follow manufacturer's recommendations for storage and use. Ensure proper
					personal protective equipment is used including protective gloves and safety
6678 Metal Protec RO Primer (9610)	Vista Paint Corporation	Paint Products	APPROVED	Approved for use by contractors and Maintenance & Operations only.	goggles. Provide adequate ventilation during use.
	· · · · · · · · · · · · · · · · · · ·			Approved for indoor use by LAUSD Pest Control Technicians only.	
6679 Alpine Cockroach Gel Bait	BASF	Pesticide/Herbicide Products	APPROVED	Applications are limited to indoor use in cracks, crevice and voids.	Follow the manufacturer's recommendations for product storage and use.
3070 · · · · · · · · · · · · · · · · · ·		r ostalas/riorbiolas r rodusts	ATTROVES	Approved for use by trained Maintenance & Operations staff and	
668] Monochem 21	Monopole Inc. U.S. Specialty Coatings	Paint Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
GOGT MOTOCHETTE	monopole me. e.e. specially dealings	runtriodets	AFFROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for autology use by contractors only at unaccomical sites or	
anna Barraraklald 000 Barra B	Managed Inc. U.S. Secretative Continue			Approved for outdoor use by contractors only at unoccupied sites or	Ensure adequate ventilation and personal protective equipment are used with
6682 Permashield 200 Part B	Monopole Inc. U.S. Specialty Coatings	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	this product.
6683 Medic Neutral Disinfectant Cleaner 128	Blendable Solutions, Inc.	Cleaning Products	APPROVED	Approved for use by trained staff only.	Follow the manufacturer's recommendations for product storage and use.
6685 DWI Refreshing Wipe (Stock)	Diamond Wipes International Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. This
6686 Coval Anti Graffiti Coat	Coval Molecular Coatings	Graffiti Products	APPROVED	Approved for use by contractors only during non-school hours.	product is highly flammable. Do not store or use near ignition sources.
6691 Purell Advanced Green Certified Instant Hand Sanitizer Foam	GOJO INDUSTRIES, INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
6692 Purell Education Hand Sanitizing SF607 Foam	GOJO Industries	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. This
6693 Coval Concrete Coat	Coval Molecular Coatings	Graffiti Products	APPROVED	Approved for use by contractors only during non-school hours.	product is highly flammable. Do not store or use near ignition sources.
				Approved for use by trained Maintenance & Operations and Food	
6698 Wonder Stainless Steel Cleaner & Polish	Misson Laboratories	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
		-		Approved for use by trained Maintenance & Operations and Food	
6699 Furniture Cleaner & Polish	So. California Soap Co.	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
	•			•	Ensure appropriate personal protection equipment is used with this product
6700 PROTEC SATIN ALKYD EMULSION (9700)	Vista Paint Corporation	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
	The state of the s				Ensure appropriate personal protection equipment is used with this product
6701 PROTEC SEMI-GLOSS ALKYD EMULSION 9800	Vista Paint Corporation	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
5751 · · · · · · · · · · · · · · · · · · ·		. Gt Floducto	AFFROVED		Ensure appropriate personal protection equipment is used with this product
CTOD DROTEC III CLOCC ALKYD EMILICION (0000)	Vista Daint Corneration	Pollot Positivata	* DDD 01/FD	Approved for use by trained Maintenance & Operations staff and	
6702 PROTEC HI GLOSS ALKYD EMULSION (9900)	Vista Paint Corporation	Paint Products	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection.
CTIO Deveragional 200 Part A	Mananala Ina	0	* DDD 0) / F =		Follow the manufacturer's recommendation for the state of
6710 Permashield 200 Part A	Monopole, Inc.	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Food Services and Maintenance &	
6712 Zep Micronex Hard Water Formulation					
	Zep, Inc.	Food Services Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6714 TechniSoil G3 Pathway Stabilizer	Zep, Inc. Technisoil	Food Services Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

6716 Pink Lotion Hand Soap - No Scent	GENLABS	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and u
6717 Dispatch by Clorox Bleach Germicidal Cleaner	Dispatch by Clorox	Cleaning Products	APPROVED	Approved for use by trained staff only.	Follow the manufacturer's recommendations for product storage and u
6718 Dispatch Hospital Cleaner Disinfectant Towels with Bleach	Clorox Professional Products Company	Cleaning Products	APPROVED	Approved for use by trained staff only.	Follow the manufacturer's recommendations for product storage and u
				Approved for outdoor use by trained contractors and Maintenance &	
6720 Neutra Clean (NC-1)	BrickForm	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
				Approved for outdoor use by contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this pro-
6723 Blush-Tone Acid Stain (CS-800 Amber)	BrickForm	Paint Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for outdoor use by contractors and Maintenance &	3
6727 StreetBond Colorant (SBTI-XX-08)	Quest Construction Products	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
6/2/ Streetbord Colordii (SBIT XX 00)	Quest Construction Froducts	Carpentry/ Construction Product	APPROVED		
				Approved for outdoor use by contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this protection
6728 StreetBond Durashield (SB-US-xx-xx)	Quest Construction Products	Carpentry/ Construction Product	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors and trained Maintenance &	
6729 StreetBond SB120 Pavement Coating Part B	Siplast/GAF	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by trained Maintenance & Operations staff and	
6731 StreetBond SB120 Pavement Coating Part A	Siplast/GAF	Paint Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by contractors and trained Maintenance &	
6732 StreetBond SBI50 Pavement Coating Part B	Siplast	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
•	<u> </u>			Approved for use by contractors and trained Maintenance &	
6733 StreetBond SBI50 Pavement Coating Part A	Siplast	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
0700 GREENBOING GENOVI AVOITER COGGING FAITA	opiair	runtriodatis	AFFROVED		
Anthony Bulance	BrickForm				n- This product contains potentially cancer causing ingredients listed on
6734 Antique Release	BrickForm	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	California's Proposition 65.
				Approved for outdoor use by contractors and Maintenance &	
6737 MasterSeal MTR-Rubberized Asphalt Emulsion Sealcoat	Sealmaster-Los Angeles	Maintenance and Operations Pro	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
					This product contains potentially cancer causing ingredients listed on
6738 Gem-Seal 100 VOC (GS-100)	BrickForm	Paint Products	APPROVED		California's Proposition 65.
				Approved for use by contractors only at unoccupied sites or during nor	n- Ensure appropriate personal protection equipment is used with this pro
6739 Poly-Astic Sealer (PA)	BRICK FORM	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection
				Approved for outdoor use by contractors and Maintenance &	0 0000 1 11
6740 CA Line Paint Colors (6012, 6014, 6060, 6080, 6040, 6000)	California Products Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
6740 CA LINE FUIL COIOIS (0012, 0014, 0000, 0000, 0040, 0000)	California Froducts Corporation	ruini rioducis	AFFROVED	Approved for use by LAUSD Pest Control Technicians only. To be applied	Tollow the managed and a recommendations for product storage and a
6745 Mother Earth Exempt	BASF	Pesticide/Herbicide Products	APPROVED	in cracks and crevices only for stinging and bites insects.	Follow the manufacturer's recommendations for product storage and
6746 MotherEarth D	BASF	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and
				Approved for use by contractors only at unoccupied sites or during nor	r- Follow the manufacturer's recommendations for product storage and
6747 Blush-Tone Acid Stain (CS-500 Mahogany)	BrickForm	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	product is corrosive.
					Ensure appropriate personal protection equipment is used with this pro
					including chemical resistant gloves, goggles and respiratory protection
6751 Chemquest 216	Chemco Products Company	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations HVAC staff only	product is highly corrosive.
					This product is highly corrosive. Ensure appropriate personal protection
CTES Chamquest 215	Chamae Bradusta Campany	IN A December 1	400000150	Approved for use by trained Maintenance C. Operations IR/AC staff only	equipment is used with this product including chemical resistant glove
'	Chemco Products Company	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant gloves. and respiratory protection.
5753 Anti Foam 0005	Chemco Products Company	HVAC Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and
6753 Anti Foam 0005	, ,				equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and
6753 Anti Foam 0005	Chemco Products Company	HVAC Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and
6753 Anti Foam 0005	Chemco Products Company	HVAC Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this pre-
5753 Anti Foam 0005 5754 Chemguard CS14	Chemco Products Company	HVAC Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection.
6753 Anti Foom 0005 6754 Chemguard CS 14	Chemco Products Company Chemco Products Company	HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glove. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive.
6753 Anti Foam 0005 6754 Chemguard CS14	Chemco Products Company Chemco Products Company	HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive.
5753 Anti Foam 0005 5754 Chemguard CS 14 5755 Chemquest 8479	Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glow and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection including chemical resistant glows, goggles and respiratory protection product is extremely corrosive.
5753 Anti Foam 0005 5754 Chemguard CS 14 5755 Chemquest 8479	Chemco Products Company Chemco Products Company	HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	equipment is used with this product including chemical resistant glove . and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protectio . product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479	Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove. and respiratory protection. Follow the manufacturer's recommendations for product storage and follow the manufacturer's recommendations for product storage and ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protectio. product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection. product is extremely corrosive. Ensure appropriate personal protection equipment is used with this principle.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434	Chemco Products Company Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection including chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection including chemical resistant glows, goggles and respiratory protections.
6753 Anti Foam 0005 6754 Chemguard CS14 6755 Chemquest 8479 6756 Chemquest 9434	Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products	APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection including chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection including chemical resistant glows, goggles and respiratory protections.
6753 Anti Foam 0005 6754 Chemguard CS14 6755 Chemquest 8479 6756 Chemquest 9434	Chemco Products Company Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive.
6753 Anti Foam 0005 6754 Chemguard CS14 6755 Chemquest 8479 6756 Chemquest 9434	Chemco Products Company Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio. product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive.
5753 Anti Foam 0005 1754 Chemguard CS14 18755 Chemquest 8479 18756 Chemquest 9434	Chemco Products Company Chemco Products Company Chemco Products Company Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protectio. product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive.
1753 Anti Foam 0005 1754 Chemguard CS 14 1755 Chemquest 8479 1756 Chemquest 9434	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glow. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant glows, goggles and respiratory protection product is highly corrosive and to be used in closed systems only.
5753 Anti Foam 0005 1754 Chemguard CS14 18755 Chemquest 8479 18756 Chemquest 9434	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection found in the principle of the product is extremely corrosive. Ensure appropriate personal protection equipment is used with this principle chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this principle.
5753 Anti Form 0005 5754 Chemguard CS 14 5755 Chemquest 8479 5756 Chemquest 9434 5757 Chemquest 7012 5758 Chemquest 3506	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove . and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Finsure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this pre including chemical resistant gloves, goggles and respiratory protection reduced in closed systems only.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant glove. and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only.
6753 Anti Foam 0005 6754 Chemguard CS14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove . and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection. Product is extremely corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is corrosive. Ensure appropriate personal protection equipment is used with this princluding chemical resistant gloves, goggles and respiratory protection product is corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 5506	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and Follow the manufacturer's recommendations for product storage and Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is corrosive. Ensure appropriate personal protection equipment is used with this product is corrosive. Ensure appropriate personal protection equipment is used with this product is corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 5506	Chemco Products Company	HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is corrosive. Ensure appropriate personal protection equipment is used with this procupation is corrosive. Ensure appropriate personal protection equipment is used with this procupation is corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 5506	Chemco Products Company	HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and including chemical personal protection equipment is used with this product is extremely corrosive. Follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Finsure appropriate personal protection equipment is used with this profunct is extremely corrosive. Finsure appropriate personal protection equipment is used with this profunction chemical resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Finsure appropriate personal protection equipment is used with this profunction in the product is highly corrosive and to be used in closed systems only. Finsure appropriate personal protection equipment is used with this profunction in the product is highly corrosive and to be used in closed systems only. Finsure appropriate personal protection equipment is used with this profunction in the proper product is organized personal protection equipment is used with this profunction is product is corrosive. Finsure appropriate personal protection equipment is used with this profunction is product is corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 5506	Chemco Products Company	HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and if Follow the manufacturer's recommendations for product storage and if Follow the manufacturer's recommendations for product storage and if Follow the manufacturer's recommendations for product storage and if Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is product in highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this profunction is product is corrosive. Ensure appropriate personal protection equipment is used with this profunction is product is corrosive. Ensure appropriate personal protection equipment is used with this profunction is product appropriate personal protection equipment is used with this profunction depression in the product is corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 3506 6761 Dry Descaler 6763 Chemco Descaler 100	Chemco Products Company Chemco Products Company	HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this profunction reproduct is estimated in esistant gloves, goggles and respiratory protection product is estimated in esistant gloves, goggles and respiratory protection product is estimated in esistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive.
6753 Anti Foam 0005 6754 Chemguard CS 14 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 3506 6761 Dry Descaler 6763 Chemco Descaler 100	Chemco Products Company	HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glove and respiratory protection. Follow the manufacturer's recommendations for product storage and follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is extremely corrosive. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this profunction reproduct is estimated in esistant gloves, goggles and respiratory protection product is estimated in esistant gloves, goggles and respiratory protection product is estimated in esistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive.
6754 Chemquest 8479 6755 Chemquest 8479 6756 Chemquest 9434 6757 Chemquest 7012 6758 Chemquest 3506 6761 Dry Descaler 6763 Chemco Descaler 100	Chemco Products Company Chemco Products Company	HVAC Products HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant gloves and respiratory protection. Follow the manufacturer's recommendations for product storage and user follow the manufacturer's recommendations for product storage and user follow the manufacturer's recommendations for product storage and user appropriate personal protection equipment is used with this provincluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this provincluding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this provinciuding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this provinciuding chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this provinciuding chemical resistant gloves, goggles and respiratory protection product is corrosive. Ensure appropriate personal protection equipment is used with this provinciuding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this provinciuding chemical resistant gloves, goggles and respiratory protection product is extremely corrosive.
5753 Anti Foam 0005 5754 Chemguard CS14 5755 Chemquest 8479 5756 Chemquest 9434 5757 Chemquest 7012 5758 Chemquest 3506 6751 Dry Descaler 5763 Chemco Descaler 100	Chemco Products Company Chemco Products Company	HVAC Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only. Approved for use by trained Maintenance & Operations HVAC staff only.	equipment is used with this product including chemical resistant glover, and respiratory protection. Follow the manufacturer's recommendations for product storage and uterative the storage and product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction to the storage and protection equipment is used with this profunction including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction including chemical resistant gloves, goggles and respiratory protection product is highly corrosive and to be used in closed systems only. Ensure appropriate personal protection equipment is used with this profunction resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection product is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive. Ensure appropriate personal protection equipment is used with this profunction is extremely corrosive.

					Ensure appropriate personal protection equipment is used with this produc
					including chemical resistant gloves, goggles and respiratory protection. This
6769 ENEREX 9834	Chemco Products Company	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations HVAC staff only.	
				Approved for use by trained Food Services and Maintenance &	
6770 Greaselift RTU	ECOLAB INC.	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
6771 Stainless Steel Cleaner (Natural Citrus)	ITW Professional Brands	Food Services Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
6772 GRE-SA-WAY #25	CHAMPION CHEMICAL CO.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		, .		, , , , , , , , , , , , , , , , , , , ,	Ensure appropriate personal protection equipment is used with this produc
				Approved for outdoor use by trained Maintenance & Operations HVAC	including chemical resistant gloves, goggles and respiratory protection. Thi
6773 Chemguard 5675	Chemco Products Company	HVAC Products	APPROVED	staff only.	product is extremely corrosive.
57.5		TVAO TTOGGOOD	ATTROVES	· · · · · · · · · · · · · · · · · · ·	Ensure appropriate personal protection equipment is used with this produc
6774 ChemGuard pH Adjunct (Product code: 9961)	Chemco Products Company/ Univar	HVAC Products	APPROVED	staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for outdoor use by contractors and Maintenance &	3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -
6776 Acrylic Resurfacer No. 4200 FF	California Products Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
,	•			Approved for outdoor use by contractors and Maintenance &	, ,
6777 Acrylotex No. 6595 FF	California Products Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	· · · · · · · · · · · · · · · · · · ·			Approved for outdoor use by contractors and Maintenance &	, ,
6778 Plexichrome No. 20XX Series Colors FF	California Products Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	, , , , , , , , , , , , , , , , , , ,
6779 Rubbabond RW 9440	Advanced Polymer Technology	Adhesive Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
	, ,,			Approved for outdoor use by contractors and Maintenance &	
6781 Nubifer Iron Oxide Red	Nubiola, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
5761		Exterior cariascape, mayground models	ATTROVES	Approved for outdoor use by contractors and Maintenance &	
6782 SBR Rubber Interlocking Tile	Rubber Designs, LLC	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
0702 Sak Kabbai Interiooking Inc	Rabbot bosigns, 220	Exterior cariascaper riayground riodacts	ALLKOVED	oporations stain only.	Tollow the managed of the commence and the product storage and acc.
				Approved for exterior use only by contractors within construction areas,	
				or exterior areas of occupied buildings, that are accessible only to construction personnel. Not permitted for use on or near occupied	
				buildings during school hours. Protect all	
				openings/louvers/windows/doors in occupied buildings as necessary	
				to eliminate the potential for intrusion of fumes/vapors. LAUSD staff may	
				not use this product. Product is highly flammable and must be properly	
				stored. Contains prop 65 listed carcinogens. Training, engineering	
				stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in	
				stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on	
				stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared	
6784 ZRC Galvillie Cold Galvanizing Compounds (Liquid or Aerosol)	ZRC Worldwide	Paint Products	APPROVED	stored. Contains prop 65 listed carcinagens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product.	
• • • • • • • • • • • • • • • • • • • •				stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or	Storage inside LAUSD structures is not permitted.
6784 ZRC Galvilite Cold Galvanizing Compounds (Liquid or Aerosol)	ZRC Worldwide Isotec International, Inc.	Paint Products Adhesive Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.	Storage inside LAUSD structures is not permitted.
6787 Isobond EB 01045-1	isotec international, inc.	Adhesive Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use.
				stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B)	Isotec International, Inc. Tnemec Company Incorporated	Adhesive Products Point Products	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use finance appropriate personal protection equipment is used with this product.
6787 Isobond EB 01045-1	isotec international, inc.	Adhesive Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix	Isotec International, Inc. Tnemec Company Incorporated Bonsol American, Inc.	Adhesive Products Paint Products Carpentry/ Construction Product	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Coperations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B)	Isotec International, Inc. Tnemec Company Incorporated	Adhesive Products Point Products	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A	Isotec International, Inc. Tnemec Company Incorporated Bonsol American, Inc.	Adhesive Products Paint Products Carpentry/ Construction Product	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Coperations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix	Isotec International, Inc. Tnemec Company Incorporated Bonsol American, Inc.	Adhesive Products Paint Products Carpentry/ Construction Product	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR)	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp.	Adhesive Products Point Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEl Corp. Zep Zep	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff & contractors only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR)	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp.	Adhesive Products Point Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
6787 Isobond ES 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEl Corp. Zep Zep	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff & contractors only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mik 6799 Ultrabond Turf FU 2K Part A 6802 Stain Resistant Floor Sealer (Froduct code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinagens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf FU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L89 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9108 6805 Keyboard Cleaner #674	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Master Chemical Corporation 3M	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance &	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufactu
6787 Isobond EB 01045-1 6785 High Build Epoxoline II Series L89 (Part A & B) 6797 SAKRATE - High Strength Concrete Mik 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Master Chemical Corporation 3M	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufactu
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Moster Chemical Corporation 3M The Valspar Corporation	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	stored. Contains prop 65 listed carcinagens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared. Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff shoutractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use find the first product storage and use follow the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the first product storage and use find the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product s
6787 Isobond E8 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2750) 6807 ValPro WW Lacquer-Semi Gloss (NAF2756)	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Moster Chemical Corporation 3M The Valspar Corporation	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFC, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use find the first product storage and use follow the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the first product storage and use find the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product storage and use find the manufacturer's recommendations for product s
6787 Isobond E8 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2750) 6807 ValPro WW Lacquer-Semi Gloss (NAF2756)	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Moster Chemical Corporation 3M The Valspar Corporation	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrobond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSIR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9108 6805 Keyboard Cleaner #674 6806 ValPro WW Locquer Sealer (NAS2750) 6807 ValPro WW Locquer-Semi Gloss (NAF2758) 6809 Pellet Sait for water softener	Isotec International, Inc. Tnemec Company Incorporated Bansal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products Paint Products HVAC Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's recommendations for product storage and use follows the manufacturer's
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L68 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrobond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSIR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674 6806 ValPro WW Locquer Sealer (NAS2750) 6807 ValPro WW Locquer-Semi Gloss (NAF2756) 6809 Pellet Sait for water softener	Isotec International, Inc. Tnemec Company Incorporated Bansal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products Paint Products HVAC Products	APPROVED	stored. Contains prop 65 listed carcinagens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared. Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Insure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product through this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the ma
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mix 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSIR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2750) 6807 ValPro WW Lacquer Sealer (NAS2756) 6809 Pellet Sait for water softener 6810 Ultrabond Turf PU 2K - Part B	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Moster Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division MAPEI CORPORATION	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products HVAC Products Exterior Landscape/ Playground Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Insure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product through this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the ma
6787 Isobond E8 01045-1 6795 High Build Epoxoline II Series L68 (Part A & B) 6797 SAKRATE - High Strength Concrete Mik 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSIR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9106 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2750) 6807 ValPro WW Lacquer-Semi Gloss (NAF2756) 6809 Pellet Sait for water softener 6810 Ultrabond Turf PU 2K - Part B	Isotec International, Inc. Tnemec Company Incorporated Bonsal American, Inc. MAPEI Corp. Zep Zep Moster Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division MAPEI CORPORATION	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products Paint Products HVAC Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFC, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follows the manufacturer's recommen
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mik 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9108 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2756) 6807 ValPro WW Lacquer Sealer (NAS2756) 6809 Pellet Salt for water softener 6810 Ultrabond Turf PU 2K - Part B	Isotec International, Inc. Tnemec Company Incorporated Bansal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division MAPEI CORPORATION Johnsonite, Inc.	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products HVAC Products Exterior Landscape/ Playground Products	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PFC, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only at during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for udoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production.
6787 Isobond EB 01045-1 6795 High Build Epoxoline II Series L69 (Part A & B) 6797 SAKRATE - High Strength Concrete Mik 6799 Ultrabond Turf PU 2K Part A 6802 Stain Resistant Floor Sealer (Product code: ZUFSLR) 6803 Heavy-Duty Citrus De-greaser 6804 TRIM 9108 6805 Keyboard Cleaner #674 6806 ValPro WW Lacquer Sealer (NAS2756) 6807 ValPro WW Lacquer Sealer (NAS2756) 6809 Pellet Salt for water softener 6810 Ultrabond Turf PU 2K - Part B	Isotec International, Inc. Tnemec Company Incorporated Bansal American, Inc. MAPEI Corp. Zep Zep Master Chemical Corporation 3M The Valspar Corporation The Valspar Corporation Cargill Incorporated, Salt Division MAPEI CORPORATION Johnsonite, Inc.	Adhesive Products Paint Products Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Cleaning Products Maintenance and Operations Pro Cleaning Products Paint Products Paint Products HVAC Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED	stored. Contains prop 65 listed carcinogens. Training, engineering controls, and proper PPE, are required to safely use this product in conformance with all of the manufacturer's recommendations listed on the SDS, and following procedures outlined in the Contractor's prepared Job Hazard Analysis for any task involving application of this product. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff & contractors only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use in a spray booth by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by tontractors only during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by tontractors and Maintenance & Operations staff only under the product.	Storage inside LAUSD structures is not permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by trained Maintenance & Operations staff only	
6814 Epoxy Curing Agent (Hardener #220)	Nu Flow Technologies (2000) Inc.	Carpentry/ Construction Product	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and Maintenance & Operations staff	
6816 Premium Plus Ultra Exterior Flat Deep Base (No. 4853)	BEHR " a Masco Company"	Paint Products	APPROVED	only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and Maintenance & Operations staff	
6817 Premium Plus Ultra Exterior Flat Medium Base (No. 4854)	BEHR " a Masco Company"	Paint Products	APPROVED	only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and Maintenance & Operations staff	
6818 Premium Plus Ultra Flat White (No. 4850)	BEHR " a Masco Company"	Paint Products	APPROVED	only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
6819 Alkyd Emulsion Coatings (Bloc-Rust Premium Metal Primer Re	d Dunn Edwards Paint Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
6822 BLOC-RUST Premium, Red Oxide (BRPR00-1-RO)	Dunn Edwards Paint Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during nor) -
6828 POLYPRIME U Side-A	Polycoat Products	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	
6839 Sarnacol AD Board Adhesive Part A	Sika Sarnafil	Adhesive Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. This
6841 CHEMKLEAN PC-68	Chemco Products Company	HVAC Products	APPROVED	during non-school hours.	product is extremely corrosive.
6842 CHEMKLEAN 9472	Chemco Products Company	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
6843 Sarnacol AD Board Adhesive Part B	Sika Sarnafil	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6844 Earth Savors Mist (All Fragrances)	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained staff only.	Follow the manufacturer's recommendations for product storage and use.
6847 Gentle Fresh Sanitizer	State Chemical Manufacturing Company	Personal Hygiene Products	APPROVED	Approved for staff use only.	Follow the manufacturer's recommendations for product storage and use.
6850 Ecolution High Solids Floor Finish	State Chemical Manufacturing Company	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6851 Magic Mats	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6852 Urinal Shield	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6855 Ecolution Pro Glass Cleaner	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6856 Ecolution Pro All Purpose Cleaner	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6859 Ecolution Pro Cleaner Degreaser	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6860 Gentle Fresh Foaming Hand Soap	State Chemical Manufacturing Company	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
	3 1 - 7	,9		PF	Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection if
6862 Ecolution Pro Bathroom & Bowl Cleaner	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	warranted.
NDC Neutral Disinfectant Cleaner-Apple Orchard/Morning	3 1 - 7			Tr	
6863 Fresh	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6867 Ecolution Neutral Floor Cleaner	State Chemical Manufacturing Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
0007 200/4007 1000 0104101	state oriented managed mig company	Cleaning Products	AFFROVED	Approved for outdoor use by trained contractors and Maintenance &	Tollow the managed and treesministration for product storage and tase.
6868 Domo Naturafill	DOMO Sports Grass	Exterior Landocana / Diagraphy of Bradusta	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6870 Calcium Chloride Dihydrate	Scholar Chemistry	Exterior Landscape/ Playground Products School Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
0870 Calcian Chloride Dinyardie	Schold Chemistry	SCHOOL Froducts	AFFROVED		t Follow the manufacturer's recommendations for product storage and use. This
6876 Alcohol Prep Wipes	Dynarex	Nursing Services Products	APPROVED	aid.	product is highly flammable. Do not store or use near ignition sources.
6876 Alcohol Frep Wipes	Dynarex	Nursing Services Products	APPROVED	Approved for use by contractors only at unoccupied sites or during nor	
6879 Polywater FST-250 FOAM SEALANT (Part A)	AMERICAN POLYWATER CORPORATION	One and a local development of the state of	APPROVED		Follow the manufacturer's recommendations for product storage and use.
68/9 FOIYWOLGETST 230 FOANI SEALART (FULLA)	AWERICAN FOLLWATER CORFORATION	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance &	Tollow the manufacturer's recommendations for product storage and use.
6881 Polywater FST-250 Foam Sealant (Part B)	American Polywater Corporation	Compated Construction Brodust	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6881 Polywater FST-250 Pourit Sediant (Part B)	American Polywater Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and trained Maintenance &	rollow the manufacturer's recommendations for product storage and use.
6882 Type HP Cleaner/Degreaser	American Polywater Corporation	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6882 Type nr Clediter/Degredser	American Polywater Corporation	Cleaning Products	APPROVED	Operations stall only.	
					This product is extremely corrosive. Ensure appropriate personal protection
6887 ENEREX 9900C	Chemco Products Company	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations HVAC staff only	equipment is used with this product including chemical resistant gloves, gogg
DOON THEVEY AROUND	chemics modules company	TIVAC Froducts	AFPKUVED	Approved for use by trumed maintenance a operations HVAC staff only	
6888 Signet Bio Based Floor Cleaner Deodorizer	Diversey, Inc.	Ole and a Paraturate	400001/FD	Approved for use by trained Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
	·	Cleaning Products	APPROVED	, , , , , , , , , , , , , , , , , ,	
6889 Signet Neutral Disinfectant Cleaner	Diversey, Inc.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
COOL Signed Heavy Duty Floor Ci	Diversey Inc	Ole and a Particular	4.000.01/F=	Approved for use by trained Maintenance 2 Constitution	Ensure appropriate personal protection equipment is used with this product
6891 Signet Heavy Duty Floor Cleaner/Degreaser	Diversey, Inc.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6892 Signet Glass & Multi-Surface Cleaner	Diversey, Inc.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
6893 UR-N Gone	Maintex	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
an according to the control of				Approved for use by contractors and trained Maintenance &	
6896 Eff-Stop Premium Int/Ext. Primer ESPR00	DUNN-EDWARDS CORP.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied school sites or	Ensure appropriate personal protection equipment is used with this product
6899 Chem-Aqua MB-215/Ancodide 4070	Chem-Aqua Inc	HVAC Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.

					This product is extremely corrosive. Ensure appropriate personal protection
				Approved for outdoor use by contractors only at unoccupied sites or	equipment is used with this product including chemical resistant gloves, gog
6900 Sulfuric Acid, 77 to 100%	Univar USA Inc.	HVAC Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	and respiratory protection.
6901 Refreshing Wipes (Product ID: F2079)	Diamond Wipes International, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
, , , , , , , , , , , , , , , , ,				**	n- Ensure appropriate personal protection equipment is used with this product
6906 BromMax 7.1	Enviro Tech Chemicals, Inc	HVAC Products	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
					n- Ensure appropriate personal protection equipment is used with this product
6907 BACTICIDE 45B	Chem-Aqua, Inc	HVAC Products	APPROVED	school hours.	including chemical resistant gloves, goggles and respiratory protection.
	100			Approved for use by contractors and trained Maintenance &	3 - 4 - 5 - 4 - 5 - 4 - 5 - 4 - 5 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6
6908 CA 33165-MO	Chem-Aqua, Inc	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
3330		TIVAC TICAGO.	ATTROVES	Approved for use by contractors and trained Maintenance &	
6909 Chem-Aqua 58100	Chem-Agua, Inc	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6911 1-Touch 1000 Instant Hand Sanitizer	Archer Manufacturing, Inc.		APPROVED	Approved for staff use.	Follow the manufacturer's recommendations for product storage and use.
6913 1-Touch ECO Green Soap (Foaming Hand Soap)	Archer Manufacturing, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
		Personal Hygiene Products			
6914 Square Pastels Chalk	Sargent Art	School Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. T
					product must be maintained in a wet form at all times including clean-up
6916 WC850 (52 Buff w/ Sand)	LAGUNA CLAY COMPANY	School Products	APPROVED	Approved for student and staff use.	activities.
					Follow the manufacturer's recommendations for product storage and use. T
					product must be maintained in a wet form at all times including clean-up
6917 EM214 (Buff w/ Sand)	LAGUNA CLAY COMPANY	School Products	APPROVED	Approved for student and staff use.	activities.
					Follow the manufacturer's recommendations for product storage and use. I
					product must be maintained in a wet form at all times including clean-up
6919 EM207 (Red)	LAGUNA CLAY COMPANY	School Products	APPROVED	Approved for student and staff use.	activities.
					Follow the manufacturer's recommendations for product storage and use. T
					product must be maintained in a wet form at all times including clean-up
6920 EM210 (White)	LAGUNA CLAY COMPANY	School Products	APPROVED	Approved for student and staff use.	activities.
					Follow the manufacturer's recommendations for product storage and use. T
					product must be maintained in a wet form at all times including clean-up
6921 CP601W (Dryhard White)	LAGUNA CLAY COMPANY	School Products	APPROVED	Approved for student and staff use.	activities.
					Follow the manufacturer's recommendations for product storage and use. I
					product must be maintained in a wet form at all times including clean-up
6922 Sheetrock Plaster of Paris	US Gypsum Company	Carpentry/ Construction Product	APPROVED	Approved for student and staff use.	activities.
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Approved for use by contractors and trained M&O staff only at	Ensure appropriate personal protection equipment is used with this product
6923 DUCTSEAL	Aeroseal, LLC	HVAC Products	APPROVED	unoccupied sites or during non-school hours.	including chemical resistant gloves, goggles and respiratory protection.
6924 Laundry Detergent	Hillyard	Cleaning Products	APPROVED	Approved for staff use.	Follow the manufacturer's recommendations for product storage and use.
, ,	·	3		Approved for use by trained Maintenance & Operations staff and	
6926 Thermafiber Safing	Thermafiber	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
6927 3M Fire Barrier Sealant FD 150+	3M	Carpentry/ Construction Product	APPROVED	Approved - Limited/Restricted Use Only	
3327		Sulpoint // Sonstraction / Todast	ATTROVES	7	Ensure appropriate personal protection equipment is used with this product
6928 3M Fire Barrier Duct Wrap "615+"	3M	Automotive Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	including chemical resistant gloves, goggles and respiratory protection.
0020		Automotive Froducts	ATTROVES	Approved for outdoor use by Maintenance & Operations staff and	
6929 Universal Single Ply Sealant	Carlisle SynTec Inc.	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
8929 Offiversul Single Fry Sedictic	Curiale Syrriec Inc.	Carpentry/ Construction Froduct	AFFROVED	Approved for use by trained contractors and Maintenance &	Tollow the manufacturer street/innertaditions for product storage and use.
anne Bridges Departmenting Contex	Brigade (SpecChem, LLC)			Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6930 Bridage Penetrating Sealer	Brigade (speccherr, ttc)	Carpentry/ Construction Product	APPROVED		
				Approved for outdoor use by contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this product
6931 Tower Shield	Chemco Products Company/ Universal Tower Parts LLC	HVAC Products	APPROVED	Operations staff only during non-school hours.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by trained Food Services and Maintenance &	
6933 MICROCAT-ECL Natural Food Grade Cleaner/Deodorizer 5,10,20		Plumbing Supply Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6934 MICROCAT-ANL Odor Control Bioformula	Bioscience Inc.	Plumbing Supply Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produc
6935 Eco-Bond CLR 125	ECO-BOND ADHESIVES	Adhesive Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
					Ensure appropriate personal protection equipment is used with this produc
6936 ARDEX ERM - Exterior Ramp Mortar	ARDEX Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6938 Futrfill	Felix Compounds Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6939 Pink Hand Soap Fragrance Free (ID# L-0429141)	Genlabs	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
6940 C&G-C COIL CLEANER	Z BIOSCIENCE INC.	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6941 C&G-S PROTECTIVE COIL SPRAY	Z BIOSCIENCE INC.	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6942 C&G-LLINE CLEANER	Z BIOSCIENCE INC.	HVAC Products HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6946 Pro A - Alkali Solvent Cleaner	Proactive Solutions USA LLC			Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
=====	,	Cleaning Products	APPROVED	11	
6948 Pro B (Bleaching Agent)	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				t never and for use but resided Maintenance C Operations staff only	Follow the manufacturer's recommendations for product storage and use.
6949 Pro D (Bleach Solution)	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	
	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained maintenance & operations stall only.	
	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by fruitted maintenance & operations stall only.	Ensure appropriate personal protection equipment is used with this product
	Proactive Solutions USA, LLC Proactive Solutions USA, LLC	Cleaning Products Cleaning Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only.	Finance appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Car this product is corrosive.

					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Cau
6951 Pro F (Alkali Solvent Cleaner)	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	this product is corrosive.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Cau
6952 Pro 744 (Alkali Solvent Cleaner)	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	this product is corrosive.
6955 Bouquet (Odor Mask & Neutralizer)	Proactive Solutions USA, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
6956 Vapor-Green FC	ADVANCED MOISTURE CONTROL, INC.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
6957 CFS-SP WB Firestop Joint Spray	HILTI, INC.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6959 Sanitek Lano-Soap #410	Sanitek Product	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
6960 Enviro Max	PIONEER RESEARCH	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
6964 VaporSeal 309	Floor Seal Technology, Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
				Approved for use by trained contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use.
6965 MES 100 Parts A & B	Floor Seal Technology, Inc.	Floor Care Products	APPROVED	Operations staff only.	Ensure areas are well ventilated during application.
				Approved for use by trained contractors and Maintenance &	
6966 Acetylated Wood Products	Accsys Technologies	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
6974 EVERSHIELD EVSH50-0 Semi-Gloss Paint	Dunn Edwards Paint Corporation	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6976 Retaliate	Maintex, Inc.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
6978 Doringer H-32	Doringer	Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6981 C&G-T Cooling Tower Optimizer	Z Probiotics Inc.	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this product
6982 Pro Neutralizer	Proactive Solutions USA, LLC	Carpentry/ Construction Product	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
6984 MICROCAT - FL Foamy Cleaner for Kitchen Drains	Bioscience, Inc.	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6985 MICROCAT - PTL Liquid Drain Maintainer	Bioscience, Inc.	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6986 MICROCAT - SMAL Liquid Hard Surface Cleaner	Bioscience, Inc.	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6987 MICROCAT AutoRelease Cartridge Contents	Bioscience, Inc.	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6988 NDC 128 Disinfectant/Neutral Cleaner	MAINTEX INC.	Cleaning Products	APPROVED	Approved for use by trained LAUSD staff.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
6989 Hilti HIT-HY-200A and B	HILTI, INC.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6990 Fragrance Free Hand Soap	MAINTEX INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites or	
6991 THERMO-LAG E100 S PARTS A & B	Carboline Company	Fire Retardants	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
6994 Deluxe Hand Soap	MAINTEX INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					including chemical resistant gloves, goggles and respiratory protection. Fol
6998 Rapid Set Set Control	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
6998 Rapid Set Set Control	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc
					including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol
6998 Rapid Set Set Control 7000 Skim Coat	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use.
					including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc
7000 Skim Coat	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol
					Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use.
7000 Skim Coat	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produci including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produci including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produci
7000 Skim Coat 7002 Rapid Set DARK	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fol
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Fensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trop	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fol the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trop	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product follow the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Bads Badbug Glue Trap 7006 Deb AntiBac Foam Soap-US	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC Deb USA, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/ Herbicide Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant glowes, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant glowes, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant glowes, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product has manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trop	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fo the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fo the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fo the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Fo the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Bads Badbug Glue Trap 7006 Deb AntiBac Foam Soap-US	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC Deb USA, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/ Herbicide Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use.	including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection to the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product personal protection equipment is used with this product.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trap 7006 Deb AntiBac Foam Scap-US 7007 Rapid Set Mortar Mix	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC Deb USA, Inc. CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Bads Badbug Glue Trap 7006 Deb AntiBac Foam Soap-US	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC Deb USA, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/ Herbicide Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this productional protection equipment is used with this productional protection experience of the protection ex
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trap 7006 Deb AntiBac Foam Scap-US 7007 Rapid Set Mortar Mix	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LIC Deb USA, Inc. CTS Cement Manufacturing Corporation Custom Building Products	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produc including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow manufacturer's recommendations for product storage and use.
7000 Skim Coat 7002 Rapid Set DARK 7003 CR Concrete Resurfacer 7004 Buggy Beds Bedbug Glue Trap 7006 Deb AntiBac Foam Scap-US 7007 Rapid Set Mortar Mix	CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation CTS Cement Manufacturing Corporation VCM Products LLC Deb USA, Inc. CTS Cement Manufacturing Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Pesticide/Herbicide Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foll including chemical resistant gloves, goggles and respiratory protection. Foll

					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. F
7017 Laykold Masters Textured White Line Paint	Advanced Debraser Technology	Extract and the second Discourse of December 1	4 DDD 01 /FD		
/UI/ Laykola Masters Textured White Line Paint	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection.
7018 Laykold Masters Top Coat	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. F
7019 Laykold Masters Filler	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
7024 Liquid Hand Soap - Fragrance Free (Product code: 401)	Sanitek Products	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use
7024 -4		Total Trygione Troducts	ATTROVES	· · · · · · · · · · · · · · · · · · ·	Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations and pool	
7027 Anhydrous Calcium Chloride 94-97% Mini-Pellets	OCCIDENTAL CHEMICAL CORPORATION			custodian staff only.	including chemical resistant gloves, goggles and respiratory protection. F
/02/ Annyarous Calcium Chionae 94-97% Mini-Peliets	OCCIDENTAL CHEMICAL CORPORATION	Swimming Pool Products	APPROVED	custodian stan only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by contractors only at unoccupied sites or	including chemical resistant gloves, goggles and respiratory protection.
7028 Nordot Adhesive/Prepolymer #34G	SYNTHETIC SURFACES INC.	Exterior Landscape/ Playground Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. F
7029 Silica sand	P.W. GILLIBRAND CO., INC	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
7030 Rajah Pink Lotion Handsoap (02020-R)	GENLABS	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use
7031 Padre Pink Lotion Handsoap (02020-P)	GENLABS		APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use
7031 - 33.3 k tottoff flatidadap (02020 +)	CENTRO	Personal Hygiene Products	AFPKUVED	Approved to student und stull use.	<u> </u>
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. F
7032 ISI POLY ULTRA-ZYME	Winzer Corporation	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7033 ePipes FRS - Component A	ACE Duraflow Systems LLC	Plumbing Supply Products	APPROVED	Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and use
7034 ePipe FRS Component B	Ace Duraflo Systems LLC	Plumbing Supply Products	APPROVED	Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and use
					Follow the manufacturer's recommendations for product storage and use
					Ensure appropriate personal protection equipment is used with this produ
7036 Nu Flow Potable Water Part B of #720	Nu Flow Technologies Inc.	Plumbing Supply Products	APPROVED	Approved for use by contractors only.	including chemical resistant gloves, goggles and respiratory protection.
7000		Training cappiy Troducts	ATTROVED		
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. F
7037 Nu Flow Potable Water Part A of #700	Nu Flow Technologies Inc.	Plumbing Supply Products	APPROVED	Approved for use by contractors only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. F
7038 URA-Floor W/B Gloss Polyur Floor Finish (1014-1D)	FSC Coatings	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations and pool	including chemical resistant gloves, goggles and respiratory protection. F
7039 Hasachlor 12.5% Sodium Hypochlorite	HASA Inc	Swimming Pool Products	APPROVED	custodian staff only.	the manufacturer's recommendations for product storage and use.
		3		,	Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations Plumbing staff	
7042 Hasa Muriatic 15	Hasa			and Pool Custodians only.	the manufacturer's recommendations for product storage and use.
7042 Trasa manatic 15	11030	Swimming Pool Products	APPROVED	and roof castodians only.	the manadataler's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
7044 Vantage Calcium Hypochlorite Granules				Approved for use by trained Plumbers or Pool Custodians -	including chemical resistant gloves, goggles and respiratory protection. F
70445- Odiolari 17900 ilonio ordinalo	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Approved for use by trained Plumbers or Pool Custodians - Maintenance & Operations staff only.	
7044	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED		including chemical resistant gloves, goggles and respiratory protection. F
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood	AllChem Performance Products, Inc. ACQ Viance	Swimming Pool Products Carpentry/ Construction Product	APPROVED APPROVED	Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. F
				Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. F the manufacturer's recommendations for product storage and use.
				Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. Fithe manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
		Carpentry/ Construction Product	APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fithe manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fig. 1975.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood	ACQ Viance			Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. Fithe manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fithe manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood	ACQ Viance	Carpentry/ Construction Product	APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. It he manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical products and the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner	ACQ Viance	Carpentry/ Construction Product Swimming Pool Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. He manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production for the production of the product
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood	ACQ Viance	Carpentry/ Construction Product	APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. It he manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical products and the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310)	ACQ Viance Hasa SHERWIN WILLIAMS	Carpentry/ Construction Product Swimming Pool Products Paint Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner	ACQ Viance	Carpentry/ Construction Product Swimming Pool Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310)	ACQ Viance Hasa SHERWIN WILLIAMS	Carpentry/ Construction Product Swimming Pool Products Paint Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310)	ACQ Viance Hasa SHERWIN WILLIAMS	Carpentry/ Construction Product Swimming Pool Products Paint Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310)	ACQ Viance Hasa SHERWIN WILLIAMS	Carpentry/ Construction Product Swimming Pool Products Paint Products	APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ-
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (B66N310) 7051 Thermo-Lag E1005 Part A	ACQ Viance Hasa SHERWIN WILLIAMS CARBOUNE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants	APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production. Fellow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. In the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this prodict including chemical resistant gloves, goggles and respiratory protection. It he manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this prodict including chemical resistant gloves, goggles and respiratory protection. In the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. In including chemical resistant gloves, goggles and respiratory protection. In the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (B66N310) 7051 Thermo-Lag E1005 Part A	ACQ Viance Hasa SHERWIN WILLIAMS CARBOUNE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants	APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. In the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. If the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. In the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves, goggles and respiratory protection. For including chemical resistant gloves goggles and respiratory grade including chemical resistant gloves. For including chemical resistant gloves goggles and respiratory grade including chemical resistant gloves. For including chemical resistant gloves goggles and respiratory grade grade grade grade grade grade grade grade grade gr
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A 7056 Thermo-Lag E100S Part B	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Fensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A 7056 Thermo-Lag E100S Part B	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Fensure appropriate personal protection equipment is used with this produincluding chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A 7056 Thermo-Lag E100S Part B	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection. Fellow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fellow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fellow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7046 ACQ Preserve and Preserve Plus Pressure Treated Wood 7047 Hasa Pool Conditioner 7048 Pro-Cryl Universal Acrylic Primer (866N310) 7051 Thermo-Lag E100S Part A 7053 Carbothane 133 MC Part A 7056 Thermo-Lag E100S Part B	ACQ Viance Hasa SHERWIN WILLIAMS CARBOLINE Company CARBOLINE Company CARBOLINE Company	Carpentry/ Construction Product Swimming Pool Products Paint Products Fire Retardants Fire Retardants	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only during non-school hours. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during nor school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Including chemical resistant gloves, goggles and respiratory protection. Fe the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product the manufacturer's recommendations for product storage and use.

7060 Citrus Power (Product: 2310)	Value Products Inc.	Cleaning Products	APPROVED	Approved for student (secondary) and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
				Approved for use by trained secondary students and staff in culinary	including chemical resistant gloves and goggles. Follow the manufacturer's
7061 Spic & Span Floor Cleaner Concentrate	PROCTER & GAMBLE	Cleaning Products	APPROVED	arts.	recommendations for product storage and use.
	PROCTER & GAMBLE	<u> </u>			
7062 Clean Quick Broad range Quaternary Sanitizer	PROCTER & GAMBLE	Cleaning Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7064 Dawn Professional Dish Detergent	PROCTER & GAMBLE	Cleaning Products	APPROVED	Approved for student and staff use.	the manufacturer's recommendations for product storage and use.
<u> </u>					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7066 Mr. Metal	Northern Labs	Cleaning Products	APPROVED	Approved for use by trained staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
				Approved for outdoor use by Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Follow
7068 Coustic-Coat (#0 through #6)	Coustic-Glo International Inc.	Glazina Products	APPROVED	Contractors are also included as approved users of this product.	the manufacturer's recommendations for product storage and use.
		-		***	Ensure appropriate personal protection equipment is used with this product
				Approved for use by trained contractors and Maintenance &	
					including chemical resistant gloves, goggles and respiratory protection. Follow
7069 Fuze Dry Erase Paint Part A	MDC	Paint Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
				Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection. Follow
7070 Fuze Dry Erase - Part B	MDC	Paint Products	APPROVED	Contractors are also approved users, per requestor	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7071 ISI Poly Orange 90 Heavy Duty Degreaser	Winser Corporation	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7072 ISI Poly Scale Gone Lime/Rust Remover	Winser Corporation	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7072 IST BY COULD CONCENTED NASC NOT TOVO	Timber corporation	Flambing Supply Floducts	AFFROVED	Approved for doe by trained maintenance a operations stantonly.	
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection.Follow
7073 Germ Away (2170)	QuestVapco	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
				Approved for use by trained Maintenance & Operations and Food	including chemical resistant gloves, goggles and respiratory protection. Follow
7074 Power Force Premium Cleaner Degreaser	ECOLAB INC.		APPROVED	Services staff only.	the manufacturer's recommendations for product storage and use.
•		Cleaning Products		*	<u> </u>
7076 Hand Sanitizing Wipes	Winzer Corporation	Cleaning Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7078 Waxie Green Graffiti Remover	GENLABS	Graffiti Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
()				Operations staff only.	
7080 ARPRO Expanded Polypropylene (EPP)	JSP Resins LLC	Exterior Landscape/ Playground Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
7080 ARPRO Expanded Polypropylene (EPP)	JSP Resins LLC	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7080 ARPRO Expanded Polypropylene (EPP) 7081 PP, PE Fiber (Field Green PE #65)	JSP Resins LLC Tencate Grass (North America)	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED		Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
		Exterior Landscape/ Playground Products		Approved for outdoor use by contractors and trained Maintenance &	
7081 PP, PE Fiber (Field Green PE #65)	Tencate Grass (North America)		APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff.	Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06	Tencate Grass (North America) BASF	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65)	Tencate Grass (North America)	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06	Tencate Grass (North America) BASF	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06	Tencate Grass (North America) BASF	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns	Tencate Grass (North America) BASF CRB Carpet & Rug	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns	Tencate Grass (North America) BASF CRB Carpet & Rug	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies	Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies	Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies	Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary corpet backing: polypropylene/polyester yarns 7084 Primary corpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Tollow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Jultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies	Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber fultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary corpet backing: polypropylene/polyester yarns 7084 Primary corpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber fultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber fultramid B27 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary corpet backing: polypropylene/polyester yarns 7084 Primary corpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary corpet backing: polypropylene/polyester yarns 7084 Primary corpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber (Field Green PE #85) 7083 PPI, PE Fiber (Jultramid 827 06 7083 Primary carpet backing; polypropylene/polyester yarns 7084 Primary carpet backing; polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1	Tencate Grass (North America) BASF CR8 Carpet & Rug CR8 Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber/Ultramid 827 06 7083 Primary corpet backing: polypropylene/polyester yarns 7084 Primary corpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber (Field Green PE #85) 7083 PPI, PE Fiber (Jultramid 827 06 7083 Primary carpet backing; polypropylene/polyester yarns 7084 Primary carpet backing; polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1	Tencate Grass (North America) BASF CR8 Carpet & Rug CR8 Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber (Field Green PE #85) 7083 PPI, PE Fiber (Jultramid 827 06 7083 Primary carpet backing; polypropylene/polyester yarns 7084 Primary carpet backing; polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1	Tencate Grass (North America) BASF CR8 Carpet & Rug CR8 Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber (Jultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1 7089 Millennium One Step Foamable Adh. Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Genicbs	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations and Food Services staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #85) 7082 PP, PE Fiber (Field Green PE #85) 7083 PPI, PE Fiber (Jultramid 827 06 7083 Primary carpet backing; polypropylene/polyester yarns 7084 Primary carpet backing; polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1	Tencate Grass (North America) BASF CR8 Carpet & Rug CR8 Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives Royal Chemical & Adhesives	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber (Jultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1 7089 Millennium One Step Foamable Adh. Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Genicbs	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations and Food Services staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber (Field Green PE #65) 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1 7089 Millennium One Step Foamable Adh. Part 2 7091 Citrus Spin Clean (07198)	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Genicbs	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations and Food Services staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
7081 PP, PE Fiber (Field Green PE #65) 7082 PP, PE Fiber (Jultramid 827 06 7083 Primary carpet backing: polypropylene/polyester yarns 7084 Primary carpet backing: polypropylene yarns 7085 Polyurethane Backing 7086 Millennium PG-1 Parts 1 7087 Millennium PG-1 Part 2 7088 Millennium One Step Foamable Adh. Part 1 7089 Millennium One Step Foamable Adh. Part 2	Tencate Grass (North America) BASF CRB Carpet & Rug CRB Carpet & Rug Universal Textile Technologies Royal Chemical & Adhesives Genicbs	Exterior Landscape/ Playground Products Roofing Products Roofing Products Roofing Products Roofing Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and M & O staff. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for outdoor use by Maintenance & Operations and roofing staff only. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by contractors only, outside, during non-school hour LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations and Food Services staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.

					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. For
7098 Pledge Furniture Polish Revitalizing Oil	SC Johnson	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff.	the manufacturer's recommendations for product storage and use.
7000		oldaring riodadis	ATTROVED		Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. For
7100 Weiman Lemon Oil	Weimans Products	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7101 Brock SP Series; SP14, SP15, SP20 (Performance Shock Pads)	Brock USA	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
					Ensure appropriate personal protection equipment is used with this produ
				Approved for outdoor use by contractors and Maintenance &	including chemical resistant gloves, goggles and respiratory protection. For
7102 Brock PowerBase YSR	Brock USA	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7103 Brock PowerBase	Brock USA	Established and the second Products	40000VFD	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
/103 block rowel base	BIOCK USA	Exterior Landscape/ Playground Products	APPROVED	Operations stall only.	
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations staff and Food	including chemical resistant gloves, goggles and respiratory protection. Fe
7106 Spray & Wipe (BS029)	Blendable Solutions, Inc.	Cleaning Products	APPROVED	Services staff.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. F
7107 SportLite HD25SL-NW3-SG (PE Crosslinked Foam - All Colors)	ThermaGreen Environmental	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
/IO/ Sportche rib255c NWS 50 (FE Clossifiked routh All Colors)	Thermacreen Environmental	exterior tariascape/ riaygrouna riodacts	AFFROVED	Contractors only.	
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. F
7108 SportLite HD23SL-NW3-SG (PE Crosslinked Foam - All Colors)	ThermaGreen Environmental	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. F
7109 SportLite HD20SL-NW3-SG (PE Crosslinked Foam - All Colors)	ThermaGreen Environmental	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
7100		Exterior tariabapo, maygrouna modacis	ATTROVED		Ensure appropriate personal protection equipment is used with this produ
				Annual forms by Annual Adalasta and S. Consellant about	
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. F
7110 SportLite HD15SL-NW3-S (PE Crosslinked Foam - All Colors)	ThermaGreen Environmental	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. F
7112 ISI Safe Seal Deodorizer	Winzer Corporation	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
		3,			Ensure appropriate personal protection equipment is used with this produ
7116 Ovation Floor Finish (1901)	Zep		APPROVED	Annual forms by Annual Adalests and S. Consellers about	including chemical resistant gloves, goggles and adequate ventilation. For
/IIR Ovation Floor Finish (1901)	zep	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and dust control. Follow the
7117 Pro Shiny Steel	Carretera Federal Mexico	Cleaning Products	APPROVED	Approved for all staff use.	manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. F
7118 MV-500 Food Grade Silicone Lubricant (891.1450.70)	WINZER CORPORATION	Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7110		Multiteriarice and Operations 110	ALTROVED		
					This product is extremely corrosive. Ensure appropriate personal protection
					equipment is used with this product including chemical resistant gloves,
					and respiratory protection. Follow the manufacturer's recommendations
7119 ISI Poly Flushing Coil Cleaner Evaporator & Condense	Winzer Corp.	HVAC Products	APPROVED	Approved for use by trained HVAC Maintenance & Operations staff only.	product storage and use
					Ensure appropriate personal protection equipment is used with this produ
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. F
7120 TTII Pro-Max 37	Felix Compounds Inc.	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
/120 111110 111407	Total Compounds inc.	exterior tariascape/ riaygrouna riodacts	AFFROVED	contractors only.	the managed and a recommendation to product storage and acc.
				and the state of t	
7121 Premium Plus Exterior Semi Gloss Enamel Ultr Pure White 5050	Behr	Paint Products	APPROVED	Approved - Limited/Restricted Use Only	
					Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection.
7125 Cool Terra Organic	Cool Planet Energy Systems	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7127 Liquid Hand Soap w/ Aloe Vera Fragrance Free	MAINTEX INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and us
, i.z., =		1 0.00.101 Hygienie Floudotta	AL ROYLD	**	
mee telegraphs 000 Well Board " "	t-bb-			Approved for use by contractors and trained Maintenance &	Fellowski and design of the control
7128 Johnsonite 960 Wall Base Adhesive	Johnsonite	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and us
				Approved for use by trained contractors and Maintenance &	
7129 Johnsonite 946 Premium Contact Adhesive	Johnsonite	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and us
					Ensure appropriate personal protection equipment is used with this prod
					including chemical resistant gloves, goggles and respiratory protection.
7130 Bona Supersport Paint / WC6600	BonaKemi USA, Inc.	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7/30 Sond Superaport runit / Woodoo	DOTIGICOTTI COM, ITIC.	rantrioducts	AFFROVED	Approved for add by trained maintenance at operations stain only.	
					Ensure appropriate personal protection equipment is used with this prod
					including chemical resistant gloves, goggles and respiratory protection.
7131 Aquaphalt Premium	RoadStone Production LLC	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this prod
Cured, EPDM Colored Rubber (Ethylene-Propylene-Diene-				Approved for outdoor use by Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection.
7134 Monomer	Midwest Elastomer Inc. (MEI)	Eutorios Landocano / Dianarouna 2 dust-	APPROVED	Contractors only.	
/IO4 MOTOTTEL	wildwest Elustoffier Inc. (WEI)	Exterior Landscape/ Playground Products	APPROVED	CONTROCTORS OFFITY.	the manufacturer's recommendations for product storage and use.

					Ensure appropriate personal protection equipment is used with this produce
				Approved for authors use by Maintenance & Operations staff and	
				Approved for outdoor use by Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. Fo
7141 Hot Mix Asphalt, HMA, Asphalt Concrete	Blue Diamond Materials	Exterior Landscape/ Playground Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this produc
				Approved for use by trained Maintenance & Operations staff and	including chemical resistant gloves, goggles and respiratory protection. Fo
7142 J+J KINETEX ADHESIVE	XL Brands LLC	Adhesive Products	APPROVED	Contractors only.	the manufacturer's recommendations for product storage and use.
				<u> </u>	Ensure appropriate personal protection equipment is used with this produc
					including chemical resistant gloves, goggles and respiratory protection. Fo
7145 ZRC galvilite aerosol	ZRC World wide	Glazing Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					-Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. Fo
7148 M-Guard 718 Adhesive	Mannington Commercial	Adhesive Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use
7149 Fast Dry180-186_CalTrans170_AmericanTrafficPaints	American Traffic Products			Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and use
//ag rust bryiou iou_cumunis/vo_americumunicrumus	American manic moducis	Paint Products	APPROVED	Approved for use by contractors only.	
					Ensure appropriate personal protection equipment is used with this produ
7155 Ultrabond TURF 527	MAPEI CORPORATION	Exterior Landscape/ Playground Products	APPROVED	Approved for use by contractors only.	including chemical resistant gloves, goggles and respiratory protection.
7156 Ultrabond Turf Tape	MAPEI CORPORATION	Exterior Landscape/ Playground Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use
7161 Envirofill- Green, Tan, Red, Black (Infill)	USGreentech, LLC	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors only.	Follow the manufacturer's recommendations for product storage and use
		7,3		Approved for use bycontractors and trained Maintenance & Operations	
ma . Cumrence CDMANO IntDat Dump Fortugardo	Dunn Edwards			staff only.	Fallow the manufacturer's recommendations for product storage and use
7164 Suprema SPMA10-IntPnt-DunnEedwards	Durin Edwards	Paint Products	APPROVED	stan only.	Follow the manufacturer's recommendations for product storage and use
					-Ensure appropriate personal protection equipment is used with this prod
					including chemical resistant gloves, goggles and respiratory protection. Fe
7165 Suprema SPMA50-IntPnt-DunnEedwards	Dunn Edwards	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					-Ensure appropriate personal protection equipment is used with this produ
					including chemical resistant gloves, goggles and respiratory protection. For
7166 Spartashield SSHL10-ExtPnt-DunnEdwards	Dunn Edwards	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
					-Ensure appropriate personal protection equipment is used with this prod
					including chemical resistant gloves, goggles and respiratory protection. For
7167 Spartasheild SSHL50-ExtPnt-DunnEdwards	Dunn Edwards	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacturer's recommendations for product storage and use.
7168 B51W620-IntExt-PrimerSealer-Sherwin Williams	Sherwin Williams, Preprite - Problock	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	
	· · · · · · · · · · · · · · · · · · ·				
7174 Insulfoam Molded EPS Products-Beam Bags, R-Tech	R-Tech	Miscellaneous	APPROVED	Approved for student and staff use.	Do not unzip or cut bean bags.
				Approved for use by contractors only at unoccupied sites or during nor	n- Ensure appropriate personal protection equipment is used with this produ
7175 CHEMQUEST 11608	Chemco Products Company	HVAC Products	APPROVED	school hours. LAUSD staff may not use this product.	including chamical resistant alouge goagles and respirator, protection
			APPROVED	sonoon nodro: Except stair may not use and produce	including chemical resistant gloves, goggles and respiratory protection.
		TVAO TIOGGOD	APPROVED	sonos nous. Exoso stan may not use uno product	including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produc
		TVAO TIGUAGO	APPROVED		Ensure appropriate personal protection equipment is used with this produc
				Approved for use by trained Maintenance & Operations staff only at	Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. For
7176 Acetone 840	Sunnyside Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops .	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff only at	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
7176 Acetone 840	Sunnyside Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops .	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. For the manufacturer's recommendations for product storage and use.
7176 Acetone 840	Sunnyside Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops . Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning	Ensure appropriate personal protection equipment is used with this produ including chemical resistant glows, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use
7176 Acetone 840	Sunnyside Corporation	Carpentry/ Construction Product Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Fest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a	Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product.
7176 Acetone 840 7177 Carefree Prime-Zall	Sunnyside Corporation Vista Paint Corporation	Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops . Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fi the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Vía EC-Emulsifiable Conc-Insecticide-Rockwell	Sunnyside Corporation Vista Paint Corporation Rockwell Labs	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops . Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil."	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fut he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ-
7176 Acetone 840 7177 Carefree Prime-Zall	Sunnyside Corporation Vista Paint Corporation	Carpentry/ Construction Product Paint Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Fest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Fit he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Vía EC-Emulsifiable Conc-Insecticide-Rockwell	Sunnyside Corporation Vista Paint Corporation Rockwell Labs	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops . Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil."	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Fit he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Vía EC-Emulsifiable Conc-Insecticide-Rockwell	Sunnyside Corporation Vista Paint Corporation Rockwell Labs	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops . Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil."	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. F. the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use Ensure appropriete personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only.	Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this productional protection equipment is used with this production including chemical resistant glowes, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant glowes, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway	Sunnyside Corporation Vista Paint Corporation Rockwell tabs Rockwell tabs American Jetway Corp.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Contral Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Contral Technicians only. Approved for use by Inspector General investigator staff only.	Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production equipment is used with this production.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. F- the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway	Sunnyside Corporation Vista Paint Corporation Rockwell tabs Rockwell tabs American Jetway Corp.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fi- the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway	Sunnyside Corporation Vista Paint Corporation Rockwell tabs Rockwell tabs American Jetway Corp.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway	Sunnyside Corporation Vista Paint Corporation Rockwell tabs Rockwell tabs American Jetway Corp.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. F- the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for use by Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. F- the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for use by Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Find the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production districts appropriate personal protection equipment is used with this production districts appropriate personal protection equipment is used with this productional protection appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this production equipment is used with this production.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor-Adh-Shaw Ind.	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Shaw Industries, Inc.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) of during non-school hours.	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Fit the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Fosure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this produ- including chemical resistant glows, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5496	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Saap Shaw Industries, Inc. Fiberlock Technologies, Inc.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Fe he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ- including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with his produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with his produ- including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this produ-
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this produce including chemical resistant gloves, goggles and respiratory protection. Fit he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production development is used with this production development in the production development is used with this production development in the production development is used with this production development in the production of the product storage and use the production of the production of the product storage and use the production of
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5496	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Saap Shaw Industries, Inc. Fiberlock Technologies, Inc.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only. Approved for Student and staff use.	Ensure appropriate personal protection equipment is used with this produce including chemical resistant gloves, goggles and respiratory protection. Fit he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production development is used with this production development in the production development is used with this production development in the production development is used with this production development in the production of the product storage and use the production of the production of the product storage and use the production of
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this producincluding chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this productional protection and protection equipment is used with this production department is used with this production department is used with this production department is used with this production appropriate personal protection equipment is used with this production department is used with this production department is used with this production department is used with this production including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use finance appropriate personal protection equipment is used with this production did protection including chemical resistant glows, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LNUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LNUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use.	Ensure appropriate personal protection equipment is used with this producincluding chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this productional protection and protection equipment is used with this production department is used with this production department is used with this production department is used with this production appropriate personal protection equipment is used with this production department is used with this production department is used with this production department is used with this production including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use finance appropriate personal protection equipment is used with this production did protection including chemical resistant glows, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Saap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Contral Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Contral Technicians only. Approved for use by LAUSD Pest Contral Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only of unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for use by FEU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only.	Ensure appropriate personal protection equipment is used with this producincluding chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this productional protection equipment is used with this productional protection equipment is used with this production demical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production demical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use. Approved for use by FETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied.	Ensure appropriate personal protection equipment is used with this produce including chemical resistant gloves, goggles and respiratory protection. Fit he manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this productional protection equipment is used with this productional protection equipment is used with this production demical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5496 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by ETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for use by contractors and FETU only at buildings being	Ensure appropriate personal protection equipment is used with this produce including chemical resistant gloves, goggles and respiratory protection. Find the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use followed the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's reco
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Saap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use. Approved for use by FETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied.	Ensure appropriate personal protection equipment is used with this production and control of the product resistant glowes, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5496 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc.	Carpentry/ Construction Product Paint Products Pesticide/ Herbicide Products Pesticide/ Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products Cleaning Products Maintenance and Operations Pro Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by ETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for use by contractors and FETU only at buildings being	Ensure appropriate personal protection equipment is used with this prodincturaling chemical resistant gloves, goggles and respiratory protection of the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection protection appropriate personal protection equipment is used with this prodinctural propriate personal protection equipment is used with this prodinctural protection experies and respiratory protection. Ensure appropriate personal protection equipment is used with this prodinctural protection experies and respiratory protection. Follow the manufacturer's recommendations for product storage and use the propriate personal protection equipment is used with this prodinctural protection protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is used with this prodinctural protection appropriate personal protection equipment is protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Sentinel Product, Inc.	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for use by Inspector General investigator staff only. Approved for use by ontractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for suse by trained Maintenance & Operations staff only. Approved for suse by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use. Approved for use by FETU staff and abatement contractors for of buildings shall not be re-occupied. Approved for use by contractors and non-occupied buildings being demolished that will not be re-occupied.	Ensure appropriate personal protection equipment is used with this producincluding chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product protection and properties personal protection equipment is used with this production protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this productional protection including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this productional properties personal protection equipment is used with this productional protection including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations f
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod 7196 909 Soybean Based Mastic Remover	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Hillyard Industries	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Maintenance and Operations Pro Maintenance and Operations Pro Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for subdoor use by Contractors and Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use. Approved for use by ventractors and non-occupied buildings only. These buildings shall not be re-occupied. Approved for use by contractors and FEIU only at buildings being demolished that will not be re-occupied. Approved for student and staff use. Approved for student and staff use.	Ensure appropriate personal protection equipment is used with this production including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Sentinel Product, Inc.	Carpentry/ Construction Product Paint Products Pesticide/ Herbicide Products Pesticide/ Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products Cleaning Products Maintenance and Operations Pro Maintenance and Operations Pro	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by ETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for use by contractors and FETU only at buildings being demolished that will not be re-occupied. Approved for use at all district sites only by trained M&O, Fleet Garage Staff, and Food Services.	Ensure appropriate personal protection equipment is used with this production and control of the product resistant glowes, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production development is used with this production. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storag
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod 7196 909 Soybean Based Mastic Remover	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Hillyard Industries	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Maintenance and Operations Pro Maintenance and Operations Pro Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Contral Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Contral Technicians only. Approved for use by LAUSD Pest Contral Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only tunoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by FEU staff and abatement contractors for of buildings abusing non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for tuse by contractors and FEIU only at buildings being demolished that will not be re-occupied. Approved for use of all district sites only by trained M&O, Fleet Garage Staff, and Food Services. Approved for use by contractors only at unoccupied sites or during non-staff, and proved for use of all district sites only by trained M&O, Fleet Garage Staff, and Food Services.	Ensure appropriate personal protection equipment is used with this production and control of the product resistant glowes, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production. Ensure appropriate personal protection equipment is used with this production development is used with this production. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glows, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storage and use follow the manufacturer's recommendations for product storag
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7189 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod 7196 909 Soybean Based Mastic Remover	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Soap Shaw Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Hillyard Industries	Carpentry/ Construction Product Paint Products Pesticide/Herbicide Products Pesticide/Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Maintenance and Operations Pro Maintenance and Operations Pro Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Control Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Control Technicians only. Approved for use by Inspector General investigator staff only. Approved for use by inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by ETU staff and abatement contractors for of buildings during non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for use by contractors and FETU only at buildings being demolished that will not be re-occupied. Approved for use at all district sites only by trained M&O, Fleet Garage Staff, and Food Services.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. File the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's recommendations for product storage and use Follow the manufacturer's
7176 Acetone 840 7177 Carefree Prime-Zall 7178 Eco Via EC-Emulsifiable Conc-Insecticide-Rockwell 7179 Eco Via WD (wettable dust)-Insecticide-Rockwell Labs 7180 Decon7 Quickstrike-F02813 (PI-2)-American Jetway 7183 Laundry Detergent Kleen #30001 7185 Shaw 5100 Pres-Sens-Floor- Adh-Shaw Ind. 7186 LeadSafe Cleaner No. 5498 7187 Vista 7200 Optiline Fast Dry Low Sheen Traffic Paint 7188 Tide Original Sent 7195 Sentinel 747 Fresh Scent Mastic Remover-Sentinel Prod 7196 909 Soybean Based Mastic Remover 7197 Green Select Liquid Hand Soap 7198 SaveSorb-Moisture Retainer	Sunnyside Corporation Vista Paint Corporation Rockwell Labs Rockwell Labs American Jetway Corp. Southern California Scap Show Industries, Inc. Fiberlock Technologies, Inc. Vista Paint Corporation Proctor and Gamble Sentinel Product, Inc. Hillyard Industries Save Sorb	Carpentry/ Construction Product Paint Products Pesticide/ Herbicide Products Pesticide/ Herbicide Products Cleaning Products Cleaning Products Adhesive Products Maintenance and Operations Pro Paint Products Cleaning Products Maintenance and Operations Pro Maintenance and Operations Pro Cleaning Products Maintenance and Operations Pro Cleaning Products Maintenance and Operations Pro Cleaning Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations staff only at Central Shops. Approved for use by trained Maintenance & Operations staff only. Approved for use by LAUSD Pest Contral Technicians only. Warning signs must include a statement that "An ingredient of this product is a derivitive of peanut oil." Approved for use by LAUSD Pest Contral Technicians only. Approved for use by LAUSD Pest Contral Technicians only. Approved for use by Inspector General investigator staff only. Approved for outdoor use by Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only tunoccupied sites (within construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by FEU staff and abatement contractors for of buildings abusing non-school hours and non-occupied buildings only. These buildings shall not be re-occupied. Approved for tuse by contractors and FEIU only at buildings being demolished that will not be re-occupied. Approved for use of all district sites only by trained M&O, Fleet Garage Staff, and Food Services. Approved for use by contractors only at unoccupied sites or during non-staff, and proved for use of all district sites only by trained M&O, Fleet Garage Staff, and Food Services.	Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. For the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. Ensure appropriate personal protection equipment is used with this product including chemical resistant glowes, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

7203 Green Select Foaming Hand Soap	Hillyard Industries	Cleaning Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
7204 Robusto	Hillyard Industries	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7205 Hil-Tex	Hillyard Industrustries	Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7206 Dr. Bronner's Baby Unscented Castile Liquid Soap	Dr. Bronner's Magic Soap	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection.
					Spontaneous combustion (fire) can result from oil soaked materials such as
7207 Boiled Linseed Oil Code 872-Sunnyside Corp	Sunnyside Corp	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff only.	rags, steel wool, paper and clot
7207 20100 2110000 011 0000 072 00111/3100 001P	54111/3405 551P	curpently/ construction rroduct	AITROVED	друготов тог вые ву таков маниеланое в ороганоль вып отгу.	Follow the recommendations found in the manufacturer's SDS and ensure
				Approved for use by trained Maintenance & Operations staff, LAUSD	appropriate personal protection equipment (PPE) is used with this product
7216 Weather King Ext Flat DRW663-00 (air spray paint)	PPG Industries, Inc	Delet Desident	APPROVED	staff, and contractors. Product may not be used by students.	including respiratory protection.
/218 Wednerking Extriat DRW663-00 (dir spray paint)	PPO Industries, Inc	Paint Products	APPROVED	stan, and contractors. Froduct may not be used by students.	
					Follow the recommendations found in the manufacturer's SDS and ensure
				Approved for use by trained Maintenance & Operations staff, LAUSD	appropriate personal protection equipment (PPE) is used with this product
7217 Wndrpr I/E Ltx FL-ANT WH DR20202 (air spray paint)	PPG Industries Inc.	Paint Products	APPROVED	staff, and contractors. Product may not be used by students.	including respiratory protection.
7218 Sandtastik Play Sand	Sandtastik Products Ltd	Miscellaneous	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
7219 Crayola Colored Play Sand	Fairmount Santrol	Miscellaneous	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
7220 Quikrete B4: Packaged Aggregates (Play Sand)	QUIKRETE COMPANIES (One Secureties Co)	Miscellaneous	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
7222 #303 Bumper Mount Part A-Bump Mount Adhesive	Superior Industries Inc.	Adhesive Products	APPROVED	Approved for use by contractors only outdoors.	Follow the manufacturer's recommendations for product storage and use.
7223 #303 Bumper Mount Part B	Superior Industries Inc.	Adhesive Products	APPROVED	Approved for use by contractors only outdoors.	Follow the manufacturer's recommendations for product storage and use.
7224 4 ALLURE Stored Product Moth Kit	WHITMIRE MICRO-GEN	Pesticide/Herbicide Products	APPROVED	Approved for use by trained Pest Management staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
7228 Carpet Extraction Cleaner	Flo-Kem	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
7220		Clouring Froducts	ATTROVED	11 ,	Ensure appropriate personal protection equipment is used with this product
7229 Polytec Eggshell Acrylic Polyurethane Finish	Vista Paint Corporation	Paint Products	APPROVED	Approved for use by contractors and M.S. O staff only non-school hour	s. including chemical resistant gloves, goggles and respiratory protection.
7230 Valspar Universal Retarder	Valspar Corp.	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7232 Loctite Ablestik 60L PTB (ECCOBOND)	Henkel Electronic Material LLC	Adhesive Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
7233 TX RELAX-by Bonar Emirates Technical Yarns LLC	Bonar Yarns Technical Yarns LLC	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractors and trained Maintenance &	
7234 MN Global and FB Global (Field Green)- Yarn	Bonar Yarns Technical Yarns LLC	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7235 Polyurethane coating - Secondary Backing artificial turf	Polytex USA	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
			ALLKOVED	operations stan only.	·
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive	Tandus Centiva	Adhesive Products	APPROVED	- Limited/Restricted Use Only	
, , ,	, , , , , , , , , , , , , , , , , , ,				Ensure appropriate personal protection equipment is used with this product
, ,	, , , , , , , , , , , , , , , , , , ,				
, , ,	, , , , , , , , , , , , , , , , , , ,				Ensure appropriate personal protection equipment is used with this product
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive	Tandus Centiva	Adhesive Products Paint Products	APPROVED	- Limited/Restricted Use Only	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follor
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth	Tandus Centiva Artex Manufacturing Company Clean Earth	Adhesive Products Paint Products Personal Hygiene Products	APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299)	Tandus Centiva Artex Manufacturing Company	Adhesive Products Paint Products	APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-1ZE Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth	Tandus Centiva Artex Manufacturing Company Clean Earth	Adhesive Products Paint Products Personal Hygiene Products	APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAVSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-1ZE Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Folio the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Folio the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Folio the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149 7248 1 Shot Lettering Enamels L155	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149 7248 1 Shot Lettering Enamels L155	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. The follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149 7248 1 Shot Lettering Enamels L155	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Paint Products Paint Products Paint Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149 7248 1 Shot Lettering Enamels L155 7249 1 Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive	Tandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot Armstrong World Industries Inc.	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Adhesive Products Paint Products	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L149 7248 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint	Trandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot Armstrong World Industries Inc. VISTA PAINT CORPORATION	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L139 7248 I Shot Lettering Enamels L155 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Blobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Point 7253 Rubber Crumb and Polyurethone-SoffIES 7254 Odorless Fixer by Ultrafine Imaging Products	Trandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot UShot UShot UShot USHOP PORATION SoftSURFACES (duraSAFE) Ultrafine Imaging Products	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Landscape/ Playground Products Miscellaneous	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by with many contractors and and contractors. Approved for use by wintenance & Operations and Contractors. Approved for use by wintenance & Operations and Contractors. Approved for use by contractors and M & O staff only. Approved for classroom teacher use at any sites.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L149 7248 I Shot Lettering Enamels L155 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffilES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L. P.	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot USTA PAINT CORPORATION SoftSUBFACES (duraSAFE) Ultrafine Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior In	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by whintenance & Operations and Contractors. Approved for use by whintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use at any sites.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foliothem manufacturer's recommendations and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L139 7248 1 Shot Lettering Enamels L155 7249 1 Shot Lettering Enamels L168 7251 8-525 Armstrong Blobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethone-SoffIES 7254 Odorless Fixer by Ultrafine Imaging Products	Trandus Centiva Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot UShot UShot UShot USHOP PORATION SoftSURFACES (duraSAFE) Ultrafine Imaging Products	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Landscape/ Playground Products Miscellaneous	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L134 7248 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffilES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 78 Film Developer Concentrate by Ultrafine L P.	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot Ushot Us	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Evant Products Adhesive Products Exterior Landscape/ Playground Products Miscellaneous Miscellaneous	APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by Plant Managers and Maintenance & Operations	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L134 7248 I Shot Lettering Enamels L149 7248 I Shot Lettering Enamels L165 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 B300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffilES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L. P.	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot USTA PAINT CORPORATION SoftSUBFACES (duraSAFE) Ultrafine Interline Brands	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior In	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by fant Managers and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Foliothem manufacturer's recommendations and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L149 7248 I Shot Lettering Enamels L149 7249 I Shot Lettering Enamels L165 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 B300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffILES 7254 Odorless Fixer by Ultrafine imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L. P. 7257 Squeegee Window Cleaner by Genlobs	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot USTA PAINT CORPORATION SoftSurFACES (dureSAFE) Ultrafine Imaging Products 120 Bernoulli Circle 120 Bernoulli Circle	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Indiscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products	APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for classroom teacher use. Approved for classroom teacher use. Approved for outdoor use by Plant Managers and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Folio the manufacturer's recommendations and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use. Foliow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L134 7248 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffilES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 78 Film Developer Concentrate by Ultrafine L P.	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot Ushot Us	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Evant Products Adhesive Products Exterior Landscape/ Playground Products Miscellaneous Miscellaneous	APPROVED	- Limited/Restricted Use Only Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by fant Managers and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L149 7248 I Shot Lettering Enamels L149 7249 I Shot Lettering Enamels L165 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 B300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffILES 7254 Odorless Fixer by Ultrafine imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L. P. 7257 Squeegee Window Cleaner by Genlobs	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot USTA PAINT CORPORATION SoftSurFACES (dureSAFE) Ultrafine Imaging Products 120 Bernoulli Circle 120 Bernoulli Circle	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Indiscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products	APPROVED APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for classroom teacher use. Approved for classroom teacher use. Approved for outdoor use by Plant Managers and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L139 7248 I Shot Lettering Enamels L169 7249 I Shot Lettering Enamels L169 7251 S-525 Armstrong Biobase Tile Adhesive 7252 B300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-SoffILES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L. P. 7257 Squeegee Window Cleaner by Genlabs	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot USTA PAINT CORPORATION SoftSurFACES (dureSAFE) Ultrafine Imaging Products 120 Bernoulli Circle 120 Bernoulli Circle	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Exterior Indiscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products	APPROVED APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by Plant Managers and Maintenance & Operations staff only during non-school hours. Approved for outdoor use by contractors and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Folic the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L165 7249 1 Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 3300 Carefree Eggshell Brits White-Vista Point 7253 Rubber Crumb and Polyurethane-SoffilES 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine I. P. 7257 Squeegee Window Cleaner by Genlabs 7258 Primary Backing-by Mattex Fabrics	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot Ushot Us	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Adhesive Products Exterior Landscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for use by contractors and M & O staff only. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by Plant Managers and Maintenance & Operations staff only during non-school hours. Approved for outdoor use by contractors and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 1 Shot Lettering Enamels L124 7246 1 Shot Lettering Enamels L134 7247 1 Shot Lettering Enamels L139 7248 1 Shot Lettering Enamels L155 7249 1 Shot Lettering Enamels L155 7249 1 Shot Lettering Enamels L168 7251 8-525 Armstrong Blobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethone-Soffles 7254 Odorless Fixer by Ultrafine Imaging Products 7255 Super 76 Film Developer Concentrate by Ultrafine L.P. 7257 Squeegee Window Cleaner by Genlabs 7258 Primary Backing-by Mattex Fabrics 7250 Floor-Tex Textured Concrete Coating	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot USTA PAINT CORPORATION SoftSURFACES (duraSAFE) Ultrafine Imaging Products 120 Bernoulli Circle 120 Bernoulli Circle GENLABS Mattex Fabrics Seal Krete	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Adhesive Products Exterior Landscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for use by contractors and M & O staff only. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for classroom teacher use. Approved for classroom teacher use. Approved for use by Plant Managers and Maintenance & Operations staff only during non-school hours. Approved for outdoor use by contractors and Maintenance & Operations staff only during non-school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7238 Tandus Centiva C-12E Pressure Sensitive Adhesive 7241 Nova Color Artists' Mediums (204,206,217,233,235,299) 7242 PureAyre-by Clean Earth 7244 Renown Antibacterial Plum Handwash 7245 I Shot Lettering Enamels L124 7246 I Shot Lettering Enamels L134 7247 I Shot Lettering Enamels L149 7248 I Shot Lettering Enamels L155 7249 I Shot Lettering Enamels L168 7251 S-525 Armstrong Biobase Tile Adhesive 7252 8300 Carefree Eggshell Brite White-Vista Paint 7253 Rubber Crumb and Polyurethane-Soffiles 7255 Super 76 Film Developer Concentrate by Ultrafine L.P. 7256 Liquid Paper Developer Concentrate by Ultrafine L.P. 7257 Squeegee Window Cleaner by Genlabs 7258 Primary Backing-by Mattex Fabrics	Artex Manufacturing Company Clean Earth Interline Brands 1 Shot 1 Shot 1 Shot 1 Shot 1 Shot USTA PAINT CORPORATION SoftSURFACES (duraSAFE) Ultrafine Imaging Products 120 Bernoulli Circle 120 Bernoulli Circle GENLABS Mattex Fabrics Seal Krete	Adhesive Products Paint Products Personal Hygiene Products Cleaning Products Paint Products Adhesive Products Exterior Landscape/ Playground Products Miscellaneous Miscellaneous Cleaning Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for use outdoors by contractors during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by trained Maintenance & Operations staff and contractors only in construction areas or during non-school hours. Approved for use by Maintenance & Operations and Contractors. Approved for use by Maintenance & Operations and Contractors. Approved for classroom teacher use at any sites. Approved for classroom teacher use. Approved for outdoor use by Plant Managers and Maintenance & Operations staff only. Approved for use by Contractors and Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during no school hours.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractorsfor outdoor use only. LAUSD staff may	
7264 CrownCote Vapor Barrier #303 Side B	Crown Polymers Corp.	Carpentry/ Construction Product	APPROVED	not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
7265 ProPlay-Sport20D, ProPlay-Sport23D & ProPlay-EcoSport	Schmitz Foam Products BV.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. Store
					only at temperatures below 126 DF (52 C).
				Approved for use by certified contractors and trained Maintenance &	This substance should NOT be mixed with air under pressure for leak testing or
7266 DuPont Suva 407C Refrigerant	DuPont	HVAC Products	APPROVED	Operations staff only.	other purposes.
7267 DuPont Suva 408A Refrigerant	DuPont	HVAC Products	APPROVED	Approved for use by certified contractors and trained Maintenance & Operations staff only.	-Follow the manufacturer's recommendations for product storage and use.
7267 Duront sava 406A kemigerant	Duront	HVAC Products	APPROVED	Approved for use by certified contractors and trained Maintenance &	-rollow the manufacturer's recommendations for product storage and ase.
7268 DuPont Suva 507 Refrigerant	DuPont	HVAC Products	APPROVED	Operations staff only.	-Follow the manufacturer's recommendations for product storage and use.
7200		TIVAC FIOLICES	AFFROVED	Approved for use by certified contractors and trained HVAC	·
7269 Hot Shot 2 (R-417C)	ICOR International	HVAC Products	APPROVED	Maintenance & Operations staff only.	-Follow the manufacturer's recommendations for product storage and use.
				<u> </u>	High Alkalinity pH 12.7. Ensure appropriate personal protection equipment is used
					with this product including chemical resistant gloves, goggles and respiratory
7270 7270_Evap-Fresh No Rinse Evaporator Cleaner -Disinfectant	Nu-Calgon Wholesaler, Inc	Cleaning Products	APPROVED	Approved for use by contractors and HVAC M & O personnel only.	protection.
				Approved for use by contractors and HVAC trained Maintenance &	
7271 White, Water Based Lagging Adhesive DP 3050 AF	DESIGN POLYMERICS	Adhesive Products	APPROVED	Operations personnel only.	Follow the manufacturer's recommendations for product storage and use.
7272 SET-XP High Strength Anchoring Adhesive	Simpson Strong-Tie Company Inc.	Adhesive Products	APPROVED	Approved for use by contractors.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contracters and trained Maintenance &	
7274 V-PRO 5000 PRIMER White (5001)	VISTA PAINT CORP	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7275 V-PRO 5000 EGGSHELL White (5300)	VISTA PAINT CORP	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7276 V-PRO 5000 VELVASHEEN White (5200)	VISTA PAINT CORP	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
V DOC FORG STAIL OLOGO TICANIA MINING (F 400)	VISTA PAINT CORP			Approved for use by contractors and trained Maintenance &	Fellowski and the second for the second seco
7277 V-PRO 5000 SEMI-GLOSS Tintable White (5400)	VISTA PAINT CORP	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7278 V-PRO 5000 FLAT White (5001)	VISTA PAINT CORP	Paint Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
72/8 V-PRO 3000 FLAT WIILE (3001)	VISTA FAINT CORP	Paint Products	APPROVED	Operations stall only.	Pollow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and
					use.Ensure appropriate personal protection equipment is used with this product
7280 Concur 9221, 9225, 92256 No Rinse Neutral Cleaner	Fuller Industries LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
, , ,				Approved for use by trained Maintenance & Operations staff and	3 3
7284 Templine Synthetic Turf Paint -White- Orig/Fast Brk/Tuff	Eco Chemical, Inc.	Paint Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				This considered to be an 'Article' and does not require a review and	
7285 Sure-Flex Reinforced KEE HP Membrane	CARLISLE SYNTEC INCORPORATED	Roofing Products	APPROVED	approval by OEHS.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7286 Olybond 500 Spot Shot Part A	Carlisle Syn Tec	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7287 Olybond 500 Spot Shot Part B	Carlisle Syn Tec	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				This considered to be an 'Article' and does not require a review and	
7288 Sure-Flex Reinforced PVC Membranes and Accessories	Carlisle Syn Tec	Roofing Products	APPROVED	approval by OEHS.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7289 FAST Dual Cartridge Adhesive Part A	Carlisle Syn Tec	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
mana SAOT Dural Constriction Andle 1 - 1 - 1	Outlide Co. Tee			Approved for use by contractors and trained Maintenance &	Solling the second state of the second state o
7290 FAST Dual Cartridge Adhesive Part B	Carlisle Syn Tec	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7294 Refresh Clear Foam	Deb USA, Inc.	Cleaning Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
7295 Isopropyl Rubbing Alcohol 70%	Hydrox Labs	Nursing Services Products	APPROVED	Approved for outdoor use contractors and by Maintenance S.	Follow the manufacturer's recommendations for product storage and use.
7296 TTII TRU-PLAY 57 (Tan) Colored EPDM Infill	Felix Compounds	Eutovia v I an decame / 21	ADDDOVES	Approved for outdoor use contractors and by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7290 THE INCEPTIAL STATISTICS COLORED ENDW INTELL	Leux Couribonias	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors and Maintenance &	ronow are manufacturers recommendations for product storage and use.
7297 Thiobac Primary Outdoor Backing K29	Ten Cate Thiobac	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
, bdoking kizo		or canascape, mayground modules		Approved for outdoor use by contractors and Maintenance &	
7298 FP-C627	Textile Rubber & Chemical Co., Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	
7300 Centennial 25	Sanitek Products, Inc.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
			<u> </u>	Approved for use by trained contractors and Maintenance &	
7301 SEAL-A-TEX II	Sanitek Products, Inc.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Follow
7302 Creme Cleanser 938 Scouring Cleanser	Fuller Industries LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	the manufacture's recommendations for use and storage.
		-		<u> </u>	
					Ensure appropriate personal protection equipment is used with this product
7305 Enzy-Clean 9560 9561 Drain & Septic Cleaner	Fuller Industries LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.

				Approved for use by trained Plant Managers and Maintenance &	Ensure appropriate personal protection equipment is used with this product
7309 HyperOx Stain Remover RTU 9430	Fuller Industries LLC	Cleaning Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors and trained Maintenance &	
7311 Tandus Centiva C-350 Pressure Sensitive Adhesive for PowerE	3 Tandus Centiva	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7315 Spray N Sparkle Ammoniated Glass Cleaner RTU 9014	Fuller Industries LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
7321 Stainless Steel Cleaner 91770	Fuller Industries LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. No dry mixing
					permitted. Use dust control when handling dry product or mixing wet batches
				Approved for use by contractors and trained maintenance and	Promply clean up work areas using wet methods. No dry sweeping. Vacuums
7326 Eisenwall 251010088, 251013000	CTS CEMENT MANUFACTURING COMPANY	Carpentry/ Construction Product	APPROVED	operations staff only at unoccupied sites or during non-school hours.	used for housekeeping must be equipped with HEPA filters.
				Approved for outdoor use by contractors and trained Maintenance &	
7327 Ultrablade 10000 Deni (Field Green) Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7328 MX Extreme Fiber (Field Green) Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
				Approved for use by contractors and trained Maintenance &	
7330 Centi SP 6000	Helmitin Inc. (Tandis Centiva)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7331 Tandus CTR - PSA	Tandus / Centiva	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7344 BDC 3100 Hardener	B.D. Classic Enterprises (562-944-6177)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7345 BDC 3100P Pigmented - Hardener	B.D. Classic Enterprises (562-944-6177)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractors and Maintenance &	Ensure appropriate personal protection equipment is used with this product
7361 Ultrabond Turf Epoxy Repair Part A and B	MAPEI	Adhesive Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors only at unoccupied sites or during no	1-
7362 Ultrabond Turf PU 1K (Adhesive)	MAPEI	Adhesive Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
7363 Gallium CAS-No. 7440-55-3	Sigma-Aldrich	School Products	APPROVED	Approved for teacher's use.	including nitrile gloves and goggles.
				Approved for use by contractora and trained Maintenance &	
7368 7368_Slab-Cote Part A-B D64125 A-B	Bostic Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
7372 926 Arcade Rubber sheet & Vinyl Flooring Adhesive	Johnsonite	Adhesive Products	APPROVED	contractors.	Follow the manufacturer's recommendations for product storage and use.
7372 926 Arcade Rubber sheet & Vinyl Flooring Adhesive 7375 Standard Instant Cold Pack	Johnsonite Medline Industries, Inc,	Adhesive Products Nursing Services Products	APPROVED APPROVED	contractors. Approved for faculty and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack				contractors.	
				contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product.	
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2	Medline Industries, Inc, Sika Sarnafil	Nursing Services Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack	Medline Industries, Inc,	Nursing Services Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex 1A	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION	Nursing Services Products Roofing Products Roofing Products	APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex 1A 7397 Post-it Dry Erase Surface	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M	Nursing Services Products Roofing Products	APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex 1A	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION	Nursing Services Products Roofing Products Roofing Products	APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc.	Nursing Services Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex 1A 7397 Post-it Dry Erase Surface	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M	Nursing Services Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, Inc. UZIN UTZ AG	Nursing Services Products Roofing Products Roofing Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc.	Nursing Services Products Roofing Products Roofing Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Restmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, Inc. UZIN UTZ AG	Nursing Services Products Roofing Products Roofing Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate I:64 Item 320895	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Samacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikafiex IA 7387 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Samacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikafiex IA 7387 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Restmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7406 And One Item and one 7406 Ultra Clean Concentrate I:64 Item 320895	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex 1A 7387 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Shaw Industries	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895	Medline Industries, inc, Sika Sarnofil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex 1A 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors	Medline Industries, inc, Sika Sarnofii SiKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Festmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex 1A 7387 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Shaw Industries	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Frase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION 3M Foundation Supportworks, Inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries inc	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex 1A 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors	Medline Industries, inc, Sika Sarnofii SiKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex 1A 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH 7425 POLYTEC GLOSS (8900)	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries Inc Vista Paint Corporation	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Paint Products Paint Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex 1A 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors	Medline Industries, inc, Sika Sarnafil SIKA CORPORATION 3M Foundation Supportworks, Inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries inc	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors, restmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-it Dry Erase Surface 7400 All Grade Poly Level Foarn - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH 7425 POLYTEC GLOSS (8900)	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, Inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Show Industries Dunn Edwards Mohawk Industries Inc Vista Paint Corporation Kahrs International (formerly UPOFLOOR Americas, Inc.)	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Samacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7397 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934860 7409 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH	Medline Industries, inc, Sika Sarnofii SIKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries Inc Vista Paint Corporation	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Paint Products Paint Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofing Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff and contractors only. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by trained Maintenance & Operations staff and, Approved for outdoor use by trained Maintenance & Operations staff and, Approved for outdoor use by trained Maintenance & Operations staff and, Approved for use by contractors and trained Maintenance & Operations staff and, Approved for use by contractors and trained Maintenance & Operations staff and, Approved for use by contractors and trained Maintenance & Operations staff and,	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Samacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934860 7408 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH 7425 POLYTEC GLOSS (8900) 7426 Kahrs Transitional 5800 (Formerly UPOFLOOR 5900)	Medline Industries, inc, Sika Sarnofii SiKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries Inc Vista Paint Corporation Kahrs International (formerly UPOFLOOR Americas, inc.)	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Adhesive Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Sarnacol AD Feltback Membrane Adhesive Part 1/ Part 2 7379 Sikaflex IA 7387 Post-it Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934660 7408 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH 7425 POLYTEC GLOSS (8800) 7426 Kahrs Transitional 5900 (Formerly UPOFLOOR 5800) 7427 Excelsior SP-500 7428 Excelsior AW-510	Medline Industries, inc, Sika Sarnafii SiKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries inc Vista Paint Corporation Kahrs International (formerly UPOFLOOR Americas, Inc.) RHS	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Adhesive Products Adhesive Products Adhesive Products	APPROVED APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only. LAUSD staff may not use this product. Approved for use by contractors restmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations ataff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7375 Standard Instant Cold Pack 7377 Samacol AD Feltback Membrane Adhesive Part I/ Part 2 7379 Sikaflex IA 7387 Post-lit Dry Erase Surface 7400 All Grade Poly Level Foam - PL250H 7402 UZIN NC 886 7405 And One Item and one 7406 Ultra Clean Concentrate 1:64 Item 320895 7407 Ultra Sport Item 934860 7408 SHAW 4100 REXCOURT/NINYL FLOORING ADHESIVE 7411 Evershield Ext/ Int Semi-Gloss (EVSH50) All Colors 7412 Mohowk M95.0 Resilient FLG ADH 7425 POLYTEC GLOSS (8900) 7426 Kahrs Transitional 5800 (Formerly UPOFLOOR 5900)	Medline Industries, inc, Sika Sarnofii SiKA CORPORATION 3M Foundation Supportworks, inc. UZIN UTZ AG Advantage Coatings Technology Waxie Sanitary Supply Waxie Sanitary Supply Shaw Industries Dunn Edwards Mohawk Industries Inc Vista Paint Corporation Kahrs International (formerly UPOFLOOR Americas, inc.)	Nursing Services Products Roofing Products Roofing Products Adhesive Products Floor Care Products Adhesive Products	APPROVED	contractors. Approved for faculty and staff use. Approved for use by contractors and LAUSD Roofling Dept. during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only during non-school hours Outdoo use only, LAUSD staff may not use this product. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff. Approved for use by contractors, Pestmanagment, Food Services, and Maintenance and Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors trained Maintenance & Operations staff only. Approved for use by contractors trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

1908 1908					Approved for use by contractors during non-school hours in	Follow the manufacturer's recommendations for product storage and use. Use
Page	7438 Nora nTx 020	Nora Systems, Inc.	Floor Care Products	APPROVED	unoccupied areas.	with PPE i.e. protective clothing, gloves, and eye/face protection.
14 15 15 15 15 15 15 15	7439 CHEM Pro2220-Sodium Gluconate	PMP Fermentation Products Inc	HVAC Products	APPROVED	Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and use.
					Approved for use by contractors only during non-school hours. LAUSD	
Mathematical Math	7440 CHEM Pro 3042	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED	*	Follow the manufacturer's recommendations for product storage and use.
March Part	7441 CHEM Pro 3800C	CHEM PRO LABORATORY, INC.	HVAC Products	APPROVED	·	Follow the manufacturer's recommendations for product storage and use.
March	PROMINAY (CUEM PRO 40E0)	Fruitze Teath Chara Candaga				Fallow the manufacturer's recommendations for product storage and use
Mark Prigrict Congression (Mark Supplies August 1998) (Mar	7443 CHEM PRO 4072 (MICTODICIDE 98)	CHEM PRO DABORATORY, INC.	HVAC Products	APPROVED		
Control Cont	7447 Fusion Pro Single Component Grout	Custom Building Products	Floor Care Products	APPROVED		
Management Man		•			*	
Manual Control (1970) Manu	·		13		Approved for use by trained Maintenance & Operations, Food Services	, , ,
March Michael Michae	7450 Medi-Zap 128 Neutral Disinfectant Cleaner	UNIT CHEMICAL CORPORATION	Cleaning Products	APPROVED	and POD staff.	Follow the manufacturer's recommendations for product storage and use.
Agricult					Approved for use by contractors only, during non-school hours, and in	
Math Mark	7459 PRIME LOCK ADDITIVE	Endura Manufacturing Company Ltd.	Paint Products	APPROVED	well ventilated areas. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
Ministry					Approved for use by contractors only, during non-school hours, and in	
	7460 PRIME LOCK BASE	Endura Manufacturing Company Ltd.	Paint Products	APPROVED		
1920 1920			Personal Hygiene Products	APPROVED	Approved for use by trained staff. Ref 7463	
Miles Mile	7471 Liquid Hand Soap # 2000	GENLABS	Personal Hygiene Products	APPROVED	••	
Appendix					., , ,	
Company Comp	7472 ON LINE TRAFFIC	VISTA PAINT	Paint Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
Part						
Page 19						
Approach						•
Agrenced for effect or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product or month y controlled with indigenous and sequenced or product through or and sequenced or product t	7477 PERM-A-BARRIER WB Primer	GCP Applied Technologies	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
Agreewed to material use only incommon within delegated 1 1/40g Blanchers Ligid Membran & DCP Agriphed Technologies 1 1/40g Blanchers Ligid Membran & DCP		•			Approved for exterior use only by contractors within designated	
Application in Special Manufacine A Social Page 1000 Social Manufacine A Social Page 1000 Social Page	7479 Bituthene Liquid Membrane Part A	GCP Applied Technologies	Roofing Product	APPROVED	construction areas.	Follow the manufacturer's recommendations for product storage and use
Agenowed for user by combined counter by combi					Approved for exterior use only by contractors within designated	
Applied Desiron Claratory (solution) (including product) Applied Desiron (including product) Applied D	7480 Bituthene Liquid Membrane & Deck Prep Part B	GCP Applied Technologies	Roofing Product	APPROVED	construction areas.	Follow the manufacturer's recommendations for product storage and use
Approved for use high early content only during the Port Point Poi						
Inserted Fire Representation From Representati	7484 Neutral Bathroom Cleaner by Ecolab Inc.	Ecolab Inc. Institutional Division	Cleaning Products	APPROVED		including chemical resistant gloves, goggles and respiratory protection.
Agrowed for use by contracters and strends delinement. A proposed for use						
April Apri	7490 FlameOff Fire Barrier Paint	FlameOff Coatings, Inc.	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
Agrowed for use by controctors and froined Maintenance 6. 7486 Resolute (No-Huu Resilient) 7496 Resolute (No-Huu Resilient) 7497 Top Cost 86 (Including light Blue) 7497 Top Cost 86 (Including light Blue) 7505 LOXION Concruté & Masonry Primer 7505 LOXION Concruté & Masonry Primer 7506 Proindustrial Wistenboard Ally Uterbane Services 7507 Proindustrial Wistenboard Ally Uterbane Services 7508 Proindustrial Wistenboard Ally Uterbane Services 7508 Proindustrial Wistenboard Ally Uterbane Services 7509 Proindustrial Wistenboard Ally Uterbane Services 7509 Proindustrial Wistenboard Ally Uterbane Services 7500 Proindustrial Wistenboard Ally Uterbane Services	7495 Stiv 2230	XI Brands	Floor Care Broducte	ADDROVED		Follow the manufacturer's recommendations for product storage and use
Resolute (Ms-Plus Bealed (Ms-P	7450 Sux 2230	AL BIGINGS	FIGOR Care Froducts	AFFROVED	,	Tollow the managed as recommendations for product storage and use.
Approved For use by contractors Approv	7496 Resolute (MS-Plus Resilient)	W. F. Taylor LLC	Floor Care Products	APPROVED.		Follow the manufacturer's recommendations for product storage and use.
Approved for use by roined Maintenance & Operations staff and The Sherwin-Williams Company Paint Products APROVED Contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors only fusing application. Approved for use by contractors and trained Maintenance & Pollow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Pollow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Pollow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's reco		Grace & Co.			*	, , , , , , , , , , , , , , , , , , ,
Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Ciperations staff only. This is Foliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Ciperations staff only. This is Foliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Ciperations staff only. This is Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Foliow the manufactur			, , , , , , , , , , , , , , , , , , ,			
Point Products and Airyd Urethones Earni Roles	7503 LOXON Concrete & Masonry Primer	The Sherwin-Williams Company	Paint Products	APPROVED	contractors only.	
Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product personal protection. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product personal protection. Approved for use by contractors and trained Maintenance & Proper Pie Shall be wern during application. Proper Pie Shall be wern during a					Approved for use by contractors and trained Maintenance &	
Point A-100 Exterior Flat The Shewin-Williams Company Point Products APPROVED Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product approach to the product of the	7504 Pro Industrial Waterbased Alkyd Urethane Semi Gloss	The Sherwin-Williams Company	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product for season of the product season of the pro						
Schonox SL Schonox SL Schonox GmHi, Alfred-Nobel-Str. 6 Floor Care Products APROVED Operations staff only. Including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Proper PE shall be worn during application. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations staff only. This is Approved for use by contractors and trained Maintenance & Operations s	7506 A-100 Exterior Flat	The Sherwin-Williams Company	Paint Products	APPROVED	,	
Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Froget PFE shall be worn during application. Approved for use by trained Maintenance & Proper PFE shall be worn during application. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff only. This is Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff only. This is Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufactu						
Floor Care Products APRROVED Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors only during non-school hours. LAUSD Proper for use by contractors only during non-school hours. LAUSD Proper for use by contractors only during non-school hours. LAUSD Proper for use by contractors only during non-school hours. LAUSD Proper for use by trained Maintenance & Operations staff only. This is a phyrowed for use by trained Maintenance & Operations staff only. This is a phyrowed for use by trained Maintenance & Operations staff only. This is a phyrowed for use by trained Maintenance & Operations staff only. This is a phyrowed for use by trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations of product storage and use. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and trained Maintenance & Operations staff only. The proved for use by contractors and Maintenance & Operations staff only. The proved for use by con	7508 Schonox SL	Schonox GmnH, Alfred-Nobel-Str.6	Floor Care Products	APPROVED	·	including chemical resistant gloves, goggles and respiratory protection.
Approved for use by contractors only during non-school hours. LAUSD 7510 Schonox EPA Rapid Comp B Schonox GmbH Floor Care Products APROVED APROVED APROVED Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Policy the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the man	7500 Schonov EDA Banid Comp A	Schonov GmhU	Floor Care Braduate	ADDDOVED.		Follow the manufacturarie recommendations for product starges and use
Schonox EPA Rapid Comp B Schonox GmbH Floor Care Products APPROVED Staff may not use this product. Proper FPE shall be worn during application. Approved for use by trained Maintenance & Operations staff only. This staff may not use this product. Proper FPE shall be worn during application. Approved for use by trained Maintenance & Operations staff only. This staff may not use this product. Shall be worn during application. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used to this product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used to this product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used to the product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer	7009 SCHOHOX EFA RUPIU COIND A	SCHOLOX OHIDD,	FIOOT Care Products	APPROVED	*	, ,
Approved for use by trained Maintenance & Operations staff only. This is 7521 Upofloor Quartz Tiles Upofloor Americas inc Floor Care Products APPROVED APPROVED APPROVED Considered an Article. Rel # 7521. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Pollow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Approved for use by contractors and trained Maintenance & Teach of the product storage and use. Teach of the product storage and use. Approved for use by trained Maintenance & Teach of the product storage and use. Approved for use by trained Maintenance & Teach of the product storage and use. Approved for use by trained Maintenance & Teach of the product storage and use. Approved for use by trained Maintenance & Teach of the product storage and use. Approved for use by trained Maintenance & Teach of the product storage and use. Approved for use by contractors and Maintenance & Teach of the product storage and use. Approved for use by contractors and Maintenance & Teach o	7510 Schonox EPA Rapid Comp B	Schonox GmbH	Floor Care Products	APPROVED		· · · · ·
7521 Upoffloor Quartz Tiles Upoffloor Americas Inc Floor Care Products APPROVED Considered an Article. Ref # 7521. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Poliow the manufacturer's recommendations for product storage and use. Approved for use by contrac	ABOUT TO THE PROPERTY OF THE P		sor ouro rroducto	ALLIOTED		
Floor Care Products APROVED Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and Maintenance & Operations staff only. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance and	7521 Upofloor Quartz Tiles	Upofloor Americas Inc	Floor Care Products	APPROVED		
Floor Care Products APROVED Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Ensure appropriate personal protection equipment is used with this product Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and Maintenance & Operations staff only. Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance and					Approved for use by contractors and trained Maintenance &	· · · ·
Floor Care Products APPROVED Operations staff only. Including chemical resistant gloves, goggles and respiratory protection. Approved for use by contractors and trained Maintenance & Policy Section 2 Black Tremco US Sealants Miscellaneous APPROVED Approved for use by contractors and trained Maintenance & Policy Section 3 APPROVED Approved for use by trained Maintenance & Operations staff only. Floor Care Products APPROVED Approved for use by trained Maintenance & Operations staff only. Including chemical resistant gloves, goggles and respiratory protection. Approved for use by trained Maintenance & Operations staff only. Including chemical resistant gloves, goggles and respiratory protection.	7522 Schonox EPA Comp A	Schonox GmbH	Floor Care Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Ensure appropriate personal protection equipment is used with this product and the product storage and use. Floar Products Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance and trained Mainte						
7527 Spectrum 2 Black Tremco US Sealants Miscellaneous APROVED Operations staff only. Follow the manufacturer's recommendations for product storage and use. Tensure appropriate personal protection equipment is used with this product Total Quickfill 310 Neutral Cleaner Ecolab Floor Care Products APROVED Approved for use by trained Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance and	7523 Schonox EPA Comp B	Schonox GmbH	Floor Care Products	APPROVED		including chemical resistant gloves, goggles and respiratory protection.
Ensure appropriate personal protection equipment is used with this product 7534 Quickfill 310 Neutral Cleaner Ecolab Floor Care Products APPROVED Approved for use by trained Maintenance & Operations staff only. including chemical resistant gloves, goggles and respiratory protection. Approved for outdoor use by contractors and Maintenance and						
7534 Quickfill 310 Neutral Cleaner Ecolab Floor Care Products APPROVED Approved for use by trained Maintenance & Operations staff only. including chemical resistant gloves, goggles and respiratory protection. Approved for outdoor use by contractors and Maintenance and	7527 Spectrum 2 Black	Tremco US Sealants	Miscellaneous	APPROVED	Operations staff only.	
Approved for outdoor use by contractors and Maintenance and	The Annual Mill (10) November 10)	Factor			Annual forms by built add table	
	/534 Quickfill 310 Neutral Cleaner	Ecoldb	Floor Care Products	APPROVED		including chemical resistant gloves, goggles and respiratory protection.
APPICUE OPERATION OF THE PROPERTY OF THE PROPE	7525 Fully Reacted Polyurethane Foam and Scrim	Textile Rubber & Chemical Co. Inc.	Exterior Landscape / Discussion of Dr. duran	APPROVED		Follow the manufacturer's recommendations for product storage and use
	7000 - Eng Reduced Forgaround Todam and Soffill		Extendi tunuscuper riaygiouna Products	AI-FROVED	_p	product stollage und use.

Approved for use by contractors only during non-school hours. Product cannot be stored on-site. LAUSD staff may not use this product. Ref 7542 Sanatox 2080 by San Joaquin Chemicals inc. SAN JOAQUIN CHEMICALS, INC. HVAC Products APROVED APROVED APROVED Approved for use by contractors only during non-school hours in a closed system. This product can not be stored on-site. LAUSD staff may not use this product. Ref W 7543. Follow the manufact. Approved for use by contractors only during non-school hours in a closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD st	urer's recommendations for product storage and use urer's recommendations for urer's urer's urer's urer's urer's urer's u
Page CHEMOC TO 3304 [FM2] FORWARD 1904 CHEMICALS INC. INC. Products APPROVED IN use this product. Pollow the manufact. Approved for use by contractors only during non-school hours. Product cannot be stered or-site. LAUSD staff may not use this product. Ref. Pollow the manufact. Approved for use by contractors only during non-school hours in a closed system. This product cannot be stered or-site. LAUSD staff may not use this product. Refl. PG4. Pollow the manufact. Approved for use by contractors only during non-school hours in a closed system. This product cannot be stored or-site. LAUSD staff may not use this product. Refl. PG4. PG4. PG6. PG6. PG6. PG6. PG6. PG6. PG6. PG6	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours. Product connot be stored on-site. LAUSD staff may not use this product. Ref 7542 Sanator 2080 by San Joaquin Chemicals inc. SAN JOAQUIN CHEMICALS, INC. HAAC Products APPROVED APPROVED Approved for use by contractors only during non-school hours in a closed system. This product can not be stored on-site. LAUSD staff may not use this product. Ref PT 543. Follow the manufact. Approved for use by contractors only during non-school hours in a closed system. This product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staf	urer's recommendations for product storage and use
connot be stored on-site. LAUSD staff may not use this product. Ref 7542 Sanator 2080 by San Joaquin Chemicals inc. SAN JOAQUIN CHEMICALS, INC. HVAC Products HVAC Products HVAC Products HVAC Products APPROVED APPROVED On tuse this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product. Ref #7545. Approved for use by contractors only during non-school hours in a closed system. Product can not be stored on-site. LAUSD staff may not use this product. Ref #7546. Approved for use by contractors only during non-school hours in a closed system. Product can not be stored on-site. LAUSD staff may not use this product. Ref #7546. Approved for use by contractors on the stored on-site. LAUSD staff may not use this product. Ref #7546. Approved for use by contractors and trained Maintenance & products. Approved for use by contractors and trained Maintenance & products. Approved for use by contractors and trained Maintenance & products. Approved for use by contractors and trained Maintenance & products. Approved for use by contractors and trained Maintenance & products and trained Maintenance & products and trained Maintenance & products. Approved for use by contractors and t	urer's recommendations for product storage and use urer's recommendations for product storage and use
Fig. 2 Sandrox 2080 by San Joaquin Chemicals Inc. SAN JOAQUIN CHEMICALS, INC. HYAC Products APPROVED APPROVED APPROVED APPROVED not use this product cannot be stored on-site. IAUSD staff may not closed system. The product cannot be stored on-site. IAUSD staff may not closed system. The product cannot be stored on-site. IAUSD staff may not closed system. The product cannot be stored on-site. IAUSD staff may not sold product and product and the stored on-site. IAUSD staff may not closed system. The product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product cannot be stored on-site. IAUSD staff may not closed system. Product and the stored on-site. IAUSD staff may not closed system. Product and system. Product and system. Product and system. Product and stored on-site. IAUSD staff may not closed system. Product and system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and stored on-site. IAUSD staff may not closed system. Product and system. Product and system. Product and staff only. Ref 754. 7548 Schonox MULTIEX 7548 Schonox MULTIEX 7549 Sc	urer's recommendations for product storage and use urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a closed system. This product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Produc	urer's recommendations for product storage and use urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a closed system. This product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not use this product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can	urer's recommendations for product storage and use urer's recommendations for product storage and use
closed system. This product can not be stored on-site. LAUSD staff may be stored on-site. LAUSD staff may be stored on-site. LAUSD staff may not closed system. The product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product set from set from staff only. Staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed sys	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Foliow the manufacture of the product send of	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a closed syrem. Product can not be stored on-site. LAUSD staff may not closed syrem. Product can not be stored on-site. LAUSD staff may not closed syrem. Product can not be stored on-site. LAUSD staff may not closed syrem. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not be stored on-site. LAUSD staff may not closed system. Product can not set of close staff only. Ref 756. Approved for use by contract	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Closed sytem. Product can not be stored on-site. LAUSD staff may not staff staff. Staff stankance as staff staff. Staff staff staff staff. Staff staff staff staff staff staff. Staff staff staff staff staff staff. Staff staff staff staff staff staff staff staff staff staff. Staff sta	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Foliow the manufacture of the product in the manufacture of the manufa	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a closed system. Product can not be stored on-site. LAUSD staff may not a closed system. Product can not be stored on-site. LAUSD staff may not a sub-product for use by contractors trained Maintenance & Operations 7546 SANACOR 262+AMD by San Joaquin Chemicals inc. SAN JOAQUIN CHEMICALS, INC. HVAC Products APPROVED Floor Care Products APPROVED Approved for use by contractors trained Maintenance & Operations Approved for use by contractors and trained Maintenance & Pollow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Rel # 7551 Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufact. Follow the manu	urer's recommendations for product storage and use urer's recommendations for product storage and use urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a closed system. Product can not be stored on-site. LAUSD staff may not a closed system. Product can not be stored on-site. LAUSD staff may not a sub-product for use by contractors trained Maintenance & Operations 7546 SANACOR 2821-AMD by San Joaquin Chemicals Inc. SAN JOAQUIN CHEMICALS, INC. HVAC Products APPROVED Folor Care Products APPROVED APPROVED Approved for use by contractors trained Maintenance & Operations Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Follow the manufact. Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Follow the manufact. Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Fol	urer's recommendations for product storage and use
Closed system. Product can not be stored on-site. LAUSD staff may not performed to the stored on-site. LAUSD staff may not performed to the stored on-site. LAUSD staff may not performed to the manufacture of the product of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Maintenance & Pollow the manufacture of the product for size by contractors and trained Mainten	urer's recommendations for product storage and use
Foliow the manufacture Foliow the manufact	urer's recommendations for product storage and use
Approved for use by contractors trained Maintenance & Operations 7547 Schonox KH FIX Schonox Gmbh Floor Care Products APPROVED staff only, Ref 7547. Follow the manufacture Approved for use by contractors and trained Maintenance & Follow the manufacture Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenan	urer's recommendations for product storage and use
Follow the manufacture of the ma	urer's recommendations for product storage and use
Approved for use by contractors and trained Maintenance & Follow the manufact. 7548 SCHONOX MULTIFIX SCHONOX Gmbh Floor Care Products APPROVED APPROVED Operations staff only. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact. Approved for use by contractors and trained Maintenance & Follow the manufact.	urer's recommendations for product storage and use
Follow the manufacture of the ma	
Follow the manufacture of the product of the produc	
Approved for use by contractors and trained Maintenance & Approved for use	
7551 SCHONOX ROLL AND GO SCHONOX Gmbh Floor Care Products APPROVED Operations staff only. Ref# 7551 Follow the manufacture of t	urer's recommendations for product storage and use
Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Follow the manufacture of the	rer's recommendations for product storage and use
7552 SCHONOX SRIP SCHONOX Gmbh Floor Care Products APPROVED Operations staff only. Ref 37552 Follow the manufacture of the manu	
Approved for use by contractors and trained Maintenance & 7553 SCHONQX US SCHONQX Gmbh Floor Care Products APPROVED Operations staff only. Follow the manufact.	
Approved for use by contractors and trained Maintenance & 7553 SCHONOX US SCHONOX Gmbh Floor Care Products APPROVED Operations staff only. Follow the manufactu	rer's recommendations for product storage and use
7553 SCHONOX US SCHONOX Gmbh Floor Care Products APPROVED Operations staff only: Follow the manufacture	
	urer's recommendations for product storage and use
	and a recommendations for product storage and ass
Approved for use by contractors and trained Maintenance &	
	urer's recommendations for product storage and use
Approved for use by contractors and trained Maintenance &	
7555 SCHONOX ZM RAPID SCHONOX Gmbh Floor Care Products APPROVED Operations staff only. Follow the manufactu	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a	
closed sytem. Product can not be stored on-site. LAUSD staff may not	
	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours. Product	
cannot be stored on-site. LAUSD staff may not use this product. Ref.	
7558 EA506 by EnviroAqua EnviroAqua HVAC Products APPROVED 7558 Follow the manufactu	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a	
closed sytem. Product can not be stored on-site. LAUSD staff may not	
	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours. Product	
cannot be stored on-site. LAUSD staff may not use this product. Ref #	
7560 OxiH2O by EnviroAqua EnviroAqua HVAC Products APPROVED 7560. Follow the manufact.	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a	
closed sytem. Product can not be stored on-site. IAUSD staff may not	
······································	urer's recommendations for product storage and use
Approved for use by contractors only during non-school hours in a	
11	
closed sytem. Product can not be stored on-site. LAUSD staff may not	
closed sytem. Product can not be stored on-site. LAUSD staff may not	irer's recommendations for product storage and use
closed sytem. Product can not be stored on-site. LAUSD staff may not 7562 EA4319FLO by EnviroAqua EnviroAqua HVAC Products APPROVED use this product. Follow the manufactu	urer's recommendations for product storage and use ersonal protection equipment is used with this produ
closed sytem. Product can not be stored on-site. LAUSD staff may not read on site and product re	ersonal protection equipment is used with this produ
closed sytem. Product can not be stored on-site. LAUSD staff may not receive a propriet product can not be stored on-site. LAUSD staff may not receive a propriet product can not be stored on-site. LAUSD staff may not receive a propriet product. Follow the manufacture and the product can not be stored on-site. LAUSD staff may not receive a propriet product. Follow the manufacture and the product can not be stored on-site. LAUSD staff may not receive a product can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not receive and staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not c	ersonal protection equipment is used with this produ esistant gloves, goggles and respiratory protection.
closed sytem. Product can not be stored on-site. LAUSD staff may not receive the manufacture of the product season of the stored on-site. LAUSD staff may not receive the manufacture of	ersonal protection equipment is used with this produ
closed sytem. Product can not be stored on-site. LAUSD staff may not be a fored on-site. LAUSD staff may not compared to the product of the p	ersonal protection equipment is used with this produ esistant gloves, goggles and respiratory protection.
To Eleman Design Flooring Agua EmviroAqua EnviroAqua En	ersonal protection equipment is used with this produ esistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ
Closed sytem. Product can not be stored on-site. LAUSD staff may not	ersonal protection equipment is used with this produ esistant gioves, goggles and respiratory protection. ersonal protection equipment is used with this produ esistant gloves, goggles and respiratory protection.
Closed sytem. Product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not compare the part of the product can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff not can not c	ersonal protection equipment is used with this produ esistant gioves, goggles and respiratory protection. ersonal protection equipment is used with this produ esistant gloves, goggles and respiratory protection.
closed sytem. Product can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use
Closed sytem. Product can not be stored on-site. LAUSD staff may not can be stored on-site. LAUSD staff to store and staff may not can be stored on-site. LAUSD staff and staff may not can be stored on-site. LAUSD staff and staff may not can be stored on-site. LAUSD staff and staff may not can be stored on-site. LAUSD staff and staff and staff may not can be stored on-site. LAUSD staff and staff and staff and staff may not can be stored on-site. LAUSD staff and staff	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use
closed sytem. Product can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not reproduct can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can not be stored on-site. LAUSD staff may not can no	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use
For EARISIPE CINETAL PROVIDED INVITADQUAY TO EARISIPE CINETAL PROVIDED INVITADQUAY TO EARISIPE CINETAL PROVIDED INVITADQUAY ENVITADQUAY ENVITADQ	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use
Closed sytem. Product can not be stored on-site. LAUSD staff may not start the staff may not staff, and staff in staff may not start the staff may not staff, and staff in staff may not staff, and staff may not staff, and staff may not staff, and staff may not staff, instructor shall maintain training record for all adult students (is yes or older) only, instructor shall maintain training record for all adult students for all adult	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use
For EA43I9FLO by EnviroAqua Envir	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product.
Closed sytem. Product can not be stored on-site. LAUSD staff may not set or special product Foliow the manufact. Foliow the manufac	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use
Closed sytem. Product can not be stored on-site. LAUSD staff may not set or special product Foliow the manufact. Foliow the manufac	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product.
EnviroAqua	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product.
Closed sytem. Product can not be stored on-site. LAUSD staff may not staff, and proved for use by contractors only. It called not be such as the product on-site by contractors only. It called may not be stored on-site. LAUSD staff may not be stored on-site. LAUSD staff may not start, and staff and staff to may not be stored on-site. LAUSD staff may not start, and staff and staff to may not staff, and staff to may not staff, and staff to make a staff, and staff staff and staff and staff and staff and staff and staff and staff a	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product.
Face EAA3I9FLO by EnviroAqua Envi	ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- seistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product.
Clear Agrifue Dy Finiro Aqua Enviro Expropriori Enviro Aqua Enviro Expropriori Enviro Enviro Enviro Expropriori Enviro Env	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product.
closed sytem. Product can not be stored on-site. LAUSD staff may not be the manufact. 7562 EA4319FLD by EnviroAqua EnviroAqua APPROVED APPROVE	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product.
Clear System Control System Contro	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product.
Closed sytem. Product can not be stored on-site. LAUSD staff may not be a stored on-site. LAUSD staff may not stored on site. LAUSD staff may not start may not stored on site. LAUSD staff may not start may not stored on site. LAUSD staff may not start may not	ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. ersonal protection equipment is used with this produ- sistant gloves, goggles and respiratory protection. urer's recommendations for product storage and use urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product. urer's recommendations for product storage and use g the product.

				Approved for use by the contractor and trained Maintenance &	
7585 Forbo Sustain 885-M	Forbo Flooring NA	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7303		Tion care Floadets	AFFROVED	Approved for use by the contractor and trained Maintenance &	
7586 Sustain 1195 Marmoleum Sheet & Tile Adhesive	Forbo Flooring NA	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7500 Sastan noo wannocan shoota no Aarosiyo	Total Tooling NA	Tion care Floadets	AFFROVED	Approved for use by contractors and trained Maintenance &	Tollow the manufacturer of recommendations for product storage and ass.
7587 Forbo Sustain 1299	Forbo Flooring NA	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7007		Tiour date Freducts	ATTROVES		
				Approved for use by contractors only during non-school hours. LAUSD	
7588 Johnsonite 930 A&B (Two part Epoxy Compound)	Johnsonite Inc	Adhesive Products	APPROVED		8 Follow the manufacturer's recommendations for product storage and use.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Adiosite Froducts	ATTROVED	Approved for use by contractors and trained Maintenance &	
7589 Prevail 6000	Metroflor Corporation	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7590 Templine Paints (All Colors- Synonyms: ECO Acrylic)	ECO Chemical, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7000 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		Tallettodado	ATTROVED	1,	
				Approved for limited/restricted use by contractors only for cleaning	
				galvanised surfaces prior to priming as described by spec section 09-	
					n Follow the manufacturer's recommendations for product storage and use.
					f Ensure appropriate PPE is provided and that all manufacturer recommended
7591 Krud Kutter Metal Clean and Etch	Rust-Oleum Corporation	Paint Products	APPROVED	at an occupied school site. LAUSD staff may not use this product.	engineering controls are utilized.
7592 QT3 RTU	Hillaryard Industries		APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
1997 6191119		Cleaning Products	AFFROVED	Approved for use by trained Maintenance & Operations start only. Approved for use by contractors and trained Maintenance &	
7593 Decomposed Granite with Soil Secure	Southwest Boulder & Stone Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7990 Decomposed Ordina With Suit Secure	Southwest boulder of storid IIIC.	Curpenity/ Construction Product	AFFROVED	Approved for use by trained Maintenance & Operations and	. 5.5.5. d.5. mandiactarer a recommendations for product storage and use.
7596 FLOR-FINISH	Diamatic	Floor Care Products	APPROVED	Contractors staff only.	Follow the manufacturer's recommendations for product storage and use.
7596 FLOK TIMISH	biarratic	FIOOI Care Floadicts	AFFROVED	Approved for use by trained Maintenance & Operations staff and	Tollow the manadactarer streammendations for product storage and ase.
7597 FLOR-CLEAN	Diamatic	Floor Care Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
7597 FLOK CIEAN	Daniale	Floor Care Products	APPROVED	Approved for use by trained contractors and Maintenance &	Tollow the manadactarer streeth internations for product storage and ase.
TEOD Coll Moint	JRM Chemical Inc.	Disable of County Decidents	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7598 Soil Moist	JRM Chemical Inc.	Plumbing Supply Products	APPROVED	Approved for outdoor use by Contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
760) Streetbond Sealer Concentrate	Siplast/GAF	Parlant Paradicipate	4 DOD OVED	Approved for outdoor use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use
/601 Streetbond Sedier Concentrate	SIPIGST/GAF	Paint Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
7602 Sanacor 2621-AMD	SAN JOAQUIN CHEMICALS, INC.	UMO Products	4 DDD 01/FD	Approved for use by Contractors only during non-school hours. LAUSD may not use this chemical.	Follow the manufacturer's recommendations for product storage and use
/802 Sullucul 2021-AMD	SAN JOAQUIN CHEMICALS, INC.	HVAC Products	APPROVED	Approved for outdoor use by Contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7603 Streetbond Adhesion Promoter Conc.	Siplast/GAF	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7803 Streetborid Adriesion Promoter Conc.	Sipiusty GAF	Paint Products	APPROVED	Approved for use by Contractors and trained Maintenance &	rollow the manufacturer's recommendations for product storage and use.
7606 DecoCoat Polymer Pavement Coating Part B	DecoCoat Polymer Systems	Carpentry/ Construction Product	APPROVED	Operations staff for outdoor use.	Follow the manufacturer's recommendations for product storage and use.
7606 Decocourrolymer ravement coating rates	Decocout Polymer Systems	Carpentry/ Construction Product	APPROVED	Approved for use by Contractors and trained Maintenance &	rollow the manufacturer's recommendations for product storage and use.
7607 Streetbond Colorant (All Colors)	Siplast/GAF	One and all Operations for Developing	4 DDD 01/FD	Operations staff only for outdoor use	Follow the manufacturer's recommendations for product storage and use.
/80/ Streetbord Colorant (All Colors)	зіріську оді	Carpentry/ Construction Product	APPROVED	Approved for use by trained Maintenance & Operations staff and	Tollow the manadactarer streammendations for product storage and ase.
7624 TINT-AYD AT (All Colors)	Chromofle Technologies Corneration	Parlant Paradicipate	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
7627 GenEon Disinfectant Cleaner RTU Solution	Chromaflo Technologies Corporation SSS Triple S	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7827 Geneon Distributant Cleaner RTG Solution	sss mple's	Miscellaneous	APPROVED	Approved for use by contractors only during non-school hours,	rollow the manufacturer's recommendations for product storage and use.
				outdoors. LAUSD staff may not use this product. Product may not be	
7628 Insitu ES2	Modine Mfg Company	HVAC Products	APPROVED	stored on-site.	Follow the manufacturer's recommendations for product storage and use.
7628 Haitu E32	woulde wild company	HVAC Products	APPROVED		Tollow the multidiactare a recommendations for product storage and ase.
7000 Enhancing Stabilizing Coales	B. P. Pro	Extended to the state of Piles and the state of	APPROVED	Approved for outdoor use by Contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7629 Enhancing Stabilizing Sealer	5.1.710	Exterior Landscape/ Playground Products	AFFROVED	Approved for use by contractors only during non-school hours. LAUSD	. 5.5.5. d.5. mandiactarer a recommendations for product storage and use.
7630 Beypur Universal "B"	Beynon Sports Surfaces, Inc.	Adhesive Products	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7030 203Pai oniversali u	20yrion oporta duridosa, mo.	MULICAVE FIOUUCES	ALCROVED	Approved for use by contractors and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product
7631 PROSOCO R-Guard Cat 5 Rain Screen	Prosoco	Adhesive Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
7001 TROODSON CAUSE CALCUMINISCIPER		Adriesive Floducts	AFFROVED	Approved for outdoor use by contractors and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product
7632 PROSOCO R-Guard FastFlash Roller Grade	Prosoco	Adhesive Products	APPROVED	Approved for outdoor use by contractors and trained maintenance & Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
7032 TROSOCO N Oddia i dali idali Nollel Grade	1100000	MULICAVE FIOUUCES	ALCROVED	Approved for outdoor use by Contractors and Maintenance &	more and techniques resistant groves, goggies and respiratory protection.
7633 PROSOCO R-Guard FastFlash			APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
, 555 1 100000 11 04414 14311 14311	Prosoco	Floor Care Products			
	Prosoco	Floor Care Products		Approved for use by Contractors Maintenance & Operations staff	
7624 PROSOCO R-Guard Joint & Seam Filler				Approved for use by Contractors Maintenance & Operations staff outdoors.	Ensure appropriate personal protection equipment is used with this product
7634 PROSOCO R-Guard Joint & Seam Filler	Prosoco Prosoco	Floor Care Products Carpentry/ Construction Product	APPROVED	outdoors.	
	Prosoco	Carpentry/ Construction Product	APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection.
7634 PROSOCO R-Guard Joint & Seam Filler 7635 PROSOCO R-Guard PorousPrep				outdoors.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use.
	Prosoco	Carpentry/ Construction Product	APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye
7635 PROSOCO R-Guard PorousPrep	Prosoco	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye wash station shall be available during use. Proper PPE shall be utilized per
	Prosoco	Carpentry/ Construction Product	APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye wash station shall be available during use. Proper PPE shall be utilized per manufacturer's recommendations.
7635 PROSOCO R-Guard PorousPrep 7643 QT - TB	Prosoco Prosoco Hillyard Industries	Carpentry/ Construction Product Carpentry/ Construction Product Cleaning Products	APPROVED APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only for chlorination of installed piping	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye was station shall be available during use. Proper PPE shall be utilized per manufacturer's recommendations.
7635 PROSOCO R-Guard PorousPrep	Prosoco	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only for chlorination of installed piping material. LAUSD staff may not use this product.	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, gaggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye wash station shall be available during use. Proper PPE shall be utilized per manufacturer's recommendations.
7635 PROSOCO R-Guard PorousPrep 7643 QT - TB	Prosoco Prosoco Hillyard Industries	Carpentry/ Construction Product Carpentry/ Construction Product Cleaning Products	APPROVED APPROVED	outdoors. Approved for outdoor use by Contractor and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only for chlorination of installed piping	Ensure appropriate personal protection equipment is used with this product including chemical resistant gloves, goggles and respiratory protection. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Eye was station shall be available during use. Proper PPE shall be utilized per manufacturer's recommendations.

				Approved for outdoor use by Contactors and trained Maintenance &	
7647 MX Extreme - White Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		1		Approved for outdoor use by Contractor and trained Maintenance &	
7648 Ultrablade- FL Blue Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractor and trained Maintenance &	
7649 Ultrablade- White Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractor and trained Maintenance &	
7650 Ultrablade- Yellow Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractor and trained Maintenance &	
7651 MX Extreme - Yellow Yarn	Integrated Turf Solutions	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractors and trained Maintenance &	
7653 Low Zinc Virgin Black EPDM infill	Midwest Elastomers Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractors and trained Maintenance &	
7654 Low Zinc Virgin Blue EPDM	Midwest Elastomers Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use outdoors by contractors and trained Maintenance &	
7660 GuardTop Asphalt Based Sealcoat	GuardTop® Corporate Office	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied buildings or during	
7661 HIT RE 500 V3 (Part A & B)	Hilti	Carpentry/ Construction Product	APPROVED	non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7662 LAYKOLD LM Flexfill Black	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use outdoors by contractors only during non-school	
7663 LAYKOLD Masters PU Primer Part B	Advanced Delimer Technology	Extended on the control Plantage 17	APPROVED	hours. Area where applied shall be demarcated with fencing until completely cured.	Follow the manufacturer's recommendations for product storage and use. PPE
7663 LAYKOLD Masters PU Primer Part B	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED		required when applying.
The state of the s	Advanced Believe Technology			Approved for outdoor use by contractors only during non-school hours.	Fellowski and the second for the second seco
7664 LAYKOLD Masters PU Primer Part A	Advanced Polymer Technology	Exterior Landscape/ Playground Products	APPROVED	LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unaccomical sites or diving non	
				Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. When applying	=
7665 LAYKOLD LINE PRIME	Advanced Polymer Technology	Paint Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
7665 DATKOLD LINE PRIME	Advanced Folymer rechnology	Paint Products	APPROVED		rollow the manufacturer's recommendations for product storage and use.
7668 DecoCoat Polymer DP200 Pavement Coating Part B	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by Contractors and trained Maintenance & Operations staff only. Ref 7668	Follow the manufacturer's recommendations for product storage and use.
7668 Decocourrolymer Dr.200 Pavement Couling Part B	Decocodi Polymer Systems	Paint Products	APPROVED	Approved for outdoor use by Contractors and Maintenance &	rollow the manuacturer's recommendations for product storage and use.
7672 Florida Blue PE#377 (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7072 Horida Black Errorr (Falli)	Torrodo	Exterior tariascape, mayground moducis	AFFROVED	Approved for use outdoors by Contractors and trained Maintenance &	Tollow the manufacturer of recommendations to product storage and doc.
7673 White PE #92P (Yarn)	TenCate Grass Americas	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7073		Exterior tariascape, mayground moducis	AFFROVED	Approved for outdoor use by Contractor and Maintenance &	
7674 Brt Yellow #46P (Yarn)	TenCate Grass Americas	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7074		Exterior cariascapo, maygrouna moducio	ATTROVES	Approved for outdoor use by contractors and trained Maintenance &	
7676 Bonar FB Global Blue	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	·			Approved for outdoor use by contractors and trained Maintenance &	
7679 Bonar MN Global Blue	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	<u> </u>			Approved for outdoor use by contractors and trained Maintenance &	
7680 Bonar FB Global White	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7681 Bonar FB Global Yellow	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractos and trained Maintenance &	
7682 Bonar MN Global White	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7683 Bonar MN Global Yellow	Mattex Group	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7684 Beypur 200A Blue	BEYNON Sports Surfaces, Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7685 100 % Acrylic Block Filler (018)	Vista Paint Corporation	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7687 Beypur 200A Red	Beynon Sports Surfaces Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by Contractors only.	Follow the manufacturer's recommendations for product storage and use.
7688 Beypur 250A Blue				Approved for outdoor use by Contractors only.	Follow the manufacturer's recommendations for product storage and use.
	BEYNON Sports Surfaces, Inc.	Exterior Landscape/ Playground Products	APPROVED		Tollow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red	BEYNON Sports Surfaces, Inc. BEYNON Sports Surfaces, Inc.	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for use by Contractors only.	Follow the manufacturer's recommendations for product storage and use.
					, ,
				Approved for use by Contractors only.	, ,
				Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access	, ,
7689 Beypur 250A Red	BEYNON Sports Surfaces, Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff	Follow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red	BEYNON Sports Surfaces, Inc.	Exterior Landscape/ Playground Products	APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red 7692 DecoCoat Polymer Systems Colorant SR Fawn 7693 Smooth Blocfil Premium (SBPR00)	BEYNON Sports Surfaces, Inc. DecoCoat Polymer Systems	Exterior Landscape/ Playground Products Paint Products	APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red 7692 DecoCoat Polymer Systems Calorant SR Fawn	BEYNON Sports Surfaces, Inc. DecoCoat Polymer Systems	Exterior Landscape/ Playground Products Paint Products	APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red 7682 DecoCoat Polymer Systems Colorant SR Fawn 7693 Smooth Blocfil Premium (SBPR00)	BEYNON Sports Surfaces, Inc. DecoCoat Polymer Systems Dunn Edwards Corporation	Exterior Landscape/ Playground Products Paint Products Paint Products	APPROVED APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use bycontractors and trained Maintenance & Operations.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7689 Beypur 250A Red 7692 DecoCoat Polymer Systems Colorant SR Fawn 7693 Smooth Blocfil Premium (SBPR00) 7694 100% Acrylic Block Filler (018)	BEYNON Sports Surfaces, Inc. DecoCoat Polymer Systems Dunn Edwards Corporation	Exterior Landscape/ Playground Products Paint Products Paint Products	APPROVED APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use bycontractors and trained Maintenance & Operations staff only. Approved for use bycontractors and trained Maintenance & Operations staff only. Approved for use for a roof penthouse with HVAC equipment, by contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7699 Beypur 250A Red 7692 DecoCoat Polymer Systems Colorant SR Fawn 7693 Smooth Blocfil Premium (SBPR00)	BEYNON Sports Surfaces, Inc. DecoCoat Polymer Systems Dunn Edwards Corporation	Exterior Landscape/ Playground Products Paint Products Paint Products	APPROVED APPROVED	Approved for use by Contractors only. Approved for use by contractors only at unoccupied sites (access restricted construction areas) or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use bycontractors and trained Maintenance & Operations staff only. Approved for use bycontractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7696 8303S-A-CrownShield MVB-S, B-Side	Crown Polymers Corp.	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
7000		TIVAC TICAGO.	ATTROVED	Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7697 PC 260 A-Side	POLYCOAT PRODUCTS	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
7697 PC 200 A-Side	POLICOAT PRODUCTS	HVAC Products	APPROVED	*	Ensure proper FFE and ventilation when applying.
				Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7698 PC 260 B-Side	POLYCOAT PRODUCTS	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
				Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7699 Poly-I-Gard 295, A-Side	POLYCOAT PRODUCTS	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
				Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7700 Poly-I-Gard 295, B-Side	POLYCOAT PRODUCTS	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
				Approved for use for a roof penthouse with HVAC equipment, by	
				contractors only, at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7702 Polyprime 2180 (SC), B-Side	POLYCOAT PRODUCTS	HVAC Products	APPROVED	LAUSD staff may not use this product.	Ensure proper PPE and ventilation when applying.
7,02 1,0		TTAO TTOGGOD	ATTROVED	Approved for outdoor use by contractors and trained Maintenance &	
7703 Black PE#306 (Yarn)	TenCate	Estada da anticipa de la constanta de la const	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
//03 Black 12#300 (1011)	Tericate	Exterior Landscape/ Playground Products	APPROVED	·	Tollow the manadactarer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7704 Crimson #188 (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7705 Gold #129 (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7706 Lime #66P (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7707 Maroon #326 (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		7,3		Approved for outdoor use by contractors and trained Maintenance &	
7708 Navy #29C (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7780 1117 11117		Extend tanascape, nayground noducis	ALLIGATED	Approved for outdoor use by contractors and trained Maintenance &	
7709 Orange #5890 (Yarn)	TenCate	Estada da anticipa de la constanta de la const	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7/09 Grange #3690 (rain)	Tellicate	Exterior Landscape/ Playground Products	APPROVED	<u> </u>	rollow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7710 Red #57K (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by and trained Maintenance & Operations	
77]1 Red Clay #55 (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7712 Silver #423C (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7713 Vegas Gold #265C (Yarn)	TenCate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		1 - 70		Approved for use by contractors and trained Maintenance &	· · · ·
7722 Palmer SuperSet Mirro-Mastic (MirrorMastic- PM290)	Palmer Products Corporation	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7723 T-O-T No-Drip Pipe Joint Compound	LA-CO INDUSTRIES, INC.	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7/23 TO THE BIPTIPE SOURCESTIPOUND	Bi COMBOSTRIES, INC.	Fluribing supply Floducts	AFFROVED		Tollow the manufacturer shecommendations for product storage and use.
Delegand Vendio and Shar (vo. 7004 vo. 7005)	Weath are a Book at the			Approved for use by contractors and trained Maintenance &	Fellowski and fortunal and advantage of the second and the second
7724 Rainguard VandlGuard Five (VG-7004, VG-7005)	Weatherman Products, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
				Approved for use by contractors and trained Maintenance &	
7726 ARDEX P 51 Primer	ARDEX Engineered Cements	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7727 Excelsior WB-600 (Acrylic Wall Base Adhesive)	RHC	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by Contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Us
7729 TileLab SurfaceGard Sealer	Custom Building Products	Cleaning Products	APPROVED	Operations staff only.	well ventilated areas.
		<u> </u>		Approved for outdoor use by contractors and trained Maintenance &	
7731 Polyethylene Fiber-White 1000 (Monofilament/Slit Film)	Synthetic Turf Resources Corporation	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	.,	tanascape, nayground rioducts		Approved for outdoor use by contractors and trained Maintenance &	
7732 Polyethylene Fiber- Field Green 8380 (Monofil/SlitFilm)	Synthetic Turf Resources Corporation	Exterior Landscape/ Planaround Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7732 1 3730 tylene riber Treid Green 0300 (MONOIII/SIII/IIII)	symmetre rati resources corporation	Exterior Landscape/ Playground Products	AFFROVED	<u> </u>	. 5.50 and managed and a recommendations for product storage and use.
H4005 (Verm)	T			Approved for outdoor use by contractor and tarined Maintenance &	Fellowski and design of the second of the se
7733 Brown #4625 (Yarn)	Tencate	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7735 Polyethylene Fiber- Florida Blue 7400 (Monofil/SlitFilm)	Synthetic Turf Resources Corporation	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7736 Polyethylene Fiber-Lime Green 8370 (Monofil/Slit Film)	Synthetic Turf Resources Corporation	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
7737 Polyethylene Fiber-Yellow 3000 (Monofilament/Slit Film)	Synthetic Turf Resources Corporation	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	· · · · · · · · · · · · · · · · · · ·	, , , , g	· -	Approved for use by contractors and trained Maintenance &	
7739 Mapei Ultra Bond ECO 360	MAPEI CORPORATION	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
,, 50 maper out a soria 200 000	2 John Charlott		AFFROYED		

				Approved for use by contractors and trained Maintenance &	
7742 Rainguard VandlGuard VG7000 & VG7001	Weatherman Products, Inc.	Graffiti Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
7743 Uniprime II 4600	VISTA PAINT CORPORATION	Paint Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff, Instruction	1
				staff, and Adult Students (18 yrs or older) only. Instructor shall maintain	
				training record for all adult students trained on the use and storage of	
7745 Polytec Clear Eggshell (8920)	VISTA PAINT CORPORATION	Paint Products	APPROVED	the product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained (HVAC) Maintenance &	
7746 DP 2540 Black Protective Coating	Design Polymerics	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7747 DP 2545 White Protective Coating	Design Polymerics			Approved for use by contractors and trained (HVAC) Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
//4/ DF 2545 Writte Flotective Couting	Design Folyments	HVAC Products	APPROVED	Approved for use by contractor and trained Maintenance & Operations	rollow the mandiacturer's recommendations for product storage and use.
7748 CoolSeal by GuardTop	GuardTop LLC		APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and use.
7751 Purtabs	EarthSafe Chemical Alternatives	Cleaning Breducts	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
//SI Fultubs	Editisale Chemical Alternatives	Cleaning Products	APPROVED	Approved for use by trained maintenance & operations stan only. Approved for use by contractors and trained Maintenance &	rollow the manufacturer's recommendations for product storage and use.
7753 Arm & Hammer Alkalinity First Sodium Bicarbonate	Church & Dwight	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7755 AITT & TIGHTING AIRCHING THE COCION SOCIONALE	ondion & Dwight	Swiffining FoorFroducts	AFFROVED	Approved for use by contractors only at unoccupied sites or during non	
7754 Weld-On P-70 Low VOC PVC/CPVC Primer	IPS Corporation	Plumbing Supply Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7734		Fidinibility Supply Froducts	AFFROVED	Approved for use by contractors and trained Maintenance &	
7755 Accu-Tab Blue Calcium Hypochlorite Tablets	Axiall, LLC	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7700		Chilling Controducts	ATTROVES	*	Follow the manufacturer's recommendations for product storage and use. Use
7756 Acid-Rite Tablets	Axiall, LLC	Swimming Pool Products	APPROVED	staff only.	with an accutab chlorination system or like system.
		3		Approved for use by contractors and trained Maintenance &	
7757 Calcium Hardness Increaser	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		3		Approved for use by trained contractors and Maintenance &	
7758 Isocyanuric Acid Powder	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				<u> </u>	Follow the manufacturer's recommendations for product storage and use.
					Training for use of the eye wash station located at the pool is required. In
				Approved for use by contractors and trained Maintenance &	addition, the eye wash shall be serviced and inspected regularly and
7759 NO-CHLOR	Allchem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	operational. Proper PPE shall also be used.
				Approved for use by contractors and trained Maintenance &	
7761 pH Minus	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7762 PH PLUS	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
	· · · · · · · · · · · · · · · · · · ·	Swimming Pool Products	APPROVED	Operations staff only. Approved for use by trained Maintenance & Operations Pool Custodian	Follow the manufacturer's recommendations for product storage and use.
7762 PH PLUS 7765 Vantage Chlorine Neutralizer	AllChem Performance Products, Inc. AllChem Performance Products, Inc.	Swimming Pool Products Swimming Pool Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
	· · · · · · · · · · · · · · · · · · ·			Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87	AllChem Performance Products, Inc. Accella Polyurethane Systems	Swimming Pool Products Paint Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize
7765 Vantage Chlorine Neutralizer	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZA1187 7768 Green Gobbler 30% VINEGAR Home&Garden	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, Inc.	Swimming Pool Products Paint Products Miscellaneous	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface.
7765 Vantage Chlorine Neutralizer 7767 ZAII87	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, Inc.	Swimming Pool Products Paint Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZA1187 7768 Green Gobbler 30% VINEGAR Home&Garden	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, Inc.	Swimming Pool Products Paint Products Miscellaneous	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VBB)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VBB)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8)	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for the by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allstate FFI	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allstate FFI	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7768 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VBB) 7773 MANNINGTON V-82 7774 Allstate FFI 7775 Amtico International PSA Adhesive	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan inc. MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7768 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VBB) 7773 MANNINGTON V-82 7774 Allstate FFI 7775 Amtico International PSA Adhesive	AllChem Performance Products, inc. Accella Polyurethane Systems EcoClean Solutions, inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan inc. MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Alistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Alistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO.	Swimming Pool Products Point Products Miscellaneous Roofing Products Roofing Products Floor Care Products Roofing Products Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO.	Swimming Pool Products Point Products Miscellaneous Roofing Products Roofing Products Floor Care Products Roofing Products Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allstate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO. LIFE PAINT CO.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Roofing Products Roofing Products Roofing Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAIIB7 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Allstate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO. LIFE PAINT CO.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Roofing Products Roofing Products Roofing Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (V88) 7773 MANNINGTON V-82 7774 Allistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin 7780 Life Deck 7200G - Crack Patch Gel - Hardener	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO. LIFE PAINT CO. MANNINGTON MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Floor Care Products Floor Care Products Floor Care Products Roofing Products Floor Care Products Roofing Products Floor Care Products	APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by tontractors and trained Maintenance & Operations staff only. Approved for use by tontractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7768 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VBB) 7773 MANNINGTON V-82 7774 Allstate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint7200G - Crack Patch Gel - Resin 7780 Life Deck 7200G - Crack Patch Gel - Hardener 7782 Mannington MR-911 7783 Laundry Detergent 7788 Branch Basics - All Purpose Cleaner Concentrate	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. MANNINGTON MILLS, INC. SIKA CORPORATION LIFE PAINT CO. LIFE PAINT CO. MANNINGTON MILLS, INC. ManningTon MILLS, INC. ManningTon MILLS, INC. ManningTon MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Roofing Products Floor Care Products Floor Care Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for subject trained Maintenance & Operations staff only. Approved for subject trained Maintenance & Operations staff only. Approved for subject trained Maintenance & Operations staff only. Approved for subject trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
7765 Vantage Chlorine Neutralizer 7767 ZAII87 7768 Green Gobbler 30% VINEGAR Home&Garden 7769 Vapor Retarder Primer WB (Replaces Sarnavap SA Primer WB) 7770 Liquid Flashing Catalyst Part B 7772 M-Guard Premium Transitional PSA (VB8) 7773 MANNINGTON V-82 7774 Alistate FFI 7775 Amtico International PSA Adhesive 7777 Sika Level SkimCoat 7779 Life Paint72006 - Crack Patch Gel - Resin 7780 Life Deck 72006 - Crack Patch Gel - Hardener 7782 Mannington MR-911 7783 Laundry Detergent	AllChem Performance Products, Inc. Accella Polyurethane Systems EcoClean Solutions, Inc. SIKA CORPORATION SIKA CORPORATION MANNINGTON MILLS, INC. MAPEL CORPORATION Helmitan Inc. SIKA CORPORATION LIFE PAINT CO. LIFE PAINT CO. MANNINGTON MILLS, INC. ManningTon MILLS, INC.	Swimming Pool Products Paint Products Miscellaneous Roofing Products Roofing Products Floor Care Products Roofing Products Floor Care Products Floor Care Products	APPROVED APPROVED	Approved for use by trained Maintenance & Operations Pool Custodian staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only at unoccupied sites or during non school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only outside during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by tentractors and trained Maintenance & Operations staff only. Approved for use by tentractors and trained Maintenance & Operations staff only. Approved for use by tentractors and trained Maintenance & Operations staff only. Approved for use by tentractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Utilize proper PPE when diluting and brushing onto surface. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

7788 MBM Destroyit Shredder Oil	Spectrum Lubricants Corporation	Office Products	APPROVED	Approved for staff use.	Follow the manufacturer's recommendations for product storage and use.
7789 Bell Shine	Ladd Research	Cleaning Products	APPROVED	Approved for use by trained FETU LAB staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7790 Mannington Premium Universal Primer	Mannington Mills, Inc.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
					s stations shall be available in the pool chemical area, inspected, maintained for
7791 DPD Reagent #2 R-0002	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	staff only.	use. Proper PPE will also be utilized.
					Follow the manufacturer's recommendations for product storage and use. Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7792 FAS-DPD Titrating Reagent (Chlorine) R-0871	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
• • • •		3		Approved for use by contractors and trained Maintenance &	·
7793 Cyanuric Acid Reagent R-0013	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7794 Hardness Reagent R-0012	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7795 DPD Powder R-0870	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
man outful - Auld 2010 0000	To do To be de de la			Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7796 Sulfuric Acid 12N R-0009	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only. Approved for use by trained contractors and Maintenance &	use. Proper PPE will also be utilized.
7797 Calcium Indicator Liquid R-0011	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7797 Galcian maioato, Equia N. Con	Taylor Tournologics, inc.	Swiffining Foor Floudets	AFFROVED	Sportations stain only.	Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by trained contractors and Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7798 Calcium Buffer R-0010	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7799 Total Alkalinity Indicator R-0008	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7800 Thiosulfate N10 R-0007	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
					Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash stations shall be available in the pool chemical area, inspected, maintained for
7801 Base Demand Reagent R-0006	Taylor Technologies, Inc.	Suipoming Deal Braduate	APPROVED	Approved for use by trained Maintenance & Operations staff only.	use. Proper PPE will also be utilized.
7001 2002 20110110 10000	Taylor Tournologics, inc.	Swimming Pool Products	AFFROVED	Approved for also by starting maintenance at operations start only.	Follow the manufacturer's recommendations for product storage and use.
					Training shall be provided for personnel using eye wash stations. The eye wash
				Approved for use by contractors and trained Maintenance &	stations shall be available in the pool chemical area, inspected, maintained for
7802 Acid Demand Reagent R-0005	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	use. Proper PPE will also be utilized.
		<u>-</u>		Approved for use by contractors and trained Maintenance &	
7803 PH Indicator Solution (Phenol Red) R-0004	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7804 DPD Reagent #3 R-0003	Taylor Technologies, Inc.	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7805 DPD Reagent #1 R-0001	TAYLOR TECHNOLOGIES, INC	Swimming Pool Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
				Annual de la contraction de la	Training for use of the eye wash station located at the pool is required. In
mana Cadii wa I kwanahlarita 10, 2007	Olio Chlor Alkeli Brodu-t-			Approved for use by contractors and trained Maintenance &	addition, the eye wash shall be serviced and inspected regularly and
7806 Sodium Hypochlorite 10-20%	Olin Chlor Alkali Products	Swimming Pool Products	APPROVED	Operations staff only.	operational. Proper PPE shall also be used.
7809 Siena Deck Mud	OMEGA PRODUCTS INTERNATIONAL	Carpontry/ Construction Brade	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7004 Signa Dock mad	SWEGA FRODUCTS INTERNATIONAL	Carpentry/ Construction Product	AFFRUVED	Approved for use by contractors and trained Maintenance &	Town and managerates a recommendations for product storage and use.
7810 Epoxy Grout	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7010		Surpenay/ Construction Pluduct	AFFROVED	Approved for use by contractors and trained Maintenance &	
7811 Self Level Mortar	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				<u> </u>	Follow the manufacturer's recommendations for product storage and use. An
					eye wash station will be in the pool chemical storage area and serviced
				Approved for use by trained Maintenance & Operations Pool Custodian	regularly. Also, the pool chemical storage shall be secure & locked when not in
7812 Clor Mor Calcium Hypochlorite Tablets	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	staff only.	use. Proper PPE will be worn, when appropriate.

7813 Siena Dragon Skin and Siena Fracture Shield	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
The Obligation Obligation (Occupants Auto)	All Ohana Bardananana Bardanta Ira			Approved for use by contractors and trained Maintenance &	F-II the second section of the section of the second section of the section of the second section of the se
7817 Chlorine Stabilizer (Cyanuric Acid)	AllChem Performance Products, Inc.	Swimming Pool Products	APPROVED	Operations Pool Custodian staff only. Approved for outdoor use by contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7824 Ceramic Insulation Coating	Advanced Coating Solution, LLC	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
7825 Evershield Exterior/ Interior Gloss (EVSH60)	DUNN-EDWARDS CORP.	Delat Draduata	APPROVED	Approved for use by contractor and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
/825 Eversineid Exterior/ Interior Gloss (Evariou)	DONN EDWARDS CONF.	Paint Products	APPROVED	Approved for use by contractors and trained Maintenance &	Tollow the manufacturers recommendations for product storage and use.
7828 Bellacide 325	BWA Water Additives UK Ltd	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
7829 Bellacide 355	BWA Water Additives US LLC	HVAC Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7020 Builded 000	DIVA Water Addition of the	TIVAC FIOLISCIA	AFTROVED	Approved for use by contractors and trained Maintenance &	Tollow the managed and to recommend a solution product storage and about
7831 UZIN PE 280	UZIN UTZ AG	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7832 UZIN PE 460 A & B Epoxy MVR System	UZIN UTZ AG	Floor Care Products	APPROVED	Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and use.
7834 Sentinel 805 Envirowash	Sentinel Products Inc.	Miscellaneous	APPROVED	Approved for use by contractors and trained FETU staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7835 Streetbond Durashield Pavement Coating (same SB 90 Pt A &	B) Siplast	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7837 ZEP PH PERFECT 55GL	Zep Inc.	Floor Care Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7840 Excelsior MS-700	RHC	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
70.41 Meleton Coolent and Herrit Florible	Fortificar Building Customs Cr.	0	ADDOUGE	Approved for use by contractors and trained Maintenance &	Fallow the manufacturer's recommendation for the state of
7841 Moistop Sealant and Liquid Flashing	Fortifiber Building Systems Group	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7843 Pro Set Flex M300	OMEGA PRODUCTS INTERNATIONAL	One and all Construction Develop	* DDD O 1 CD	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturar's recommendations for product storage and use
/843 FTG SELTIEN WISCO	OWEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7844 Non-Sanded Grout NS200	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7845 Sanded Grout GS300	OMEGA PRODUCTS INTERNATIONAL	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7846 Siena LFT, LHT M400	Omega Products International	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
SpikeZone Green (Field Green)				Approved for use by contractors and trained Maintenance &	
7848 (PrimB,SecoB,ThaFG,SliTG,MonoFG)	Shaw Industries Group, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7849 SpikeZone White (PrimB,SecoB,ThaFG,SliTW,MonoFW)	Shaw Industries Group, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7850 SpikeZone Yellow (PrimB.SecoB,ThaFG,SliY,MonoFY)	Shaw Industries Group, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7853 Dynamic Bond	Dynamic Bonding Systems BV	Adhesive Products	APPROVED	Operations staff only. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7857 Bong SuperCourt Optum	BONAKEMI USA, INC.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7858 MGFleece Carpet Tile Adhesive	MANNINGTON MILLS, INC.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
7859 Bona SuperSport DTS Sealer	BONAKEMI USA, INC.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7861 SuperCal SO4	Calcium Products	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7862 SuperCal 98G	Calcium Products	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7863 M-Guard Premium Transitonal PSA (V88)	MANNINGTON MILLS, INC.	Floor Care Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
,000 Ladid Formatt Handicard For (100)		1,00, 00,0100000	A. ROVED	Approved for use by contractors and trained Maintenance &	product storage and use.
7865 Fast Set 20, 40, 90 and Lite	Westpac Materials	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors at unoccupied sites (construction	
				zones) or during non-school hours. LAUSD employees may not use this	
7869 PC-3* Laboratory Table Top Cement (Part A and B)	Smooth-On, Inc.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
7872 ARDEX MRF	ARDEX Americas	Floor Care Products	APPROVED	Approved for use by Contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Use proper PPE when mixing product with water.
7072 PROCEEDING	ANDER ATTORIUG	Floor Care Floudicts	AL I KOVED	Approved for use by contractors and trained Maintenance &	proportion and mining product with water.
7873 S-288 Flooring Adhesive	Armstrong Flooring, Inc.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Food Services and Maintenance &	
7875 WAXIE 16 oz Emergency Cleanup Powder	WAXIE SANITARY SUPPLY	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7877 BrockFill	Brock International	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors only in unoccupied areas and during	
				non-school hours. Unauthorized personnel cannot enter the area until	
7879 Part A CSS-ES	SIMPSON STRONG-TIE COMPANY, INC.	Carpentry/ Construction Product	APPROVED	the 72 hour cure time is complete. LAUSD staff may not use this product	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only in unoccupied areas and during	
				non-school hours. Unauthorized personnel cannot enter the area until	
7880 Part B CSS-ES	SIMPSON STRONG-TIE COMPANY, INC. HILLYARD INDUSTRIES	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
7881 Mandarin Cranberry Premium Foam Soap	HILLY AND INDUSTRIES	Personal Hygiene Products	APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7882 ARMSTRONG S-310 ROLL STRONG	Armstrong Flooring, Inc	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7002		noch care modele	ATTROVES	Approved for use by trained contractors and Maintenance &	• • • • • • • • • • • • • • • • • • • •
7883 MVIS Air & Water Barrier	LATICRETE INTERNATIONAL, INC	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use only by contractors at unoccupied sites (or in	
				construction areas) or during non-school hours. Access to the area	
				where this product is applied must be restricted to personnel not	
				directly involved in construction until the product is dry/cured. LAUSD	
7884 LITHOCHROME Tintura Stain Part A	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use only by contractors at unoccupied sites (or in	
				construction areas) or during non-school hours. Access to the area	
				where this product is applied must be restricted to personnel not directly involved in construction until the product is dry/cured. LAUSD	
7885 LITHOCHROME Tintura Stain Part B	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7000		outpoint, Constitution France	ATTROVES	Approved for use by trained contractors and Maintenance &	
7886 COPPER-GREEN Brown Wood Preservative	Green Products Company	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. Us e
				Approved for use by contractors and Flooring Maintenance &	proper PPE (1/2 face respirator) when mixing with water. Provide access to a
7888 LevelStrong High Strength Self leveling Underlayment	Koster American Corp.	Floor Care Products	APPROVED	Operations staff only during non-school hours.	portable eyewash station when applying to surface.
7889 FOAMING INSTANT HAND SANITIZER ALCOHOL FREE	Kutol Products Company	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintainanece aand	
	-10 - 10			Operation personnel during non-school hours and in unoccupied	Follow the manufacturer's recommendations for product storage and use. Use
7891 Sika Quick 1000	Sika Corporation	Carpentry/ Construction Product	APPROVED	areas.	proper PPE when mixing i.e. 1/2 face respirator, gloves, and eye protection. Follow the manufacturer's recommendations for product storage and use. Use
				Approved for use by contractors and properly trained Maintenance &	with proper PPE: Butyl gloves, chemical splash goggles, and 1/2 face respirator
					with VOC/ P-100 cartridges. Store in a flammable cabinet. Do not store at schoo
					sites or in vehicles. Follow required Safe Work Practices when applying product
7892 P 70 PVC Primer	Weld On / IPS Corporation	Plumbing Supply Products	APPROVED	in unoccupied areas.	(OEHS doc).
7893 Solstice N40 Refrigerant (R-448A)	HONEYWELL	HVAC Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Whe
7894 3701 Fortified Mortar Bed	LATICRETE International	Carpentry/ Construction Product	APPROVED	Operations staff only.	mixing, use a 1/2 face respirator with P-100 cartridges.
					Follow the manufacturer's recommendations for product storage and use. Use
TABLE OF THE PUBLISHED AND A STATE OF THE PUBLISHED	Sentinel Products			Approved for use by trained contractors and FETU staff only in	proper PPE i.e. gloves, eye protection coverall, and 1/2 face respirator with P-100s
7896 24-7 Zero High-Build White Mold/ Mildew Resist Coating	Sentinei Products	Miscellaneous	APPROVED	unoccupied and controlled environments. Approved for use by contractors and trained Maintenance &	when applying.
7897 ULTRABOND ECO 560	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7507		noch care modele	ATTROVES	Approved for use by contractors and trained Maintenance &	
7898 FLEXCOLOR 3D	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use bycontractors and trained Maintenance & Operations	Follow the manufacturer's recommendations for product storage and use. Wed
7899 FLEXCOLOR CQ	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	staff only.	a 1/2 face respirator when mixing.
				Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Wed
7900 KERACOLOR-S	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	Operations staff only.	a 1/2 respirator when mixing.
					Follow the manufacturer's recommendations for product storage and use. Wea
7903 MAPECEM QUICK PATCH	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	staff only.	a 1/2 face respirator when mixing.
7904 KERACOLOR-U	MAREL CORP (LISA and Buerto Bios)	Floor Care Bredivete	APPROVED	Approved for use by contractor and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Wec 1/2 face respirator when mixing.
/9U4 NERACULUR-U	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	statt only. Approved for use by contractors and trained Maintenance &	1/2 race respirator when mixing.
7905 Acousti-Loc (MBA) Moisture Barrier Sound reduction Multi-fun	Millikan	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
		54,51,75445.5		Approved for use by contractors and trained Maintenance &	and the second s
7908 Transitional Pressure Sensitive Adhesive (TPS) Vinyl & Plan	Millikan	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
. ,				Approved for use by contractor and trained Maintenance & Operations	
7914 CoirFill (Coconut Coir Pith Fiber)	Genus Industries	Exterior Landscape/ Playground Products	APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and use.
7918 Low-VOC PVC Step 1 Activator/Step 2 Primer	Carlisle SynTec	Roofing Products	APPROVED	Approved for exterior use by contractors only in construction areas.	Follow the manufacturers recommendations for product storage and use.
				Approved for use by contractors only during non-school hours. LAUSD	
7920 Dash Daul Tank Adhesive Part B	Versico	Roofing Products	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7921 Water Cut-Off Mastic	Carlisle SynTec Inc.	Roofing Products	APPROVED	Approved for exterior use by contractors only in construction areas.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors only during non-school hours. LAUSD	
7922 Dash Daul Tank Adhesive Part A	Versico	Roofing Products	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only during non-school hours. LAUSD	
7924 VersiCore MP-H Polyiso	Versico	Roofing Products	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
7925 VersiFlex PVC Membrane & Accessories	Manda			Approved for outdoor use by contractors and Maintenance &	Fellowski and the second secon
/925 Versiriex PVC Membrane & Accessories	Versico	Roofing Products	APPROVED	Operations staff only. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use a
7927 Planiprep MRS	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	Operations staff only during non-school hours.	1/2 face respirator when mixing.
1027 - F. F		Surportary Constitution Trouber	ATTROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Use
7929 Spec Joint 46	Edison coating Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only, outdoors.	1/2 Face Respirator when mixing with water.
					Follow the manufacturer's recommendations for product storage and use. Must
				Approved for use by contractors only, outside, and during non-school	wear safety goggles, protective gloves, protective clothing, and 1/2 face
7930 Sure Klean 766 Limestone & Masonry Prewash		Graffiti Products	APPROVED	hours. LAUSD staff may not use this product.	respirator. Eyewash station must be available and in close proximity.
				Approved for use by contracors and trained Maintenance & Operation	
7934 MSTCL1-G MC SUPREME GLOSS	Rust-Oleum Corporation	Paint Products	APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and use.
TODG Kenter SC	koster American Corp.	Flore Comp Providents	APPROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Wear
7936 Koster SC	koster American Corp.	Floor Care Products	APPROVED	Operations staff only.	1/2 face respirator when mixing w/ water. Follow the manufacturer's recommendations for product storage and use. Mix
				Approved for use by contractors only during non-school hours and no	n- with water using 1/2 face respirator. Wear proper PPE when applying and mixing.
7938 Core Fill Grout-Coarse	QUIKRETE COMPANIES	Carpentry/ Construction Product	APPROVED	occupied areas. LAUSD staff may not use this product.	Eyewash shall be available during application and mixing.
	•			Approved for use by contractors and trained Maintenance &	7
7939 Koster TA Fiber	Koster American Corp.	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only in unoccupied areas or during	
7941 TREMproof 250GC Waterproofing Membrane	Tremco Sealants & Waterproofing	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
7942 Red Slit Film 5300	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	4. 3			Approved for outdoor use by contractors and Maintenance &	
7943 Black Slit Film 9999	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	- 11 11 - 12 - 1-12			Approved for outdoor use by contractor and Maintenance & Operation	
7944 Black Thatch 9999	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	staff only. Approved for outdoor use by contractor and Maintenance & Operation	Follow the manufacturer's recommendations for product storage and use.
7945 Black Monofilament 9999	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and use.
,040		Exterior zariascape, maygrouna moducis	ATTROVED	Approved for outdoor use by contractors and Maintenance &	
7946 Crimson Monofilament 5100	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by Contractors and Maintenance &	
7947 Crimson Slit Film 5100	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7948 Dow Corning 758 Sealant	Dow Corning Corporation	Carpentry/ Construction Product	APPROVED		s. Follow the manufacturer's recommendations for product storage and use.
7950 Penewet RTU No 6450	FIBERLOCK TECHNOLOGIES, INC.	Miscellaneous	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7951 Koster SL Primer	Koster America Corp.			Approved for outdoor use by contractors and Maintenance &	Fellowski and the second secon
795) Köster St. Primer	köster America Corp.	Floor Care Products	APPROVED	Operations staff only. Approved for outdoor use by contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use.
7952 SpikeZone - Primary Backing	Shaw Industries Group, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7002 -p		Exterior zariascape, maygrouna moducis	ATTROVED	Approved for outdoor use by contractors and Maintenance &	
7953 Red Monofilament 5300	Synthetic Turf Resources Corp. (STR)	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	· · · · · · · · · · · · · · · · · · ·			Approved for outdoor use by contractors and Maintenance &	· -
7955 SpikeZone - Secondary Backing	Shaw Industries Group, Inc.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use outdoors by contractor and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Use
7957 Sika Grout 328	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	Operations staff only.	1/2 face respirator when mixing.
					s Follow the manufacturer's recommendations for product storage and use. PPE
7958 SikaRepair 223	SIKA CORPORATION	Carpentry/ Construction Product	APPROVED	staff only in unoccupied areas.	Require, wear 1/2 face respirator when mixing. Must comply with Silica Rule.
7959 Primer T	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
/959 Filliel I	MAPEL CORP. (USA GIIG PUBLIO RICO)	Floor Care Products	APPROVED	Operations stail only.	Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust controls
				Approved for use by maintenance and operations staff and contractor	rs when handling dry product or mixing wet batches. No dry mixing on site. Clean
				only at unoccupied sites, in construction areas, or during non-school	up promptly using silica safe methods. No dry sweeping. Vacuums used for
7960 Ultraplan I Plus	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	hours.	housekeeping must be equpped with HEPA filters.
7964 Rhino Dirt	Rhino Dirt, LLC	Plumbing Supply Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only during non-school hours. LAUSD	Follow the manufacturer's recommendations for product storage and use.
7965 Brickform Blush-Tone Acid Stain	Brickform	Carpentry/ Construction Product	APPROVED	staff may not use this product.	Ensure proper PPE is worn during use.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (construction areas) or during	
7968 BASWAphon Fill	BASWA Acoustic	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
7969 Loctite 300 Professional Performance Spray Adhesive	Henkel Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites/ buildings or during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Ensure area is well ventilated.
7 202 Locate 300 Floressional Perioritianice Spray AurieSIVe	nonico corporation	Carpentry/ Construction Product	AFFROVED	asing non-school routs. Most stall may not use this product.	Endare Great to Well Vertillated.

7971 BASWAphon Panel Adhesive 7972 BASWAphon Fine 7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	BASWA Acoustic USG - united States Gypsum Company BASWA Acoustic Piliteq Inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations to operations use of the product of the	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains crystalline silica. Avoid generating dust. Do not breathe dust. No dry mixing permitted. Use dust controls during mixing, application, and clean up. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area.
7971 BASWAphon Panel Adhesive 7972 BASWAphon Fine 7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	USG - united States Gypsum Company BASWA Acoustic Pilteq Inc. Wilbut Ellis Company Tnernec Tnernec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Contains crystalline silica. Avoid generating dust. Do not breathe dust. No dry mixing permitted. Use dust controls during mixing, application, and clean up. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area.
7972 BASWAphon Fine 7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratione (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	BASWA Acoustic Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Umited J.R. Simplot Company Dumond Chemicals, inc.	Carpentry/ Construction Product Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Contains crystalline silica. Avoid generating dust. Do not breathe dust. No dry mixing permitted. Use dust controls during mixing, application, and clean up. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area.
7972 BASWAphon Fine 7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratione (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	BASWA Acoustic Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Umited J.R. Simplot Company Dumond Chemicals, inc.	Carpentry/ Construction Product Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	mixing permitted. Use dust controls during mixing, application, and clean up. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7972 BASWAphon Fine 7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	BASWA Acoustic Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Umited J.R. Simplot Company Dumond Chemicals, inc.	Carpentry/ Construction Product Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typory 27 (Part A & B) 7978 Enduratione (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7973 GenieMat FAS Adhesive 7974 Soil Sulfur (Granular and Fine) 7976 Typory 27 (Part A & B) 7978 Enduratione (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Pilteq inc. Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Adhesive Products Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, Inc.	Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Operations staff only. Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PFE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7974 Soil Sulfur (Granular and Fine) 7976 Typoxy 27 (Part A & B) 7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Wilbut Ellis Company Tnemec Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, Inc.	Exterior Landscape/ Playground Products Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for outdoor use by contractor and Maintenance & Operations staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractors and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Us proper PFE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7976 Typoxy 27 (Part A & B) 7978 Enduratione (Series 1028) 7990 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	staff only. Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7976 Typoxy 27 (Part A & B) 7978 Enduratione (Series 1028) 7990 X - Coat 43-0-0 7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	Approved for use by contractors in unnocupied buildings. Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7978 Enduratone (Series 1028) 7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5	Tnemec J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicols, Inc.	Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for use by contractors only at unoccupied buildings or during non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	g Follow the manufacturer's recommendations for product storage and use. Us proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	non-school hours. LAUSD staff may not use this product. Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	proper PPE and in well ventilated area. Follow the manufacturer's recommendations for product storage and use.
7980 X - Coat 43-0-0 7981 Ammonium Phosphate 16-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	J.R. Simplot Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicals, inc.	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED	Approved for outdoor use by contractos and Maintenance & Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicols, Inc.	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED	Operations staff only. Approved for outdoor use by Maintenance & Operations staff only.	<u> </u>
7981 Ammonium Phosphate 18-20-0 7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7980 VC-5 7999 Just Right Neutral Cleaner	Simplot Professional Products Weeding Technologies Limited J.R. Simplot Company Dumond Chemicols, Inc.	Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	<u> </u>
7982 Foamstream 7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	Weeding Technologies Limited J.R. Simplot Company Dumond Chemicols, Inc.	Exterior Landscape/ Playground Products			Follow the manufacturer's recommendations for product storage and use.
7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	J.R. Simplot Company Dumond Chemicals, Inc.		APPROVED	Approved for outdoor use by contractor and Maintenance & Operations	
7984 43-0-0 Polymer-Coated Sulfur-Coated Urea 7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	J.R. Simplot Company Dumond Chemicals, Inc.		APPROVED		
7987 Smart Strip Pro 7990 VC-5 7999 Just Right Neutral Cleaner	Dumond Chemicals, Inc.	Exterior Landscape/ Playground Products		staff only.	Follow the manufacturer's recommendations for product storage and use.
7990 VC-5 7999 Just Right Neutral Cleaner	·		APPROVED	Approved for outdoor use by Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7990 VC-5 7999 Just Right Neutral Cleaner	·			Approved for use by contractors and trained Maintenance &	Fellowship and destroyed and an adult of the section of
7999 Just Right Neutral Cleaner		Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
7999 Just Right Neutral Cleaner	Stanta Communitaria			Approved for use by contractors only during non-school hours. LAUSD	Fall and the same of the board and the same of the sam
	Sinak Corporation	Carpentry/ Construction Product	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
	MAINTEX INC.		APPROVED	Approved for use by trained Food Service personnel and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	MAINTEX INC.	Cleaning Products	APPROVED		Pollow the manufacturer's recommendations for product storage and use.
8000 Primer L	MAPEI CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	Approved for use by contractors and M&O personnel only at unoccupied sites (construction zones) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8000 Filliel L	MAPEL CORP. (USA GIId Puelto RICO)	Floor Care Products	APPROVED	Approved for use by contractors and trained Maintenance &	rollow the manufacturer's recommendations for product storage and use.
8001 Ultrabond Eco 575	MAPEI CORP. (USA and Puerto Rico)	Adhesive Products	APPROVED	Operations staff.	Follow the manufacturer's recommendations for product storage and use.
GOOT CHARDONA EGO C/O	mai El Colli . (Cola di di dollo Moo)	Adhesive Floddets	AFFROVED	Approved for use by contractors and trained Maintenance &	Tollow the managed of the commendations for product storage and asc.
8002 Ultrabond Eco 711	MAPEI CORP. (USA and Puerto Rico)	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
3002		Adilosterrodado	ATTROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. U
8006 Nora AC 100	Nora Systems, Inc.	Floor Care Products	APPROVED	Operations staff only.	1/2 face respirator when mixing.
				Approved for outdoor use by contractors and Maintenance &	
8008 Bonar FB Global Black	Mattex	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
8009 Bonar FB Global Red	Mattex	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
8010 Bonar MN Black	Mattex	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
8011 Metalatex Semi-Gloss B42W111	SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and Maintenance &	
8012 Bonar MN Red	Mattex	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during non	h-
8013 Pro-Polish Densifier	The Euclid Chemical Company	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during non	i -
8014 Pro-Polish Guard	The Euclid Chemical Company	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. $\label{eq:follow} % \begin{center} \be$
				Approved for use by contractors and trained Maintenance and	
8016 CRP 350 - Clear - Resin	Concrete Restoration Products	Carpentry/ Construction Product	APPROVED	Operations staff.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by Contractors and Maintenance & Operations staff	Ensure proper PPE and dust control precautions are utilized during mixing of
8019 LATICRETE Permacolor Selector Kit	LATICRETE International	Carpentry/ Construction Product	APPROVED	only during non-school hours.	grout base.
				Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. I
8020 LATICRETE 3701 Fortified Mortar Bed	LATICRETE International	Carpentry/ Construction Product	APPROVED	Operations staff only.	required PPE and utilize dust control procedures when mixing.
				Approved for use by Contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
8021 LATICRETE 254 Platnium	LATICRETE International	Carpentry/ Construction Product	APPROVED	Operations staff only during non-school hours.	Ensure proper PPE and dust control methods are utilized during mixing.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	proper PPE including respiratory protection, and dust control methods when
****	LATICRETE International	Carpentry/ Construction Product	APPROVED	Operations staff only during non-school hours.	mixing.
8023 Polyblend Non-Sanded Grout	Custom Building Products	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only.	
				Approved for outdoor use by contractors and trained Maintenance &	
8028 Bonar MN Global baby blue	Mattex Yarns	Exterior Landscape/ Playground Products		Operations staff only.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors and trained Maintenance &	
8031 6-500 SPEEDHIDE	PPG	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
0001		Tamtifoddolo	ATTROVES	Approved for use by contractors and trained Maintenance &	
8037 Bonar FB Global baby blue	Mattex Yarns	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
0007		Exterior carrascapo, maygradia moducio	ATTROVES	Approved for use by contractors and trained Maintenance &	
8038 Pro-732 Extra Strength Clay Wallcovering Adhesive	Roman Decorating Products. LLC	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
5555 ··- · · · · · · · · · · · · · ·		carpointy, constraction reduct	ATTROVES	Approved for use by contractors. This product meets the OSHA Hazard	
				Communication Standard 1910.1200(c) definition of an Article. A	
				manufactured item other than a fluid or particle: (i) which is formed to	
				a specific shape or design during manufacture; (ii) which has end use	
				function(s) dependent in whole or in part upon its shape or design	
				during end use; and (iii) which under normal conditions of use does no	
				release more than very small quantities, e.g., minute or trace amounts	
				of a hazardous chemical (as determined under paragraph (d) of this	
				section), and does not pose a physical hazard or health risk to	
8039 E.base 205	EPRO Service Inc	Carpentry/ Construction Product	APPROVED	employees.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during non	-
8040 e-catalyst	EPRO Services Inc	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors. This product meets the OSHA Haz	
				Comm standard 1910.1200© Definition of Article: "a manufactured item	
				other than a fluid or particle: (i) which is formed to a specific shape or	
				design during manufacture; (ii) which has end use function(s)	
				dependent in whole or in part upon its shape or design during end use;	
				and (iii) which under normal conditions of use does not release more	
				than very small quantities, e.g., minute or trace amounts of a hazardous	s
				chemical (as determined under paragraph (d) of this section), and	
8041 e-drain	EPRO Services, Inc	Carpentry/ Construction Product	APPROVED	does not pose a physical hazard or health risk to employees."	
				Approved for use by contractors. This product meets the OSHA hazard	
8043 e-drain12ds	EPRO Services, Inc	Carpentry/ Construction Product	APPROVED	communication standard definition of an article.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors. This product meets the OSHA hazard	
8044 E-Pro e drain 6000	EPRO Services, Inc	Carpentry/ Construction Product	APPROVED	communication standard definition of an article.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors. This product meets the OSHA hazard	
8045 e.shield 110	EPRO Services, Inc.	Carpentry/ Construction Product	APPROVED	communications standard definition of an Article.	
<u> </u>	·			Approved for use by contractors. This product meets the OSHA hazard	
8046 e-poly CPER	EPRO Services, Inc	Carpentry/ Construction Product	APPROVED	communication standard definition of an article.	Follow the manufacturer's recommendations for product storage and use.
33.3.1.1.7.1				Approved for use by contractors. This product meets the OSHA hazard	
8047 e.shield 205	EPRO Services, Inc.	Carpentry/ Construction Product	APPROVED	communication standard definition of an article.	Follow the manufacturer's recommendations for product storage and use.
0047		culpentry/ construction rroduct	AFFROVED		- Ensure appropriate personal protection equipment is used with this product
8048 e-roll CPER	EPRO Services, Inc	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
OU40 & IOIICIER	ETRO Services, ITC	Carpentry/ Construction Froduct	AFFROVED		- Ensure appropriate personal protection equipment is used with this product
8049 e-Trowel CPER	EPRO Services. Inc	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
8043 6 HOWELCIER	ETRO Services, ITC	Carpentry/ Construction Froduct	AFFROVED	Approved for outdoor use by contractors only at unoccupied sites or	Ensure appropriate personal protection equipment is used with this product
8050 e-Spray CPER	EPRO Services. Inc	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	including chemical resistant gloves, goggles and respiratory protection.
8050 & Spray Cress	ETRO Services, ITC	Carpentry/ Construction Froduct	AFFROVED	during non-scribbi nours. BADSD stail may not use this product.	including chemical resistant gloves, goggies and respiratory protection.
					Follow the manufact war's recommendations for product storage and use
					Follow the manufacturer's recommendations for product storage and use.
					Proper PPE will be utilized as recommended by the manufacturer. Engineering
					Controls: Showers, Eye wash stations, Ventilation systems. Apply at lowest
and Folder Many EV Postage 1	monogo ivo			Approved for use by contractors only during non-school hours. LAUSD	practical pressure. Beware of wind drift. Use acid resistent support systems in
8053 Enviro Klean- EK Restoration Cleaner	PROSOCO, INC.	Carpentry/ Construction Product	APPROVED	staff may not use this product.	scaffolding. Dispose of contents/ container to an approved waste disposal p
					Follow the manufacturer's recommendations for product storage and
					use.Engineering Controls: Showers and Eyewash Stations; PPE- Safety glasses
				Approved for use by contractors only during non-school hours	Protective gloves and clothing, and if exposure limits are exceeded, respirato
				including summer time. Summer school can not be within close	protection should be worn; Prevent product from entering drains, pick up and
8054 Enviro Klean Revive	PROSOCO, INC.	Carpentry/ Construction Product	APPROVED	proximity of work. LAUSD staff may not use this product.	transfer to a proper labeled container, and characterize for landfill diposal
8055 SafeHands Alcohol Free Hand Sanitizer	SafeHands Distribution NE, LLC	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection. Prov
					shower and eye wash in close to work area. Dispose of contents/ container to
				Approved for use by contractors only during non-school hours. LAUSD	approved waste disposal plant. (USA EPA- D002- Transportation DOT-UN326-
	PROSOCO, INC.	Carpentry/ Construction Product	APPROVED	staff may not use this product.	Class 8).
8056 Sure Klean 600					
8056 Sure Klean 600					Follow the manufacturer's recommendations for product storage and
8056 Sure Klean 600					
8056 Sure Klean 600				Approved for use by contractors only during non-school hours. LAUSD	use.Ensure appropriate personal protection equipment is used with this prod
8056 Sure Klean 600 8057 Enviro Klean N Release Cleaner	PROSOCO, INC.	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.Ensure appropriate personal protection equipment is used with this prod including chemical resistant gloves, goggles and respiratory protection. Prov eyewash station and shower close to work area.

				Approved for use by contractors only. LAUSD staff may not use this	
8059 Monokote Accelerator	GCP APPLIED TECHNOLOGIES INC.	Fire Retardants	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
0000		THE NOTAL GUILLE	ATTROVES	Approved for use by contractors only. LAUSD staff may not use this	
8060 MK-6 Extended Set	GCP APPLIED TECHNOLOGIES INC.	Fire Retardants	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only. LAUSD staff may not use this	
8061 RETROGUARD	GCP APPLIED TECHNOLOGIES INC.	Fire Retardants	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
8062 McKesson Premium Hand Sanitizer	McKesson Medical-Surgical Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	
				Approved for use by contractors and trained Maintenance &	
8068 ULTRACARE CONCENTRATED TILE & GROUT CLEANER	MAPEI CORP.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					on-Follow the manufacturer's recommendations for product storage and use. Wear
8069 Deco Mark Sealer Part A & B	Ennis-Flint	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	proper PPE when applying.
ann Ultraria Com	MAPEI CORP. (USA and Puerto Rico)			Approved for use by contractor and Maintenance & Operations staff	E-II and the area of the transfer and the area of the
8070 Ultracoat Gym	MAPEL CORP. (USA and Puerto Rico)	Floor Care Products	APPROVED	only. Approved for use by contractors only at unoccupied sites or during no	Follow the manufacturer's recommendations for product storage and use.
8071 Aqua Base 120 Bonding Adhesive	Versico	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
60/1 Adda base ize beriaing Adriestic	70.000	Rooming Products	AFFROVED	Approved for exterior use only by contractors at unoccupied sites, or	rollow the managed and tree of minerications for product storage and tree.
8072 Flexible Dash Adhesive Part A and B	Versico	Roofing Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors or by trained Maintenance &	
8073 Graffiti Wipes	Waxie	Graffiti Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites, new	
				construction, or during non-school hours. LAUSD staff may not use this	s
8075 Keim Heavy Duty Cleaner Concentrate	Keim Mineral Coatings of America, Inc.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites, new	
				construction, or during non-school hours. LAUSD staff may not use this	
8076 Keim Design Lasur Dilution (Fixativ)	Keim Mineral Coatings of America, Inc.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites, new	
				construction or during non-school hours. LAUSD staff may not use this	
8077 Keim Design-Lasur	Keim Mineral Coatings of America, Inc.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
8080 Craft Smart Acrylics	Decoart, Inc.	School Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8081 Original Sculpey	Polyform Products Company, Inc.	School Products	APPROVED	by an adult.	d Follow the manufacturer's recommendations for product storage and use. Product emits harmful vapors if overheated or burned.
8082 Honey Dew Foaming Soap	Maintex, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
	· ·	r croonarry gione r rodadio	ALLINOVED		
enez Peach Luster Foaming Soan	Maintex Inc.	Personal Hygiene Products	ADDDOVED	Approved for student and staff use	Follow the manufacturer's recommendations for product storage and use
8083 Peach Luster Foaming Soap	Maintex, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use. Approved for use by contractors only at unoccupied sites or during no	Follow the manufacturer's recommendations for product storage and use. on- Follow the manufacturer's recommendations for product storage and use. Use
8083 Peach Luster Foaming Soap 8084 Sika Aktivator-205			APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no	on-Follow the manufacturer's recommendations for product storage and use. Use
	Maintex, Inc. Sika Corporation	Personal Hyglene Products Carpentry/ Construction Product		Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	,
				Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	on- Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product.
8084 Sika Aktivator-205	Sika Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use
8084 Sika Aktivator-205	Sika Corporation	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50	Sika Corporation Sika Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. nn-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. nn-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer	Sika Corporation	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handelling product. Description for product storage and use. Use proper PFE when handelling product. Description for product storage and use. Use proper PFE when handelling product.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape)	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance &	on-Foliow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Foliow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Foliow the manufacturer's recommendations for product storage and use. Use prop PFE when handeling product. Foliow the manufacturer's recommendations for product storage and use. Use prop PFE when handeling product.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50	Sika Corporation Sika Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated Bonakemi USA, Inc. (dba Bona US)	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated Bonakemi USA, Inc. (dba Bona US)	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use prop PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl)	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for suce by trained Maintenance & Operations staff and	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use prop PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl)	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use prop PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoob, LLC (by Bailyl) Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained staff use. Approved for subsection of the school of the schoo	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoob, LLC (by Bailyl) Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl) Plus manufacturing Inc. Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl) Plus manufacturing Inc. Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Floor Care Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8088 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8093 Procyon Extreme Carpet Pre-Spray Concentrate 8094 Procyon Multi-Purpose Cleaner Concentrate	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, ILC (by Bailyl) Plus manufacturing Inc. Plus manufacturing Inc. Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors staff only. Approved for use by trained Maintenance & Operations staff and contractors staff only. Approved for use by trained Maintenance & Operations staff and contractors and trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyi) Plus manufacturing Inc. Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Floor Care Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate 8084 Procyon Multi-Purpose Cleaner Concentrate 8085 Procyon Spot & Stain Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Ballyi) Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Floor Care Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8088 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8093 Procyon Extreme Carpet Pre-Spray Concentrate 8094 Procyon Multi-Purpose Cleaner Concentrate	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, ILC (by Bailyl) Plus manufacturing Inc. Plus manufacturing Inc. Plus manufacturing Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate 8084 Procyon Multi-Purpose Cleaner Concentrate 8085 Procyon Spot & Stain Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Ballyi) Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Floor Care Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for subdent and staff use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors at the subject of	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. On-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaffex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate 8084 Procyon Multi-Purpose Cleaner Concentrate 8085 Procyon Spot & Stain Cleaner 8086 Tile & Grout Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyi) Plus manufacturing Inc. Genlabs	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate 8084 Procyon Multi-Purpose Cleaner Concentrate 8085 Procyon Spot & Stain Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Ballyi) Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc. Plus manufacturing inc.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Floor Care Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. This product contains potentially cancer causing ingredients listed or california's Proposition 85. Approved for conditional new constructor use on this project by contractors only.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handleling product. In-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handleling product. Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handleling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8093 Procyon Extreme Carpet Pre-Spray Concentrate 8094 Procyon Multi-Purpose Cleaner Concentrate 8095 Procyon Spot & Stain Cleaner 8096 Tile & Grout Cleaner 8098 Advantage V	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyi) Plus manufacturing Inc. Genlabs	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products	APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors. This product contains potentially cancer causing ingredients listed or California's Proposition 85. Approved for conditional new construction use on this project by contractors and trained Maintenance & Operations and trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of the propos	on-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. On-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. On-Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. Follow the manufacturer's recommendations for product storage and use. Use proper PPE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaffex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8083 Procyon Extreme Carpet Pre-Spray Concentrate 8084 Procyon Multi-Purpose Cleaner Concentrate 8085 Procyon Spot & Stain Cleaner 8086 Tile & Grout Cleaner	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl) Plus manufacturing inc. Sika Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors. This product contains potentially cancer causing ingredients listed or California's Proposition 55. Approved for conditional new construction use on this project by contractors and trained Maintenance & Operations staff and contractors.	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Den-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Den-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8084 Sika Aktivator-205 8085 SikaTack Panel Primer 8086 SikaTack Panel-50 8087 PET Spunbonded Nonwovens (Ultrabond Turf Tape) 8088 Bona SuperCourt Cleaner 8089 Aquaflex Adhesive 8091 PVP Glue Stick 8092 Procyon Carpet & Upholstery Cleaner 8093 Procyon Extreme Carpet Pre-Spray Concentrate 8094 Procyon Multi-Purpose Cleaner Concentrate 8095 Procyon Spot & Stain Cleaner 8096 Tile & Grout Cleaner 8098 Advantage V	Sika Corporation Sika Corporation Sika Corporation Oxco, Incorporated BonaKemi USA, Inc. (dba Bona US) Formulators Yoobi, LLC (by Bailyl) Plus manufacturing inc. Sika Corporation	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Floor Care Products Graphic Arts/Photography Produ Floor Care Products Cleaning Products	APPROVED APPROVED	Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during no school hours. LAUSD staff may not use this product. Approved for outdoor use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors. This product contains potentially cancer causing ingredients listed or California's Proposition 85. Approved for conditional new construction use on this project by contractors and trained Maintenance & Operations and trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of trained Maintenance & Operations are fined to the proposition of the proposition of the propos	on-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. On-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. On-Follow the manufacturer's recommendations for product storage and use. Use proper PFE when handeling product. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use including use of personal protective equipment. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractor and trained Maintenance & Operations	8
8102 ULTRALITE MORTAR	MAPEI CORP.	Carpentry/ Construction Product	APPROVED	staff only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by contractor and trained Maintenance & Operations	Follow the manufacturer's recommendations for product storage and u
8103 ULTRAFLEX 2 WHITE	MAPEI CORP.	Carpentry/ Construction Product	APPROVED	staff only.	respirator when mixing with water.
				Approved for use by contractors and trained Maintenance &	
8104 Consolideck ColorHard	Prosoco, Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by contractors only at unoccupied sites (including	
8105 Consolideck GuardEXT	Prosoco, Inc.	Carpentry/ Construction Product	APPROVED	access restricted construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and u
8106 Consolideck LSCS	Prosoco, Inc.	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by contractor and trained Maintenance & Operation:	s Follow the manufacturer's recommendations for product storage and u
8109 PMP Deck Mud	E-Z Mix Inc.	Carpentry/ Construction Product	APPROVED	staff only.	respirator when mixing with water.
				Approved for use by contractors and trained Maintenance &	
8110 MODIFIED MORTAR BED	MAPEI CORP.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and u
8111 White Lanolin Hand Soap	Waxie Sanitary Supply	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and u
					Handling of dry material may release respirable crystaline silica dust, a
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of dus
					containing respirable crystalline silica is prohibited. Employ work and
					housekeeping methods designed to reduce silica exposure. Use HEPA fi
				Approved for use by contractors and trained Maintenance &	vacuums to control dust when handling the dry material, mixing, and cl
				Operations staff only. Dry mixing not permitted on site. All mixing to be	
8112 ULTRACOLOR PLUS FA	MAPEI CORP.	Carpentry/ Construction Product	APPROVED	conducted with local HEPA filtered dust collection vacuum system.	product including respiratory protection.
					Ensure appropriate personal protection equipment is used with this pro
					including close fitting safety goggles, gloves, and chemical apron. Ensu
				Approved for use by contractors and trained Maintenance &	personnel are trained for use of proper PPE, and follow the manufactue
8113 Ultracare Penetrating Stone, Tile & Grout Sealer	Mapei Corp. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	Operations staff only.	instructions for product use and storage.
					Follow the manufacturer's recommendations for product storage and
					exterior use only in well ventilated areas. Ensure appropriate personal
					equipment is used, including respiratory protection recommended ba
					application method (FOR SPRAY APPLICATION, WEAR ORGANIC
					VAPOR/PARTICULATE RESPIRATOR
				Approved for use by contractors and trained Maintenance &	
8114 VIN-L-STRIPE Velvet and Flat	Dunn-Edwards Paints	Paint Products	APPROVED	Operations staff only at unoccupied sites or during non-school hours.	(NIOSH/MSHA TC 23C OR EQUIVALENT).
8] 5 VaproBond	VAPROSHIELD, LLC		APPROVED	Approved for use by contractors.	Follow the manufacturer's recommendations for product storage and
8116 Green Select foaming Soap		Carpentry/ Construction Product	APPROVED		
	Hillyard Industries	Personal Hygiene Products		Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and
8117 Translucent Glue Board	PestWest LLC	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and
8118 Liquid Boot T60 Base Fabric	CETCO	Carpentry/ Construction Product	APPROVED	Approved for use by contractors at all sites.	Follow the manufacturer's recommendations for product storage and
				Approved for use by contractors only at new construction sites, access	
				restricted construction areas, or during non-school hours. LAUSD staff	
8119 Liquid Boot - "A" Component	CETCO	Carpentry/ Construction Product	APPROVED	may not use this product.	Follow the manufacturer's recommendations for product storage and
				Approved for use by contractors only at new construction sites, access	ı
				restricted construction areas, or during non-school hours. LAUSD staff	
B120 Liquid Boot - "B" Component	CETCO	Carpentry/ Construction Product	APPROVED	may not use this product.	Follow the manufacturer's recommendations for product storage and
8121 Liquid Boot Ultrashield G-Series Fabric	CETCO	Carpentry/ Construction Product	APPROVED	This is an article. Approved for use by contractors at all sites.	Follow the manufacturer's recommendations for product storage and
B122 Liquid Boot Ultradrain 6200	CETCO	Carpentry/ Construction Product	APPROVED	This is an article. Approved for contractors at all sites.	Follow the manufacturer's recommendations for product storage and
8123 Catchmaster Final Feed Mosquito Bait	AP&G CO Inc.	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and
***				Approved for use by trained Maintenance & Operations staff and	
B124 Liquid Nails LN-907 Extreme Heavy Duty Interior and Exterior	PPG Industries. Inc.	Adhesive Products	APPROVED	contractors only at unoccupied sites or during non school hours.	Follow the manufacturer's recommendations for product storage and
5124		Adiosite i roddol	ATTROVES	Approved for use by contractors and trained Maintenance &	
8127 Spartawall Interior - Semi-Gloss Paint SWIL50	Dunn-Edwards Paints	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
012) Spartaman menor Sonn Sisson and Swass	Dain Lawards Faints	runtriodets	AFFROVED	Approved for use by contractors and trained Maintenance &	Tollow the managed of a recommendations for product storage and
8128 Vinylastic Plus Interior - Latex Wall Sealer - VNPL00	Dunn-Edwards Paints	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
8128 VIII)Idatic Flas Interior Ediex Wall Sedier VIV Loo	Duini Edwards Faints	Paint Products	APPROVED	Operations stail only.	
					Handling of dry material may release respirable crystaline silica dust, o
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of du
					containing respirable crystalline silica is prohibited. Employ work and
					housekeeping methods designed to reduce silica exposure. Use HEPA f
				Approved for use by trained Maintenance & Operations staff and	vacuums to control dust when handling the dry material, mixing, and o
				contractors only. Dry mixing not permitted on site. All mixing to be	work area. Ensure appropriate personal protection equipment is used
8129 Permacolor Grout	Laticrete International	Carpentry/ Construction Product	APPROVED	conducted with local HEPA filtered dust collection vacuum system.	product including respiratory protection.
8132 Tulip Tie Dye	iLovetoCreate Duncan Enterprises	Miscellaneous	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and
					Follow the manufacturer's recommendations for product storage and
8133 HUSKY 891 ARENA DISINFECTANT	Canberra Corporation	Cleaning Products	APPROVED	Approved for student and staff use.	manufacturer recommended personal protective equipment.
	<u> </u>	<u> </u>		Approved for use by contractors and trained Maintenance &	
8134 S980 Flooring Adhesive	Armstrong Flooring, Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and
8136 Atlas Premium Gold Release	Atlas Tech Products		APPROVED		Follow the manufacturer's recommendations for product storage and a
0130 Milds Freithurtt Gold Release	Auda recirribuducts	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only.	i oliow are manaracturer's recommendations for product storage and t

				Approved for use by contractors only at unoccupied sites or during no	n-
8137 MBR Flashing Cement Base and Activator	Johns Manville	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during no	on- Follow the manufacturer's recommendations for product storage and use.
8138 PermaFlash Primer (Low VOC)	Johns Manville	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product.	Product is highly flammable.
		-		Approved for use by trained Maintenance & Operations staff and	
8139 S-452 Seal Strong Part A & B	Armstrong Flooring Inc.	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
					Handling of dry material may release respirable crystaline silica dust, a
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of dust
					containing respirable crystalline silica is prohibited. Employ work and
					housekeeping methods designed to reduce silica exposure. Use HEPA filtered
				Approved for use by contractors and trained Maintenance &	vacuums to control dust when handling the dry material, mixing, and cleaning
				Operations staff only. Dry mixing not permitted on site. All mixing to be	work area. Ensure appropriate personal protection equipment is used with this
8140 S-453 Level Strong, Self-Leveling Underlayment	Armstrong Flooring Inc.	Carpentry/ Construction Product	APPROVED	conducted with local HEPA filtered dust collection vacuum system.	product including respiratory protection.
				Approved for use by contractors and trained Maintenance &	
8141 S-454 Prime Strong	Armstrong Flooring Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Handling of dry material may release respirable crystaline silica dust, a
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of dust
					containing respirable crystalline silica is prohibited. Employ work and
					housekeeping methods designed to reduce silica exposure. Use HEPA filtered
				Approved for use by contractors and trained Maintenance &	vacuums to control dust when handling the dry material, mixing, and cleaning
				Operations staff only. Dry mixing not permitted on site. All mixing to be	
8142 S-455 Prime Strong	Armstrong Flooring Inc.	Carpentry/ Construction Product	APPROVED	conducted with local HEPA filtered dust collection vacuum system.	product including respiratory protection.
				Approved for use for film production only at LAUSD facilities. Not	
8144 Look Solutions Fog Fluid	Look Solutions	Miscellaneous	APPROVED	approved for staff and student use.	Follow the manufacturer's recommendations for product storage and use.
					Handling of dry material may release respirable crystaline silica dust, a
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of dust
					containing respirable crystalline silica is prohibited. Employ work and
					s housekeeping methods designed to reduce silica exposure. Use HEPA filtered
				restricted to construction personnel only. Dry mixing not permitted on	
				site. All mixing to be conducted with local HEPA filtered dust collection	
8145 SikaGrout-528 SF	Sika Corporation	Carpentry/ Construction Product	APPROVED	vacuum system.	product including respiratory protection.
8146 LA AWESOME GLASS CLEANER	SOUTHERN CALIFORNIA SOAP CO.	Cleaning Products	APPROVED	Approved for use by Maintenance & Operations and school staff only.	
				Approved for use by contractors only at unoccupied sites or during no	
8147 Belzona 1212 (Base)	Belzona Inc.	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
	Belzona Inc.			Approved for use by contractors only at unoccupied sites or during no	
8148 Belzona 1212 (Soldifier)	Beizona inc.	Roofing Products	APPROVED	school hours. LAUSD staff may not use this product. Approved for use only by trained maintenance and operations staff	Follow the manufacturer's recommendations for product storage and use.
8149 Belzona 3111 (Flexible Membrane)	Belzona Inc.	Roofing Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
GIAS DOLLONG ON (TICKIDIO MOTTERIO)	DOLLOTTO THE.	Rooming Products	AFFROVED	and contractors only at anoccapica sites of admingtion soriour house.	rollow the manufacturer of economic had also to be product storage and also.
				Approved for outdoor use by trained Maintenance & Operations staff	Ensure appropriate personal protection equipment is used with this product
8151 Isocil RW 1.5	Lonza Inc.	HVAC Products	APPROVED	only.	including protective gloves/ protective clothing/ eye protection/ face protection
Old Book We 20	EOFEC IIIO.	TIVAC FIOGGES	AFFROVED	Approved for use by Maintenance & Operations staff and trained scho	
8153 Cleaner & Conditioner	UltraChemLabs	Cleaning Products	APPROVED	staff.	Follow the manufacturer's recommendations for product storage and use.
0.00		olouring roudes	ATTROVES	Approved for use by contractors only at unoccupied sites (access	
8154 Dayton Superior Top-Cast	GCP Applied Technologies	Carpentry/ Construction Product	APPROVED	restricted construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
		, , , , , , , , , , , , , , , , , , ,		Approved for use by contractors and by trained Maintenance &	
8158 ENDURAPRIME ENPROO	Dunn-Edwards	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	· -
8159 EFF-STOP Select ESSL00	Dunn-Edwards	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8160 Smooth BLOCFIL Select SBSL00	Dunn-Edwards	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8161 ULTRASHIELD Galvanized Metal Primer ULGM00	Dunn-Edwards	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8163 Transtint Liquid Dye Concentrate - all colors	J.B Jewitt Co., Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained M&O employees and contractors only at	Ensure appropriate personal protection equipment is used with this product
8166 Desert Brand Master Seal WB	Hill Brothers Chemical Company/Desert Brand	Paint Products	APPROVED	unoccupied sites or during non-school hours.	including protective gloves, full length clothing, safety glasses, and respirator. $ \\$
				Approved for use by trained Maintenance & Operations staff and	
8169 Rainguard VandlGuard Finish Coat	Weatherman Products, Inc	Graffiti Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8170 Rainguard VandlGuard Five	Weatherman Products, Inc	Graffiti Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8175 N40 (R-448A) Refrigerant	Honeywell International Inc.	HVAC Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8176 XP40 (R-449A) Refrigerant	Chemour	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by trained Maintenance & Operations and Food	
8177 MEDI-ZAP 128 Neutral Disinfectant	Unit Chemical Corporation	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8178 Pentel Paint Marker	Pentel of America, Ltd.	Maintenance and Operations Pro	APPROVED	Operations staff only. Not for staff or student use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8179 Jump Start Sealer	Advantage Coatings Technology	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by constractors only during non-school hours or	Follow the manufacturer's recommendations for product storage and use. Use
8180 ARDEX K 22 F	ARDEX ENGINEERED CEMENTS	Floor Care Products	APPROVED	unoccupied areas. LAUSD emplouees may not use this product.	PPE when mixing product.
				Approved for outdoor use only by contractors at unoccupied sites or	
8181 MBR Flashing Cement Base	John Manville	Roofing Products	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
0.00 Page 10.00 Page 1	BongKemi USA, Inc. (dbg Bong US)		APPROVED	Approved for use by contractors and trained Maintenance &	5-ll - the research of the second of the sec
8182 Bona Supersport™ One	Bonakemi USA, Inc. (aba Bona US)		APPROVED	Operations staff only. Approved for use by contractors only in unoccupied areas or during	Follow the manufacturer's recommendations for product storage and use.
8183 Wilsonart 3100, 3105, 3116, 3117,3125, 3131, 3132 Adhesive	Wilsonart LLC	Adhesive Products	APPROVED	non school hours.	Follow the manufacturer's recommendations for product storage and use.
0103 ***********************************	THIS MATERIAL TO THE PARTY OF T	Adhesive Floddets	AFFROVED	Approved for use by contractors only at unoccupied sites or during nor	1-
8184 Wilsonart Type II Adhesive	Wilsonart LLC	Adhesive Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
3.54		Adiosito i loddos	ATTROVES	Approved for use by contractors only at unoccupied sites or during nor	3
8185 Beypoxy 1000 A	Beynon	Exterior Landscape/ Playground Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
		1 . 70		Approved for use by contractors only at unoccupied sites or during nor	h-
8186 Beypoxy 1000 B	Beynon	Exterior Landscape/ Playground Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during nor	h-
8187 Beypur 320 Binder	Beynon Sport Surfaces, Inc.	Exterior Landscape/ Playground Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during nor)-
8188 BELZONA 4151 (MAGMA-QUARTZ RESIN Base and Solidifier)	Belzona Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during nor	h-
8189 GE Elemax 2600 AWB	Momentive	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during nor	
8190 GE Elemax 5000 Liquid Flashing	Momentive	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica and attapulgite clay, prop 65 listed carcinogens that
				Approved for use by trained Maintenance & Operations staff and	are harmful if inhaled. Use respiratory protection when working with this product.
				contractors only. Product may only be used during non-school hours,	Avoid generating or breathing dust. Use wet methods and HEPA filtered vacuums
8191 Fast Set 20, 40, 90 & 5, 20, 40, 90, 180 Lite & Ultra-Fill	Westpac Materials	Carpentry/ Construction Product	APPROVED	district staff)	when cleaning and working with this product. Follow the manufacturer's recommendations for product storage and use.
0191 1 dat 36t 20, 40, 30 dt 3, 20, 40, 30, 100 Lite dt 0111 d 1111	westput materials	Carpentry/ Construction Froduct	AFFROVED	uistict stully	Contains crystalline silica and attapulgite clay, prop 65 listed carcinogens that
				Approved for use by trained Maintenance & Operations staff and	are harmful if inhaled. Use respiratory protection when working with this product.
				contractors only. Product may only be used during non-school hours,	Avoid generating or breathing dust. Use wet methods and HEPA filtered vacuums
					O when cleaning and working with this product. Follow the manufacturer's
8192 Ready Mixed Joint Compounds and Textures	Westpac Materials	Carpentry/ Construction Product	APPROVED	district staff).	recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8193 Armstrong S-1000 Premium Adhesive	Armstrong Flooring, Inc.	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8194 Rainguard™ Microseai™ RTU	Weatherman Products, Inc	Graffiti Products	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica and attapulgite clay, prop 65 listed carcinogens that
				Approved for use by trained Maintenance & Operations staff and	are harmful if inhaled. Use respiratory protection when working with this product.
				contractors only. Product may only be used during non-school hours,	Avoid generating or breathing dust. Use wet methods and HEPA filtered vacuums
					O when cleaning and working with this product. Follow the manufacturer's
8195 Powdered Wall Textures	Westpac Materials	Carpentry/ Construction Product	APPROVED	district staff).	recommendations for product storage and use.
8196 Sarnacol OM Board Adhesive Part A	Sika- Corporation	Roofing Products	APPROVED	Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
gray darriador om soura xarrostro i arrx	oka corporation	Rooming Froducts	AFFROVED	during non-series means shows stain may not use this product.	Tollow the managed and treesministrations for product along to the acc.
				Approved for outdoor use only by contractors only at unoccupied sites	
8197 Sarnacol OM Board Adhesive Part B	Sika- Corporation	Roofing Products	APPROVED	or during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
		-		Approved for use by contractors and trained Maintenance &	· -
				Operations staff only. Product may only be used during non-school	Follow the manufacturer's recommendations for product storage and use. Wear
				hours, or in unoccupied spaces (spaces not occupied by students or	eye protection when using this product. PH 11.3 (alkaline). Use all required
8198 Seal Hard	L&M Construction Chemicals/LATICRETE International	Carpentry/ Construction Product	APPROVED	non M&O district staff).	personal protective equipment.
					Contains crystalline silica and attapulgite clay, prop 65 listed carcinogens that
				Approved for use by trained Maintenance & Operations staff and	are harmful if inhaled. Use respiratory protection when working with this product. $\label{eq:control}$
				contractors only. Product may only be used during non-school hours,	Avoid generating or breathing dust. Use wet methods and HEPA filtered vacuums
					O when cleaning and working with this product. Follow the manufacturer's
8199 USG Sheetrock Brand Easy Sand Lightweight Setting-Type Joir	t United States Gypsum Company	Carpentry/ Construction Product	APPROVED	district staff).	recommendations for product storage and use.
					Contains crystalline silica and attapulgite clay, prop 65 listed carcinogens that
				Approved for use by trained Maintenance & Operations staff and	are harmful if inhaled. Use respiratory protection when working with this product.
				contractors only. Product may only be used during non-school hours,	Avoid generating or breathing dust. Use wet methods and HEPA filtered vacuums
8200 Sheetrock Brand All Purpose Joint Compound Powdered	United States Gypsum Company	Company Construction Construction	APPROVED	or in unoccupied spaces (spaces not occupied by students or non M&C district staff)	when cleaning and working with this product. Follow the manufacturer's recommendations for product storage and use.
0200 Sheatrock brand Air Parpose John Compound Powdered	оппед замез дурвит соттриту	Carpentry/ Construction Product	AFPROVED	district starry	recommendations for product storage and use.

				Approved for use by contractors and by trained Maintenance &	
8201 Brickform Traction Grip	Brickform	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8203 Ardex P4 Primer	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Handling of dry material may release respirable crystaline silica dust, a
					carcinogen. Avoid generating dust. Dry sweeping or dry brushing of dust
					containing respirable crystalline silica is prohibited. Employ work and
					housekeeping methods designed to reduce silica exposure. Use HEPA filtere
				Approved for use by contractors and trained Maintenance &	vacuums to control dust when handling the dry material, mixing, and clean
				Operations staff only. Dry mixing not permitted on site. All mixing to be	
8204 Ardex V1200 Self-Leveling Underlayment	Ardex Engineered Cements	Carpentry/ Construction Product	APPROVED	conducted with local HEPA filtered dust collection vacuum system.	product including respiratory protection when necessary.
8205 DECOCOAT ADHESION PROMOTER DP-200	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by contractorst.	Follow the manufacturer's recommendations for product storage and use.
8206 DP-100 Sealer	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by contractors.	Follow the manufacturer's recommendations for product storage and use.
				11	Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica, carbon black, and titanium oxide in a liquid
8207 Decocoat Colorant SR Fawn	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by contractors.	formulation.
0207 Becoccat Colorant Cit Talmi	Beebeat of the Oysteria	rantriodata	AFFROVED	Approved for also by contractors.	Follow the manufacturer's recommendations for product storage and use.
8208 DP200 PAVEMENT COATING PARTS A & B	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by contractors.	Contains crystalline silica in a liquid formulation.
0200 Billori Atlimiti Goalino i Aktoria B	Beebeat of the Oysteria	rantriodata	AFFROVED	Approved for also by contractors.	Follow the manufacturer's recommendations for product storage and use.
8209 Decoshield Pavement Coating	DecoCoat Polymer Systems	Paint Products	APPROVED	Approved for use by contractors.	Contains crystalline silica in a liquid formulation.
0200		. G., ICT TOUGES	AFFROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use,
8210 Crete Clean Plus with ScarGuard	Curecrete Chemical Company	Carpentry/ Construction Product	APPROVED	Operations staff only.	including personal protective equipment.
8210 Crete Clean Flas With ScarGuard	Curected Chemical Company	Carpentry/ Construction Product	APPROVED	Operations stall only.	
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica and titanium dioxide. Do not dry sand. Use wet
6-500 SPEEDHIDE ENAMEL LATEX INTERIOR SEMI-GLOSS-				Approved for use by contractors and trained Maintenance &	cleaning methods and HEPA filtered vacuums to clean up dust from dried
8211 WHITE/PASTE	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	film.
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica and titanium dioxide. Do not dry sand. Use wet
6-515 SPEEDHIDE ENAMEL LATEX INTERIOR SEMI-GLOSS-MIDTONE				Approved for use by contractors and trained Maintenance &	cleaning methods and HEPA filtered vacuums to clean up dust from dried p
8213 BAS	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	film.
6-517 SPEEDHIDE ENAMEL LATEX INTERIOR SEMI-GLOSS-NEUTRAL				Approved for use by contractors and trained Maintenance &	
8214 BAS	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8215 17-921XI SEALGRIP INTERIOR/EXTERIOR ACRYLIC PRIMER	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8216 72-45XI SUN PROOF EXTERIOR ACRYLIC LATEX FLAT	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8217 72-110XI SUN PROOF EXTERIOR ACRYLIC LATEX FLAT	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8218 72-150XI SUN PROOF EXTERIOR ACRYLIC LATEX FLAT MIDTONE	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8219 72-300XI SUN PROOF EXTERIOR ACRYLIC LATEX FLAT ULTRADEEP	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8220 Pitt-Tech Plus 90-1310, 1320, 1330, 1340	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8221 3210-120XI GRIPPER INTERIOR/EXTERIOR ACRYLIC PRIMER	PPG Industries, Inc.	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8222 3210-130XI PPG PAINTS GRIPPER INTERIOR/EXTERIOR ACRYLIC PRIM	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
· · · · · · · · · · · · · · · · · · ·				<u>'</u>	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	Contains respirable crystalline silica in liquid formulation. Do not sand the
8223 PITT-TECH PLUS 4020 PF DTM PRIMER - WHITE, RED	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	film.
OLLO TELLICO TOLOTI DINITIMIEN THINGHED		- G Toddets	A. FROVED	Approved for use by contractors and trained Maintenance &	
8224 6001-1200G HYDROSEALER ACRYLIC EXTERIOR BONDING PRIMER	PPG Industries, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
0224 0001 12000 REDROSEALER ACRESIC EXTERIOR BUNDING PRIMER	rro maasmes, IIIC.	Fullic Floducts	APPROVED	Operations stall Utily.	
				Approved for use by contractors and trained Mainter	Follow the manufacturer's recommendations for product storage and use
				Approved for use by contractors and trained Maintenance &	Product contains respirable silica. Once dried, the product should not be s
				Operations staff only. For use in construction areas not occupied by	or mechanically abraided without dust controls in place, including HEPA fil
8225 DWP-40 PPG Liquid Nails Interior Drywall Advanced Construct	PPG Industries, Inc.	Carpentry/ Construction Product	APPROVED	students or non-M&O staff.	vacuums to capture dust.
· · · · · · · · · · · · · · · · · · ·				Approved for use by contractors and trained Maintenance &	
				Operations staff only.	Follow the manufacturer's recommendations for product storage and use
8226 Enpress PSA	Mohawk Group	Carpentry/ Construction Product	APPROVED		
		Carpentry/ Construction Product		Approved for use by contractors and trained Maintenance &	
8228 Dynamic Transitional Pressure Sensitive Adhesive	Mohawk Group W. F. Taylor LLC	Carpentry/ Construction Product Adhesive Products	APPROVED		
				Approved for use by contractors and trained Maintenance &	
8228 Dynamic Transitional Pressure Sensitive Adhesive	W. F. Taylor LLC		APPROVED	Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use

8231 MEADOW-PATCH Smooth Grade	W. R. Meadows, inc.	Carpentry/ Construction Product	APPROVED	Approved for use by contractors and trained Maintenance & Operations staff only. Dry mixing not permitted on site. All mixing to be conducted with local HEPA filtered dust collection vacuum system. Approved for use by contractors and trained Maintenance &	Handling of dry material may release respirable crystaline silica dust, a carcinagen. Avoid generating dust. Dry sweeping or dry brushing of dust containing respirable crystaline silica is prohibited. Employ work and housekeeping methods designed to reduce silica exposure. Use HEPA filtered vacuums to control dust when handling the dry material, mixing, and cleaning work area. Ensure appropriate personal protection equipment is used with this product including respiratory protection.
8232 System Saver II Pellets	Chemco Products Company / Morton Salt	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8233 McKesson Premium Instant Hand Sanitizer	McKesson Medical-Surgical Inc.	Personal Hygiene Products	APPROVED	This product is approved for personal hygiene use for all users as a sanitizing product that is effective against coronavirus. Children should use these products under adult supervision.	Follow the manufactuer's recommendations for product storage and use. Contains 70% ethanol (ethyl alcohol). Do not ingest. Adult supervision required. Product is highly flammable. Keep away from heat/sparks/open flames/hot surfaces.
		73			Follow the manufactuer's recommendations for product storage and use.
8234 PURELL Advanced Hand Sanitizer Gel	GOJO Industries, inc.	Personal Hygiene Products	APPROVED	use these products under adult supervision.	Contains ethanol (ethyl alcohol). Do not ingest. Adult supervision required. Product is highly flammable. Keep away from heat/sparks/open flames/hot surfaces.
				This product is approved for personal hygiene use for all users as a	Follow the manufacturers instructions for product storage and use. Contains
8235 Spectrum Advance Hand Sanitizer Gel	Medline Industries, Inc.	Personal Hygiene Products	APPROVED	santizing product that is effective against coronavirus. Children should use these products under adult supervision.	ethanol (ethyl alcohol). Do not ingest. Adult supervison required. Product is highly flammable. Keep away from heat/sparks/open flames/hot surfaces.
8238 Advanced Hand Sanitizer	Vi-Jon Inc	Personal Hygiene Products	APPROVED	This product is approved for personal hygiene use for all users as a	Follow the manufacturer's recommendations for product storage and use. Contains ethanol (ethyl alcohol). Do not ingest. Adult supervision required. Product is highly flammable. Keep away from heat/sparks/open flames/ hot surfaces.
6230 Advanced right Surnitzer	VI SOTTIFIC	reisonal nygiene riodacts	AFFROVED	ase tiese products drider dadit supervision.	Follow the manufacturer's recommendations for product storage and use.
8237 GuardTop* Hot Pour Asphalt Based Sealcoat	GuardTop Ц.С	Carpentry/ Construction Product	APPROVED	Approved for exterior use only by contractors only at unoccupied sites (including access restricted construction areas).	Sensitivity to odors anticipated to be associated with this product may result in complaints. Schedule application of the coating to avoid nuisance or disruptior to school operations. Follow the manufacturer's recommendations for product storage and use.
8238 Deb Instant Foam	SC Johnson Professional, inc.	Personal Hygiene Products	APPROVED	This product is approved for persoanl hygeine use for all users as a sanitizing product that is effective against coronavirus. Children should use these products under adult supervision.	Contains ethanol (ethyl alcohol). Do not ingest Adult supervision required. Product is highly flammable. Keep away from heat/sparks/open flames/hot surfaces.
					Follow the manufacturer's recommendations for product storage and use. Adu
8240 Clorox Disinfecting Wipes	The Clorox Company	Cleaning Products	APPROVED	Approved for all users including staff and supervised student use.	supervision is required for any student use.
8241 Antimicrobial Lotion Hand Soap	Maintex, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use. Approved for use by all adult staff and teachers, including Food	Follow the manufacturer's recommendations for product storage and use.
8244 Oxivir Tb	Diversey, Inc.	Cleaning Products	APPROVED	Services, M&O, Transportation.	Follow the manufacturer's instructions for product storage and use.
8246 Sani-Cloth Plus Germicidal Disposable Cloth	Nice-Pak/PDI, Inc.	Cleaning Products	APPROVED	Approved for use by teacher/staff only. Not approved for use by students. Keep out of reach of children.	Follow the manufacturer's recommendations for product storage and use. Not for student use. Keep out of reach of children.
8247 Sani-Hands* Instant Hand Sanitizing Wipes	Nice-Pak/PDI. Inc.			Approved for student and staff use.	Alcohol wipes are flammable. Adult supervision is required for student use. Follow the manufacturer's recommendations for product storage and use.
8249 Citrus Fresh Antimicrobial Foam Soap	Hillyard	Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8250 Refresh Rose Foam (Soap)	SC Johnson Professional USA Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for all school related staff including M & O, Food Services,	
8251 Hand Sanitizer (CW)	Cal-Western Manufacturers	Personal Hygiene Products	APPROVED	teachers, and students. Approved for use by maintenance and operations personnel during	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use
8252 Sani-Prime Germicidal Spray	Professional Disposables International, Inc. (PDI)	Cleaning Products	APPROVED	any cleaning activities and staff during PODs activity (Grab and Go).	PPE per SDS i.e. gloves.
	·			Approved for use by maintenance and operations during any cleaning	Follow the manufacturer's recommendations for product storage and use. Use
8255 Sani-Cloth Prime Germicidal Disposable Wipe (Canister)	Professional Disposables International, Inc. (DPI)	Cleaning Products	APPROVED	activities and staff during PODs activity (Grab and Go).	PPE per SDS i.e. gloves.
8256 ZEP Instant Hand Sanitizer Gel 500ML	Zep Inc	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8257 B4 Brands AVANT* ECO-PREMIUM INSTANT HAND S	B4 Brands	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8259 Easy Care First Aid Hand Sanitizer	Tender Corporation	Personal Hygiene Products	APPROVED	Approved for student and staff use. Approved for use by trained Maintenance & Operations and Food	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use
8261 Clorox Healthcare Hydrogen Peroxide Disinfectant Wipes	The Clorox Company	Cleaning Products	APPROVED	Services staff only. Approved for use by trained Maintenance & Operations and Food	Proper PPE. Follow the manufacturer's recommendations for product storage and use. Use
8262 Clorox Commercial Solutions Clorox Hyd Perox Disinfecting Cl	Clorox Professional Products Company	Cleaning Products	APPROVED	Services staff only.	proper PPE.
8263 Advanced Hand Sanitizer	Clean Beauty Concepts, LLC	Cleaning Products	APPROVED	Approved for student and staff use. Approved for use by trained Maintenance & Operations and Food	Follow the manufacturer's recommendations for product storage and use.
8266 1 GL: Germicidal Ultra Bleach	WAXIE Sanitary Supply	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations and Food Servives staff only.	Follow the manufacturer's recommendations for product storage and use. Use proper PPE per manufacturer. Provide eye wash when mixing.
8267 Antiseptic Hand Rub 80%	Medline Industries, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8268 Gate Therapeutics Hand Sanitizer Gel26-8	Gate Therapeutics	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8269 GERMS OUT HAND SANITIZER	KDS, LLC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8270 Foaming Instant Hand Sanitizer	HILLYARD INDUSTRIES	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8271 Hillyard Instant Hand Sanitizer Gel	HILLYARD INDUSTRIES	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
	Hydrox Laboratories	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors and trained Maintenance &	
8273 MICRO-KILL BLEACH GERMICIDAL BLEACH SOLUTION	Medline Industries, Inc.	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8274 PURELL® Advanced Instant Hand Sanitizer Foam	Gojo Industries, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8275 Quick Care Foam Hand Sanitizer	Ecolab Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8276 Hand Sanitizer	Red Boot Distilling	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
02/0	9	Torsonarrygione Trodacis	ATTROVES	Approved for use by contractors and trained Maintenance &	
8277 Re-Juv-Nal	Hillyard Industries	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8278 Renu Advanced Hand Sanitizer	Renu Chem Inc.		APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8279 Rx Cleanse Hand Sanitizer	360 Labs, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8280 Spray Instant Hand Sanitizer TF	HILLYARD INDUSTRIES	Personal Hygiene Products			Follow the manufacturer's recommendations for product storage and use.
		Personal Hygiene Products	APPROVED	Approved for student and staff use.	' *
8281 SSS FOAMCLEAN ASCEND 62 INSTANT HAND SANITIZER	Triple S	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8282 Strike Bac Step One Disinfectant	Genlabs	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8284 770AA Alcohol Advanced Hand Sanitizer	Vi-Jon Inc	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8286 BAC STOP 3A	Enviro Tech Chemical Services, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
8287 DBK NON-ACID DISNFECTANT CLEANER	CREATIVE CHEMICALS, INC.	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
8288 Encore 3570	QuestSpecialty Corporation	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
8290 Maxi-San Disinfectant	American Chemical	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
8292 Medic 70% Alcohol Hand Gel	Veteran Building Maintenance & Supply	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8294 Pink Lotion Handsoap	Chemcor Chemical Corp.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
8297 SpectraKill - RTU	CROWN TECHNOLOGY, INC	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
8298 TruShot Disinfectant Cleaner for Restrooms	S.C. Johnson & Son, Inc.	Cleaning Products	APPROVED	Services staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors or trained maintenance and	
				operations staff only at unoccupied sites (or within regulated	Follow the manufacturer's recommendations for product storage and use. Dr
				construction areas) or during non-school hours. LAUSD staff may not	mixing not permitted on site. Avoid creating dust while mixing. Product contain
8299 Masonry Mortar Type S/M	Orco Blended Products	Carpentry/ Construction Product	APPROVED	use this product.	silica.
8300 SPECTRUM 70% HAND SANITIZING WIPES	Medline Industries, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8301 Lanolin Pink Soap	Gale Supply Co	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained maintenance and operations staff and	
8303 Sikasil WS 295	Sika Corporation	Carpentry/ Construction Product	APPROVED	contractors only at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8304 Vital Oxide RTU	Vital Solutions, LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8306 Perineum Wash - Dynarex 4850	Dynarex Corporation	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8307 Gel Hand Sanitizer HP2463	MBCE Holdings, LLC		APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8307 Gel Hullu Sulliuzel Hrz403	MBCE Holdings, LC	Personal Hygiene Products	APPROVED	**	rollow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations and Food	
				Services staff only. Approved for application (spraying) using a batte	
8308 Bioesque Botanical Disinfectant Solution	Natureal, LLC	Cleaning Products	APPROVED	powered electrostatic sprayer. List on the EPA N list.	Follow the manufacturer's recommendations for product storage and use.
8309 Micro-Kill AF2	Medline Industries, Inc.	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use only by trained maintenance and operations staff	
8314 Belzona 2311 (SR Elastomer) Base&Solidifier	Belzona Inc.	Carpentry/ Construction Product	APPROVED	and contractors at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors and trained Maintenance &	
8315 Bio-Clean Wetland	ARCOSA	Carpentry/ Construction Product	APPROVED	Operations staff only.	product contains crystalline silica. Avoid creating dust.
					Follow the manufacturer's recommendations for product storage and use. Nit
8316 CleanCide Wipes	Wexford	Cleaning Products	APPROVED	Approved for staff, M & O, Food Services, and contractors. Adults only.	gloves can be worn as an added precaution.
				Approved for use by contractors only at unoccupied sites or during n	on-
8317 Leakmaster LV-Z	Sika	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during n	on-
8318 Sika Epoxy 7300	Sika	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during n	on-
8319 Hilti HIT-RE 500 V3	Hilti	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8321 SOLO® Interior/Exterior 100% Acrylic, Semi-Gloss, Extra Whit	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8323 LAVENDER HAND SANITIZER	THURINGEN KOREA. CO., LTD.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8324 Clorox Healthcare® Bleach Germicidal Wipes	The Clorox Company	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
			ATTROVES	Approved for use by contractors and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product
8325 FN2-NANO	FN Nano, Inc. Photocatalytic Coating	Paint Products	APPROVED	Operations staff only.	including chemical resistant gloves, goggles and respiratory protection.
0020		- atrioducta	AFFROVED		
8326 Clorox Commercial Solutions- Disinfecting Wipes- Fresh Wipe	es Claray Professional Products Company	Cleaning Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
	16 Jee Jee	Cleaning Products		**	
8327 Germ-X Original Hand Sanitizer	VI SUITHIG.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8329 Hand Sanitizer (43087)	APOLLO HEALTH AND BEAUTY CARE INC.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8330 XTRACARE HAND SANITIZER	Ningbo Rejoice I/E Co., Ltd.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.

8331 ENTIERE HAND SANITIZER #320	World Club Supply Corp.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors or trained Maintenance and	Follow the manufacturer's recommendations for product storage and use,
8332 3M Fire Barrier Watertight Sealant 3000 WT	3M - Industrial Adhesives and Tapes Division	Fire Retardants	APPROVED	Operations Staff only at unoccupied sites or during non-school hours.	including the exposure controls and PPE described in section 8 of the SDS.
8333 Safety First Hand Sanitizer	Farfrom Boring Promotions	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. Nitrile
				Approved for use by trainined Transportation, Food Services, and	gloves and safety glasses can be utilized for added protection. Good Ventilation
8334 Clorox Healthcare® Bleach Germicidal Cleaner	The Clorox Company	Cleaning Products	APPROVED	Maintenance & Operations staff only.	is recommended.
				Approved for use by contractors and trained Maintenance &	
8338 Lemon-Quat Disinfectant	National Chemical Laboratories	Cleaning Products	APPROVED	Operations and Transportation staff only.	Follow the manufacturer's recommendations for product storage and use.
8340 Advanced Formula Hand Sanitizer	QYK Brands, LLC	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8341 HSEG Hand Sanitizer	Serene Clean & Pure LLC	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8347 Pearlessence Hand Sanitizer	Cal-Western Manufacturers	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8348 KUNDAL FRESH WATER HAND SANITIZER	WHAINCOS COSMETIC CO,. LTD	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8349 Stay Safe Gel Hand Sanitizer	Chem & Consult, Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8350 Pure Green 24	Pure Green, LLC	Cleaning Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for teacher and staff use. Before cleaning with this product al	. <u>-</u> I
				users must read and understand the manufacturer's directions for safe	
8351 Peroxide RTU	Maintex. Inc.	Cleaning Products	APPROVED	and effective use.	Follow the manufacturer's recommendations for product storage and use.
8353 Hand Sanitizer (Marquis 70% Alcohol Gel Antiseptic)	Marquis Extraction Technology LLC	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
3000		r or sorrar riygichic r roddets	ATTROVES	***************************************	Follow the manufacturer's recommendations for product storage and use. Do
8356 Envirocleanse A	Envirocleanse IIC	Cleaning Products	APPROVED	Approved for student and staff use.	not mix with ammonia based cleaners or any other cleaning products.
8357 ET-HP Epoxy Adhesive	Simpson Strong Tie Company Inc.	Carpentry/ Construction Product	APPROVED	· · · · · · · · · · · · · · · · · · ·	
6337 ET TH EPONY NORTHONTO	ampoor along to company inc.	Carpentry/ Construction Froduct	AFFROVED		Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product per
				Approved for use butterined Meintenance C Operations staff and	
8359 Waterbased ACROLON® 100 HS Waterbased Urethane (Part A)	THE CHECKEN WILLIAM COOLINARY		APPROVED	Approved for use by trained Maintenance & Operations staff and	the manufacturer's recommendations. May require use of respiratory protection or local exhaust ventilation.
8359 Waterbased ACKOLON* IOU HS Waterbased Urethane (Part A)	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	contractors only at unoccupied sites or during non-school hours.	
					Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product per
				Approved for use by trained Maintenance & Operations staff and	the manufacturer's recommendations. May require use of respiratory protection
8360 Waterbased ACROLON® 100 HS Waterbased Urethane (Part B)	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	contractors only at unoccupied sites or during non-school hours.	or local exhaust ventilation.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff only for	Product is highly flammable. Product contains crystalline silica. Respirator use
				short duration, small repairs, during non-school hours in unoccupied	with P100 filters required when applying this product. Do not breath dust or vapo
					Ensure adequate ventilation prior to use. Do not apply in proximity to ignition
8363 4592 Pro Grade-Aerosol Wall Texture	PPG Industries, Inc.	Carpentry/ Construction Product	APPROVED	protection.	sources or open flame.
					Follow the manufacturer's recommendations for product storage and use.
					Product contains silica and titanium dioxide. Use dust control and do not dry
				Approved for use by trained Maintenance & Operations staff and	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to
8364 PRO INDUSTRIAL™ Interior/Exterior Lotex Block Filler	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Approved for use by trained Maintenance & Operations staff and contractors only.	Product contains silica and titanium dioxide. Use dust control and do not dry
8364 PRO INDUSTRIAL™ Interior/Exterior Latex Block Filler	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	contractors only.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to
8364 PRO INDUSTRIAL™ Interior/Exterior Latex Block Filler	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED		Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to
8364 PRO INDUSTRIAL™ Interior/Exterior Latex Block Filler	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	contractors only.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to
	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to
8364 PRO INDUSTRIAL™ Interior/Exterior Latex Block Filler	THE SHERWIN-WILLIAMS COMPANY CTS Cement Manufacturing Corporation	Paint Products Carpentry/ Construction Product	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried point film. Use respiratory protection as required to prevent breathing dust associated with dried point.
				contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use.
				contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust.
				contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried point film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry
				contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum
8366 CTS Construction Grout	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8386 CTS Construction Grout	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8386 CTS Construction Grout	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8386 CTS Construction Grout	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas. Local exhaust ventilation with effluent vented to the	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC	CTS Cement Manufacturing Corporation MAPEI	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, tocal exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Foliow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC	CTS Cement Manufacturing Corporation MAPEI	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, tocal exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC 8368 SERIES VIO TNEMEC PRIMER	CTS Cement Manufacturing Corporation MAPEI	Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors anly. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas. Local exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC	CTS Cement Manufacturing Corporation MAPEI Tnemec Company, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, tocal exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations. Approved for outdoor use only by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC 8368 SERIES VIO TNEMEC PRIMER 8372 SolarGard Seam Sealer	CTS Cement Manufacturing Corporation MAPE Tnemec Company, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Roofing Products	APPROVED APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, Local exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations. Approved for outdoor use only by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours. Approved for outdoor use by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC 8368 SERIES VIO TNEMEC PRIMER	CTS Cement Manufacturing Corporation MAPEI Tnemec Company, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Paint Products	APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, Local exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations. Approved for outdoor use only by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC 8368 SERIES VIO TNEMEC PRIMER 8372 SolarGard Seam Sealer	CTS Cement Manufacturing Corporation MAPEI Tnemec Company, Inc. Tremco	Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Roofing Products Roofing Products	APPROVED APPROVED APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors anly. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas. Local exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations. Approved for autdoor use only by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours. Approved for autdoor use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust. Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8366 CTS Construction Grout 8367 Planiprep SC 8368 SERIES VIO TNEMEC PRIMER 8372 SolarGard Seam Sealer	CTS Cement Manufacturing Corporation MAPE Tnemec Company, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Roofing Products	APPROVED APPROVED APPROVED	contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Contains respirable crystalline silica. No dry mixing of the product is permitted on site. Dust control is required during mixing. Wet methods and HEPA filtered vacuum are required for clean up. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use in well ventilated areas, Local exhaust ventilation with effluent vented to the exterior of the building may be required to remove vapors from interior work locations. Approved for outdoor use only by contractors and trained Maintenance & Operations staff at unoccupied sites or during non-school hours. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	Product contains silica and titanium dioxide. Use dust control and do not dry grind or dry sand the dried paint film. Use respiratory protection as required to prevent breathing dust associated with dried paint. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Contains crystaline silica. Do not generate dust Dust control required. No dry mixing of product permitted on site. Use wet methods and HEPA filtered vacuum to clean up residual materials. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors only at unoccupied sites or during no	
				school hours. LAUSD staff may not use this product. Ensure adequate	H-
				ventilation with local ventilation effluent exhausted to the exterior if	Follow the manufacturer's recommendations for product storage and use.
				necessary to prevent odors from impacting any occupied areas near	Eyewash is required at each location where the product is in use. Use PPE as
8378 Multi-Strip Advanced	Sunnyside Corp	Miscellaneous	APPROVED	the restricted construction work area.	directed by the SDS.
83/8 Multi-Strip Advanced	sulliyside Colp	Miscellaneous	APPROVED		directed by the SDS.
8379 4151 Universal Pressure Sensitive Adhesive	S3 Surface Solutions LLC		APPROVED	Approved for use by trained contractors and Maintenance & Operations staff only.	Fall with a second of the seco
83/9 4ISI Universal Pressure Sensitive Adnesive	53 Surface Solutions LLC	Adhesive Products	APPROVED	Operations starr only.	Follow the manufacturer's recommendations for product storage and use.
				Annual forms by a second second by the detection of	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	Product contains titanium dioxide and respirable crystalline silica. Ensure
				Operations staff only in unoccupied construction areas, or during non-	respiratory protection is used in accordance with manufacturer's
8380 SERIES V115 Uni-Bond DF	Tnemec Company, Inc.	Paint Products	APPROVED	school hours.	recommendations.
					Ensure appropriate personal protection equipment is used with this product as
					directed on the Safety Data Sheet including chemical resistant gloves, goggles
				Approved for use by trained maintenance and operations staff and	and respiratory protection. Follow the manufacturers recommendations for
8382 Sika® MB Part A&B	Sika Corporation	Carpentry/ Construction Product	APPROVED	contractors only at unoccupied sites or during non-school hours.	product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Portland cement product contains crystaline silica. Use appropriate PPE as
				Approved for use by contractors and trained Maintenance &	indicated on the SDS. Employ dust controls, do not generate/breathe dust. Use
8383 Sika* Level-425	Sika Corporation	Carpentry/ Construction Product	APPROVED	Operations staff only.	wet methods when removing or cleaning the dried product.
				Approved for use by contractors and trained Maintenance &	
8384 Sika Level-01 Primer Plus	Sika Corporation	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained maintenance and	
8385 StormMix	Oldcastle Infrastructure	Carpentry/ Construction Product	APPROVED	operations staff within construction areas.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (constructio	n
				areas) or during non-school hours. LAUSD staff may not use this	Follow the manufacturer's recommendations for product storage and use.
				product. Summer school shall not be in proximity of work. Prior to	Showers, eyewash stations, and ventilation systems are recommended. Brush o
				initiating work the contractor will provide, and receive district approval	
				of a submittal, that includes a site specific work plan and Job Hazard	Beware of wind drift. Proper work practices and planning should be utilized to
				Analysis. Work plan must include a site diagram, work schedule, work	avoid contact with workers, passersby, and non-masonry surfaces. Application
				procedures, engineering controls, personal protective equipment,	equipment, scaffolding, swing stages and support systems must be constructed
				modes of preventing exposure to personnel not directly involved in	of acid resistant materials. Tight fitting goggles and face shields, protective
				masonry cleaning task, storage, accidental release measures,	clothing, and chemical resistant gloves are recommended. If permissible
				collection and storage of wash water, waste handling and disposal,	exposures are exceeded then respiratory protection shall be worn. Prevent
				emergency procedures, and SDS for all chemical products to be used	in product from contacting ground or entering drains or any body of water. Label
8386 Sure Klean Limestone & Masonry Afterwash	PROSOCO, Inc.	Cleaning Products	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product.	
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water.
8386 Sure Klean Limestone & Masonry Afterwash 8387 D/2 Biological Solution	PROSOCO, Inc. D/2 Biological Solution, Inc.	Cleaning Products Cleaning Products	APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction)	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submitted, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment,	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in mossonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal,	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in mossonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal,	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
·		•		emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in mossonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal,	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use.
8387 D/2 Biological Solution	D/2 Biological Solution, Inc.	Cleaning Products	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonny cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight litting goggles and face
8387 D/2 Biological Solution	D/2 Biological Solution, Inc.	Cleaning Products	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and stroage of wash water, waste handling and disposal, emergency procedures, and SOS for all chemical products to be used the work process involving this product.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight litting goggles and face
8387 D/2 Biological Solution 8388 Enviro Klean ReKlaim Cleaner	D/2 Biological Solution, Inc. PROSOCO, Inc.	Cleaning Products Cleaning Products	APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal rotective equipment, modes of preventing exposure to personal and directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended.
8387 D/2 Biological Solution 8388 Enviro Klean ReKlaim Cleaner	D/2 Biological Solution, Inc. PROSOCO, Inc.	Cleaning Products Cleaning Products	APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submitted, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended.
8387 D/2 Biological Solution 8388 Enviro Klean ReKlaim Cleaner	D/2 Biological Solution, Inc. PROSOCO, Inc. PROSOCO, Inc.	Cleaning Products Cleaning Products Cleaning Products	APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8387 D/2 Biological Solution 8388 Enviro Klean ReKlaim Cleaner 8390 Prosoco EnviroKlean Select 8391 Enviro Klean 2010 All Surface Cleaner	D/2 Biological Solution, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc.	Cleaning Products Cleaning Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personal not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use.
8387 D/2 Biological Solution 8388 Enviro Klean ReKlaim Cleaner 8390 Prosoco EnviroKlean Select 8391 Enviro Klean 2010 All Surface Cleaner	D/2 Biological Solution, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc.	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewish stations recommended. Tight fifting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8387 D/2 Biological Solution 8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Enviroklean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO LA Inc. dba Sierra Health Corp Profile Products, LLC	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the controctor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masony cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for auddoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean ReKlaim Cleaner 8390 Prosoco EnviroKlean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hyglenics Corporation	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hyglene Products Exterior Landscape/ Playground Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8387 D/2 Biological Solution 8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Enviroklean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO LA Inc. dba Sierra Health Corp Profile Products, LLC	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personale not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Envirokliean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct 8396 FOAMING ALCOHOL HAND SANITIZER (62% ALCOHOL)	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hyglenics Corporation Kutol Products Company	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Exterior Landscape/ Playground Products Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personal and directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. In showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Enviroklean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct 8396 FOAMING ALCOHOL HAND SANITIZER (62% ALCOHOL) 8397 3M Fire Barrier IC-15W8+ Sealant	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hygienics Corporation Kutol Products Company 3M	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Landscape/ Playground Products Cleaning Products Personal Hygiene Products Fire Retardants	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the controctor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masony cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Envirokliean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct 8396 FOAMING ALCOHOL HAND SANITIZER (62% ALCOHOL)	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hyglenics Corporation Kutol Products Company	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Exterior Landscape/ Playground Products Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personale not directly involved in masony cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for all users at all sites including staff and students.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean ReKlaim Cleaner 8380 Prosoco EnviroKlean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 Ecofiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes ISct 8396 FOAMING ALCOHOL HAND SANITIZER (82% ALCOHOL) 8397 3M Fire Barrier IC-15WB+ Sealant 8398 SeventyGel Hand Sanitizer 70% Alcohol Antiseptic	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LC American Hyglenics Corporation Kutol Products Company 3M Chemical Guys	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Londscape/ Playground Products Cleaning Products Personal Hygiene Products Fire Retardants Personal Hygiene Products	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personale not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Approved for lusers at all sites including staff and students. Approved for use by contractors and trained Maintenance & Operations staff only.	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Enviroklean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct 8396 FOAMING ALCOHOL HAND SANITIZER (62% ALCOHOL) 8397 3M Fire Barrier IC-15W8+ Sealant	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hygienics Corporation Kutol Products Company 3M	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Landscape/ Playground Products Cleaning Products Personal Hygiene Products Fire Retardants	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personal end directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Ap	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean Reklaim Cleaner 8390 Prosoco Enviroklean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 EcoFiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes 15ct 8396 FOAMING ALCOHOL HAND SANITIZER (82% ALCOHOL) 8397 3M Fire Barrier IC-15WB+ Sealant 8398 SeventyGel Hand Sanitizer 70% Alcohol Antiseptic	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LLC American Hygienics Corporation Kutol Products Company 3M Chemical Guys UNIT CHEMICAL CORPORATION	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Landscape/ Playground Products Cleaning Products Personal Hygiene Products Fire Retardants Personal Hygiene Products Cleaning Products Cleaning Products	APPROVED APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (constructio areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approva of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for atudent and staff use. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by trained Maintenance & Operations, Food Services, and Trainesportation staff. Approved for use by contractors and trained Maintenance & Operations staff only.	In product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8388 Enviro Klean ReKlaim Cleaner 8380 Prosoco EnviroKlean Select 8391 Enviro Klean 2010 All Surface Cleaner 8392 Alcohol Hand Sanitizer 8393 Ecofiber Wood Fiber Mulch 8394 Multipurpose Alcohol Wipes ISct 8396 FOAMING ALCOHOL HAND SANITIZER (82% ALCOHOL) 8397 3M Fire Barrier IC-15WB+ Sealant 8398 SeventyGel Hand Sanitizer 70% Alcohol Antiseptic	PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. PROSOCO, Inc. CWGC LA Inc. dba Sierra Health Corp Profile Products, LC American Hyglenics Corporation Kutol Products Company 3M Chemical Guys	Cleaning Products Cleaning Products Cleaning Products Cleaning Products Cleaning Products Personal Hygiene Products Exterior Londscape/ Playground Products Cleaning Products Personal Hygiene Products Fire Retardants Personal Hygiene Products	APPROVED	emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittat, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personal end directly involved in masonry cleaning tasks, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, and SDS for all chemical products to be used the work process involving this product. Approved for outdoor use by trained Maintenance & Operations staff and contractors only. Approved for outdoor use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for student and staff use. Ap	in product from contacting ground or entering drains or any body of water. Label containers used to store or dispense product or related waste or rinse water. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. In Showers and eyewash stations recommended. Tight fitting goggles and face shields, protective clothing, and gloves are recommended. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors and trained Maintenance &
8402 ARISTOSHIELD ASHL50	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8403 INTER-KOTE Premium	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8404 ARISTOSHIELD ASHL70	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8405 Smooth BLOCFIL Premium	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8406 ULTRA-GRIP Select	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
A LOS CRAPTANAN	Dura Edwards Balata			Approved for use by contractors and trained Maintenance &
8407 SPARTAWALL	Dunn Edwards Paints	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
8408 75% Alcohol Wipes	ZheJiang Aijian Sanitary Products	Personal Hygiene Products	APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance &
8409 Sika Level 02 EZ Primer	Sika Corporation	Carpentry/ Construction Product	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
0403		curpentry/ construction ributet	AFFROVED	Approved for use by contractors and trained Maintenance &
8410 Ever- Gard Wall- Kote Interior Flat EV151	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8412 Ever- Gard Wall- Kote Int. Eggshell EV153	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8413 Ever- Gard Undercoater Primer EV8100	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8414 Ever- Gard Permanox Semigloss EV216-00	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8415 Ever- Gard Permanox Satin EV214	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &
8416 Ever- Gard Permanox Gloss EV217-00	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
8417 Ever- Gard Metal Primer EV270	The sale Delea			Approved for use by contractors and trained Maintenance &
8417 Ever- Gara Metal Primer Ev2/0	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance &
8418 Ever- Gard Concrete Primer EV473	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
galo Ever Gard Gold Garminer Every	TIDDOUS TOTAL	runtrioducts	AFFROVED	Approved for use by contractors and trained Maintenance &
8419 Ever- Gard Acra- Kote Ext. Flat EV251	Tibbetts Paint	Paint Products	APPROVED	Operations staff only. Follow the manufacturer's recommendations for product storage and use.
- · · · -				
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer	Creative Chemicals, Inc. KDS, LLC	Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER	Creative Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products	APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer	Creative Chemicals, Inc. KDS, LLC	Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer	Creative Chemicals, Inc. KDS, LLC	Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer	Creative Chemicals, Inc. KDS, LLC	Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer	Creative Chemicals, Inc. KDS, LLC	Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance &
8420 HANDSTAND FAS FOAMING HAND SANTITZER 8421 KDS Advonced Ethanol santitzer 8422 Bolero Home Décor HAND SANTITZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes	Creative Chemicals, Inc. KDS, ILC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SA DE CV	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff only.
8420 HANDSTAND FAS FOAMING HAND SANTITZER 8421 KDS Advanced Ethanol santitzer 8422 Bolero Home Décor HAND SANTIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus	Creative Chemicals, Inc. KDS, LLC Trademark Cosmetics, Inc. Mapei	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANTITZER 8421 KDS Advonced Ethanol santitzer 8422 Bolero Home Décor HAND SANTITZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes	Creative Chemicals, Inc. KDS, ILC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SA DE CV	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LLC Trademark Cosmetics, Inc. Mapei QuíMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained maintenance & Operations staff only. Approved for use by trained maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for
8420 HANDSTAND FAS FOAMING HAND SANTITZER 8421 KDS Advonced Ethanol santitzer 8422 Bolero Home Décor HAND SANTITZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes	Creative Chemicals, Inc. KDS, ILC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SA DE CV	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in a reas occupied by staff or students. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LLC Trademark Cosmetics, Inc. Mapei QuíMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only, Approved for use only in construction areas. Not for use in areas occupied by staff or students. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LLC Trademark Cosmetics, Inc. Mapei QuíMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained maintenance & Operations staff and contractors only trained maintenance and operations and fund contractors only trained maintenance and operations staff and contractors only trained maintenance and operations and present and the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Approved for use by trained Maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non- school hours. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained maintenance & Operations staff and contractors only trained maintenance and operations and fund contractors only trained maintenance and operations staff and contractors only trained maintenance and operations and present and the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non- school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for superations that the staff use follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non- school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only at unaccupied sites (construction areas. Not for use in areas occupied by staff or students. Approved for use by trained maintenance & operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors or use and use. Approved for use by trained
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8422 Novoplan 2 Plus 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non- school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment,
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained maintenance and operations reas. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site algorithm work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal protective equipment, modes of preventing exposure to personal not directly involved in mosonny cleaning task storage, accidental release measures, collection and storage of wash water, waste handling and disposal,
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only, Approved for use by trained maintenance and operations result for a student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer)	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Approved for student and staff use. Approved for superations the follow the manufacturer's recommendations for product storage and use. Approved for superations the follow the manufacturer's recommendations for product storage and use. Approved for superations the follow the manufacturer's recommendations for product storage and use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied sites (construction areas to staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors will provide, and received sites (construction areas) or during non-school hours. Approved for use by trained maintenance and operations staff and contractors will provide, and received sites (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and c
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 82% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc. Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use only in construction areas. Not for use in areas occupied by staff or students. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work pion and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning task, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in the work process involving this product. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storag
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SADE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc. Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Showers. Eyewash stations. Ventilation systems. Brush on or apply at the low practical pressure. Do not atom
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc. Dumond Chemicals, Inc. Prosoco, Inc. Dunn - Edwards	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products Paint Products Cleaning Products	APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction area) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal not directly involved in masonry cleaning task, storage, accidental release measures, collection and storage of wosh water, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in the work process involving this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for or dispense product or related waste or rinse water. Approved for use by contractors and trained Maintenance & Operations staff only.
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QUIMICAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc. Dumond Chemicals, Inc.	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products Paint Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Approved for student and staff use. Approved for use by contractors and trained Maintenance & Follow the manufacturer's recommendations for product storage and use. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only at trained Maintenance & Operations staff and contractors only at unoccupied sites (construction areas Not for use in areas occupied by staff or students. Approved for use by trained Maintenance & Operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval or a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personnel not directly involved in masonry cleaning task, storage, accidental release measures, collection and storage of wash water, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in the work proceeds involving this product. Approved for use by contractors and trained Maintenance & Operations staff only. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Fo
8420 HANDSTAND FAS FOAMING HAND SANITIZER 8421 KDS Advanced Ethanol sanitizer 8422 Bolero Home Décor HAND SANITIZER 62% Ethyl Alcohol 8424 Novoplan 2 Plus 8425 Sanidry Disinfecting Wipes 8426 Clean Hands (Hand Sanitizer) 8427 Smart Strip 8428 Peel Away Neutralizer	Creative Chemicals, Inc. KDS, LIC Trademark Cosmetics, Inc. Mapei QuiMicAROSMAR, SA DE CV Shenzhen Derunen Tech Development Co., Ltd Dumond Chemicals, Inc. Dumond Chemicals, Inc. Prosoco, Inc. Dunn - Edwards	Personal Hygiene Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Cleaning Products Personal Hygiene Products Paint Products Paint Products Cleaning Products	APPROVED APPROVED	Approved for student and staff use. Approved for use by contractors and trained Maintenance & Operations staff only. Product contains silica. Use dust control methods and do not breathe in dust. No dry mixing of the product permitted. Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction area) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction area) or during non-school hours. LAUSD staff may not use this product. Summer school shall not be in proximity of work. Prior to initiating work the contractor will provide, and receive district approval of a submittal, that includes a site specific work plan and Job Hazard Analysis. Work plan must include a site diagram, work schedule, work procedures, engineering controls, personal protective equipment, modes of preventing exposure to personal not directly involved in masonry cleaning task, storage, accidental release measures, collection and storage of wosh water, waste handling and disposal, emergency procedures, SDS for all chemical products to be used in the work process involving this product. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for or dispense product or related waste or rinse water. Approved for use by contractors and trained Maintenance & Operations staff only.

				Approved for new construction only. Approved for use by contractors	
a see Defendation	Paris II			only for exterior application on newly constructed buildings. LAUSD sto	
8433 DefendAir 200C	Dowsil	Carpentry/ Construction Product	APPROVED	may not use this product.	Follow the manufacturer's recommendations for product storage and use.
8434 SolGreat Hand Sanitizer	Sino Lion USA	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8435 Hand Sanitizer (Apple,Raspberry,Grape,UnScented)	Huizhou Baozi Biotechnology Co.Ltd.	Personal Hygiene Products	APPROVED	Approved for use by all LAUSD adult staff at non-school sites.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Product contains respirable crystalline silica. Use silica safe work methods to
					avoid generating dust, and to contain and clean work areas, including wet
				Approved for use by contractors and trained Maintenance &	methods, HEPA filtered vacuums, local exhaust ventilation, and isolation barrier
				Operations staff only. Contains respirable silica. Do not breathe dust.	Use respiratory protection as necessary to reduce exposures below OSHA
8436 Hamilton Prep Coat Plus	Hamilton Drywall Products	Carpentry/ Construction Product	APPROVED	Avoid generating dust.	permissible limits.
<u> </u>					Consult the Safety Data Sheet and use personal protective equipment as
					directed by the manufacturer. Ensure adequate ventilation, and use respirator
					protection as necessary to prevent inhalation of fumes. Wear chemical resista
				Approved for exterior use only by contractors at unoccupied sites	gloves, and eye goggles. Follow the manufacturer's recommendations for
8438 Pure50+	DeWALT	One and all One at a street and	APPROVED		
		Carpentry/ Construction Product		(construction areas) or during non-school hours.	product storage and use.
8439 McKesson Alcohol Prep Pads	McKesson Medical-Surgical Inc.	Nursing Services Products	APPROVED	Approved for nursing staff use.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	Contains silica. No dry mixing permitted on LAUSD sites. Avoid generating dust
8441 Ultraplan Lite	Mapei	Carpentry/ Construction Product	APPROVED	contractors only.	when using this product. Do not breathe dust.
				Approved for use by trained Maintenance & Operations staff and	
				contractors only at unoccupied sites or within access restricted	
8442 Ashford Formula	Curecrete Chemical Company	Carpentry/ Construction Product	APPROVED	construction areas.	Follow the manufacturer's recommendations for product storage and use.
8443 Monofoil D	Apply Guard LLC	Cleaning Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	,	3		, , , , , , , , , , , , , , , , , , , ,	Follow the manufacturer's recommendations for product storage and use.
					Follow manufacturer's recommendations for use of personal protective
				Approved for use by contrastors only at uncommised alter or during no	
and Manager 1 and 100	MARK CORP (USA d Proto- Pl)				on- equipment, including wearing close fitting safety goggles, not safety glasses,
8449 Mapecrete Hard SB	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	when using this product.
				Approved for use by contractors and trained Maintenance &	
8450 EZPR00 EZ-PRIME PREMIUM EXTERIOR WOOD PRIMER	DUNN-EDWARDS CORPORATION	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystaline silica. Do not generate dust. Do not breathe dust. Implemen
					engineering controls and use PPE if necessary to maintain worker exposure
					below OSHA and Cal/OSHA PEL for crystaline silica when applying with a pump
					sprayer. Dry mixing is not permitted on LAUSD sites. Use silica safe work method
				Approved for use by maintenance and operations staff and contractor	ors including for cleaning up spillage and dried product (wet methods, HEPA-filtere
8452 Sto BTS-Plus	Sto Corp.	Carpentry/ Construction Product	APPROVED	only at unoccupied sites (contractors only) or during non-school hou	rs. vacuums only, no dry sweeping, seal waste in bags for disposal).
					Follow the manufacturer's recommendations for product storage and use. This
					product contains crystalline silica. Avoid creating dust. Do not breathe dust. Do
					not dry sand or scrape the dried product. Implement engineering controls and
					use PPE if necessary to maintain exposure below OSHA and Cal/OSHA PEL for
				Approved for use by trained maintenance and operations staff and	crystaline silica when applying by spray. Use silica safe work methods to clean
				contractors only at unoccupied sites (construction areas) or during	up dried material (wet cleanup, HEPA-filter equipped vacuums only, no dry
8453 Stolit 1.5	Sto Corp.	Carpentry/ Construction Product	APPROVED	non-school hours.	sweeping, seal waste in bags for disposal).
					Follow the manufacturer's recommendations for product storage and use. This
					product contains crystalline silica. Avoid creating dust. Do not breathe dust. Do
				Approved for use by trained maintenance and operations staff and	not dry sand or scrape the dried paint film. Use silica safe work methods to clea
				contractors only at unoccupied sites (construction areas) or during	up dried paint (wet cleanup, HEPA-filter equipped vacuums only, no dry
8454 Sto Primer Sand	Sto Corp.	Carpentry/ Construction Product	APPROVED	non-school hours.	sweeping, seal waste in bags for disposal).
					Do not allow product to enter drains. Ensure continuous supply of fresh air into
				Approved for use by trained maintenance and operations staff and	the work area with ventilation to the exterior of the building during use and
				contractors only at unoccupied sites (construction areas) or during	drying to reducel exposure to methanol. Follow the manufacturers
8455 Aqua Mix Penetrating Sealer	Custom Building Products	Carpentry/ Construction Product	APPROVED	non-school hours.	recommendations for product storage and use.
		Sarpana y Construction Froutet	ALLIOVED		Follow the manufacturer's recommendations for product storage and use.
				Annual forms by trade and analysis and an in the contract of t	Contains crystaline silica. Do not generate dust. Do not breathe dust. No dry
				Approved for use by trained maintenance and operations staff and	mixing permitted on site. Use silica safe work methods when mixing/handling
				contractors only at unoccupied sites (construction areas) or during	and during clean up (wet methods, no dry sweeping, HEPA-filter equipped
8456 Prism Ultimate Performance Grout	Custom Building Products	Carpentry/ Construction Product	APPROVED	non-school hours.	vacuums only, seal waste in bags for disposal).
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystaline silica. Do not generate dust. Do not breathe dust. No dry
				Approved for use by trained maintenance and operations staff and	mixing permitted on site. Use silica safe work methods when mixing/handling
				contractors only at unoccupied sites (construction areas) or during	and during clean up (wet methods, no dry sweeping, HEPA-filter equipped
8457 ProFloor	Western States Wholesale	Carpentry/ Construction Product	APPROVED	non-school hours.	vacuums only, seal waste in bags for disposal).
		, , , , , , , , , , , , , , , , , , , ,			

					Follow the manufacturer's recommendations for product storage and use.
					Contains crystaline silica. Do not generate dust. Do not breathe dust. No dr
				Approved for use by trained maintenance and operations staff and	mixing permitted on site. Use silica safe work methods when mixing/handli
				contractors only at unoccupied sites (construction areas) or during	and during clean up (wet methods, no dry sweeping, HEPA-filter equipped
8458 ProLite Premium Large Format Tile Mortar	Custom Building Products	Carpentry/ Construction Product	APPROVED	non-school hours.	vacuums only, seal waste in bags for disposal).
· · · · · · · · · · · · · · · · · · ·	-			Approved for limited use by trained Facilities Environmental Technical	, , ,
				Unit (FETU) staff only during non-school hours. Use by contractors must	
				be described in a FETU approved work plan. Solvent waste must be	
				packaged with sufficient absorbent so that no free liquid remains, and	
				handled as a separate waste stream from non-friable asbestos waste.	
				Solvent and absorbent is to be disposed of as friable asbestos waste.	
				The floor substrate must be cleaned using Sentinel 805 Envirowash	
8461 Sentinel SC200 No Odor Mastic Remover (VOC Compliant)	Sentinel Products Inc.	Maintenance and Operations Pro	APPROVED	following removal of mastic.	Follow the manufacturer's recommendations for product storage and use
				Approved for use by contractors and trained Maintenance &	
8462 Vinylastic Premium VNPR00	DUNN-EDWARDS CORPORATION	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use
					Follow manufacturers recommendations for product storage, handling, ar
					Do not expose children, pets, or nontarget animals to rodenticides. To help
					prevent accidents:
					Store unused product out of reach of children and pets.
					2. Apply bait in locations out of reach of children, pets, domestic animals a
					nontarget wildlife, or in tamper-resistant bait stations. These stations mus
					resistant to destruction by dogs and by children under six years of age, an
					be used in a manner that prevents such children from reaching into bait
					compartments and obtaining bait. If bait can be shaken from bait station
					they are lifted, units must be secured or otherwise immobilized. Stronger b
					stations are needed in areas open to hoofed livestock, raccoons, bears, or
					potentially destructive animals, or in areas prone to vandalism.
					3. Dispose of product container and unused, spoiled, or unconsumed bait of
8463 DITRAC ALL-WEATHER BLOX	Bell Laboratories, Inc.	Pesticide/Herbicide Products	APPROVED	District's pest control contractors only.	specified on this label.
					use.IMPORTANT: Do not expose children, pets, or nontarget animals to
					rodenticides. To help to prevent
					rodenticides. To help to prevent exposure:
					exposure:
					exposure: 1. Store unused product out of reach of children and pets.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply balt in locations out of reach of children, pets, domestic animals
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in temper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait comportments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait statior they are lifted, units must be secured or otherwise immobilized. Stronger Istations are needed in areas open to hoofed livestock, raccoons, bears, o
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait comportments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations museristant to destruction by dogs and by children under six years of ags, as be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger is stations are needed in areas open to hoofed livestock, raccoons, bears, opotentially destructive animals, or in areas prone to vandalism.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations muresistant to destruction by dags and by children under six years of age, are be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger is stations are needed in areas open to hoofed livestock, raccoons, bears, or potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, opotentially destructive animals, or in areas prone to vandalism.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shoken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, a potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, a potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label.
					exposure: 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, a potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label. Note: Bait stations are mandatory for outdoor, above-ground use. Tamper resistant bait stations must be used if children, pets, non-target mammar.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations mu resistant to destruction by dogs and by children under six years of age, a be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait statior they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, o potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildlife, or in tamper-resistant bait stations. These stations musesistant to destruction by dogs and by children under six years of age, at be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger I stations are needed in areas open to hoofed livestock, raccoons, bears, o potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label. Note: Bait stations are mandatory for outdoor, above-ground use. Tamper resistant bait stations must be used if children, pets, non-target mammal birds may access the bait.
					exposure: 1. Store unused product out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals nontarget wildliffe, or in tamper-resistant bait stations. These stations must resistant to destruction by dogs and by children under six years of age, are be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait station they are lifted, units must be secured or otherwise immobilized. Stronger stations are needed in areas open to hoofed livestock, raccoons, bears, or potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label. Note: Bait stations are mandatory for outdoor, above-ground use. Tamper resistant bait stations must be used if children, pets, non-target mammal birds may access the bait.
				Approved for use by LAUSD Pest Control Technicians and the District's	exposure: 2. Apply bailt in locations out of reach of children and pets. 2. Apply bailt in locations out of reach of children, pets, domestic animals on notarget wildlife, or in tamper-resistant bail stations. These stations mus resistant to destruction by dogs and by children under six years of age, an be used in a manner that prevents such children trans reaching into bail compartments and obtaining bailt. If bailt can be shaken from bait stations they are lifted, units must be secured or otherwise immobilized. Stronger be stations are needed in areas open to hoofed livestock, raccoons, bears, or potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bait specified on this label. Note: Bailt stations are mandatory for outdoor, above-ground use. Tamper resistant bailt stations must be used if children, pets, non-target mammals birds may access the bait. USE RESTRICTIONS: This product can only be used to control Norway rats, raind house mice in and within 100 feet of man-made structures constructed.
8464 TERADS BLOX	Bell Laboratories, Inc.	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Fest Control Technicians and the District's pest control contractors only.	exposure: 1. Store unused product out of reach of children and pets. 2. Apply balt in locations out of reach of children, pets, domestic animals anontarget wildlife, or in tamper-resistant balt stations. These stations must resistant to destruction by dogs and by children under six years of age, and be used in a manner that prevents such children from reaching into balt compartments and obtaining bait. If balt can be shaken from balt stations they are lifted, units must be secured or otherwise immobilized. Stronger battations are needed in areas open to hoofed livestock, raccoons, bears, or potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed balt specified on this label. Note: Bait stations are mandatory for outdoor, above-ground use. Tamper resistant balt stations must be used if children, pets, non-target mammatibirds may access the bait.
8464 TERADS BLOX	Bell Laboratories, Inc.	Pesticide/Herbicide Products	APPROVED		exposure: 2. Apply bailt in locations out of reach of children and pets. 2. Apply bailt in locations out of reach of children, pets, domestic animals a nontarget wildlife, or in tamper-resistant bail stations. These stations must resistant to destruction by dogs and by children under six years of age, an be used in a manner that prevents such children from reaching into bailt compartments and obtaining bailt. If bailt can be shaken from bailt stations they are lifted, units must be secured or otherwise immobilized. Stronger b stations are needed in areas open to hoofed livestock, raccoons, bears, or potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container and unused, spoiled, or unconsumed bailt specified on this label. Note: Bailt stations are mandatory for outdoor, above-ground use. Tamper resistant bailt stations must be used if children, pets, non-target mammals birds may access the bailt. USE RESTRICTIONS: This product can only be used to control Norway rats, raind house mice in and within 100 feet of man-made structures constructes

				Approved for use by contractors only at unoccupied sites (construction	
				areas) or during non-school hours. LAUSD staff may not use this	Follow the manufacturer's recommendations for product storage and use.
				product. Summer school shall not be in proximity of work. Prior to	Showers. Eyewash stations. Ventilation systems. Application equipment,
				initiating work the contractor will provide, and receive district approval	scaffolding, swing stages and support systems must be constructed of acid
				of a submittal, that includes a site specific work plan and Job Hazard	resistant materials. Brush on or apply at the lowest practical pressure. Do not
				Analysis. Work plan must include a site diagram, work schedule, work	atomize during application. Beware of wind drift. Proper work practices and
				procedures, engineering controls, personal protective equipment,	planning should be utilized to avoid contact with workers, passersby, and non-
				modes of preventing exposure to personnel not directly involved in	masonry surfaces. Tight fitting goggles and face shields, protective clothing, an
				masonry cleaning task, storage, accidental release measures,	chemical resistant gloves are recommended. If permissible exposures are
					exceeded then respiratory protection shall be worn. Prevent product from
				collection and storage of wash water, waste handling and disposal,	
				emergency procedures, SDS for all chemical products to be used in	contacting ground or entering drains. Label containers used to store or dispens
8466 Sure-Klean 600	PROSOCO, Inc	Cleaning Products	APPROVED	work process involving this product.	product or related waste or rinse water.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (construction areas) or during	
8467 M99 Adhesive	Mohawk Group	Adhesive Products	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for limited/restricted exterior use by film crews during on	
				location film/television production. Use is restricted to areas occupied	
8468 Little Blizzard Fluid Dry, Extra-Dry, Super Extra-Dry, Dry 1	B.B. CITC, LLC	Graphic Arts/Photography Produ	APPROVED	by film production personnel only.	Follow the manufacturer's recommendations for product storage and use.
				<u> </u>	Follow the manufacturer's recommendations for product storage and use.
					Product is highly flammable and contains toxic chemicals including
					carcinogens. Use respiratory protection and PPE as recommended by the
				Approved for limited/restricted exterior use only within senser usion	
				Approved for limited/restricted exterior use only within construction	manufacturer. Adequate ventilation is required. Prevent personnel not actively
				areas for spot priming structural steel on newly constructed,	involved in the painting from being exposed to the product or associated vapor
8469 Carbozinc 859 VOC	Carboline Co.	Paint Products	APPROVED	unoccupied buildings. LAUSD staff may not use this product.	Properly dispose of all waste tainted with this product.
8470 Collective Science Integration Hand Sanitizer Gel	Collective Science Integration	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff only. The	
				product is approved for use with a closed loop dilution and dispensing	
8471 QT 3 (Concentrate)	HILLYARD INDUSTRIES	Cleaning Products	APPROVED	system such as the Hillyard Arsenal 1- PD, 4D or QC dispensing devices.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	Ensure appropriate personal protection equipment is used with this product
				Operations Facilities Environmental Technical Unit staff only during non	- including chemical resistant gloves, goggles and respiratory protection. Follow
8472 Chemsafe 800 w/TSP	Aramsco	Cleaning Products	APPROVED	school hours.	manufacturers instructions for product storage and use.
8473 Belzona 1321	Belzona Polymerics Limited		APPROVED		<u> </u>
0470	,		ATTROVED	Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (construction areas) or during	
a mar all and an training	Olive Occupantian				Fellowski and deskind and an advantage of the second and an advantage of the second and advantage of the second an
8474 SikaLatex R	Sika Corporation	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained maintenance and operations facilities	
				environmental technical unit staff and contractors only at unoccupied	
				sites or during non-school hours. For use in asbestos abatement	
8475 Chemsafe Clear	Aramsco	Maintenance and Operations Pro	APPROVED	sites or during non-school hours. For use in asbestos abatement containments.	Follow the manufacturer's recommendations for product storage and use.
8475 Chemsafe Clear	Aramsco	Maintenance and Operations Pro	APPROVED		Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8475 Chemsale Clear	Aramsco	Maintenance and Operations Pro	APPROVED		
8475 Chemsafe Clear	Aramsco	Maintenance and Operations Pro	APPROVED	containments.	Follow the manufacturer's recommendations for product storage and use.
8475 Chemsafe Clear	Aramsco	Maintenance and Operations Pro	APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or
				containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into
8475 Chemsafe Clear 8476 Polyblend Plus Sanded Grout	Aramsco Custom Building Products	Maintenance and Operations Pro Carpentry/ Construction Product	APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas.
				containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use.
				containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district
				containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or
8476 Polyblend Plus Sanded Grout	Custom Building Products	Corpentry/ Construction Product	APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into
				containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or
8476 Polyblend Plus Sanded Grout	Custom Building Products	Corpentry/ Construction Product	APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout	Custom Building Products Custom Building Products	Corpentry/ Construction Product	APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into
8476 Polyblend Plus Sanded Grout	Custom Building Products	Corpentry/ Construction Product	APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout	Custom Building Products Custom Building Products	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted an district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance™ Transitional Pressure Sensitive Adhesive	Custom Building Products Custom Building Products Catalina Products Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products	APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance™ Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel	Custom Building Products Custom Building Products Catalina Products Inc. KKJ & Associates LLC	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox	Custom Building Products Custom Building Products Custom Building Products Catalina Products Inc. KKJ & Associates ILC Annihilare, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for substrained maintenance and operations of during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance [™] Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel 8481 Annihilyte	Custom Building Products Custom Building Products Catalina Products Inc. KKJ & Associates LLC Annihilare, Inc. HSP USA, LLC	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for subdent and staff use. Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox	Custom Building Products Custom Building Products Catalina Products Inc. KKJ & Associates LLC Annihilare, Inc. HSP USA, LLC	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours Approved for subdent and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8478 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox 8483 Hydro Ban	Custom Building Products Custom Building Products Cutolina Products Inc. KKJ & Associates ILC Annihilare, Inc. HSP USA, ILC Laticrete	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for exterior use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox	Custom Building Products Custom Building Products Catalina Products Inc. KKJ & Associates LLC Annihilare, Inc. HSP USA, LLC	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	containments. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained maintenance & Operations staff only. Approved for student and staff use. Approved for sub by trained Maintenance & Operations staff only. Approved for set by trained Maintenance & Operations staff only unoccupied areas (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into accupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8478 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox 8483 Hydro Ban	Custom Building Products Custom Building Products Cutolina Products Inc. KKJ & Associates ILC Annihilare, Inc. HSP USA, ILC Laticrete	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for exterior use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for exterior use by trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance [®] Transitional Pressure Sensitive Adhesive 8479 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox 8483 Hydro Ban	Custom Building Products Custom Building Products Catolina Products Inc. KKJ & Associates LIC Annihilare, Inc. HSP USA, LIC Laticrete United Gilsonite Laboratories	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products Cleaning Products Glazing Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for subject and staff use. Approved for use by trained Maintenance & Operations staff only. Approved for exterior use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8476 Polyblend Plus Sanded Grout 8477 Polyblend Plus Non-Sanded Grout 8478 Alliance** Transitional Pressure Sensitive Adhesive 8478 70% Hand Sanitizer Gel 8481 Annihilyte 8482 PureRox 8483 Hydro Ban	Custom Building Products Custom Building Products Cutolina Products Inc. KKJ & Associates ILC Annihilare, Inc. HSP USA, ILC Laticrete	Carpentry/ Construction Product Carpentry/ Construction Product Adhesive Products Personal Hygiene Products Cleaning Products Cleaning Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Silica safe work methods and prompt cleanup required. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use bytrained maintenance and operations staff and contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff only. Approved for exterior use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for exterior use by trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystaline silica. No dry mixing permitted on district sites. Do not breathe dust. Do not generate dust when mixing, or cleaning up, or removing cured product. Use engineering controls to prevent spread of dust into occupied/non-construction areas. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for outdoor use by contractors and trained Maintenance &	
				Approved for outdoor use by contractors and trained maintenance & Operations staff only in unoccupied areas (construction areas) or	
8488 Pre-Mixed Glazing Compound - Oil Based	Red Devil, Inc.	Glazing Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and us
	OYK Brands LLC	· · · · · · · · · · · · · · · · · · ·			Follow the manufacturer's recommendations for product storage and us
8489 Dr J's Surface Disinfecting Wipes	QTK BIGHGS LLC	Cleaning Products	APPROVED	Approved for staff use. Approved for use by maintenance and operations staff and contractor	
					5
				only at unoccupied sites (or in areas accessible to only construction	
8490 Hi-Build PVA Sealer	Vista Paint Corporation	Paint Products	APPROVED	personnel) or during non-school hours.	Follow the manufacturer's recommendations for product storage and us
					Follow the manufacturer's recommendations for product storage and us
					Contains crystaline silica. Do not generate dust. Do not breatthe dust. No
				Approved for trained maintenance and operations staff and	mixing is permitted on site. Use silica safe work methods when mixing/ho
					n- and during clean up (wet methods, no dry sweeping, HEPA filter equipper
8491 Versa Bond Premium Thin-set Mortar	Custom Building Materials	Carpentry/ Construction Product	APPROVED	school hours.	vacuums only, seal waste in bags for disposal).
8492 Blue Unity Alcohol Sanitary Wipes	Shandong Biotechnology Co., Ltd.		APPROVED		
8493 Scrubs Medaphene Plus Disinfecting Wipes	ITW Pro Brands	Cleaning Products	APPROVED	Approved for use by all staff.	Follow the manufacturer's recommendations for product storage and us
8494 Trapper Jack's Professional Macadamia Nut Rodent Lure	Trapper Jack's, Inc.	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by trained Maintenance & Operations staff and	
				contractors in exterior locations accesible only to maintenance and	
8495 HE588-Aqua-Brite aluminum roof coating	Henry Company	Roofing Products	APPROVED	operations or contractor personnel.	Follow the manufacturer's recommendations for product storage and us
					Contains respirable crystalline silica. No dry mixing of the products is per
				Approved for exterior use by contractors and trained Maintenance &	on site. Avoid generating dust when handling dry material and mixing w
				Operations staff in areas only accessible to construction or	batches. Promptly clean up all dust and debris using wet methods. Dry s
				maintenance and operations personnel. Product contains respirable	is not permitted. If vacuums are used to clean, the vacuum must be equi
8496 SGLL-30 Stretch Guard Level Lite	Life Paint Company	Roofing Products	APPROVED	crystalline silica.	with a HEPA filter.
-		3		· · ·	Contains respirable crystalline silica. No dry mixing permitted on site. Av
					generating dust when handling dry material and mixing wet batches. Pr
				Approved for use by trained Maintenance & Operations staff and	clean up all dust and debris using wet methods. Dry sweeping is not per
				contractors in unoccupied areas (construction areas), or during non-	Vacuums used for housekeeping must be equipped with HEPA filters. Fol
8497 Hub 100 II, Hub Construction Grout	US Mix Co.	Carpentry/ Construction Product	APPROVED	school hours. Contains respirable crystalline silica.	manufacturers recommendations for product storage and use.
849/ Habitotily Habitotilation ordat	OU MIN GO.	Carpentry/ Construction Froduct	AFFROVED	Approved for use by exterior use by contractors only at unoccupied	manarataro recommendations for product storage and acc.
					. Encure appropriate personal protection on imment is used with this pro-
and the life of the court of the	Ufo Bolot Oceano				Ensure appropriate personal protection equipment is used with this pro-
8498 Liquid Grind Heavy Duty Concrete Profiler	Life Paint Company	Carpentry/ Construction Product	APPROVED	not use this product.	including chemical resistant gloves, goggles and respiratory protection
				Approved for use by contractors only at unoccupied sites or during no	
8499 CS-75 Concrete Primer	Concrete Sealants, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and u
					Follow the manufacturer's recommendations for product storage and u
					not breathe dust. Avoid generating dust, no dry sweeping. No dry mixing
				Approved for use by trained Maintenance & Operations staff and	Use dust control when handling the dry product and mixing wet batche
				contractors at unoccupied sites or within construction areas only.	silica safe work methods, and promptly clean up dust and debris. Vacu
8501 PMP Fine Grout with Grout Additive	E-Z Mix Inc.	Carpentry/ Construction Product	APPROVED	Contains respirable crystalline silica.	for housekeeping or clean up must be equipped with HEPA filters.
					Follow the manufacturer's recommendations for product storage and
					Contains respirable crystalline silica. No dry mixing on site. Avoid gener
					dust. Do not breathe dust. Use dust control when handling dry product of
				Approved for use by trained Maintenance & Operations staff and	mixing wet batches. Use silica safe work methods and promptly clean u
				contractors in unoccupied sites (construction areas) or non-school	and debris. No dry sweeping. Vacuums used for housekeeping must be
B502 PMP Spec Concrete 3000	E-Z Mix Inc.	Carpentry/ Construction Product	APPROVED	hours only. Contains respirable crystalline silica.	equipped with HEPA filters.
					Follow the manufacturer's recommendations for product storage and
					generating dust. Do not breathe dust. No dry mixing on site. Use dust co
				Approved for use by trained Maintenance & Operations staff and	when handling dry product and mixing wet batches. Use silica safe wor
				contractors at unoccupied site (construction areas) or during non	methods and promptly clean up dust and debris. No dry sweeping. Vac
8503 SC Multipurpose Grout	Spec Chem	Carpentry/ Construction Product	APPROVED	school hours. Contains respirable crystalline silica	used for housekeeping must be equipped with HEPA filters.
0000 to manipalpose oroat	5pcc 5ncm	Curpentry/ Construction Froduct	AFFROVED	acricor ricars. Contains respirable orystainine since	Follow the manufacturer's recommendations for product storage and u
				toward forms by tools at Malatanana a Committee at the said	Contains silica. Avoid generating dust. Do not breathe dust. No dry mixi
				Approved for use by trained Maintenance & Operations staff and	dust control when handling dry material and mixing wet batches. Use s
				contractors at unoccupied sites (construction areas) or during non	work methods and promptly clean up dust and debris. No dry sweeping
3504 SPEC MIX® Masonry Mortars	Spec Chem	Carpentry/ Construction Product	APPROVED	school hours. Contains respirable crystaline silica.	Vacuums used for housekeeping must be equipped with HEPA filters.
3505 Freedom Sanitizing Wipes	Expack LTD.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and
8506 HAND SANITIZER	FORMOLOGY LAB	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and to
8507 Purite Hand Sanitizer	Purite - A Web Deals Direct LLC Brand	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and to
8508 Pampers Aqua Pure Baby Wipes	Proctor & Gamble Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and u
				Approved for use by contractors for odor removal in fire damaged	
				spaces that are vacant and isolated, only at unoccupied sites or during	9
8509 Thermo 55 Cherry	Legend Brands Products	Cleaning Products	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and a
*===	•	olouring i roudets	ALLOVED	Approved for use by contractors only at unoccupied sites (in	
8510 Sikatard 440	Sika Corporation	Carpentry/ Construction Product	APPROVED	construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and u
DOID OWNERING 440	and corporation	Curpenity/ Construction Product	AFFRUVED	construction areas) or during notif-scribbilibuls.	. o and managetarer a recommendations for product storage and u

				Approved for use by contractors only at unoccupied sites (construction	
					1
85]] Plastocrete-250	Oller Occupantian	/	APPROVED	areas) or during non-school hours. LAUSD staff may not use this	E-llow the arrange of the second seco
85II FIGSIOCI ete-250	Sika Corporation	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites	
8512 WATER BASE DRY FOG WHITE FLAT				(construction areas) or during non-school hours. LAUSD staff may not	
8512 WATER BASE DRY FOG WHITE FLAT	Vista Paint Corporation	Paint Products	APPROVED	use this product.	Follow the manufacturer's recommendations for product storage and use.
anna 71- olastiin in 100	The Observed Available Conserved			Approved for outdoor use by contractors only at unoccupied sites	E-llow the area of the board and a state of the state of
8513 Zin Clad III HS 100	The Sherwin-Williams Company	Paint Products	APPROVED	(construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8514 Wipes Plus Baby Wipes	Progressive Products	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8515 BABY WIPES F3878PCH80N	Diamond Wipes International Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (in	
				construction areas) or during non-school hours. LAUSD staff may not	
8516 S-599 Premium Commercial Vinyl Sheet Flooring Adhesive	Armstrong World Industries, Inc	Adhesive Products	APPROVED	use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (in	
8517 SpecStrip WB	SpecChem	Carpentry/ Construction Product	APPROVED	construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (in	
8518 Atlas Release	Atlas Construction Supply	Carpentry/ Construction Product	APPROVED	construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (in	
8519 Med-Cure	W.R. Meadows, Inc.	Carpentry/ Construction Product	APPROVED	construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
				contractors only in unoccupied areas (construction areas), or during	
8520 Prep Wall	Dunn-Edwards Corporation	Paint Products	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
					Do not breathe dust from insulation foam. Foam is susceptible to
					photodegradation. Dust is potentially flammable, and may contain hazardous
				Product is an article. No exposure to hazardous substances should	chemicals. Store out of sunlight. Follow manufacturers instruction for storage
8523 Fox Blocks	Fox Blocks - Airlite Plastics	Carpentry/ Construction Product	APPROVED	occur during normal use conditions.	and use.
					Follow the manufacturer's recommendations for product storage and use.
					Product contains respirable crystalline silica, avoid generating dust. No dry
					mixing permitted on site. Do not breathe dust. Use dust controls to prevent
					emissions from the mixer when preparing wet batches, and when handling dry
				Approved for exterior use by contractors only at unoccupied sites (in	material. Promptly clean up any spilled material and work areas using silica safe
				construction areas) or during non-school hours. LAUSD staff may not	methods. No dry sweeping permitted. Vacuums used for housekeeping must be
8524 EPAVE 1- Surface 1	ePave, LLC.	Exterior Landscape/ Playground Products	APPROVED	use this product.	equipped with HEPA filters.
		7,5		Approved for outdoor use by all adult staff at all sites. Store product	
				where it is not accessible to students. Do not direct spray towards	
				people. Apply to exterior surfaces only. Do not apply to skin, hair, or	
8525 TESTORS SPRAY CHALK 3PK BLUE	Rust-Oleum Consumer Brands Canada	Paint Products	APPROVED	clothing. Wash hands immediately after using product.	Follow the manufacturer's recommendations for product storage and use.
0020		TankTroddob	ATTROVES		Follow the manufacturer's recommendations for product storage and use.
					Contains respirably crystalline silica. Avoid generating dust. Dry mixing not
					permitted on site. Control dust whenever handling product and mixing wet
				Approved for interior use by trained Maintenance & Operations staff	batches. Use silica safe clean up methods to promptly clean any spilled
and Cill Patabing and Finishing Company	CUSTOM BUILDING PRODUCTS.INC.	/			g material. No dry sweeping permitted. Vacuums used for housekeeping purposes
8526 Silk Patching and Finishing Compound	CUSTOM BUILDING PRODUCTS.INC.	Carpentry/ Construction Product	APPROVED	non-school hours.	must be equipped with HEPA fiters.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Avoid generating dust. Do not breathe dust
					No dry mixing permitted on site. Control dust when handling the product and
				Approved for interior use by trained Maintenance & Operations staff	when mixing wet batches. Promptyl clean up spilled material using silica safe
				and contractors only in unocupied sites (construction areas), or during	methods. No dry sweepin. Vacuums used for housekeeping must be equippped
8527 TechPatch MP Mulitpurpose Rapid Set Skim Coat/Floor Patch	CUSTOM BUILDING PRODUCTS.INC.	Carpentry/ Construction Product	APPROVED	non school hours.	with HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
				for new construction only in exterior areas by contractors at	Ensure adequate ventilation. Personnel must be properly trained and equipped
				unoccupied sites (construction areas). Spray application of this	with all necessary PPE and equipment to respond to a worst case scenario spill.
				product is disapproved. LAUSD staff may not use this product.	Do not apply when there is potential for vapors/fumes to migrate into school
				Configuration of work areas and/or site conditions may require	occupied areas during hours when students/staff are present. Promptly remove
				application during non-school hours when student/staff occupied	from site and properly dispose of all empty containers and waste materials
8528 PACIFIC POLYMERS Elasto-Mat D&G (Waterproofing)	ITW POLYMERS SEALANTS NORTH AMERICA, INC.	Carpentry/ Construction Product	APPROVED	portions of campus are not active.	contaminated with the product.
				Approved for interior use by trained maintenance and operations staff	
				and contractors at unoccupied sites, in construction areas, or during	
8529 ULTRABOND ECO 350	MAPEI CORP. (USA AND PUERTO RICO)	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
		• •		Approved for use by maintenance and operations staff and contractor	
				only at unoccupied sites, in construction areas, or during non-school	
8530 ULTRABOND ECO 220	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	hours.	Follow the manufacturer's recommendations for product storage and use.
0000		conpositry construction reduct	ALLKOVED	Approved for use by Maintenance and Operations staff and contractor	
				only at unoccupied sites, in construction areas, or during non-school	-
853] ULTRABOND ECO 300	MAPEI CORP. (USA and Puerto Rico)	Carpontry/ Conetruation Product	APPROVED	hours.	Follow the manufacturer's recommendations for product storage and use.
GOOT GETTABOND EGG SOO	MALE COM . (COM CITAL TUBICO NICO)	Carpentry/ Construction Product	AI FROVED	rours.	. o.lon and managetarer a recommendations for product storage and use.

				Approved for use by maintenance and operations staff and contractors	•
				only at unoccupied sites, in construction areas, or during non-school	•
8532 ULTRABOND ECO 373	MAPEI CORP. (USA and Puerto Rico)	Company / Construction Bradust	APPROVED	hours.	Follow the manufacturer's recommendations for product storage and use.
8532 ULTRABUND ECU 3/3	MAPEL CORP. (USA GIIG PUBLIO RICO)	Carpentry/ Construction Product	APPROVED	nours.	Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust control
					when handling dry product or mixing wet batches. Clean up promptly using
				only at unoccupied sites, in construction areas, or during non-school	silica safe methods. No dry sweeping. Vacuums used for housekeeping must be
8533 ULTRAPLAN LSC	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	hours.	equipped with HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. No dry mixing on site
				Approved for use by Maintenance and Operations Staff and contractors	Use dust control when handling dry material or mixing wet batches. Clean up
				only at unoccupied sites, in construction areas, or during non-school	promptly using silica safe methods. No dry sweeping. Vacuums used for dust
8534 ULTRABOND M20 Plus	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	hours.	control must be equipped with HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust control
					s when handling dry product and mixing wet batches. No dry mixing. Clean up
				only at unoccupied sites, in construction areas, or during non-school	promptly using silica safe methods. No dry sweeping. Vacuums used for dust
8535 Ultraplan Easy	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	hours.	control must be equipped with HEPA filters.
				Approved for limited/restricted use only by Maintenance & Operations	
				or other school staff who have completed the LAUSD training for use of	
				pesticides/sanitizers in schools. For complete instructions consult the	
				most recently dated EPA approved label for EPA ID 6836-152, Lonza	
8537 Clear Gear	On Track Enterprises, dba Clear Gear	Cleaning Products	APPROVED	Formulation DC-103 (3/25/2021 is currently the most recent date).	Follow the manufacturer's recommendations for product storage and use.
	- p				Follow the manufacturer's recommendations for product storage and use.
					Precautions should be taken to prevent odors and/or vapors from
					entering the building/structure, including but not limited to turning off
				Approved for exterior use by contractors only at unoccupied sites or	and sealing air intake vents or other means of ingress for odors and/or
				during non-school hours. Flammable liquid - do not store in LAUSD	
8538 Seam Cleaner	Sika Corporation	Roofing Products	APPROVED	buildings.	vapors into the building/structure during product application and cure.
				Approved for use by contractors only at unoccupied sites (construction	
8539 De Neef Swellseal WA	GCP Applied Technologies Inc.	Carpentry/ Construction Product	APPROVED	areas) or during non-school hours	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use. Use
8541 Instant Hand Sanitizer	Guanazhou Orchard Aromatheraphy	Personal Hyaiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Use with adult supervision for children under 8.
*****	Guangzhou Orchard Aromatheraphy	Personal Hygiene Products	APPROVED	Approved for student and staff use.	with adult supervision for children under 8.
8541 Instant Hand Sanitizer 8542 Screen Mom Screen Cleaner	Guangzhou Orchard Aromatheraphy Mom's Chosen Brands	Personal Hygiene Products Cleaning Products	APPROVED APPROVED	Approved for student and staff use.	
*****	* ',			Approved for student and staff use. Applied by California Department of Food and Agriculture for control of	with adult supervision for children under 8.
8542 Screen Mom Screen Cleaner	Mom's Chosen Brands	Cleaning Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use.
*****	* ',			Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians.	with adult supervision for children under 8.
8542 Screen Mom Screen Cleaner	Mom's Chosen Brands	Cleaning Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mam Screen Cleaner	Mom's Chosen Brands	Cleaning Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner	Mom's Chosen Brands	Cleaning Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance &	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products	APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products	APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted.
9542 Screen Mom Screen Cleaner 9543 MERIT* 2F INSECTICIDE 9544 TEMPO* SC ULTRA INSECTICIDE 9545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use.
9542 Screen Mom Screen Cleaner 9543 MERIT* 2F INSECTICIDE 9544 TEMPO* SC ULTRA INSECTICIDE 9545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Fest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Fest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DFR Optimum 8547 Parex USA Weatherdry 8548 WAXIE-Green Solsto 330 Fresh Mist Liquid Microbes	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc. ParexUSA, Inc. WAXIE Sanitary Supply	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff and contractors only.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wat batches. Promptly clean up work areas using silica safe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc.	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum 8547 Parex USA Weatherdry 8548 WAXIE-Green Solsta 330 Fresh Mist Liquid Microbes	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc. ParexUSA, Inc. WAXIE Sanitary Supply	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in concupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by ycontractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum 8547 Parex USA Weatherdry 8548 WAXIE-Green Solsta 330 Fresh Mist Liquid Microbes	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc. ParexUSA, Inc. WAXIE Sanitary Supply	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum 8547 Parex USA Weatherdry 8548 WAXIE-Green Solsta 330 Fresh Mist Liquid Microbes	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc. ParexUSA, Inc. WAXIE Sanitary Supply	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in concupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by ycontractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8542 Screen Mom Screen Cleaner 8543 MERIT* 2F INSECTICIDE 8544 TEMPO* SC ULTRA INSECTICIDE 8545 Parex 121 Dry Dustless Basecoat & Adhesive 8546 Parex DPR Optimum 8547 Parex USA Weatherdry 8548 WAXIE-Green Solsta 330 Fresh Mist Liquid Microbes	Mom's Chosen Brands Bayer Environmental Science Bayer Environmental Science ParexUSA, Inc. ParexUSA, Inc. ParexUSA, Inc. WAXIE Sanitary Supply	Cleaning Products Pesticide/Herbicide Products Pesticide/Herbicide Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for student and staff use. Applied by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Control Technicians. Approved for application by California Department of Food and Agriculture for control of Asian Citrus Pssylid. Approved for use by trained LAUSD Pest Management Technicians. Approved for use by contractors and trained Maintenance & Operations staff only in occupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only in occupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in unoccupied areas (construction areas) or during non-school hours.	with adult supervision for children under 8. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work areas using silica sofe methods. Vacuums used for housekeeping must be equipped with HEPA filters. No dry sweeping permitted. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Avoid generating dust. Do not breathe du
					If vacuums are used to clean up material, they must be equipped with HEPA
8551 Granular Absorbent - IL - MS	Oil-Dri Corporation of America	Automotive Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	filters.
				Approved for exterior use only by contractors only at unoccupied sites	
and Olders and Destroiting Adhesis	3M			or during non-school hours. Not for application on the building interior	Fellowski and for house for the second secon
8552 3M Impact Protection Adhesive	3М	Adhesive Products	APPROVED	facing side of glazing. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Avoid generating dust. Do not breathe du
				Approved for use by trained Maintenance and Operations staff and	Use dust controls when handling dry material or mixing wet batches. Promptly
				contractors only at unoccupied sites (in construction areas) or during	clean up work areas. No dry sweeping permitted. Vacuums used for
8553 La Habra Fastwall Fiber 47 S&B Sanded	PAREXUSA, Inc	Carpentry/ Construction Product	APPROVED	non-school hours.	housekeeping must be equipped with HEPA filters.
				Approved for use by trained Maintenance & Operations staff and	
				contractors only in unoccupied areas (construction areas) or during	
8556 Titebond Advanced Polymer Panel Adhesive White	Franklin International	Adhesive Products	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
				Operations staff only in unoccupied areas (construction areas) or	
8557 Krylon Industrial Iron Guard DTM Water-Based Anti-Rust Acryl	Krylon Products Group	Paint Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff only. To be	
ALTRO FOOFIV OF	Alba Flanca Inc.			used in unoccupied areas (constuction areas) or during non-school	Fellowski and for house for the second secon
8558 ALTRO ECOFIX 25E	Altro Floors, Inc.	Carpentry/ Construction Product	APPROVED	hours.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	Contains respirable crystalline silica. Do not generate dust. Use dust control when handling dry material and mixing wet batches. Promptly clean up work
				Operations staff only in unoccupied areas (construction areas) or	areas. No dry sweeping. Vacuums used for housekeeping must be equipped v
8559 TechLevel™ 150 Self-Leveling Underlayment	Custom Building Products	Carpentry/ Construction Product	APPROVED	during non-school hours.	HEPA filters.
		,,,,		Approved for use by contractors and trained Maintenance &	
				Operations staff only in unoccupied areas (construction areas) or	
8560 ECOFIX 20E	Altro Floors, Inc.	Carpentry/ Construction Product	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or in	
8561 TechMVC Moisture Vapor & Alkalinity Barrier Part A&B	Custom Building Products	Carpentry/ Construction Product	APPROVED	construction areas. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
				Operations staff only in unoccupied areas (construction areas) or	
8562 TechPrime™ A Acrylic Primer	Custom Building Products	Paint Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8563 PLANISEAL FAST PART A & B	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	Operations staff only in unoccupied areas (construction areas).	Follow the manufacturer's recommendations for product storage and use.
American C. FAS Secretary Division and all the extraording				Approved for use by contractors and trained Maintenance &	
Armstrong S-543 Premium Plus Commercial Sheet Flooring 8564 Adhes	Armstrong World Industries, Inc.	Adhesive Products	APPROVED	Operations staff only in unoccupied areas (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8504 Adries	Armstrong world industries, inc.	Adhesive Products	APPROVED	Approved for use by contractors only at unoccupied sites (construction	rollow the manufacturer's recommendations for product storage and use.
				areas) or during non-school hours. LAUSD staff may not use this	
8567 PRO INDUSTRIAL™ PRO-CRYL® Universal Acrylic Primer	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for outdoor use by contractors only at unoccupied sites	
Waterbased ACROLON® 100 HS Waterbased Urethane (Parts A &	À			(construction areas) or during non-school hours. LAUSD staff may not	
8568 B)	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance and	
				Operations staff at unoccupied sites (construction areas) or during non	-
8570 ULTRABOND ECO 399	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust control
				Approved for use by contractors and trained Maintenance and	when handling dry product and mixing wet batches. Promptly clean up work
PLANIERED DOG	MADE GODD (Up a mod Dougle 5)			Operations staff only at unoccupied sites (construction areas) or	areas. No dry sweeping. Vacuums used for housekeeping must be equipped v
8571 PLANIPREP PSC	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	during non-school hours.	HEPA filters.
				Approved for use by contractors and trained Maintenance and	
9572 PIANISFAI MSP	MAPEL CORP. (USA and Puerto Pino.)	Carpentry/ Construction Brodust	APPROVED	Operations staff only at unoccupied sites (construction areas) or	Follow the manufacturer's recommendations for product storage and use
8572 PLANISEAL MSP	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8572 PLANISEAL MSP 8573 Stego Mastic	MAPEI CORP. (USA and Puerto Rico) Stego industries LIC		APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
		Carpentry/ Construction Product Roofing Products		Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours.	
				Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or	, ,
8573 Stego Mastic	Stego Industries LLC	Roofing Products	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for use by trained school staff and Maintenance & Operations	Follow the manufacturer's recommendations for product storage and use.
8573 Stego Mastic	Stego Industries LLC	Roofing Products	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for use by trained school staff and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8573 Stego Mastic 8576 Clean Republic Disinfectant + Sanitizer	Stego Industries LLC Envirocleanse LLC	Roofing Products Cleaning Products	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for use by trained school staff and Maintenance & Operations staff only. Approved only for trained school staff and trained maintenance and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8573 Stego Mastic 8576 Clean Republic Disinfectant + Sanitizer	Stego Industries LLC Envirocleanse LLC	Roofing Products Cleaning Products	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for use by trained school staff and Maintenance & Operations staff only. Approved only for trained school staff and trained maintenance and operations staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8573 Stego Mastic 8576 Clean Republic Disinfectant + Sanitizer	Stego Industries LLC Envirocleanse LLC	Roofing Products Cleaning Products	APPROVED	Operations staff only at unoccupied sites (construction areas) or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for use by trained school staff and Maintenance & Operations staff only. Approved only for trained school staff and trained maintenance and operations staff use. Approved for use by trained Maintenance & Operations staff, instruction	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for outdoor use by contractors and trained Maintenance &	
8581 JM Single Ply Sealing Mastic	Johns Manville	Roofing Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
6361 diribingio i iy dedinig madde	Soring Warreng	Rooming Froducts	AFFROVED	oporations stantonly.	Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust control
				Approved for use by trained maintenance and operations staff and	when handling dry material or mixing wet batches. Promptly clean up work
				contractors only at unoccupied sites (construction areas) or during	areas using wet methods. No dry sweeping. Vacuums used for housekeeping
070 070 0km	04-0				
8582 STO BTS Plus	Sto Corp.	Carpentry/ Construction Product	APPROVED	non-school hours.	must be equipped with HEPA filters.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (construction areas) or during	
8583 StoColor Acryl Plus	Sto Corp.	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
					Contains methanol. Use recommended PPE as indicated on the safety data
				Approved for exterior use by contractors only at unoccupied sites (in	sheet to prevent exposure via skin contact or inhalation of vapors. Follow the
8586 Dowsil 778 Liquid Flashing	THE DOW CHEMICAL COMPANY	Carpentry/ Construction Product	APPROVED	construction areas) or during non-school hours.	manufacturer's recommendations for product storage and use.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (construction areas) or during	
8587 Chico A	Eaton's Crouse-Hinds Division	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Do not generate dust. Use dust control
				Approved for use by trained maintenance and operations staff and	when handling dry material and mixing wet batches. Promptly clean up work
				contractors only at unoccupied sites (construction areas) or during	areas using wet methods. No dry sweeping permitted. Vacuums used for
8588 Kwiko-A Sealing Cement	The QUIKRETE® Companies	Carpentry/ Construction Product	APPROVED	non-school hours.	housekeeping must be equipped with HEPA filters.
<u> </u>	•			Approved for use by trained maintenance and operations staff and	
8589 CRL 33S Silicone Sealant	C.R. Laurence Co., Inc.	Carpentry/ Construction Product	APPROVED	contractors only at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
0000		carponally construction reduct	ATTROVED	Approved for exterior use by contractors only at unoccupied sites	
				(construction areas) for new construction. LAUSD staff may not use this	
8590 BEM	W. R. MEADOWS, INC.	O	APPROVED	product	Follow the manufacturer's recommendations for product storage and use.
8240 prin	W. R. WEADOWS, INC.	Carpentry/ Construction Product	APPROVED	Approved for outside use by contrastors only at unconvoiced alter	Tollow the manufacturer s recommendations for product storage and use.
				Approved for exterior use by contractors only at unoccupied sites	
and MEL DOWNSTRAMED	W.B. MEADOWG ING			(construction areas) for new construction. LAUSD staff may not use this	
8591 MEL-PRIME™ W/B	W. R. MEADOWS, INC.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use by contractors only in unoccupied sites	
				(construction areas) for new construction. LAUSD staff may not use this	
8592 MEL-ROL* LIQUID MEMBRANE A&B	W. R. MEADOWS, INC.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use by contractors only at unoccupied sites	
				(construction areas) for new construction. LAUSD staff may not use this	
8593 POINTING MASTIC	W. R. MEADOWS, INC.	Carpentry/ Construction Product	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (in construction areas) or during	
8594 Sheetrock Brand Acoustical Sealant	United States Gypsum Company	Carpentry/ Construction Product	APPROVED	non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (construction	1
8595 CCW 705 HT Air Barrier	Carlisle Coatings & Waterproofing	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product.	n Follow the manufacturer's recommendations for product storage and use.
8595 CCW 705 HT Air Barrier	Carlisle Coatings & Waterproofing	Carpentry/ Construction Product	APPROVED	areas) for new construction. LAUSD staff may not use this product.	
	Carlisle Coatings & Waterproofing		APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites	
8596 CCW 705 HT Air Barrier 8596 Dowsii 758 Sealant		Carpentry/ Construction Product Carpentry/ Construction Product		areas) for new construction. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant	Dow Corporate	Carpentry/ Construction Product	APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
				areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Seciant 8597 CCW 702 WB Primer	Dow Corporate Carlisle Coatings & Waterproofing	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	oreas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant	Dow Corporate	Carpentry/ Construction Product	APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products	APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sectant 8597 CCW 702 WB Primer	Dow Corporate Carlisle Coatings & Waterproofing	Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Seatant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsii 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products	APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations attermed. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A)	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations to staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Seatant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR)	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 Gl6 backing yarns	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR)	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 Gl6 backing yams	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 Gl6 backing yams	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 Gl6 backing yarns	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 G16 backing yarns 8606 ACOUSTIKOTE	Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by Dunn Edwards	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8598 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 G16 backing yarns 8606 ACOUSTIKOTE	Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by Dunn Edwards	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only in unoccupied areas (construction areas) or during non-school hours. Approved for use by Maintenance & Operations staff and contractors	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowill 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 G16 backing yarns 8606 ACOUSTIKOTE	Dow Corporate Carlisle Coatings & Waterproofing Eastex Products inc. Eastex Products inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by Dunn Edwards Roberts Consolidated Industries, Inc.	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff and contractors only in unoccupied areas (construction areas) or during non-school hours. Approved for use by Maintenance & Operations staff and contractors only in unoccupied areas (in construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8596 Dowsil 758 Sealant 8597 CCW 702 WB Primer 8598 Nylon Hoop 8599 Nylon Loop 8601 PU-703 Adhesive (part A) 8604 Elastomeric Polyurethane Polymer 8605 G16 backing yarns 8606 ACOUSTIKOTE	Carlisle Coatings & Waterproofing Eastex Products Inc. Eastex Products Inc. Seal Chem Industries Inc. Synthetic Turf Resources (STR) Ten Cate Thiolon by Dunn Edwards	Carpentry/ Construction Product Carpentry/ Construction Product Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products Adhesive Products Exterior Landscape/ Playground Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	areas) for new construction. LAUSD staff may not use this product. Approved for outdoor use by contractors only at unoccupied sites (construction areas) or during non-school hours. Approved for use by contractors only at unoccupied sites (construction areas) for new construction. LAUSD staff may not use this product. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only in unoccupied areas (construction areas) or during non-school hours. Approved for use by Maintenance & Operations staff and contractors	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				A constant of the state of the	
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (or in construction areas) or	
8613 XL HM99 High Moisture Adhesive	Bostik Inc.	Adhesive Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained maintenance and	
				operations staff only at unoccupied sites (or within construction areas)	
8614 XL 2000 PLUS ADHESIVE	Bostik Inc.	Adhesive Products	APPROVED	or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only for spot priming structural metal	
				for new construction at unoccupied sites (in construction areas). LAUSD	
8615 Metalize Industrial Primer	P.F.I., Inc Paints For Industry	Paint Products	APPROVED	staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only in construction areas inaccessible	
8616 E-Grip III	Ecore International	Adhesive Products	APPROVED	to school staff/students.	
8617 Field Green XP 8200	Tencate Grass	Exterior Landscape/ Playground Products	APPROVED		
8618 White XP 1000	Tencate Grass	Exterior Landscape/ Playground Products	APPROVED		
8619 Yellow XP 3000	Tencate Grass	Exterior Landscape/ Playground Products	APPROVED		
				Approved for use by contractors and trained Maintenance &	
				Operations staff only in unoccupied areas (construction areas) or	
8620 S60 EPOXY WB GLOSS TINT BASE	Rust-Oleum Corporation	Paint Products	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8620 SOU EPOAT WE GLOSS THAT BASE	Rast-Olean Corporation	Paint Products	APPROVED	during non-scribor riburs.	3
					Contains respirable crystalline silica. Do not generate dust. Use dust control
					when handling dry product and mixing wet batches - no dry mixing permitted
				Approved for use by trained Maintenance & Operations staff and	on LAUSD sites. Promptly clean up work areas. No dry sweeping permitted.
				contractors only at unoccupied sites (or in construction areas), or	Vacuums used for housekeeping must be equipped with HEPA filters. Follow the
8621 SHEETROCK® Wall and Ceiling Spray Texture - Unaggregated	United States Gypsum Company	Carpentry/ Construction Product	APPROVED	during non-school hours.	manufacturer's recommendations for product storage and use.
				Approved for exterior use by roller/brush application by contractors	
8623 UNI - BOND DF TNEMEC White	Tnemec Company Inc.	Paint Products	APPROVED	only at unoccupied sites. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by LAUSD Pest Control Technicians only. This product	
				is a bait designed to attract rodents into traps. This is not a pesticide,	
8628 PROVOKE™ PROFESSIONAL GEL FOR RAT & MOUSE TRAPS	Bell Laboratories, Inc.	Pesticide/Herbicide Products	APPROVED	not a poison, but is a pest control product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only for constructing chemical	
				resistant flooring per spec section 09-9643-1. Approved for use only at	
				unoccupied sites or within construction areas. If construction areas are	
				located in partially occupied buildings then local exhaust must be	
and Norward State Barba Olevan and October Brown and October Assets	Non-real and the section of the sect			utilized to remove vapors from the building. LAUSD staff may not use this product.	Fellowski and of the control of the
8629 Neogard Epoxy Resin Clear and General Purpose Curing Agent	Neogard, a Division of Hempel (USA), Inc.	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
				Limited/Resticted approval is for use by contractors to construct	
				chemical resistant floors per LAUSD specification section 09-9643-1.	
				Approved for use only at unoccupied sites or in construction areas	
				inaccessible to school based staff and students. If applied in	Follow the manufacturer's recommendations for product storage and use.
				construction areas within partially occupied buildings then local	Follow recommendations listed on the Safety Data Sheet for use of protective
				exhaust ventilation must be used to prevent contamination of building	clothing, respiratory protection including organic vapor gas filters, and
8630 NEOGARD FC ALIPHATIC URETHANE TOPCOAT	NEOGARD, a Division of Hempel (USA), Inc.	Carpentry/ Construction Product	APPROVED	air. LAUSD staff may not use this product.	ventilation.
				Limited/Restricted approval for use by contractors to construct	
				chemical resistant floors per LAUSD specification section 09-9643-1.	
				Approved for use at unoccupied sites or in construction areas	
				inaccessible to school based staff or students. If product is applied in	
				construction areas within partially occupied buildings local exhaust	Follow the manufacturer's recommendations for product storage and use.
				ventilation must be used to prevent contamination of building air.	Follow recommendations on Safety Data Sheet for protective clothing,
8631 FC ALIPHATIC URETHANE CURING AGENT	NEOGARD, a Division of Hempel (USA), Inc.	O	APPROVED	LAUSD staff may not use this product.	respiratory protection including organic vapor gas filters, and ventilation.
0031 TO ALITHATIC ORETHMINE CURING ACENT	nesona, a pivision of nampel (USA), IIIC.	Carpentry/ Construction Product	APPROVED		respiratory protection including organic vapor gas litters, and ventilation.
				Approved for use by trained Maintenance & Operations staff and	
				contractors only at unoccupied sites (or within construction areas) or	
8632 Titebond GREENchoice Acoustical Ceiling Tile Adhesive	Franklin International	Carpentry/ Construction Product	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8633 CVS Health Antibacterial Sanitizer Gel and Wipes	Sales and Product Solutions Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8634 Sani Smart Hand Sanitizer	BBC Group Co.Ltd	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8635 Equate 849 Moisturizing Hand Sanitizer	Vi-Jon Inc.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8636 Thick Hand Sanitizer MC-2093	Keystone Research & Pharmaceutical	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8637 ANTIBACTERIAL HAND SANITIZER	BEST ACCESSORY GROUP	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8638 Thick Hand Sanitizer w/Aloe	Keystone Research & Pharmaceutical	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
864) Snap Hand Sanitizer Gel	YANKE CORPORATION LIMITED	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8642 Cosmax Hand Sanitizer 72% Ethanol	Nu-World Cosmetics		APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
		Personal Hygiene Products			
8643 Essentials Hand Sanitizer	NewfeelCo.,Ltd.	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8646 KARNDEAN K-99HM	Karndean Designflooring	Adhesive Products	APPROVED	Approved for use by trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8650 LX03W100 LOXON* Acrylic Conditioner	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites (or within construction areas) or	
8652 Contractors SCS1000	Momentive Performance Materials LLC	Carpentry/ Construction Product	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
		•			•

					Product contains respirable crystalline silica. Avoid generating dust. Do not
				Approved for use by contractors only at unoccupied sites or during no	n- breathe dust. Follow the manufacturer's recommendations for product storage
8653 Smart Sand	Techniseal	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	and use, including use of respiratory protection.
8654 Lysol Disinfecting Wipes - All Scents	Reckitt Benckiser LLC	Cleaning Products	APPROVED	Approved for use by all staff.	Follow the manufacturer's recommendations for product storage and use.
		-		Approved for use by contractors and trained Maintenance &	
8655 85-60 Quick Tack	Foster	Adhesive Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
					Do not breath mists/vapor/spray. Do not apply by spray application when sites are occupied by staff or students. Approved only for unoccupied sites or during non-school hours. For application via sprayer, post warning signs a minimum of
8656 ULTRA-FLEX 1000	GENERAL COATINGS	Roofing Products	APPROVED	Approved for use by contractors only at unoccupied sites (including within construction areas) or during non-school hours. Spray application is not permitted when schools are occupied by staff and students. LAUSD staff may not use this product.	100 feet from work area. Cover all openings, intakes, wents, etc. near work area. Exclude all personnel not directrly involved in spray application. Use respirators with organic vapor filters. Follow manufacturer's recommendations for product storage and use, including use of personal protective equipment.
				, ,	
8857 ULTRA - GUARD 5700 HS	GENERAL COATINGS	Roofing Products	APPROVED	Approved for exterior use by contractors only at unoccupied sites (including within construction areas) or during non-school hours. Spro application is not permitted when schools are occupied by staff and students. LAUSD staff may not use this product.	Do not breath mists/vapor/spray. Do not apply by spray application when sites are occupied by staff or students. Approved only for unoccupied sites or during non-school hours. For application via sprayer, post warning signs a minimum of 100 feet from work area. Cover all openings, intakes, vents, etc near work area. 9 sculude all personnel not directly involved in spray application. Use respirators with organic vapor filters. Follow manufacturer's recommendations for product storage and use, including use of personal protective equipment.
		Rooming Froducts	ATTROVES		3 3 7
				Approved for exterior use only by contractors at unoccupied sites, or within construction areas at occupied sites during non-school hours.	Do not breath mists/vapor/spray. Do not apply when sites are occupied by staff or students. Approved only for unoccupied sites or within construction areas at occupied sites during non-school hours. Post warning signs a minimum of 100 feet from work area. Cover all openings, intakes, vents, etc near work area. Exclude all personnel not directly involved in application. Follow manufacturer's recommendations for product storage and use, including use of respiratory
8658 ULTRA - THANE 230 HFO ROOFING	GENERAL COATINGS	Roofing Products	APPROVED	LAUSD staff may not use this product.	protection and other personal protective equipment.
				Approved for exterior use by contractors and trained maintenance and	i
				operations personnel only at unoccupied sites, within fenced	
8662 Life Deck 28 Series Cool Life Concrete Coating 8663 Hand Sanitizer (48774/48776/48833)	LIFE PAINT APOLLO HEALTH AND BEAUTY CARE INC.	Paint Products	APPROVED APPROVED	construction areas at occupied sites, or during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8664 Gap Mastic	Maxwell Products Inc.	Personal Hygiene Products Carpentry/ Construction Product	APPROVED	Approved for outdoor use by trained Maintenance & Operations staff and contractors only during non-school hours. Do not apply when the school grounds are occupied by school staff or students.	Use PPE to prevent exposure to hands and skin, eye protection, and respiratory protection to control exposure to bitumen fumes, including air purifying respirators with P100 organic vapor filter cartridges. Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use by trained Maintenance & Operations staff and contractors only during non-school hours. Do not apply product	Use PPE to prevent exposure to hands and skin, eye protection, and respiratory protection to control exposure to bitumen fumes, including air purifying respirators with P100 organic vapor filter cartridges. Follow the manufacturer's
8665 Gap Patch	Maxwell Products Inc.	Carpentry/ Construction Product	APPROVED	when the school grounds are occupied by school staff or students.	recommendations for product storage and use.
	, .			Approved for use by contractors and trained Maintenance &	
8667 Bona SuperSport Drive	BonaKemi USA, Inc. (dba Bona US)	Floor Care Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Product contains respirable crystalline silica. Do not breathe dust. Avoid
				Approved for use by contractors and trained Maintenance &	generating dust. No dry mixing permitted on site. Use dust control when handling dry product or mixing wet batches. Promptly clean up work areas using silica safe housekeeping methods (wet cleaning, no dry sweeping. HEPA filtered vacuums, sealed waste bags). Follow the manufacturer's recommendations for
8668 PLANITEX SLF	MAPEI CORP. (USA and Puerto Rico)	Carpentry/ Construction Product	APPROVED	Operations staff only in unoccupied areas or during non-school hours. Approved for exterior use by contractors only at unoccupied sites	product storage and use.
8669 CRL Bituminous Coating	CRlaurence	Paint Products	APPROVED	(within construction areas) or during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
8670 Turf Mark	BASF Corporation		APPROVED		
				Approved for use by trained maintenance and operations staff and	Follow the manufacturer's recommendations for product storage and use. Contains respirable crystalline silica. Do not breathe dust. Avoid generating dust. Dry mixing is not permitted on site. Use dust control when handling dry product or mixing wet batches. Promptly clean up work areas using silica safe methods.
867I SC Precision Grout	Spec Chem	Carpentry/ Construction Product	APPROVED	contractors only at unoccupied sites (within construction areas) or during non-school hours.	No dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters.
8673 Armaflex 520 Adhesive	ARMACELL, LLC	Adhesive Products	APPROVED	Approved for use by Contractors and Maintenance & Operations staff only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8674 Freon NU-22B Refrigerant R-422B	Various Manufacture	HVAC Products	APPROVED	Approved for use by Contractors and HVAC Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8675 GERFIX TPS+	MAPEI INC. (Canada)	Adhesive Products	APPROVED	Approved for use by trained Maintenance & Operations staff and contractors only.	Follow the manufacturer's recommendations for product storage and use.

				Approved for use by trained maintenance and operations staff and	
				contractors only at unoccupied sites or inconstruction areas. Use in	
8676 GERPUR ADHESIVE	MAPEI CORP. (USA and Puerto Rico)	Adhesive Products	APPROVED	occupied buildings only permitted during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
86/6 GERPUR ADRESIVE	MAPEL CORP. (USA GITG PUBLIO RICO)	Adhesive Products	APPROVED	occupied buildings only permitted during non-scrioor rours.	rollow the manuacturer's recommendations for product storage and use.
				Annual desired by a section of the least the least the least term of the least term	
				Approved for use by contractors and trained Maintenance &	
8677 GERFIX 125 TWO-PART ACRYLIC ADHESIVE PART A&B	H.B. Fuller Construction Products Inc.	Adhesive Products	APPROVED	Operations staff only at unoccupied sites or within construction areas.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during non	=
8678 ZIC and Zonocel	Siplast, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8679 MONOBOND	Monopole, Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8680 LOXON® Acrylic Conditioner	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8681 PRO INDUSTRIAL™ Pre-Catalyzed Waterbased Epoxy Semi-Glos	S THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8682 PrepRite Interior/Exterior Latex Block Filler, White	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8683 PRO INDUSTRIAL Acrylic - Semi-Gloss	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8684 PROMAR* 200 HP Zero VOC Interior Acrylic Semi-Gloss	THE SHERWIN-WILLIAMS COMPANY	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				· · · · · · · · · · · · · · · · · · ·	Contains respirable crystalline silica. Do no breathe dust. Control dust when
					handling dry product and mixing wet batches. No dry mixing permitted on site.
					Prompty clean up work areas using silica safe work methods. No dry sweeping.
				Approved for use by contractors and trained Maintenance &	
8685 Meadow Patch 20	WR Meadows	One and American Product	A DODOUTED	Operations staff only at unoccupied sites or in construction areas.	Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use.
8685 Meddow Patch 20	WR Meddows	Carpentry/ Construction Product	APPROVED	Operations staff only at unoccupied sites of in construction areas.	manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8688 Acry-Lok	W. R. Meadows, Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only at unoccupied sites or within construction areas.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8691 Rezi-Weld 1000	W.R. Meadows, Inc.	Carpentry/ Construction Product	APPROVED	Operations staff only at unoccupied sites or within construction areas.	Follow the manufacturer's recommendations for product storage and use.
				Approved for exterior use only by contractors and trained Maintenance	
8692 Sarnacol*-2175	Sika Corporation	Roofing Products	APPROVED	& Operations staff at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff only in	
8694 Kilz Original Interior Stain & Odor Blocking Aerosol Primer	Masterchem Industries LLC	Paint Products	APPROVED	designated work areas away from students and staff.	This product is flammable. Keep away from ignition sources.
8695 Kilz Original Interior Primer and Stain Blocker	Masterchem Industries LLC		APPROVED		
				Approved for outdoor use by contractors and trained Maintenance &	
8696 LiquiSeal Liquid Flashing Resin	Carlisle SynTec	Roofing Products	APPROVED	Operations staff at unoccupied sites or in construction areas only.	Follow the manufacturer's recommendations for product storage and use.
0000 4 4 5		Rooming Froducts	ATTROVED	Approved for exterior use by contractors and trained Maintenance &	3
8697 LiquiSeal Metal Primer (A)	Carlisle SynTec	Roofing Products	APPROVED	Operations staff only at unoccupied sites or in construction areas.	Follow the manufacturer's recommendations for product storage and use.
0037 Edulocal motal Tillion (A)	Sumue symbo	Rooming Froducts	AFFROVED	Approved for outdoor use by contractors only at unoccupied sites or in	Tollow the manufacturer of recommendations for product alorage and abo.
				construction areas. Use of product on occupied buildings only	
anna Lieuitead Lieuid Fleebing Deeis 11C	Carlisle SynTec				Follow the manufacturer's recommendations for product storage and use.
8698 LiquiSeal Liquid Flashing Resin 1.1G	Curriate Syllied	Roofing Products	APPROVED	permitted during non-school hours.	ronow are manufacturer's recommendations for product storage and use.
				Approved for exterior use by contractors only at unoccupied sites or in	
	- "			construction areas. Use on occupied buildings only permitted during	
8699 LiquiSeal Metal Primer (B)	Carlisle SynTec	Roofing Products	APPROVED	non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (construction	
				areas) or during non-school hours. LAUSD staff may not use this	
8700 E-grip 95	ECORE International	Adhesive Products	APPROVED	product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	Avoid generating dust. No dry mixing permitted. Follow the manufacturer's
8701 California 1 Kote	Sacramento Stucco Co.	Carpentry/ Construction Product	APPROVED	Operations staff only.	recommendations for product storage and use.
				Approved for use by contractors and maintenance and operations	
8703 Cocogro Coir Fiber	Botanicare	Exterior Landscape/ Playground Products	APPROVED	Approved for use by contractors and maintenance and operations staff.	Follow the manufacturer's recommendations for product storage and use.
8703 Cocogro Coir Fiber	Botanicare	Exterior Landscape/ Playground Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
8703 Cocogro Coir Fiber 8704 Chapco Safe-Set 400 Cove Base Adhesive	Botanicare H.B. Fuler Construction Products Inc.	Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED	staff.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
				staff. Approved for use by trained Maintenance & Operations staff and	
8704 Chapco Safe-Set 400 Cove Base Adhesive		Adhesive Products		staff. Approved for use by trained Maintenance & Operations staff and contractors only.	Follow the manufacturer's recommendations for product storage and use.
	H.B. Fuler Construction Products Inc.		APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only.	
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill	H.B. Fuler Construction Products Inc. USGreentech	Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive	H.B. Fuler Construction Products Inc. USGreentech Sika	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill	H.B. Fuler Construction Products Inc. USGreentech	Adhesive Products Exterior Landscape/ Playground Products	APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAVSD staff may not use this product. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive 8708 Instant Hand Sanitizing Wet Wipes	H.B. Fuler Construction Products Inc. USGreentech Sika Hefel Wenqi Industrial & Trade Co., Ltd	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products Personal Hygiene Products	APPROVED APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAUSD staff may not use this product. Approved for student and staff use. Approved for exterior use in construction areas by contractors and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive 8708 Instant Hand Sanitizing Wet Wipes 8709 U-Stucco GPX / XPX / RDX / PVX / FRX / HPX / SFX / ICX / RCX	H.B. Fuler Construction Products Inc. USGreentech Sika Hefel Wenqi Industrial & Trade Co., Ltd U-Stucco USA LLC	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAUSD staff may not use this product. Approved for student and staff use. Approved for exterior use in construction areas by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive 9708 Instant Hand Sanitizing Wet Wipes 8709 U-Stucco GPX / XPX / RDX / PVX / FRX / HPX / SFX / ICX / RCX 8710 Hydrogen Peroxide 3% USP	H.B. Fuler Construction Products Inc. USGreentech Sika Hefel Wenqi Industriol & Trade Co., Ltd U-Stucco USA LLC Henry Schein Inc	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAUSD staff may not use this product. Approved for student and staff use. Approved for extreior use in construction areas by contractors and trained Maintenance & Operations staff only. Approved for use by trained staff and nursing staff.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive 8708 Instant Hand Sanitizing Wet Wipes 8709 U-Stucco GPX / XPX / RDX / PVX / FRX / HPX / SFX / ICX / RCX 8710 Hydrogen Peroxide 3% USP 8711 Deep Fresh Antiviral Alcohol Wipes	H.B. Fuler Construction Products Inc. USGreentech Sika Hefel Wenqi Industrial & Trade Co., Ltd U-Stucco USA LLC Henry Schein Inc Aksan Kozmetik Sanayi	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAVSD staff may not use this product. Approved for student and staff use. Approved for exterior use in construction areas by contractors and trained Maintenance & Operations staff only. Approved for use by trained staff and nursing staff. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8704 Chapco Safe-Set 400 Cove Base Adhesive 8705 SafeShell Infill 8706 Lockstop Primer Adhesive 8708 Instant Hand Sanitizing Wet Wipes 8709 U-Stucco GPX / XPX / RDX / PVX / FRX / HPX / SFX / ICX / RCX 8710 Hydrogen Peroxide 3% USP	H.B. Fuler Construction Products Inc. USGreentech Sika Hefel Wenqi Industriol & Trade Co., Ltd U-Stucco USA LLC Henry Schein Inc	Adhesive Products Exterior Landscape/ Playground Products Adhesive Products Personal Hygiene Products Carpentry/ Construction Product Nursing Services Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	staff. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for outdoor use by contractors in new construction only within a designated work area. LAUSD staff may not use this product. Approved for student and staff use. Approved for extreior use in construction areas by contractors and trained Maintenance & Operations staff only. Approved for use by trained staff and nursing staff.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

8713 Froggy's Flakes Extra Dry Snow	Froggy's Fog LLC	School Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8714 Gilsulate 500XR	Gilsulate International, Inc.	Carpentry/ Construction Product	APPROVED	contractors only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8715 PolyArmor (Polyester Duct Liner)	DUCTMATE INDUSTRIES, INC.	HVAC Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
	<u> </u>			Approved for use by contractors and trained Maintenance &	
8716 Ardex Concrete Guard (CG) Gray	ARDEX Engineered Cements	O	APPROVED	Operations staff only.	Fallow the manufacturer's recommendations for product starges and use
8716 Ardex Concrete Gudia (CG) Gray	ARDEX ENGINEERED CONTENTS	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8717 Bituthene Mastic	GCP Applied Technologies	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8718 Smoke 'N Sound Spray	Specified Technologies, Inc.	Carpentry/ Construction Product	APPROVED	contractors only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8719 GREENGRIP(TM)	Bostik	Adhesive Products	APPROVED		Follow the manufacturer's recommendations for product storage and use.
07/8 ()		Adicate	ATTROVED	Approved for use by trained Maintenance & Operations staff and	
ence Developer TDU O-161	070 0				
8720 Rapid Set TRU Self Leveling	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	APPROVED	contractors only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8721 Ardex P-51 Primer	ARDEX LP.	Carpentry/ Construction Product	APPROVED	contractors only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystaline silica, do not generate dust. No dry mixing on site
					Use dust control when handling dry product and mixing wet batches. Promptly
				Approved for use by trained Maintenance & Operations staff and	clean up work areas. No dry sweeping. Vacuums used for housekeeping must t
8722 16-30 Sand	NEOGARD, a Division of Hempel (USA), Inc.	O	APPROVED	contractors only in construction areas or during non-school hours.	equipped with HEPA filters.
*	·	Carpentry/ Construction Product			
8723 RatX Bait Disks	EcoClear Products	Pesticide/Herbicide Products	APPROVED	Approved for use by LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and use.
				Follow the manufacturer's recommendations for product storage and	
				use. Approved for use by district staff. This product is not approved for	
8724 LIQUID TIMSEN Disinfectant / Sanitizer	Unit Chemical Corporation	Cleaning Products	APPROVED	use by students.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites (constructio	n
				areas) or during non-school hours. LAUSD staff may not use this	Follow the manufacturer's recommendations for product storage and use.
				product. Summer school shall not be in proximity of work. Prior to	Showers. Eyewash stations. Ventilation systems. Application equipment,
				initiating work the contractor will provide, and receive district approval	
				of a submittal, that includes a site specific work plan and Job Hazard	resistant materials. Brush on or apply at the lowest practical pressure. Do not
				Analysis. Work plan must include a site diagram, work schedule, work	atomize during application. Beware of wind drift. Proper work practices and
				procedures, engineering controls, personal protective equipment,	planning should be utilized to avoid contact with workers, passersby, and non-
				modes of preventing exposure to personnel not directly involved in	masonry surfaces. Tight fitting goggles and face shields, protective clothing, an
				masonry cleaning task, storage, accidental release measures,	chemical resistant gloves are recommended. If permissible exposures are
				collection and storage of wash water, waste handling and disposal,	exceeded then respiratory protection shall be worn. Prevent product from
				emergency procedures, SDS for all chemical products to be used in	contacting ground or entering drains. Label containers used to store or dispens
aman Cura Klasmii Light Dutu Canavata Clasmay	PROSOCO, Inc.				product or related waste or rinse water.
8725 Sure Klean* Light Duty Concrete Cleaner		Carpentry/ Construction Product	APPROVED	work process involving this product.	•
8726 SCI-703	SEALCHEM INDUSTRIES INC.	Adhesive Products	APPROVED	Approved for use by contractors and Maintenance & Operations staff.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during no	n-
8727 Tnemec L69	Tnemec Company, Inc.	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during no	n-
8728 Endura-Shield Series 1095	Tnemec Company, Inc.	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during no	n-
8729 Pro HPC Waterborne Acrylic-Dryfall Flat-Black	BEHR Process Corp.	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
8731 Rain Out	RAIN OUT	Exterior Landscape/ Playground Products	APPROVED	Approved for outdoor use by trained staff only.	Follow the manufacturer's recommendations for product storage and use.
					Ensure appropriate personal protection equipment is used with this product
					including chemical resistant gloves, goggles and respiratory protection (if
				Approved for use by contractors only at unoccupied sites or during no	n- ventilation is not adequate). Follow the manufacturer's recommendations for
8732 Klean Strip Premium Stripper	W.M. Barr	Paint Products	APPROVED	school hours. LAUSD staff may not use this product.	product storage and use.
					Follow the manufacturer's recommendations for product storage and use. Ther
				Approved for outdoor use by Contractors and Maintenance &	is a Prop 65 warning for wood dust. Do not saw, sand, etc., in order to avoid wood
AND MOODS ADDIT	ZEAGER BROS., INC.				dust.
8733 WOODCARPET	ZEMOEK BKUS., INC.	Exterior Landscape/ Playground Products	APPROVED	Operations staff only.	uust.
				Approved for use by contractors and trained maintenance and	
				operations staff only at unoccupied sites, in construction areas, or	
8734 Parex USA Primer	Parex USA, Inc.	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
8735 Origyn's Liquid Hand Sanitizer	Origyn LLC	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
		, , ,		Approved for use by contractors and trained maintenance and	, , , , , , , , , , , , , , , , , , , ,
8736 DPR Optimum Finish	Parex USA	One and One to the Book :	ADDDOL/FD	operations staff only at unoccupied sites, in construction areas, or	Follow the manufact ward recommendations for product starting
		Carpentry/ Construction Product	APPROVED	during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8739 MoldBlock Media Cotton Fiber Acoustic Media	Vibro-Acoustics	Carpentry/ Construction Product	APPROVED	Approved for use bycontractors and Maintenance & Operations staff.	Follow the manufacturer's recommendations for product storage and use.

				Operations staff only at unoccupied sites, in construction areas, or	
				during non-school hours. This approval applies to the following	
				Quickrete Stucco Products: HPC® FastSet Stucco Mix 1139-55	
				Fiber Reinforced Scratch & Brown Base Coat Stucco 1139-78	
				Scratch & Brown Base Coat 1139-80	
				Pumpable Base Coat Stucco 1139-86	
				Pumpable Base Coat Stucco, Concentrated 1139-90	
				Scratch & Brown Base Coat White with waterstop 1139-89	
				Parging Mix 1155-30	
				Exterior Stucco 1209	
				QUIKRETE® One Coat Fiberglass-Reinforced Stucco 1200	
				Finish Coat Stucco 1201	Contains respirable crystaline silica. Do not generate dust. No dry mixing
				, mass, coult studed (20)	permitted. Use dust control when handling dry ingredients and mixing wet
				Base Coat Stucco 1202-11, -80, -82	batches. Promptly clean up work areas using silica safe work methods. No dry sweeping permitted. Vacuums used for housekeeping must be equipped with
				Foam Coating 1219	HEPA filters. Follow the manufacturer's recommendations for product storage
8740 Quikrete Stucco Scratch & Brown Base Coat	The Quikrete Companies	Carpentry/ Construction Product	APPROVED		and use.
8741 FGBW50B-Antibacterial Wipes	Full Circle Brands	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8742 Hand Sanitizer	Full Circle Brands	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8743 Sanitizing Alcohol Wipes	The Honest Company	Personal Hygiene Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
8744 UltraSil Li+	Euclid Chemical Company	O	APPROVED	Approved for use by contractors and trained maintenance and	Follow the manufacturer's recommendations for product storage and use.
8/44 Ultiusii LT	Edicila Chemical Company	Carpentry/ Construction Product	APPROVED	Approved for exterior use by contractors only at unoccupied sites	rollow the manufacturer's recommendations for product storage and use.
8745 Flexible FAST Dual Tank Adhesive (Part A & B)	Carlisle SynTec	Roofing Products	APPROVED	(within construction areas). LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
6745 Hoxibio FAOT Badi Tarik Adribito (Fatta d b)	ournale syrrice	Rooming Froducts	ALLKOVED		
				Not to be used in rooms/greas with student or school based staff	
				Not to be used in rooms/areas with student or school based staff occupancy. Approved for use by contractors only in construction areas	
				Not to be used in rooms/areas with student or school based staff occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during	
8746 70700/70701 - Moisture Mitigating Primer/Curing Agent	NECGARD, a Division of Hempel (USA), Inc.	Paint Products	APPROVED	occupancy. Approved for use by contractors only in construction areas	Follow the manufacturer's recommendations for product storage and use.
8746 70700/70701 - Moisture Mitigating Primer/Curing Agent	NEOGARD, a Division of Hempel (USA), Inc.	Paint Products	APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during	
8746 70700/7070I - Moisture Mitigating Primer/Curing Agent	NEOGARD, a Division of Hempel (USA), Inc.	Paint Products	APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product.	
8746 70700/70701 - Moisture Mitigating Primer/Curing Agent 8747 V-006 UNIVERSAL GRAY PRIMER	NEOGARD, a Division of Hempel (USA), Inc. Valley Paint Manufacturing	Paint Products Paint Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at	
				occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use	Follow the manufacturer's recommendations for product storage and use.
6747 V-006 UNIVERSAL GRAY PRIMER	Valley Paint Manufacturing		APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
				occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance &	Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER	Valley Paint Manufacturing	Paint Products	APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive	Valley Paint Manufacturing Tarkett	Paint Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-008 UNIVERSAL GRAY PRIMER 8748 Tarkett 980 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive	Valley Paint Manufacturing Tarkett Tarkett	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive	Valley Paint Manufacturing Tarkett	Paint Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive	Valley Paint Manufacturing Tarkett Tarkett	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive	Valley Paint Manufacturing Tarkett Tarkett	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive	Valley Paint Manufacturing Tarkett Tarkett	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. the proper PFE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OEHS recommends 8-12 hrs cure
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes	Vailey Paint Manufacturing Tarkett Tarkett Full Circle Brands	Paint Products Adhesive Products Adhesive Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive	Valley Paint Manufacturing Tarkett Tarkett	Paint Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. the proper PFE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OEHS recommends 8-12 hrs cure
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes	Vailey Paint Manufacturing Tarkett Tarkett Full Circle Brands	Paint Products Adhesive Products Adhesive Products Personal Hyglene Products	APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stobielast S 136 (Article # 71360000)	Valley Point Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA	Point Products Adhesive Products Adhesive Products Personal Hygiene Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for such product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OEHS recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 980 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stobielast S 136 (Article # 71360000) 8752 S-995 Flooring Adhesive	Valley Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEL CORP. (USA and Puerto Rico)	Paint Products Adhesive Products Adhesive Products Personal Hygiene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OEHS recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stoblelast \$136 (Article # 71360000)	Vailey Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc.	Paint Products Adhesive Products Adhesive Products Personal Hyglene Products Exterior Landscape/ Playground Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by tontractors and trained Maintenance & Operations staff only. Approved for use by tontractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PFE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. GBHs recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 980 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stobielast S 136 (Article # 71360000) 8752 S-995 Flooring Adhesive	Valley Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEL CORP. (USA and Puerto Rico)	Paint Products Adhesive Products Adhesive Products Personal Hygiene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OEHS recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stoblelast \$136 (Article # 71360000) 8752 S-995 Flooring Adhesive 8753 ECO PRIM GRIP 8755 RainguardPro Vandliguard IsoFree Alliphatic Urethane A&B	Vailey Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEL CORP. (USA and Puerto Rico) Rainguard Brands LLC	Paint Products Adhesive Products Adhesive Products Personal Hyglene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PFE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. GBHs recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW50B-Alcohol Wipes 8751 Stobielast \$136 (Article # 71360000) 8752 \$-995 Flooring Adhesive 8753 ECO PRIM GRIP 8756 RainguardPro Vandiguard IsoFree Aliphatic Urethane A&B	Valley Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEI CORP. (USA and Puerto Rico) Rainguard Brands LLC Rainguard Brands, LLC	Paint Products Adhesive Products Adhesive Products Personal Hygiene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products Grafffit Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only of unoccupied sites (in construction areas) or during contractors only of unoccupied sites (in construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OFHS recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW508-Alcohol Wipes 8751 Stoblelast \$136 (Article # 71360000) 8752 S-995 Flooring Adhesive 8753 ECO PRIM GRIP 8755 RainguardPro Vandliguard IsoFree Alliphatic Urethane A&B	Vailey Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEL CORP. (USA and Puerto Rico) Rainguard Brands LLC	Paint Products Adhesive Products Adhesive Products Personal Hyglene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products Graffiti Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for student and staff use. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only. Approved for use by trained maintenance and operations staff and contractors only trained maintenance and operations staff and contractors only trained maintenance and operations staff and contractors only tunoccupied sites (in construction areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PFE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. GBHs recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8747 V-006 UNIVERSAL GRAY PRIMER 8748 Tarkett 960 Cove Base Adhesive 8749 Tarkett 946 Premium Contact Adhesive 8750 FGAW50B-Alcohol Wipes 8751 Stobielast \$136 (Article # 71360000) 8752 \$-995 Flooring Adhesive 8753 ECO PRIM GRIP 8756 RainguardPro Vandiguard IsoFree Aliphatic Urethane A&B	Valley Paint Manufacturing Tarkett Tarkett Full Circle Brands Stockmeier Urathanes USA Armstrong Flooring, Inc. MAPEI CORP. (USA and Puerto Rico) Rainguard Brands LLC Rainguard Brands, LLC	Paint Products Adhesive Products Adhesive Products Personal Hygiene Products Exterior Landscape/ Playground Products Adhesive Products Adhesive Products Grafffit Products Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	occupancy. Approved for use by contractors only in construction areas at unoccupied sites, or in construction areas at occupied sites during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at in construction areas at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors and trained Maintenance & Operations staff only in construction areas or during non-school hours. Approved for use by contractors only during non-school hours. LAUSD staff may not use this product. Repair area will remain fenced off until cure time (8-12 hrs) is complete. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by trained maintenance and operations staff and contractors only of unoccupied sites (in construction areas) or during contractors only of unoccupied sites (in construction areas) or during	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Use the proper PPE when applying the product. Repair patch area shall be fenced off until Pour in Place repair has completely cured. OFHS recommends 8-12 hrs cure time. Cure time is minimal 4hrs at relative humidity 40-80%, Temp should not fall below 50 Fairenheit. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for outdoor use by contractors and trained Maintenance &	
8759 DensDefy™ Liquid Flashing	GP Gypsum LLC	Roofing Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors, trained maintenance and operations	
8761 Rodent Stop	PelGar International Ltd.	Carpentry/ Construction Product	APPROVED	staff and LAUSD Pest Control Technicians only.	Follow the manufacturer's recommendations for product storage and use.
8762 Bituthene 3000 membrane	GCP Applied Technologies	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites.	Follow the manufacturer's recommendations for product storage and use.
8763 Bituthene Primer WP-3000	GCP Applied Technologies	Carpentry/ Construction Product	APPROVED	Approved for outdoor use by contractors only at unoccupied sites.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
8765 Vista Painter's Acrylic Latex Caulk - 35 Year	Vista Paint Corporation	Carpentry/ Construction Product	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8766 ThermaCote	ThermaCote, Inc.	Paint Products	APPROVED	contractors only. Also, community projects.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors and trained Maintenance &	
AND A FROM STAIR FILES A	Helmitin Inc.			Operations staff only in unoccupied construction areas or during non-	E-II
8767 NORA EPOXY STAIR FILLER A	Heimitin Inc.	Carpentry/ Construction Product	APPROVED	school hours. Not for use in occupied buildings during school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and contractors only in unoccupied construction areas or during non-	
8768 NORA EPOXY STAIR FILLER B	Helmitin Inc.	Carpentry/ Construction Product	APPROVED	school hours. Do not use in occupied buildings during school hours.	Follow the manufacturer's recommendations for product storage and use.
0/00 NORA EFOXT STAIR TILLER D	Henrican Inc.	Carpentry/ Construction Froduct	AFFROVED	Approved for use by contractors and trained Maintenance &	Tollow the manadactare as recommendations for product storage and use.
8769 ACRI-SHIELD MAX EXTERIOR LATEX	PPG Industries. Inc.	Paint Products	APPROVED	Operations staff only.	Follow the manufacturer's recommendations for product storage and use.
8770 Chauvet Bubble Fluid (BJG)	Chauvet	School Products	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
6770 Graduct Babbie Hala (Boo)	- Charlet	SCHOOLFTOUGER	AFFROVED	Limited Restricted Approval considered only for use in authorized film	Tolow the managed of the commendations for product desirage and use.
8771 Electric Squib Z16, Z16A, Z17, Z17A	De La Mare Engineering, Inc.	Miscellaneous	APPROVED	productions during non-instruction hours.	Follow the manufacturer's recommendations for product storage and use.
3771		modianous	ATTROVES	F	
				Approved for use by contractors and trained Maintenance &	
8772 Sika* Level-02 EZ Primer	Sika Corporation	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
	· · ·	F - 17		Approved for exterior use by contractors only in construction areas, or	
				at unoccupied sites during non-school hours. LAUSD staff may not use	
8773 Nu Cure RB-CCUV 831	Nu Flow Technologies (2000), Inc.	Carpentry/ Construction Product	APPROVED	this product.	Follow the manufacturer's recommendations for product storage and use.
				<u> </u>	Follow the manufacturer's recommendations for product storage and use.
					Contains respirable crystalline silica. Avoid generating dust. Use dust control
					when handling dry material or mixing wet batches. No dry mixing permitted.
				Approved for use by contractors and trained Maintenance &	Clean up work areas promptly using wet methods. Vacuums used for
8774 FastSet Concrete Mix	The QUIKRETE® Companies	Carpentry/ Construction Product	APPROVED	Operations staff only in construction areas or during non-school hours	housekeeping must be equipped with HEPA filters.
				Approved for exterior use by trained Maintenance & Operations roofing	
8775 Matrix 307 Premium Asphalt Primer	GAF				
0773 Wallix 307 Fremian Asphalt Filmer	GAF	Roofing Products	APPROVED	staff and contractors only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
•		Rooting Products	APPROVED	Approved for exterior use only by trained Maintenance & Operations	, ,
8776 Matrix 204 Wet/Dry Roof Cement	GAF	Roofing Products	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bacterial Hand Sanitizer	GAF	Roofing Products Personal Hygiene Products	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement		Roofing Products	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bacterial Hand Sanitizer	GAF	Roofing Products Personal Hygiene Products	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bacterial Hand Sanitizer	GAF	Roofing Products Personal Hygiene Products	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bacterial Hand Sanitizer	GAF	Roofing Products Personal Hygiene Products	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. On not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix	GAF Kellogg Garden Products	Roofing Products Personal Hygiene Products	APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline siliac. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products	GAF Kellogg Garden Products Gold Bond Building Products, LLC	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. I dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products	GAF Kellogg Garden Products Gold Bond Building Products, LLC	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products	APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. I dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cuisine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. I dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for only in designated construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc.	Rooling Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by crained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc.	Rooling Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filiters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Paint Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use is a staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for sterior use by contractors only in designated construction areas. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filiters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'M' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for exterior use by contractors only in designated construction areas. Approved for exterior use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'M' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Adhesive Products	APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for exterior use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8778 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK** 88-45 8788 EUCO DIAMOND HARD	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. Not sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors on at trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEFA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45 8788 EUCO DIAMOND HARD 8789 ADVA 198	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEFA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8778 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK** 88-45 8788 EUCO DIAMOND HARD	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for sterior use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and trained maintenance and designated on use by contractors and Maintenance & Operations staff in designated construction areas. Approved for use by contractors within designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. Not sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cutsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Pout Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke № Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45 8788 EUCO DIAMOND HARD 8799 ADVA 198 8790 ZYLA 625	Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies The Dow Chemical Company	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for exterior use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff idesignated construction areas. Approved for use by contractors and Maintenance & Operations staff idesignated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45 8788 EUCO DIAMOND HARD 8789 ADVA 198	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas. Approved for use by contractors and maintenance and operations to only in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK** 85-45 8788 EUCO DIAMOND HARD 8789 ADVA 198 8790 ZYLA 625 8791 DOWSIL Primer-C OS	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies The Dow Chemical Company Custom Building Products	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. AUSD staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the use Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cutsine Advanced Anti Bocterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Pout Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke № Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45 8788 EUCO DIAMOND HARD 8799 ADVA 198 8790 ZYLA 625	Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies The Dow Chemical Company	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Adhesive Products Carpentry/ Construction Product	APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and trained maintenance and designated construction areas. Approved for use by contractors within designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Cutsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK™ 85-45 8788 EUCO DIAMOND HARD 8789 ADVA 198 8790 ZYLA 625 8791 DOWSIL Primer-C OS 8792 Commercial 100% Silicone Sealant	Gold Bond Building Products, LLC John Paul Mitchell Systems Santo Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies The Dow Chemical Company Custom Building Products 3M	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Adhesive Products Carpentry/ Construction Product Carpentry/ Construction Product	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and Maintenance & Operations staff in designated construction areas. Approved for seterior use by contractors within designated construction areas. Approved for seterior use by contractors within designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Do not breathe dust. Contains respirable crystalline silica. Use dust control when mixing wet batches and handling dry material. Promptly clean up work areas. N dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.
8776 Matrix 204 Wet/Dry Roof Cement 8777 Alpine Culsine Advanced Anti Bacterial Hand Sanitizer 8778 All Raised Bed and Potting Mix 8778 All Raised Bed and Potting Mix 8779 Gold Bond Conventional Plaster Products 8780 Paul Mitchell Hand Sanitizer 8781 The Good and Clean Company Hand Sanitizer 8783 SpecSeal Smoke 'N' Sound Sealant 8786 Pro Industrial DTM Acrylic Gloss 8787 Foster* FOS-STIK** 85-45 8788 EUCO DIAMOND HARD 8789 ADVA 198 8790 ZYLA 625 8791 DOWSIL Primer-C OS	GAF Kellogg Garden Products Gold Bond Building Products, LLC John Paul Mitchell Systems Santa Monica Mountains Farmstead Specified Technologies Inc. THE SHERWIN-WILLIAMS COMPANY H.B. Fuller Engineering Adhesives EUCLID CHEMICAL COMPANY GCP Applied Technologies GCP Applied Technologies The Dow Chemical Company Custom Building Products	Roofing Products Personal Hygiene Products Exterior Landscape/ Playground Products Personal Hygiene Products Personal Hygiene Products Carpentry/ Construction Product	APPROVED APPROVED	Approved for exterior use only by trained Maintenance & Operations roofing staff and contractors only during non-school hours. Approved for student and staff use. Approved for student and staff use. Approved for use by trained Maintenance & Operations staff and contractors only in designated construction areas or during non-school hours. Approved for student and staff use. Approved for use by trained Maintenance and Operations staff and contractors only in designated construction areas or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff in designated construction areas. Approved for use by contractors and trained maintenance and designated construction areas. Approved for use by contractors within designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas. Approved for use by contractors and maintenance and operations staff in designated construction areas.	Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the use Contains respirable crystalline silica. Use dust control when mixing wet botches and handling dry material. Promptly clean up work areas. It dry sweeping. Vacuums used for housekeeping must be equipped with HEPA filters. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use. Follow the manufacturer's recommendations for product storage and use.

				Approved for use by contractors only at unoccupied sites or during non-	
8795 Rugasol S	Sika	Fire Retardants	APPROVED	school hours.	Follow the manufacturer's recommendations for product storage and use.
				Approved for use by trained Maintenance & Operations staff and	
8796 Cure & Seal WB 25	SpecChem	Carpentry/ Construction Product	APPROVED	contractors only in designated construction areas.	Follow the manufacturer's recommendations for product storage and use.
				Approved only for limited/restricted exterior use by contractors and	
				trained maintenance and operations staff for repair of concrete or	
				asphalt paving only during non-school hours. Not for interior use.	Follow the manufacturer's recommendations for product storage and use. Do
				Repairs are to be conducted only during non-school hours. Restrict	not permit product to enter drains or sewer. Dispose of excess product and used
8797 Epoxy 100% (Part A and B)	Rainguard Brands, LLC Rainguard Pro	Carpentry/ Construction Product	APPROVED	access to work areas until product has cured.	containers according to applicable waste handling regulations.
					Contains respirable crystalline silica. Avoid generating dust. No dry mixing
					permitted. Use dust control when handling dry material and mixing wet batches. $ \\$
				Approved for use by trained Maintenance & Operations staff and	Promptly clean up work areas using wet methods, do not dry sweep. Vacuums
				contractors only in designated construction areas or during non-	used for housekeeping must be equipped with HEPA filters. Follow manufacturers
8798 Prep Coat	Westpac Materials	Carpentry/ Construction Product	APPROVED	school hours.	recommedations for product storage and use.
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica. Avoid generating dust. Use dust control when
				Approved for use by trained Maintenance & Operations staff and	handling dry material and mixing wet batches. Promptly clean up work areas
					using wet methods. Vacuums used for housekeeping must be equipped with
8799 Red Top Wood Fiber Plaster	United States Gypsum Company	Carpentry/ Construction Product	APPROVED	hours.	HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica. Avoid generating dust. Use dust control when
				Approved for use by trained Maintenance & Operations staff and	handling dry material and mixing wet batches. Promptly clean up work areas
					using wet methods. Vacuums used for housekeeping must be equipped with
8800 Red Top Finish Plaster	United States Gypsum Company	Carpentry/ Construction Product	APPROVED	hours.	HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
					Contains crystalline silica. Avoid generating dust. Use dust control when
				Approved for use by trained Maintenance & Operations staff and	handling dry material and mixing wet batches. Promptly clean up work areas
				contractors only in designated construction areas or during non-	using wet methods. Vacuums used for housekeeping must be equipped with
8801 LAHABRA SBMF	PAREXUSA, Inc.	Carpentry/ Construction Product	APPROVED	school hours.	HEPA filters.
					Follow the manufacturer's recommendations for product storage and use.
					Product contains crystalline silica, avoid generating dust. No dry mixing. Do not
- "					breathe dust. Use dust controls to prevent emissions from the mixer when
8802 Quikrete 5000 Concrete Mix	The Quikrete Companies	Miscellaneous	APPROVED	areas) or during non-school hours.	preparing wet batches. Promptly clean up any spilled material.
					Follow the manufacturer's recommendations for product storage and use. This
					product contains crystalline silica, avoid generating dust. No dry mixing. Do not
One and the Product No. 1901	The Outlinete Occurrence				breathe dust. Use dust controls to prevent emissions from the mixer when
8803 Concrete Mix Product No. 1101	The Quikrete Companies	Miscellaneous	APPROVED	areas) or during non-school hours.	preparing wet batches. Promptly clean up any spilled material.
8804 ES 1399 Elastomeric Sealant	EGS Nelson Firestop	O	40000VFD	Approved for use by contractors only at unoccupied sites or during non- school hours.	
8804 ES 1399 Elastomeric Sediant	EGS Nelson Firestop	Carpentry/ Construction Product	APPROVED		Follow the manufacturer's recommendations for product storage and use.
8805 Barribond HP	Carlisle Coatings & Waterproofing	Carpentry/ Construction Product	APPROVED	Approved for use by contractors only at unoccupied sites (construction sites) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8805 Bullibolia nr	Carrisie Coatings & waterprooning	Carpentry/ Construction Product	APPROVED		rollow the manufacturer's recommendations for product storage and use.
8806 CAV-GRIP 3 Low-VOC Adhesive/Primer	Carlisle Coatings & Waterproofing	O	APPROVED	Approved for use by contractors only in construction areas or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
8807 PURELL Professional Mild Foam Soap	GOJO Purell	Carpentry/ Construction Product	APPROVED	Approved for student and staff use.	Follow the manufacturer's recommendations for product storage and use.
880/ POREEL PROFESSIONAL MINA POURT SOUP	GOJO Puleli	Personal Hygiene Products	APPROVED	Approved for use by trained staff, Maintenance & Operations, and	rollow the manufacturer's recommendations for product storage and use.
8808 Tower Garden® Mineral Blend A and B		Extraction to a decrease (Plantage and Provide Associated	APPROVED	Contractors.	Follow the manufacturer's recommendations for product storage and use.
0000 TOWN CULTER WILLOUG BIRTH A CITY B		Exterior Landscape/ Playground Products	MELKONED	Consideration &	Ensure appropriate personal protection equipment is used with this product
				Approved for use by contractors only at unoccupied sites or during non-	- including chemical resistant gloves, goggles and respiratory protection.Follow
8809 SIKALASTIC-590	SIKA	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	the manufacturers recommendation for use and storage.
5555 SINDLES SOS		Sarpentry/ Construction Froduct	ALKOVED	Approved for use by contractors only at unoccupied sites or during non-	
8810 Silicone Sealant /Code 0810,0816,0826 Series	Red Devil, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Follow the manufacturer's recommendations for product storage and use.
		onen oonen action modulet			Ensure appropriate personal protection equipment is used with this product as
					recommended by the manufacturer such as chemical resistant gloves, goggles
				Approved for use by contractors only at unoccupied sites or during non-	
8811 TREMprime WB	Tremco	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	recommendations for storage and use.
**** ··		onen oonen action modulet			Ensure appropriate personal protection equipment is used with this product
				Approved for use by contractors only at unoccupied sites or during non-	- including chemical resistant gloves, goggles and respiratory protection. Follow
8812 TREMproof 201/60	Tremco	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	Manufacturer's recommendations for storage and use.
··		onen oonen action modulet			Ensure appropriate personal protection equipment is used with this product
				Approved for use by contractors only at unoccupied sites or during non-	- including chemical resistant gloves, goggles and respiratory protection.Follow
8813 Dymonic 100	Tremco	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product.	the manufacturer's recommendations for storage and use.
		onen oonen action modulet		Approved for use by contractors only at unoccupied sites (construction	
8814 Cure & Seal WB	SpecChem	Carpentry/ Construction Product	APPROVED	areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
	r. · · · ·			Approved for use by contractors only at unoccupied sites (construction	
8815 Sikaflex® Construction Sealant	Sika Corporation	Carpentry/ Construction Product	APPROVED	areas) or during non-school hours.	Follow the manufacturer's recommendations for product storage and use.
	***	,,		• • • • • • • • • •	

				Approved for use by contractors in designated construction areas or
8816 CS-S SA LIGHT (Smoke & Acoustical Sealant)	Hilti, Inc	Carpentry/ Construction Product	APPROVED	during non-school hours. LAUSD staff may not use this product. Follow the manufacturer's recommendations for product storage and use.
8817 Vulkem 191	Tremco	Carpentry/ Construction Product	APPROVED	Approved for outdoor use by contractors only on below grade application for new construction. Follow the manufacturer's recommendations for product storage and use.
000, 1		carponally construction reduct	ATTROVES	Approved for use by contractors only in designated construction areas.
8818 Sikalastic - 736 AL Lo-VOC	Sika Corporation	Carpentry/ Construction Product	APPROVED	LAUSD staff may not use this product. Follow the manufacturer's recommendations for product storage and use.
				Approved for use by contractors only at unoccupied sites or during non-
8819 SIL-BOND RTV 4500 Clear	Silco Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. Follow the manufacturer's recommendations for product storage and use.
				Ensure appropriate personal protection equipment is used with this product
				Approved for use by contractors only at unoccupied sites or during non- including chemical resistant gloves, goggles and respiratory protection. Follow
8820 HydroSeal® Primer - Flashing	American Hydrotech, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. manufacturer's recommendations for storage and use.
				Ensure appropriate personal protection equipment is used with this product Approved for use by contractors only at unoccupied sites or during non-including chemical resistant gloves, goggles and respiratory protection. Follow
8821 HydroSeal® Flashing Membrane	American Hydrotech, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. the manufacturer's recommendations for storage and use.
,	, , ,			Approved for use by contractors only at unoccupied sites or during non- Ensure appropriate personal protection equipment is used with this product
8822 HydroSeal® Fleece	American Hydrotech, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. including chemical resistant gloves, goggles and respiratory protection.
				Approved for use by contractors only at unoccupied sites or during non- Ensure appropriate personal protection equipment is used with this product
8823 HydroSeal® Catalyst	American Hydrotech, Inc.	Carpentry/ Construction Product	APPROVED	school hours. LAUSD staff may not use this product. including chemical resistant gloves, goggles and respiratory protection.
				Ensure appropriate personal protection equipment is used with this product
I				including chemical resistant gloves, goggles and respiratory protection. Follow
8824 Enviro Klean SafStrip	PROSOCO	Cleaning Products	APPROVED	Approved for use by contractors only in construction areas. the manufacturer's recommendations for storage and use.
				Approved for use by contractors and trained maintenance and operations personnel only at unoccupied sites (construction areas) or
G3 A-100® Exterior Acrylic Latex Satin Extra White	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	during non-school hours.
ARMORSEAL* TREAD-PLEX Water Based Acrylic Floor Coating		TankTroddob	прогос	Approved for use by contractors only at unoccupied sites (construction
G4 Deck Gray	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	areas) or during non-school hours.
				Approved for use by contractors only at unoccupied sites or during non-
G5 Exterior Latex Wood Primer White	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	school hours. LAUSD staff may not use this product.
				Approved for use by contractors only at unoccupied sites or during non-
G6 PRO INDUSTRIAL™ DTM Acrylic Eg-Shel Extra White	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	school hours. LAUSD staff may not use this product.
G7 PROMAR® 200 Zero VOC Interior Latex Primer White	THE SHERWIN-WILLIAMS COMPANY	Paint Products	d	Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G8 Viper Venom Pack Condenser Cleaner	Refrigeration Technologies	HVAC Products	Approved Approved	Approved for use by trained Maintenance & Operations staff only.
69 Viper Venom Pack Evaporator Cleaner	Refrigeration Technologies	HVAC Products	Approved	Approved for use by trained Maintenance & Operations staff only.
G9 Viper venom Pack Evaporator Cleaner	reingeration reciliologies			
G9 viper venom Pack Evaporator Cleaner	reingeration rechilologies			Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should
gg viper venom rack Evaporator Cleaner	keingerduuri recimologies			Approved for use by contractors and trained Maintenance &
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White	The Sherwin-Williams Company	Paint Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should
		Paint Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint.
GID ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White	The Sherwin-Williams Company			Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Fech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at
GIO ProMor 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B	The Sherwin-Williams Company Siplast	Paint Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours.
GID ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White	The Sherwin-Williams Company			Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okey from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES	Paint Products Cleaning Products	Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance &
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER	The Sherwin-Williams Company Siplast	Paint Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okey from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES	Paint Products Cleaning Products	Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Fech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GID ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product	Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Fech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product	Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GID ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GI0 ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GI1 STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GID ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okey from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by ycontractors and trained Maintenance & Operations staff only. Approved for use by ycontractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only.
GIO ProMar 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GI2 SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only within construction areas. LAUSD staff may not use this product.
GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anadized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing GI8 MasterTop TC 585	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation GAF Master Builders Solutions	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors only within construction areas. LAUSD staff may not use this product. Approved for use by contractors and \tanied Maintenance &
GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anadized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing GI8 MasterTop TC 585	The Sherwin-Williams Company Siplast MERO-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation GAF Master Builders Solutions	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing GI8 MasterTop TC 565 GI9 BLUESKIN PEZOOHT	The Sherwin-Williams Company Siplast MERC-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation GAF Master Builders Solutions HENRY COMPANY	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Roofing Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing GI8 MasterTop TC 565 GI9 BLUESKIN PEZOOHT	The Sherwin-Williams Company Siplast MERC-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation GAF Master Builders Solutions HENRY COMPANY	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Roofing Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okey from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.
GIO PROMAR 200 Zero VOC Interior Latex Eg-Shel Extra White GII STREETBOND 90 PART A & B GIZ SUPER SPOTTER GI3 Dow Corning 795 Silicone Building Sealant Champagne GI4 Dow Corning 795 Silicone Building Sealant Gray GI5 Dow Corning Silicone Building Sealant Anodized Aluminum GI6 Dow Corning Silicone Building Sealant Bronze GI7 Majorseal Liquid Flashing GI8 MasterTop TC 565 GI9 BLUESKIN PE200HT	The Sherwin-Williams Company Siplast MERC-CHEM INDUSTRIES Dow Corning Corporation Dow Corning Corporation Dow Corning Corporation GAF Master Builders Solutions HENRY COMPANY	Paint Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Roofing Products	Approved	Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas. Tech Services should determine whether this product meets LAUSD specs. This product is okay from a chemical composition standpoint. Approved for use by contractors and trained M&O personnel only at unoccupied sites (designated work areas) or during non-school hours. Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by Contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.

Approved

invloves scraping or sanding.

Paint Products

G22

White Eggshell Direct to Metal Interior/Exterior Paint

Behr Premium

					Approved for use by contractors and trained Maintenance &
					Operations staff. This request is specifically for a beautification project
					where volunteers will be using this product. Volunteers may use this
					product, but M&O personnel should prep the surfaces for painting if it
G23	Porch & Patio Anti-Slip Floor Paint	Behr	Paint Products	Approved	involves scraping or sanding.
					Approved for use by contractors and trained Maintenance &
					Operations staff. This request is specifically for a beautification project
					where volunteers will be using this product. Volunteers may use this
					product, but M&O personnel should prep the surfaces for painting if it
G24	Self-Priming 1-Part Epoxy - Deep Base	Behr	Paint Products		involves scraping or sanding.
G24	Sell-Filling I-Fall chay - Deep Base	Delli	Paint Products	Approved	Approved for use by contractors and trained Maintenance and
G25	STREETBOND CEMBASE ASPHALT FORTIFIER	GAF	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G26	Neogard	Hempel	Paint Products	Approved	Operations staff.
					Approved for use by trained contractors and Maintenance &
G27	AB-100 Polyurethane Elastomer	BAC, Inc.	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G29	MasterKure HD 200WB	Master Builders Solutions	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and Maintenance and Operations staff
G30	SpecRock	SpecChem	Carpentry/ Construction Product	Approved	in a designated work area.
					Approved for use by contractors and Maintenance and Operations staff
G31	Mondo PU300 Part A & B	Mondo	Adhesive Products	Approved	only.
					Approved for use by contractors and Maintenance and Operations staff
G32	ChemEval_SDS_PU200_Part A & B	Mondo	Adhesive Products	Approved	only.
002			Adiosite Froducts	Approved	Approved for use by contractors and Maintenance and Operations staff
G33	ZERO VOC CALIFORNIA B	Endura Manufacturing Co. Ltd	Paint Products		only.
633	ZERO VOC CALIFORNIA B	Endura Mandidetailing Co. Ltd	Paint Products	Approved	· · · · · · · · · · · · · · · · · · ·
					Approved for use by contractors and trained Maintenance and
G34	EX-2C SOLID COLORS (LF) LEAD FREE - GENERIC	Endura Manufacturing Co. Ltd	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G35	CS-S SA LIGHT	Hilti	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G36	AG1000 Anti-Graffiti Coating	BDC Epoxy Systems, Inc.	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G37	Jasco Premium Paint & Epoxy Remover	Jasco	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G38	Tneme-Zinc Series 90-97 Primer	Tnemec	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G39	Armstrong S-485 Cleaner	ArmstrongFlooring	Cleaning Products	Approved	Operations staff.
G40	Blickrylic Student Acrylics - Mars Black, Pint	Blick	Paint Products	Approved	Approved for student and staff use.
G41	Winsor & Newton Griffin Alkyds - Titanium White, 200 ml tube	Winsor & Newton Griffin Alkyds	Paint Products	Approved	Approved for student and staff use.
O41	Tillion a totton ommi Aikyas Tilanan Willia, 200 m tass	Timbol a Notion Olimin Aikyas	rantriodacts	Арріочец	Approved for film shoot contractors only, outdoors during non-school
0.40	Sierralite talc	Imanustala Amarias	Manager		hours.
G42		Imerys talc America	Miscellaneous	Approved	
G43	Board Wipes (Dry Erase)	Acco	School Products	Approved	Approved for use by staff only.
					Approved for use by contractors and trained Maintenance &
G44	CAL-TINT	Chromaflo Technologies Corporation	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G45	Ultra Spec Masonry Interior/Exterior 100% Acrylic Sealer 608	Benjamin Moore & Co.	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G46	ECO-888	Roman Products	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and trained maintenance and
G47	PRO-774 Clay Strippable Wallcovering Adhesive	Roman Products, LLC	Carpentry/ Construction Product	Approved	operations staff only.
					Approved for use by contractors and trained Maintenance &
G49	HIT-HY 100	Hilti, Inc.	Carpentry/ Construction Product	Approved	Operations staff only.
-				A Reserved	Approved for use by contractors and trained Maintenance &
G50	BEHR PREMIUM PLUS - interior flat Paint	BEHR PREMIUM PLUS	Paint Products	Approved	Operations staff only.
			100000	. pprovou	Approved for use by contractors and trained Maintenance &
G52	DOWSIL™ 791 Grey	DOW	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained waintenance & Operations staff only.
UU2	551101. 78101ey	50	Curpenity/ Construction Product	Approved	
	Canadidaak IS	DDOCOCO Inc			Approved for use by contractors and trained maintenance and
G54	Consolideck LS	PROSOCO, Inc.	Carpentry/ Construction Product	Approved	operations staff in designated construction areas.
					Approved for use by contractors and trained maintenance and
G55	Rapid Set Mortar Mix Plus (MMP)	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	Approved	operations staff in designated construction areas.
G57	Antimicrobial Hand Sanitizer Gel	Elyptol	Personal Hygiene Products	Approved	Approved for all users.
	Expo Whiteboard Dry Erase Cleaner	Newell Rubbermaid	School Products	Approved	Approved for staff use.
G58					
G58					Approved for use by contractors in designated work areas. LAUSD staff
G58 G59	Isocil™ RW 1.5	LONZA Inc.	HVAC Products	Approved	Approved for use by contractors in designated work areas. LAUSD staff may not use this product.

					Approved for use by contractors in designated work areas. LAUSD staff
G60	Chemguard 11617	Chemco Products Company	HVAC Products	Ameround	may not use this product.
060	Shortigadia non	one need to dead of one party	AVAC Floudets	Approved	Approved for use in a spray booth by trained Maintenance &
G61	Luster Lac Premium HB WW Lacquers - 275VOC-HAPS Free	Axalta	Paint Products	Approved	Operations staff only.
001	tustel tue rielliuliilli www.tucqueis 275voc ilwisiilee	Actic	ruint rioducts	арргоveu	Approved for use by contractors and trained Maintenance &
G62	Pro 1300 Interior Semi-Gloss Paint	Behr	Paint Products	Approved	Operations staff only.
002	Pro 1300 interior Serrii Gioss Paint	Deli	Pullit Floudets	арргоveu	Approved for use by contractors and trained Maintenance &
G63	Water Based Pre Stain Wood Conditioner	Behr	Paint Products	Approved	Operations staff only.
G63	water based the stain wood conditioner	Deli	Paint Products	Approved	Approved for use by contractors and trained Maintenance &
G64	ChemDrain Low VOC Cement for CPVC Plastic Pipe	Charlotte Pipe and Foundry	O		Approved to use by contractors and trained waintenance a Operations staff only.
	•	Mehron inc.	Carpentry/ Construction Product	Approved	,
G65	Liquid Makeup	Menron Inc.	Paint Products	Approved	Approved for event use by contractor at Canyon Charter Elementary.
	Out on Proce Viscour	S3 Surface Solutions. LLC.			Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G66	Surface Prep Xtreme		Floor Care Products	Approved	, · · · · · · · · · · · · · · · · · · ·
G67	MoistureShield	S3 Surface Solution	Floor Care Products	Approved	Approved for use by contractors and trained M&O staff only.
G68	MoistureTekTM Part A Resin & Part B Hardener	Advanced Adhesive Systems, Inc.	Floor Care Products	Approved	Approved for use by contractors and trained M&O staff only.
G69	LokWorx + Resilient Adhesive	W.F.Taylor LLC	Floor Care Products	Approved	Approved for use by contractors and trained M&O staff only.
G70	LokWorx + Carpet Tile Adhesive	W.F.Taylor LLC	Floor Care Products	Approved	Approved for use by contractors and trained M&O staff only.
G71	Gerfix 100	Gerflor USA	Floor Care Products	Approved	Approved for use by contractors and trained M&O staff only.
					Approved for use by contractors only at unoccupied sites (designated
					work areas) or during non-school hours. LAUSD staff may not use this
G72	Dantobrom RW Briquettes	LONZA Inc	HVAC Products	Approved	product. To be used only in cooling towers.
				*	Approved for use by contractors only at unoccupied sites (desinated
					work areas) or during non-school hours. LAUSD staff may not use this
G73	54	112 Aqua Chem Engineering	HVAC Products	Approved	product.
G74		84 Aqua Chem Engineering	HVAC Products	Approved	Approved for use by contractors and trained M&O staff only.
074		54 Aqua onom Engineering	TIVAC FIOGUCIS	Арргочец	Approved for use by contractors in unoccupied areas. IAUSD staff may
G75	BROMICIDE Tablets	BWA Water Additives US LLC	HVAC Products	Ameround	not use this product.
G/5	BROWICIDE TUDIETS	BWA Water Additives as tic	HVAC Products	Approved	Approved for use by contractors and trained M&O personnel in
G76	S3- MRP Part A & Part B	Part A & Part B			
			Floor Care Products	Approved	unoccupied areas (designated work areas).
G77	Deck Mud	The Quickrete Companies	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M&O staff only.
G79	Winsor and Newton Refined Linseed Oil	Winsor and Newton	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
G80	Winsor and Newton Oil Colours	Winsor and Newton	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
G81	Galeria Acrylic Titnm 200 ml	Galeria	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
					Approved for use by contractors and trained Maintenance &
G82	Vara-Bond Base	Mann Brothers	Paint Products	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance &
G83	AC-C Biosurfactant Coil Cleaner	Z BioScience Inc.	HVAC Products	Approved	Operations staff only.
G84	Huggies Soft Skin Sensitive Wipe	Kimberly Clark	Personal Hygiene Products	Approved	Approved for student and staff use.
					Approved for use by contractors and trained Maintenance &
G85	Rosco Video Paint Chroma key Blue	Rosco	Paint Products	Approved	Operations staff only.
G86	3M Fire Barrier Sealant CP 25WB+	3M	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M&O personnel only.
G87	Chroma Key Blue Paint	Paint on Screen	Paint Products	Approved	Approved for use by contractors and trained M&O personnel only.
007	oniona key side rank	Tank on octoor	runtriodets	Арргочец	Approved for use by contractors and trained M&O personnel only in a
G88	CEG-Lite™ 100% Solids Commercial Epoxy Grout Part A	Custom Building Products	O		desginated work area.
G88	CEO EIGE 100% Solids Commercial Epoxy Grout Full A	Custom Building Froducts	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M&O personnel only in a
	OFO The WOOM On the Occurrence but Force Occurrence Day	Contain Bullelle - Booking			
G89	CEG-Lite™ 100% Solids Commercial Epoxy Grout Part B	Custom Building Products	Carpentry/ Construction Product	Approved	desginated work area.
	haran Orantal Di	O			Approved for use by students and staff under guidance and supervision
G90	Ivory Crystal Pt	Coyote	Graphic Arts/Photography Products	Approved	of art teacher.
G92	C-11 mixing clear	Amaco	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
G93	SH-11 Chai Gloss	Amaco	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
G94	Pc-31 Oatmeal	Amaco	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
					Approved for use by contractors and trained M&O personnel only in
G95	Contractors SCS1000	GE	Carpentry/ Construction Product	Approved	designated work areas.
G96	KERAPOXY CQ PART A	MAPEI CORP.	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M&O personnel only.
G97	KERAPOXY CQ PART B	MAPEI CORP.	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M&O personnel only.
G100	GERFIX 100	Gerflor USA		Approved	Previously Approved
				** *	Approved for use by contractors and trained M&O personnel only in
G101	Aquaprime	Monopole, Inc.	Paint Products	Approved	designated work areas.
	- · ·				Approved for use by contractors in construction areas. LAUSD staff may
G102	Simpson AT-XP Acrylic Adhesive	Simpson Strong-Tie	Carpentry/ Construction Product	Approved	not use this product.
G102 G103	SANDTASTIK CLASSIC COLORED SAND	Sandtastik Products Ltd.			Approved for student and staff use.
G103	SAND FASTIK CLASSIC COLORED SAND	Surratuelik Flüdücis Liu.	School Products	Approved	
	Chemstar Lime Type S	Chemical Lime			Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G104	, , , , , , , , , , , , , , , , , , ,		Carpentry/ Construction Product	Approved	, · · · · · · · · · · · · · · · · · · ·
G105	Agriform 20-10-5	Scotts	Exterior Landscape/Playground	Approved	Approved for outdoor use by Contractors.
G106	Osmocote Classic	Everris	Exterior Landscape/Playground	Approved	Approved for outdoor use by contractors.

G107	Soil Buster	Simplot	Exterior Landscape/Playground	Approved	Approved for outdoor use by contractors in a designated work area.	
G108	Ultra Fine AG	Western Mining	Exterior Landscape/Playground	Approved	Approved for outdoor use by contractors in a designated work area.	
0.00		<u> </u>	Exterior cariascapo, riaygrouna	присти	Approved for use by contractors and trained maintenance and	
G109	Parex USA WeatherSeal Spray & Roll-On	PAREXUSA, INC.	Carpentry/ Construction Product	Approved	operations staff only.	
					Approved for use by contractors only at unoccupied sites or designate	d
G110	ZRC Cold Galvanizing Repair Compund	ZRC Worldwide Innovative Zinc Technologies	Carpentry/ Construction Product	Approved	construction zone. LAUSD staff may not use this product.	
G111	Grid Set Green Adhesive 2000 Plus (XL 2000Plus Adhesive)	XL Brands	Adhesive Products	Approved	Approved for use by contractors in designated work zones.	
					Approved for use by contractors and trained Maintenance and	
G112	Tarkett 100 Clean Thin Adhesive	Tarkett	Adhesive Products	Approved	Operations personnel only.	
G113	DOWSIL™ 795 Silicone Building Sealant-Limestone - Color	DOW	Carpentry/ Construction Product	Approved	Approved for use by contractors in designated construction areas.	
G114	DOWSIL™ 795 Silicone Building Sealant - Natural Stone	DOW	Carpentry/ Construction Product	Approved	Approved for use by contractors in designated construction areas.	
G115	DOWSIL™ 795 Silicone Building Sealant - Sandstone	DOW	Carpentry/ Construction Product	Approved	Approved for use by contractors in designated construction areas.	
G116	SikaQuick VOH	Sika Corporation	Carpentry/ Construction Product	Approved	Approved for use by contractors in designated construction areas.	
					Approved for use by trained contractors and Maintenance &	
G117	Lexlawn Turf Green	Textile Rubber & Chemical Co. Inc.	Exterior Landscape/Playground	Approved	Operations staff. Approved for use by contractors and trained Maintenance and	
	FDD Adharks	Onese Laste Inc.			**	
G118	FRP Adhesive	Spray-Lock, Inc.	Adhesive Products	Approved	Operations staff. Approved for use by contractors and trained Maintenance and	
G119	VaporTight Coat-SG3	Aquafin	Carpentry/ Construction Product	Approved	Operations staff.	
Gila	vapor ngriceout 303	Афил	Curpentry/ Construction Froduct	арргоvе u	Approved for use by trained contractors and Maintenance &	
G120	SpikeZone Black	Shaw Industries Incorporated	Exterior Landscape/Playground	Approved	Operations staff.	
G121	Joy Professional - Dish Detergent	JoySuds, LLC	Food Services Products	Approved	Approved for student and staff use.	
O.E.		,	1000 00110001100000	присти	Approved for use by contractors and trained Maintenance &	
G123	Palmer Mirro-Mastic	Palmer Products Corporation	Adhesive Products	Approved	Operations staff only.	
		<u> </u>			Approved for use by contractors and trained Maintenance &	
G124	INFINITY2 Versatile Transitional Pressure Sensitive Adhesive	W.F.Taylor LLC	Adhesive Products	Approved	Operations staff only.	
					Approved for use by contractors and trained Maintenance and	
G126	Pure Performance	PPG Paints	Paint Products	Approved	Operations staff only.	
G127	HIT-HY 270, A & HIT-HY 270, B	HILTI	Adhesive Products	Approved	Approved for use by contractors in designated contruction zones.	
	HILTI-FS-ONE MAX - High Performance Intumescent firestop				Approved for use by contractors and trained Maintenance and	
G128	sealant	HILTI	Carpentry/ Construction Product	Approved	Operations personnel in designated work zones.	
					Approved for use by contractors and trained Maintenance and	
G129	HILTI FLEXIBLE FIRESTOP SEALANT	HILTI	Carpentry/ Construction Product	Approved	Operations personnel only in designated work zones.	
					Approved for use by contractors and trained M&O personnel only in	
G130	Life Deck Cements - LD10 Sloping and Repair Mortar	Life Paint ADVANTAGE COATINGS TECHNOLOGIES	Carpentry/ Construction Product	Approved	authorized work zones.	
G131	ADVANTAGE SPORT TONE WATERBORNE SPORT FLOOR SEALER		Floor Care Products	Approved	Approved for use by contractors and trained M&O personnel.	
G132	Advantage Waterborne Sport Floor Finish	Advantage Coatings Technologies	Floor Care Products	Approved	Approved for use by contractors and trained M&O personnel.	
G133	Simple Green All-Purpose Cleaner FM-2105 Dark Blue Glaze	Sunshine Makers Inc. Laguna Clay Co.	Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for student and staff use with proper supervision.	
G134	EM-2105 Dark Blue Glaze	taguna ciay co.	School Products	Approved	Approved for student and staff use with proper supervision.	Follow the manufacturer's recommendations for product strage and use.
						Eye/face protection: Wear safety glasses with side shields (or goggles). Skin and
						body protection: Wear protective gloves and protective clothing. Respiratory
						protection: If exposure limits are exceeded or irritation is experienced,
						NIOSH/MSHA approved respiratory protection should be worn. Respiratory
						Protection is unlikely as this product will be used outdoors, and its consistency
					Approved for use by contractors and M&O personnel in designated	keeps it in a matrix. Respiratory Protection would have to be worn when the
G135	WEATHERWELD ASPHALT EMULSION	Henry	Roofing Products	Approved	work areas.	product is disturbed or removed.
						Follow the manufacturer's recommendations for product strage and use.
						Eye/face protection: Wear safety glasses with side shields (or goggles). Skin and
						body protection: Wear protective gloves and protective clothing. Respiratory
						protection: If exposure limits are exceeded or irritation is experienced,
						NIOSH/MSHA approved respiratory protection should be worn. Respiratory
						Protection is unlikely as this product will be used outdoors, and its consistency
					Approved for use by contractors and M&O personnel in designated	keeps it in a matrix. Respiratory Protection would have to be worn when the
G136	WEATHERWELD ACRYLIC TOP COAT	Henry	Roofing Products	Approved	work areas.	product is disturbed or removed.
1						Follow the manufacturer's recommendations for product strage and use.
1						Eye/face protection: Wear safety glasses with side shields (or goggles). Skin and
1						body protection: Wear protective gloves and protective clothing. Respiratory protection: If exposure limits are exceeded or irritation is experienced.
						, , ,
						NIOSH/MSHA approved respiratory protection should be worn. Respiratory Protection is unlikely as this product will be used outdoors, and its consistency
					Approved for use by contractors and M&O personnel in designated	keeps it in a matrix. Respiratory Protection would have to be worn when the
G137	WEATHERWELD ACRYLIC BASE COAT	Henry	Roofing Products	Approved	work areas.	product is disturbed or removed.
0.07		· •		Approvou	THIS PRODUCT IS CONSIDERED AN "ARTICLE" AND DOES NOT NEED TO BE	,
G138	DECK-O-FOAM - Expansion Joint Filler	W R MEADOWS SEAL TIGHT	Carpentry/ Construction Product	Approved	REVIEWED BY OEHS.	
1000	•		V			l de la companya de

					THIS PRODUCT IS CONSIDERED AN "ARTICLE" AND DOES NOT NEED TO BE
C120	Exterior-Fire-X Exterior Fire-Retardant-Treated Wood	Hoover Treated Wood Products, INC	Component Construction Description	America -1	THIS PRODUCT IS CONSIDERED AN "ARTICLE" AND DOES NOT NEED TO BE REVIEWED BY OEHS.
G139	Evrenior Line-y Exterior Line-keratadaut-11eadea Moog	1100Ver Treated Wood FloductS, INC	Carpentry/ Construction Product	Approved	REFIERED DI OCINA.
					Approved for use by contractors only in designated construction zones
G140	Momentive - Joint Sealant	Momentive Performance Materials LLC	Corporate / Construction Broduct	Ameround	or during non-school hours. LAUSD staff may not use this product.
3140	morrowave John Sedicin	MOTIONAVE FEROMINANCE MARKINIS LLC	Carpentry/ Construction Product	Approved	Approved for outdoor use by contractors and trained Maintenance and
0141	Marathon Petroleum Anionic Emulsified Asphalt	Marathon Petroleum Company IP	Omeranda d'Oranda antica Provincia		Approved to outdoor use by contractors and stained maintenance and Operations personnel only.
G141	Maratnon Petroleum Anionic Emulsillea Aspnait	Sto Corporation, 3800 Camp Creek Parkway Building 1400, Suite	Carpentry/ Construction Product	Approved	
	Sto Gold Coat	120 Atlanta, GA 30331 Tel : 404-346-3666			Approved for use by contractors only at construction sites or during non-school hours. LAUSD staff may not use this product.
G142			Carpentry/ Construction Product	Approved	, ,
G143	Polyblend Ceramic Tile Caulk	Custom Building Products	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained M & O staff.
					Approved for use by contractors and trained Maintenance &
G144	DR GUM Remover	Cartier Chemicals, Ltd. (Quebec, CAN)	Maintenance and Operations Products	Approved	Operations staff only.
					Approved for outdoor use by Contractors and trained Maintenance &
G149	Sikagard -7600 VG	Sika	Roofing Products	Approved	Operations staff only.
G151	Draft V2 Resin	Formlabs, Inc	School Products	Approved	Approved for use by trained teaching staff.
					Approved for use by contractors and trained Maintenance &
G152	Diamond IK Gym Finish	Hillyard	Floor Care Products	Approved	Operations staff only.
					Approved for exterior use with Turf Tank field striping machine by
G153	Robostripe White and All Colors	PIONEER MANUFACTURING	Exterior Landscape/Playground	Approved	trained school based staff
					Approved for exterior use with Turf Tank field striping machine by
G154	ROBO PAINT WHITE & COLORS	US Specialty Coatings	Exterior Landscape/Playground	Approved	trained school based staff
					Approved for outdoor use by trained contractors and Maintenance &
G155	SpikeZone Lagoon Blue Slit and Monofilament Fibers	Shaw Sports Turf	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for outdoor use by trained contractors and Maintenance &
G156	SpikeZone Lime Green Slit and Monofilament	Shaw Sports Turf	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for outdoor use by trained contractors and Maintenance &
G157	SpikeZone Medium Blue Slit and Monofilament	Shaw Sports Turf	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for contractor use in designated work areas (construction
G158	MVIS Veneer Mortar	Laticrete	Carpentry/ Construction Product	Approved	zone).
G159	MOBIL SHC 630	EXXON MOBIL CORPORATION	School Products	Approved	Approved for trained teachers and school based staff.
G160	Garnet Abrasive Grains and Powders	Barton International	School Products	Approved	Approved for trained teachers and school based staff
					Approved for use by contractors only at unoccupied sites or during non-
G161	7/11 Cleaner Degreaser	Maintex	Cleaning Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G162	Power 92	Maintex	Cleaning Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G163	Simple Green All-Purpose Cleaner	Sunshine Makers, Inc. (Huntington Beach)	Cleaning Products	Approved	school hours. LAUSD staff may not use this product.
-			3	11	Approved for use by contractors only at unoccupied sites or during non-
G165	Citrus Magic	Alfakleen Chemical Labs, Inc. (Costa Mesa, CA)	Cleaning Products	Approved	school hours. LAUSD staff may not use this product.
	•		3	11	Approved for use by contractors and trained Maintenance &
G167	Detail Strip	W.R. Meadows	Carpentry/ Construction Product	Approved	Operations staff.
				11	- 1
G168	THE MUST FOR RUST - KRUD CUTTER	Rust-Oleum Corporation	Carpentry/ Construction Product	Approved	Approved for use by contractors only in designated construction areas
G169	Liquid Grind	Life Paint	Carpentry/ Construction Product	Approved	Approved for contractors only in designated construction areas.
5103	LN-903 LIQUID NAILS HEAVY DUTY CONSTRUCTION ADHESIVE	- · · · · ·	os.penny, construction rioduct	Approved	Approved for contractors and trained Maintenance and Operations
G170	INTERIOR / EXTERIOR AHE90324TN0	PPG Industries, Inc.	Adhesive Products	Approved	staff only in designated work areas or construction sites.
5170			Addition Florido	Approved	Approved for contractors and trained Maintenance and Operations
G171	Alsan RS 276 Primer, RS Catalyst, Fleece, RS230 & RS 237	Soprema	Carpentry/ Construction Product	Approved	staff only in designated work areas or construction sites.
G171 G172	Expo White Board Care Cleaning Wipes	Expo / Newell Brands	School Products		Approved for staff use.
31/2	Expoite board care creating wipes	espo / Newton braines	SCHOOL FIDUUCIS	Approved	Approved for use by contractors and trained Maintenance &
0170	Primer We Parts A and B	MAPEI	0		Approved for use by contractors and trained Maintenance & Operations staff only.
G173			Carpentry/ Construction Product	Approved	4
G174	Protector & Waterproofer No. 980	BEHR Process Corporation	Carpentry/ Construction Product	Approved	Approved for contractor use within construction areas
					Approved for use by contractors only at unoccupied sites (construction
					zones) or during non-school hours. LAUSD staff may not use this
G175	EasyClean Bio Stripper	RainGuard	Graffiti Products	Approved	product.
					Approved for use by contractors and trained Maintenance &
G176	Project 1 6000 Series General Purpose RTV Silicone	Hi-Tec Industries	Carpentry/ Construction Product	Approved	Operations staff within construction areas only.
					Approved for use by contractors and trained maintenance and
G177	Rapid Set Ultra-Fast Anchoring Adhesive (Part B)	CTS Cement	Carpentry/ Construction Product	Approved	operations staff
					Approved for use by contractors and trained M&O personnel in
					designated work areas (construction zones and demarcated areas). A
					product being OEHS approved is not the only requirement when
1					executing a paint project (interior/exterior). All paint submittals shall be
	SETFAST® Waterborne Traffic Marking Paint (TM2132, TM2133,				submitted in COUN for the M&O Technical Services Unit (TSU/TTT) to
G178	TM2135, TM2160, TM2161)	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	review and approve.
1					

					Approved for use by contractors and trained M&O personnel in
G179	Acrylic Resurfacer	ThorWorks Industries, Inc.	Carpentry/ Construction Product	Approved	designated work areas (construction zones).
0.70	.,		Surpenity, Constitution France	Арріотов	Approved for use by contractors and trained M&O personnel in
G180	Acrylic Adhesion Promoter	ThorWorks Industries, Inc.	Carpentry/ Construction Product	Approved	designated work areas (construction zones and demarcated areas)
	.,		,,,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Approved for use by contractors and trained M&O personnel in
					designated work areas (construction zones and demarcated areas). A
					product being OEHS approved is not the only requirement when
					executing a paint project (interior/exterior). All paint submittals shall be
					submitted in COUN for the M&O Technical Services Unit (TSU/TTT) to
G181	ColorPlus Pigment Dispersion- Forest Green	ThorWorks Industries. Inc.	Paint Products	Approved	review and approve.
Citi			runtriodets	Арргочеа	Approved for use by contractors and trained M&O personnel in
					designated work areas (construction zones and demarcated areas). A
					product being OEHS approved is not the only requirement when
					executing a paint project (interior/exterior). All paint submittals shall be
					submitted in COLIN for the M&O Technical Services Unit (TSU/TTT) to
G182	Stripe Rite	ThorWorks Industries, Inc.	Paint Products		review and approve.
G182	зире кие	morworks industries, inc.	Paint Products	Approved	Approved for outdoor use by contractors and trained Maintenance and
	Vulkem 801	Tremco			Operations personnel in designated work greas.
G184	Vulkem 801	Iremco	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and
G185	945 Contact Bond Adhesive	Johnsonite	Adhesive Products	Approved	Operations personnel only in designated work areas.
G186	MB-I	EAI Water	HVAC Products	Approved	Approved for use by trained HVAC contractor only.
G187	EA 125T	EAI Water	HVAC Products	Approved	Approved for use by trained HVAC contractor only.
G188	EA 350	EAI Water	HVAC Products	Approved	Approved for use by trained HVAC contractor only.
					The product is approved for use a trained contractor only. This product
					cannot not be stored at an LAUSD facility. This product may only be
					used during non-school hours or in designated construction zones
G189	EA 360	EAI Water	HVAC Products	Approved	away from the active campus.
	Play Matta Original 2023 (complete system including tiles,				Approved for outdoor use by trained contractors and Maintenance &
G190	shock pads, fixing pins, post rings, ramps)	Matta LLC	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for use by contractors and trained maintenance and
G191	Sto TurboStick	Sto Corp	Adhesive Products	Approved	operations personnel only.
G192	M-Pede Insecticide-Miticide-Fungicide	Gowen Company	Pesticide/Herbicide Products	Approved	Approved for use by LAUSD Pest Control Technicians only.
					Approved for use by contractors and trained M&O Personel in
G193	V4-0152 GP Black	Hoffman Plastic Compounds	Exterior Landscape/Playground	Approved	designated work areas.
					Approved for use by contractors only at unoccupied sites, during non-
					school hours, or in designated construction zones (fenced areas).
					LAUSD staff may not use this product. Ensure product is fully cured
G194	Mattafix Unigrip 8400	Bostik	Exterior Landscape/Playground	Approved	before releasing to the school for use.
G195	Mirafi FW402	TenCate Geosynthetics Americas Laboratories	Exterior Landscape/Playground	Approved	Approved for use by contractors and trained M&O personnel only.
					Approved for use by contractors only at unoccupied sites, during non-
					school hours, or in designated construction zones (fenced areas).
					LAUSD staff may not use this product. Ensure product is fully cured
G196	Buffing Materials	American Recycling Center, INC	Exterior Landscape/Playground	Approved	before releasing to the school for use.
					Approved for use by contractors only at unoccupied sites, during non-
					school hours, or in designated construction zones (fenced areas).
					LAUSD staff may not use this product. Ensure product is fully cured
G197	Binder BFLV-11	RYVEC INC.	Exterior Landscape/Playground	Approved	before releasing to the school for use.
G201	pine guard detergent disinfectant	maintex	Cleaning Products	Approved	Approved for use by trained Maintenance and Operations staff only.
G202	Mixed Bed ion exchange resin	ResinTech Inc.	Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only.
2202				прричач	The product is approved for use a trained contractor only. This product
					cannot not be stored at an LAUSD facility. This product may only be
					used during non-school hours or in designated construction zones
G203	BROMMAX 7.1	Enviro Tech Chemical Services. Inc.	HVAC Products	American	away from the active campus.
G2U3	anominen (i)	Environmental del vices, inc.	HVAC Froducts	Approved	Approved for use by contractors in designated work areas. LAUSD staff
0005	CRACK-PAC	Simpoon Strong Tie Company Inc	One and Agrant and a Brank :		
G205	CRACK-PAC	Simpson Strong-Tie Company Inc.	Carpentry/ Construction Product	Approved	may not use this product.
	Weld on 70V and 100 PMO Only and 100 PMO	100.0			Approved for use by contractors only at unoccupied sites or during non-
G206	Weld-On 721 Low VOC PVC Solvent Cement	IPS Corp	Plumbing Supply Products	Approved	school hours. LAUSD staff may not use this product.
G207	Acrylic Mural Paint	MuralColors Inc.	Paint Products	Approved	Approved for Muralist w/ Students and Staff use.
G208	ColorShield Paint Preserver	MuralColors Inc.	Paint Products	Approved	Approved for contracted muralist only.
G209	OverCoat UV Paint Protector	MuralColors Inc.	Paint Products	Approved	Approved for Muralist w/ Students and Staff use.
G210	Mural Gel	MuralColors Inc.	Paint Products	Approved	Approved for Muralist w/ Students and Staff use.
					Approved for use by contractors only at unoccupied sites or during non-
1	SSP Putty & Putty Pads Putty	Specified Technologies Inc.	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
G213	, , ,				
G213					Approved for use by contractors only at unoccupied sites or during non-
G213	PAREX ENROCK F BASE	PAREXUSA, Inc.	Carpentry/ Construction Product	Approved	Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.

					Approved for use by contractors and trained Maintenance and
G216	Green Thatch	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
0210	Sign materi	mattox	exterior tariascape/Playgrouna	арргоved	Approved for use by contractors and trained Maintenance and
G217	Bonar FR/MN Global Florida Blue	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
O.E.I.			Exterior Editaboapor Taygrouna	Арріотов	Approved for use by contractors and trained Maintenance and
G218	Bonar FB/MN Global Lagoon Blue	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
G219	Flower & Vegetable Mix	Whittier Fertilizer	Exterior Landscape/Playground	Approved	Approved for student and staff use.
	•				Approved for use by contractors and trained Maintenance and
G221	Bonar FB Global Lime Green	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
			, ,		Approved for use by contractors and trained Maintenance and
G222	Bonar FB Global Olive Green	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
					Approved for use by contractors and trained Maintenance and
G223	Bonar FB/MN Global Field Green	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
					Approved for use by contractors and trained Maintenance and
G224	Bonar MN Global Field/Olive Green Blend	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
					Approved for use by contractors and trained Maintenance and
G225	Bonar MN Global Field/Lime Green Blend	Mattex	Exterior Landscape/Playground	Approved	Operations personnel only.
					Approved for use by contractors and trained Maintenance and
G226	Tropical - #508 Wet Surface Modified Mastic	TRP	Roofing Products	Approved	Operations personnel only.
					Approved for exterior use by contractors and trained Maintenance and
G227	ROOF X TENDER 100 Ultimate	APOC	Roofing Products	Approved	Operations personnel only
					Approved for use by contractors and trained Maintenance &
G228	APOC 264 Fibered Patching Compound	GARDNER GIBSON Inc.	Roofing Products	Approved	Operations staff only.
		GARDNER GIBSON			Approved for outdoor use by contractors and trained Maintenance &
G229	APOC 247 White Elastomeric Roof Coating		Roofing Products	Approved	Operations staff only.
G230	Germs be Gone! Hand Sanitizer 16oz	Germs Be Gone	Personal Hygiene Products	Approved	Approved for student and staff use. Approved for use by contractors and trained M&O personnel only in
	SIL-BOND RTV 3500	Silco Inc.			
G231	CARFERE SEMIGLOSS A BASE	VISTA PAINT CORPORATION	Carpentry/ Construction Product	Approved	designated work areas.
G233			Paint Products	Approved	Already an approved product.
G234 G235	Polytec Clear Semi Gloss Permashield Non Sacrifial Hi Gloss	Vista Paint Monopole, Inc.	Paint Products Graffiti Products	Approved	Already an approved product Already an approved product
	Permashiela Non-Sacrificial	·		Approved	
G236	Permasniei Non-sacrificiai	Monopole, Inc.	Graffiti Products	Approved	Already an approved product.
C227	AIR-SHIFLD THRU-WALL FLASHING	W.R. MEADOWS INC	Deefing Draducts	Ampround	Section 2 of SDS considers this product as an "article" and therefore
G237	AIR-SHIELD THRU-WALL FLASHING	W. R. MEADOWS, INC.	Roofing Products	Approved	does not need to be reviewed by OEHS.
					does not need to be reviewed by OEHs. Approved for outdoor use by Trained contractors and Maintenance &
G238	Crystal Bright Infill	TTII Target Technologies International Inc.	Exterior Landscape/Playground	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only.
					does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only
G238 G239	Crystal Bright Infill DynaTred Part A (activator) & Part B (base)	TTII Target Technologies International Inc. Pecora Corporation	Exterior Landscape/Playground Carpentry/ Construction Product	Approved Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only.
G238	Crystal Bright Infill	TTII Target Technologies International Inc. Pecora Corporation	Exterior Landscape/Playground	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only.
G238 G239 G241	Crystal Bright Infill DynaTred Part A (activator) & Part B (base)	TTII Target Technologies International Inc. Pecora Corporation	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products	Approved Approved Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and
G238 G239	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc.	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products	Approved Approved Approved Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.
G238 G239 G241 G242 G244	Crystal Bright Infill DynaTrad Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Point Products Personal Hygiene Products	Approved Approved Approved Approved Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.
G238 G239 G241 G242	Crystal Bright Infill DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products	Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for autdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for tuse by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product.
G238 G239 G241 G242 G244	Crystal Bright Infill DynaTrad Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Point Products Personal Hygiene Products	Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only.
G238 G239 G241 G242 G244 G245	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitzer Quikrete Mortar Mix 1102	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for suse by trained Maintenance & Operations staff and contractors only. Approved for subdent and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non-
G238 G239 G241 G242 G244 G245	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitzer Quikrete Mortar Mix 1102	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for subdent and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G238 G239 G241 G242 G244 G245	Crystal Bright Infill DynaTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for sub trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Alfready an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
G238 G239 G241 G242 G244 G245	Crystal Bright Infill DynaTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for autdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for subdent and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G238 G239 G241 G242 G244 G245 G246	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for suse by trained Maintenance & Operations staff and contractors only. Approved for suse by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not
G238 G239 G241 G242 G244 G245 G246	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by CEHS.
G238 G239 G241 G242 G244 G245 G246 G247	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Korat Instant Hond Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas
G238 G239 G241 G242 G244 G245 G246 G247	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT	TTII Target Technologies International Inc. Pecora Corporation Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for sub- by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only.
G238 G239 G241 G242 G244 G245 G246 G247 G248	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Korat Instant Hond Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for sus due to student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OteHs. Approved for use by contractors and Maintenance & Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OteHs. Approved for use by trained Contractors and Maintenance &
G238 G239 G241 G242 G244 G245 G246 G247 G248	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Korat Instant Hond Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for subdent and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by CEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas.
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249	Crystal Bright infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR	TTII Target Technologies international inc. Pecora Corporation) Contego international, inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evoluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Presonal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by CHS. Approved for use by contractors in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249	Crystal Bright infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR	TTII Target Technologies international inc. Pecora Corporation) Contego international, inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for sub the staff use. Alterady an approved product. Approved for sub by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones).
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251 G257	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanilizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550 Scoffeld Cureseal-W	TTII Target Technologies international Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for subdent and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by CEHS. Approved for use by contractors in designated work creas (construction zones). LAUSD Staff may not use this product. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and Maintenance & Operations staff only. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Presonal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an 'article' GSDs section 2) and therefore does not need to be evaluated by CEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD Staff may not use this product.
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251 G258	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550 Scofield Cureseal-W Lithochrome Antiquing release Pro	TTII Target Technologies international Inc. Pecora Corporation) Contego international, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation Sika Scoffield / Sika brand	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Presonal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Altready an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and Operations personnel only in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251 G257	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanilizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550 Scoffeld Cureseal-W	TTII Target Technologies international Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for suse by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by contractors only within designated construction zones). Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors and trained Maintenance and Operations personnel only.
G238 G239 G241 G242 G244 G245 G246 G247 G248 G251 G257 G258 G259	Crystal Bright Infili DynaTred Part A (activator) & Part B (base) Contego HS Inturnescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550 Scofield Cureseal-W Lithochrome Antiquing release Pro	TTII Target Technologies International Inc. Pecora Corporation) Contego International, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation Sika Scoffield / Sika brand W. R. MEADOWS	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Personal Hygiene Products Carpentry/ Construction Product Paint Products Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by CEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for suse by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "orticle" (SDS section 2) and therefore does not need to be evoluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors only within designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors and trained maintenance and Operations personnel only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors and trained maintenance and Operations personnel only. Approved for outle by contractors and trained Maintenance and Operations personnel only.
G238 G239 G241 G242 G244 G245 G246 G247 G248 G249 G251 G258	Crystal Bright Infili DynoTred Part A (activator) & Part B (base) Contego HS Intumescent Fire Barrier Latex (High Solids Version Flame OFF Karat Instant Hand Sanitizer Quikrete Mortar Mix 1102 GALOSEAL WB ENDURA-COAT TITANIUM PSU30 HP NextGel Jointing Sand SAKRETE CONCRETE & MORTAR REPAIR Liquid Color Blend A550 Scofield Cureseal-W Lithochrome Antiquing release Pro	TTII Target Technologies international Inc. Pecora Corporation) Contego international, Inc. FlameOFF Karat by Lollicup The Quikrete Companies CARBOLINE DUNN EDWARDS Owens Corning Techniseal SAKRETE.COM Venator Materials Corporation Sika Scoffield / Sika brand	Exterior Landscape/Playground Carpentry/ Construction Product Paint Products Paint Products Presonal Hygiene Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product	Approved	does not need to be reviewed by OEHS. Approved for outdoor use by Trained contractors and Maintenance & Operations staff only. Approved for use in construction areas by contractors only Approved for use by trained Maintenance & Operations staff and contractors only. Approved for use by trained Maintenance & Operations staff and contractors only. Approved for suse by trained Maintenance & Operations staff and contractors only. Approved for student and staff use. Already an approved product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. This is considered an "article" (SDS section 2) and therefore does not need to be evaluated by OEHS. Approved for use by contractors in designated work areas (construction zones). LAUSD Staff may not use this product. Approved for use by trained Contractors and Maintenance & Operations staff only. Approved for use by contractors and trained maintenance and operations personnel only in designated work areas (construction zones). LAUSD staff may not use this product. Approved for use by contractors only within designated construction zones). Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors only in designated work areas (construction zones). LASUD staff may not use this product. Approved for use by contractors and trained Maintenance and Operations personnel only.

Reviously approved. Approved for contraction and founded Moliterance and Operations stoff only in designated work areas or contraction late. Roofing Products ASAM RS CATALYST SOFRIMA Roofing Products ASAM RS CATALYST SOFRIMA Roofing Products ASAM RS CATALYST SOFRIMA Roofing Products ASAM RS CATALYST ASAM RS CATALYST SOFRIMA Roofing Products ASAM RS CATALYST Reviously approved. Approved contraction late. Previously approved. Approved for contractions staff only in designated work areas or contraction late. Roofing Products Approved Approved Construction late. Reviously approved. Approved for contractions staff only in designated work areas or contraction late. Reviously approved. Approved Approved for contractions nate. Reviously approved. Approved for contraction nate. Approved for use by contraction and transcalled work areas or contraction nate. Approved for use by contraction and use this product. Approved for use by contraction on your but not use this product. Approved for use by contraction on your for unconcupied site, using non-school nous, or designated construction nones), LULISD senting non-school nous, or designated construction on news), LULISD senting non-school nous, or designated construction ones), LULISD senting non-school nous, or designated construction nones), LULISD senting non-school nous, or designated construction nones), LULISD senting non-school nous, or designated construction nones), LULISD senting nones. Approved for use by construction approved in use this product. Approved for use by construction approved in use this product. Approved	
Agroved construction alles. Recoling Products Agroved Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for contractors and trained Mointenance and Operations staff only in designated work areas or Periously approved. Approved for use by contractors only at unoccupied sites or during non- Competitive Construction Product. Approved Approved Construction area. Approved for use by contractors only at unoccupied sites or during non- contraction. Approved for use by contractors only at unoccupied sites or during non- contraction. Approved for use by contractors only at unoccupied sites or during non- contraction. Approved for use by contractors only at unoccupied sites or during non- contraction. Approved for use by contractors only at unoccupied sites or during non- contraction. Approved for use by contractors only at unoccupied sites or during non- school hours, at ALISS settly may not use this product. Approved for use by contractors on and trained maintenance and Approved for use by contractors and trained maintenance and Approved to use by contractors and trained maintenance and Approved to use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and	
ASLAN RS CATALYST SOPREMA Roofing Products Approved Construction and trained Monitonance and Operations start only in designated work areas or construction sites. SOPREMA ROOfing Products Approved Construction sites. SOPREMA ROOfing Products Approved Construction sites. SOPREMA ROOFIng Products Approved Construction sites. Approved Construction sites. Approved Construction sites. Approved or use by constructions only of use designated work areas or construction sites. Approved for use by constructions only of use operations start only in designated work areas or construction sites. Approved for use by constructions only of use operations start only in designated work areas or construction sites. Approved for use by constructions only of uncoccupied sites or during non-section for use by constructions only of use grounds work areas (construction and use his product. Approved for use by constructions only of use by construction area (c). JALISD staff may not use this product. Approved for use by constructions area (c). JALISD staff may not use this product approved on use by constructions and use this product approved on use by constructions and use this product approved on use by constructions and use this product approved on use by constructions and trained maintenance and operations staff only in designated work areas (construction area). Approved for use by constructions and trained maintenance and operations staff only by designated work areas (construction areas (construction areas (construction areas (construction areas (construction areas	
Mointenance and Operations staff only in designated work areas or construction sites. SOPREMA Roofing Products Approved Construction sites. Roofing Products Approved Provided Products and trained Maintenance and Operations staff only in designated work areas or construction sites. Roofing Products Approved Construction sites. Approved for use by contractors only at unoccupied sites or during non-construction sites. Approved for use by contractors only at unoccupied sites or during non-school hours. LIAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LIAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LIAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites, during non-school hours. LIAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites, during non-school hours, united work areas or school hours, united by a school product approved for use by contractors and trained maintenance and school hours, united by a school product. Approved for use by contractors and trained maintenance and school hours, united by a school product. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and operations staff use. Approved for use by contractors and trained maintenance and operations staff use. Approved for use by contractors and trained maintenance and Approved to use by contractors and trained maintenance and Approved to use by contractors and trained maintenance and Approved to use by contractors and trained maintenance and Approved to use by contractors with in designated work areas (construction and Approved to use by contract	
Roofing Products Approved construction alles. Roofing Products Approved Construction alles. Recording Products Approved Construction and Circumstance and Operations and Circumstance and Circumstanc	
ASIAN RS 230 FIED / ASIAN	
Previously approved Approved for contractors and trained Maintenance and Operations steff only in designated work areas or construction sites. Approved for use by contractors only at unoccupied sites or during non- designation of use by contractors only at unoccupied sites or during non- designation of use by contractors only at unoccupied sites or during non- designation of use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in designated work areas caperage for use by contractors only in unoccupied sites, during non- school hours, or designated construction area (s), LAUSD steff may not use this product. Approved for use by contractors only at unoccupied sites, during non- school hours, or designated construction area (s), LAUSD steff may not use this product. Approved use this product. Approved or use by contractors and trained maintenance and operations personnel only. Approved or particles personnel only. Approved Approved for steff use. Approved for steff use. Approved for stablent and strained maintenance and Approved for stablent and strained maintenance and Approved for stablent and stoff use. Approved for stablent and stoff use. Approved for stablent and stoff use approved or stablent and stoff use. Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and	
Agroved for use by contractors only in designated work areas or construction allaw. Approved for use by contractors only of unoccupied sites or during non-construction product. Approved for use by contractors only of unoccupied sites or during non-construction product. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only of unoccupied sites, during non-school hours, or designated construction areas. Approved for use by contractors only at unoccupied sites, during non-school hours, or designated construction areas. Approved for use by contractors only at unoccupied sites, during non-school hours, or designated construction areas. Approved for use by contractors only at unoccupied sites, during non-school hours, or designated construction areas. Approved for use by contractors only at unoccupied sites, during non-school hours, or designated construction areas. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and approved operations personnel only. Approved for use by contractors and trained maintenance and approved operations and trained maintenance and approved for use by contractors and trained maintenance and approved for outdoor use by trained contraction zones). Appro	
ASIAN RS 230 FILE J ASIAN RS 230 FOLE J ASIAN RS 230 FILE J ASIAN RS 230 FILE J ASIAN RS 240 FILE J ASIAN	
Approved for use by contractors only at unoccupied siles or during non- scales AISAN RS 2ER COLOR FINISH BASE SOPREMA Carpentry/ Construction Product Approved school hours. LAUSD staff may not use this product. Approved for use by contractors only in designated work creas Carpentry/ Construction Product Approved (construction zones). LAUSD employees may not use this product. Approved for use by contractors only at unoccupied siles or during non- school hours, or designated construction area (s). LAUSD employees may not use this product. Approved for use by contractors only at unoccupied siles, during non- school hours, or designated construction area (s). LAUSD employees may not use this product. Approved for use by contractors only at unoccupied siles, during non- school hours, or designated construction area (s). LAUSD employees may not use this product. Approved for use by contractors on the school hours, or designated construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for staff use. School Products Approved Approved for staff use. Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and Maintenance & Approved for outdoor use by trained contractors within designated work areas (construction product Approved for outdoor use by tr	
ASAM RS 287 COLOR FINISH BASE SOPREMA Carpentry/ Construction Product Approved school hours. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas (construction Product Approved for use by contractors only in designated work areas (construction area (s). LAUSD staff may not use this product. Approved for use by contractors only in designated work areas (construction area (s). LAUSD staff may not use this product. Approved for use by contractors only in designated work areas (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved or use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for staff use. Approved or staff use. Approved for staff use. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and (construction area (s). LAUSD staff may not use this product. Approved for outdoor use by trained contractors and Maintenance & Approved for exterior use by contractors within designated (construction area (LAUSD staff may not use this product.	
Approved for use by contractors only in designated work areas SOPREMA Carpentry/ Construction Product Approved (construction product) Approved for use by contractors only at unoccupied sites, during non- school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction area(s). LAUSD staff may not school hours, or designated construction and trained maintenance and Approved for use by contractors and trained maintenance and Approved for staff use. Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for outdoor use by trained contractors and Maintenance and Approved for outdoor use by trained contractors within designated Approved for outdoor use by contractors within designated Approved for outdoor use by contractors withi	
Approved for use by contractors only in designated work areas G266 ASIAN RS CLEANER SOPREMA Carpentry/ Construction Product Approved (construction zones). IALISD semployees may not unoccupied altex, during non- school hours, or designated construction area(s). IALISD staff may not school hours, or designated construction area(s). IALISD staff may not school hours, or designated construction area(s). IALISD staff may not set the product. Approved for use by contractors only it unoccupied altex, during non- school hours, or designated construction area(s). IALISD staff may not set this product. Approved or use this product. Approved for use by contractors only in designated work areas school hours, or designated work areas school hours, or designated construction area(s). IALISD staff may not use this product. Approved for use by contractors only in designated work areas school hours, or designated work areas school hours school hours, or designated work areas school hours school hours, or designated work areas school hours	
ASIAN RS CLEANER SCHEAMER SCHEAMER Carpentry/ Construction Product Approved (construction zones). LAUSD employees may not use this product. Approved for use by contractors only at unoccupied sites, during non-scheal for such product. Approved for use by contractors only at unoccupied sites, during non-scheal for such product. Approved for use by contractors and trained maintenance and use this product. Approved for use by contractors and trained maintenance and operations personnel only. Approved for use by contractors and trained maintenance and operations personnel only. Before Flash All-Weather SSS Flashing Cement APOC - Asphalt Products Oil Corporation Roofing Products Approved Approved approved for staff use. School Products Approved Approved Approved for staff use. Carpentry/ Construction Product Approved for staff use. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance end Approved for sub by contractors and Mainte	
Approved for use by contractors only at unoccupied sites, during non-school hours, or designated construction area(s). LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations personnel only. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Oil Corporation Reofing Products Approved operations personnel only. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Oil Corporation Reofing Products Approved Operations personnel only. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Oil Corporation Reofing Products Approved Approved for staff use. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Oil Corporation Reofing Products Approved Approved for staff use. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Operations Products Approved Approved for staff use. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Operations Staff use. Elema-Risch All-Weather SBS Risching Cement APOC - Asphalt Products Operations Staff use. Elema-Risch All-Weather SBS Risching Cement Approved Approved Approved for staff use. Approved for staff use. Approved for staff use. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Elema-Risch All-Weather SBS Risch Approved Operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance and operations staff only in designated work areas (construction zones). Approved for staff or set for use by contractors and Maintenance & Operations staff only. Approved for staff or set for use by contractors within designated Construction Product. Approved for outclose set for set for use by contractors within designated Construction Product. Approved for set for use by contractors within	
Samacol-2163-Board-Adhesive-Part-I/ Part-2 Sika Corporation Carpentry/ Construction Product Approved use this product. Approved for use by contractors and trained maintenance and operations personnel only. Back Part of Utily White Lubricating Oil Abdross USA Inc. School Products Approved Approved for staff use. Back Part of Utily United Staff Use. Back Part of Utily United Staff Inshing Oil Abdross USA Inc. School Products Approved Approved for staff use. Back Part of Utily United Staff Use. Back Part of Utily Disks Approved for staff use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Part of Utily Disks Approved for Staff Use. Back Disks Approved f	
Samacol-2163-Board-Adhesive-Part-I/ Part-2 Sika Corporation Carpentry/ Construction Product Approved use this product. Approved for use by contractors and trained maintenance and Approved Individual Carpentry Construction Products Approved Operations personnal carly. Approved for use by contractors and trained maintenance and Approved Individual Carpes Carpentry Construction Products Approved Operations personnal carly. Approved for staff use. Approved for subent and staff use. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and Maintenance and operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by contractors within designated work	
Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved Lily White Lubricating Oil Albatross USA Inc. School Products Approved Approved Approved for staff use. 271 Lilthium Grease Dow Corning Toray Co School Products Approved Approved for staff use. 272 Lily Dinks Hillord Chemical Corp. School Products Approved Approved for staff use. 273 Natural Stabilizing Scaler BP Pro Carpentry/ Construction Product Approved operations staff only in designated work areas (construction zones). 274 Concrete Glue Specchem Carpentry/ Construction Product Approved operations staff only in designated work areas (construction zones). 275 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, inc. Roofing Products Approved Carpentry/ Construction Product Approved for use by contractors and Maintenance and Approved for outdoor use by trained contractors and Maintenance and Approved for outdoor use by trained contractors and Maintenance and Approved for activities by contractors within designated contractors and Maintenance and Approved for activities by contractors within designated contractors and Maintenance and Approved for activities by contractors within designated contractors and Maintenance and Approved for activities by Contractors within designated contractors and Maintenance and Approved for activities by Contractors and Maintenance and Approved for activities by Contractors and Maintenance and Approved for activities by Contractors	
Elema-Flash All-Weather SBS Flashing Cement APOC - Asphalt Products Roofing Products Approved Approved Approved for staff use.	
6270 Lily White Lubricating Oil Albatross USA Inc. School Products Approved Approved for staff use. 6271 Lithium Grease Dow Coming Toray Co School Products Approved Approved for staff use. 6272 UV LED inks Hillord Chemical Corp. School Products Approved Approved for student and staff use. 6273 Natural Stabilizing Sealer BP Pro Carpentry/ Construction Product Approved or student and staff use. 6274 Concrete Glue SpecChem Carpentry/ Construction Product Approved or student and staff use. 6275 ROVAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved Or outstand In Product Approved or student and staff use. 6276 Approved for use by contractors and trained maintenance and Operations staff only in designated work areas (construction zones). 6277 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved Operations staff only in designated work areas (construction zones). 6278 Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). 6279 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved Construction zones of Carpentry/ Construction Product Approved Construction zones and Maintenance & Operations staff only in designated Construction zones and Maintenance & Operations staff only in designated work areas (construction zones). 6283 SpeeChem Speechem Speechem Speechem Approved for outdoor use by contractors within designated	
School Products Approved for staff use. 271 Uithlum Grease	
G271 Lithium Grease Dow Coming Toray Co School Products Approved Approved for staff use. G272 LIV LED inks Hillord Chemical Corp. School Products Approved Approved for student and staff use. Approved for sub-product approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and Maintenance and Approved for use by contractors and Maintenance and Approved for use by trained contractors and Maintenance & Approved for outdoor use by trained contractors and Maintenance & Approved for outdoor use by trained contractors and Maintenance & Approved for outdoor use by trained contractors within designated approved for outdoor use by trained contractors within designated approved for outdoor use by contractors within designated Approved for outdoor use by contractors within designated contractors within designated Approved for seterior use by contractors within designated Approved for seterior use by contractors within designated contractors within designated Approved for seterior use by contractors within designated approved for seterior use by contractors within designated contractors within designated approved for seterior use by contractors within designated contractors within designated approved for seterior use by contractors within designated contractors approved for seterior use by contractors and Maintenance approved for use by con	
School Products Approved for subdent and staff use. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only. Approved for exterior use by contractors within designated	
Approved for use by contractors and trained maintenance and Approved for use by contractors and trained and Approv	
Sezia Natural Stabilizing Sealer BP Pro Carpentry/ Construction Product Approved operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved or outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only. Approved for exterior use by contractors within designated work areas (construction zones). Approved for exterior use by contractors within designated on the contractors within designated construction areas. LAUSD staff may not use this product.	
Approved for use by contractors and trained maintenance and G274 Concrete Glue SpecChem Carpentry/ Construction Product Approved operations staff only in designated work areas (construction zones). Approved for outdoor use by contractors and trained maintenance and operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Operations staff only in designated work areas (construction staff only). Approved for exterior use by contractors within designated Operations staff only in designated work areas (construction staff only). Approved for exterior use by contractors and trained maintenance and Operations staff only in designated work areas (construction staff only). Operations staff only in designated work areas (construction staff only). Operations staff only in designated work areas (construction staff only in des	
Approved for use by contractors and trained maintenance and 6274 Concrete Glue SpecChem Carpentry/ Construction Product Approved operations starf only in designated work cross (construction zones). Approved for outdoor use by trained contractors and Maintenance & 6277 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved 6283 SpecChem SpecChem Specchia B. D. Classic Enterprizes, Inc. Roofing Products Approved for outdoor use by trained contractors and Maintenance & 6283 Approved for exterior use by contractors within designated 6284 Carpentry/ Construction Product Approved 6286 Carpentry/ Construction Product Approved 6287 Carpentry Construction Product 6288 Approved for exterior use by contractors and trained maintenance and 6288 Approved for outdoor use by trained contractors 6288 Approved for exterior use by contractors and trained maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by trained contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved for outdoor use by contractors and Maintenance and 6288 Approved fo	
G274 Concrete Glue SpecChem Carpentry/ Construction Product Approved operations staff only in designated work areas (construction zones). Approved for outdoor use by trained contractors and Maintenance & Approved for outdoor use by trained contractors and Maintenance & Approved for outdoor use by trained contractors and Maintenance & Approved for outdoor use by trained contractors and Maintenance & Approved for exterior use by contractors within designated Approved for exterior use by contractors within designated construction and Maintenance & Approved for exterior use by contractors within designated construction and Maintenance & Approved for exterior use by contractors within designated construction and Maintenance & Approved for exterior use by contractors within designated construction and Maintenance & Approved for exterior use by contractors within designated with the product of the	
Approved for outdoor use by trained contractors and Maintenance & 6277 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved Operations staff only. Approved for exterior use by contractors within designated 6283 SpecChem Specshield WB Carpentry/ Construction Product Approved construction areas. LAUSD staff may not use this product.	
6277 BDC VAPOR SEAL - Clear - Resin B. D. Classic Enterprizes, Inc. Roofing Products Approved Operations staff only. Approved for exterior use by contractors within designated G283 SpecChem Specshield WB Carpentry/ Construction Product Approved construction areas. LAUSD staff may not use this product.	
Approved for exterior use by contractors within designated G283 SpecChem Specshield WB Carpentry/ Construction Product Approved construction areas. LAUSD staff may not use this product.	
9283 SpecChem Specshield WB Carpentry/ Construction Product Approved construction areas. LAUSD staff may not use this product.	
Approved for use by contractors within designated construction greas	
	·
LAUSD staff may not use this product. The product will be applied to	
G285 Durcon Inc. Epoxy Resin Durcon Carpentry/ Construction Product Approved counters off site, cured, and then brought back to site.	
Approved for use by contractors within designated construction areas.	
LAUSD staff may not use this product. The product will be applied to	
G286 Formica Brand Laminates Formica Group Carpentry/ Construction Product Approved counters off site, cured, and then brought back to site.	
G287 Organic Lock Envirobond Products Corporation Exterior Landscape/Playground Approved Approved for use by contractors in designated construction areas.	
G288 MosterFinish RL 100 MosterFinish RL Carpentry/ Construction Product Approved Approved for use by contractors in designated construction areas.	
Approved for use by contractors within designated construction areas.	
G289 FX Nano Water Base Stain Classic Coating Systems Carpentry/ Construction Product Approved LAUSD staff may not use this product.	
Approved for use by contractors and trained maintenance and	
G290 Merlex Poly Prep EPS Bonding Cement Merlex Stucco, Inc. Carpentry/ Construction Product Approved operations staff only in designated construction areas.	
Approved for use by contractors and trained maintenance and	
6291 PAREX USA STUCCO LEVEL COAT PAREXUSA, Inc. Carpentry/, Construction Product Approved operations staff only in designated construction areas.	
Approved for use by contractors and trained maintenance and	
9296 PRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones.	
g296 PRIMER 150 AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones.	
G296 PRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones.	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Floor Care Products Approved operations operations staff only in designated work zones. Approved for use by contractors only in designated construction areas.	
9296 PRIMER ISO AMINE StonAmiNE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated construction areas. Approved for use by contractors only in designated construction areas.	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved operations staff only in designated work zones. Approved operations staff only in designated work zones. Approved In use by contractors only in designated construction areas. Approved LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas.	
FRIMER 150 AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. LAUSS staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas.	
FRIMER ISD AMINE Sto AMINE Stonbard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trined maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractor	
FRIMER 150 AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. LAUSS staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas.	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved Approved or use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved Approved for use by contractors and trained maintenance and Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and staff use. OFT258 DEFT WATER BASED INTERIOR/EXTERIOR POLYURETHANE SIGNATURE (ASSED INTERIOR/EXTERIOR POLYURETHANE) Polint Products Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved operations staff only in designated work zones. Approved operations staff only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work zones. CLEAR SEMI-GLOSS PPG Industries, Inc. Paint Products Approved Approved only in designated work zones.	
FRIMER ISD AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved Approved for use by contractors and trained maintenance and Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff OF 1258 DEFT WATER BASED INTERIOR/EXTERIOR POLYURETHANE G301 CLEAR SEMI-GLOSS PPG Industries, Inc. Paint Products Approved only in designated work zones. Approved for use by contractors and maintenance and operations staff Approved only in designated work areas.	
PRIMER ISO AMINE StonAmiNE Stonhard, Division of StonCor Group, Inc. PRIMER ISO AMINE StonAmiNE Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractor	
FRIMER ISD AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved Approved for use by contractors and trained maintenance and Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff OF 1258 DEFT WATER BASED INTERIOR/EXTERIOR POLYURETHANE G301 CLEAR SEMI-GLOSS PPG Industries, Inc. Paint Products Approved only in designated work zones. Approved for use by contractors and maintenance and operations staff Approved only in designated work areas.	
PRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. PRIMER ISO RESIN Stonhard, Division of StonCor Group, Inc. Prior Care Products Approved or use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors only in designated work areas.	
PRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and trained maintenance and Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated construction areas. Contracts only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD Approved for use by contractors only in designated work areas. LAUSD Approved for use by contractors only in designated work areas. LAUSD Approved for use by contractors only in designated work areas. LAUSD	
RilMER 150 AMINE Stohmard, Division of StonCor Group, Inc. Floor Care Products Approved operations staff only in designated work zones. Approved for use by contractors and friend maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved for use by contractors and maintenance and operations staff Approved only in designated work areas. Approved for use by contractors and maintenance and operations staff Approved only in designated work areas. Approved for use by contractors and maintenance and operations staff Approved only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors	
PRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff BLCK BLCK Point Products Approved only in designated work zones. Approved for use by contractors and maintenance and operations staff CLEAR SEMI-GLOSS PFG Industries, Inc. PG Industries, Inc. Paint Products Approved Only in designated work zones. Approved for use by contractors and maintenance and operations staff Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in designated work areas. Approved for use by contractors only in desig	
PRIMER ISO AMINE Standard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved to use the product staff only in designated work areas. LAUSD staff may not use this product. Approved for use by contr	
FRIMER ISO AMINE Storhard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operation areas. Approved for use by contractors and trained maintenance and operation areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in the staff may not use this product. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance and operations and maintenance and operations staff only in designated work areas. Approved for use by contractors and trained Maintenance and operations and trained Maintenance and	
RIMER ISO AMINE Ston AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trained maintenance and Approved or use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved In LAUSD staff may not use this product. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work zones. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by	
FRIMER ISO AMINE Stonhard, Division of StonCor Group, Inc. Floor Care Products Approved or use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors and trained maintenance and operations staff only in designated work zones. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated construction areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. Approved for use by contractors and maintenance and operations staff only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas. LAUSD staff may not use this product. Approved for use by contractors and trained Maintenance and Approved or use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance	
Figure 150 AMINE Stormary Corporation of Stormary Division Of Stormary D	

Approved for use by contractors and trained mynimenones and dependent over sever and standard mynimenones and dependent over sever and standard mynimenones and specific services and standard mynimenones and specific services and standard over a resident services and standard se	
Approved for use by contracters and storied Maintenance & Approved for use by contracters and storied Maintenance & Operations staff only in designated work areas/construction science. Approved for use by contracters and storied Maintenance & Operations Add, 28-degrees for use by contractors and storied Maintenance & Operations Add, 28-degrees for use by contractors and storied Maintenance & Operations Add, 28-degrees for use by contractors and storied Maintenance & Operations Add, 28-degrees for use by contractors and storied Maintenance & Operations Approved for use by contractors and storied Maintenance & Operations (CAP) Solum Hypochlorite, 5-17% Olin Corporation (CCAP) Solum Hypochlorite, 5-17% Olin Corporation (CCAP) Solum Hypochlorite, 5-17% Operations staff only Approved Operations staff only Approved or use by contractors and storied Maintenance and Operations staff. Approved or use by contractors and storied Maintenance and Operations staff. Approved or use by contractors and storied Maintenance and Operations staff. Approved for use by contractors and storied Maintenance and Operations staff. Approved for use by contractors and storied Maintenance and Operations staff only. Approved for use by contractors and storied Maintenance and Operations staff only. Approved for use by contractors and storied Maintenance and Operations staff only and stories and storied Maintenance & Operations staff only and stories and storied Maintenance and Operation Product Approved Operations staff only and segment developed to storied Maintenance and Operation Product Approved Operations staff only and segment developed to storied Maintenance and Operation staff only in designated work areas/construction areas. Approved for use by contractors and storied Maintenance and Operation staff only in designated work areas/construction areas. Approved for use by contractors and storied Maintenance and Operation staff only in designated work areas/construction areas. Approved for use by contractors and storied M	
Hydrochloric Acid 20-degrees or 22-degrees Bourne O309 (Hydrochloric Acid 20 Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance and Operations staff. Approved for use by controctors and trained Maintenance and Operations staff. Approved for use by controctors and trained Maintenance and Approved for use by controctors and trained Maintenance and Approved for use by controctors and trained Maintenance & Corpentry/ Construction Product. Approved for use by controctors and trained Maintenance & Approved for use by controctors and trained Maintenance & Corpentry/ Construction Product. Approved for use by controctors and trained Maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained maintenance and Operations staff only in designated work areas/ construction zones. Approved for use by controctors and trained Maintenance and Operations	
Hydrochloric Acid 370-degrees or 22-degrees Bourne G309 (Hydrochloric Acid Municipal Acid) Reagent Chemical Swimming Pool Products Approved Or use by contractors and trained Municipal Acid (Municipal Acid) Approved for use by contractors and trained Municipal Acid (Municipal Acid) Approved or use by contractors and trained Municipal Acid (Municipal Acid) Approved or use by contractors and trained Municipal Acid (Municipal Acid) Approved or use by contractors and trained Municipal Acid (Municipal Acid) Approved or use by contractors and trained Municipal Acid (Municipal Acid) Approved or use by contractors and trained Municipal Approved or use by contractors a	
Approved for use by contractors and trained Maintenance and Coperations (CoAP) Section 1, Secti	
Sodium Hypochloritis, 5 - 17% Ofin Corporation (OCAP) Swimming Pool Products Approved Cycerotors and trained Maintenance & Corporation (OCAP) Swimming Pool Products Approved Cycerotors with reference of Efficiency Control Control Product Approved Cycerotors and trained Maintenance and Corporation (OCAP) Specially Specially Section 15 Secti	
Solium Hypochlorite, 5-17% Olin Corporation (OCAP) Swimming Pool Products Approved Corporations selfmming pool maintenance staff only: Approved for use by contractors and trained Maintenance and Corporation Contractors and trained Maintenance and Corporation Corporatio	
Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors sonly at unoccupied sites or during non- Approved for use by contractors only at unoccupied sites or during non- Approved for use by contractors only at unoccupied sites or during non- Approved for use by contractors only at unoccupied sites or during non- Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contr	
Specifier 2 Tremoc U.S. Sealants Carpentry/ Construction Product Approved for use by contractors only at unoccupied sites or during non-standard control of the season of	
Approved for use by contractors only at unoccupied sites or during non-school fours. LLSD staff may not use this product. Specially Silica Products Exterior Landscape/Playground Approved Approved Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance and Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Mainten	
Till SafeGuard Color Coated Glass Infill (Battle Glass - Coated) Forthole Bind Carpentry/ Construction Product Approved Approved Approved for use by contractors and trained Maintenance & Carpentry Construction Product Approved for use by contractors and trained Maintenance and Carpentry Construction Product Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and design	
Approved for use by contractors and trained Maintenance & Gargentry Construction Product Approved Operations staff only. Approved operations staff only in designated work areas/construction zones. Approved operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only.	
Crayentry/ Construction Product Approved Operations staff only. Approved for use by contractors and trained maintenance and Approved Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in Operations staff only in Operations and trained Maintenance and Operations staff only. Approved for use by contractors and trained Maintenance and Operations staff only. Approved for use by contractors and trained Mainten	
Approved for use by contractors and trained maintenance and Approved operations staff only in designated work creas/construction zones. Approved operations staff only in designated work creas/construction zones. Approved operations staff only in designated work creas/construction zones. Approved operations staff only in designated work creas/construction zones. Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved Operations staff only in designated work creas/construction zones. Approved for use by contractors and trained Maintenance and Approved Operations staff only in designated work creas/construction zones. Approved for use by contractors and trained Maintenance and Approved on the contractors and trained Maintenance and Approved of use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for	
Sepechem Speechem Carpentry/ Construction Product Approved operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and Approved operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contracts and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contracts and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations are designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for	
Approved for use by contractors and trained maintenance and G317 Level-Crete Maxon Carpentry/ Construction Product Approved operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Approved or use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by cont	
Carpentry/ Construction Product Approved operations staff only in desginated work areas/construction zones. Approved for use by contractrs and trained Maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractrs and trained Maintenance and Operations staff only in desginated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only	
Approved for use by contractrs and trained Maintenance and Approved for use by contractrs and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance and Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Ma	
Anchor Paint Manufacturing Company Paint Products Approved Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	
Approved for use by contractors and trained Maintenance and G319 Titlebond Speed Set Wood Glue Franklin International Carpentry/ Construction Product Approved Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and G320 SINAK HLQ-125 SINAK SINAK Carpentry/ Construction Product Approved Approved for use by contractors and trained Mso staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained MsO staff only in Approved for use by contractors and trained Maintenance & Approved for use by contractors an	
Titebond Speed Set Wood Glue Franklin International Carpentry/ Construction Product Approved Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained MsO staff only in designated work areas/construction zones. Approved for use by contractors and trained MsO staff only in designated work areas/construction zones. Approved for use by contractors and trained MsO staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	
Approved for use by contractors and trained Maintenance and G320 SINAK HLQ-125 SINAK Carpentry/ Construction Product Approved G321 ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved G321 ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved G321 ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved G321 ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved G322 LATITUDE EXTERIOR ACRYLIC LATEX FLAT SHERWIN WILLIAMS Paint Products Approved for use by contractors and trained Maintenance & Approved f	
SINAK HLQ-125 SINAK HLQ-125 SINAK Carpentry/ Construction Product Approved Operations staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O staff only in designated work areas/construction zones. Approved or use by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only.	
Approved for use by contractors and trained M&O staff only in 6321 ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved designated work cross/construction zones. Approved for use by contractors and trained M&O staff only in designated work cross/construction zones. Approved for use by contractors and trained Mointenance & Operations staff only. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & Operations staff only.	
ASI 57 Clear American Sealants Inc. Carpentry/ Construction Product Approved designated work areas/construction zones. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & OPERATOR ACRYLIC LATEX FLAT SHERWIN WILLIAMS Paint Products Approved Approved for use by contractors and trained Maintenance & OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR OPERATOR ACRYLIC LATEX GLOSS OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS PAINT ACRYLIC LATEX GLOSS OPERATOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS PAINT ACRYLIC LATEX GLOSS APPROVED THE PRODUCTS APPROVED THE PRODUCT	
Approved for use by contractors and trained Maintenance & G322 LATITUDE EXTERIOR ACRYLIC LATEX FLAT SHERWIN WILLIAMS Paint Products Approved Operations staff only. Approved for use by contractors and trained Maintenance & Approved for use by contractors and trained Maintenance & G323 LATITUDE EXTERIOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
G322 LATITUDE EXTERIOR ACRYLIC LATEX FLAT SHERWIN WILLIAMS Paint Products Approved Operations staff only. Approved for use by contractors and trained Maintenance & Approved LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
Approved for use by contractors and trained Maintenance & G323 LATITUDE EXTERIOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
6323 LATITUDE EXTERIOR ACRYLIC LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
Approved for use by contractors and trained Maintenance &	
G324 SUPERPAINT EXTERIOR LATEX FLAT SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
Approved for use by contractors and trained Maintenance &	
G325 SUPERPAINT EXTERIOR LATEX GLOSS SHERWIN WILLIAMS Paint Products Approved Operations staff only.	
Approved for use by contractors only within designated construction	
G326 Grace Spatter/kote SDS GCP Applied/Technologies Fire Retardants Approved areas.	
Approved for use by contractors only within designated construction	
G327 Grace Firebond SDS Fiberblock Technologies, Inc. Fire Retardants Approved areas.	
Approved for use by contractors only within designated construction	
G328 Monokote Z-106/HY GCP Applied Technologies/Monokote Fire Retardants Approved creas.	
Approved for use by contractors and trained Maintenance and	
G329 II07 Advantage Grout Dayton Superior Carpentry/ Construction Product Approved Operations staff only in designated work areas/construction zones.	
Approved for use by contraction and design and the second of the second	
G330 Rapid Set - Concrete Mix - Very Rapid Hardening Concrete Rapid Set Carpentry/ Construction Product Approved Operations staff only in designated work areas/construction zones. Product is classified as non-hazardous per OSHA 1910.1200. Defined by	
Product is classified as non-nazardous per CSHA BIOLIZOU. Defined by OSHA as in Orardicia or manufactured item that formed to a shape or	
design during manufacture that does not release or result in exposure	
to a hazardous chemical under normal use conditions. OEHS approval G322 Mel-Drain 9055B W. R. Meadows Carpetry/ Construction Product Approved is not needed for "articles."	
outpointly obtained Approved	
Product is classified as non-hazardous per OSHA 1910;1200. Is defined by	
OSHA as an "article," a manufactured item that is formed to a shape or	
design during manufacture that does not release or result in exposure	
to a hazardous chemical under normal use conditions. OEHS approval	
G333 Gacoffex 66B Gaco Western, Inc. Carpentry/ Construction Product Approved is not needed for "articles."	
Product is classified as non-hazardous per OSHA 1910.1200. Defined by	
OSHA as an "article," a manufactured item that is formed to a shape or	
design during manufacture that does not release or result in exposure	
to a hazardous chemical under normal use conditions. OEHS approval	
G335 Gacoflex NF-621 Gaco Western, Inc. Carpentry/ Construction Product Approved is not needed for "articles."	
G335 Gacoflex NF-621 Gaco Western, Inc. Carpentry/ Construction Product Approved is not needed for "articles."	
G335 Gacoflex NF-621 Gaco Western, Inc. Carpentry/ Construction Product Approved is not needed for "articles." Approved for use by contractors only at unoccupied sites/construction	
Approved for use by contractors only at unoccupied sites/construction	
Approved for use by contractors only at unoccupied sites/construction	
Approved for use by contractors only at unoccupied sites/construction G342 Resultor 3569 Multi-Purpose Epoxy Part A & B Sherwin-Williams Co. Carpentry/ Construction Product Approved sites or during non-school hours. LAUSD staff may not use this product.	
Approved for use by contractors only at unoccupied sites/construction	

					Approved for use by contractors only at unoccupied sites/construction
	Resuprime 3830/3835 Part A & B	Sherwin-Williams Co.			sites or during non-school hours. LAUSD staff may not use this product.
G344	Resuprime 3830/3835 Part A & B	Sherwin-Williams Co.	Carpentry/ Construction Product	Approved	sites or during non-school nours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites/construction
G345	Resuftor 3520 Epoxy Terrazzo Matrix Part A & B	Sherwin-Williams Co.	Carpentry/ Construction Product	Approved	sites or during non-school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites/construction
G346	OBP 70/30 3000 PSI Concrete Grout, R-Grout Ald	ORCO	Carpentry/ Construction Product	Approved	sites or during non-school hours. LAUSD staff may not use this product.
			7		Approved for use by contractors and trained M&O personnel only in
G348	Life Deck Transparent Concrete Stain	Life Paint	Paint Products	Approved	designated work areas/construction zones.
0340	ale book transparent controls stati	and I dilit	runtriodets	Аррготец	Approved for use by contractors and trained maintenance and
G349	Aqua Mix® Concentrated Stone & Tile Cleaner	Custom Building Products	Cleaning Products	Approved	operations staff only in desginated work areas/construction areas.
					Approved for use by contractors and trained maintenance and
G350	Freon™ MO29 (R-422D) Refrigerant	Chemours	HVAC Products	Approved	operations staff only in desgnated work areas/construction areas.
					Approved for use by contractors and trained maintenance and
G351	Sika Grout Aid	Sika	Carpentry/ Construction Product	Approved	operations staff only in designated work aras/construction zones.
					Approved for use by contractors and trained maintenance and
G352	DOWSIL™ Contractors Paintable Sealant	Dowsil	Carpentry/ Construction Product	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G353	Asphalt Sealcoat and Hotmix Colorants	ChromaPave	Exterior Landscape/Playground	Approved	operations staff in designated work areas/construction zones.
0000			Exterior turiuscuperriaygrounu	Аррготец	Approved for use by contractors and trained maintenance and
	A colored Construction of Materials Colored	Observe Provide			
G353	Asphalt Sealcoat and Hotmix Colorants	ChromaPave	Exterior Landscape/Playground	Approved	operations staff in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G354	Overkote asphalt pavement coating	Diversified asphalt products	Exterior Landscape/Playground	Approved	operations staff only in designated work areas/construction zones.
G355	Bed Bath and Beyond Liquid Hand Soap	Bed Bath and Beyond	Personal Hygiene Products	Approved	Approved for use for Administrator/Teachers and Custodial Staff.
	Amaco Potter's Choice Glaze Pint (Excluding PC-32- not				
G357	approved)	Amaco	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
G358	White MH Build Series PLA Filament - 2.85mm (1kg)	MatterHackers	School Products	Approved	Approved for student and staff use.
G359	UltiMaker Breakaway Support Material - 2.85mm (0.75kg)	Ultimaker	School Products	Approved	Approved for student and staff use.
0308	oldividues breakdway support waterial 2.65min (6.75kg)	ottinakei	SCHOOL FLOUDERS	Аррголец	**
					Approved for use by contractors and trained maintenance and
G360	Acrylic Patch Binder	ThorWorks Industries	Exterior Landscape/Playground	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G362	Prime Tek Metal Primer	CARLISLE Roof Foam & COATINGS	Roofing Products	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G364	Seamless Seal BB Acrylic Coating	CARLISLE Roof Foam & COATINGS	Roofing Products	Approved	Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G364	Seamless Seal BB Acrylic Coating	CARLISLE Roof Foam & COATINGS	Roofing Products	Approved	
G364 G365	Seamless Seal BB Acrylic Coating Seal-Tek Acrylic Mastic	CARUSLE Roof Foam & COATINGS CARUSLE Roof Foam & COATINGS	•		operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
	.,		Roofing Products Roofing Products	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365	Seal-Tek Acrylic Mastic	CARUSLE Roof Foam & COATINGS	Roofing Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
	.,		•		operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366	Seal-Tek Acrylic Mastic UZIN NC 888	CARUSIE Roof Foam & COATINGS Uzin Utz North America Inc.	Roofing Products Floor Care Products	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-
G365	Seal-Tek Acrylic Mastic	CARUSLE Roof Foam & COATINGS	Roofing Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
G365 G366 G369	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific	Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours, LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and
G365 G366	Seal-Tek Acrylic Mastic UZIN NC 888	CARUSIE Roof Foam & COATINGS Uzin Utz North America Inc.	Roofing Products Floor Care Products	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika	Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G365 G366 G369	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific	Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369 G372	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G365 G366 G369 G372	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAISD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G365 G366 G369 G372	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric)	CARLISLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369 G372 G373	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric)	CARLISLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work
G365 G366 G369 G372	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones.
G365 G366 G369 G372 G373 G374	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnoRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structolath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work
G365 G366 G369 G372 G373 G374 G376	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner	CARUSIE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA Y- Structa Wire Corp	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product.
G365 G366 G369 G372 G373 G374	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnoRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structolath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones LAUSD staff may not use this product. Approved for use by Contractors only in designated work areas/construction zones LAUSD staff may not use this product. Approved for use by Contractors only in designated work areas/construction zones LAUSD staff may not use this product.
G365 G366 G369 G372 G373 G374 G376	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner	CARUSIE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA Y- Structa Wire Corp	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product.
G365 G366 G369 G372 G373 G374 G376	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner	CARUSIE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA Y- Structa Wire Corp	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones LAUSD staff may not use this product.
G365 G366 G369 G372 G373 G374 G375 G376 G377	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hour. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only. Approved for use by contractors and trained maintenance and
G365 G366 G369 G372 G373 G374 G376 G377 G378	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by wontractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by wontractors and trained maintenance and operations staff only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by wontractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by wontractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369 G372 G373 G374 G375 G376 G377	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner Waxle Magic Hand & Surface Towels LiquidWood and WoodEpox	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors on designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only by designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only by designated work areas/constru
G365 G366 G369 G372 G373 G374 G375 G376 G377	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceilings Truss Corner, Structa Corner Waxle Magic Hand & Surface Towels LiquidWood and WoodEpox	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. AUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378 G379	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95 nora Polyurethane adhesive PU MR95	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product Adhesive Products Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by Maintenance & Operations staff only. Approved for use by Maintenance & Operations staff only. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in des
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hour. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construc
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378 G379	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95 nora Polyurethane adhesive PU MR95 nora adhesive ED MR90	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product Adhesive Products Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378 G379	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95 nora Polyurethane adhesive PU MR95	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Maintenance and Operations Products Carpentry/ Construction Product Adhesive Products Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operation
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378 G379 G380	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95 nora Polyurethane adhesive PU MR95 nora adhesive ED MR90	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Product Carpentry/ Construction Product Adhesive Products Adhesive Products Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff
G365 G366 G369 G372 G373 G374 G375 G376 G377 G378 G379 G380	Seal-Tek Acrylic Mastic UZIN NC 888 Dens Defy Liquid Barrier SarnaRoof Membrane Cleaner 100 PAREX USA Stucco Mesh (Woven Fiberglass Fabric) Adacryl Admix & Bonding Agent Lahabra Color Pack Structalath, Twin Trac 2.5, Mega Lath, V-Truss Walls & Ceillings Truss Corner, Structa Corner Waxie Magic Hand & Surface Towels LiquidWood and WoodEpox nora Adhesive AC MR 95 nora Polyurethane adhesive PU MR95 nora adhesive ED MR90	CARUSLE Roof Foam & COATINGS Uzin Utz North America Inc. Georgia-Pacific Sika PAREXUSA PAREXUSA PAREXUSA PAREXUSA V- Structa Wire Corp Waxie Abatron Nora by Interface nora by Interface	Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Maintenance and Operations Product Carpentry/ Construction Product Adhesive Products Adhesive Products Adhesive Products	Approved	operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and tr

					Approved for use by contractors and trained maintenance and
G385	nora Dryfix 750 adhesive tape	nora by Interface	Adhesive Products	Approved	operations staff only in designated work areas/construction zones.
	, ,	·			Approved for use contractors and trained maintenance and operations
G387	Iso-Crack Epoxy membrane, Primer, Epoxy Matrix	Terroxy	Carpentry/ Construction Product	Approved	staff only in designated work areas/construction zones.
G388	Det&Rinse	UNOX	Cleaning Products	Approved	Approved for use by Food Service Staff only.
0300	Botaniiso	515%	Clearing Froducts	Аррготец	Approved for use by contractors and trained maintenance and
G389	Suprema Interior SG L Base	Dunn-Edwards Paint	Paint Products	Amproved	operations staff only in designated work areas/construction zones.
0309	Supremu interior 30 E base	Duni Edwards Fank	ruint rioducts	Approved	Approved for student and staff use. All colors are approved except for
					the following: Cadmium Orange, Cadmium Red Light, Cadmium Red
					Medium, Cadmium Yellow Light, Cadmium Yellow Medium, Cobalt
G390	LIQUTEX HEAVY BODY ACRYLIC COLOR SET	Blick	School Products	Approved	Green, Cobalt Teal, Cobalt Turquoise, Cobalt Blue.
					Approved for authorized staff and supervised students use who have
					read and understood the safety precautions associated with using this
G391	Wick Color Smoke Stick	Wick	School Products	Approved	product.
	ADFAST-ADSEAL DWS 4580 Weather Seal Neutral Cure Silicone				Approved for use by contractors and trained maintenance and
G393	Adhesive Sealant	ADFAST	Carpentry/ Construction Product	Approved	operations staff only in desginated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G394	Eucon DS	Euclid Chemical	Carpentry/ Construction Product	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors only at unoccupied sites or during non-
G395	HydroBond PVC Bonding Adhesive	Carlisle SybTec	Adhesive Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained Maintenance &
G396	USG SECUROCK Brand Ultralight Glass-Mat Roof Board	United States Gypsum Company	Carpentry/ Construction Product	Approved	Operations staff only in designated work areas/construction zones.
		•			Approved for use by contractors only in deisgnated work
G397	Color Hardeners	Brickform	Exterior Landscape/Playground	Approved	areas/construction zones.
0007			Exterior carrascapo, riaygrouna	Approved	Approved for use by contractors and trained maintenance and
G398	Smart Strip & Smart Strip Pro	Dumond	Paint Products	Approved	operations staff only in designated work areas/construction zones.
0390	Smart strip to	Bullona	ruint rioducts	арргоvеd	Approved for use by contractors and trained maintenance and
	MinWool Sound Attenuation Fire Batts (SAFB)	Johns Manville			operations staff only in designated work areas/construction zones.
G399	MINWOOI Sound Attenuation Fire Batts (SAFB)	Johns Manville	Carpentry/ Construction Product	Approved	
					Approved for outdoor use by contractors only in designated work
G400	Pro-Grade 988 Silicone White Roof Coating	HENRY COMPANY	Roofing Products	Approved	areas/construction zones.
					Approved for outdoor use by contractors only in designated work
G401	Pro-Grade 294 Base Coat & Sealer	HENRY COMPANY	Roofing Products	Approved	areas/construction zones.
					Approved for outdoor use by contractors ony in designated work
G402	Pro-Grade 941 Primer	HENRY COMPANY	Roofing Products	Approved	areas/construction zones.
					Approved for outdoor use by contractors only in designated work
G403	Pro-Grade 923 Butter Grade Silicone Roof Sealer	HENRY COMPANY	Roofing Products	Approved	areas/construction zones.
					This is an "Article" and does not need OEHS approval. This article doesn't
					contain hazardous substances or mixtures intended to be released
					under normal or reasonably foreseeable
					conditions of use. This chemical is not considered hazardous by the
					2012 OSHA Hazard Communication Standard (29 CFR
G404	TIETEX T272 POLYESTER	HENRY COMPANY	Roofing Products	Approved	1910.1200)
			•		This is an "Article" and does not need OEHS approval. This article doesn't
					contain hazardous substances or mixtures intended to be released
					under normal or reasonably foreseeable
					conditions of use. This chemical is not considered hazardous by the
0.405	UDIEC Conthetic Declina Under a service	Curana Caraina Deefing and to-ball US	Parties Products		2012 OSHA Hazard Communication Standard (29 CFR
G405	UDL50 Synthetic Roofing Underlayment	Owens Corning Roofing and Asphalt, LLC	Roofing Products	Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200)
			•		2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work
G405 G408	UDL50 Synthetic Roofing Underlayment Sure-Flex Low VOC PVC Step I Activator	Owens Corning Roofing and Asphalt, LLC Carlisle SynTec	Roofing Products	Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones.
G408	Sure-Flex Low VOC PVC Step 1 Activator	Carlisle SynTec	Roofing Products	Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work
			•		2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones.
G408 G409	Sure-Flex Low-VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer	Carlisle SynTec Carlisle SynTec	Roofing Products Roofing Products	Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408	Sure-Flex Low VOC PVC Step 1 Activator	Carlisle SynTec	Roofing Products	Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula	Carlisle SynTec Carlisle SynTec Miracle Sealants Company	Roofing Products Roofing Products Floor Care Products	Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408 G409	Sure-Flex Low-VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer	Carlisle SynTec Carlisle SynTec	Roofing Products Roofing Products	Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula GraniteCrete	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc.	Roofing Products Roofing Products Floor Care Products	Approved Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula	Carlisle SynTec Carlisle SynTec Miracle Sealants Company	Roofing Products Roofing Products Floor Care Products	Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula GraniteCrete	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer SIIAnit-Slip Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing Parapro Roof Membrane Resin (Gray, White); Parapro Flashing	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 GFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G408 G409 G410	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer SillAnit-Slip Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing Parapro Roof Membrane Resin (Gray, White); Parapro Flashing (Gray, White); Terapro Base Resin; Terapro Flashing Resin;	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained Mixi roofing personnel only in designated work areas/construction zones.
G408 G409 G410 G411	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing Parapro Roof Membrane Resin (Gray, White); Farapro Flashing (Gray, White); Tercpro Base Resin; Terapro Flashing Resin; Terapro VTS Resin; Terapro Warring Layer; Paracoat (Sand,	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product	Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones.
G408 G409 G410 G411	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer 511Anit-Slip Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing Parapro Roof Membrane Resin (Gray, White); Farapro Flashing (Gray, White); Tercpro Base Resin; Terapro Flashing Resin; Terapro VTS Resin; Terapro Warring Layer; Paracoat (Sand,	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentryl Construction Product Roofing Products Roofing Products	Approved Approved Approved Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones.
G408 G409 G410 G411 G412	Sure-Flex Low VOC PVC Step 1 Activator Sure-Flex Low-VOC PVC Step 2 Primer SillAnit-Silp Formula GraniteCrete Paraflex Liquid Membrane and Paraflex 531 Liquid Flashing Parapro Roof Membrane Resin (Gray, White); Parapro Flashing (Gray, White); Terapro Base Resin; Terapro Flashing Resin; Terapro VTS Resin; Terapro Wearing Layer, Paracoot (Sand, Gray, White); Paracoot HS	Carlisle SynTec Carlisle SynTec Miracle Sealants Company GraniteCrete, Inc. Siplast, Inc	Roofing Products Roofing Products Floor Care Products Carpentry/ Construction Product Roofing Products	Approved Approved Approved Approved Approved	2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for outdoor use by contractors only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones. Approved for use by contractors and trained M&O roofing personnel only in designated work areas/construction zones.

					Approved for use by trained Maintenance & Operations staff only. This
					disinfectant should be used only on non-porous surfaces (hard
G416	Briotech sanitizer and disinfectant	BrioTech	Cleaning Products	Ameround	surfaces).
0410	Briotech sanitizer and distributant	Bilotecti	Cleaning Floaticts	Approved	Approved for use by contractors only in designated work
G417	Hydraelastic 836	W.R. Meadows	Carpentry/ Construction Product	Ameround	areas/construction zones.
G417	nydraeidstic 636	w.r. meddows	Carpentry/ Construction Product	Approved	
					This product is defined by OSHA as an "Article" and therefore does not require OEHS approval. An article is a manufactured item that is formed
					· · · · ·
					to a specific shape or design during manufacture that does not release
					or result in exposure to a hazardous chemical under normal use
G418	Reinforcing Fabric HCR	W.R. Meadows	Carpentry/ Construction Product	Approved	conditions.
					Approved for outdoor use by contractors in designated work
G419	Sikafles 410 Asphalt Sealant	Sikaflex	Carpentry/ Construction Product	Approved	areas/construction zones.
					Approved for use by contractors only in designated work
G420	Rezi-Weld LV	W.R Meadows	Carpentry/ Construction Product	Approved	areas/construction zones.
					Approved for use by contractors only in designated work
G421	SikaTop Dispersion Part A	Sika Corporation	Carpentry/ Construction Product	Approved	areas/construction zones.
G422	Betco - Advanced Alcohol Gel Sanitizer	Betco	Personal Hygiene Products	Approved	Approved for use by Students and Staff.
G423	Germ Attack Hand Sanitizer	X3 Labs Inc	Personal Hygiene Products	Approved	Approved for use by students and staff.
			,3		Approved for use by contractors and trained maintenance and
G425	Sikalastomer - 65	Sika Corporation	Adhesive Products	Approved	operations staff only in designated work areas/construction zones.
0420			Adiosive Froducts	Арріотов	Approved for use by contractors and trained maintenance and
G426	ACRYSHIELD A400, A420,A500, A501, A510, A590	NATIONAL COATINGS CORPORATION	Daniel - Daniel - Daniel		operations staff only in designated work areas/construction zones.
G426	ACK 131 IEED A400, A420,A300, A301, A310, A330	NATIONAL COATINGS CONFORATION	Roofing Products	Approved	Approved for use by contractors and trained maintenance and
G427	ACRYSHIELD A502, A503, A602, A603	NATIONAL COATINGS CORPORATION	Roofing Products	Approved	operations dtaff only in deisgnated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G428	ACRYSHIELD A510	NATIONAL COATINGS CORPORATION	Roofing Products	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G429	HENRY WHITE ROOFING SEALANT (HE 289)	HENRY COMPANY	Roofing Products	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors only in designated work
G430	Henry 317 Multipurpose Construction Adhesive	The W.W. Henry Company	Carpentry/ Construction Product	Approved	areas/construction zons. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G431	T/C White Line Paint- Textured (CMT-52)	ThorWorks Industries, Inc.	Paint Products	Approved	operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
G432	White Line Paint (CMT-50)	ThorWorks Industries, Inc	Paint Products	Approved	operations staff only in designated work areas/construction zones.
G434	Highmark Original Hand Sanitizer	Apollo Health	Personal Hygiene Products	Approved	Approved for student and staff use.
0404	3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	100000	T Crooman Tygrono T Todacco	Арріотоц	Approved for use by contractors only in designated work
G435	ProCoustic	ProCoat Products	Carpentry/ Construction Product	Approved	areas/construction zones.
G436			Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only.
					Approved for use by trained maintenance & operations stain only.
G437	Karndean Clean	Dr. Schutz			Annual of the state of the ball of the bal
	Karndean Remove	Dr. Schutz	Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only.
G438					Approved for use by trained Maintenance & Operations staff only.
	Karndean Remove Karndean Refresh	Dr. Schutz Dr. Schutz	Cleaning Products Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work
G438 G439	Karndean Remove	Dr. Schutz	Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only.
	Karndean Remove Karndean Refresh	Dr. Schutz Dr. Schutz	Cleaning Products Cleaning Products	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work
	Karndean Remove Karndean Refresh	Dr. Schutz Dr. Schutz	Cleaning Products Cleaning Products	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones.
G439	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B	Dr. Schutz Dr. Schutz Sika Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work
G439	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B	Dr. Schutz Dr. Schutz Sika Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance &
G439	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B	Dr. Schutz Dr. Schutz Sika Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school
G439	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B	Dr. Schutz Dr. Schutz Sika Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance &
G439 G440	Korndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer	Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Point Products	Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites.
G439 G440	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246	Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use.
G440 G441 G442	Korndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer	Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction
G439 G440	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc.	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Point Products	Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for use by Contractors in designated work areas/construction zones. LAUSD staff may not use this product.
G440 G441 G442 G443	Korndeon Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar	Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction
G440 G441 G442	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc.	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones.
G449 G440 G441 G442 G443	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar UQUID COLOR BLEND A875	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc. Splice Sleeve OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for sudent (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction
G440 G441 G442 G443	Korndeon Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar	Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LNUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones.
G441 G441 G442 G443 G444	Korndeon Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar UQUID COLOR BLEND A875 UQUID COLOR BLEND A1010	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, inc. Splice Sleeve OXERRA OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for subdent (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones.
G449 G440 G441 G442 G443	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar UQUID COLOR BLEND A875	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc. Splice Sleeve OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones.
G441 G442 G443 G444 G445 G446	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve OXERRA OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for sudent (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G441 G441 G442 G443 G444	Korndeon Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar UQUID COLOR BLEND A875 UQUID COLOR BLEND A1010	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, inc. Splice Sleeve OXERRA OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store an school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G441 G442 G443 G444 G445 G446	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve OXERRA OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for subject of the staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for subject of the staff only in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and
G441 G442 G443 G444 G445 G446	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve OXERRA OXERRA	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store an school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G449 G441 G442 G443 G444 G445 G446	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070 All Purpose Silicone 1 Window & Door Sealant	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc. Splice Sleeve OXERRA OXERRA OXERRA Henkel Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Paint Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by Maintenance & Operations staff only during non-
G449 G441 G442 G443 G444 G445 G446	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070 All Purpose Silicone 1 Window & Door Sealant	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries inMusic Brands, Inc. Splice Sleeve OXERRA OXERRA OXERRA Henkel Corporation	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Paint Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for student (w/ adult supervision) and staff use. Approved for sub ye contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by kontractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by Maintenance & Operations staff only during non-school hours.
G449 G440 G441 G442 G443 G444 G445 G446 G447	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070 All Purpose Silicone I Window & Door Sealant Diamond Line	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve OXERRA OXERRA OXERRA DESTRA DESTR	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Exterior Landscape/Playground	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store on school sites. Approved for use by Contractors and trained Maintenance & Operations of use by Contractors and trained work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by kaintenance & Operations staff only during non-school hours. Approved for use by contractors only of unoccupied sites or during non-school hours.
G449 G440 G441 G442 G443 G444 G445 G446 G447	Karndean Remove Karndean Refresh Sikatop 123 Plus Part B POLY-I-GARD - 246 Fast Dry 4190 primer Marq Haze Fluid SS Mortar LIQUID COLOR BLEND A875 LIQUID COLOR BLEND A1010 LIQUID COLOR BLEND A1070 All Purpose Silicone I Window & Door Sealant Diamond Line	Dr. Schutz Dr. Schutz Dr. Schutz Sika Corporation POLYCOAT PRODUCTS PPG Industries InMusic Brands, Inc. Splice Sleeve OXERRA OXERRA OXERRA DESTRA DESTR	Cleaning Products Cleaning Products Carpentry/ Construction Product Carpentry/ Construction Product Paint Products Miscellaneous Carpentry/ Construction Product Paint Products Paint Products Paint Products Carpentry/ Construction Product Paint Products Carpentry/ Construction Product Exterior Landscape/Playground	Approved	Approved for use by trained Maintenance & Operations staff only. Approved for use by contractors only in designated work areas/construction zones. Approved for use by contractors only in designated work areas/construction zones. This product will be shop applied. Approved for restricted use at school sites. Approved for use by Contractors and trained Maintenance & Operations staff only in designated work areas for touch up purposes only. Do not store an school sites. Approved for subdent (w/ adult supervision) and staff use. Approved for use by contractors in designated work areas/construction zones. LAUSD staff may not use this product. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.

					Approved for use by contractors and trained Maintenance and
G451	UZIN NC 150	Uzin Utz North America, Inc.	Floor Care Products	Approved	Operations staff only in designated work areas/construction zones.
		<u> </u>		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Approved for use by contractors and trained Maintenace and
G452	UZIN PE 260	Uzin Utz North America, Inc.	Floor Care Products	Approved	Operations staff only in deisgnated work areas/construction zones.
					Approved for use by contractors and trained Maintenance and
G453	Sheetrock Brand Joint Compound, Topping, Ready-Mixed	United States Gypsum Company	Carpentry/ Construction Product	Approved	Operations staff only in designated work areas/construction zones.
					Approved for use by contractors only at unoccupied sites/construction
G454	VersaBond Professional Thin-Set Mortar	Custom Building Products	Carpentry/ Construction Product	Approved	zones. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites/construction
G455	QuietSeal Pro Acoustical Sealant	QuietRock by Pabco Gypsum	Carpentry/ Construction Product	Approved	zones. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G456	ZRC Cold Galvanizing Compound	ZRC Worldwide	Paint Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors (certified installers) only at
					unoccupied sites or during non-school hours. LAUSD staff may not use
G457	CAB-O-SILTS-720	Cabot Specialty Chemicals, Inc	Carpentry/ Construction Product	Approved	this product.
					Approved for use by contractors (certified installers) only at
					unoccupied sites or during non-school hours. LAUSD staff may not use
G458	CSS V-Wrap 770	Simpson Strong-Tie	Carpentry/ Construction Product	Approved	this product.
					Approved for use by contractors (certified installers) only at
					unoccupied sites or during non-school hours. IAUSD staff may not use
G459	CSS V-Wrap PF	Simpson Strong-Tie	Carpentry/ Construction Product	Approved	this product.
					Approved for use by contractors (certified installers) only at
					unoccupied sites or during non-school hours. IAUSD staff may not use
G460	CSS V-Wrap CHM (C200HM, C400HM)	Simpson Strong-Tie	Carpentry/ Construction Product	Approved	this product.
					Approved for use by contractors (certified installers) only at
					unoccupied sites or during non-school hours. LAUSD staff may not use
G461	CSS V-Wrap Tstrata TC	Simpson Strong-Tie	Carpentry/ Construction Product	Approved	this product.
					Approved for use by contractors in designated work areas/construction
G467	GE branded Advanced Silicone 2 Kitchen & Bath Sealant	GE	Carpentry/ Construction Product	Approved	zones.
					Approved for use by contractors in designated work areas/construction
G468	DAP KWIK SEAL ULTRA Premium Siliconized Sealant	DAP Global Inc.	Carpentry/ Construction Product	Approved	zones.
					Approved for use by contractors in designated work areas/construction
G471	Firecode Compound	USG	Carpentry/ Construction Product	Approved	zones.
					Approved for use by contractors in designated work areas/construction
G472	Durabond Compund	Sheetrock	Carpentry/ Construction Product	Approved	zones.
					Approved for use by contractors and trained Maintenance &
G476	SikaRepair -222	Sika	Carpentry/ Construction Product	Approved	Operations staff only in unoccupied areas.
					Approved for use by contractors only in unoccupied areas. This product
G477	RUSTBOND PS PART A	Carboline	Paint Products	Approved	must also meet LAUSD Tech Services (TTT) requirements for use.
					the state of the s
	RUSTBOND PS PART B	Carboline			Approved for use by contractors only in unoccupied areas. This product must also meet LAUSD Tech Services (TTT) requirements for use.
G478	RUSTBUND ES FART B	Curpoline	Paint Products	Approved	must diso meet avoor rech services (111) requirements for use.
					Approved for use by contractors only in unoccupied areas. This product
G479	Carboline Carbomastic 615 Comp. A Red	Akis Paint and Chemical	Paint Products		must also meet LAUSD Tech Services (TTT) requirements for use.
G4/8	CO. SOUTH COLIDOT HONGE OF COMP. A Red	AND LAIRE GIRL GIRLING	r dirit Floducts	Approved	mass and mass should recitation (111) requirements for use.
1					Approved for use by contractors only in unoccupied areas. This product
G480	Urethane Converter 811	Carboline	Paint Products	Approved	must also meet LAUSD Tech Services (TTT) requirements for use.
5400			. Giric i foddota	Approved	Approved for use by contractors only at unoccupied sites or during non-
G483	POLYASPARTIC PART A - CLEAR	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
5-55	· · · · · ·		pontry construction rounds	прриотац	Approved for use by contractors only at unoccupied sites or during non-
G484	POLYASPARTIC PART B - PIGMENTED & CLEAR	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
			F//		Approved for use by contractors only at unoccupied sites or during non-
G485	WESTCOAT CEMENT TEMPER-CRETE	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
1			F. D. C.	F F - 17	Approved for use by contractors only at unoccupied sites or during non-
G486	QUARTZ SAND - ALL COLORS	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
-			. "		Approved for use by contractors only at unoccupied sites or during non-
G487	TEMPER-CRETE URETHANE CLEAR PART A	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G488	TEMPER-CRETE URETHANE PART B	WESTCOAT SPECIALTY COATING SYSTEMS	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
				**	Approved for use by contractors and trained Maintenance and
G489	PREVAIL 3500	HELMITIN INC.	Adhesive Products	Approved	Operations staff only in designated work areas/construction zones.
					Approved for use by contractors and trained maintenance and
1		Carlisle SynTec	Roofing Products	Approved	operations staff only in designated work areas.
G491	White One-Part Pourable Sealer	Cullisie Sylliec	Rooming Froducts		

					Approved for use by contractors only at unoccupied sites or during non-
G492	PREVAIL 6000	METROFLOR	Adhesive Products	Approved	school hours. LAUSD staff may not use this product.
G493	GOJO Orange Pumice Hand Cleaner	GOJO Industries INC	Personal Hygiene Products	Approved	Approved for use by Maintenance and Operations staff.
G494	Fast Orange Xtreme Pumice Hand Cleaner	Permatex INC	Personal Hygiene Products	Approved	Approved for use by Maintenance and Operations staff.
0434	Tax orange xuone rannee nana oleaner	Tarriatorino	reisonarrygiene riodacts	Аррготеа	Approved for use by contractors and trained Maintenance and
G496	sarnacol 2175	Sika	Roofing Products	Approved	Operations Staff only at unoccupied sites or during non-school hours.
0430	541146672776		Rooming Froducts	Аррголец	Approved for use by contractors and trained Maintenance and
G497	Strike Bac Germicidal Cleaner 1 oz	Genlabs	Cleaning Products	Approved	Operations staff only at unoccupied sites or during non-school hours.
0437			Cledining Products	Аррготеа	Approved for use by contractors only at unoccupied sites or during non-
G498	MasterEmaco N 425	Master Builders Solutions	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
0430	Master France 11 420	Waster Ballaci o Solations	curporary construction reduct	Аррготеа	Approved for use by contractors and trained Maintenance and
G503	DAP All Purpose 100% Silicone Rubber Adhesive Sealant	DAP Products Inc.	Adhesive Products	Approved	Operations staff only at unoccupied sites or during non-school hours.
0303	DAF AIR Ful pose 100% SIIICOHE RUDDEI AUHESIVE Sediciti	DAI FIOURCES IIIC.	Adriesive Products	арргоvеu	Approved for use by contractors and trained Maintenance and
G503	DAP All Purpose 100% Silicone Rubber Adhesive Sealant	DAP Products Inc.	Adhesive Products	Approved	Operations staff only at unoccupied sites or during non-school hours.
0505	DAI AIT GIPOSO IOON OIIIOOTO KADDOT AATOSTVO OCAIGITO	DAI TOUBLE INC.	Adriesive Floducts	Арргочеи	Approved for use by contractors and trained Maintenance and
G504	GE TUB AND TIGE SILICONE KITCHEN AND BATH PROJECTS	Henkel	Carpentry/ Construction Product	Approved	Operations staff only at unoccupied sites or during non-school hours.
G504	GE TOB AND TIGE SILICONE KITCHEN AND BATH PROJECTS	neriker	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and
G504	GE TUB AND TIGE SILICONE KITCHEN AND BATH PROJECTS	Henkel	Component of Construction Brodust	Approved	Operations staff only at unoccupied sites or during non-school hours.
G504	GE TOB AND TIGE SILICONE KITCHEN AND BATH PROJECTS	neriker	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and
G505	TEC® INCOLOR® 850-905 CK SANDED LIGHT COOL GRAY	H.B. Fuller Construction Products			Operations staff only at unoccupied sites or during non-school hours.
G505	TEC-INCOLOR- 850-505 CK SAINDED LIGHT COOL GRAT	n.b. rulier Construction Froducts	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained maintenance and
G506	Food Grade Silicone	CRC	Malatan and Consenting Bandont		
G506	Food Grade Silicone	CRC	Maintenance and Operations Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G508	CARBOCOAT 8239	Carboline Global Inc.			Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours.
G508		Le Maitre	Carpentry/ Construction Product	Approved	
G509	Le Maitre Fog Fluid	Le Maitre	Graphic Arts/Photography Products	Approved	Approved for use by FilmLA crew only during non-school hours.
					Approved for outdoor use by trained athletics or Maintenance &
G510	Pro's Choice Select Top-Quality Infield Conditioner	Pro's Choice Sports Field Products	Exterior Landscape/Playground	Approved	Operations staff only.
					Approved for use by contractors and trained Maintenance and
G513	Formobond Performance Polymer Adhesive	Formobond	Carpentry/ Construction Product	Approved	Operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained Maintenance and
G515	SikaColor-400 Opaque	Sika Corporation	Carpentry/ Construction Product	Approved	Operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained Maintenance and
G516	PROMAR® 200 Zero VOC Interior Latex Gloss	THE SHERWIN-WILLIAMS COMPANY	Paint Products	Approved	Operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G518	MasterSeal NP1	Master Builders-Construction Systems	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
		· · · · · · · · · · · · · · · · · · ·			Approved for use by contractors and trained Maintenance and
G518 G519	MasterSeal NPI Moistop Sealant	Moster Builders-Construction Systems Henry (Fortifiber)	Carpentry/ Construction Product Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours.
		· · · · · · · · · · · · · · · · · · ·			Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and
		· · · · · · · · · · · · · · · · · · ·			Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No
		· · · · · · · · · · · · · · · · · · ·			Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing,
G519	Moistop Sealant	Henry (Fortifiber)	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe
		· · · · · · · · · · · · · · · · · · ·			Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required.
G519	Moistop Sealant	Henry (Fortifiber)	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at
G519	Moistop Sealant Base Coat Stucco	Henry (Fortifiber) Quikrete	Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use
G519	Moistop Sealant	Henry (Fortifiber)	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
G519	Moistop Sealant Base Coat Stucco	Henry (Fortifiber) Quikrete	Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include
G519	Moistop Sealant Base Coat Stucco	Henry (Fortifiber) Quikrete	Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance
G519	Moistop Sealant Base Coat Stucco	Henry (Fortifiber) Quikrete	Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include
G519	Moistop Sealant Base Coat Stucco	Henry (Fortifiber) Quikrete	Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance
G519 G520 G521	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat	Henry (Fortifiber) Quikrete LaHabra	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school
G519 G520 G521	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete	Henry (Fortifiber) Quikrete LaHabra	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, eleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours.
G519 G520 G521	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat	Henry (Fortifiber) Quikrete LaHabra	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and
G519 G520 G521	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work
G519 G520 G521	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp.	Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones.
G519 G520 G521 G522	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp.	Carpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non-
G519 G520 G521 G522	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp.	Carpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MsO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G519 G520 G521 G522 G523	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp. ParexUSA Monterey AgResources	Carpentry/ Construction Product Exterior Landscape/Playground	Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G519 G520 G521 G522 G523	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp. ParexUSA Monterey AgResources	Carpentry/ Construction Product Exterior Landscape/Playground	Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G519 G520 G521 G522 G523	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp. ParexUSA Monterey AgResources	Carpentry/ Construction Product Exterior Landscape/Playground	Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours.
G519 G520 G521 G522 G523 G524 G525	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer	Henry (Fortifiber) Quikrete Larsen Products Corp. ParexUSA Monterey AgResources Dow	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products	Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MsO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours.
G519 G520 G521 G522 G523 G524 G526	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P	Henry (Fortifiber) Quikrete Larsen Products Corp. ParexUSA Monterey AgResources Dow	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas (construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Highly flammable, Do not store on school sites.
G519 G520 G521 G522 G523 G524 G526	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P	Henry (Fortifiber) Quikrete Larsen Products Corp. ParexUSA Monterey AgResources Dow	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Highly flammable, Do not store on school sites. Approved for student and staff use.
G519 G520 G521 G522 G523 G524 G525 G526 G528	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P Holi Colour Guial made of Maize Starch and Food Grade Dyes	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp. ParexUSA Monterey AgResources Dow Dow R.B. DYECHEM PVT. LTD.	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products Point Products School Products	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for outdoor use by contractors only at unoccupied sites or during non-school hours. Approved for outdoor on school sites. Approved for student and staff use. Approved for student and staff use. Approved for student and staff use.
G519 G520 G521 G522 G523 G524 G525 G526 G528	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P Holi Colour Guial made of Maize Starch and Food Grade Dyes	Henry (Fortifiber) Quikrete LaHabra Larsen Products Corp. ParexUSA Monterey AgResources Dow Dow R.B. DYECHEM PVT. LTD.	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products Point Products School Products	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product: Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just MSO. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for outdoor use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non- school hours. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Highly flammable, Do not store on school sites. Approved for use by contractors and trained Maintenance & Operations staff only.
G519 G520 G521 G522 G523 G524 G525 G526 G528	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P Holi Colour Gulal made of Maize Starch and Food Grade Dyes Pine Power	Henry (Fortifiber) Quikrete Larisen Products Corp. ParexUSA Monterey AgResources Dow Dow R.B. DYECHEM PVT. LTD. Metro Chem Industries	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products Paint Products School Products Cleaning Products	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work creas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Highly flammable; Do not store on school sites. Approved for suse thy contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance and
G519 G520 G521 G522 G523 G524 G525 G526 G528	Moistop Sealant Base Coat Stucco Exterior Stucco Color Coat Weld-crete Adacryl Admix & Bonder Magnesium Sulfate Dowsil 1200 OS Primer Dowsil Construction Primer P Holi Colour Gulal made of Maize Starch and Food Grade Dyes Pine Power	Henry (Fortifiber) Quikrete Larisen Products Corp. ParexUSA Monterey AgResources Dow Dow R.B. DYECHEM PVT. LTD. Metro Chem Industries	Carpentry/ Construction Product Exterior Landscape/Playground Paint Products Paint Products School Products Cleaning Products	Approved Approved	Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. No dry mixing of product on site. Dust control required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Previously approved product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Previously approved for just M&O. This is the new approval to include contractors. Approved for use by contractors and trained Maintenance and Operations staff only at unoccupied sites or during non-school hours. Previously approved product. Approved for use by contractors and trained maintenance and operations staff only in designated work areas/construction zones. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Highly flammable, Do not store on school sites. Approved for sub by contractors and trained Maintenance & Operations staff only. Approved for use by contractors and trained Maintenance & Operations staff only at unoccupied sites or during non-school hours. Approved for use by contractors and trained maintenance and operations staff only

					Approved for use by trained Nursing personnel and staff who work with
G539	MSA No-Rinse Perineal Wash	McKesson Medical-Surgical Inc.	Personal Hygiene Products	Approved	special needs students.
			,,,		Approved for use by contractors only at unoccupied sites or during non-
					school hours for touch up purposes. LAUSD staff may not use this
G540	PHENOLINE TANK SHIELD	CARBOLINE	Paint Products	Approved	product. This product will be applied off site.
					Approved for use by contractors and trained maintenance and
G541	Polyurethane Adhesive Sealant 550FC	3M	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G542	GACOFLEX™ E5691 WATER REDUCIBLE EPOXY SEALER/PRIMER	Gaco	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G543	Gaco Flex E5691 3M ™ Polvurethane Adhesive Sealant 550 Fast Cure with 3M ™	Gaco	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	, , , , , , , , , , , , , , , , , , , ,	3м			Approved for use by contractors and trained maintenance and
G544	Polyurethane Adhesive Sealant Accelerator AC61	зм	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours. Approved for use by contractors and trained maintenance and
G545	Infinity 2 Carpet Tile Adhesive	Mannington Mills, Inc.	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G548	Chroma Molten Metallic Acrylic Paints - All Colors	Chroma Inc.	School Products	Approved	Approved for student and staff use.
G549	Dick Blick Blickrylic Colors - Acrylic Paints "All Colors"	Dick Blick	School Products	Approved	Approved for student and staff use.
0345	Sick Blick Blick yild Golde Adi yild Fairke All Golde	Diox Briok	School Froducts	мрргочец	Approved for use by contractors and trained maintenance and
G550	Ardex VB 100	Ardex LP.	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0000			Superity Construction Founds	Арріоточ	Approved for use by contractors only at unoccupied sites or during non-
G552	Drago Sealant	Stego Industries, LLC	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
			* **		Approved for use by contractors only at unoccupied sites or during non-
G553	Liquid Boot 500	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G555	ARDEX K 60 ARDITEX LIQUID	ARDEX ENGINEERED CEMENTS	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G558	Bituthene Adhesive Primer B2 LVC	GCP applied technologies	Adhesive Products	Approved	school hours. IAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G559	MN Global Maroon	ActGlobal	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G560	FB Global Tan	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G561	FB Global Maroon	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
0500	Mattey 10 pla DD Jany Backing	Act Global	Extended and decrease (5)		Approved for use by contractors only at unoccupied sites or during non-
G562	Mattex 18pic PP lary Backing	ACT GIODUI	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
G563	PU Coating 2ary Backing	Act Global	Exterior Landscape/Playground	Approved	approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
3003			Exterior turiuscupe/Playgrouna	Approved	Approved for use by contractors only at unoccupied sites or during non-
G564	MN Global Purple	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
	r ·			* Eresee	Approved for use by contractors only at unoccupied sites or during non-
G565	FB Global Purple	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
			, , ,		Approved for use by contractors only at unoccupied sites or during non-
G566	MN Global Grey	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G567	FB Global Grey	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G568	MN Global Olive Green	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G569	MN Global Lime Green	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G570	MN Global Navy Blue	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
	AND Olahari Davisa	Addished			Approved for use by contractors only at unoccupied sites or during non-
G571	MN Global Brown	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
CE72	MN Global Rust	Act Global	Futurior Landonno / [2]	American	Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G572	MIN CIODAI NAST	ACL CIODGI	Exterior Landscape/Playground	Approved	Approved for use by contractors only at unoccupied sites or during non-
G573	MN Global Cardinal Red	Act Global	Exterior Landscape/Playaround	Approved	approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
5575	2.22a Odrama nod		Extends turidecuper riayground	Approved	Approved for use by contractors only at unoccupied sites or during non-
G575	FB Global Navy Blue	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
53/3			excessor currencepers rayground	Approved	Approved for use by contractors only at unoccupied sites or during non-
G576	FB Global Brown	Act Global	Exterior Landscape/Playaround	Approved	school hours. LAUSD staff may not use this product.
			andocapor ayground	provou	Approved for use by contractors only at unoccupied sites or during non-
G577	FB Global Rust	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G578	FB Global Cardinal Red	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
I			* **	•	l de la companya de

					Approved for use by contractors only at unoccupied sites or during non-
G579	FB Global Orange	Act Global	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
05/9	15 clobal crange	Actoroga	Exterior tariascape/Playgrouna	мрргоvеu	Approved for use by contractors only at unoccupied sites or during non-
G580	CFS-SP WB	Hilti	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
G581	A-100 Fabric Mural Paint "All Colors"	Sherwin-Williams	Paint Products	Approved	Approved for student and staff use (Arts class only).
0301	A 100 Fabric Maran and All Colors	ONOTALL VIIII VIII VIIII	runtrioddes	мрргочец	Approved for use by contractors only at unoccupied sites or during non-
G582	Eucon WR 91	Euclid Chemical	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
0002			опротитут солыгасиот годас	Арріотов	Approved for use by contractors and trained maintenance and
G583	Stallion Liquid	Momar Incorporated	Roofing Products	Approved	operations staff only at unoccupied sites or during non-school hours.
0303	Tower Garden Mineral Blend (Mineral Blend A and Mineral Blen	· ·	Rooming Froducts	мрргочец	
G584	B)	The Juice Plus+ Company	School Products	Approved	Approved for student and staff use.
G585	Tower Garden pH+ Base	The Juice Plus+ Company	School Products	Approved	Approved for student and staff use.
G586	Tower Garden pH - Acid	The Juice Plus+ Company	School Products		Approved for student and staff use.
G586	lower Garden pn - Acid	The Juice Plus+ Company	SCHOOL Products	Approved	Approved for use by contractors and trained maintenance and
G587	MILLIKEN LVT STANDARD	MILLIKEN FLOORS	O		operations staff only at unoccupied sites or during non-school hours.
G587	WILLINGIVEY I STANDARD	MILLIKEIVI EGOKS	Carpentry/ Construction Product	Approved	
G588	MILLIKEN NON-REACTIVE STANDARD ADHESIVE	MILLIKEN CHEMICALS	Adhard or Brands at		Approved for use by contractors and trained maintenance and operations staff only at unoccupied sites or during non-school hours.
G588	MILLIKEN NON-REACTIVE STANDARD ADMESTVE	MILLIKEN CHEMICALS	Adhesive Products	Approved	Approved for use by contractors and trained maintenance and
G589	MILLIKEN MOISTURE XT ACOUSTILOC TECH	MILLIKEN FLOORS	One and all One attended to the control of the cont		operations staff only at unoccupied sites or during non-school hours.
G589	MILLIKEN MOISTURE XT ACOUSTILOC TECH	MILLIKEN FLOORS	Carpentry/ Construction Product	Approved	
0505	Ardex MC Rapid	Ardex LP.	Omente document in Table 1		Approved for use by contractors only at unoccupied sites or during non-
G590	ALDEN INC. NOPID	AUGO LE.	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
CEOL	Ploylevel PL250H R	Foundation Supportworks	Comportant Construction Section	American	Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G591	Floylevel PLZSUH K	Foundation Supportworks	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
G593	Structo-base Gypsum Plaster	United State Gypsum Company			approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
G593	structo-base Gypsum Plaster	united state Gypsum Company	Carpentry/ Construction Product	Approved	
	USG Standard Strength Retarder	United States Company Company			Approved for use by contractors only at unoccupied sites or during non-
G594	USG Standard Strength Retarder	United States Gypsum Company	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	January and Manager Florish	Helbrid Shaha Communa Communa			Approved for use by contractors only at unoccupied sites or during non-
G595	Imperial Veneer Finish	United States Gypsum Company	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	Diamond Veneer Finish Plaster	Helbrid Shaha Communa Communa			Approved for use by contractors only at unoccupied sites or during non-
G596		United States Gypsum Company	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
G597	PeriGiene	DermaRite Industries	Personal Hygiene Products	Approved	Approved for use by Nursing Services and trained personnel.
	MD Mandaus Carles and Security #701	MD Mandaus			Approved for use by contractors and trained maintenance and
G599	W.R. Meadows Sealmastic Emulsion #721	WR Meadows	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G600	FELCO 981	FELCO FA	Maintenance and Operations Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained Maintenance &
					Operations staff only. Dry mixing not permitted on site. All mixing to be
G601	Ardex K-10	ARDEX Engineered Cements	Carpentry/ Construction Product	Approved	conducted with local HEPA filtered dust collection vacuum system.
					Approved for use by contractors only at unoccupied sites or during non-
					school hours. LAUSD staff may not use this product. This product is shop
G602	Dura Tech Fluoropolymer Coatings	AEP Span	Paint Products	Approved	applied and will only be brought on site for touch-up purposes.
					Approved for use by contractors only at unoccupied sites or during non-
G603	ELASTO-THANE 227/227R	Pacific Polymers	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	OR OOF Detters of Well Flooring Orders	r that			Approved for use by contractors and trained maintenance and
G604	CP 605 Bottom of Wall Firestop Sealant	Hilti	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G605	Speedball Water-Soluble Block Printing Ink	Speedball Europe	School Products	Approved	Approved for student and staff use.
					Approved for use by contractors and trained maintenance and
G606	Vista 55 Year Acrylic Urethane Sealant	Vista Paint	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G607	ITW Pro Scrubs All Purpose Cleaning Wipes	ITW Pro Brands	Maintenance and Operations Products	Approved	Approved for use by Maintenance and Operations staff only.
					Approved for use by contractors only at unoccupied sites or during non-
G608	Sikalastic-641 Lo-VOC	Sika	Carpentry/ Construction Product	Approved	school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G609	Gemco Tuff-Bond Adhesive	Gemco	Adhesive Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G610	Carboguard 890 VOC	CARBOLINE	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by Contractors and trained Maintenance &
G611	DAP Premium Wood Filler	DAP Products Inc.	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by Contractors and trained Maintenance &
G612	Firestop Join Spray CFS-SP WB	Hilti	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and trained maintenance and
G613	Lighweight Smoke & Acoustic Sealant CS-S SA Light	Hilti	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G614	Smoke & Acoustic Spray CP 572	Hilti	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
100					· · · · · · · · · · · · · · · · · · ·

					Approved for use by contractors and trained maintenance and
G615	CFS-S ACR; CP 606 Flexible Fire Stop Sealant	Hilti	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
	•				THIS IS A RE-EVALUATION OF THIS PRODUCT. FOR USE BY APPROVED
					CONTRACTORS ONLY, DURING NON-SCHOOL HOURS. DISTRICT STAFF MAY
					NOT BE PRESENT IN THE WORK AREA DURING THE APPLICATION OF THIS
G616	ARDEX K 15	ARDEX Americas	Carpentry/ Construction Product	Approved	PRODUCT.
					Approved for use by contractors only at unoccupied sites or during non-
G617	Bitumastic 50	Carboline	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G618	Childers CP79	Fosters	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by Contractors and trained Maintenance &
G619	TiteBond Acoustical Ceiling Tile Construction Adhesive	Franklin International	Adhesive Products	Approved	Operations staff only.
					Approved for use by Contractors and trained Maintenance &
G620	High Performance Intrumescent Firestop Sealant FS-One Max	Hilti	Carpentry/ Construction Product	Approved	Operations staff only.
					Approved for use by contractors and trained maintenance and
G622	Swellstop	Sika	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
	- 6 - 4 - 4				Approved for use by contractors only at unoccupied sites or during non-
G624	Gexoflex Synthetic Flooring	Gezolan / Kraiburg	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
G625	5484 Cleaner	Aqua-Serv Engineers, Inc.	HVAC Products		Approved for use by contractors and trained hvac maintenance and operations staff only at unoccupied sites or during non-school hours.
G020	SHOW CIRCUITED	Aqua salv Engineais, inc.	INVAC Products	Approved	operations staff only at unoccupied sites or during non-school nours. Approved for use by contractors and trained hvac maintenance and
G626	8413D Closed Loop Treatment	Aqua-Serv Engineers, Inc.	HVAC Products	Approved	operations staff only at unoccupied sites or during non-school hours.
3020		1			Approved for use by contractors and trained hvac maintenance and
G627	Microbiocide Treatment	Aqua-Serv Engineers, Inc.	HVAC Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G628	FT88040 Wood Glue	Flexo Technologies Inc	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G630	Armatec IC	Sika	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G632	ConSeal CS-102 Butyl Rubber Sealant	ConSeal	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G633	Ceiling Paint	Dunn Edwards	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G635	Best Triple Pro 15-15-15	Simplot	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G636	Germicidal Ultra Bleach	Waxie	Cleaning Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G639	Spatterkote SK-3	GCP Applied Technologies	Fire Retardants	Approved	school hours, LAUSD staff may not use this product.
G642	Upofloor Transitional Adhesive	Upofloor	Adhesive Products		Approved for use by contractors and trained maintenance and operations staff only at unoccupied sites or during non-school hours.
G643	Pro Air Professional Body/FX Make Up Paint	Pro Air Professional Body	School Products	Approved Approved	Approved for student and staff use. To be applied by artist only.
6643	FIO All FIOIESSIONAL BODY/FX Make up Paint	FIO All FIOlessional Body	SCHOOL Products	Approved	Approved for use by contractors and trained maintenance and
G644	Hilti CP 606 Flexible Firestop Sealant	Hilti	Fire Retardants	Approved	operations staff only at unoccupied sites or during non-school hours.
0044			THE RELUIGING	мрргочец	Approved for use by contractors only at unoccupied sites or during non-
G645	Hit HY 200-R	Hilti	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
<u> </u>				A Royal Control	Approved for use by contractors only at unoccupied sites or during non-
G646	Admix 500	Omega	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G650	PU 440	Mondo	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G652	SpinOut Root Growth Regulator	SePro	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G657	Sikalastic EP Primer / Sealer	Sika	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G658	Stabond U-283C	Stabond	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G659	Schonox APF Self Leveling	Schonox	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0001	Sika Level-325	Sika	Oments downtreed 5		Approved for use by contractors and trained maintenance and operations staff only at unoccupied sites or during non-school hours.
G661	arku tevel-325	SIKU	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours. Approved for use by contractors only at unoccupied sites or during non-
G662	Sikalastic-726 Balcony One Shot Part ABC	Sika Corporation	Carpontry/ Construction Bradust	Approved	school hours. IAUSD staff may not use this product.
G002	and action 120 bullotry one short at Abo	ona corporation	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained maintenance and
G663	Acrylic Urethane Seglant	Vista Paint	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
5005	, 2.22.210 occion		- and roddets	Approved	Approved for use by contractors and trained maintenance and
G665	PowerFoam	DEWALT Industrial Tools	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
1			*		-

					Approved for use by contractors and trained maintenance and
G666	EKO Flow	Technisoil Global, Inc.	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
0000	ERO FION	Toolingon Global, Inc.	exterior tariascape/Playgrouna	Арргочец	Approved for use by contractors and trained maintenance and
G668	1012 Window Glazing	DAP	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0000	1012 WINDOW Oldzing	DAT	Carpentry/ Construction Froduct	Арргочец	Approved for use by contractors only at unoccupied sites or during non-
G670	Silica Sand	Target Products LTD.	Exterior Landscape/Playground		school hours. IAUSD staff may not use this product.
G670	Silicu Suriu	rarget Products ETD.	Exterior Lanascape/Playgrouna	Approved	· · · · ·
	Colossal 117-UTA Urethane Turf Adhesive	Laminin Industries			Approved for use by contractors and trained maintenance and
G671	Colossal II/-UTA Orethane Turr Adnesive	Laminin industries	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G672	Polyester Fiber	Service Thread	Exterior Landscape/Playground	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G673	SCUFFTEC INT/EXT SILK MATTE FINISH	Vista Paint Corporation	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G674	WHITE BIKE LANE COATING PARTS A+B	Vista Paint Corporation	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G675	FOAMDADDY BLEND	FOAMDADDY	School Products	Approved	Approved for student and staff use.
					Approved for use by contractors only at unoccupied sites or during non-
G676	Protecall Aqua Aero coil coating	Protecall	HVAC Products	Approved	school hours.
					Approved for use by trained Maintenance and Operations staff from the
G677	StewMac Brush-on Super Glue	StewMac	Adhesive Products	Approved	Instrument Repair Department only.
G680	Face Painting (Aquacolor)	Kryolan	School Products	Approved	Approved for student and staff use.
					Approved for use by contractors and trained maintenance and
G681	GEZOFLEX EPDM	GEZOLAN	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G682	Liquid TSP Substitute Cleaner	Savogran	Cleaning Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G684	Dow Corning 756 SMS Building Sealant	Dow Corning	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
-		-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11	Approved for use by contractors and trained maintenance and
G685	PE85MI Polyurea Joint Filler	Hi-Tech Systems	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0000	·		опротитут солыгасион ггоаасс	Арріотоц	Approved for use by contractors and trained maintenance and
G686	Consolideck LSGuard	Prosoco	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0000	SONIONI CON LOCALIA	1100000	curpently/ construction rrounds	Арргочец	Approved for use by contractors and trained maintenance and
G687	Green Glue Noiseproofing Compound	Saint-Gobain & The Green Glue Company	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
0007	order order notable coming compound	Sank Soban a mo Groon Side Sompany	curpently/ construction rrounds	Арргочец	Approved for use by contractors and trained maintenance and
G688	ForceField FireGuard E-84 Intumescent Paint	Shield Industries, Inc.	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
0000	Torcerreia medicara E de intamescent raint	Silleta Iriadatries, iric.	Fullit Floudets	арргочец	Approved for use by contractors only at unoccupied sites or during non-
G689	Sikadur 23 Lo-Mod Gel	Sika Corporation	Owner of Owner or New Product		school hours. IAUSD staff may not use this product.
6689	Sikdddi 23 to-Mod Gei	sika Corporation	Carpentry/ Construction Product	Approved	Approved for use by contractors and trained maintenance and
	POLYTEC INT/EXT S.G.(5740)	Vista Paint			approved for use by contractors and trained maintenance and operations staff only at unoccupied sites or during non-school hours.
G690	POLYTEC INT/EXT S.G.(3740)	Vista Pallit	Paint Products	Approved	Approved for use by contractors only at unoccupied sites or during non-
	Set-3G	Oleman Other Tip Organization			school hours. IAUSD staff may not use this product.
G691	S81-3G	Simpson Strong-Tie Company Inc.	Adhesive Products	Approved	school nours. LAUSD staff may not use this product.
	m9	Hollister			
G692			School Products	Approved	Approved for use by all school staff. Students may not use this product.
G693	sodium fluoride	Flinn Scientific	School Products	Approved	Approved for use in chemistry laboratory by students and staff.
G694	Luminol	Flinn Scientific	School Products	Approved	Approved for use in chemistry laboratory by students and staff.
					Approved for use by contractors and trained maintenance and
					operations staff only at unoccupied sites (construction zones) or during
G695	Extreme Stretch Acrylic Urethane Elastomeric Sealant	DAP	Carpentry/ Construction Product	Approved	non-school hours.
					Approved for use by contractors and trained maintenance and
G696	WOODWISE Wood Patch & Full-Trowel Filler	Design Hardwood Products, Inc.	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G697	Best-Tabs 20-10-5	Best Tabs	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G698	SoySeal Wood Sealer	Nature Explore	Exterior Landscape/Playground	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G699	SoyIt	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G700	Stoneworks	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G701	SignOff	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
				ALE:-:	Approved for use by contractors only at unoccupied sites or during non-
G702	Exoair LEF Low-expanding Polyurethane Foam	Tremco	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
10.0	. •				

					Approved for exterior use by contractors and trained maintenance and
					Approved for exterior use by contractors and trained maintenance and
G703	Shadowmaster	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G704	SoyIt Ultra	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
0.04	,		Cramin roddolo	Аррготов	Approved for use by contractors and trained maintenance and
G705	SoyIt Max	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
G706	Cornerstone	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for exterior use by contractors and trained maintenance and
					,
G707	Stonemaster	Envirotek Corporation	Graffiti Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G708	HIL-SHEEN LV	HILLYARD INDUSTRIES	Floor Care Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G709	Lightweight Concrete Roof Insulation	Cell-Crete	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
6708	agriciogric controlle recommendation	our orde	Curpentry/ Construction Froduct	Approved	
					Approved for use by contractors only at unoccupied sites or during non-
G710	MULTIMAX LITE	LATICRETE International	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained Maintenance and
G711	See Thru - Glass Cleaner	MAINTEX	Cleaning Products	Approved	Operations Staff only.
	Balance Neutral-pH Hard Surface Cleaner and Odor			**	Approved for use by contractors and trained Maintenance and
G712	Counteractant	WAXIE	Ole and an Book state		Operations Staff only.
G/12	Counteracture	WANE	Cleaning Products	Approved	· · · · · · · · · · · · · · · · · · ·
					Approved for use by contractors and trained Maintenance and
G713	Just Right Neutral Cleaner	MAINTEX	Cleaning Products	Approved	Operations Staff only.
					Approved for use by contractors and trained Maintenance and
G714	UZIN CX 15 (Powerflex Project Mortar)	UZIN UTZ NORTH AMERICA, INC	Carpentry/ Construction Product	Approved	Operations Staff only.
					Approved for use by contractors and trained Maintenance and
0775	UZIN NC 147 CG	UZIN UTZ NORTH AMERICA, INC.	O		Operations Staff only.
G715	UZIN NC 147 CG	OZIN OTZ NORTH AMERICA, INC.	Carpentry/ Construction Product	Approved	·
					Approved for use by contractors and trained Maintenance and
G716	UZIN NC 150 F	UZIN UTZ NORTH AMERICA, INC.	Carpentry/ Construction Product	Approved	Operations Staff only.
					Approved for use by contractors and trained Maintenance and
G717	UZIN CX 30	UZIN UTZ NORTH AMERICA, INC.	Carpentry/ Construction Product	Approved	Operations Staff only.
_		<u> </u>	7,		Approved for use by contractors and trained Maintenance and
	UZIN CX 20	UZIN UTZ NORTH AMERICA. INC.			Operations Staff only.
G718	UZIN CX 2U	UZIN UTZ NORTH AMERICA, INC.	Carpentry/ Construction Product	Approved	
					Approved for use by contractors and trained maintenance and
G719	PERM-A-BARRIER Primer Plus	GCP Applied Technologies	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G720	FIRMmarker	Forest Paint	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G722	Crayola Air-Dry Clay	Crayola	School Products	11	Approved for student and staff use.
G/22	Crayola All-Dily Clay	Cidyold	SCHOOL Products	Approved	
					Approved for use by contractors only at unoccupied sites or during non-
G725	Sikadur Crack Repair Kit	Sikadur	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G728	Drill-Terge	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
-	-			ATT TO THE	Approved for use by contractors only at unoccupied sites or during non-
C72C	Insta-Vis plus	CETCO	Comportant Construction Description	America -1	school hours. IAUSD staff may not use this product.
G729	ilista-vis pius	GEIGO	Carpentry/ Construction Product	Approved	, , , , , , , , , , , , , , , , , , , ,
					Approved for use by contractors only at unoccupied sites or during non-
G730	Clay Cutter	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G731	Hydraul-EZ	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	•		,,,		Approved for use by contractors only at unoccupied sites or during non-
	PEL DAG	07700			
G732	REL-PAC	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G733	Soda Ash	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G734	Super Gel-X	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
3734	Topic Total		Sarpanay/ Construction Froudet	Apploved	
					Approved for use by contractors only at unoccupied sites or during non-
G735	Suspend-It	CETCO	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for exterior use by contractors and trained maintenance and
G736	Enduralastic 10	Dunn Edwards	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
	Teacher's Palette Glaze (All Colors), Celadon Glaze (All Colors)				
0707			Ourselle Auto/Objects		Approved for student and staff up
G737	Velvet Underglaze (All Colors)	AMACO BRENT	Graphic Arts/Photography Products	Approved	Approved for student and staff use.
					Approved for use by contractors only at unoccupied sites or during non-
G738	Sculpwood Putty Resin, Part A and B	System Three	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
1					taran da araba da ar

					Approved for use by contractors only at unoccupied sites or during non-
G739	Sculpwood Paste Resin (Part A) and Hardener (Part B)	System Three	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G740	Sikalastic - 720 One Shot Part A & B	Sika Corporation	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G742	Sikalastic 720	Sika	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G743	SealBoss 1510	SealBoss Corp	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors and trained maintenance and
G744	Prosoco SureSpan EX	Prosoco	Adhesive Products	Approved	operations staff only at unoccupied sites or during non-school hours.
G746	Ultra Clean Pink Hand Soap	Ultra Clean Chemicals	Personal Hygiene Products	Approved	Approved for all users.
					Approved for use by contractors and trained maintenance and
G748	Vista 501 (VISTA SEAL Clear Sealer: Product Code .501)	Vista	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G749	FORBO-HEAVY DUTY CLEANER	FORBO	Cleaning Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G750	Bondo Cream Hardener	3M	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
G751	Paint Off Broadway 5 Gal Black #5352	Rosco	Paint Products	Approved	Approved for student and staff use.
G752	Paint Off Broadway 5 Gal White #5350	Rosco	Paint Products	Approved	Approved for student and staff use.
G753	Paint Off Broadway Gal Deep Red #5361	Rosco	Paint Products	Approved	Approved for student and staff use.
G754	Paint Off Broadway Gal Lemon Yellow #5366	Rosco	Paint Products	Approved	Approved for student and staff use.
G755	Paint Off Broadway Gal Pthalo Blue #5373	Rosco	Paint Products	Approved	Approved for student and staff use.
G756	Paint Off Broadway Gal Burnt Sienna #5356	Rosco	Paint Products	Approved	Approved for student and staff use.
G757	Paint Off Broadway Gal Burnt Umber #5354	Rosco	Paint Products	Approved	Approved for student and staff use.
G758	Paint Off Broadway Gal Raw Sienna #5355	Rosco	Paint Products	Approved	Approved for student and staff use.
G759	Paint Off Broadway Gal Gold #5384	Rosco	Paint Products	Approved	Approved for student and staff use.
G760	Paint Off Broadway Gal Silver #5385	Rosco	Paint Products	Approved	Approved for student and staff use.
G761	Color Splash Easy Tie Dye Super Pack	S&S Worldwide	School Products	Approved	Approved for student and staff use.
G762	Elmers Magical Liquid	S&S Worldwide	School Products	Approved	Approved for student and staff use.
G763	Elmers Washable School Glue	S&S Worldwide	School Products	Approved	Approved for student and staff use.
					Approved for use by contractors only at unoccupied sites or during non-
G764	890-SL Silicone Joint Sealant	DOWSIL	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
					school hours. Ensure that there is adequate ventilation while using this
					product. Ensure that the product is fully cured and no odors are present
G765	Minwax Water-based Semi-transparent Color Stain	Minwax	Paint Products	Approved	prior to reoccupancy.
					Approved for use by contractors and trained maintenance and
G766	READY PATCH QT 6PK LOW VOC	Rust-Oleum Corporation	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G767	Pyroplast* Wood P	Sherwin Williams	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors at unoccupied sites or during non-
G768	Swisspearl Plank Edgesealer	Swisspearl	Paint Products	Approved	school hours.
					Approved for use by contractors and trained maintenance and
					operations electrical staff only at unoccupied sites or during non-
G769	3M Scotchcast Potting Kit 2136	3M	Carpentry/ Construction Product	Approved	school hours.
					Approved for use by contractors and trained maintenance and
G771	Dowsil 1199	The Dow Chemical Company	Carpentry/ Construction Product	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G772	Exquisite	Dunn Edwards	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained maintenance and
G773	EXQUISITE SEMI-GLOSS EXQT50	DUNN-EDWARDS	Paint Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained roofing maintenance and
G781	Tuff-Flash™ Plus LO Part A	The Garland Company, Inc.	Roofing Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors and trained roofing maintenance and
G782	Garla-Prime VOC	The Garland Company, Inc.	Roofing Products	Approved	operations staff only at unoccupied sites or during non-school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G783	DensArmor Plus	Georgia-Pacific	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G784	CCW-AWP	Carlisle Coatings & Waterproofing	Adhesive Products	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G785	Miradri 860/ 861	Carlisle Coatings & Waterproofing	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
	DC360 Intumoscent Coating	International Firenant Technology			Approved for use by contractors and trained maintenance and
G786	DC360 Intumescent Coating	International Fireproof Technology Inc.	Fire Retardants	Approved	operations staff only at unoccupied sites or during non-school hours.

					Approved for student and staff use with direction and supervison of
G787	MatterHackers NylonX Carbon Fiber Filament 1.75mm 0.5KG	Raise 3D Technologies Inc.	Graphic Arts/Photography Products	Approved	instructor.
					Approved for use by contractors at unoccupied sites or during non-
G788	Swisspearl Plank Edgesealer	Swisspearl Danmark Holding A/S	Paint Products	Approved	school hours.
					Approved for use by contractors only at unoccupied sites or during non-
G790	UltraTraceUV	Champion Engineering Inc	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
G791	Elegante Hand Soap Free & Clear	GenLabs	Personal Hygiene Products	Approved	Approved for use by all staff.
			,3		Approved for use by contractors only at unoccupied sites or during non-
					school hours. LAUSD staff may not use this product. Ensure that any
G792	Levelflor	Rapid Set	Carpentry/ Construction Product	Approved	spillage is cleaned up using a HEPA vacuum.
		1000			Approved for student and staff use with direction and supervison of
G793	Sio-2 PM Black Earthenware low fire clay	COLLET CLAYS CORP.	Graphic Arts/Photography Products	Approved	instructor.
0700			Craphic Arts/motography modests	Аррготов	Approved for student and staff use with direction and supervison of
G794	Sio-2 PRAI White Stoneware Clay (High Fire clay)	COLLET CLAYS CORP.	Graphic Arts/Photography Products	Approved	instructor.
0734	so I mai mino storionare stay (mgmme stay)	COLLI CLATO COM:	Graphic Arts/Friotography Froducts	Аррготеа	Approved for student and staff use with direction and supervison of
G795	Sio-2 PRNI Black Stoneware Clay (High Fire clay)	COLLET CLAYS CORP.	Graphic Arts/Photography Products	Approved	Instructor.
0/95	30 27 KM Black Storieware Clay (HighTire Clay)	COLLET COATS COATS.	Graphic Arts/Priotography Products	арргоvеd	Approved for student and staff use with direction and supervison of
G796	Blick Red Earthenware Clay (low fire clay)	American Art Clay Co Inc			instructor.
G/96	Blick red Editheriware Clay (low life clay)	ATHERICAN ATT Clay CO INC	Graphic Arts/Photography Products	Approved	
					Approved for student and staff use with direction and supervison of
G797	JUNGLE GEM GLAZES (ALL)	MAYCO/COLORAMICS LLC	Glazing Products	Approved	instructor.
					Approved for student and staff use with direction and supervison of
G798	SPECKTA CLEAR; CRYSTAL CLEAR DIPPING AND BRUSHING	MAYCO/COLORAMICS LLC	Glazing Products	Approved	instructor.
					Approved for use by contractors only at unoccupied sites or during non-
					school hours. LAUSD staff may not use this product. This product
					contains Talc. The International Agency for Research on Carcinogens
G799	BC-158	Pecora Corporation	Carpentry/ Construction Product	Approved	(IARC) lists Talc as Group 2A
					Approved for student and staff use with direction and supervison of
G800	ACRYLIC GLASS PAINT	BLICK ART MATERIALS	Paint Products	Approved	instructor.
	VITRAIL CERNE RELIEF !H RICH GOLD 20 ML, VITRAIL CERNE RELIEF !	Н			
	KING GLD OUTLNR 20ML, VITRAIL CERNE RELIEF !H IMITN LEAD				Approved for student and staff use with direction and supervison of
	OUTLNR 20ML, VITRAIL CERNE RELIEF !H BLACK OUTLINER 20ML,				instructor. According to Section 2 of the SDS, Hazards Identification, this
	VITRAIL CERNE RELIEF !H WHITE 20ML, VITRAIL CERNE RELIEF !H				product may produce an allergic reaction. Students must wear nitrile
G802	TRNSPRNT 20ML	Blick Art Materials	Paint Products	Approved	gloves when handling this product.
				11	Approved for use by contractors only at unoccupied sites or during non-
G803	Nonflammable Contact Cement	DAP Global Inc.	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
0000			carpoint y construction reduct	Approvod	Approved for use by contractors only at unoccupied sites or during non-
G806	Firmcrete Floor and Wall Coating	Firmcrete	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
0000	Timeroto ricor dila Wali codding	Timosto	Carpenary Construction Froduct	Аррготеа	Approved for use by contractors only at unoccupied sites or during non-
G807	FirmCrete Floor and Wall Mix	FirmCrete	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
G807	Time reterior and wall wix	Timiciete	Carpentry/ Construction Product	Approved	Approved for use by contractors only in well ventilated areas and
					outdoors, during non-school hours. LAUSD staff may not use this
	DOW Corning 795 silicone building sealant	DOW			product.
G808	DOW Corning 795 silicone building sediant	bow	Carpentry/ Construction Product	Approved	E-1777
					Approved for use by contractors only in well ventilated areas and
					outdoors, during non-school hours. LAUSD staff may not use this
G809	GARDZ 1-GL 4PK	Rust-Oleum Corporation	Carpentry/ Construction Product	Approved	product.
G811	BioPuck	Whole Earth Laboratories, Inc.	Food Services Products	Approved	Approved for use by Food Services Staff
G812	Bioactive Microbial Enzyme Cleaning Spray	Whole Earth Laboratories, Inc.	Food Services Products	Approved	Approved for use by Food Services Staff
					Approved for use by Maintenance & Operations staff only during non-
G814	MonoBond	MONOPOLE	Paint Products	Approved	school hours.
					Approved for use by Maintenance & Operations staff only during non-
G815	Monochem	MONOPOLE	Paint Products	Approved	school hours.
					Approved for use by Maintenance & Operations staff only during non-
G816	Permashield 200	MONOPOLE	Paint Products	Approved	school hours.
G820	Petro-Gel	McGlaughlin Oil Company	Food Services Products	Approved	Approved for use by Food Service Staff only.
				11 · · · · · ·	Approved for use by contractors only at unoccupied sites or during non-
G821	Krete Control 250	Krete Industries, Inc.	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
502.			ponty	Approvou	Approved for use by contractors only at unoccupied sites or during non-
G822	KreteGuard Mortar Mix	Krete Industries Inc.	Carpontry/ Construction Broduct	Approved	school hours. LAUSD staff may not use this product.
3022	MOTOGODIA MOTOLI MIA	moto madati lea, il lo.	Carpentry/ Construction Product	Approved	Approved for use by contractors only at unoccupied sites or during non-
	DC Matel France Butter	PC-Products			
G827	PC-Metal Epoxy Putty	ro-rioducts	Carpentry/ Construction Product	Approved	school hours. Avoid sanding or creating into a respirable dust.
1					Approved for use by contractors only at unoccupied sites or during non-
G828	NON-SHRINK PRECISION GROUT	The QUIKRETE Companies	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
					Approved for use by contractors only at unoccupied sites or during non-
G830	Sikadur®-330	Sika	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.

Marchan Marc						Approved for use by contractors only at unoccupied sites or during non-
Series Se						, , , , , , , , , , , , , , , , , , , ,
		Out and the Control of the Control o	Ille Belet Occurrentles			
1985 1985	G831	Concrete Sealer Blue	Life Paint Corporation	Paint Products	Approved	
Process						
Medical Process Medical Pr	G833	MARX-OFF	METRO-CHEM INDUSTRIES	Graffiti Products	Approved	
Part						Approved for use by Custodial and Maintenance & Operations staff
1968 1968 1968 1969	G834	PINE POWER	METRO-CHEM	Cleaning Products	Approved	only.
1968 1968 1968 1969						Approved for use by contractors only at unoccupied sites or during non-
Septima State Stat	G835	FirmCrete Floor Mix and Wall Mix	FirmCrete	Carpentry/ Construction Product	Approved	
Section	0000			Carpena y Construction France	Approved	
		DOWN OF OUr and Oracles	David!			
Manual M	G836	DOWSIL 995 SIIICONE Structural Sediant	Dowsii	Carpentry/ Construction Product	Approved	
Section Sect						
Section Sect	G837	Apromud G300	ORFILA	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
Section Sect	G838	Insulfoam GF	Insulfoam, a division of Carlisle Construction Materials	Carpentry/ Construction Product	Approved	Approved for outdoor use by Maintenance & Operations staff only.
Section Sect	G839	GacoPoly FastPass PT (Pedestrian Traffic)	Holcim Solutions and Products US, LLC	Carpentry/ Construction Product		Approved for outdoor use by Maintenance & Operations staff only.
4 Control Market Set Admining name parenting between the Set Admining name parenting between the Set Administration of the				Carpena y Construction France		
18	G841	strugz spray satitizer – All Fragrances	Nottristal tabs		Approved	
1	G843	MEL-ROL® Rolled, Self-Adhering Waterproofing Membrane	W.R. Meadows	Carpentry/ Construction Product	Approved	
Part						Approved for use by contractors only at unoccupied sites or during non-
1	G844	8875 Elastomeric Waterproofing Underseal	Life Paint	Carpentry/ Construction Product	Approved	school hours. LAUSD staff may not use this product.
1						Approved for use by contractors only at unoccupied sites or during non-
Approach Common	G845	Life Acrylic Stain Blocking Primer	Life Paint	Carpentry/ Construction Product	Approved	
6000 Mg/60 Mg	5045			Salpentry/ Constitution Flouret	мррголец	
Approach						
March Marc	G846	Rapid Set TRU SP Self-Leveling	CTS Cement Manufacturing Corporation	Carpentry/ Construction Product	Approved	· ·
Power by Minister grant placement Power						Approved for use by contractors only at unoccupied sites or during non-
Section of Processing Controlled Section Sec	G847	Blok-Lok with Graffiti Control	Rainguard Brands, LLC	Graffiti Products	Approved	school hours. LAUSD staff may not use this product.
Selection Select		Hoover Oxy Portable spot cleaner				
Similar Simi	0034	nover expression specelounes	1100701	Clearing Froducts	Арріочец	
SMAC CRIBINO SMAC Comment destinating the semination of the Columns of products or Columns or Columns of products or Columns or Columns of products or Columns or						
March March Compare (present or compared to many bytement become per solution or compared to the set of the set of the compared to the set of the comp					Approved	
Modell #450C Corporation Control (Information Commany Involution Approved for use by promise Approved for use by promise station (Information Approved for use by promise delianceman & Coperation station (Information Approved for use by promise delianceman & Coperation station (Information Approved for use by promise delianceman & Coperation station (Information Approved for use by promise delianceman & Coperation station (Information Approved for use by promised delianceman & Coperation station (Information Approved for use by promised delianceman & Coperation station (Information Approved for use by promised delianceman & Coperation station (Information Approved for use by promised delianceman & Coperation station (Information Approved for use by promised station of use of u	G856	SINAK CURE3D	Sinak	Carpentry/ Construction Product	Approved	Approved for Contractors and M&O use
Duth Map Duth Clark The Ammeries Sport In Chemical Company Clark Map Duth Clark The Ammeries Sport Mark Mark Clark Clark Mark Clark Clar	G858	MOJ 6253C Carpet Spotter	Chemical Technologies International Inc	Cleaning Products	Approved	Approved for use by trained Maintenance & Operations staff only.
Duth Map Duth Clark The Ammeries Sport In Chemical Company Clark Map Duth Clark The Ammeries Sport Mark Mark Clark Clark Mark Clark Clar	G859	MJO128-6252C Carpet Cleaning Solution	Chemical Technologies International Inc		Approved	
Processes Weathermore September Service Semi-Goose Sil- Cest 1907/2000 Leafers Provided Ministry of Communication September Service Semi-Goose Se			-			
Section Commence						
Agroved for use by contractions only of uncoupled attend or furing non- special such tool-18 form A // Bit Corporation Start Door-19 form A // Bit Corporation				Cleaning Products	Approved	
Section Print Part All Section Secti		ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31	- · · · · · · · · · · · · · · · · · · ·			Approved for use by trained Maintenance & Operations staff only. Must
Section 27 Port A/B Six Corporation Carpentry Construction Product Approved on use by contractors only of unaccupied allies or during non- section from the Mark Six Corporation Carpentry Construction Product Approved Six Corporation on the Unit Product Approved Six Corporation Six Corporation Carpentry Construction Product Approved Six Corporation on the Unit Product Approved For use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Product Approved for use by contractors only or unaccupied allies or during non- section from Unit Disposition from Unit Dispositi		ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31	- · · · · · · · · · · · · · · · · · · ·			Approved for use by trained Maintenance & Operations staff only. Must
Seal Section - 27 For A A File Section - 27 For A File Section - 27		ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31	- · · · · · · · · · · · · · · · · · · ·			Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying.
Seal Section - 27 For A A File Section - 27 For A File Section - 27	G861	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series	Sherwin Williams	Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-
Sixelboor-284 Part A/(8) Sixelboor-284 Part A/	G861	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series	Sherwin Williams	Paint Products	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
Silvation-284 Part A B Silvation-294 Part A B Silvation-295 Part A B Silvation-295 Part A B Silvation-525 Part A B Silvation-525 Part A B Silvation-525 Part A B Silvation-525 Part A B Silvation-526 Part A B Silvation-526 Part A B Silvation-527 Part	G861 G862	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B	Sherwin Williams Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Approved for use by contractors only of unoccupied siles or during non- school house. JAUSD soft may not use this product. Use soft silica with product schools and such procedures such as dust common and PEP (17) can espirators with pilo contridge and dust common and PEP (17) can espirators with pilo contridge and dust common and PEP (17) can espirators with pilo contridge ond dust common and PEP (17) can espirators with pilo contridge ond dust common and PEP (17) can espirators with pilo contridge ond dust common and PEP (17) can espirators with pilo contridge ond dust common and per (17) can espirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond dust common and per (17) can sepirators with pilo contridge ond controctors only of use by contractors only of unoccupied and per dust with per dust. App	G861 G862	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B	Sherwin Williams Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
Selfo Side Corporation Side Corporation Corporation Corporative Controlled Approved school hours. LAUSD staff may not use this product. Approved for use by controlled sites or during non-school hours. LAUSD staff may not use this product. Approved for use by controlled some of unity non-school hours. LAUSD staff may not use this product. Approved for use by controlled some of unity non-school hours. LAUSD staff may not use this product. Approved for use by controlled some of unity non-school hours. LAUSD staff may not use this product. Approved some staff may not use this product. Approved for use by controlled some of unity non-school hours. LAUSD staff may not use this product. Approved some staff may not use this product. Approved some staff may not use the product use such some of unity of unity to understand the product. Approved in accessary PRF) and of creating into a respirable dust. Approved for use by centrectors only at uncocupied sites or during non-school hours. LAUSD staff may not use the product. Approved the use by centrectors only at uncocupied site or during non-school hours. Approved for use by centrectors only at uncocupied staff and unity non-school hours. Approved for use by centrectors only at uncocupied staff and unity non-school hours. Approved for use by centrectors only at uncocupied staff and unity non-school hours. Approved for use by trained maintenance and operations staff and controlled controlled approved to the product. Approved for use by trained maintenance and operations staff and controlled staff and unity non-school hours. LAUSD staff may not use this product. Approved to uncocupied staff and unity non-school hours. LAUSD staff may not use this product. Approved to uncoupled staff and unity non-school hours in approved for use by centrectors only attempting descent unity of unity non-school hours in approved for use by centractors only attempting the school of unity of unity non-school hours in uncoupled attempting the product on approved in zerosity attempting the school	G861 G862 G863	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B	Sherwin Williams Sika Corporation	Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
Approved for use by contractors only at unoccupied sites or during non-school hours. LMSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LMSD staff may not use this product. Approved is not product use only product. Approved for use by contractors only at unoccupied sites or during non-school hours. LMSD staff may not use this product. The sense is not sense that the contract and PFE (I/2 face respirators with p100 contradges and necessary PR) avoid creating into respirators with p100 contradges and necessary PR) avoid creating into respirators with p100 contradges and necessary PR) avoid creating into respirators with p100 contradges and necessary PR) avoid creating into respirators with p100 contradges and necessary PR) avoid creating into respirators with p100 contradges and necessary PR) avoid creating pints or expirators with p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating pints or expirators and p100 contradges and necessary PR) avoid creating p100 contradges and p100 c	G861 G862 G863	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B	Sherwin Williams Sika Corporation	Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
section hour. AUSS teriff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Use safe sites owth preduces use that one of uning non-school hours. AUSD staff may not use this product. Use safe sites owth preduces with p100 contrideges and use control one PFC (1/2 face respirators with p100 contrideges and necessary PFC) avoid creating into a respirated staft. Approved for use by training into a respirated staft and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by training minimance and one persions staff and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved to ruse by training non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors required during mixing plantage or removed of dried product. See Floar Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied or use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or resolutions. Approved for use by contractors o	G861 G862 G863	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B	Sherwin Williams Sika Corporation	Paint Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
section hour. AUSS teriff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Use safe sites owth preduces use that one of uning non-school hours. AUSD staff may not use this product. Use safe sites owth preduces with p100 contrideges and use control one PFC (1/2 face respirators with p100 contrideges and necessary PFC) avoid creating into a respirated staft. Approved for use by training into a respirated staft and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by training minimance and one persions staff and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved to ruse by training non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors required during mixing plantage or removed of dried product. See Floar Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied or use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or resolutions. Approved for use by contractors o	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
section hour. AUSS teriff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Use safe sites owth preduces use that one of uning non-school hours. AUSD staff may not use this product. Use safe sites owth preduces with p100 contrideges and use control one PFC (1/2 face respirators with p100 contrideges and necessary PFC) avoid creating into a respirated staft. Approved for use by training into a respirated staft and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved for use by training minimance and one persions staff and contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product. Approved to ruse by training non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors only at unoccupied sites or during non-school hours. AUSD staff may not use this product on site. Dust contractors required during mixing plantage or removed of dried product. See Floar Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied or use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or seas/buildings. Approved for use by contractors only, during non-school hours in unoccupied or resolutions. Approved for use by contractors o	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
Cerpentry/ Construction Product Approved or use Provention Membrane Pacific Polymers Carpentry/ Construction Product Approved Approved Approved or use System Staff may not use file product. Use safe allice work proedures such as dust control and PRC (17 face respiratories with piblic controllages and Carpentry/ Construction Product Approved necessary PRE) avoid creating into a respirable dust. Approved or use by controctors only at unoccupied altes or during non-solonal hours. LAUSD staff may not use this product. Staff may not use this product and controctors only at unoccupied altes or during non-solonal hours. LAUSD staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use this product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use the product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use the product on site. Dust control is required during maining, cleanup, or removal of dried product. Staff may not use the product of t	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
staff may not use this product. Use safe silca work proedures such as dust control and PFE (1/2 foor respirators with p100 cartridges and dust control and PFE (1/2 foor respirators with p100 cartridges and substance) and personal product. Approved or use by contractors only of unoccupied sites or during non-seconal product. Approved for use by contractors only of unoccupied sites or during non-seconal power of unoccupied sites of utring non-seconal power of unoccupied sites or during non-seconal power of unoccupied sites or during non-seconal power of unoccupied sites or during non-seconal power of unoccupied sites of utring non-seconal power of unoccupied sites or during non-seconal power of unoccupied sites or during non-seconal power of unoccupied areas (buildings. Approved for unoccupied areas (buildings.) Approved for contractors on	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only, Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-
dust control and PFE (1/2 face respirators with p100 cartrridges and 6886 RedGard Waterproofing and Crack Prevention Membrane Pacific Polymers Carpentry/ Construction Product Approved necessary PFE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- contractors only at unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only,	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by
Refige and Waterproofing and Crack Prevention Membrane Pacific Polymers Carpentry/ Construction Product Approved necessary PPC) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours in approved or substitutions. Approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for contractor use only, based on previous approved in 2019,	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by
Refige and Waterproofing and Crack Prevention Membrane Pacific Polymers Carpentry/ Construction Product Approved necessary PPC) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours. LAUSD steff and contractors only at unoccupied site or during non-school hours in approved or substitutions. Approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for use by contractors only, during non-school hours in approved for contractor use only, based on previous approved in 2019,	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by
Approved for use by contractors only at unoccupied sites or during non- formation of contractors only at unoccupied sites or during non- formation of use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- formation only of use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- formation only of use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- formation only of use by trained maintenance and operations staff and contractors only of use by trained maintenance and operations staff and contractors only of use by trained maintenance and operations staff and contractors only of use by trained maintenance and operations staff and contractors only of use this product. Approved to use by trained maintenance and operations staff and contractors only of use the product of use of u	G861 G862 G863 G864	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B	Sherwin Williams Sika Corporation Sika Corporation	Point Products Corpentry/ Construction Product Corpentry/ Construction Product Corpentry/ Construction Product	Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by
Se87 CorrisionX Grease Corrosion Technologies Carpentry/ Construction Product Approved school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Se869 Floor Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Se74 Firefilm IV Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se875 Santille 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se876 Carbonylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santille 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se876 Carbonylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santile 120 Carpentry/ Construction Product Approved unoccupied areas/buildings. Se876 Carbonylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santile 120 Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se877 Santile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se878 Santile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se879 Santile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Se879 Santile 120	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Point Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. But the product unoccupied sites or during non-school hours. LAUSD staff may not use this product. LAUSD staff may not use this product. Use safe sites ow the product use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use safe sites ow the product use sofe sites or during non-school hours. LAUSD staff may not use this product. Use sofe sites ow the product use sofe sites or during non-school hours. LAUSD staff may not use this product. Use sofe sites on the product use sofe sites or during non-school hours. LAUSD staff may not use this product. Use sofe sites or during non-school hours. LAUSD staff may not use this product.
Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. G869	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Point Products Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Use safe silca work school hours. LAUSD staff may not use this product. Use safe silca work school hours. LAUSD staff may not use this product. Use safe silca work school hours. LAUSD
contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of died product. 6869 Floor Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved 6874 Firefilm IV Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. 6875 Sonitile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. 6876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. 6876 Carpentry/ Construction Product Approved unoccupied areas/buildings. 6877 Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. 6878 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. 6879 Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. 6870 Carpentry/ Construction Product Approved unoccupied areas/buildings. 6870 Carpentry/ Construction Product Approved unoccupied areas/buildings. 6870 Carpentry/ Construction Product Approved on previous approval in 2019,	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use sofe silca work predures such as dust control and PPE (I/2 face respirators with plo0 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-
staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Segon Floor Mud Commercial Grode Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during n	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Because the product of the product of the product use safe sites or during non-school hours. LAUSD staff may not use this product use safe sites or during non-school hours. LAUSD staff may not use this product use safe sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product.
control is required during mixing, cleanup, or removal of dried product. G889 Floor Mud Commercial Grade Qulkcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use provided use and provided in a provided so contractors only, during non-school hours in Approved for use provided for use provided in a provided so contractors only, during non-school hours in Approved for use provided for use provided in 2018, Approved for use provided for use provided in 2018, Approved for contractor use only, based on previous approval in 2018,	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Laugh staff may not use this product. See the school hours. LAUSD staff may not use this product use sold site or during non-school hours. LAUSD staff may not use this product and precedence scuch as dust control and PPE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and
Fig. 1 Floor Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Laugh staff may not use this product. See the school hours. LAUSD staff may not use this product use sold site or during non-school hours. LAUSD staff may not use this product and precedence scuch as dust control and PPE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and
Fig. 1 Floor Mud Commercial Grade Quikcrete Carpentry/ Construction Product Approved Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Use safe silica work procedures such as dust control and PFE (1/2 face respirators with p100 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product.
Approved for use by contractors only, during non-school hours in Carboline Carpentry/ Construction Product Approved Approved Approved or use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in App	G861 G862 G863 G864 G865	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-264 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation	Paint Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use safe silica work proedures such as dust control and PPE (I/2 face respirators with plo0 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust
G874 Frefilm IV Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in G875 Sontitle I20 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for use by contractors only, during non-school hours in Approved for contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Facilic Polymers Corrosion Technologies	Point Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. By product of use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use safe site of during non-school hours. LAUSD staff may not use safe site of the product use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied site or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied site or during non-school hours. LAUSD staff may not use this product.
Approved for use by contractors only, during non-school hours in G875 Sanitile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. G876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. G876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied rareas/buildings. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for use provided rareas/buildings. Approved for Contractor use only, based on previous approval in 2018,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/Interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Facilic Polymers Corrosion Technologies	Point Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use sofe silica work proedures such as dust control and PPE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required.
GB75 Sanitile 120 Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in GB76 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B Sikaflicor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Facilic Polymers Corrosion Technologies Commercial Grade Quikcrete	Point Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only, Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product use this product use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied s
Approved for use by contractors only, during non-school hours in G876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikaflicor-161 Part A/B Sikaflicor-217 Part A/B Sikaflicor-264 Part A/B Sikaflicor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Facilic Polymers Corrosion Technologies Commercial Grade Quikcrete	Point Products Carpentry/ Construction Product	Approved Approved Approved Approved Approved Approved Approved Approved Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use safe silica work proedures such as dust control on APPE (1/2 face respirators with pilo0 cartridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings.
G876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Pacific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline	Point Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only, Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. By product of use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use safe site of which products such as dust control and PPE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Not or mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings.
G876 Carbocrylic 3359 MC Carboline Carpentry/ Construction Product Approved unoccupied areas/buildings. Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Pacific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline	Point Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only, Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. By product of use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Use safe site of which products such as dust control and PPE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Not or mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Do not create dust. Silica safe work methods required. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings.
Approved for Contractor use only, based on previous approval in 2019,	G861 G862 G863 G864 G865 G866 G867	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-224 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Pacific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline	Point Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product use safe silca work proedures such as dust control and PRE (1/2 foce respirators with pl00 cartrridges and necessary PRE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings.
	G861 G862 G863 G864 G865 G866 G867 G869 G874 G875	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-254 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV Sanitile 120	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Pacific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline Carboline	Point Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Spraying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. LausD staff may not use this product. Use safe silica work proedures such as dust control and PEE (1/2 face respirators with pl00 cartrridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. No dry mixing of product on site. Dust control is required during mixing, cleanup, or removal of dried product. Do not create dust. Silica sefe work methods required. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in
nemous security Approved see interco.	G861 G862 G863 G864 G865 G866 G867 G869 G874 G875	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-254 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV Sanitile 120	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Pacific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline Carboline	Point Products Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. By proved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. By proved for use by contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use sties product. Use sofe site ower product uses such as dust control and PFE (1/2 face respirators with pl00 cartrridges and necessary PFE) avoid creating into a respirable dust. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings.
	G861 G862 G863 G864 G865 G866 G867 G869 G874 G875	ProClassic Waterborne Exterior/interior Acrylic Semi-Gloss B31 1100/2100 Series Sikafloor-161 Part A/B Sikafloor-217 Part A/B Sikafloor-272 Part A/B Sikafloor-521 Part A/B RedGard Waterproofing and Crack Prevention Membrane CorrisionX Grease Floor Mud Firefilm IV Sanitie 120 Carbocrylic 3359 MC	Sherwin Williams Sika Corporation Sika Corporation Sika Corporation Sika Corporation Facific Polymers Corrosion Technologies Commercial Grade Quikcrete Carboline Carboline	Point Products Carpentry/ Construction Product Carpentry/ Construction Product	Approved	Approved for use by trained Maintenance & Operations staff only. Must be brushed on or rolled on, No Sproying. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. LAUSD staff may not use this product. Use safe sites ow furing non-school hours. LAUSD staff may not use this product. Use safe site over products use to safe dust control and PPE (1/2 face respirators with p100 carteridges and necessary PPE) avoid creating into a respirable dust. Approved for use by contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non- school hours. LAUSD staff may not use this product. Approved for use by trained maintenance and operations staff and contractors only at unoccupied sites or during non-school hours. LAUSD staff may not use this product, or directors only at unoccupied site or during non- school hours. LAUSD staff may not use this product. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for use by contractors only, during non-school hours in unoccupied areas/buildings. Approved for Contractor use only, based on previous approval in 2019,