



# Environmental Hazards Survey



<b>Highland Park Continuation High School (c. 1972)</b>	<b>Principal</b>		Irene Narvaez
928 N AVENUE 53, LOS ANGELES, CA 90042	<b>E-mail</b>		<a href="mailto:IRENE.NARVAEZ@lausd.net">IRENE.NARVAEZ@lausd.net</a>
323-254-3421	<b>Site ID</b>		16421
	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?		X	
Cellular phone antenna adjacent or on site?		X	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?		X	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?		X	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?		X	
Major transportation corridor within 500 ft?		X	
Reservoirs, water, or fuel storage tank facilities within 500 ft?		X	
Haz mat transmission pipelines within 50 ft?		X	
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?		X	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?		X	
Located within a High Risk Radon Zone?		X	
Superfund Site within 500 ft?		X	
Landfill facility within 500 ft?		X	
Mapped or active earthquake fault within 500 ft?	X		Raymond Fault (140 ft. north of school)
CalEPA Regulated Sites of Concern* within 500 ft?		X	
<p>* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:</p> <ul style="list-style-type: none"> <li>- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools</li> <li>- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school</li> <li>- Users can click on the regulated sites to find out additional information about the sites</li> <li>- The Portal also includes tools to measure the distances between locations on the map</li> </ul>			
Here is a link to the CalEPA Regulated Site Portal:	<a href="https://siteportal.calepa.ca.gov/">https://siteportal.calepa.ca.gov/</a>		

This survey was completed in July 2022.



# Highland Park Continuation High School

Potential Environmental Factors

Site located in:  
Seismic Zone - Raymond fault  
Radon Zone - Moderate Risk

- Legend
- Pipeline
  - School



Highland Park Continuation High School

SOUTHERN CALIFORNIA GAS CO

Highland Park Continuation High School