



Alta Loma Elementary (c.1935)	Principal		Heather Mura
1745 VINEYARD AVE, LOS ANGELES, CA 90019	E-mail		heather.mura@lausd.net
323-939-2113	Site ID 1		13402
	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?		Х	
Cellular phone antenna adjacent or on site?		Х	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft		V	
(below ground)?		X	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below		v	
ground)?		X	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below			
ground)?		X	
Major transportation corridor within 500 ft?		Х	
Reservoirs, water, or fuel storage tank facilities within 500 ft?		x	
Haz mat transmission pipelines within 50 ft?		Х	
Oil production facilities (existing or former oil wells/borings and		v	
processing equipment) within 50 ft?		Х	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?	Х		The school is in a Methane Zone
Located within a High Risk Radon Zone?		Х	
Superfund Site within 500 ft?		Х	
Landfill facility within 500 ft?		Х	
Mapped or active earthquake fault within 500 ft?		Х	
CalEPA Regulated Sites of Concern* within 500 ft?		Х	
* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the			
Portal to identify facilities near an LAUSD school:			
- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools			
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school			
- Users can click on the regulated sites to find out additional information about the sites			

- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal:

https://siteportal.calepa.ca.gov/

This survey was completed in April 2022.