

## **Environmental Hazards Survey**



| Burbank Boulevard ES (c. 1955)                                  | Principal |    | Cindy Gutierrez           |
|---|-----------|----|---------------------------|
| 12215 ALBERS ST, NORTH HOLLYWOOD, CA, 91607                     | E-mail    |    | CINDY.GUTIERREZ@LAUSD.NET |
| 818-763-6497  | Site ID   |    | 13678                     |
|   |           |    |                           |
|   | Yes       | No | Notes                     |
| Rail line (active, easement, or spurs) within 128 ft?           |           | Χ  |                           |
| Cellular phone antenna adjacent or on site?                     |           | Χ  |                           |
| 50-200 kilovolt (kV) power line within 100 ft (above            |           | Х  |                           |
| ground)/25 ft (below ground)?                                   |           | ^  |                           |
| 200-230 kV power line within 150 ft (above ground)/37.5 ft      | ×         | >  |                           |
| (below ground)?   |           | ^  |                           |
| 500-550 kV ower line within 350 ft (above ground)/87.5 ft       |           | V  |                           |
| (below ground)?   |           | Х  |                           |
| Major transportation corridor within 500 ft?                    |           | Х  |                           |
| Reservoirs, water, or fuel storage tank facilities within 500   |           | Х  |                           |
| ft?   |           | ^  |                           |
| Haz mat transmission pipelines within 50 ft?                    |           | Χ  |                           |
| Oil production facilities (existing or former oil wells/borings | х         | V  |                           |
| and processing equipment) within 50 ft?                         |           | ^  |                           |
| Located within an Oil Field / Methane Zone / Methane            | V         | ., |                           |
| Buffer Zone?  |           | Х  |                           |
| Located within a High Risk Radon Zone?                          |           | Х  |                           |
| Superfund Site within 500 ft?                                   |           | Χ  |                           |
| Landfill facility within 500 ft?                                |           | Х  |                           |
| Mapped or active earthquake fault within 500 ft?                |           | Χ  |                           |
| CalEPA Regulated Sites of Concern* within 500 ft?               |           | Х  |                           |
|   |           |    |                           |

<sup>\*</sup> The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <a href="https://siteportal.calepa.ca.gov/">https://siteportal.calepa.ca.gov/</a>