



Environmental Hazards Survey



| | | | |
|--|------------------|---|--|
| Lillian St ES (c. 1923) | Principal | Maria Gomez | |
| 5909 LILLIAN ST, LOS ANGELES, CA 90001 | E-mail | mgomez14@lausd.net | |
| 323-582-0705 | Site ID | 13468 | |
| | Yes | No | Notes |
| Rail line (active, easement, or spurs) within 128 ft? | X | | La Habra–Fullerton–Yorba Linda Line (adjacent to the northern border of school) |
| Cellular phone antenna adjacent or on site? | | X | |
| 50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)? | | X | |
| 200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)? | | X | |
| 500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)? | | X | |
| Major transportation corridor within 500 ft? | | X | |
| Reservoirs, water, or fuel storage tank facilities within 500 ft? | X | | Service Plating (320 ft southeast of the school) |
| Haz mat transmission pipelines within 50 ft? | X | | SHELL PIPELINE CO., L.P. (adjacent to western border of the school) |
| Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft? | | X | |
| Located within an Oil Field / Methane Zone / Methane Buffer Zone? | | X | |
| Located within a High Risk Radon Zone? | | X | |
| Superfund Site within 500 ft? | | X | |
| Landfill facility within 500 ft? | | X | |
| Mapped or active earthquake fault within 500 ft? | | X | |
| CalEPA Regulated Sites of Concern* within 500 ft? | X | | DE-CAST INC (35 ft east of school), FLO-MAC INC (35 ft east of school), MAS IRON (100 ft southeast of school), M.P.R. Trucking (180 ft north of school), SANDERS SERVICE INC (205 ft east of school), FORMER BLUE CORAL FACILITY (205 ft east of school), Service Plating (320 ft southeast of school), MARVIN ELECTRIC MFG CO INC (360 ft southeast of school), NAVAJO PALLETS (470 ft north of school) |
| <p>* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:</p> <ul style="list-style-type: none"> - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school - Users can click on the regulated sites to find out additional information about the sites - The Portal also includes tools to measure the distances between locations on the map | | | |
| Here is a link to the CalEPA Regulated Site Portal: | | https://siteportal.calepa.ca.gov/ | |

This survey was completed in October 2021