

## **Environmental Hazards Survey**



323-568-5600       Site ID       13262         Ves       No         Rail line (active, easement, or spurs) within 128 ft?       X       Union Pacific railway (100 feet north of campus along Independence Ave.)         Cellular phone antenna adjacent or on site?       X       Sprint Nextel rooftop antenna, Atlas License Company & Data Services         50-200 kilovoit (kV) power line within 100 ft (above ground)/25 ft (below ground)?       X       ScE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-230 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         Bejor transportation corridor within 500 ft?       X       X         Major transportation corridor within 500 ft?       X       X         Haz mat transmission pipelines within 50 ft?       X       X         Up roduction facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Located within a NIF liel / Methane Zone / Methane Buff?       X       X       Located within 50 ft?       X         Mapped or active earthquake fault within 500 ft?       X       X       Located within a NIF liel / Methane Zone / Methane Buff?       X         Located within a NIF liel / Methane Zone / Methane Buff?       X       Located within S00 ft?       X         Located within a Vith S00 ft?       X	South Gate HS (c. 1930)	Prin	cipal	Leo Gonzalez	
Yes         No         Notes           Rail line (active, easement, or spurs) within 128 ft?         X         Union Pacific railway (100 feet north of campus along Independence Ave.)           Cellular phone antenna adjacent or on site?         X         Sprint Nextel rooftop antenna, Atlas License Company & Data Services           50-200 kilovoit (kV) power line within 100 ft (above ground)/3 ft. ft         X         SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.           200-230 kV power line within 150 ft (above ground)/37.5 ft         X         SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.           200-230 kV power line within 350 ft (above ground)/87.5 ft         X         Sce 66kV overhead power line within 500 ft?           200-550 kV power line within 500 ft?         X         X         Sce 66kV overhead power line within 500 ft?           Reservoirs, water, or fuel storage tank facilities within 500 ft?         X         X         Sce 66kV overhead power line within 50 ft?           41 ar mat transmission pipelines within 50 ft?         X         X         Sce 66kV overhead power line within 50 ft?           42 cated within a Oil Field / Methane Zone / Methane Buffer Zone?         X         Sce 66kV overhead power line within 50 ft?         X           43 cated within 50 ft?         X         Sce 66kV overhead power line within 50 ft?         X         Sce 66kV overhead power line within 50 ft? <td< td=""><td>3351 Firestone Blvd. South Gate, CA 90280-2937</td><td colspan="2">E-mail</td><td>lgonza7@lausd.net</td></td<>	3351 Firestone Blvd. South Gate, CA 90280-2937	E-mail		lgonza7@lausd.net	
Rail line (active, easement, or spurs) within 128 ft?       X       Union Pacific railway (100 feet north of campus along Independence Ave.)         Cellular phone antenna adjacent or on site?       X       Sprint Nextel rooftop antenna, Atlas License Company & Data Services         So-200 kilovol (KV) power line within 100 ft (above ground)/37.5 ft (below ground)?       X       SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-230 ki voor line within 150 ft (above ground)/37.5 ft (below ground)?       X       X         S00-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         Major transportation corridor within 500 ft?       X       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X       X         Haz mat transmission pipelines within 50 ft?       X       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Located within a Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Superfund Site within 500 ft?       X       X       X       X         Cated within a Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Located within 500 ft?       X       X       X       X         CatEPA Regulated Sites of Concern* within	323-568-5600	Site ID		13262	
Rail line (active, easement, or spurs) within 128 ft?       X       Union Pacific railway (100 feet north of campus along Independence Ave.)         Cellular phone antenna adjacent or on site?       X       Sprint Nextel rooftop antenna, Atlas License Company & Data Services         So-200 kilovol (KV) power line within 100 ft (above ground)/37.5 ft (below ground)?       X       SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-230 ki voor line within 150 ft (above ground)/37.5 ft (below ground)?       X       X         S00-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         Major transportation corridor within 500 ft?       X       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X       X         Haz mat transmission pipelines within 50 ft?       X       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Located within a Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Superfund Site within 500 ft?       X       X       X       X         Cated within a Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Located within 500 ft?       X       X       X       X         CatEPA Regulated Sites of Concern* within					
Cellular phone antenna adjacent or on site?       X       Sprint Nextel rooftop antenna, Atlas License Company & Data Services         S0-200 kilovolt (KV) power line within 100 ft (above ground)/37.5 ft (below ground)?       X       SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-330 kV power line within 350 ft (above ground)/37.5 ft (below ground)?       X       SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-350 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         Major transportation corridor within 500 ft?       X       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X       X         Haz mat transmission pipelines within 50 ft?       X       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Cacted within an Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Superfund Site within 500 ft?       X       X       X       X         Mapped or active earthquake fault within 500 ft?       X       X       X       X         Landfill facility within 500 ft?       X       X       X       X       X         Superfund Site within 500 ft?       X       X       X       X       X		Yes	No	Notes	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?       X       SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.         200-320 kV power line within 150 ft (above ground)/37.5 ft (below ground)?       X       X         500-505 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         500-505 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         500-505 kV power line within 500 ft?       X       X         Major transportation corridor within 500 ft?       X       X         Faz mat transmission pipelines within 50 ft?       X       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Superfund Site within 500 ft?       X       X       X       X         Superfund Site within 500 ft?       X       X       X       X         CalEPA Regulated Sites of Concern* within 500 ft?       X       X       X       CALDERON TRANSMISSION INC (8600 STATE ST), CONNECTING J&J MECHANIC INC (3382 FIRESTONE BLVD), CHEVRON #9-3701 (3250 FIRESTONE BLVD)       Y       FIRESTONE BLVD) (SO FIRESTONE BLVD)       Y       Y       CALDERON TRANSMISSION INC (8600 STATE ST), CONNECTING J&J MECHANIC INC (338	Rail line (active, easement, or spurs) within 128 ft?	Х		Union Pacific railway (100 feet north of campus along Independence Ave.)	
ground)/25 ft (below ground)?       X       SCE 66KV overnead power line immediately adjacent to campus along Ardmore Ave.         200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?       X       X         205-50 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X       X         Major transportation corridor within 500 ft?       X       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X       X         Haz mat transmission pipelines within 50 ft?       X       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X       X       X         Located within 500 ft?       X       X       X       X         Landfill facility within 500 ft?       X       X       X       X         Landfill facility within 500 ft?       X       X       X       X       X         CalEPA Regulated Sites of Concern* within 500 ft?       X <td>Cellular phone antenna adjacent or on site?</td> <td>Х</td> <td></td> <td>Sprint Nextel rooftop antenna, Atlas License Company &amp; Data Services</td>	Cellular phone antenna adjacent or on site?	Х		Sprint Nextel rooftop antenna, Atlas License Company & Data Services	
(below ground)?       X         500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?       X         Major transportation corridor within 500 ft?       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X         Haz mat transmission pipelines within 50 ft?       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X         Located within a Oil Field / Methane Zone / Methane Buffer Zone?       X         Located within a 00 ft?       X         Located within a 00 ft?       X         Located within a 00 ft?       X         Located within a 500 ft?       X         Located within a 00 ft?       X         Located within a 00 ft?       X         Located within a 500 ft?       X         Located within a 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site of Concern* within 500 ft?       X         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools	50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?	х		SCE 66kV overhead power line immediately adjacent to campus along Ardmore Ave.	
(below ground)?       X         Major transportation corridor within 500 ft?       X         Reservoirs, water, or fuel storage tank facilities within 500       X         Reservoirs, water, or fuel storage tank facilities within 500       X         Reservoirs, water, or fuel storage tank facilities within 500 ft?       X         Baz mat transmission pipelines within 50 ft?       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane       X         Buffer Zone?       X         Located within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bat to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a sc	200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?		х		
Reservoirs, water, or fuel storage tank facilities within 500       X         Haz mat transmission pipelines within 50 ft?       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X         Located within a High Risk Radon Zone?       X         Located within 50 ft?       X         Mapped or active earthquake fault within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9-3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows	500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?		х		
ft?       X         Haz mat transmission pipelines within 50 ft?       X         Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X         Located within a High Risk Radon Zone?       X         Superfund Site within 500 ft?       X         Landfill facility within 500 ft?       X         Landfill facility within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         CalEPA Regulated Site of Concern* within 500 ft?       X         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites on a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         • Once the user has zoomed in to a school site, the map shows all the regulated sites near the school'       Super the search bar to enter the school' address or by using a mouse and zoom tools         • Once the user has zoomed in to a school site, the map shows all the regulated sites near the school 's address or by using a mouse and zoom tools         • Once the user has zoomed in to a school site, the map shows all the regulated sites near the school 's address or by using a mouse and zoom tools         • Once the user has zoomed in to a school site, the map shows all the regulated sites near the school 's address or by using a mouse and zoom tools         • Once the	Major transportation corridor within 500 ft?		Х		
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane Buffer Zone?       X         Located within a High Risk Radon Zone?       X         Superfund Site within 500 ft?       X         Landfill facility within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CaLEPA Regulated Sites of Concern* within 500 ft?       X         CaLEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:            First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools       Once the user has zoomed in to a school site, the map shows all the regulated sites near the school            - Users can click on the regulated sites to find out additional information about the sites       The Portal also includes tools to measure the distances between locations on the map	Reservoirs, water, or fuel storage tank facilities within 500 ft?		х		
and processing equipment) within 50 ft?       X         Located within an Oil Field / Methane Zone / Methane       X         Buffer Zone?       X         Located within a High Risk Radon Zone?       X         Superfund Site within 500 ft?       X         Landfill facility within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school: - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school - Users can click on the regulated sites to find out additional information about the sites - The Portal also includes tools to measure the distances between locations on the map	Haz mat transmission pipelines within 50 ft?		Х		
Buffer Zone?       X         Located within a High Risk Radon Zone?       X         Superfund Site within 500 ft?       X         Landfill facility within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school         - Users can click on the regulated sites to find out additional information about the sites         - The Portal also includes tools to measure the distances between locations on the map	Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?		х		
Superfund Site within 500 ft?       X         Landfill facility within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         V       CALDERON TRANSMISSION INC (8600 STATE ST), CONNECTING J&J MECHANIC INC (3382         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school         - Users can click on the regulated sites to find out additional information about the sites         - The Portal also includes tools to measure the distances between locations on the map	Located within an Oil Field / Methane Zone / Methane Buffer Zone?		х		
Landfill facility within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school         - Users can click on the regulated sites to find out additional information about the sites         - The Portal also includes tools to measure the distances between locations on the map	Located within a High Risk Radon Zone?		Х		
Mapped or active earthquake fault within 500 ft?       X         CalEPA Regulated Sites of Concern* within 500 ft?       X         State       CALDERON TRANSMISSION INC (8600 STATE ST), CONNECTING J&J MECHANIC INC (3382         FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school         - Users can click on the regulated sites to find out additional information about the sites         - The Portal also includes tools to measure the distances between locations on the map	Superfund Site within 500 ft?		Х		
CALDERON TRANSMISSION INC (8600 STATE ST), CONNECTING J&J MECHANIC INC (3382 CalEPA Regulated Sites of Concern* within 500 ft? * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school: - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school - Users can click on the regulated sites to find out additional information about the sites - The Portal also includes tools to measure the distances between locations on the map	Landfill facility within 500 ft?		Х		
CalEPA Regulated Sites of Concern* within 500 ft?       X       FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)         * The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:         - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools         - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school         - Users can click on the regulated sites to find out additional information about the sites         - The Portal also includes tools to measure the distances between locations on the map	Mapped or active earthquake fault within 500 ft?		Х		
the Portal to identify facilities near an LAUSD school: - First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools - Once the user has zoomed in to a school site, the map shows all the regulated sites near the school - Users can click on the regulated sites to find out additional information about the sites - The Portal also includes tools to measure the distances between locations on the map	CalEPA Regulated Sites of Concern* within 500 ft?			FIRESTONE BLVD), FELIX AND DIMAS BODY SHOP (3400 1/2 FIRESTONE BLVD), CHEVRON #9- 3701 (3250 FIRESTONE BLVD)	
<ul> <li>First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools</li> <li>Once the user has zoomed in to a school site, the map shows all the regulated sites near the school</li> <li>Users can click on the regulated sites to find out additional information about the sites</li> <li>The Portal also includes tools to measure the distances between locations on the map</li> </ul>					
<ul> <li>Once the user has zoomed in to a school site, the map shows all the regulated sites near the school</li> <li>Users can click on the regulated sites to find out additional information about the sites</li> <li>The Portal also includes tools to measure the distances between locations on the map</li> </ul>					
<ul> <li>Users can click on the regulated sites to find out additional information about the sites</li> <li>The Portal also includes tools to measure the distances between locations on the map</li> </ul>					
- The Portal also includes tools to measure the distances between locations on the map					
	Here is a link to the CalEPA Regulated Site Portal:	1		· · · · · · · · · · · · · · · · · · ·	