



Widney Career Preparatory & Transition Center (c. 1926)	Prin	cipal	Michael Terry
2302 S GRAMERCY PL, LOS ANGELES, CA 90018	E	-mail	mterry@lausd.net
323-731-8633	S	ite ID	15163
	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?		Х	
Cellular phone antenna adjacent or on site?		Х	
50-200 kilovolt (kV) power line within 100 ft (above		V	
ground)/25 ft (below ground)?		Х	
200-230 kV power line within 150 ft (above ground)/37.5 ft		v	
(below ground)?		Х	
500-550 kV power line within 350 ft (above ground)/87.5 ft		V	
(below ground)?		Х	
Major transportation corridor within 500 ft?	Х		Interstate 10 Santa Monica Freeway (125 ft. north of school)
Reservoirs, water, or fuel storage tank facilities within 500		V	
ft?		Х	
Haz mat transmission pipelines within 50 ft?		Х	
Oil production facilities (existing or former oil wells/borings		V	
and processing equipment) within 50 ft?		Х	
Located within an Oil Field / Methane Zone / Methane	V		Nothers Zone
Buffer Zone?	Х		Methane Zone
Located within a High Risk Radon Zone?		Х	
Superfund Site within 500 ft?		Х	
Landfill facility within 500 ft?		Х	
Mapped or active earthquake fault within 500 ft?		Х	
CalEPA Regulated Sites of Concern* within 500 ft?		Х	
* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use			
the Portal to identify facilities near an LAUSD school:			
- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools			
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school			
- Users can click on the regulated sites to find out additional information about the sites			

- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal:

https://siteportal.calepa.ca.gov/