

Environmental Hazards Survey



Woodlawn Avenue ES (c. 1922)	Prin	cipal	Carolina Brockway
6314 Woodlawn Ave., Bell, CA 90201	E-mail		cxb3963@lausd.net
323-560-1445	Site ID 1		13572
	-		
	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?		Х	
Cellular phone antenna adjacent or on site?		Х	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?		х	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?		х	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?		х	
Major transportation corridor within 500 ft?		Х	
Reservoirs, water, or fuel storage tank facilities within 500 ft?		х	
Haz mat transmission pipelines within 50 ft?		х	
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?		х	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?		х	
Located within a High Risk Radon Zone?		Х	
Superfund Site within 500 ft?		Х	
Landfill facility within 500 ft?		Х	
Mapped or active earthquake fault within 500 ft?		Х	
CalEPA Regulated Sites of Concern* within 500 ft?	Х		Cervantes Printing (240 ft west of the school).

* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools

- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school

- Users can click on the regulated sites to find out additional information about the sites

- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal:

https://siteportal.calepa.ca.gov/