



Environmental Hazards Survey



Bryson Ave ES (c. 1931)	Principal	Guillermo George
4470 MISSOURI AVE, SOUTH GATE, CA 90280	E-mail	guillermo.george@lausd.net
323-569-7141	Site ID	13558

	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Cellular phone antenna adjacent or on site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Major transportation corridor within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Reservoirs, water, or fuel storage tank facilities within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Haz mat transmission pipelines within 50 ft?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CRIMSON PIPELINE L.P. runs diagonally underneath the southeast corner of the parking lot at the south end of the campus
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Located within a High Risk Radon Zone?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Superfund Site within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Landfill facility within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mapped or active earthquake fault within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CalEPA Regulated Sites of Concern* within 500 ft?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Western Dental 233 south of campus, City of South Gate - SO. Freedom Ford 230 south of campus

* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <https://siteportal.calepa.ca.gov/>