



# Environmental Hazards Survey



<b>Thomas Riley High School (c. 1949)</b>	<b>Principal</b>	Linda Roussel
1524 East 103rd St. Los Angeles, CA 90002-3307	<b>E-mail</b>	<a href="mailto:linda.roussel@lausd.net">linda.roussel@lausd.net</a>
323-563-6692	<b>Site ID</b>	13498

	Yes	No	Notes
Rail line (active, easement, or spurs) within 128 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Cellular phone antenna adjacent or on site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
50-200 kilovolt (kV) power line within 100 ft (above ground)/25 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
200-230 kV power line within 150 ft (above ground)/37.5 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
500-550 kV power line within 350 ft (above ground)/87.5 ft (below ground)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Major transportation corridor within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Reservoirs, water, or fuel storage tank facilities within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Haz mat transmission pipelines within 50 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Oil production facilities (existing or former oil wells/borings and processing equipment) within 50 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Located within an Oil Field / Methane Zone / Methane Buffer Zone?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Located within a High Risk Radon Zone?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Superfund Site within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Landfill facility within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mapped or active earthquake fault within 500 ft?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CalEPA Regulated Sites of Concern* within 500 ft?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Los Angeles City Fire Station #65 (170 ft north of the campus); Kaiser Permanente Watts Pavilion (180 ft northwest of the campus); Watts Healthcare Corporation (187 ft east of the campus)

\* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <https://siteportal.calepa.ca.gov/>