



### Environmental Hazards in Proximity to Santana Arts Academy

|                                       |                  |  |
|---------------------------------------|------------------|--|
| <b>Santana Arts Academy (c. 2010)</b> | <b>Principal</b> | Barbara Avilez   |
| 9301 Columbus Ave., North Hills 91343 | <b>E-mail</b>    | <a href="mailto:bla4568@lausd.net">bla4568@lausd.net</a> |
| 818-920-4060                          | <b>Phone</b>     | 424-325-3176   |

|   | Yes                      | No                                  | Notes |
|---|--------------------------|-------------------------------------|-------|
| Rail Line (active, easement, or spurs) within 128 ft?   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Cellular Phone Antenna adjacent or on site?   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| 50-200 kV Power line within 100 ft (above ground)/25 ft (below ground)?                                 | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| 200-230 kV Power line within 150 ft (above ground)/37.5 ft (below ground)?                              | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| 500-550 kV Power line within 350 ft (above ground)/87.5 ft (below ground)?                              | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Major Transportation Corridor within 500 feet?  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Reservoirs, Water, or Fuel Storage Tank facilities within 500 feet?                                     | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Haz Mat Transmission pipelines within 50 feet?  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Oil Production Facilities (existing or former oil wells/borings and processing equipment) within 50 ft? | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Located within an Oil Field / Methane Zone / Methane Buffer Zone?                                       | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Located within a High Risk Radon Zone?  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Superfund Site within 500 ft?   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Landfill facility within 500 ft?  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| Mapped or active earthquake fault within 500 ft?  | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |
| CalEPA Regulated Sites of Concern* within 500 ft?   | <input type="checkbox"/> | <input checked="" type="checkbox"/> |       |

\* The CalEPA Regulated Site Portal (Portal) combines data about environmentally regulated sites and facilities in California into a single, searchable database and interactive map. To use the Portal to identify facilities near an LAUSD school:

- First zoom in to a school location on the map by either using the search bar to enter the school's address or by using a mouse and zoom tools
- Once the user has zoomed in to a school site, the map shows all the regulated sites near the school
- Users can click on the regulated sites to find out additional information about the sites
- The Portal also includes tools to measure the distances between locations on the map

Here is a link to the CalEPA Regulated Site Portal: <https://siteportal.calepa.ca.gov/>