



707 Wilshire Blvd., Suite 3250
Los Angeles, CA 90017

t 213.213.9400

May 28, 2025

Mr. Filmon Tesfaslasie
Los Angeles Unified School District
Office of Environmental Health and Safety
333 S. Beaudry Avenue, 21st Floor
Los Angeles, CA 90017

SITE: LAUSD PALISADES CHARTER HIGH SCHOOL
15777 BOWDOIN ST
PACIFIC PALISADES, CALIFORNIA

RE: SUMMARY OF PERIMETER SOIL SAMPLING

Dear Mr. Tesfaslasie:

TRC Solutions, Inc. (TRC) presents this summary of Perimeter Soil Sampling activities for the Los Angeles Unified School District (LAUSD) Palisades Charter High School (Palisades HS) located at 15777 Bowdoin Street, Pacific Palisades, California (the Site; **Figures 1 and 2**)

OBJECTIVE AND BACKGROUND

The purpose of the perimeter soil sampling was to assess the environmental impacts of the recent Pacific Palisades wildfires in soil at Palisades Charter High School and investigate if any soil impacts pose a potential human health risk.

SOIL SAMPLING ACTIVITIES

On March 26 and March 27, 2025, TRC staff sampled 60 surface soil locations throughout the perimeter and slopes/hillsides at Palisades Charter High School. The surface soil sample locations are presented in **Figure 3**. Soil samples were collected from the surface of the soil to a depth of approximately three inches below the ground surface (bgs). Sample locations were spaced in approximately 100-foot centers. Soil samples were composited by the laboratory in a 4:1 ratio according to defined composite areas presented in **Figure 3**, with the exception of volatile organic compounds (VOCs).

Sampling equipment (e.g., stainless steel hand trowel) was decontaminated before work began and between sampling locations using a combination of water and Liquinox and rinsed with clean water from a municipal source. After collecting a sample, the sample location was backfilled with the excess soil removed during sampling and supplemented with clean sand as needed. No investigation derived waste (IDW) was generated during sampling. The ground surface was hand-compacted and leveled to match the surrounding surface.

Laboratory Analysis

All soil samples were sent to Eurofins Environment Testing Southwest (Eurofins), a California state-certified laboratory under chain of custody protocols. Samples were analyzed for the following:

- Title 22 Metals by Environmental Protection Agency (EPA) Method 6010B/7471A
- Polycyclic Aromatic Hydrocarbons (PAHs) by EPA Method 8270C
- Asbestos by Polarized Light Microscopy (PLM)

Summary of Perimeter Soil Sampling

LAUSD Palisades Charter High School

May 28, 2025

- Selected samples (50%) were analyzed for:
 - Organochlorine Pesticides (OCPs) by EPA Method 8081A
- Selected samples (20%) were analyzed for:
 - VOCs by EPA Method 8260B/5035
 - Total Petroleum Hydrocarbons (TPH) by EPA Method 8015M
 - Polychlorinated Biphenyls (PCBs) by EPA Method 8082
 - Dioxins and Furans (PCDD/PCDF) by EPA Method 1613B
- Duplicate samples were collected at a minimum rate of 10% of total samples.

Samples were composited by the laboratory in a 4:1 ratio according to the pre-defined composite areas (**Figure 3**). VOC samples could not be composited by the laboratory and were analyzed individually instead.

A complete summary of soil analytical results is presented in **Tables 1A through 1G**. Laboratory analytical reports are included in **Appendix A**.

FINDINGS

The sample analytical results were tabulated and compared with EPA Regional Screening Levels (RSLs) for residential soil and California Department of Toxic Substances Control (DTSC) Residential Soil Screening Levels (SLs), and the DTSC recommended background level for arsenic in Southern California. TPH as gasoline (TPH-G), diesel (TPH-D) and oil (TPH-O) ranges were compared to the San Francisco Regional Water Quality Control Board (RWQCB) Tier 1 Environmental Screening Levels (ELs) for soil, as the EPA and DTSC do not have direct soil RSLs and SLs for those TPH fractions.

Metals

Metals including arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, vanadium, and zinc were detected above the laboratory method detection limit (MDL; **Table 1**). Arsenic was reported above the DTSC background level of 12 mg/kg in one sample at 12.4 mg/kg (PCHS-SS-COMP-5). Lead was reported above the DTSC SL of 80 mg/kg in one sample at 81.6 mg/Kg (PCHS-SS-COMP-5). Metals were otherwise below their respective RSLs, SLs, or background levels for arsenic.

PAHs

PAHs including 1-methylnaphthalene, 2-methylnaphthalene, acenaphthene, acenaphthylene, anthracene, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, benzo[k]fluoranthene, chrysene, fluoranthene, fluorene, indeno[1,2,3-cd]pyrene, naphthalene, phenanthrene, and pyrene were detected above their respective laboratory MDLs (**Table 1**). PAHs were not detected above their respective EPA RSLs or DTSC SLs in any of the samples.

OCPs

OCPs including 4,4'-ddd, 4,4'-dde, 4,4'-ddt, alpha-chlordane, chlordane, dieldrin, endosulfan ii, endosulfan sulfate, endrin, gamma-chlordane, heptachlor epoxide, and toxaphene were detected above their respective laboratory MDLs (**Table 1**). OCPs were not detected above their respective EPA RSLs or DTSC SLs in any of the samples.

PCBs

PCBs were not detected in any of the samples.

Summary of Perimeter Soil Sampling

LAUSD Palisades Charter High School

May 28, 2025

PCDDs/PCDFs

PCDDs/PCDFs including 1,2,3,4,6,7,8-HpCDD, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, 1,2,3,4,7,8-HxCDD, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDD, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDD, 1,2,3,7,8,9-HxCDF, 1,2,3,7,8-PeCDF, 2,3,4,6,7,8-HxCDF, 2,3,4,7,8-PeCDF, 2,3,7,8-TCDF, OCDD, and OCDF were detected above their respective laboratory MDLs (**Table 1**). PCDDs/PCDFs were not detected above their respective EPA RSLs and DTSC SLs in any of the samples.

TPH

TPH as gasoline (TPH-G), diesel (TPH-D) and oil (TPH-O) ranges were detected above their respective laboratory MDLs (**Table 1**). TPH was not detected above the RWQCB Tier 1 ESLs for soil in any of the samples.

VOCs

Relatively low levels of VOCs including 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 2-butanone, acetone, benzene, ethylbenzene, p-isopropyltoluene, toluene, and xylenes were detected above their respective laboratory MDLs. VOCs were not detected above their respective EPA RSLs and DTSC SLs in any of the samples.

A summary of the analytical results with comparisons to DTSC/EPA RSLs or RWQCB Tier 1 ESLs for soil is included in **Table 1**. Laboratory analytical reports are included in **Appendix A**.

DISCUSSIONS AND RECOMMENDATIONS

The analytical results reported for the soil samples analyzed during this investigation included detections of metals, PAHs, OCPs, PCDDs/PCDFs, TPH, and VOCs. PCBs were not detected. All detections of PAHs, OCPs, PCDDs/PCDF, and VOCs were below EPA and DTSC screening levels. TPH (TPH-G/TPH-D/TPH-O) was below RWQCB Tier 1 ESLs. One soil sample from the perimeter hillside northwest of the parking area had an arsenic concentration of 12.4 mg/kg and lead concentration of 81.6 mg/kg, slightly above the DTSC background level for arsenic of 12 mg/kg, and RSL of 80 mg/kg for lead, respectively. All other detections of metals in soil were below EPA RSLs and DTSC SLs. Exposure potential is minimal in the context that this perimeter hillside is not routinely accessed by staff or students. Moreover, DTSC SLs are intentionally conservative and are based on an exposure duration of 24 hours per day over 20 years. For lead, the minimal exceedance in a low-access area does not warrant additional step-out sampling or remediation at this time. For arsenic, the detected value is essentially equivalent to the regional background level and does not indicate an elevated risk above naturally occurring conditions.

Based on the results of this soil investigation, perimeter soils at the Palisades Charter High School are unlikely to pose a risk to human health. No additional actions are recommended at this time.

If you have any questions or need additional information, please contact Colin Campbell at (213) 310-1563 or ccampbell@trccompanies.com.

Sincerely,

TRC Solutions, Inc.



Colin Campbell, PG
LAUSD Lead Project Manager



Ryan Jorrey, PG
LAUSD Program Manager

Attachments:

Table 1A – Soil Sampling Analytical Results Metals
Table 1B – Soil Sampling Analytical Results PAHs
Table 1C – Soil Sampling Analytical Results OCPs
Table 1D – Soil Sampling Analytical Results PCBs
Table 1E – Soil Sampling Analytical Results PCDDs/PCDFs
Table 1F – Soil Sampling Analytical Results TPH
Table 1G – Soil Sampling Analytical Results VOCs

Figure 1 – Vicinity Map
Figure 2 – Site Map
Figure 3 – Site Map with Sample Locations

Appendix A – Laboratory Analytical Reports

TABLES

Table 1A
Soil Sampling Analytical Results - Metals
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272

Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Residential SL (mg/Kg)	PCHS-SS- COMP-1 3/27/2025	PCHS-SS- COMP-2 3/27/2025	PCHS-SS- COMP-3 3/27/2025	PCHS-SS- COMP-4 3/27/2025	PCHS-SS- COMP-5 3/27/2025	PCHS-SS- COMP-6 3/27/2025	PCHS-SS- COMP-7 3/26/2025	PCHS-SS- COMP-8 3/26/2025	PCHS-SS- COMP-9 3/26/2025	PCHS-SS- COMP-10 3/26/2025	PCHS-SS-DUP- 1 (PCHS-SS- COMP-10) 3/19/2025	PCHS-SS- COMP-11 3/26/2025	PCHS-SS- COMP-12 3/26/2025	PCHS-SS- COMP-13 3/27/2025	PCHS-SS- COMP-14 3/27/2025	PCHS-SS-DUP-2 (PCHS-SS-COMP- 14) 3/27/2025	PCHS-SS- COMP-15 3/26/2025
Antimony	7440-36-0	mg/Kg	31	N/A	<5.91	<5.70	<6.22	<5.95	<6.87	<6.51	<5.35	<5.37	<6.17	<4.82	<5.39	<6.60	<6.59	<5.26	<5.52	<4.88	<6.31
Arsenic	7440-38-2	mg/Kg	12	12	6.91	8.42	12	7	12.4	6.1	6.3	4.9	5.14	7.31	10.2	4.76	6.52	10.9	5.58	7.16	5.15
Barium	7440-39-3	mg/Kg	15000	N/A	121	106	90.5	92.8	92.4	105	123	178	62.9	121	127	84.8	92.8	198 B	83.2	89.0 B	59.3
Beryllium	7440-41-7	mg/Kg	160	16	0.355 J	0.423	0.55	0.505	0.437 J	0.368 J	0.454	0.455	0.458	0.426	0.419	0.397 J	0.396 J	0.39	0.215 J	0.379	0.379 J
Cadmium	7440-43-9	mg/Kg	7.1	N/A	0.292 J	0.262 J	0.242 J	0.841	0.68	0.299 J	0.378	<0.145	<0.167	0.375	0.324 J	0.210 J	0.489	0.762	0.702	0.328 J	<0.171
Chromium	7440-47-3	mg/Kg	N/A	N/A	20.7	37.8	27.2	19.2	42.5	17	19.2	16.5	18.8	20.6	20.5	19.2	21.4	35.3	28.7	24.3	15.8
Cobalt	7440-48-4	mg/Kg	23	N/A	8.12	7.98	10.8	8.22	8.19	7.78	7.51	10.1	7.35	7.31	8.93	6.9	6.48	8.52	5.91	7.1	6.4
Copper	7440-50-8	mg/Kg	3100	N/A	25.9	34.4	51	36.4	42.4	28	36.3	23.5	14.6	35.2	53.7	27.7	30.2	33.7	20.2	18.8	14.4
Lead	7439-92-1	mg/Kg	200	80	65.5	51.1	35.2	29.4	81.6	43	53.8	11.8	9.33	63.1	70.2	56	43.2	42.3	38.9	18.3	9.03
Mercury	7439-97-6	mg/Kg	7.1	1	0.112	0.157	0.196	0.147	0.176	0.251	0.139	0.153	0.239	0.188	0.152	0.184 F1	0.156	0.0589 J	0.0928	0.113	0.369
Molybdenum	7439-98-7	mg/Kg	390	N/A	1.02 J	1.51 J	2.44 J	1.89 J	1.97 J	1.45 J	1.44 J	<0.930	<1.07	1.76 J	1.81 J	1.17 J	2.26 J	2.23 J	1.58 J	1.16 J	<1.09
Nickel	7440-02-0	mg/Kg	1400	820	14.6	17	22.2	16.6	19.1	14	16.2	15.1	16.6	16.4	19.5	17.1	17.3	24.6	13.7	15.9	14.7
Selenium	7782-49-2	mg/Kg	390	N/A	1.88 J	1.69 J	2.26 J	<1.65	<1.90	<1.80	<1.48	<1.49	<1.71	<1.33	<1.49	<1.83	<1.82	2.94	<1.53	1.98 J	<1.75
Silver	7440-22-4	mg/Kg	390	N/A	<0.444	<0.428	<0.467	<0.447	<0.516	<0.489	<0.402	<0.403	<0.463	<0.362	<0.405	<0.496	<0.495	<0.395	<0.415	<0.366	<0.474
Thallium	7440-28-0	mg/Kg	0.78	N/A	<2.98	<2.88	<3.14	<3.00	<3.47	<3.29	<2.70	<2.71	<3.11	<2.43	<2.72	<3.33	<3.33	<2.66	<2.79	<2.46	<3.18
Vanadium	7440-62-2	mg/Kg	390	N/A	32.6	30.6	40.3	33.5	33.9	28.7	32.3	32.2	31.2	33.3	33.8	26.8	32.1	49.2	30.7	35	29.7
Zinc	7440-66-6	mg/Kg	23000	N/A	137	234	102	176	217	121	235	68.8	49.6	199	203	114	142	150 B	131	89.5	52

Notes:
Bold indicates sample result detected above laboratory Reporting Limit (RL)
Gray color indicates sample results exceeds DTSC SL
California Department of Toxic Substances Control (DTSC) Human Health Risk Assessment (HHRA) Note 3 Rev. May 2022
United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) Composite Worker Soil Table (TR=1E-06, HQ=1) November 2024
* DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020
mg/kg = Milligrams per kilogram
N/A = No value
- = Not analyzed
< = Not detected at or above the indicated laboratory reporting limit (RL).
J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1 = M5 and/or MSD recovery exceeds control limits.

Table 1B
Soil Sampling Analytical Results - PAHs
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272

Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Remedial SL (mg/Kg)	PCHS-SS-COMP-1 3/27/2025	PCHS-SS-COMP-2 3/27/2025	PCHS-SS-COMP-3 3/27/2025	PCHS-SS-COMP-4 3/27/2025	PCHS-SS-COMP-5 3/27/2025	PCHS-SS-COMP-6 3/27/2025	PCHS-SS-COMP-7 3/26/2025	PCHS-SS-COMP-8 3/26/2025	PCHS-SS-COMP-9 3/26/2025	PCHS-SS-DUP-1 (PCHS-SS-COMP-10) 3/19/2025	PCHS-SS-COMP-10 3/26/2025	PCHS-SS-COMP-11 3/26/2025	PCHS-SS-COMP-12 3/26/2025	PCHS-SS-COMP-13 3/27/2025	PCHS-SS-COMP-14 3/27/2025	PCHS-SS-DUP-2 (PCHS-SS-COMP-14) 3/27/2025	PCHS-SS-COMP-15 3/26/2025	
1-Methylnaphthalene	90-12-0	mg/Kg	0.18	9.9	<0.011	0.034	0.023	0.034	0.034	0.033	0.026	0.041	<0.011	<0.011	0.022	0.023	0.014 J	0.013 J	0.023	<0.011	0.019 J	<0.054
2-Methylnaphthalene	91-57-6	mg/Kg	240	190	0.014 J	0.041	0.034	0.034	0.05	0.042	0.039	0.065	<0.010	<0.010	0.032	0.03	0.018 J	0.018 J	0.036	0.013 J	0.034	<0.052
Acenaphthene	83-32-9	mg/Kg	3600	3300	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	0.022	<0.065
Acenaphthylene	208-96-8	mg/Kg			<0.0096	<0.0096	<0.0096	0.012 J	0.0094 J	0.016 J	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0095	<0.0095	<0.0096	<0.0096	0.012 J	<0.048	
Anthracene	120-12-7	mg/Kg	18000	17000	<0.0088	<0.0088	<0.0089	0.011 J	0.0094 J	0.014 J	0.013 J	0.0094 J	0.013 J	0.0094 J	0.013 J	0.0090 J	<0.0088	<0.0088	0.011 J	<0.0088	0.057	<0.044
Benzo[a]anthracene	56-55-3	mg/Kg	1.1	1.1	0.0085 J	<0.0080	<0.0080	<0.0080	0.0095 J	0.012 J	0.0099 J	0.13	<0.0080	0.035	0.015 J	<0.0079	<0.0080	0.011 J	<0.0080	0.081	<0.040	
Benzo[a]pyrene	50-32-8	mg/Kg	0.11	0.11	0.011 J	<0.0081	<0.0081	<0.0081	0.012 J	<0.0081	<0.0081	0.11	<0.0081	0.029	0.013 J	<0.0081	<0.0081	0.0099 J	<0.0081	0.024	<0.040	
Benzo[b]fluoranthene	205-99-2	mg/Kg	1.1	1.1	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	0.042	<0.015	0.028	0.016 J	<0.015	0.017 J	<0.015	0.051	<0.074	
Benzo[h,i]perylene	191-24-2	mg/Kg			0.018 J	<0.011	<0.011	<0.011	0.015 J	0.017 J	<0.011	0.097	<0.011	0.035	0.013 J	<0.010	0.012 J	0.011 J	<0.011	0.012	<0.052	
Benzo[k]fluoranthene	207-08-9	mg/Kg	11	11	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	0.11	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	0.041	<0.085	
Chrysene	218-01-9	mg/Kg	110	110	0.019	<0.0065	0.0078 J	0.010 J	0.021	0.02	0.019 J	0.16	<0.0065	0.046	0.025	0.012 J	0.014 J	0.025	0.0091	0.11	<0.032	
Dibenz[a,h]anthracene	53-70-3	mg/Kg	0.11	0.028	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.054	
Fluoranthene	206-44-0	mg/Kg	2400	2400	0.023	0.022	0.014 J	0.024	0.037	0.044	0.028	0.24	<0.0080	0.066	0.034	0.019 J	0.019 J	0.037	0.019 J	0.42	<0.040	
Fluorene	86-73-7	mg/Kg	2400	2300	<0.0097	0.018 J	0.012 J	0.015 J	0.022	0.015 J	0.022	<0.0096	<0.0097	0.015 J	0.011 J	<0.0096	<0.0097	0.016 J	<0.0097	0.019 J	<0.048	
Indeno[1,2,3-cd]pyrene	193-39-5	mg/Kg	1.1	1.1	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	0.055	<0.012	0.021	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.060	
Naphthalene	91-20-3	mg/Kg	1	2	0.025	0.05	0.057	0.13	0.099	0.1	0.099	<0.0089	<0.0089	0.066	0.07	0.036	0.04	0.052	0.014 J	0.059	<0.044	
Phenanthrene	85-01-8	mg/Kg			0.027	0.059	0.038	0.072	0.073	0.075	0.076	0.035 J	<0.015	0.07	0.06	0.039	0.042	0.055	0.027	0.21	<0.074	
Pyrene	129-00-0	mg/Kg	1800	1800	0.028	0.069	0.013 J	0.023	0.038	0.043	0.025	0.31	<0.0086	0.067	0.037	0.021	0.02	0.035	0.017 J	0.33	<0.043	

Notes:

Bold indicates sample result detected above laboratory Reporting Limit (RL)

California Department of Toxic Substances Control (DTSC) Human Health Risk Assessment (HHRA) Note 3 Rev. May 2022

United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) Composite Worker Soil Table (TR=1E-06, HQ=1) November 2024

* DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020

N/A = No value.

N/A = No value
- = Not enclosed

-- = Not analyzed

mg/kg = Milligrams per kilogram

< = Not detected at or above the indicated laboratory reporting limit (RL).

Table 1C
Soil Sampling Analytical Results - OCPs
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272

Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Residential SL (mg/Kg)	PCHS-SS- COMP-1 3/27/2025	PCHS-SS- COMP-2 3/27/2025	PCHS-SS- COMP-3 3/27/2025	PCHS-SS- COMP-4 3/27/2025	PCHS-SS- COMP-5 3/27/2025	PCHS-SS- COMP-6 3/27/2025	PCHS-SS- COMP-7 3/26/2025	PCHS-SS- COMP-8 3/26/2025	PCHS-SS- COMP-9 3/26/2025	PCHS-SS- COMP-10 3/26/2025	PCHS-SS-DUP- 1 (PCHS-SS- COMP-10) 3/19/2025	PCHS-SS- COMP-11 3/26/2025	PCHS-SS- COMP-12 3/26/2025	PCHS-SS- COMP-13 3/27/2025	PCHS-SS- COMP-14 3/27/2025	PCHS-SS-DUP- 2 (PCHS-SS- COMP-14) 3/27/2025	PCHS-SS- COMP-15 3/26/2025
4,4'-DDD	72-54-8	mg/Kg	2.3	1.9	--	<0.00072	--	<0.00071	--	<0.00071	--	<0.00071	--	<0.00072	<0.00071	--	<0.00071	--	0.00083J p	0.0032 J	--
4,4'-DDE	72-55-9	mg/Kg	2	2	--	<0.00069	--	<0.00068	--	0.0062 p	--	<0.00068	--	<0.00068	0.0008J p	--	0.0015 J	--	0.006	0.018	--
4,4'-DDT	50-29-3	mg/Kg	1.9	1.9	--	<0.0012	--	<0.0012	--	0.0033J p	--	<0.0012	--	<0.0012	<0.0012	--	<0.0012	--	0.0032J p	0.0068	--
Aldrin	309-00-2	mg/Kg	0.039	0.039	--	<0.0016	--	<0.0016	--	<0.0016	--	<0.0016	--	<0.0016	<0.0016	--	<0.0016	--	<0.0016	<0.0016	--
alpha-BHC	319-84-6	mg/Kg	0.086	0.086	--	<0.00059	--	<0.00059	--	<0.00059	--	<0.00059	--	<0.00059	<0.00059	--	<0.00059	--	<0.00059	<0.00059	--
alpha-Chlordane	5103-71-9	mg/Kg	36		--	<0.00056	--	<0.00056	--	0.0058 p	--	<0.00056	--	<0.00056	<0.00056	--	<0.00056	--	<0.00056	0.00088J p	--
beta-BHC	319-85-7	mg/Kg	0.3	0.3	--	<0.0009	--	<0.0009	--	<0.0009	--	<0.0009	--	<0.0009	<0.00089	--	<0.00089	--	<0.0009	<0.0009	--
Chlordane	12789-03-6	mg/Kg	1.7	1.7	--	<0.0041	--	<0.0041	--	0.072	--	<0.0041	--	<0.0041	0.01J p	--	<0.0041	--	0.013 J	0.013J p	--
delta-BHC	319-86-8	mg/Kg	0.0038		--	<0.00093	--	<0.00093	--	<0.00093	--	<0.00093	--	<0.00093	<0.00093	--	<0.00093	--	<0.00093	<0.00093	--
Dieldrin	60-57-1	mg/Kg	0.034	0.034	--	0.0083 p	--	<0.00055	--	<0.00055	--	<0.00055	--	<0.00055	<0.00054	--	<0.00055	--	<0.00055	<0.00055	--
Endosulfan I	959-98-8	mg/Kg			--	<0.0011	--	<0.0011	--	<0.0011	--	<0.0011	--	<0.0011	<0.0011	--	<0.0011	--	<0.0011	<0.0011	--
Endosulfan II	33213-65-9	mg/Kg			--	<0.00055	--	<0.00054	--	0.0011J p	--	<0.00054	--	<0.00054	<0.00054	--	<0.00054	--	<0.00055	<0.00054	--
Endosulfan sulfate	1031-07-8	mg/Kg	380	380	--	<0.00063	--	<0.00063	--	0.0045 J	--	<0.00063	--	<0.00063	<0.00063	--	<0.00063	--	<0.00063	<0.00063	--
Endrin	72-20-8	mg/Kg	19	19	--	<0.00067	--	<0.00067	--	<0.00067	--	<0.00067	--	<0.00067	<0.00067	--	<0.00067	--	<0.00067	<0.00067	--
Endrin aldehyde	7421-93-4	mg/Kg			--	<0.0033	--	<0.0033	--	<0.0033	--	<0.0033	--	<0.0033	<0.0033	--	<0.0033	--	<0.0033	<0.0033	--
Endrin ketone	53494-70-5	mg/Kg			--	<0.0009	--	<0.0009	--	<0.0009	--	<0.0009	--	<0.0009	<0.00089	--	<0.00089	--	<0.0009	<0.0009	--
gamma-BHC (Lindane)	58-89-9	mg/Kg	0.057	0.57	--	<0.00051	--	<0.00051	--	<0.00051	--	<0.00051	--	<0.00051	<0.00051	--	<0.00051	--	<0.00051	<0.00051	--
gamma-Chlordane	5103-74-2	mg/Kg	36		--	<0.0034	--	<0.0034	--	0.016	--	<0.0034	--	<0.0034	<0.0034	--	<0.0034	--	<0.0034	<0.0034	--
Heptachlor	76-44-8	mg/Kg	0.13	0.13	--	<0.0006	--	<0.0006	--	<0.0006	--	<0.0006	--	<0.0006	<0.0006	--	<0.0006	--	<0.0006	<0.0006	--
Heptachlor epoxide	1024-57-3	mg/Kg	0.07	0.07	--	<0.00054	--	<0.00054	--	0.0006J p	--	<0.00054	--	<0.00054	<0.00054	--	<0.00054	--	<0.00054	<0.00054	--
Methoxychlor	72-43-5	mg/Kg	320	320	--	<0.0012	--	<0.0012	--	<0.0012	--	<0.0012	--	<0.0012	<0.0012	--	<0.0012	--	<0.0012	<0.0012	--
Toxaphene	8001-35-2	mg/Kg	0.49	0.45	--	<0.015	--	<0.015	--	0.099 p	--	<0.015	--	<0.015	<0.015	--	<0.015	--	<0.015	<0.015	--

Notes:
Bold indicates sample result detected above laboratory Reporting Limit (RL)
California Department of Toxic Substances Control (DTSC) Human Health Risk Assessment (HHRA) Note 3 Rev. May 2022
United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) Composite Worker Soil Table (TR=1E-06, HQ=1) November 2024
* DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020
mg/kg = Milligrams per kilogram
-- = Not analyzed
< = Not detected at or above the indicated laboratory reporting limit (RL)
J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value
p = The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported

Table 1E
Soil Sampling Analytical Results - PCDDs/PCDFs
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272

Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Residential SL (mg/Kg)	PCHS-SS- COMP-1 3/27/2025	PCHS-SS-COMP- 10 3/19/2025 PCHS-SS-DUP-1	PCHS-SS-COMP- 10 3/26/2025	PCHS-SS- COMP-11 3/26/2025	PCHS-SS- COMP-12 3/26/2025	PCHS-SS- COMP-13 3/27/2025	PCHS-SS- COMP-14 3/27/2025	PCHS-SS- COMP-14 3/27/2025 PCHS-SS-DUP- 2	PCHS-SS-COMP- 15 3/26/2025	PCHS-SS- COMP-2 3/27/2025	PCHS-SS- COMP-3 3/27/2025	PCHS-SS- COMP-4 3/27/2025	PCHS-SS-COMP- 5 3/27/2025	PCHS-SS- COMP-6 3/27/2025	PCHS-SS- COMP-7 3/26/2025	PCHS-SS- COMP-8 3/26/2025	PCHS-SS- COMP-9 3/26/2025
1,2,3,4,6,7,8-HpCDD	35822-46-9	mg/Kg	N/A	N/A	--	0.000047 B	0.000067 B	--	--	--	--	--	0.0000023J B	--	--	--	0.000047 B	--	--	--	--
1,2,3,4,6,7,8-HpCDF	67562-39-4	mg/Kg	N/A	N/A	--	0.000007	0.000012	--	--	--	--	--	0.00000063J q	--	--	--	0.000011	--	--	--	--
1,2,3,4,7,8,9-HpCDF	55673-89-7	mg/Kg	N/A	N/A	--	0.00000053 J	0.0000012 J	--	--	--	--	--	<0.00000016	--	--	--	0.00000073 J	--	--	--	--
1,2,3,4,7,8-HxCDD	39227-28-6	mg/Kg	N/A	N/A	--	0.00000071 J	0.00000097 J	--	--	--	--	--	<0.00000017	--	--	--	0.00000091 J	--	--	--	--
1,2,3,4,7,8-HxCDF	70648-26-9	mg/Kg	N/A	N/A	--	0.0000014 J	0.000003 J	--	--	--	--	--	<0.00000012	--	--	--	0.0000011 J	--	--	--	--
1,2,3,6,7,8-HxCDD	57653-85-7	mg/Kg	N/A	N/A	--	0.0000012 J	0.0000019 J	--	--	--	--	--	<0.00000016	--	--	--	0.0000018 J	--	--	--	--
1,2,3,6,7,8-HxCDF	57117-44-9	mg/Kg	N/A	N/A	--	0.0000013 J	0.0000032 J	--	--	--	--	--	<0.00000011	--	--	--	0.0000009 J	--	--	--	--
1,2,3,7,8,9-HxCDD	19408-74-3	mg/Kg	N/A	N/A	--	0.0000015 J	0.0000022 J	--	--	--	--	--	<0.00000015	--	--	--	0.0000018 J	--	--	--	--
1,2,3,7,8,9-HxCDF	72918-21-9	mg/Kg	N/A	N/A	--	0.00000023 J	0.00000038 J	--	--	--	--	--	<0.000000087	--	--	--	<0.00000013	--	--	--	--
1,2,3,7,8-PeCDD	40321-76-4	mg/Kg	N/A	N/A	--	<0.00000021	<0.0000002	--	--	--	--	--	<0.00000015	--	--	--	<0.00000019	--	--	--	--
1,2,3,7,8-PeCDF	57117-41-6	mg/Kg	N/A	N/A	--	0.00000099 J	0.0000024 J	--	--	--	--	--	<0.000000085	--	--	--	0.00000064 J	--	--	--	--
2,3,4,6,7,8-HxCDF	60851-34-5	mg/Kg	N/A	N/A	--	0.0000011 J	0.0000019 J	--	--	--	--	--	<0.000000091	--	--	--	0.00000089 J	--	--	--	--
2,3,4,7,8-PeCDF	57117-31-4	mg/Kg	N/A	N/A	--	0.0000013 J	0.0000026 J	--	--	--	--	--	<0.00000001	--	--	--	0.0000009 J	--	--	--	--
2,3,7,8-TCDD	1746-01-6	mg/Kg	0.0000048	0.0000048	--	<0.00000012	<0.00000014	--	--	--	--	--	<0.000000097	--	--	--	<0.00000013	--	--	--	--
2,3,7,8-TCDF	51207-31-9	mg/Kg	N/A	N/A	--	0.0000018	0.0000025	--	--	--	--	--	<0.000000054	--	--	--	0.0000013	--	--	--	--
OCDD	3268-87-9	mg/Kg	N/A	N/A	--	0.00032 B	0.00042 B	--	--	--	--	--	0.000033 B	--	--	--	0.00038 B	--	--	--	--
OCDF	39001-02-0	mg/Kg	N/A	N/A	--	0.000011 B	0.000016 B	--	--	--	--	--	0.0000014J B q	--	--	--	0.000028 B	--	--	--	--
Total HpCDD	37871-00-4	mg/Kg	N/A	N/A	--	0.000084 B	0.00012 B	--	--	--	--	--	0.0000043J B	--	--	--	0.0001 B	--	--	--	--
Total HpCDF	38998-75-3	mg/Kg	N/A	N/A	--	0.000015B q	0.000025 B	--	--	--	--	--	0.0000016J B q	--	--	--	0.000025 q	--	--	--	--
Total HxCDD	34465-46-8	mg/Kg	0.0001	0.0001	--	0.000012 q	0.00002	--	--	--	--	--	<0.00000017	--	--	--	0.000017 q	--	--	--	--
Total HxCDF	55684-94-1	mg/Kg	N/A	N/A	--	0.000013 q	0.000025	--	--	--	--	--	<0.00000012	--	--	--	0.00001 q	--	--	--	--
Total PeCDD	36088-22-9	mg/Kg	N/A	N/A	--	0.0000008J q	0.0000029J q	--	--	--	--	--	<0.00000015	--	--	--	0.0000025J q	--	--	--	--
Total PeCDF	30402-15-4	mg/Kg	N/A	N/A	--	0.000011 q	0.000019 q	--	--	--	--	--	<0.00000001	--	--	--	0.0000068	--	--	--	--
Total TCDD	41903-57-5	mg/Kg	N/A	N/A	--	0.00000049J q	0.0000015 q	--	--	--	--	--	<0.000000097	--	--	--	0.0000037 q	--	--	--	--
Total TCDF	30402-14-3	mg/Kg	N/A	N/A	--	0.0000099	0.000018 q	--	--	--	--	--	<0.000000054	--	--	--	0.000011 q	--	--	--	--

Notes:
Bold indicates sample result detected above laboratory Reporting Limit (RL)
California Department of Toxic Substances Control (DTSC) Human Health Risk Assessment (HHRA) Note 3 Rev. May 2022
United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) Composite Worker Soil Table (TR=1E-06, HQ=1) November 2024
* DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020
N/A = No value
-- = Not analyzed
mg/kg = Milligrams per kilogram
< = Not detected at or above the indicated laboratory reporting limit (RL).
J= Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B= Compound was found in the blank and sample
q= The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.

Table 1E
Soil Sampling Analytical Results - PCDDs/PCDFs
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272

Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Residential SL (mg/Kg)	PCHS-SS- COMP-1 3/27/2025	PCHS-SS-COMP- 10 3/19/2025 PCHS-SS-DUP-1	PCHS-SS-COMP- 10 3/26/2025	PCHS-SS- COMP-11 3/26/2025	PCHS-SS- COMP-12 3/26/2025	PCHS-SS- COMP-13 3/27/2025	PCHS-SS- COMP-14 3/27/2025	PCHS-SS- COMP-14 3/27/2025 PCHS-SS-DUP- 2	PCHS-SS-COMP- 15 3/26/2025	PCHS-SS- COMP-2 3/27/2025	PCHS-SS- COMP-3 3/27/2025	PCHS-SS- COMP-4 3/27/2025	PCHS-SS-COMP- 5 3/27/2025	PCHS-SS- COMP-6 3/27/2025	PCHS-SS- COMP-7 3/26/2025	PCHS-SS- COMP-8 3/26/2025	PCHS-SS- COMP-9 3/26/2025
1,2,3,4,6,7,8-HpCDD	35822-46-9	mg/Kg	N/A	N/A	--	0.000047 B	0.000067 B	--	--	--	--	--	0.0000023J B	--	--	--	0.000047 B	--	--	--	--
1,2,3,4,6,7,8-HpCDF	67562-39-4	mg/Kg	N/A	N/A	--	0.000007	0.000012	--	--	--	--	--	0.00000063J q	--	--	--	0.000011	--	--	--	--
1,2,3,4,7,8,9-HpCDF	55673-89-7	mg/Kg	N/A	N/A	--	0.00000053 J	0.0000012 J	--	--	--	--	--	<0.00000016	--	--	--	0.00000073 J	--	--	--	--
1,2,3,4,7,8-HxCDD	39227-28-6	mg/Kg	N/A	N/A	--	0.00000071 J	0.00000097 J	--	--	--	--	--	<0.00000017	--	--	--	0.00000091 J	--	--	--	--
1,2,3,4,7,8-HxCDF	70648-26-9	mg/Kg	N/A	N/A	--	0.0000014 J	0.000003 J	--	--	--	--	--	<0.00000012	--	--	--	0.0000011 J	--	--	--	--
1,2,3,6,7,8-HxCDD	57653-85-7	mg/Kg	N/A	N/A	--	0.0000012 J	0.0000019 J	--	--	--	--	--	<0.00000016	--	--	--	0.0000018 J	--	--	--	--
1,2,3,6,7,8-HxCDF	57117-44-9	mg/Kg	N/A	N/A	--	0.0000013 J	0.0000032 J	--	--	--	--	--	<0.00000011	--	--	--	0.0000009 J	--	--	--	--
1,2,3,7,8,9-HxCDD	19408-74-3	mg/Kg	N/A	N/A	--	0.0000015 J	0.0000022 J	--	--	--	--	--	<0.00000015	--	--	--	0.0000018 J	--	--	--	--
1,2,3,7,8,9-HxCDF	72918-21-9	mg/Kg	N/A	N/A	--	0.00000023 J	0.00000038 J	--	--	--	--	--	<0.000000087	--	--	--	<0.00000013	--	--	--	--
1,2,3,7,8-PeCDD	40321-76-4	mg/Kg	N/A	N/A	--	<0.00000021	<0.0000002	--	--	--	--	--	<0.00000015	--	--	--	<0.00000019	--	--	--	--
1,2,3,7,8-PeCDF	57117-41-6	mg/Kg	N/A	N/A	--	0.00000099 J	0.0000024 J	--	--	--	--	--	<0.000000085	--	--	--	0.00000064 J	--	--	--	--
2,3,4,6,7,8-HxCDF	60851-34-5	mg/Kg	N/A	N/A	--	0.0000011 J	0.0000019 J	--	--	--	--	--	<0.000000091	--	--	--	0.00000089 J	--	--	--	--
2,3,4,7,8-PeCDF	57117-31-4	mg/Kg	N/A	N/A	--	0.0000013 J	0.0000026 J	--	--	--	--	--	<0.00000001	--	--	--	0.0000009 J	--	--	--	--
2,3,7,8-TCDD	1746-01-6	mg/Kg	0.0000048	0.0000048	--	<0.00000012	<0.00000014	--	--	--	--	--	<0.000000097	--	--	--	<0.00000013	--	--	--	--
2,3,7,8-TCDF	51207-31-9	mg/Kg	N/A	N/A	--	0.0000018	0.0000025	--	--	--	--	--	<0.000000054	--	--	--	0.0000013	--	--	--	--
OCDD	3268-87-9	mg/Kg	N/A	N/A	--	0.00032 B	0.00042 B	--	--	--	--	--	0.000033 B	--	--	--	0.00038 B	--	--	--	--
OCDF	39001-02-0	mg/Kg	N/A	N/A	--	0.000011 B	0.000016 B	--	--	--	--	--	0.0000014J B q	--	--	--	0.000028 B	--	--	--	--
Total HpCDD	37871-00-4	mg/Kg	N/A	N/A	--	0.000084 B	0.00012 B	--	--	--	--	--	0.0000043J B	--	--	--	0.0001 B	--	--	--	--
Total HpCDF	38998-75-3	mg/Kg	N/A	N/A	--	0.000015B q	0.000025 B	--	--	--	--	--	0.0000016J B q	--	--	--	0.000025 q	--	--	--	--
Total HxCDD	34465-46-8	mg/Kg	0.0001	0.0001	--	0.000012 q	0.00002	--	--	--	--	--	<0.00000017	--	--	--	0.000017 q	--	--	--	--
Total HxCDF	55684-94-1	mg/Kg	N/A	N/A	--	0.000013 q	0.000025	--	--	--	--	--	<0.00000012	--	--	--	0.00001 q	--	--	--	--
Total PeCDD	36088-22-9	mg/Kg	N/A	N/A	--	0.0000008J q	0.0000029J q	--	--	--	--	--	<0.00000015	--	--	--	0.0000025J q	--	--	--	--
Total PeCDF	30402-15-4	mg/Kg	N/A	N/A	--	0.000011 q	0.000019 q	--	--	--	--	--	<0.00000001	--	--	--	0.0000068	--	--	--	--
Total TCDD	41903-57-5	mg/Kg	N/A	N/A	--	0.00000049J q	0.0000015 q	--	--	--	--	--	<0.000000097	--	--	--	0.0000037 q	--	--	--	--
Total TCDF	30402-14-3	mg/Kg	N/A	N/A	--	0.0000099	0.000018 q	--	--	--	--	--	<0.000000054	--	--	--	0.000011 q	--	--	--	--

Notes:
Bold indicates sample result detected above laboratory Reporting Limit (RL)
 California Department of Toxic Substances Control (DTSC) Human Health Risk Assessment (HHRA) Note 3 Rev. May 2022
 United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) Composite Worker Soil Table (TR=1E-06, HQ=1) November 2024
 * DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020
 N/A = No value
 -- = Not analyzed
 mg/kg = Milligrams per kilogram
 < = Not detected at or above the indicated laboratory reporting limit (RL).
 J= Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B= Compound was found in the blank and sample
 q= The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.

Table 1F
Soil Sampling Analytical Results - TPH
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272


Analyte	Units	Method Group	RWQCB Tier 1 ESL	PCHS-SS-10A-0.25 3/26/2025	PCHS-SS-10A-0.25 3/26/2025 DUP-1A	PCHS-SS-10B-0.25 3/26/2025	PCHS-SS-10B-0.25 3/26/2025 DUP-1B	PCHS-SS-10C-0.25 3/26/2025	PCHS-SS-10C-0.25 3/26/2025 DUP-1C	PCHS-SS-10D-0.25 3/26/2025	PCHS-SS-10D-0.25 3/26/2025 DUP-1D	PCHS-SS-15A-0.25 3/26/2025	PCHS-SS-15B-0.25 3/26/2025	PCHS-SS-15C-0.25 3/26/2025	PCHS-SS-15D-0.25 3/26/2025	PCHS-SS-5A-0.25 3/27/2025	PCHS-SS-5B-0.25 3/27/2025	PCHS-SS-5C-0.25 3/27/2025	PCHS-SS-5D-0.25 3/27/2025
TPH-G (C4-C12)	mg/Kg	TPH	100	0.062 J	0.060 J	0.11 J	0.096 J	0.072 J	0.11 J	0.094 J	0.095 J	<0.039	<0.047	0.040 J	<0.039	0.17	1.9	0.22	0.17
TPH-D (C13-C22)	mg/Kg	TPH	260	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
TPH-O (C23-C40)	mg/Kg	TPH	1600	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:
Bold indicates sample result detected above laboratory Reporting Limit (RL)
San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels Tier 1 ESLs (2019 Rev. 2)
* DTSC recommended soil screening background level for Arsenic in Southern California (DTSC HHRA Note 11) December 2020
N/A = No value
-- = Not analyzed
mg/kg = Milligrams per kilogram
< = Not detected at or above the indicated laboratory reporting limit (RL).
J= Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Table 1G
Soil Sampling Analytical Results - VOCs
Palisades Charter High School
15777 Bowdoin St,
Pacific Palisades, CA 90272


Analyte	CAS Number	Units	USEPA Residential RSL (mg/Kg)	DTSC Final Residential SL (mg/Kg)	PCHS-SS-10A-0.25 3/26/2025	DUP-1A (PCHS SS-10A-0.25) 3/26/2025	PCHS-SS-10B-0.25 3/26/2025	DUP-1B (PCHS SS-10B-0.25) 3/26/2025	PCHS-SS-10C-0.25 3/26/2025	DUP-1C (PCHS SS-10C-0.25) 3/26/2025	PCHS-SS-10D-0.25 3/26/2025	DUP-1D (PCHS SS-10D-0.25) 3/26/2025	PCHS-SS-15A-0.25 3/26/2025	PCHS-SS-15B-0.25 3/26/2025	PCHS-SS-15C-0.25 3/26/2025	PCHS-SS-15D-0.25 3/26/2025	PCHS-SS-5A-0.25 3/27/2025	PCHS-SS-5B-0.25 3/27/2025	PCHS-SS-5C-0.25 3/27/2025	PCHS-SS-5D-0.25 3/27/2025
1,1,1,2-Tetrachloroethane	630-20-6	mg/Kg	2	2	<0.0044	<0.0034	<0.0033	<0.0031	<0.0033	<0.0033	<0.0042	<0.0032	<0.0023	<0.0028	<0.0026	<0.0029	<0.0039	<0.0041	<0.0041	<0.0034
1,1,1-Trichloroethane	71-55-6	mg/Kg	8100	1700	<0.0035	<0.0028	<0.0026	<0.0025	<0.0026	<0.0027	<0.0034	<0.0025	<0.0019	<0.0023	<0.0021	<0.0023	<0.0031	<0.0033	<0.0033	<0.0027
1,1,2,2-Tetrachloroethane	79-34-5	mg/Kg	0.6	0.6	<0.0082	<0.0064	<0.0061	<0.0058	<0.0061	<0.0062	<0.0079	<0.0059	<0.0044	<0.0053	<0.0049	<0.0054	<0.0073	<0.0077	<0.0077	<0.0064
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	mg/Kg	6700		<0.0007	<0.0054	<0.0052	<0.0049	<0.0052	<0.0053	<0.0067	<0.0005	<0.0037	<0.0045	<0.0042	<0.0046	<0.0062	<0.0065	<0.0066	<0.0054
1,2-Trichloroethane	79-00-5	mg/Kg	1.1	3.6	<0.0007	<0.0055	<0.0052	<0.0005	<0.0052	<0.0053	<0.0068	<0.0051	<0.0037	<0.0045	<0.0042	<0.0046	<0.0062	<0.0065	<0.0066	<0.0054
1,1-Dichloroethane	75-34-3	mg/Kg	3.6		<0.0042	<0.0033	<0.0032	<0.0003	<0.0032	<0.0032	<0.0041	<0.0031	<0.0023	<0.0027	<0.0025	<0.0028	<0.0037	<0.0039	<0.004	<0.0033
1,1-Dichloroethene	75-35-4	mg/Kg	4.8	83	<0.0004	<0.0031	<0.0003	<0.0028	<0.0003	<0.0003	<0.0039	<0.0029	<0.0021	<0.0026	<0.0024	<0.0026	<0.0035	<0.0037	<0.0038	<0.0031
1,1-Dichloropropene	563-58-6	mg/Kg			<0.0059	<0.0046	<0.0044	<0.0041	<0.0044	<0.0044	<0.0056	<0.0042	<0.0031	<0.0038	<0.0035	<0.0038	<0.0052	<0.0055	<0.0055	<0.0045
1,2,3-Trichlorobenzene	87-61-6	mg/Kg	63	40	<0.0057	<0.0044	<0.0042	<0.0004	<0.0042	<0.0043	<0.0055	<0.0041	<0.003	<0.0037	<0.0034	<0.0037	<0.0005	<0.0053	<0.0053	<0.0044
1,2,3-Trichloropropane	96-18-4	mg/Kg	0.0051	0.0015	<0.0063	<0.0049	<0.0047	<0.0045	<0.0047	<0.0048	<0.0046	<0.0034	<0.0041	<0.0038	<0.0041	<0.0038	<0.0056	<0.0059	<0.006	<0.0049
1,2,4-Trichlorobenzene	120-82-1	mg/Kg	24	7.8	<0.0062	<0.0048	<0.0046	<0.0044	<0.0046	<0.0047	<0.006	<0.0045	<0.0033	<0.004	<0.0037	<0.004	<0.0055	<0.0058	<0.0058	<0.0048
1,2,4-Trimethylbenzene	95-63-6	mg/Kg	300		<0.0042	<0.0033	<0.0031	<0.0003	0.00064 J	0.00065 J	0.0013 J	0.0011 J	<0.0022	<0.0027	<0.0025	<0.0027	0.0011 *3	<0.0039	0.00083 J	<0.0032
1,2-Dibromo-3-Chloropropane	96-12-8	mg/Kg	0.0053	0.0043	<0.005	<0.0039	<0.0038	<0.0036	<0.0038	<0.0038	<0.0049	<0.0036	<0.0027	<0.0033	<0.003	<0.0033	<0.0044	<0.0047	<0.0047	<0.0039
1,2-Dibromochloroethane	106-93-4	mg/Kg	0.036	0.036	<0.0031	<0.0024	<0.0023	<0.0022	<0.0023	<0.0023	<0.0003	<0.0022	<0.0017	<0.0002	<0.0019	<0.0002	<0.0027	<0.0029	<0.0029	<0.0024
1,2-Dichlorobenzene	95-50-1	mg/Kg	1800		<0.0038	<0.0003	<0.0028	<0.0027	<0.0028	<0.0029	<0.0036	<0.0027	<0.0002	<0.0025	<0.0023	<0.0025	<0.0033	<0.0035	<0.0036	<0.0029
1,2-Dichloroethane	107-06-2	mg/Kg	0.46		<0.0042	<0.0033	<0.0031	<0.0003	<0.0031	<0.0004	<0.0003	<0.0022	<0.0027	<0.0025	<0.0027	<0.0037	<0.0039	<0.0039	<0.0032	<0.0032
1,2-Dichloropropane	78-87-5	mg/Kg	2.5		<0.0042	<0.0032	<0.0031	<0.0029	<0.0031	<0.0031	<0.0004	<0.0003	<0.0022	<0.0027	<0.0025	<0.0027	<0.0037	<0.0039	<0.0039	<0.0032
1,3,5-Trimethylbenzene	108-67-8	mg/Kg	270		<0.0004	<0.0031	<0.0003	<0.0029	<0.0003	<0.0003	<0.0039	0.00089 J	<0.0022	<0.0026	<0.0024	<0.0026	<0.0036	<0.0038	<0.0038	<0.0031
1,3-Dichlorobenzene	541-73-1	mg/Kg			<0.0038	<0.0003	<0.0028	<0.0027	<0.0028	<0.0029	<0.0037	<0.0028	<0.0002	<0.0025	<0.0023	<0.0025	<0.0034	<0.0035	<0.0036	<0.0003
1,3-Dichloropropane	142-28-9	mg/Kg	1600	410	<0.0045	<0.0035	<0.0033	<0.0032	<0.0033	<0.0034	<0.0043	<0.0024	<0.0029	<0.0027	<0.0029	<0.0029	<0.0042	<0.0043	<0.0043	<0.0035
1,4-Dichlorobenzene	106-46-7	mg/Kg	2.6		<0.0046	<0.0036	<0.0035	<0.0033	<0.0035	<0.0035	<0.0045	<0.0033	<0.0025	<0.003	<0.0028	<0.003	<0.0041	<0.0043	<0.0044	<0.0036
2,2-Dichloropropane	594-20-7	mg/Kg			<0.0041	<0.0032	<0.0031	<0.0029	<0.0031	<0.0031	<0.0039	<0.0003	<0.0022	<0.0027	<0.0025	<0.0027	<0.0036	<0.0038	<0.0039	<0.0032
2-Butanone (MEK)	78-93-3	mg/Kg	27000		0.015 J	0.015 J	0.0098 J	0.014 J	0.021 J	0.018 J	0.054	0.033	0.050	<0.0044	<0.0045	0.034	0.016 J	0.039	0.012 J	
2-Chlorotoluene	95-49-8	mg/Kg	1600	470	<0.0038	<0.0003	<0.0028	<0.0027	<0.0028	<0.0029	<0.0037	<0.0027	<0.0002	<0.0025	<0.0023	<0.0025	<0.0034	<0.0035	<0.0036	<0.0029
2-Hexanone	591-78-6	mg/Kg	200		<0.0047	<0.0036	<0.0035	<0.0033	<0.0035	<0.0035	<0.0045	<0.0034	<0.0025	<0.0023	<0.0028	<0.003	<0.0041	<0.0043	<0.0044	<0.0036
4-Chlorotoluene	106-43-4	mg/Kg	1600	440	<0.0037	<0.0028	<0.0027	<0.0026	<0.0027	<0.0028	<0.0035	<0.0026	<0.0019	<0.0024	<0.0022	<0.0024	<0.0032	<0.0034	<0.0034	<0.0028
4-Methyl-2-pentanone (MIBK)	108-10-1	mg/Kg	33000		<0.0044	<0.0034	<0.0033	<0.0031	<0.0033	<0.0033	<0.0042	<0.0032	<0.0023	<0.0028	<0.0026	<0.0029	<0.0039	<0.0041	<0.0041	<0.0034
Acetone	67-64-1	mg/Kg	70000		0.22	0.2	0.18	0.24 E	0.37 E	0.32 E	0.52 E	0.33 E	0.047	0.023	0.047	0.023	1.4 J	0.45 E	1.1 J	0.37 E
Benzene	71-43-2	mg/Kg	1.2	0.33	0.0051	0.0051	0.00037 J	0.00048 J	0.0036	0.0031	0.0094	0.0069	0.00032 J	<0.0025	0.00023 J	<0.0025	0.0062	0.0011 J	0.0039	0.0011 J
Bromobenzene	108-86-1	mg/Kg	290		<0.0032	<0.0025	<0.0024	<0.0022	<0.0023	<0.0024	<0.003	<0.0023	<0.0017	<0.002	<0.0019	<0.0021	<0.0028	<0.0029	<0.003	<0.0024
Bromochloromethane	74-97-5	mg/Kg	150		<0.0067	<0.0052	<0.0005	<0.0048	<0.0005	<0.0051	<0.0065	<0.0049	<0.0036	<0.0044	<0.004	<0.0044	<0.0059	<0.0063	<0.0063	<0.0052
Bromodichloromethane	75-27-4	mg/Kg	0.29	0.29	<0.0049	<0.0038	<0.0037	<0.0035	<0.0037	<0.0037	<0.0047	<0.0045	<0.0026	<0.0032	<0.0029	<0.0032	<0.0043	<0.0046	<0.0046	<0.0038
Bromoform	75-25-2	mg/Kg	19	19	<0.002	<0.0016	<0.0015	<0.0014	<0.0015	<0.0015	<0.0019	<0.0014	<0.0011	<0.0013	<0.0012	<0.0013	<0.0018	<0.0019	<0.0019	<0.0015
Bromomethane	74-83-9	mg/Kg	6.8		<0.001	<0.0077	<0.0074	<0.007	<0.0074	<0.0075	<0.0096	<0.0072	<0.0053	<0.0064	<0.0059	<0.0065	<0.0088	<0.0093	<0.0093	<0.0077
Carbon disulfide	75-15-0	mg/Kg	770		<0.0061	<0.0047	<0.0045	<0.0043	<0.0045	<0.0046	<0.0058	<0.0044	<0.0032	<0.0039	<0.0036	<0.0039	<0.0053	<0.0056	<0.0057	<0.0047
Carbon tetrachloride	56-23-5	mg/Kg	0.65	0.65	<0.0045	<0.0035	<0.0034	<0.0032	<0.0034	<0.0034	<0.0048	<0.0033	<0.0024	<0.0029	<0.0027	<0.003	<0.004	<0.0042	<0.0043	<0.0035
Chlorobenzene	108-90-7	mg/Kg	280		<0.0041	<0.0032	<0.0003	<0.0029	<0.0003	<0.0003	<0.0039	<0.0029	<0.0022	<0.0026	<0.0024	<0.0026	<0.0036	<0.0038	<0.0038	<0.0031
Chloroethane	75-00-3	mg/Kg	5400		<0.0011	<0.0088	<0.0084	<0.0079	<0.0084	<0.0085	<0.0011	<0.0081	<0.0006	<0.0073	<0.0067	<0.0073	<0.0099	<0.001	<0.0011	<0.0087
Chloroform	67-66-3	mg/Kg	0.32		<0.0089	<0.0069	<0.0067	<0.0063	<0.0066	<0.0067	<0.0086	<0.0064	<0.0048	<0.0058	<0.0053	<0.0058	<0.0079	<0.0083	<0.0084	<0.0069
Chloromethane	74-87-3	mg/Kg	110		<0.0023	<0.0018	<0.0017	<0.0016	<0.0017	<0.0017	<0.0022	<0.0017	<0.0012	<0.0015	<0.0014	<0.0015	<0.0022	<0.0022	<0.0022	<0.0018
cis-1,2-Dichloroethene	156-59-2	mg/Kg	63	18	<0.0051	<0.004	<0.0038	<0.0036	<0.0038	<0.0038	<0.0049	<0.0037	<0.0027	<0.0033	<0.0031	<0.0033	<0.0045	<0.0047	<0.0048	<0.0039
cis-1,3-Dichloropropene	10061-01-5	mg/Kg	63		<0.0053	<0.0041	<0.0039	<0.0037	<0.0039	<0.004	<0.0051	<0.0038	<0.0028	<0.0034	<0.0032	<0.0034	<0.0047	<0.0049	<0.005	<0.0041
Dibromochloromethane	124-48-1	mg/Kg	8.3	0.94	<0.0041	<0.0032	<0.0031	<0.0029	<0.0031	<0.0031	<0.004	<0.0003	<0.0022	<0.0027	<0.0025	<0.0027	<0.0036	<0.0038	<0.0039	<0.0032
Dibromomethane	74-95-3	mg/Kg	24		<0.0046	<0.0036	<0.0034	<0.0033	<0.0034	<0.0035	<0.0044	<0.0033	<0.0025	<0.0003	<0.0028	<0.0003	<0.0041	<0.0043	<0.0043	<0.0036
Dichlorodifluoromethane	75-71-8	mg/Kg	87		<0.0069	<0.0053	<0.0051	<0.0049	<0.0051	<0.0066	<0.0049	<0.0037	<0.0044	<0.0041	<0.0045					

FIGURES



LEGEND

 APPROXIMATE PARCEL BOUNDARY



BASE MAP: USGS COLOR ORTHO IMAGERY
DATA SOURCES: TRC

PROJECT: **LAUSD PALISADES CHARTER HIGH SCHOOL**
15777 BOWDOIN ST
PACIFIC PALISADES, CALIFORNIA

TITLE: **SITE VICINITY MAP**

DRAWN BY: R. COLLINS PROJ. NO.: 655969.0000.0000

CHECKED BY: C. CAMPBELL

APPROVED BY: R. JORREY

DATE: MAY 2025

FIGURE 1



707 WILSHIRE BOULEVARD
SUITE 3250
LOS ANGELES, CA 90017
PHONE: 213.213.9400


FILE: PALISADES_SAMPLING

Coordinate System: NAD 1983 StatePlane California V FIPS 0405 Feet; Map Rotation: 0
- Saved By: RCOLLINS on 5/7/2025, 09:18:10 AM; File Path: T:\PROJECTS\LAUSD\655969_Palisades\2-APRX\Palisades_Sampling.aprx; Layout Name: FIGURE 2



LEGEND
 APPROXIMATE PARCEL BOUNDARY

NOTES:
BASE MAP: GOOGLE EARTH IMAGERY ONLINE SERVICE LAYER, DATED 3/2/2025.
DATA SOURCES: TRC




PROJECT: LAUSD PALISADES CHARTER HIGH SCHOOL 15777 BOWDOIN ST PACIFIC PALISADES, CALIFORNIA			
TITLE: SITE MAP			
DRAWN BY:	R. COLLINS	PROJ. NO.:	655969.0000.0000
CHECKED BY:	C. CAMPBELL	FIGURE 2	
APPROVED BY:	R. JORREY		
DATE:	MAY 2025		
		707 WILSHIRE BOULEVARD SUITE 3250 LOS ANGELES, CA 90017 PHONE: 213.213.9400	
FILE:		Palisades_Sampling.aprx	

Coordinate System: NAD 1983 StatePlane California V FIPS 0405 Feet; Map Rotation: 0
- Saved By: RCOLLINS on 5/7/2025, 09:18:10 AM; File Path: T:\PROJECTS\LAUSD\655969_Palisades\12-APRX\Palisades_Sampling.aprx; Layout Name: FIGURE 3



- LEGEND
- APPROXIMATE PARCEL BOUNDARY
 - COMPOSITE AREA ID
 - SOIL SAMPLE ID
 - COMPOSITE AREA
 - PERIMETER SURFACE SOIL SAMPLE LOCATION

NOTES:
BASE MAP: GOOGLE EARTH IMAGERY ONLINE SERVICE LAYER, DATED 3/2/2025.
DATA SOURCES: TRC



PROJECT: LAUSD PALISADES CHARTER HIGH SCHOOL 15777 BOWDOIN ST PACIFIC PALISADES, CALIFORNIA	
TITLE: SITE MAP SHOWING SAMPLE LOCATIONS	
DRAWN BY: R. COLLINS	PROJ. NO.: 655969.0000.0000
CHECKED BY: C. CAMPBELL	FIGURE 3
APPROVED BY: R. JORREY	
DATE: MAY 2025	
 707 WILSHIRE BOULEVARD SUITE 3250 LOS ANGELES, CA 90017 PHONE: 213.213.9400	
FILE: Palisades_Sampling.aprx	

APPENDIX A
Laboratory Analytical Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Colin Campbell
TRC Companies, Inc
707 Wilshire Blvd, Suite 3250
Los Angeles, California 90017

Generated 4/1/2025 5:06:47 PM

JOB DESCRIPTION

LAUSD Palisades Charter HS

JOB NUMBER

570-223992-1

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Generated
4/1/2025 5:06:47 PM

Authorized for release by
Allyson Chapman, Project Manager I
Allyson.Chapman@et.eurofinsus.com
(714)895-5494

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Detection Summary	8
Client Sample Results	17
Surrogate Summary	60
QC Sample Results	64
QC Association Summary	97
Lab Chronicle	103
Certification Summary	114
Method Summary	115
Sample Summary	116
Subcontract Data	117
Chain of Custody	123
Receipt Checklists	128



Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
me	LCS Recovery is within Marginal Exceedance (ME) control limit range (± 4 SD from the mean).

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.
S1-	Surrogate recovery exceeds control limits, low biased.

Metals

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit

Eurofins Calscience

Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Job ID: 570-223992-1

Eurofins Calscience

Job Narrative 570-223992-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/26/2025 7:12 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.0°C, 2.4°C, 2.6°C and 3.3°C.

Receipt Exceptions

A trip blank was submitted for analysis with these samples; however, it was not listed on the Chain of Custody (COC).

Subcontract Work

Method Asbestos PLM (Qualitative only) 600/R-93/116: This method was subcontracted to Eurofins Built Environment Testing. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

Method 8260B: The following analyte recovered outside control limits for the LCS associated with analytical batch 570-550435: Chloroethane. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: The following analytes recovered outside control limits for the LCSD associated with analytical batch 570-550435: 1,1,2-Trichloroethane, 1,3-Dichloropropane and trans-1,3-Dichloropropene. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for analytical batch 570-550435 recovered outside control limits for the following analytes: 1,1,2-Trichloroethane, 1,3-Dichloropropane, 2-Hexanone, Chloroethane, Chloromethane, Dibromochloromethane, trans-1,3-Dichloropropene and Tetrachloroethene.

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-550435.

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-550458. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8260B: The following analyte recovered outside control limits for the LCSD associated with analytical batch 570-550701: 1,2-Dibromo-3-Chloropropane. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-550701. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8260B: The following sample was analyzed via a low-level analysis and a high-level (i.e., methanol extract) analysis. The low-level analysis resulted in a value for Acetone above the upper calibration range. The high-level analysis resulted in a non-detect for this analyte in the lowest possible dilution utilized. The results from the low-level analysis are provided and have been flagged as estimated. PCHS-SS-10C-0.25 (570-223992-8), PCHS-SS-10D-0.25 (570-223992-9), DUP-1B (570-223992-12),

Eurofins Calscience

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Job ID: 570-223992-1 (Continued)

Eurofins Calscience

DUP-1C (570-223992-13) and DUP-1D (570-223992-14)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270C_SIM_PAH: The following sample was diluted due to the nature of the sample matrix: PCHS-SS-COMP-15 (570-223992-20). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

Method 8015B_GRO: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-550542.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

Method 8081A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-551371 and analytical batch 570-552165 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8081A: The matrix spike / matrix spike duplicate / sample duplicate (MS/MSD/DUP) precision for preparation batch 570-551371 and analytical batch 570-552165 was outside control limits. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8081A: Surrogate recovery for the following sample was outside control limits: (570-223992-A-10-H MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 7471A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-550620 and analytical batch 570-550747 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Organic Prep

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-11A-0.25

Lab Sample ID: 570-223992-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-11B-0.25

Lab Sample ID: 570-223992-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-11C-0.25

Lab Sample ID: 570-223992-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-11D-0.25

Lab Sample ID: 570-223992-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-11

Lab Sample ID: 570-223992-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.014	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.018	J	0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.012	J	0.020	0.0064	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.019	J	0.020	0.0079	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.036		0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.039		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.021		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	4.76		3.50	2.26	mg/Kg	2		6010B	Total/NA
Barium	84.8		2.33	0.344	mg/Kg	2		6010B	Total/NA
Beryllium	0.397	J	0.467	0.110	mg/Kg	2		6010B	Total/NA
Cadmium	0.210	J	0.467	0.178	mg/Kg	2		6010B	Total/NA
Chromium	19.2		1.17	0.619	mg/Kg	2		6010B	Total/NA
Cobalt	6.90		2.33	0.497	mg/Kg	2		6010B	Total/NA
Copper	27.7		2.33	0.664	mg/Kg	2		6010B	Total/NA
Lead	56.0		2.33	1.54	mg/Kg	2		6010B	Total/NA
Molybdenum	1.17	J	4.67	1.14	mg/Kg	2		6010B	Total/NA
Nickel	17.1		2.33	1.32	mg/Kg	2		6010B	Total/NA
Vanadium	26.8		4.67	1.02	mg/Kg	2		6010B	Total/NA
Zinc	114		4.67	1.90	mg/Kg	2		6010B	Total/NA
Mercury	0.184	F1	0.0850	0.0235	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-10A-0.25

Lab Sample ID: 570-223992-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	15	J	30	6.8	ug/Kg	1		8260B	Total/NA
Acetone	220		30	15	ug/Kg	1		8260B	Total/NA
Benzene	5.1		1.5	0.39	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.65	J	1.5	0.31	ug/Kg	1		8260B	Total/NA
o-Xylene	0.65	J	1.5	0.39	ug/Kg	1		8260B	Total/NA
m,p-Xylene	1.1	J	3.0	0.72	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	0.88	J	1.5	0.43	ug/Kg	1		8260B	Total/NA
Toluene	3.6		1.5	0.41	ug/Kg	1		8260B	Total/NA
Xylenes, Total	1.8	J	3.0	0.91	ug/Kg	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-10A-0.25 (Continued)

Lab Sample ID: 570-223992-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.062	J	0.13	0.056	mg/Kg	1		8015B	Total/NA
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-10B-0.25

Lab Sample ID: 570-223992-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	9.8	J	23	5.1	ug/Kg	1		8260B	Total/NA
Acetone	180		23	11	ug/Kg	1		8260B	Total/NA
Benzene	0.37	J	1.1	0.29	ug/Kg	1		8260B	Total/NA
Toluene	0.50	J	1.1	0.30	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.11	J	0.12	0.053	mg/Kg	1		8015B	Total/NA
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-10C-0.25

Lab Sample ID: 570-223992-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.64	J	2.3	0.31	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	21	J	23	5.1	ug/Kg	1		8260B	Total/NA
Acetone	370	E	23	11	ug/Kg	1		8260B	Total/NA
Benzene	3.6		1.1	0.29	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.53	J	1.1	0.23	ug/Kg	1		8260B	Total/NA
o-Xylene	0.46	J	1.1	0.29	ug/Kg	1		8260B	Total/NA
m,p-Xylene	1.1	J	2.3	0.53	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	0.89	J	1.1	0.32	ug/Kg	1		8260B	Total/NA
Toluene	4.4		1.1	0.30	ug/Kg	1		8260B	Total/NA
Xylenes, Total	1.6	J	2.3	0.68	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.072	J	0.13	0.056	mg/Kg	1		8015B	Total/NA
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-10D-0.25

Lab Sample ID: 570-223992-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	1.3	J	2.9	0.40	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	54		29	6.6	ug/Kg	1		8260B	Total/NA
Acetone	520	E	29	14	ug/Kg	1		8260B	Total/NA
Benzene	9.4		1.5	0.37	ug/Kg	1		8260B	Total/NA
Ethylbenzene	1.2	J	1.5	0.30	ug/Kg	1		8260B	Total/NA
o-Xylene	1.1	J	1.5	0.37	ug/Kg	1		8260B	Total/NA
m,p-Xylene	2.9		2.9	0.69	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	5.0		1.5	0.41	ug/Kg	1		8260B	Total/NA
Toluene	7.1		1.5	0.39	ug/Kg	1		8260B	Total/NA
Xylenes, Total	4.0		2.9	0.87	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.094	J	0.14	0.064	mg/Kg	1		8015B	Total/NA
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-10

Lab Sample ID: 570-223992-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.030		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.0090	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.013	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.015	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-COMP-10 (Continued)

Lab Sample ID: 570-223992-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]pyrene	0.013	J	0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.016	J	0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.025		0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.034		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.011	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.070		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.060		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.037		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
C13-C22	10		5.0	4.5	mg/Kg	1		8015B	Total/NA
C23-C40	31		5.0	4.5	mg/Kg	1		8015B	Total/NA
Arsenic	7.31		2.56	1.65	mg/Kg	2		6010B	Total/NA
Barium	121		1.70	0.251	mg/Kg	2		6010B	Total/NA
Beryllium	0.426		0.341	0.0801	mg/Kg	2		6010B	Total/NA
Cadmium	0.375		0.341	0.130	mg/Kg	2		6010B	Total/NA
Chromium	20.6		0.852	0.453	mg/Kg	2		6010B	Total/NA
Cobalt	7.31		1.70	0.363	mg/Kg	2		6010B	Total/NA
Copper	35.2		1.70	0.485	mg/Kg	2		6010B	Total/NA
Lead	63.1		1.70	1.13	mg/Kg	2		6010B	Total/NA
Molybdenum	1.76	J	3.41	0.835	mg/Kg	2		6010B	Total/NA
Nickel	16.4		1.70	0.968	mg/Kg	2		6010B	Total/NA
Vanadium	33.3		3.41	0.747	mg/Kg	2		6010B	Total/NA
Zinc	199		3.41	1.39	mg/Kg	2		6010B	Total/NA
Mercury	0.188		0.0833	0.0230	mg/Kg	1		7471A	Total/NA

Client Sample ID: DUP-1A

Lab Sample ID: 570-223992-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	15	J	24	5.3	ug/Kg	1		8260B	Total/NA
Acetone	200		24	12	ug/Kg	1		8260B	Total/NA
Benzene	5.1		1.2	0.30	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.66	J	1.2	0.24	ug/Kg	1		8260B	Total/NA
o-Xylene	0.63	J	1.2	0.30	ug/Kg	1		8260B	Total/NA
m,p-Xylene	1.3	J	2.4	0.56	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	0.98	J	1.2	0.33	ug/Kg	1		8260B	Total/NA
Toluene	4.3		1.2	0.32	ug/Kg	1		8260B	Total/NA
Xylenes, Total	1.9	J	2.4	0.71	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.060	J	0.14	0.060	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: DUP-1B

Lab Sample ID: 570-223992-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	14	J	21	4.8	ug/Kg	1		8260B	Total/NA
Acetone	240	E	21	11	ug/Kg	1		8260B	Total/NA
Benzene	0.48	J	1.1	0.28	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	0.33	J	1.1	0.30	ug/Kg	1		8260B	Total/NA
Toluene	0.67	J	1.1	0.29	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.096	J	0.12	0.053	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: DUP-1C

Lab Sample ID: 570-223992-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.65	J	2.3	0.32	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	18	J	23	5.1	ug/Kg	1		8260B	Total/NA
Acetone	320	E	23	11	ug/Kg	1		8260B	Total/NA
Benzene	3.1		1.1	0.29	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.70	J	1.1	0.23	ug/Kg	1		8260B	Total/NA
o-Xylene	0.55	J	1.1	0.29	ug/Kg	1		8260B	Total/NA
m,p-Xylene	1.2	J	2.3	0.54	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	4.8		1.1	0.32	ug/Kg	1		8260B	Total/NA
Toluene	5.5		1.1	0.31	ug/Kg	1		8260B	Total/NA
Xylenes, Total	1.8	J	2.3	0.68	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.11	J	0.14	0.061	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: DUP-1D

Lab Sample ID: 570-223992-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	1.1	J	2.2	0.30	ug/Kg	1		8260B	Total/NA
1,3,5-Trimethylbenzene	0.38	J	2.2	0.29	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	33		22	4.9	ug/Kg	1		8260B	Total/NA
Acetone	330	E	22	11	ug/Kg	1		8260B	Total/NA
Benzene	6.9		1.1	0.28	ug/Kg	1		8260B	Total/NA
Ethylbenzene	1.2		1.1	0.23	ug/Kg	1		8260B	Total/NA
o-Xylene	0.87	J	1.1	0.28	ug/Kg	1		8260B	Total/NA
m,p-Xylene	2.3		2.2	0.52	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	2.4		1.1	0.31	ug/Kg	1		8260B	Total/NA
Toluene	5.6		1.1	0.29	ug/Kg	1		8260B	Total/NA
Xylenes, Total	3.2		2.2	0.65	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.095	J	0.14	0.062	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-DUP-1

Lab Sample ID: 570-223992-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.022		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.032		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.013	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.025		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[k]fluoranthene	0.025		0.020	0.017	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.035		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.029		0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.038		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.046		0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.066		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.015	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Indeno[1,2,3-cd]pyrene	0.021		0.020	0.012	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.066		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.070		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.067		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
C13-C22	8.0		5.0	4.6	mg/Kg	1		8015B	Total/NA
C23-C40	21		5.0	4.6	mg/Kg	1		8015B	Total/NA
4,4'-DDE	0.80	J p	5.0	0.68	ug/Kg	1		8081A	Total/NA
Chlordane	10	J p	25	4.1	ug/Kg	1		8081A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-DUP-1 (Continued)

Lab Sample ID: 570-223992-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Arsenic	10.2		2.86	1.85	mg/Kg	2		6010B	Total/NA
Barium	127		1.90	0.281	mg/Kg	2		6010B	Total/NA
Beryllium	0.419		0.381	0.0895	mg/Kg	2		6010B	Total/NA
Cadmium	0.324	J	0.381	0.146	mg/Kg	2		6010B	Total/NA
Chromium	20.5		0.952	0.506	mg/Kg	2		6010B	Total/NA
Cobalt	8.93		1.90	0.406	mg/Kg	2		6010B	Total/NA
Copper	53.7		1.90	0.542	mg/Kg	2		6010B	Total/NA
Lead	70.2		1.90	1.26	mg/Kg	2		6010B	Total/NA
Molybdenum	1.81	J	3.81	0.933	mg/Kg	2		6010B	Total/NA
Nickel	19.5		1.90	1.08	mg/Kg	2		6010B	Total/NA
Vanadium	33.8		3.81	0.834	mg/Kg	2		6010B	Total/NA
Zinc	203		3.81	1.55	mg/Kg	2		6010B	Total/NA
Mercury	0.152		0.0850	0.0235	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-15A-0.25

Lab Sample ID: 570-223992-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	5.0	J	16	3.6	ug/Kg	1		8260B	Total/NA
Acetone	47		16	7.9	ug/Kg	1		8260B	Total/NA
Benzene	0.32	J	0.81	0.21	ug/Kg	1		8260B	Total/NA
Toluene	0.23	J	0.81	0.22	ug/Kg	1		8260B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-15B-0.25

Lab Sample ID: 570-223992-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	23		20	9.6	ug/Kg	1		8260B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-15C-0.25

Lab Sample ID: 570-223992-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	47		18	8.9	ug/Kg	1		8260B	Total/NA
Benzene	0.23	J	0.90	0.23	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.040	J	0.085	0.037	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-15D-0.25

Lab Sample ID: 570-223992-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	23		20	9.7	ug/Kg	1		8260B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-15

Lab Sample ID: 570-223992-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C13-C22	16		5.0	4.5	mg/Kg	1		8015B	Total/NA
C23-C40	290		5.0	4.5	mg/Kg	1		8015B	Total/NA
Arsenic	5.15		3.34	2.16	mg/Kg	2		6010B	Total/NA
Barium	59.3		2.23	0.329	mg/Kg	2		6010B	Total/NA
Beryllium	0.379	J	0.446	0.105	mg/Kg	2		6010B	Total/NA
Chromium	15.8		1.11	0.592	mg/Kg	2		6010B	Total/NA
Cobalt	6.40		2.23	0.475	mg/Kg	2		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-COMP-15 (Continued)

Lab Sample ID: 570-223992-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Copper	14.4		2.23	0.634	mg/Kg	2		6010B	Total/NA
Lead	9.03		2.23	1.47	mg/Kg	2		6010B	Total/NA
Nickel	14.7		2.23	1.27	mg/Kg	2		6010B	Total/NA
Vanadium	29.7		4.46	0.977	mg/Kg	2		6010B	Total/NA
Zinc	52.0		4.46	1.82	mg/Kg	2		6010B	Total/NA
Mercury	0.369		0.0786	0.0217	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-8A-0.25

Lab Sample ID: 570-223992-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-8B-0.25

Lab Sample ID: 570-223992-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-8C-0.25

Lab Sample ID: 570-223992-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-8D-0.25

Lab Sample ID: 570-223992-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-8

Lab Sample ID: 570-223992-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Anthracene	0.0094	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.047		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Benzo[k]fluoranthene	0.11		0.020	0.017	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.13		0.020	0.0079	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.11		0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.092		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.16		0.020	0.0064	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.24		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Indeno[1,2,3-cd]pyrene	0.055		0.020	0.012	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.015	J	0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.31		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	4.90		2.85	1.84	mg/Kg	2		6010B	Total/NA
Barium	178		1.90	0.280	mg/Kg	2		6010B	Total/NA
Beryllium	0.455		0.380	0.0892	mg/Kg	2		6010B	Total/NA
Chromium	16.5		0.949	0.504	mg/Kg	2		6010B	Total/NA
Cobalt	10.1		1.90	0.404	mg/Kg	2		6010B	Total/NA
Copper	23.5		1.90	0.540	mg/Kg	2		6010B	Total/NA
Lead	11.8		1.90	1.26	mg/Kg	2		6010B	Total/NA
Nickel	15.1		1.90	1.08	mg/Kg	2		6010B	Total/NA
Vanadium	32.2		3.80	0.831	mg/Kg	2		6010B	Total/NA
Zinc	68.8		3.80	1.55	mg/Kg	2		6010B	Total/NA
Mercury	0.153		0.0850	0.0235	mg/Kg	1		7471A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-9A-0.25

Lab Sample ID: 570-223992-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-9B-0.25

Lab Sample ID: 570-223992-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-9C-0.25

Lab Sample ID: 570-223992-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-9D-0.25

Lab Sample ID: 570-223992-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-9

Lab Sample ID: 570-223992-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Arsenic	5.14		3.27	2.12	mg/Kg	2		6010B	Total/NA
Barium	62.9		2.18	0.321	mg/Kg	2		6010B	Total/NA
Beryllium	0.458		0.436	0.102	mg/Kg	2		6010B	Total/NA
Chromium	18.8		1.09	0.579	mg/Kg	2		6010B	Total/NA
Cobalt	7.35		2.18	0.464	mg/Kg	2		6010B	Total/NA
Copper	14.6		2.18	0.620	mg/Kg	2		6010B	Total/NA
Lead	9.33		2.18	1.44	mg/Kg	2		6010B	Total/NA
Nickel	16.6		2.18	1.24	mg/Kg	2		6010B	Total/NA
Vanadium	31.2		4.36	0.955	mg/Kg	2		6010B	Total/NA
Zinc	49.6		4.36	1.78	mg/Kg	2		6010B	Total/NA
Mercury	0.239		0.0786	0.0217	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-7A-0.25

Lab Sample ID: 570-223992-31

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-7B-0.25

Lab Sample ID: 570-223992-32

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-7C-0.25

Lab Sample ID: 570-223992-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-7D-0.25

Lab Sample ID: 570-223992-34

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-COMP-7

Lab Sample ID: 570-223992-35

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.041		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.065		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.013	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.0099	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.019	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.028		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.022		0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.099		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.076		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.025		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	6.30		2.84	1.84	mg/Kg	2		6010B	Total/NA
Barium	123		1.89	0.279	mg/Kg	2		6010B	Total/NA
Beryllium	0.454		0.378	0.0889	mg/Kg	2		6010B	Total/NA
Cadmium	0.378		0.378	0.145	mg/Kg	2		6010B	Total/NA
Chromium	19.2		0.946	0.502	mg/Kg	2		6010B	Total/NA
Cobalt	7.51		1.89	0.403	mg/Kg	2		6010B	Total/NA
Copper	36.3		1.89	0.538	mg/Kg	2		6010B	Total/NA
Lead	53.8		1.89	1.25	mg/Kg	2		6010B	Total/NA
Molybdenum	1.44	J	3.78	0.927	mg/Kg	2		6010B	Total/NA
Nickel	16.2		1.89	1.07	mg/Kg	2		6010B	Total/NA
Vanadium	32.3		3.78	0.828	mg/Kg	2		6010B	Total/NA
Zinc	235		3.78	1.54	mg/Kg	2		6010B	Total/NA
Mercury	0.139		0.0868	0.0240	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-12A-0.25

Lab Sample ID: 570-223992-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-12B-0.25

Lab Sample ID: 570-223992-37

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-12C-0.25

Lab Sample ID: 570-223992-38

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-12D-0.25

Lab Sample ID: 570-223992-39

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-12

Lab Sample ID: 570-223992-40

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.013	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.018	J	0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.012	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.014	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.019	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.040		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-COMP-12 (Continued)

Lab Sample ID: 570-223992-40

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Phenanthrene	0.042		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.020		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
4,4'-DDE	1.5	J	5.0	0.68	ug/Kg	1		8081A	Total/NA
Arsenic	6.52		3.49	2.26	mg/Kg	2		6010B	Total/NA
Barium	92.8		2.33	0.344	mg/Kg	2		6010B	Total/NA
Beryllium	0.396	J	0.466	0.110	mg/Kg	2		6010B	Total/NA
Cadmium	0.489		0.466	0.178	mg/Kg	2		6010B	Total/NA
Chromium	21.4		1.16	0.619	mg/Kg	2		6010B	Total/NA
Cobalt	6.48		2.33	0.496	mg/Kg	2		6010B	Total/NA
Copper	30.2		2.33	0.663	mg/Kg	2		6010B	Total/NA
Lead	43.2		2.33	1.54	mg/Kg	2		6010B	Total/NA
Molybdenum	2.26	J	4.66	1.14	mg/Kg	2		6010B	Total/NA
Nickel	17.3		2.33	1.32	mg/Kg	2		6010B	Total/NA
Vanadium	32.1		4.66	1.02	mg/Kg	2		6010B	Total/NA
Zinc	142		4.66	1.90	mg/Kg	2		6010B	Total/NA
Mercury	0.156		0.0887	0.0245	mg/Kg	1		7471A	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 570-223992-41

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: PCHS-SS-10A-0.25

Date Collected: 03/26/25 12:11

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-6

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.5	0.44	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1,1-Trichloroethane	ND		1.5	0.35	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1,2,2-Tetrachloroethane	ND		3.0	0.82	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		15	0.70	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1,2-Trichloroethane	ND		1.5	0.70	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1-Dichloroethane	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1-Dichloroethene	ND		1.5	0.40	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,1-Dichloropropene	ND		3.0	0.59	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2,3-Trichlorobenzene	ND		3.0	0.57	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2,3-Trichloropropane	ND		3.0	0.63	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2,4-Trichlorobenzene	ND		3.0	0.62	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2,4-Trimethylbenzene	ND		3.0	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2-Dibromo-3-Chloropropane	ND		15	5.0	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2-Dibromoethane	ND		1.5	0.31	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2-Dichlorobenzene	ND		1.5	0.38	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2-Dichloroethane	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,2-Dichloropropane	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,3,5-Trimethylbenzene	ND		3.0	0.40	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,3-Dichlorobenzene	ND		1.5	0.38	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,3-Dichloropropane	ND		1.5	0.45	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
1,4-Dichlorobenzene	ND		1.5	0.46	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
2,2-Dichloropropane	ND		7.6	0.41	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
2-Butanone (MEK)	15	J	30	6.8	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
2-Chlorotoluene	ND		1.5	0.38	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
2-Hexanone	ND		30	4.7	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
4-Chlorotoluene	ND		1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
4-Methyl-2-pentanone (MIBK)	ND		30	4.4	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Acetone	220		30	15	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Benzene	5.1		1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Bromobenzene	ND		1.5	0.32	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Bromochloromethane	ND		3.0	0.67	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Bromodichloromethane	ND		1.5	0.49	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Bromoform	ND		7.6	2.0	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Bromomethane	ND		30	10	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
cis-1,2-Dichloroethene	ND		1.5	0.51	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
cis-1,3-Dichloropropene	ND		1.5	0.53	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Carbon disulfide	ND		15	0.61	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Carbon tetrachloride	ND		1.5	0.45	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Chlorobenzene	ND		1.5	0.41	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Chloroethane	ND		3.0	1.1	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Chloroform	ND		1.5	0.89	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Chloromethane	ND		30	2.3	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Dibromochloromethane	ND		3.0	0.41	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Dibromomethane	ND		1.5	0.46	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Dichlorodifluoromethane	ND		3.0	0.69	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Ethylbenzene	0.65	J	1.5	0.31	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Isopropylbenzene	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Methylene Chloride	ND		15	4.7	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Methyl-t-Butyl Ether (MTBE)	ND		3.0	0.28	ug/Kg		03/27/25 12:51	03/27/25 20:47	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10A-0.25

Date Collected: 03/26/25 12:11

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-6

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		15	5.9	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
n-Butylbenzene	ND		1.5	0.32	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
N-Propylbenzene	ND		3.0	0.39	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
o-Xylene	0.65	J	1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
m,p-Xylene	1.1	J	3.0	0.72	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
p-Isopropyltoluene	0.88	J	1.5	0.43	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
sec-Butylbenzene	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Styrene	ND		1.5	0.48	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
trans-1,2-Dichloroethene	ND		1.5	0.46	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
trans-1,3-Dichloropropene	ND		3.0	0.42	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
tert-Butylbenzene	ND		1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Tetrachloroethene	ND		1.5	0.34	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Toluene	3.6		1.5	0.41	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Trichloroethene	ND		3.0	0.59	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Trichlorofluoromethane	ND		15	0.41	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Vinyl acetate	ND		15	5.9	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Vinyl chloride	ND		1.5	0.57	ug/Kg		03/27/25 12:51	03/27/25 20:47	1
Xylenes, Total	1.8	J	3.0	0.91	ug/Kg		03/27/25 12:51	03/27/25 20:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		32 - 179	03/27/25 12:51	03/27/25 20:47	1
4-Bromofluorobenzene (Surr)	89		80 - 120	03/27/25 12:51	03/27/25 20:47	1
Dibromofluoromethane (Surr)	102		58 - 147	03/27/25 12:51	03/27/25 20:47	1
Toluene-d8 (Surr)	98		80 - 120	03/27/25 12:51	03/27/25 20:47	1

Client Sample ID: PCHS-SS-10B-0.25

Date Collected: 03/26/25 12:41

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-7

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1,1-Trichloroethane	ND		1.1	0.26	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1,2,2-Tetrachloroethane	ND		2.3	0.61	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		11	0.52	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1,2-Trichloroethane	ND		1.1	0.52	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1-Dichloroethane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1-Dichloroethene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,1-Dichloropropene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2,3-Trichlorobenzene	ND		2.3	0.42	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2,3-Trichloropropane	ND		2.3	0.47	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2,4-Trichlorobenzene	ND		2.3	0.46	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2,4-Trimethylbenzene	ND		2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2-Dibromo-3-Chloropropane	ND		11	3.8	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2-Dibromoethane	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2-Dichlorobenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2-Dichloroethane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,2-Dichloropropane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,3,5-Trimethylbenzene	ND		2.3	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,3-Dichlorobenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,3-Dichloropropane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
1,4-Dichlorobenzene	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 21:07	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10B-0.25

Date Collected: 03/26/25 12:41

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-7

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,2-Dichloropropane	ND		5.6	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
2-Butanone (MEK)	9.8	J	23	5.1	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
2-Chlorotoluene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
2-Hexanone	ND		23	3.5	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
4-Chlorotoluene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
4-Methyl-2-pentanone (MIBK)	ND		23	3.3	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Acetone	180		23	11	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Benzene	0.37	J	1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Bromobenzene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Bromochloromethane	ND		2.3	0.50	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Bromodichloromethane	ND		1.1	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Bromoform	ND		5.6	1.5	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Bromomethane	ND		23	7.4	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
cis-1,2-Dichloroethene	ND		1.1	0.38	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
cis-1,3-Dichloropropene	ND		1.1	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Carbon disulfide	ND		11	0.45	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Carbon tetrachloride	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Chlorobenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Chloroethane	ND		2.3	0.84	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Chloroform	ND		1.1	0.67	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Chloromethane	ND		23	1.7	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Dibromochloromethane	ND		2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Dibromomethane	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Dichlorodifluoromethane	ND		2.3	0.51	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Ethylbenzene	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Isopropylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Methylene Chloride	ND		11	3.5	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Methyl-t-Butyl Ether (MTBE)	ND		2.3	0.21	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Naphthalene	ND		11	4.4	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
n-Butylbenzene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
N-Propylbenzene	ND		2.3	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
o-Xylene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
m,p-Xylene	ND		2.3	0.53	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
p-Isopropyltoluene	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
sec-Butylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Styrene	ND		1.1	0.36	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
trans-1,2-Dichloroethene	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
trans-1,3-Dichloropropene	ND		2.3	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
tert-Butylbenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Tetrachloroethene	ND		1.1	0.25	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Toluene	0.50	J	1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Trichloroethene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Trichlorofluoromethane	ND		11	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Vinyl acetate	ND		11	4.4	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Vinyl chloride	ND		1.1	0.43	ug/Kg		03/27/25 12:51	03/27/25 21:07	1
Xylenes, Total	ND		2.3	0.68	ug/Kg		03/27/25 12:51	03/27/25 21:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		32 - 179	03/27/25 12:51	03/27/25 21:07	1
4-Bromofluorobenzene (Surr)	96		80 - 120	03/27/25 12:51	03/27/25 21:07	1

Eurolins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10B-0.25

Date Collected: 03/26/25 12:41

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-7

Matrix: Solid

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	103		58 - 147	03/27/25 12:51	03/27/25 21:07	1
Toluene-d8 (Surr)	99		80 - 120	03/27/25 12:51	03/27/25 21:07	1

Client Sample ID: PCHS-SS-10C-0.25

Date Collected: 03/26/25 13:09

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-8

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1,1-Trichloroethane	ND		1.1	0.26	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1,2,2-Tetrachloroethane	ND		2.3	0.61	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		11	0.52	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1,2-Trichloroethane	ND		1.1	0.52	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1-Dichloroethane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1-Dichloroethene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,1-Dichloropropene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2,3-Trichlorobenzene	ND		2.3	0.42	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2,3-Trichloropropane	ND		2.3	0.47	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2,4-Trichlorobenzene	ND		2.3	0.46	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2,4-Trimethylbenzene	0.64	J	2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2-Dibromo-3-Chloropropane	ND		11	3.8	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2-Dibromoethane	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2-Dichlorobenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2-Dichloroethane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,2-Dichloropropane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,3,5-Trimethylbenzene	ND		2.3	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,3-Dichlorobenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,3-Dichloropropane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
1,4-Dichlorobenzene	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
2,2-Dichloropropane	ND		5.6	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
2-Butanone (MEK)	21	J	23	5.1	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
2-Chlorotoluene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
2-Hexanone	ND		23	3.5	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
4-Chlorotoluene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
4-Methyl-2-pentanone (MIBK)	ND		23	3.3	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Acetone	370	E	23	11	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Benzene	3.6		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Bromobenzene	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Bromochloromethane	ND		2.3	0.50	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Bromodichloromethane	ND		1.1	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Bromoform	ND		5.6	1.5	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Bromomethane	ND		23	7.4	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
cis-1,2-Dichloroethene	ND		1.1	0.38	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
cis-1,3-Dichloropropene	ND		1.1	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Carbon disulfide	ND		11	0.45	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Carbon tetrachloride	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Chlorobenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Chloroethane	ND		2.3	0.84	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Chloroform	ND		1.1	0.66	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Chloromethane	ND		23	1.7	ug/Kg		03/27/25 12:51	03/27/25 21:28	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10C-0.25

Date Collected: 03/26/25 13:09

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-8

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibromochloromethane	ND		2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Dibromomethane	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Dichlorodifluoromethane	ND		2.3	0.51	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Ethylbenzene	0.53	J	1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Isopropylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Methylene Chloride	ND		11	3.5	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Methyl-t-Butyl Ether (MTBE)	ND		2.3	0.21	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Naphthalene	ND		11	4.4	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
n-Butylbenzene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
N-Propylbenzene	ND		2.3	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
o-Xylene	0.46	J	1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
m,p-Xylene	1.1	J	2.3	0.53	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
p-Isopropyltoluene	0.89	J	1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
sec-Butylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Styrene	ND		1.1	0.36	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
trans-1,2-Dichloroethene	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
trans-1,3-Dichloropropene	ND		2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
tert-Butylbenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Tetrachloroethene	ND		1.1	0.25	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Toluene	4.4		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Trichloroethene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Trichlorofluoromethane	ND		11	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Vinyl acetate	ND		11	4.4	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Vinyl chloride	ND		1.1	0.43	ug/Kg		03/27/25 12:51	03/27/25 21:28	1
Xylenes, Total	1.6	J	2.3	0.68	ug/Kg		03/27/25 12:51	03/27/25 21:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		32 - 179	03/27/25 12:51	03/27/25 21:28	1
4-Bromofluorobenzene (Surr)	90		80 - 120	03/27/25 12:51	03/27/25 21:28	1
Dibromofluoromethane (Surr)	107		58 - 147	03/27/25 12:51	03/27/25 21:28	1
Toluene-d8 (Surr)	98		80 - 120	03/27/25 12:51	03/27/25 21:28	1

Client Sample ID: PCHS-SS-10D-0.25

Date Collected: 03/26/25 13:35

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.5	0.42	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1,1-Trichloroethane	ND		1.5	0.34	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1,2,2-Tetrachloroethane	ND		2.9	0.79	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		15	0.67	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1,2-Trichloroethane	ND		1.5	0.68	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1-Dichloroethane	ND		1.5	0.41	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1-Dichloroethene	ND		1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,1-Dichloropropene	ND		2.9	0.56	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2,3-Trichlorobenzene	ND		2.9	0.55	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2,3-Trichloropropane	ND		2.9	0.61	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2,4-Trichlorobenzene	ND		2.9	0.60	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2,4-Trimethylbenzene	1.3	J	2.9	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2-Dibromo-3-Chloropropane	ND		15	4.9	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2-Dibromoethane	ND		1.5	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:48	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10D-0.25

Date Collected: 03/26/25 13:35

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene	ND		1.5	0.36	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2-Dichloroethane	ND		1.5	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,2-Dichloropropane	ND		1.5	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,3,5-Trimethylbenzene	ND		2.9	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,3-Dichlorobenzene	ND		1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,3-Dichloropropane	ND		1.5	0.43	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
1,4-Dichlorobenzene	ND		1.5	0.45	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
2,2-Dichloropropane	ND		7.3	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
2-Butanone (MEK)	54		29	6.6	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
2-Chlorotoluene	ND		1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
2-Hexanone	ND		29	4.5	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
4-Chlorotoluene	ND		1.5	0.35	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
4-Methyl-2-pentanone (MIBK)	ND		29	4.2	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Acetone	520	E	29	14	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Benzene	9.4		1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Bromobenzene	ND		1.5	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Bromochloromethane	ND		2.9	0.65	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Bromodichloromethane	ND		1.5	0.47	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Bromoform	ND		7.3	1.9	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Bromomethane	ND		29	9.6	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
cis-1,2-Dichloroethene	ND		1.5	0.49	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
cis-1,3-Dichloropropene	ND		1.5	0.51	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Carbon disulfide	ND		15	0.58	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Carbon tetrachloride	ND		1.5	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Chlorobenzene	ND		1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Chloroethane	ND		2.9	1.1	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Chloroform	ND		1.5	0.86	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Chloromethane	ND		29	2.2	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Dibromochloromethane	ND		2.9	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Dibromomethane	ND		1.5	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Dichlorodifluoromethane	ND		2.9	0.66	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Ethylbenzene	1.2	J	1.5	0.30	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Isopropylbenzene	ND		1.5	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Methylene Chloride	ND		15	4.5	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Methyl-t-Butyl Ether (MTBE)	ND		2.9	0.27	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Naphthalene	ND		15	5.7	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
n-Butylbenzene	ND		1.5	0.31	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
N-Propylbenzene	ND		2.9	0.38	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
o-Xylene	1.1	J	1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
m,p-Xylene	2.9		2.9	0.69	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
p-Isopropyltoluene	5.0		1.5	0.41	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
sec-Butylbenzene	ND		1.5	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Styrene	ND		1.5	0.46	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
trans-1,2-Dichloroethene	ND		1.5	0.44	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
trans-1,3-Dichloropropene	ND		2.9	0.41	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
tert-Butylbenzene	ND		1.5	0.37	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Tetrachloroethene	ND		1.5	0.32	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Toluene	7.1		1.5	0.39	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Trichloroethene	ND		2.9	0.56	ug/Kg		03/27/25 12:51	03/27/25 21:48	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-10D-0.25

Date Collected: 03/26/25 13:35

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichlorofluoromethane	ND		15	0.40	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Vinyl acetate	ND		15	5.7	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Vinyl chloride	ND		1.5	0.55	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Xylenes, Total	4.0		2.9	0.87	ug/Kg		03/27/25 12:51	03/27/25 21:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		32 - 179				03/27/25 12:51	03/27/25 21:48	1
4-Bromofluorobenzene (Surr)	85		80 - 120				03/27/25 12:51	03/27/25 21:48	1
Dibromofluoromethane (Surr)	103		58 - 147				03/27/25 12:51	03/27/25 21:48	1
Toluene-d8 (Surr)	96		80 - 120				03/27/25 12:51	03/27/25 21:48	1

Client Sample ID: DUP-1A

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-11

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.2	0.34	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1,1-Trichloroethane	ND		1.2	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1,2,2-Tetrachloroethane	ND		2.4	0.64	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		12	0.54	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1,2-Trichloroethane	ND		1.2	0.55	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1-Dichloroethane	ND		1.2	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1-Dichloroethene	ND		1.2	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,1-Dichloropropene	ND		2.4	0.46	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2,3-Trichlorobenzene	ND		2.4	0.44	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2,3-Trichloropropane	ND		2.4	0.49	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2,4-Trichlorobenzene	ND		2.4	0.48	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2,4-Trimethylbenzene	ND		2.4	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2-Dibromo-3-Chloropropane	ND		12	3.9	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2-Dibromoethane	ND		1.2	0.24	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2-Dichlorobenzene	ND		1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2-Dichloroethane	ND		1.2	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,2-Dichloropropane	ND		1.2	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,3,5-Trimethylbenzene	ND		2.4	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,3-Dichlorobenzene	ND		1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,3-Dichloropropane	ND		1.2	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
1,4-Dichlorobenzene	ND		1.2	0.36	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
2,2-Dichloropropane	ND		5.9	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
2-Butanone (MEK)	15 J		24	5.3	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
2-Chlorotoluene	ND		1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
2-Hexanone	ND		24	3.6	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
4-Chlorotoluene	ND		1.2	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
4-Methyl-2-pentanone (MIBK)	ND		24	3.4	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Acetone	200		24	12	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Benzene	5.1		1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Bromobenzene	ND		1.2	0.25	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Bromochloromethane	ND		2.4	0.52	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Bromodichloromethane	ND		1.2	0.38	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Bromoform	ND		5.9	1.6	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Bromomethane	ND		24	7.7	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
cis-1,2-Dichloroethene	ND		1.2	0.40	ug/Kg		03/27/25 12:51	03/27/25 22:08	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP-1A
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-11
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,3-Dichloropropene	ND		1.2	0.41	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Carbon disulfide	ND		12	0.47	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Carbon tetrachloride	ND		1.2	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Chlorobenzene	ND		1.2	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Chloroethane	ND		2.4	0.88	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Chloroform	ND		1.2	0.69	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Chloromethane	ND		24	1.8	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Dibromochloromethane	ND		2.4	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Dibromomethane	ND		1.2	0.36	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Dichlorodifluoromethane	ND		2.4	0.53	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Ethylbenzene	0.66	J	1.2	0.24	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Isopropylbenzene	ND		1.2	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Methylene Chloride	ND		12	3.7	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Methyl-t-Butyl Ether (MTBE)	ND		2.4	0.22	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Naphthalene	ND		12	4.6	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
n-Butylbenzene	ND		1.2	0.25	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
N-Propylbenzene	ND		2.4	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
o-Xylene	0.63	J	1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
m,p-Xylene	1.3	J	2.4	0.56	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
p-Isopropyltoluene	0.98	J	1.2	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
sec-Butylbenzene	ND		1.2	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Styrene	ND		1.2	0.37	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
trans-1,2-Dichloroethene	ND		1.2	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
trans-1,3-Dichloropropene	ND		2.4	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
tert-Butylbenzene	ND		1.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Tetrachloroethene	ND		1.2	0.26	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Toluene	4.3		1.2	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Trichloroethene	ND		2.4	0.46	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Trichlorofluoromethane	ND		12	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Vinyl acetate	ND		12	4.6	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Vinyl chloride	ND		1.2	0.45	ug/Kg		03/27/25 12:51	03/27/25 22:08	1
Xylenes, Total	1.9	J	2.4	0.71	ug/Kg		03/27/25 12:51	03/27/25 22:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		32 - 179	03/27/25 12:51	03/27/25 22:08	1
4-Bromofluorobenzene (Surr)	89		80 - 120	03/27/25 12:51	03/27/25 22:08	1
Dibromofluoromethane (Surr)	106		58 - 147	03/27/25 12:51	03/27/25 22:08	1
Toluene-d8 (Surr)	97		80 - 120	03/27/25 12:51	03/27/25 22:08	1

Client Sample ID: DUP-1B
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1,1-Trichloroethane	ND		1.1	0.25	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1,2,2-Tetrachloroethane	ND		2.1	0.58	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		11	0.49	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1,2-Trichloroethane	ND		1.1	0.50	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1-Dichloroethane	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,1-Dichloroethene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:29	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP-1B
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloropropene	ND		2.1	0.41	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2,3-Trichlorobenzene	ND		2.1	0.40	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2,3-Trichloropropane	ND		2.1	0.45	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2,4-Trichlorobenzene	ND		2.1	0.44	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2,4-Trimethylbenzene	ND		2.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2-Dibromo-3-Chloropropane	ND		11	3.6	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2-Dibromoethane	ND		1.1	0.22	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2-Dichlorobenzene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2-Dichloroethane	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,2-Dichloropropane	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,3,5-Trimethylbenzene	ND		2.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,3-Dichlorobenzene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,3-Dichloropropane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
1,4-Dichlorobenzene	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
2,2-Dichloropropane	ND		5.3	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
2-Butanone (MEK)	14	J	21	4.8	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
2-Chlorotoluene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
2-Hexanone	ND		21	3.3	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
4-Chlorotoluene	ND		1.1	0.26	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
4-Methyl-2-pentanone (MIBK)	ND		21	3.1	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Acetone	240	E	21	11	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Benzene	0.48	J	1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Bromobenzene	ND		1.1	0.22	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Bromochloromethane	ND		2.1	0.48	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Bromodichloromethane	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Bromoform	ND		5.3	1.4	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Bromomethane	ND		21	7.0	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
cis-1,2-Dichloroethene	ND		1.1	0.36	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
cis-1,3-Dichloropropene	ND		1.1	0.37	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Carbon disulfide	ND		11	0.43	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Carbon tetrachloride	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Chlorobenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Chloroethane	ND		2.1	0.79	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Chloroform	ND		1.1	0.63	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Chloromethane	ND		21	1.6	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Dibromochloromethane	ND		2.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Dibromomethane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Dichlorodifluoromethane	ND		2.1	0.49	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Ethylbenzene	ND		1.1	0.22	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Isopropylbenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Methylene Chloride	ND		11	3.3	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Methyl-t-Butyl Ether (MTBE)	ND		2.1	0.20	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Naphthalene	ND		11	4.2	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
n-Butylbenzene	ND		1.1	0.22	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
N-Propylbenzene	ND		2.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
o-Xylene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
m,p-Xylene	ND		2.1	0.51	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
p-Isopropyltoluene	0.33	J	1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
sec-Butylbenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1

Eurolins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP-1B
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
trans-1,2-Dichloroethene	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
trans-1,3-Dichloropropene	ND		2.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
tert-Butylbenzene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Tetrachloroethene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Toluene	0.67	J	1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Trichloroethene	ND		2.1	0.41	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Trichlorofluoromethane	ND		11	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Vinyl acetate	ND		11	4.2	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Vinyl chloride	ND		1.1	0.40	ug/Kg		03/27/25 12:51	03/27/25 22:29	1
Xylenes, Total	ND		2.1	0.64	ug/Kg		03/27/25 12:51	03/27/25 22:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	124		32 - 179	03/27/25 12:51	03/27/25 22:29	1
4-Bromofluorobenzene (Surr)	94		80 - 120	03/27/25 12:51	03/27/25 22:29	1
Dibromofluoromethane (Surr)	112		58 - 147	03/27/25 12:51	03/27/25 22:29	1
Toluene-d8 (Surr)	98		80 - 120	03/27/25 12:51	03/27/25 22:29	1

Client Sample ID: DUP-1C
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-13
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1,1-Trichloroethane	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1,2,2-Tetrachloroethane	ND		2.3	0.62	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		11	0.53	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1,2-Trichloroethane	ND		1.1	0.53	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1-Dichloroethane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1-Dichloroethene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,1-Dichloropropene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2,3-Trichlorobenzene	ND		2.3	0.43	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2,3-Trichloropropane	ND		2.3	0.48	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2,4-Trichlorobenzene	ND		2.3	0.47	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2,4-Trimethylbenzene	0.65	J	2.3	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2-Dibromo-3-Chloropropane	ND		11	3.8	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2-Dibromoethane	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2-Dichlorobenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2-Dichloroethane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,2-Dichloropropane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,3,5-Trimethylbenzene	ND		2.3	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,3-Dichlorobenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,3-Dichloropropane	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
1,4-Dichlorobenzene	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
2,2-Dichloropropane	ND		5.7	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
2-Butanone (MEK)	18	J	23	5.1	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
2-Chlorotoluene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
2-Hexanone	ND		23	3.5	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
4-Chlorotoluene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
4-Methyl-2-pentanone (MIBK)	ND		23	3.3	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Acetone	320	E	23	11	ug/Kg		03/27/25 12:51	03/27/25 22:49	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP-1C
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-13
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3.1		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Bromobenzene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Bromochloromethane	ND		2.3	0.51	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Bromodichloromethane	ND		1.1	0.37	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Bromoform	ND		5.7	1.5	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Bromomethane	ND		23	7.5	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
cis-1,2-Dichloroethene	ND		1.1	0.38	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
cis-1,3-Dichloropropene	ND		1.1	0.40	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Carbon disulfide	ND		11	0.46	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Carbon tetrachloride	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Chlorobenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Chloroethane	ND		2.3	0.85	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Chloroform	ND		1.1	0.67	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Chloromethane	ND		23	1.7	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Dibromochloromethane	ND		2.3	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Dibromomethane	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Dichlorodifluoromethane	ND		2.3	0.52	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Ethylbenzene	0.70	J	1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Isopropylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Methylene Chloride	ND		11	3.6	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Methyl-t-Butyl Ether (MTBE)	ND		2.3	0.21	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Naphthalene	ND		11	4.5	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
n-Butylbenzene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
N-Propylbenzene	ND		2.3	0.30	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
o-Xylene	0.55	J	1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
m,p-Xylene	1.2	J	2.3	0.54	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
p-Isopropyltoluene	4.8		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
sec-Butylbenzene	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Styrene	ND		1.1	0.36	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
trans-1,2-Dichloroethene	ND		1.1	0.34	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
trans-1,3-Dichloropropene	ND		2.3	0.32	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
tert-Butylbenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Tetrachloroethene	ND		1.1	0.25	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Toluene	5.5		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Trichloroethene	ND		2.3	0.44	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Trichlorofluoromethane	ND		11	0.31	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Vinyl acetate	ND		11	4.5	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Vinyl chloride	ND		1.1	0.43	ug/Kg		03/27/25 12:51	03/27/25 22:49	1
Xylenes, Total	1.8	J	2.3	0.68	ug/Kg		03/27/25 12:51	03/27/25 22:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		32 - 179	03/27/25 12:51	03/27/25 22:49	1
4-Bromofluorobenzene (Surr)	87		80 - 120	03/27/25 12:51	03/27/25 22:49	1
Dibromofluoromethane (Surr)	107		58 - 147	03/27/25 12:51	03/27/25 22:49	1
Toluene-d8 (Surr)	98		80 - 120	03/27/25 12:51	03/27/25 22:49	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: DUP-1D
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-14
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1,1-Trichloroethane	ND		1.1	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1,2,2-Tetrachloroethane	ND		2.2	0.59	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		11	0.50	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1,2-Trichloroethane	ND		1.1	0.51	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1-Dichloroethane	ND		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1-Dichloroethene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,1-Dichloropropene	ND		2.2	0.42	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2,3-Trichlorobenzene	ND		2.2	0.41	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2,3-Trichloropropane	ND		2.2	0.46	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2,4-Trichlorobenzene	ND		2.2	0.45	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2,4-Trimethylbenzene	1.1	J	2.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2-Dibromo-3-Chloropropane	ND		11	3.6	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2-Dibromoethane	ND		1.1	0.22	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2-Dichlorobenzene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2-Dichloroethane	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,2-Dichloropropane	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,3,5-Trimethylbenzene	0.38	J	2.2	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,3-Dichlorobenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,3-Dichloropropane	ND		1.1	0.32	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
1,4-Dichlorobenzene	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
2,2-Dichloropropane	ND		5.5	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
2-Butanone (MEK)	33		22	4.9	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
2-Chlorotoluene	ND		1.1	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
2-Hexanone	ND		22	3.4	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
4-Chlorotoluene	ND		1.1	0.26	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
4-Methyl-2-pentanone (MIBK)	ND		22	3.2	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Acetone	330	E	22	11	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Benzene	6.9		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Bromobenzene	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Bromochloromethane	ND		2.2	0.49	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Bromodichloromethane	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Bromoform	ND		5.5	1.4	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Bromomethane	ND		22	7.2	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
cis-1,2-Dichloroethene	ND		1.1	0.37	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
cis-1,3-Dichloropropene	ND		1.1	0.38	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Carbon disulfide	ND		11	0.44	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Carbon tetrachloride	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Chlorobenzene	ND		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Chloroethane	ND		2.2	0.81	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Chloroform	ND		1.1	0.64	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Chloromethane	ND		22	1.7	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Dibromochloromethane	ND		2.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Dibromomethane	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Dichlorodifluoromethane	ND		2.2	0.49	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Ethylbenzene	1.2		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Isopropylbenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Methylene Chloride	ND		11	3.4	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Methyl-t-Butyl Ether (MTBE)	ND		2.2	0.20	ug/Kg		03/27/25 12:51	03/27/25 23:09	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: DUP-1D
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-14
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		11	4.3	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
n-Butylbenzene	ND		1.1	0.23	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
N-Propylbenzene	ND		2.2	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
o-Xylene	0.87	J	1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
m,p-Xylene	2.3		2.2	0.52	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
p-Isopropyltoluene	2.4		1.1	0.31	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
sec-Butylbenzene	ND		1.1	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Styrene	ND		1.1	0.35	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
trans-1,2-Dichloroethene	ND		1.1	0.33	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
trans-1,3-Dichloropropene	ND		2.2	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
tert-Butylbenzene	ND		1.1	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Tetrachloroethene	ND		1.1	0.24	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Toluene	5.6		1.1	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Trichloroethene	ND		2.2	0.42	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Trichlorofluoromethane	ND		11	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Vinyl acetate	ND		11	4.3	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Vinyl chloride	ND		1.1	0.41	ug/Kg		03/27/25 12:51	03/27/25 23:09	1
Xylenes, Total	3.2		2.2	0.65	ug/Kg		03/27/25 12:51	03/27/25 23:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		32 - 179	03/27/25 12:51	03/27/25 23:09	1
4-Bromofluorobenzene (Surr)	85		80 - 120	03/27/25 12:51	03/27/25 23:09	1
Dibromofluoromethane (Surr)	105		58 - 147	03/27/25 12:51	03/27/25 23:09	1
Toluene-d8 (Surr)	96		80 - 120	03/27/25 12:51	03/27/25 23:09	1

Client Sample ID: PCHS-SS-15A-0.25
Date Collected: 03/26/25 15:40
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-16
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.81	0.23	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1,1-Trichloroethane	ND		0.81	0.19	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1,2,2-Tetrachloroethane	ND		1.6	0.44	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		8.1	0.37	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1,2-Trichloroethane	ND		0.81	0.37	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1-Dichloroethane	ND		0.81	0.23	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1-Dichloroethene	ND		0.81	0.21	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,1-Dichloropropene	ND		1.6	0.31	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2,3-Trichlorobenzene	ND		1.6	0.30	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2,3-Trichloropropane	ND		1.6	0.34	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2,4-Trichlorobenzene	ND		1.6	0.33	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2,4-Trimethylbenzene	ND		1.6	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2-Dibromo-3-Chloropropane	ND	*+	8.1	2.7	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2-Dibromoethane	ND		0.81	0.17	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2-Dichlorobenzene	ND		0.81	0.20	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2-Dichloroethane	ND		0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,2-Dichloropropane	ND		0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,3,5-Trimethylbenzene	ND		1.6	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,3-Dichlorobenzene	ND		0.81	0.20	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,3-Dichloropropane	ND		0.81	0.24	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
1,4-Dichlorobenzene	ND		0.81	0.25	ug/Kg		03/27/25 12:51	03/28/25 13:16	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15A-0.25

Date Collected: 03/26/25 15:40

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-16

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,2-Dichloropropane	ND		4.0	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
2-Butanone (MEK)	5.0	J	16	3.6	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
2-Chlorotoluene	ND		0.81	0.20	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
2-Hexanone	ND		16	2.5	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
4-Chlorotoluene	ND		0.81	0.19	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
4-Methyl-2-pentanone (MIBK)	ND		16	2.3	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Acetone	47		16	7.9	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Benzene	0.32	J	0.81	0.21	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Bromobenzene	ND		0.81	0.17	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Bromochloromethane	ND		1.6	0.36	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Bromodichloromethane	ND		0.81	0.26	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Bromoform	ND		4.0	1.1	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Bromomethane	ND		16	5.3	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
cis-1,2-Dichloroethene	ND		0.81	0.27	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
cis-1,3-Dichloropropene	ND		0.81	0.28	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Carbon disulfide	ND		8.1	0.32	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Carbon tetrachloride	ND		0.81	0.24	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Chlorobenzene	ND		0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Chloroethane	ND		1.6	0.60	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Chloroform	ND		0.81	0.48	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Chloromethane	ND		16	1.2	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Dibromochloromethane	ND		1.6	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Dibromomethane	ND		0.81	0.25	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Dichlorodifluoromethane	ND		1.6	0.37	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Ethylbenzene	ND		0.81	0.17	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Isopropylbenzene	ND		0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Methylene Chloride	ND		8.1	2.5	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Methyl-t-Butyl Ether (MTBE)	ND		1.6	0.15	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Naphthalene	ND		8.1	3.2	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
n-Butylbenzene	ND		0.81	0.17	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
N-Propylbenzene	ND		1.6	0.21	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
o-Xylene	ND		0.81	0.21	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
m,p-Xylene	ND		1.6	0.38	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
p-Isopropyltoluene	ND		0.81	0.23	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
sec-Butylbenzene	ND		0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Styrene	ND		0.81	0.26	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
trans-1,2-Dichloroethene	ND		0.81	0.24	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
trans-1,3-Dichloropropene	ND		1.6	0.23	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
tert-Butylbenzene	ND		0.81	0.21	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Tetrachloroethene	ND		0.81	0.18	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Toluene	0.23	J	0.81	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Trichloroethene	ND		1.6	0.31	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Trichlorofluoromethane	ND		8.1	0.22	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Vinyl acetate	ND		8.1	3.2	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Vinyl chloride	ND		0.81	0.31	ug/Kg		03/27/25 12:51	03/28/25 13:16	1
Xylenes, Total	ND		1.6	0.48	ug/Kg		03/27/25 12:51	03/28/25 13:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		32 - 179	03/27/25 12:51	03/28/25 13:16	1
4-Bromofluorobenzene (Surr)	92		80 - 120	03/27/25 12:51	03/28/25 13:16	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15A-0.25

Date Collected: 03/26/25 15:40

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-16

Matrix: Solid

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	107		58 - 147	03/27/25 12:51	03/28/25 13:16	1
Toluene-d8 (Surr)	99		80 - 120	03/27/25 12:51	03/28/25 13:16	1

Client Sample ID: PCHS-SS-15B-0.25

Date Collected: 03/26/25 16:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-17

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.98	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1,1-Trichloroethane	ND		0.98	0.23	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.53	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.8	0.45	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1,2-Trichloroethane	ND		0.98	0.45	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1-Dichloroethane	ND		0.98	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1-Dichloroethene	ND		0.98	0.26	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,1-Dichloropropene	ND		2.0	0.38	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2,3-Trichlorobenzene	ND		2.0	0.37	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2,3-Trichloropropane	ND		2.0	0.41	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2,4-Trichlorobenzene	ND		2.0	0.40	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2,4-Trimethylbenzene	ND		2.0	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2-Dibromo-3-Chloropropane	ND		9.8	3.3	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2-Dibromoethane	ND		0.98	0.20	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2-Dichlorobenzene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2-Dichloroethane	ND		0.98	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,2-Dichloropropane	ND		0.98	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,3,5-Trimethylbenzene	ND		2.0	0.26	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,3-Dichlorobenzene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,3-Dichloropropane	ND		0.98	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
1,4-Dichlorobenzene	ND		0.98	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
2,2-Dichloropropane	ND		4.9	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
2-Butanone (MEK)	ND		20	4.4	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
2-Chlorotoluene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
2-Hexanone	ND		20	3.0	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
4-Chlorotoluene	ND		0.98	0.24	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.8	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Acetone	23		20	9.6	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Benzene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Bromobenzene	ND		0.98	0.20	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Bromochloromethane	ND		2.0	0.44	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Bromodichloromethane	ND		0.98	0.32	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Bromoform	ND		4.9	1.3	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Bromomethane	ND		20	6.4	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
cis-1,2-Dichloroethene	ND		0.98	0.33	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
cis-1,3-Dichloropropene	ND		0.98	0.34	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Carbon disulfide	ND		9.8	0.39	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Carbon tetrachloride	ND		0.98	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Chlorobenzene	ND		0.98	0.26	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Chloroethane	ND		2.0	0.73	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Chloroform	ND		0.98	0.58	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Chloromethane	ND		20	1.5	ug/Kg		03/27/25 12:51	03/27/25 23:50	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15B-0.25

Date Collected: 03/26/25 16:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-17

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibromochloromethane	ND		2.0	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Dibromomethane	ND		0.98	0.30	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Dichlorodifluoromethane	ND		2.0	0.44	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Ethylbenzene	ND		0.98	0.20	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Isopropylbenzene	ND		0.98	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Methylene Chloride	ND		9.8	3.1	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.18	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Naphthalene	ND		9.8	3.8	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
n-Butylbenzene	ND		0.98	0.21	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
N-Propylbenzene	ND		2.0	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
o-Xylene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
m,p-Xylene	ND		2.0	0.46	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
p-Isopropyltoluene	ND		0.98	0.28	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
sec-Butylbenzene	ND		0.98	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Styrene	ND		0.98	0.31	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
trans-1,2-Dichloroethene	ND		0.98	0.29	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
trans-1,3-Dichloropropene	ND		2.0	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
tert-Butylbenzene	ND		0.98	0.25	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Tetrachloroethene	ND		0.98	0.22	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Toluene	ND		0.98	0.26	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Trichloroethene	ND		2.0	0.38	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Trichlorofluoromethane	ND		9.8	0.27	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Vinyl acetate	ND		9.8	3.8	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Vinyl chloride	ND		0.98	0.37	ug/Kg		03/27/25 12:51	03/27/25 23:50	1
Xylenes, Total	ND		2.0	0.59	ug/Kg		03/27/25 12:51	03/27/25 23:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		32 - 179	03/27/25 12:51	03/27/25 23:50	1
4-Bromofluorobenzene (Surr)	100		80 - 120	03/27/25 12:51	03/27/25 23:50	1
Dibromofluoromethane (Surr)	109		58 - 147	03/27/25 12:51	03/27/25 23:50	1
Toluene-d8 (Surr)	102		80 - 120	03/27/25 12:51	03/27/25 23:50	1

Client Sample ID: PCHS-SS-15C-0.25

Date Collected: 03/26/25 16:08

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-18

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.90	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1,1-Trichloroethane	ND		0.90	0.21	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1,2,2-Tetrachloroethane	ND		1.8	0.49	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.0	0.42	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1,2-Trichloroethane	ND		0.90	0.42	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1-Dichloroethane	ND		0.90	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1-Dichloroethene	ND		0.90	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,1-Dichloropropene	ND		1.8	0.35	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2,3-Trichlorobenzene	ND		1.8	0.34	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2,3-Trichloropropane	ND		1.8	0.38	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2,4-Trichlorobenzene	ND		1.8	0.37	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2,4-Trimethylbenzene	ND		1.8	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2-Dibromo-3-Chloropropane	ND		9.0	3.0	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2-Dibromoethane	ND		0.90	0.19	ug/Kg		03/27/25 12:51	03/28/25 00:11	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15C-0.25

Date Collected: 03/26/25 16:08

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-18

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene	ND		0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2-Dichloroethane	ND		0.90	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,2-Dichloropropane	ND		0.90	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,3,5-Trimethylbenzene	ND		1.8	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,3-Dichlorobenzene	ND		0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,3-Dichloropropane	ND		0.90	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
1,4-Dichlorobenzene	ND		0.90	0.28	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
2,2-Dichloropropane	ND		4.5	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
2-Butanone (MEK)	ND		18	4.1	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
2-Chlorotoluene	ND		0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
2-Hexanone	ND		18	2.8	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
4-Chlorotoluene	ND		0.90	0.22	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
4-Methyl-2-pentanone (MIBK)	ND		18	2.6	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Acetone	47		18	8.9	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Benzene	0.23	J	0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Bromobenzene	ND		0.90	0.19	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Bromochloromethane	ND		1.8	0.40	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Bromodichloromethane	ND		0.90	0.29	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Bromoform	ND		4.5	1.2	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Bromomethane	ND		18	5.9	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
cis-1,2-Dichloroethene	ND		0.90	0.31	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
cis-1,3-Dichloropropene	ND		0.90	0.32	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Carbon disulfide	ND		9.0	0.36	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Carbon tetrachloride	ND		0.90	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Chlorobenzene	ND		0.90	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Chloroethane	ND		1.8	0.67	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Chloroform	ND		0.90	0.53	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Chloromethane	ND		18	1.4	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Dibromochloromethane	ND		1.8	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Dibromomethane	ND		0.90	0.28	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Dichlorodifluoromethane	ND		1.8	0.41	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Ethylbenzene	ND		0.90	0.19	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Isopropylbenzene	ND		0.90	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Methylene Chloride	ND		9.0	2.8	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Methyl-t-Butyl Ether (MTBE)	ND		1.8	0.17	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Naphthalene	ND		9.0	3.6	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
n-Butylbenzene	ND		0.90	0.19	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
N-Propylbenzene	ND		1.8	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
o-Xylene	ND		0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
m,p-Xylene	ND		1.8	0.43	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
p-Isopropyltoluene	ND		0.90	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
sec-Butylbenzene	ND		0.90	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Styrene	ND		0.90	0.29	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
trans-1,2-Dichloroethene	ND		0.90	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
trans-1,3-Dichloropropene	ND		1.8	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
tert-Butylbenzene	ND		0.90	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Tetrachloroethene	ND		0.90	0.20	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Toluene	ND		0.90	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Trichloroethene	ND		1.8	0.35	ug/Kg		03/27/25 12:51	03/28/25 00:11	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15C-0.25

Date Collected: 03/26/25 16:08

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-18

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichlorofluoromethane	ND		9.0	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Vinyl acetate	ND		9.0	3.5	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Vinyl chloride	ND		0.90	0.34	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Xylenes, Total	ND		1.8	0.54	ug/Kg		03/27/25 12:51	03/28/25 00:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		32 - 179				03/27/25 12:51	03/28/25 00:11	1
4-Bromofluorobenzene (Surr)	103		80 - 120				03/27/25 12:51	03/28/25 00:11	1
Dibromofluoromethane (Surr)	109		58 - 147				03/27/25 12:51	03/28/25 00:11	1
Toluene-d8 (Surr)	101		80 - 120				03/27/25 12:51	03/28/25 00:11	1

Client Sample ID: PCHS-SS-15D-0.25

Date Collected: 03/26/25 16:10

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-19

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.99	0.29	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1,1-Trichloroethane	ND		0.99	0.23	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.9	0.46	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1,2-Trichloroethane	ND		0.99	0.46	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1-Dichloroethane	ND		0.99	0.28	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1-Dichloroethene	ND		0.99	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,1-Dichloropropene	ND		2.0	0.38	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2,3-Trichlorobenzene	ND		2.0	0.37	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2,3-Trichloropropane	ND		2.0	0.41	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2,4-Trichlorobenzene	ND		2.0	0.40	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2,4-Trimethylbenzene	ND		2.0	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2-Dibromo-3-Chloropropane	ND		9.9	3.3	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2-Dibromoethane	ND		0.99	0.20	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2-Dichlorobenzene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2-Dichloroethane	ND		0.99	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,2-Dichloropropane	ND		0.99	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,3,5-Trimethylbenzene	ND		2.0	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,3-Dichlorobenzene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,3-Dichloropropane	ND		0.99	0.29	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
1,4-Dichlorobenzene	ND		0.99	0.30	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
2,2-Dichloropropane	ND		4.9	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
2-Butanone (MEK)	ND		20	4.5	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
2-Chlorotoluene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
2-Hexanone	ND		20	3.0	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
4-Chlorotoluene	ND		0.99	0.24	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.9	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Acetone	23		20	9.7	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Benzene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Bromobenzene	ND		0.99	0.21	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Bromochloromethane	ND		2.0	0.44	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Bromodichloromethane	ND		0.99	0.32	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Bromoform	ND		4.9	1.3	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Bromomethane	ND		20	6.5	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
cis-1,2-Dichloroethene	ND		0.99	0.33	ug/Kg		03/27/25 12:51	03/28/25 00:31	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-15D-0.25

Date Collected: 03/26/25 16:10

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-19

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,3-Dichloropropene	ND		0.99	0.34	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Carbon disulfide	ND		9.9	0.39	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Carbon tetrachloride	ND		0.99	0.30	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Chlorobenzene	ND		0.99	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Chloroethane	ND		2.0	0.73	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Chloroform	ND		0.99	0.58	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Chloromethane	ND		20	1.5	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Dibromomethane	ND		0.99	0.30	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Ethylbenzene	ND		0.99	0.20	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Isopropylbenzene	ND		0.99	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Methylene Chloride	ND		9.9	3.1	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Naphthalene	ND		9.9	3.9	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
n-Butylbenzene	ND		0.99	0.21	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
o-Xylene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
m,p-Xylene	ND		2.0	0.47	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
p-Isopropyltoluene	ND		0.99	0.28	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
sec-Butylbenzene	ND		0.99	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Styrene	ND		0.99	0.31	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
trans-1,2-Dichloroethene	ND		0.99	0.30	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
tert-Butylbenzene	ND		0.99	0.25	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Tetrachloroethene	ND		0.99	0.22	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Toluene	ND		0.99	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Trichloroethene	ND		2.0	0.38	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Trichlorofluoromethane	ND		9.9	0.27	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Vinyl acetate	ND		9.9	3.9	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Vinyl chloride	ND		0.99	0.37	ug/Kg		03/27/25 12:51	03/28/25 00:31	1
Xylenes, Total	ND		2.0	0.59	ug/Kg		03/27/25 12:51	03/28/25 00:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		32 - 179	03/27/25 12:51	03/28/25 00:31	1
4-Bromofluorobenzene (Surr)	102		80 - 120	03/27/25 12:51	03/28/25 00:31	1
Dibromofluoromethane (Surr)	106		58 - 147	03/27/25 12:51	03/28/25 00:31	1
Toluene-d8 (Surr)	101		80 - 120	03/27/25 12:51	03/28/25 00:31	1

Client Sample ID: TRIP BLANK

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-41

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		2.0	0.36	ug/L			03/27/25 21:04	1
1,1,1-Trichloroethane	ND		1.0	0.36	ug/L			03/27/25 21:04	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.31	ug/L			03/27/25 21:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	2.5	ug/L			03/27/25 21:04	1
1,1,2-Trichloroethane	ND	*- *1	1.0	0.30	ug/L			03/27/25 21:04	1
1,1-Dichloroethane	ND		1.0	0.34	ug/L			03/27/25 21:04	1
1,1-Dichloroethene	ND		1.0	0.42	ug/L			03/27/25 21:04	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: TRIP BLANK
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-41
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloropropene	ND		1.0	0.41	ug/L			03/27/25 21:04	1
1,2,3-Trichlorobenzene	ND		1.0	0.59	ug/L			03/27/25 21:04	1
1,2,3-Trichloropropane	ND		5.0	0.42	ug/L			03/27/25 21:04	1
1,2,4-Trichlorobenzene	ND		1.0	0.71	ug/L			03/27/25 21:04	1
1,2,4-Trimethylbenzene	ND		1.0	0.34	ug/L			03/27/25 21:04	1
1,2-Dibromo-3-Chloropropane	ND		10	2.1	ug/L			03/27/25 21:04	1
1,2-Dibromoethane	ND		1.0	0.41	ug/L			03/27/25 21:04	1
1,2-Dichlorobenzene	ND		1.0	0.26	ug/L			03/27/25 21:04	1
1,2-Dichloroethane	ND		0.50	0.25	ug/L			03/27/25 21:04	1
1,2-Dichloropropane	ND		1.0	0.42	ug/L			03/27/25 21:04	1
1,3,5-Trimethylbenzene	ND		1.0	0.50	ug/L			03/27/25 21:04	1
1,3-Dichlorobenzene	ND		1.0	0.26	ug/L			03/27/25 21:04	1
1,3-Dichloropropane	ND	*- *1	1.0	0.32	ug/L			03/27/25 21:04	1
1,4-Dichlorobenzene	ND		1.0	0.28	ug/L			03/27/25 21:04	1
2,2-Dichloropropane	ND		1.0	0.50	ug/L			03/27/25 21:04	1
2-Butanone (MEK)	ND		10	4.5	ug/L			03/27/25 21:04	1
2-Chlorotoluene	ND		1.0	0.33	ug/L			03/27/25 21:04	1
2-Hexanone	ND	*1	10	2.7	ug/L			03/27/25 21:04	1
4-Chlorotoluene	ND		1.0	0.35	ug/L			03/27/25 21:04	1
4-Methyl-2-pentanone (MIBK)	ND		10	3.2	ug/L			03/27/25 21:04	1
Acetone	ND		10	7.4	ug/L			03/27/25 21:04	1
Benzene	ND		0.50	0.24	ug/L			03/27/25 21:04	1
Bromobenzene	ND		1.0	0.29	ug/L			03/27/25 21:04	1
Bromochloromethane	ND		2.0	0.38	ug/L			03/27/25 21:04	1
Bromodichloromethane	ND		1.0	0.29	ug/L			03/27/25 21:04	1
Bromoform	ND		5.0	1.9	ug/L			03/27/25 21:04	1
Bromomethane	ND		10	7.4	ug/L			03/27/25 21:04	1
cis-1,2-Dichloroethene	ND		1.0	0.39	ug/L			03/27/25 21:04	1
cis-1,3-Dichloropropene	ND		0.50	0.26	ug/L			03/27/25 21:04	1
Carbon disulfide	ND		10	0.42	ug/L			03/27/25 21:04	1
Carbon tetrachloride	ND		0.50	0.37	ug/L			03/27/25 21:04	1
Chlorobenzene	ND		1.0	0.26	ug/L			03/27/25 21:04	1
Chloroethane	ND	*- *1	5.0	1.9	ug/L			03/27/25 21:04	1
Chloroform	ND		1.0	0.32	ug/L			03/27/25 21:04	1
Chloromethane	ND	*1	10	2.2	ug/L			03/27/25 21:04	1
Dibromochloromethane	ND	*1	2.0	0.37	ug/L			03/27/25 21:04	1
Dibromomethane	ND		1.0	0.33	ug/L			03/27/25 21:04	1
Dichlorodifluoromethane	ND		5.0	0.62	ug/L			03/27/25 21:04	1
Ethylbenzene	ND		1.0	0.30	ug/L			03/27/25 21:04	1
Isopropylbenzene	ND		1.0	0.41	ug/L			03/27/25 21:04	1
Methylene Chloride	ND		10	3.0	ug/L			03/27/25 21:04	1
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.30	ug/L			03/27/25 21:04	1
Naphthalene	ND		10	4.9	ug/L			03/27/25 21:04	1
n-Butylbenzene	ND		1.0	0.53	ug/L			03/27/25 21:04	1
N-Propylbenzene	ND		1.0	0.47	ug/L			03/27/25 21:04	1
o-Xylene	ND		1.0	0.27	ug/L			03/27/25 21:04	1
m,p-Xylene	ND		2.0	0.49	ug/L			03/27/25 21:04	1
p-Isopropyltoluene	ND		1.0	0.47	ug/L			03/27/25 21:04	1
sec-Butylbenzene	ND		1.0	0.37	ug/L			03/27/25 21:04	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: TRIP BLANK
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-41
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	ND		1.0	0.38	ug/L			03/27/25 21:04	1
trans-1,2-Dichloroethene	ND		1.0	0.42	ug/L			03/27/25 21:04	1
trans-1,3-Dichloropropene	ND	*- *1	0.50	0.31	ug/L			03/27/25 21:04	1
tert-Butylbenzene	ND		1.0	0.38	ug/L			03/27/25 21:04	1
Tetrachloroethene	ND	*1	1.0	0.40	ug/L			03/27/25 21:04	1
Toluene	ND		1.0	0.30	ug/L			03/27/25 21:04	1
Trichloroethene	ND		1.0	0.39	ug/L			03/27/25 21:04	1
Trichlorofluoromethane	ND		10	0.75	ug/L			03/27/25 21:04	1
Vinyl acetate	ND		10	5.0	ug/L			03/27/25 21:04	1
Vinyl chloride	ND		0.50	0.43	ug/L			03/27/25 21:04	1
Xylenes, Total	ND		2.0	0.49	ug/L			03/27/25 21:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 123					03/27/25 21:04	1
4-Bromofluorobenzene (Surr)	93		80 - 120					03/27/25 21:04	1
Dibromofluoromethane (Surr)	94		78 - 120					03/27/25 21:04	1
Toluene-d8 (Surr)	98		80 - 120					03/27/25 21:04	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM)

Client Sample ID: PCHS-SS-COMP-11

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.014	J	0.020	0.011	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
2-Methylnaphthalene	0.018	J	0.020	0.010	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Acenaphthylene	ND		0.020	0.0095	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Anthracene	ND		0.020	0.0088	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Benzo[g,h,i]perylene	ND		0.020	0.010	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Benzo[a]anthracene	ND		0.020	0.0079	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Chrysene	0.012	J	0.020	0.0064	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Fluoranthene	0.019	J	0.020	0.0079	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Fluorene	ND		0.020	0.0096	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Naphthalene	0.036		0.020	0.0088	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Phenanthrene	0.039		0.020	0.015	mg/Kg		03/27/25 15:55	03/31/25 17:19	1
Pyrene	0.021		0.020	0.0086	mg/Kg		03/27/25 15:55	03/31/25 17:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	74		22 - 130	03/27/25 15:55	03/31/25 17:19	1
Nitrobenzene-d5 (Surr)	57		20 - 145	03/27/25 15:55	03/31/25 17:19	1
p-Terphenyl-d14 (Surr)	82		33 - 147	03/27/25 15:55	03/31/25 17:19	1

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
2-Methylnaphthalene	0.030		0.020	0.010	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Anthracene	0.0090	J	0.020	0.0088	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Benzo[g,h,i]perylene	0.013	J	0.020	0.011	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Benzo[a]anthracene	0.015	J	0.020	0.0080	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Benzo[a]pyrene	0.013	J	0.020	0.0081	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Benzo[b]fluoranthene	0.016	J	0.020	0.015	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Chrysene	0.025		0.020	0.0065	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Fluoranthene	0.034		0.020	0.0080	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Fluorene	0.011	J	0.020	0.0097	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Naphthalene	0.070		0.020	0.0089	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Phenanthrene	0.060		0.020	0.015	mg/Kg		03/27/25 15:55	03/31/25 17:40	1
Pyrene	0.037		0.020	0.0086	mg/Kg		03/27/25 15:55	03/31/25 17:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	66		22 - 130	03/27/25 15:55	03/31/25 17:40	1
Nitrobenzene-d5 (Surr)	49		20 - 145	03/27/25 15:55	03/31/25 17:40	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	82		33 - 147	03/27/25 15:55	03/31/25 17:40	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.022		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
2-Methylnaphthalene	0.032		0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Anthracene	0.013	J	0.020	0.0088	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Benzo[g,h,i]perylene	0.025		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Benzo[k]fluoranthene	0.025		0.020	0.017	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Benzo[a]anthracene	0.035		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Benzo[a]pyrene	0.029		0.020	0.0081	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Benzo[b]fluoranthene	0.038		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Chrysene	0.046		0.020	0.0065	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Fluoranthene	0.066		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Fluorene	0.015	J	0.020	0.0097	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Indeno[1,2,3-cd]pyrene	0.021		0.020	0.012	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Naphthalene	0.066		0.020	0.0089	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Phenanthrene	0.070		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 15:12	1
Pyrene	0.067		0.020	0.0086	mg/Kg		03/27/25 15:52	03/31/25 15:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	78		22 - 130	03/27/25 15:52	03/31/25 15:12	1
Nitrobenzene-d5 (Surr)	62		20 - 145	03/27/25 15:52	03/31/25 15:12	1
p-Terphenyl-d14 (Surr)	89		33 - 147	03/27/25 15:52	03/31/25 15:12	1

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.099	0.054	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
2-Methylnaphthalene	ND		0.099	0.052	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Acenaphthene	ND		0.099	0.065	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Acenaphthylene	ND		0.099	0.048	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Anthracene	ND		0.099	0.044	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Benzo[g,h,i]perylene	ND		0.099	0.052	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Benzo[k]fluoranthene	ND		0.099	0.085	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Benzo[a]anthracene	ND		0.099	0.040	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Benzo[a]pyrene	ND		0.099	0.040	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Benzo[b]fluoranthene	ND		0.099	0.074	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Chrysene	ND		0.099	0.032	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Dibenz(a,h)anthracene	ND		0.099	0.054	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Fluoranthene	ND		0.099	0.040	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Fluorene	ND		0.099	0.048	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Indeno[1,2,3-cd]pyrene	ND		0.099	0.060	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Naphthalene	ND		0.099	0.044	mg/Kg		03/27/25 15:52	03/31/25 15:33	5

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	ND		0.099	0.074	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Pyrene	ND		0.099	0.043	mg/Kg		03/27/25 15:52	03/31/25 15:33	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		22 - 130				03/27/25 15:52	03/31/25 15:33	5
Nitrobenzene-d5 (Surr)	55		20 - 145				03/27/25 15:52	03/31/25 15:33	5
p-Terphenyl-d14 (Surr)	89		33 - 147				03/27/25 15:52	03/31/25 15:33	5

Client Sample ID: PCHS-SS-COMP-8

Date Collected: 03/26/25 15:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
2-Methylnaphthalene	ND		0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Anthracene	0.0094	J	0.020	0.0088	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Benzo[g,h,i]perylene	0.047		0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Benzo[k]fluoranthene	0.11		0.020	0.017	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Benzo[a]anthracene	0.13		0.020	0.0079	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Benzo[a]pyrene	0.11		0.020	0.0081	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Benzo[b]fluoranthene	0.092		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Chrysene	0.16		0.020	0.0064	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Fluoranthene	0.24		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Fluorene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Indeno[1,2,3-cd]pyrene	0.055		0.020	0.012	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Naphthalene	ND		0.020	0.0089	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Phenanthrene	0.015	J	0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Pyrene	0.31		0.020	0.0086	mg/Kg		03/27/25 15:52	03/31/25 16:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	67		22 - 130				03/27/25 15:52	03/31/25 16:25	1
Nitrobenzene-d5 (Surr)	65		20 - 145				03/27/25 15:52	03/31/25 16:25	1
p-Terphenyl-d14 (Surr)	81		33 - 147				03/27/25 15:52	03/31/25 16:25	1

Client Sample ID: PCHS-SS-COMP-9

Date Collected: 03/26/25 15:18

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
2-Methylnaphthalene	ND		0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Anthracene	ND		0.020	0.0088	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 16:47	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-9

Date Collected: 03/26/25 15:18

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.020	0.0065	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Fluoranthene	ND		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Naphthalene	ND		0.020	0.0089	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Phenanthrene	ND		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 16:47	1
Pyrene	ND		0.020	0.0086	mg/Kg		03/27/25 15:52	03/31/25 16:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		22 - 130	03/27/25 15:52	03/31/25 16:47	1
Nitrobenzene-d5 (Surr)	71		20 - 145	03/27/25 15:52	03/31/25 16:47	1
p-Terphenyl-d14 (Surr)	83		33 - 147	03/27/25 15:52	03/31/25 16:47	1

Client Sample ID: PCHS-SS-COMP-7

Date Collected: 03/26/25 14:17

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.041		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
2-Methylnaphthalene	0.065		0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Anthracene	0.013	J	0.020	0.0088	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Benzo[a]anthracene	0.0099	J	0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Chrysene	0.019	J	0.020	0.0065	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Fluoranthene	0.028		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Fluorene	0.022		0.020	0.0097	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Naphthalene	0.099		0.020	0.0089	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Phenanthrene	0.076		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 17:10	1
Pyrene	0.025		0.020	0.0086	mg/Kg		03/27/25 15:52	03/31/25 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	127		22 - 130	03/27/25 15:52	03/31/25 17:10	1
Nitrobenzene-d5 (Surr)	121		20 - 145	03/27/25 15:52	03/31/25 17:10	1
p-Terphenyl-d14 (Surr)	145		33 - 147	03/27/25 15:52	03/31/25 17:10	1

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.013	J	0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
2-Methylnaphthalene	0.018	J	0.020	0.010	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/27/25 15:52	03/31/25 18:40	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	ND		0.020	0.0088	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Benzo[g,h,i]perylene	0.012	J	0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Chrysene	0.014	J	0.020	0.0065	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Fluoranthene	0.019	J	0.020	0.0080	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Naphthalene	0.040		0.020	0.0089	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Phenanthrene	0.042		0.020	0.015	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Pyrene	0.020		0.020	0.0086	mg/Kg		03/27/25 15:52	03/31/25 18:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	50		22 - 130				03/27/25 15:52	03/31/25 18:40	1
Nitrobenzene-d5 (Surr)	43		20 - 145				03/27/25 15:52	03/31/25 18:40	1
p-Terphenyl-d14 (Surr)	83		33 - 147				03/27/25 15:52	03/31/25 18:40	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8015B - Gasoline Range Organics - (GC)

Client Sample ID: PCHS-SS-10A-0.25

Date Collected: 03/26/25 12:11

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-6

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.062	J	0.13	0.056	mg/Kg		03/27/25 12:51	03/27/25 21:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		42 - 126				03/27/25 12:51	03/27/25 21:55	1

Client Sample ID: PCHS-SS-10B-0.25

Date Collected: 03/26/25 12:41

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-7

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.11	J	0.12	0.053	mg/Kg		03/27/25 12:51	03/27/25 22:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		42 - 126				03/27/25 12:51	03/27/25 22:15	1

Client Sample ID: PCHS-SS-10C-0.25

Date Collected: 03/26/25 13:09

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-8

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.072	J	0.13	0.056	mg/Kg		03/27/25 12:51	03/27/25 22:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	76		42 - 126				03/27/25 12:51	03/27/25 22:33	1

Client Sample ID: PCHS-SS-10D-0.25

Date Collected: 03/26/25 13:35

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.094	J	0.14	0.064	mg/Kg		03/27/25 12:51	03/27/25 22:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		42 - 126				03/27/25 12:51	03/27/25 22:52	1

Client Sample ID: DUP-1A

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-11

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.060	J	0.14	0.060	mg/Kg		03/27/25 12:51	03/27/25 23:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		42 - 126				03/27/25 12:51	03/27/25 23:11	1

Client Sample ID: DUP-1B

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-12

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.096	J	0.12	0.053	mg/Kg		03/27/25 12:51	03/27/25 23:29	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8015B - Gasoline Range Organics - (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		42 - 126				03/27/25 12:51	03/27/25 23:29	1
Client Sample ID: DUP-1C Date Collected: 03/26/25 00:00 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-13 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.11	J	0.14	0.061	mg/Kg		03/27/25 12:51	03/27/25 23:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		42 - 126				03/27/25 12:51	03/27/25 23:48	1
Client Sample ID: DUP-1D Date Collected: 03/26/25 00:00 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-14 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.095	J	0.14	0.062	mg/Kg		03/27/25 12:51	03/28/25 00:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		42 - 126				03/27/25 12:51	03/28/25 00:07	1
Client Sample ID: PCHS-SS-15A-0.25 Date Collected: 03/26/25 15:40 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-16 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.088	0.039	mg/Kg		03/27/25 12:51	03/28/25 00:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		42 - 126				03/27/25 12:51	03/28/25 00:26	1
Client Sample ID: PCHS-SS-15B-0.25 Date Collected: 03/26/25 16:00 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-17 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.11	0.047	mg/Kg		03/27/25 12:51	03/28/25 00:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		42 - 126				03/27/25 12:51	03/28/25 00:45	1
Client Sample ID: PCHS-SS-15C-0.25 Date Collected: 03/26/25 16:08 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-18 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.040	J	0.085	0.037	mg/Kg		03/27/25 12:51	03/28/25 01:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		42 - 126				03/27/25 12:51	03/28/25 01:22	1
Client Sample ID: PCHS-SS-15D-0.25 Date Collected: 03/26/25 16:10 Date Received: 03/26/25 19:12							Lab Sample ID: 570-223992-19 Matrix: Solid		
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.088	0.039	mg/Kg		03/27/25 12:51	03/28/25 01:41	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8015B - Gasoline Range Organics - (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		42 - 126	03/27/25 12:51	03/28/25 01:41	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC)

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	10		5.0	4.5	mg/Kg		03/28/25 11:39	03/30/25 08:32	1
C23-C40	31		5.0	4.5	mg/Kg		03/28/25 11:39	03/30/25 08:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	59		29 - 160				03/28/25 11:39	03/30/25 08:32	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	8.0		5.0	4.6	mg/Kg		03/28/25 11:39	03/30/25 08:53	1
C23-C40	21		5.0	4.6	mg/Kg		03/28/25 11:39	03/30/25 08:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	55		29 - 160				03/28/25 11:39	03/30/25 08:53	1

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	16		5.0	4.5	mg/Kg		03/28/25 11:39	03/30/25 09:14	1
C23-C40	290		5.0	4.5	mg/Kg		03/28/25 11:39	03/30/25 09:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	95		29 - 160				03/28/25 11:39	03/30/25 09:14	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8081A - Organochlorine Pesticides (GC)

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.72	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
4,4'-DDE	ND		5.0	0.68	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
4,4'-DDT	ND	F2	5.0	1.2	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Aldrin	ND		5.0	1.6	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
alpha-BHC	ND		5.0	0.59	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
beta-BHC	ND		5.0	0.90	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Chlordane	ND		25	4.1	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
delta-BHC	ND		5.0	0.93	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Dieldrin	ND		5.0	0.55	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endosulfan I	ND		5.0	1.1	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endosulfan II	ND		5.0	0.54	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endrin	ND		5.0	0.67	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Endrin ketone	ND		5.0	0.90	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
gamma-BHC (Lindane)	ND	F1	5.0	0.51	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Heptachlor	ND	F1 F2	5.0	0.60	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Methoxychlor	ND	F2	5.0	1.2	ug/Kg		03/30/25 17:27	04/01/25 16:28	1
Toxaphene	ND		25	15	ug/Kg		03/30/25 17:27	04/01/25 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	41		38 - 148	03/30/25 17:27	04/01/25 16:28	1
DCB Decachlorobiphenyl (Surr)	39		37 - 151	03/30/25 17:27	04/01/25 16:28	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.71	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
4,4'-DDE	0.80	J p	5.0	0.68	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Aldrin	ND		5.0	1.6	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
alpha-BHC	ND		5.0	0.59	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
beta-BHC	ND		5.0	0.89	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Chlordane	10	J p	25	4.1	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
delta-BHC	ND		5.0	0.93	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Dieldrin	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endosulfan I	ND		5.0	1.1	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endosulfan II	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endrin	ND		5.0	0.67	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Endrin ketone	ND		5.0	0.89	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Heptachlor	ND		5.0	0.60	ug/Kg		03/27/25 15:54	03/29/25 18:47	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Methoxychlor	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Toxaphene	ND		25	15	ug/Kg		03/27/25 15:54	03/29/25 18:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	83		38 - 148				03/27/25 15:54	03/29/25 18:47	1
DCB Decachlorobiphenyl (Surr)	82		37 - 151				03/27/25 15:54	03/29/25 18:47	1

Client Sample ID: PCHS-SS-COMP-8

Date Collected: 03/26/25 15:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.71	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
4,4'-DDE	ND		5.0	0.68	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Aldrin	ND		5.0	1.6	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
alpha-BHC	ND		5.0	0.59	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
beta-BHC	ND		5.0	0.90	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Chlordane	ND		25	4.1	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
delta-BHC	ND		5.0	0.93	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Dieldrin	ND		5.0	0.55	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endosulfan I	ND		5.0	1.1	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endosulfan II	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endrin	ND		5.0	0.67	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Endrin ketone	ND		5.0	0.90	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Heptachlor	ND		5.0	0.60	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Methoxychlor	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Toxaphene	ND		25	15	ug/Kg		03/27/25 15:54	03/29/25 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	66		38 - 148				03/27/25 15:54	03/29/25 19:01	1
DCB Decachlorobiphenyl (Surr)	86		37 - 151				03/27/25 15:54	03/29/25 19:01	1

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.71	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
4,4'-DDE	1.5	J	5.0	0.68	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Aldrin	ND		5.0	1.6	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
alpha-BHC	ND		5.0	0.59	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
beta-BHC	ND		5.0	0.89	ug/Kg		03/27/25 15:54	03/29/25 19:15	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane	ND		25	4.1	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
delta-BHC	ND		5.0	0.93	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Dieldrin	ND		5.0	0.55	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endosulfan I	ND		5.0	1.1	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endosulfan II	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endrin	ND		5.0	0.67	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Endrin ketone	ND		5.0	0.89	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Heptachlor	ND		5.0	0.60	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Methoxychlor	ND		5.0	1.2	ug/Kg		03/27/25 15:54	03/29/25 19:15	1
Toxaphene	ND		25	15	ug/Kg		03/27/25 15:54	03/29/25 19:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	43		38 - 148	03/27/25 15:54	03/29/25 19:15	1
DCB Decachlorobiphenyl (Surr)	55		37 - 151	03/27/25 15:54	03/29/25 19:15	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1221	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1232	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1242	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1248	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1254	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:00	1
Aroclor-1260	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	81		24 - 136	03/27/25 17:48	04/01/25 12:00	1
DCB Decachlorobiphenyl (Surr)	97		37 - 135	03/27/25 17:48	04/01/25 12:00	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1221	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1232	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1242	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1248	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1254	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:19	1
Aroclor-1260	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	86		24 - 136	03/27/25 17:48	04/01/25 12:19	1
DCB Decachlorobiphenyl (Surr)	101		37 - 135	03/27/25 17:48	04/01/25 12:19	1

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1221	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1232	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1242	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1248	ND		50	49	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1254	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:39	1
Aroclor-1260	ND		50	27	ug/Kg		03/27/25 17:48	04/01/25 12:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	87		24 - 136	03/27/25 17:48	04/01/25 12:39	1
DCB Decachlorobiphenyl (Surr)	95		37 - 135	03/27/25 17:48	04/01/25 12:39	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 6010B - Metals (ICP)

Client Sample ID: PCHS-SS-COMP-11

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		11.7	6.60	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Arsenic	4.76		3.50	2.26	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Barium	84.8		2.33	0.344	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Beryllium	0.397	J	0.467	0.110	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Cadmium	0.210	J	0.467	0.178	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Chromium	19.2		1.17	0.619	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Cobalt	6.90		2.33	0.497	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Copper	27.7		2.33	0.664	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Lead	56.0		2.33	1.54	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Molybdenum	1.17	J	4.67	1.14	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Nickel	17.1		2.33	1.32	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Selenium	ND		3.50	1.83	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Silver	ND		2.33	0.496	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Thallium	ND		11.7	3.33	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Vanadium	26.8		4.67	1.02	mg/Kg		03/29/25 07:22	04/01/25 01:40	2
Zinc	114		4.67	1.90	mg/Kg		03/29/25 07:22	04/01/25 01:40	2

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		8.52	4.82	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Arsenic	7.31		2.56	1.65	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Barium	121		1.70	0.251	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Beryllium	0.426		0.341	0.0801	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Cadmium	0.375		0.341	0.130	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Chromium	20.6		0.852	0.453	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Cobalt	7.31		1.70	0.363	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Copper	35.2		1.70	0.485	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Lead	63.1		1.70	1.13	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Molybdenum	1.76	J	3.41	0.835	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Nickel	16.4		1.70	0.968	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Selenium	ND		2.56	1.33	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Silver	ND		1.70	0.362	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Thallium	ND		8.52	2.43	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Vanadium	33.3		3.41	0.747	mg/Kg		03/29/25 07:22	04/01/25 01:42	2
Zinc	199		3.41	1.39	mg/Kg		03/29/25 07:22	04/01/25 01:42	2

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.52	5.39	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Arsenic	10.2		2.86	1.85	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Barium	127		1.90	0.281	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Beryllium	0.419		0.381	0.0895	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Cadmium	0.324	J	0.381	0.146	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Chromium	20.5		0.952	0.506	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Cobalt	8.93		1.90	0.406	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Copper	53.7		1.90	0.542	mg/Kg		03/29/25 07:22	04/01/25 01:44	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 6010B - Metals (ICP) (Continued)

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	70.2		1.90	1.26	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Molybdenum	1.81	J	3.81	0.933	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Nickel	19.5		1.90	1.08	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Selenium	ND		2.86	1.49	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Silver	ND		1.90	0.405	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Thallium	ND		9.52	2.72	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Vanadium	33.8		3.81	0.834	mg/Kg		03/29/25 07:22	04/01/25 01:44	2
Zinc	203		3.81	1.55	mg/Kg		03/29/25 07:22	04/01/25 01:44	2

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		11.1	6.31	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Arsenic	5.15		3.34	2.16	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Barium	59.3		2.23	0.329	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Beryllium	0.379	J	0.446	0.105	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Cadmium	ND		0.446	0.171	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Chromium	15.8		1.11	0.592	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Cobalt	6.40		2.23	0.475	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Copper	14.4		2.23	0.634	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Lead	9.03		2.23	1.47	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Molybdenum	ND		4.46	1.09	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Nickel	14.7		2.23	1.27	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Selenium	ND		3.34	1.75	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Silver	ND		2.23	0.474	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Thallium	ND		11.1	3.18	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Vanadium	29.7		4.46	0.977	mg/Kg		03/29/25 07:22	04/01/25 01:46	2
Zinc	52.0		4.46	1.82	mg/Kg		03/29/25 07:22	04/01/25 01:46	2

Client Sample ID: PCHS-SS-COMP-8

Date Collected: 03/26/25 15:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.49	5.37	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Arsenic	4.90		2.85	1.84	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Barium	178		1.90	0.280	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Beryllium	0.455		0.380	0.0892	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Cadmium	ND		0.380	0.145	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Chromium	16.5		0.949	0.504	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Cobalt	10.1		1.90	0.404	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Copper	23.5		1.90	0.540	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Lead	11.8		1.90	1.26	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Molybdenum	ND		3.80	0.930	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Nickel	15.1		1.90	1.08	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Selenium	ND		2.85	1.49	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Silver	ND		1.90	0.403	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Thallium	ND		9.49	2.71	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Vanadium	32.2		3.80	0.831	mg/Kg		03/29/25 07:22	04/01/25 01:49	2
Zinc	68.8		3.80	1.55	mg/Kg		03/29/25 07:22	04/01/25 01:49	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 6010B - Metals (ICP)

Client Sample ID: PCHS-SS-COMP-9

Date Collected: 03/26/25 15:18

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		10.9	6.17	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Arsenic	5.14		3.27	2.12	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Barium	62.9		2.18	0.321	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Beryllium	0.458		0.436	0.102	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Cadmium	ND		0.436	0.167	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Chromium	18.8		1.09	0.579	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Cobalt	7.35		2.18	0.464	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Copper	14.6		2.18	0.620	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Lead	9.33		2.18	1.44	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Molybdenum	ND		4.36	1.07	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Nickel	16.6		2.18	1.24	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Selenium	ND		3.27	1.71	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Silver	ND		2.18	0.463	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Thallium	ND		10.9	3.11	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Vanadium	31.2		4.36	0.955	mg/Kg		03/29/25 07:22	04/01/25 01:51	2
Zinc	49.6		4.36	1.78	mg/Kg		03/29/25 07:22	04/01/25 01:51	2

Client Sample ID: PCHS-SS-COMP-7

Date Collected: 03/26/25 14:17

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.46	5.35	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Arsenic	6.30		2.84	1.84	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Barium	123		1.89	0.279	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Beryllium	0.454		0.378	0.0889	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Cadmium	0.378		0.378	0.145	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Chromium	19.2		0.946	0.502	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Cobalt	7.51		1.89	0.403	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Copper	36.3		1.89	0.538	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Lead	53.8		1.89	1.25	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Molybdenum	1.44	J	3.78	0.927	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Nickel	16.2		1.89	1.07	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Selenium	ND		2.84	1.48	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Silver	ND		1.89	0.402	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Thallium	ND		9.46	2.70	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Vanadium	32.3		3.78	0.828	mg/Kg		03/29/25 07:22	04/01/25 01:53	2
Zinc	235		3.78	1.54	mg/Kg		03/29/25 07:22	04/01/25 01:53	2

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		11.6	6.59	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Arsenic	6.52		3.49	2.26	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Barium	92.8		2.33	0.344	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Beryllium	0.396	J	0.466	0.110	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Cadmium	0.489		0.466	0.178	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Chromium	21.4		1.16	0.619	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Cobalt	6.48		2.33	0.496	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Copper	30.2		2.33	0.663	mg/Kg		03/31/25 06:00	03/31/25 13:04	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 6010B - Metals (ICP) (Continued)

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	43.2		2.33	1.54	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Molybdenum	2.26	J	4.66	1.14	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Nickel	17.3		2.33	1.32	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Selenium	ND		3.49	1.82	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Silver	ND		2.33	0.495	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Thallium	ND		11.6	3.33	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Vanadium	32.1		4.66	1.02	mg/Kg		03/31/25 06:00	03/31/25 13:04	2
Zinc	142		4.66	1.90	mg/Kg		03/31/25 06:00	03/31/25 13:04	2

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: SW846 7471A - Mercury (CVAA)

Client Sample ID: PCHS-SS-COMP-11

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.184	F1	0.0850	0.0235	mg/Kg		03/28/25 01:40	03/28/25 07:20	1

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.188		0.0833	0.0230	mg/Kg		03/28/25 01:40	03/28/25 07:26	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.152		0.0850	0.0235	mg/Kg		03/28/25 01:40	03/28/25 07:28	1

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.369		0.0786	0.0217	mg/Kg		03/28/25 01:40	03/28/25 07:30	1

Client Sample ID: PCHS-SS-COMP-8

Date Collected: 03/26/25 15:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.153		0.0850	0.0235	mg/Kg		03/28/25 01:40	03/28/25 07:36	1

Client Sample ID: PCHS-SS-COMP-9

Date Collected: 03/26/25 15:18

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.239		0.0786	0.0217	mg/Kg		03/28/25 01:40	03/28/25 07:38	1

Client Sample ID: PCHS-SS-COMP-7

Date Collected: 03/26/25 14:17

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.139		0.0868	0.0240	mg/Kg		03/28/25 01:40	03/28/25 07:40	1

Client Sample ID: PCHS-SS-COMP-12

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.156		0.0887	0.0245	mg/Kg		03/28/25 01:40	03/28/25 07:42	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-11A-0.25

Date Collected: 03/26/25 12:12

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-1

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-11B-0.25

Date Collected: 03/26/25 12:31

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-2

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-11C-0.25

Date Collected: 03/26/25 12:42

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-3

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-11D-0.25

Date Collected: 03/26/25 12:54

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-4

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-10A-0.25

Date Collected: 03/26/25 12:11

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-6

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-10B-0.25

Date Collected: 03/26/25 12:41

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-7

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-10C-0.25

Date Collected: 03/26/25 13:09

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-8

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-10D-0.25

Date Collected: 03/26/25 13:35

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: DUP-1A

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-11

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: Composite - Sample Compositing

Client Sample ID: DUP-1B
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: DUP-1C
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-13
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: DUP-1D
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-14
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-15A-0.25
Date Collected: 03/26/25 15:40
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-16
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-15B-0.25
Date Collected: 03/26/25 16:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-17
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-15C-0.25
Date Collected: 03/26/25 16:08
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-18
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-15D-0.25
Date Collected: 03/26/25 16:10
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-19
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-8A-0.25
Date Collected: 03/26/25 14:52
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-21
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-8B-0.25
Date Collected: 03/26/25 14:57
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-22
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-8C-0.25

Date Collected: 03/26/25 15:01

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-8D-0.25

Date Collected: 03/26/25 15:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-24

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-9A-0.25

Date Collected: 03/26/25 14:14

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-26

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-9B-0.25

Date Collected: 03/26/25 14:30

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-27

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-9C-0.25

Date Collected: 03/26/25 15:06

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-28

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-9D-0.25

Date Collected: 03/26/25 15:18

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-29

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-7A-0.25

Date Collected: 03/26/25 14:01

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-31

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-7B-0.25

Date Collected: 03/26/25 14:07

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-32

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-7C-0.25

Date Collected: 03/26/25 14:11

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-33

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-7D-0.25

Date Collected: 03/26/25 14:17

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-34

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-12A-0.25

Date Collected: 03/26/25 13:20

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-36

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-12B-0.25

Date Collected: 03/26/25 13:32

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-37

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-12C-0.25

Date Collected: 03/26/25 13:46

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-38

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Client Sample ID: PCHS-SS-12D-0.25

Date Collected: 03/26/25 13:58

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-39

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/27/25 09:34	1

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (32-179)	BFB (80-120)	DBFM (58-147)	TOL (80-120)
570-223992-6	PCHS-SS-10A-0.25	113	89	102	98
570-223992-7	PCHS-SS-10B-0.25	113	96	103	99
570-223992-8	PCHS-SS-10C-0.25	117	90	107	98
570-223992-9	PCHS-SS-10D-0.25	112	85	103	96
570-223992-11	DUP-1A	116	89	106	97
570-223992-12	DUP-1B	124	94	112	98
570-223992-13	DUP-1C	117	87	107	98
570-223992-14	DUP-1D	116	85	105	96
570-223992-16	PCHS-SS-15A-0.25	118	92	107	99
570-223992-17	PCHS-SS-15B-0.25	120	100	109	102
570-223992-18	PCHS-SS-15C-0.25	120	103	109	101
570-223992-19	PCHS-SS-15D-0.25	119	102	106	101
LCS 570-550458/3	Lab Control Sample	108	98	101	99
LCS 570-550701/4	Lab Control Sample	113	100	104	99
LCSD 570-550458/4	Lab Control Sample Dup	109	101	101	99
LCSD 570-550701/5	Lab Control Sample Dup	110	96	102	100
MB 570-550458/5	Method Blank	104	104	101	100
MB 570-550701/6	Method Blank	103	100	102	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-123)	BFB (80-120)	DBFM (78-120)	TOL (80-120)
570-223992-41	TRIP BLANK	93	93	94	98
LCS 570-550435/1002	Lab Control Sample	93	96	95	99
LCSD 570-550435/3	Lab Control Sample Dup	95	96	94	97
MB 570-550435/6	Method Blank	92	92	93	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270C SIM - PAHs (GC/MS SIM)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		FBP (22-130)	NBZ (20-145)	TPHd14 (33-147)
570-223992-5	PCHS-SS-COMP-11	74	57	82
570-223992-10	PCHS-SS-COMP-10	66	49	82
570-223992-15	PCHS-SS-DUP-1	78	62	89

Eurofins Calscience

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		FBP (22-130)	NBZ (20-145)	TPHd14 (33-147)
570-223992-20	PCHS-SS-COMP-15	72	55	89
570-223992-25	PCHS-SS-COMP-8	67	65	81
570-223992-30	PCHS-SS-COMP-9	71	71	83
570-223992-35	PCHS-SS-COMP-7	127	121	145
570-223992-40	PCHS-SS-COMP-12	50	43	83
LCS 570-550274/2-A	Lab Control Sample	94	70	90
LCSD 570-550274/3-A	Lab Control Sample Dup	84	64	89
MB 570-550274/1-A	Method Blank	80	66	89

Surrogate Legend
 FBP = 2-Fluorobiphenyl (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB1 (42-126)		
570-223992-6	PCHS-SS-10A-0.25	87		
570-223992-7	PCHS-SS-10B-0.25	94		
570-223992-8	PCHS-SS-10C-0.25	76		
570-223992-9	PCHS-SS-10D-0.25	80		
570-223992-11	DUP-1A	87		
570-223992-12	DUP-1B	96		
570-223992-13	DUP-1C	89		
570-223992-14	DUP-1D	88		
570-223992-16	PCHS-SS-15A-0.25	89		
570-223992-17	PCHS-SS-15B-0.25	99		
570-223992-18	PCHS-SS-15C-0.25	97		
570-223992-19	PCHS-SS-15D-0.25	96		
LCS 570-550542/31	Lab Control Sample	98		
LCSD 570-550542/32	Lab Control Sample Dup	98		
MB 570-550542/33	Method Blank	96		

Surrogate Legend
 BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		OTCSN1 (29-160)		
570-223992-10	PCHS-SS-COMP-10	59		
570-223992-15	PCHS-SS-DUP-1	55		
570-223992-20	PCHS-SS-COMP-15	95		
LCS 570-550835/2-A	Lab Control Sample	67		
LCSD 570-550835/3-A	Lab Control Sample Dup	63		
MB 570-550835/1-A	Method Blank	64		

Eurofins Calscience

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (38-148)	DCB2 (37-151)
570-223992-10	PCHS-SS-COMP-10	41	39
570-223992-10 MS	PCHS-SS-COMP-10	47	44
570-223992-40	PCHS-SS-COMP-12	43	55
LCS 570-551371/2-A	Lab Control Sample	85	88
LCSD 570-551371/3-A	Lab Control Sample Dup	80	82
MB 570-551371/1-A	Method Blank	84	89

Surrogate Legend

TCX = Tetrachloro-m-xylene (Surr)

DCB = DCB Decachlorobiphenyl (Surr)

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (38-148)	DCB2 (37-151)
570-223992-10 MSD	PCHS-SS-COMP-10	30 p S1-	40

Surrogate Legend

TCX = Tetrachloro-m-xylene (Surr)

DCB = DCB Decachlorobiphenyl (Surr)

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (38-148)	DCB1 (37-151)
570-223992-15	PCHS-SS-DUP-1	83	82
570-223992-25	PCHS-SS-COMP-8	66	86
LCS 570-550326/2-A	Lab Control Sample	78	90
LCSD 570-550326/3-A	Lab Control Sample Dup	82	94
MB 570-550326/1-A	Method Blank	81	93

Surrogate Legend

TCX = Tetrachloro-m-xylene (Surr)

DCB = DCB Decachlorobiphenyl (Surr)

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (24-136)	DCB1 (37-135)
570-223992-10	PCHS-SS-COMP-10	81	97
570-223992-15	PCHS-SS-DUP-1	86	101
570-223992-20	PCHS-SS-COMP-15	87	95
LCS 570-550036/2-A	Lab Control Sample	74	103
LCSD 570-550036/3-A	Lab Control Sample Dup	96	107

Eurofins Calscience

Surrogate Summary

Client: TRC Companies, Inc

Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	TCX1 (24-136)	DCB1 (37-135)				
MB 570-550036/1-A	Method Blank	92	108				
Surrogate Legend							
TCX = Tetrachloro-m-xylene (Surr)							
DCB = DCB Decachlorobiphenyl (Surr)							

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-550435/6

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		2.0	0.36	ug/L			03/27/25 20:15	1
1,1,1-Trichloroethane	ND		1.0	0.36	ug/L			03/27/25 20:15	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.31	ug/L			03/27/25 20:15	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	2.5	ug/L			03/27/25 20:15	1
1,1,2-Trichloroethane	ND		1.0	0.30	ug/L			03/27/25 20:15	1
1,1-Dichloroethane	ND		1.0	0.34	ug/L			03/27/25 20:15	1
1,1-Dichloroethene	ND		1.0	0.42	ug/L			03/27/25 20:15	1
1,1-Dichloropropene	ND		1.0	0.41	ug/L			03/27/25 20:15	1
1,2,3-Trichlorobenzene	ND		1.0	0.59	ug/L			03/27/25 20:15	1
1,2,3-Trichloropropane	ND		5.0	0.42	ug/L			03/27/25 20:15	1
1,2,4-Trichlorobenzene	ND		1.0	0.71	ug/L			03/27/25 20:15	1
1,2,4-Trimethylbenzene	ND		1.0	0.34	ug/L			03/27/25 20:15	1
1,2-Dibromo-3-Chloropropane	ND		10	2.1	ug/L			03/27/25 20:15	1
1,2-Dibromoethane	ND		1.0	0.41	ug/L			03/27/25 20:15	1
1,2-Dichlorobenzene	ND		1.0	0.26	ug/L			03/27/25 20:15	1
1,2-Dichloroethane	ND		0.50	0.25	ug/L			03/27/25 20:15	1
1,2-Dichloropropane	ND		1.0	0.42	ug/L			03/27/25 20:15	1
1,3,5-Trimethylbenzene	ND		1.0	0.50	ug/L			03/27/25 20:15	1
1,3-Dichlorobenzene	ND		1.0	0.26	ug/L			03/27/25 20:15	1
1,3-Dichloropropane	ND		1.0	0.32	ug/L			03/27/25 20:15	1
1,4-Dichlorobenzene	ND		1.0	0.28	ug/L			03/27/25 20:15	1
2,2-Dichloropropane	ND		1.0	0.50	ug/L			03/27/25 20:15	1
2-Butanone (MEK)	ND		10	4.5	ug/L			03/27/25 20:15	1
2-Chlorotoluene	ND		1.0	0.33	ug/L			03/27/25 20:15	1
2-Hexanone	ND		10	2.7	ug/L			03/27/25 20:15	1
4-Chlorotoluene	ND		1.0	0.35	ug/L			03/27/25 20:15	1
4-Methyl-2-pentanone (MIBK)	ND		10	3.2	ug/L			03/27/25 20:15	1
Acetone	ND		10	7.4	ug/L			03/27/25 20:15	1
Benzene	ND		0.50	0.24	ug/L			03/27/25 20:15	1
Bromobenzene	ND		1.0	0.29	ug/L			03/27/25 20:15	1
Bromochloromethane	ND		2.0	0.38	ug/L			03/27/25 20:15	1
Bromodichloromethane	ND		1.0	0.29	ug/L			03/27/25 20:15	1
Bromoform	ND		5.0	1.9	ug/L			03/27/25 20:15	1
Bromomethane	ND		10	7.4	ug/L			03/27/25 20:15	1
cis-1,2-Dichloroethene	ND		1.0	0.39	ug/L			03/27/25 20:15	1
cis-1,3-Dichloropropene	ND		0.50	0.26	ug/L			03/27/25 20:15	1
Carbon disulfide	ND		10	0.42	ug/L			03/27/25 20:15	1
Carbon tetrachloride	ND		0.50	0.37	ug/L			03/27/25 20:15	1
Chlorobenzene	ND		1.0	0.26	ug/L			03/27/25 20:15	1
Chloroethane	ND		5.0	1.9	ug/L			03/27/25 20:15	1
Chloroform	ND		1.0	0.32	ug/L			03/27/25 20:15	1
Chloromethane	ND		10	2.2	ug/L			03/27/25 20:15	1
Dibromochloromethane	ND		2.0	0.37	ug/L			03/27/25 20:15	1
Dibromomethane	ND		1.0	0.33	ug/L			03/27/25 20:15	1
Dichlorodifluoromethane	ND		5.0	0.62	ug/L			03/27/25 20:15	1
Ethylbenzene	ND		1.0	0.30	ug/L			03/27/25 20:15	1
Isopropylbenzene	ND		1.0	0.41	ug/L			03/27/25 20:15	1
Methylene Chloride	ND		10	3.0	ug/L			03/27/25 20:15	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-550435/6

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.30	ug/L			03/27/25 20:15	1
Naphthalene	ND		10	4.9	ug/L			03/27/25 20:15	1
n-Butylbenzene	ND		1.0	0.53	ug/L			03/27/25 20:15	1
N-Propylbenzene	ND		1.0	0.47	ug/L			03/27/25 20:15	1
o-Xylene	ND		1.0	0.27	ug/L			03/27/25 20:15	1
m,p-Xylene	ND		2.0	0.49	ug/L			03/27/25 20:15	1
p-Isopropyltoluene	ND		1.0	0.47	ug/L			03/27/25 20:15	1
sec-Butylbenzene	ND		1.0	0.37	ug/L			03/27/25 20:15	1
Styrene	ND		1.0	0.38	ug/L			03/27/25 20:15	1
trans-1,2-Dichloroethene	ND		1.0	0.42	ug/L			03/27/25 20:15	1
trans-1,3-Dichloropropene	ND		0.50	0.31	ug/L			03/27/25 20:15	1
tert-Butylbenzene	ND		1.0	0.38	ug/L			03/27/25 20:15	1
Tetrachloroethene	ND		1.0	0.40	ug/L			03/27/25 20:15	1
Toluene	ND		1.0	0.30	ug/L			03/27/25 20:15	1
Trichloroethene	ND		1.0	0.39	ug/L			03/27/25 20:15	1
Trichlorofluoromethane	ND		10	0.75	ug/L			03/27/25 20:15	1
Vinyl acetate	ND		10	5.0	ug/L			03/27/25 20:15	1
Vinyl chloride	ND		0.50	0.43	ug/L			03/27/25 20:15	1
Xylenes, Total	ND		2.0	0.49	ug/L			03/27/25 20:15	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		70 - 123		03/27/25 20:15	1
4-Bromofluorobenzene (Surr)	92		80 - 120		03/27/25 20:15	1
Dibromofluoromethane (Surr)	93		78 - 120		03/27/25 20:15	1
Toluene-d8 (Surr)	99		80 - 120		03/27/25 20:15	1

Lab Sample ID: LCS 570-550435/1002

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	20.0	20.23		ug/L		101	80 - 122
1,1,1-Trichloroethane	20.0	20.35		ug/L		102	78 - 125
1,1,2,2-Tetrachloroethane	20.0	19.45		ug/L		97	79 - 127
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	17.46		ug/L		87	72 - 138
1,1,2-Trichloroethane	20.0	19.62		ug/L		98	80 - 124
1,1-Dichloroethane	20.0	19.41		ug/L		97	80 - 127
1,1-Dichloroethene	20.0	16.29		ug/L		81	80 - 133
1,1-Dichloropropene	20.0	19.46		ug/L		97	79 - 126
1,2,3-Trichlorobenzene	20.0	20.21		ug/L		101	79 - 128
1,2,3-Trichloropropane	20.0	19.27		ug/L		96	71 - 128
1,2,4-Trichlorobenzene	20.0	19.65		ug/L		98	77 - 126
1,2,4-Trimethylbenzene	20.0	19.12		ug/L		96	80 - 121
1,2-Dibromo-3-Chloropropane	20.0	16.43		ug/L		82	66 - 122
1,2-Dibromoethane	20.0	19.58		ug/L		98	80 - 120
1,2-Dichlorobenzene	20.0	18.64		ug/L		93	80 - 121
1,2-Dichloroethane	20.0	17.90		ug/L		89	77 - 122
1,2-Dichloropropane	20.0	19.07		ug/L		95	80 - 122

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-550435/1002

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,3,5-Trimethylbenzene	20.0	19.81		ug/L		99	80 - 123
1,3-Dichlorobenzene	20.0	19.34		ug/L		97	80 - 120
1,3-Dichloropropane	20.0	19.93		ug/L		100	80 - 121
1,4-Dichlorobenzene	20.0	19.59		ug/L		98	80 - 120
2,2-Dichloropropane	20.0	20.30		ug/L		102	68 - 143
2-Butanone (MEK)	20.0	18.44		ug/L		92	61 - 139
2-Chlorotoluene	20.0	19.80		ug/L		99	80 - 121
2-Hexanone	20.0	18.02		ug/L		90	63 - 134
4-Chlorotoluene	20.0	19.89		ug/L		99	80 - 121
4-Methyl-2-pentanone (MIBK)	20.0	17.25		ug/L		86	67 - 125
Acetone	20.0	20.06		ug/L		100	45 - 150
Benzene	20.0	19.75		ug/L		99	80 - 121
Bromobenzene	20.0	20.08		ug/L		100	80 - 120
Bromochloromethane	20.0	21.35		ug/L		107	80 - 121
Bromodichloromethane	20.0	19.34		ug/L		97	80 - 121
Bromoform	20.0	20.23		ug/L		101	78 - 124
Bromomethane	20.0	25.34		ug/L		127	48 - 156
cis-1,2-Dichloroethene	20.0	19.43		ug/L		97	80 - 125
cis-1,3-Dichloropropene	20.0	19.81		ug/L		99	80 - 120
Carbon disulfide	20.0	21.02		ug/L		105	76 - 129
Carbon tetrachloride	20.0	21.34		ug/L		107	71 - 137
Chlorobenzene	20.0	19.59		ug/L		98	80 - 120
Chloroethane	20.0	13.17	*- me	ug/L		66	73 - 138
Chloroform	20.0	18.42		ug/L		92	80 - 121
Chloromethane	20.0	14.94		ug/L		75	57 - 138
Dibromochloromethane	20.0	19.98		ug/L		100	80 - 126
Dibromomethane	20.0	19.54		ug/L		98	80 - 120
Dichlorodifluoromethane	20.0	15.98		ug/L		80	44 - 148
Ethylbenzene	20.0	20.04		ug/L		100	80 - 121
Isopropylbenzene	20.0	19.97		ug/L		100	80 - 121
Methylene Chloride	20.0	19.71		ug/L		99	80 - 121
Methyl-t-Butyl Ether (MTBE)	20.0	17.60		ug/L		88	78 - 123
Naphthalene	20.0	17.65		ug/L		88	65 - 133
n-Butylbenzene	20.0	19.46		ug/L		97	80 - 125
N-Propylbenzene	20.0	20.16		ug/L		101	80 - 125
o-Xylene	20.0	19.61		ug/L		98	80 - 122
m,p-Xylene	40.0	40.72		ug/L		102	80 - 123
p-Isopropyltoluene	20.0	19.17		ug/L		96	80 - 124
sec-Butylbenzene	20.0	20.01		ug/L		100	80 - 122
Styrene	20.0	19.77		ug/L		99	80 - 120
trans-1,2-Dichloroethene	20.0	19.79		ug/L		99	80 - 122
trans-1,3-Dichloropropene	20.0	19.43		ug/L		97	80 - 125
tert-Butylbenzene	20.0	20.22		ug/L		101	80 - 122
Tetrachloroethene	20.0	22.08		ug/L		110	80 - 122
Toluene	20.0	19.36		ug/L		97	80 - 120
Trichloroethene	20.0	20.29		ug/L		101	80 - 120
Trichlorofluoromethane	20.0	18.77		ug/L		94	67 - 142
Vinyl acetate	20.0	17.94		ug/L		90	62 - 140
Vinyl chloride	20.0	16.41		ug/L		82	66 - 136

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		70 - 123
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	95		78 - 120
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 570-550435/3

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	RPD Limit
							Limits			
1,1,1,2-Tetrachloroethane	20.0	19.94		ug/L		100	80 - 122		1	20
1,1,1-Trichloroethane	20.0	19.53		ug/L		98	78 - 125		4	20
1,1,2,2-Tetrachloroethane	20.0	18.79		ug/L		94	79 - 127		3	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	18.78		ug/L		94	72 - 138		7	20
1,1,2-Trichloroethane	20.0	15.19	*- me *1	ug/L		76	80 - 124		25	20
1,1-Dichloroethane	20.0	17.83		ug/L		89	80 - 127		9	20
1,1-Dichloroethene	20.0	16.75		ug/L		84	80 - 133		3	20
1,1-Dichloropropene	20.0	18.28		ug/L		91	79 - 126		6	20
1,2,3-Trichlorobenzene	20.0	19.62		ug/L		98	79 - 128		3	20
1,2,3-Trichloropropane	20.0	19.03		ug/L		95	71 - 128		1	20
1,2,4-Trichlorobenzene	20.0	20.27		ug/L		101	77 - 126		3	20
1,2,4-Trimethylbenzene	20.0	18.81		ug/L		94	80 - 121		2	20
1,2-Dibromo-3-Chloropropane	20.0	17.37		ug/L		87	66 - 122		6	20
1,2-Dibromoethane	20.0	16.23		ug/L		81	80 - 120		19	20
1,2-Dichlorobenzene	20.0	18.62		ug/L		93	80 - 121		0	20
1,2-Dichloroethane	20.0	18.25		ug/L		91	77 - 122		2	20
1,2-Dichloropropane	20.0	17.87		ug/L		89	80 - 122		7	20
1,3,5-Trimethylbenzene	20.0	19.59		ug/L		98	80 - 123		1	20
1,3-Dichlorobenzene	20.0	19.16		ug/L		96	80 - 120		1	20
1,3-Dichloropropane	20.0	15.53	*- me *1	ug/L		78	80 - 121		25	20
1,4-Dichlorobenzene	20.0	18.45		ug/L		92	80 - 120		6	20
2,2-Dichloropropane	20.0	18.77		ug/L		94	68 - 143		8	20
2-Butanone (MEK)	20.0	17.92		ug/L		90	61 - 139		3	25
2-Chlorotoluene	20.0	18.52		ug/L		93	80 - 121		7	20
2-Hexanone	20.0	13.90	*1	ug/L		70	63 - 134		26	21
4-Chlorotoluene	20.0	19.26		ug/L		96	80 - 121		3	20
4-Methyl-2-pentanone (MIBK)	20.0	17.50		ug/L		88	67 - 125		1	20
Acetone	20.0	22.94		ug/L		115	45 - 150		13	23
Benzene	20.0	18.51		ug/L		93	80 - 121		7	20
Bromobenzene	20.0	19.66		ug/L		98	80 - 120		2	20
Bromochloromethane	20.0	19.83		ug/L		99	80 - 121		7	20
Bromodichloromethane	20.0	19.11		ug/L		96	80 - 121		1	20
Bromoform	20.0	19.98		ug/L		100	78 - 124		1	20
Bromomethane	20.0	24.96		ug/L		125	48 - 156		1	21
cis-1,2-Dichloroethene	20.0	18.23		ug/L		91	80 - 125		6	20
cis-1,3-Dichloropropene	20.0	18.77		ug/L		94	80 - 120		5	20
Carbon disulfide	20.0	19.29		ug/L		96	76 - 129		9	20
Carbon tetrachloride	20.0	21.05		ug/L		105	71 - 137		1	20
Chlorobenzene	20.0	19.29		ug/L		96	80 - 120		2	20
Chloroethane	20.0	18.69	*1	ug/L		93	73 - 138		35	20
Chloroform	20.0	18.00		ug/L		90	80 - 121		2	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550435/3

Matrix: Water

Analysis Batch: 550435

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloromethane	20.0	18.37	*1	ug/L		92	57 - 138	21	20
Dibromochloromethane	20.0	16.12	*1	ug/L		81	80 - 126	21	20
Dibromomethane	20.0	18.09		ug/L		90	80 - 120	8	20
Dichlorodifluoromethane	20.0	18.89		ug/L		94	44 - 148	17	28
Ethylbenzene	20.0	19.17		ug/L		96	80 - 121	4	20
Isopropylbenzene	20.0	19.25		ug/L		96	80 - 121	4	20
Methylene Chloride	20.0	18.08		ug/L		90	80 - 121	9	20
Methyl-t-Butyl Ether (MTBE)	20.0	17.03		ug/L		85	78 - 123	3	20
Naphthalene	20.0	17.59		ug/L		88	65 - 133	0	20
n-Butylbenzene	20.0	19.65		ug/L		98	80 - 125	1	20
N-Propylbenzene	20.0	19.29		ug/L		96	80 - 125	4	20
o-Xylene	20.0	18.45		ug/L		92	80 - 122	6	20
m,p-Xylene	40.0	38.88		ug/L		97	80 - 123	5	20
p-Isopropyltoluene	20.0	19.05		ug/L		95	80 - 124	1	20
sec-Butylbenzene	20.0	19.10		ug/L		95	80 - 122	5	20
Styrene	20.0	19.07		ug/L		95	80 - 120	4	20
trans-1,2-Dichloroethene	20.0	18.41		ug/L		92	80 - 122	7	20
trans-1,3-Dichloropropene	20.0	15.41	*- me *1	ug/L		77	80 - 125	23	20
tert-Butylbenzene	20.0	20.15		ug/L		101	80 - 122	0	20
Tetrachloroethene	20.0	17.96	*1	ug/L		90	80 - 122	21	20
Toluene	20.0	18.47		ug/L		92	80 - 120	5	20
Trichloroethene	20.0	19.34		ug/L		97	80 - 120	5	20
Trichlorofluoromethane	20.0	20.96		ug/L		105	67 - 142	11	20
Vinyl acetate	20.0	15.43		ug/L		77	62 - 140	15	21
Vinyl chloride	20.0	17.91		ug/L		90	66 - 136	9	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		70 - 123
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	94		78 - 120
Toluene-d8 (Surr)	97		80 - 120

Lab Sample ID: MB 570-550458/5

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.29	ug/Kg			03/27/25 20:06	1
1,1,1-Trichloroethane	ND		1.0	0.23	ug/Kg			03/27/25 20:06	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg			03/27/25 20:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	0.46	ug/Kg			03/27/25 20:06	1
1,1,2-Trichloroethane	ND		1.0	0.46	ug/Kg			03/27/25 20:06	1
1,1-Dichloroethane	ND		1.0	0.28	ug/Kg			03/27/25 20:06	1
1,1-Dichloroethene	ND		1.0	0.27	ug/Kg			03/27/25 20:06	1
1,1-Dichloropropene	ND		2.0	0.39	ug/Kg			03/27/25 20:06	1
1,2,3-Trichlorobenzene	ND		2.0	0.38	ug/Kg			03/27/25 20:06	1
1,2,3-Trichloropropane	ND		2.0	0.42	ug/Kg			03/27/25 20:06	1
1,2,4-Trichlorobenzene	ND		2.0	0.41	ug/Kg			03/27/25 20:06	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-550458/5

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	ND		2.0	0.28	ug/Kg			03/27/25 20:06	1
1,2-Dibromo-3-Chloropropane	ND		10	3.3	ug/Kg			03/27/25 20:06	1
1,2-Dibromoethane	ND		1.0	0.21	ug/Kg			03/27/25 20:06	1
1,2-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/27/25 20:06	1
1,2-Dichloroethane	ND		1.0	0.28	ug/Kg			03/27/25 20:06	1
1,2-Dichloropropane	ND		1.0	0.28	ug/Kg			03/27/25 20:06	1
1,3,5-Trimethylbenzene	ND		2.0	0.27	ug/Kg			03/27/25 20:06	1
1,3-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/27/25 20:06	1
1,3-Dichloropropane	ND		1.0	0.30	ug/Kg			03/27/25 20:06	1
1,4-Dichlorobenzene	ND		1.0	0.31	ug/Kg			03/27/25 20:06	1
2,2-Dichloropropane	ND		5.0	0.27	ug/Kg			03/27/25 20:06	1
2-Butanone (MEK)	ND		20	4.5	ug/Kg			03/27/25 20:06	1
2-Chlorotoluene	ND		1.0	0.25	ug/Kg			03/27/25 20:06	1
2-Hexanone	ND		20	3.1	ug/Kg			03/27/25 20:06	1
4-Chlorotoluene	ND		1.0	0.24	ug/Kg			03/27/25 20:06	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.9	ug/Kg			03/27/25 20:06	1
Acetone	ND		20	9.8	ug/Kg			03/27/25 20:06	1
Benzene	ND		1.0	0.26	ug/Kg			03/27/25 20:06	1
Bromobenzene	ND		1.0	0.21	ug/Kg			03/27/25 20:06	1
Bromochloromethane	ND		2.0	0.44	ug/Kg			03/27/25 20:06	1
Bromodichloromethane	ND		1.0	0.33	ug/Kg			03/27/25 20:06	1
Bromoform	ND		5.0	1.3	ug/Kg			03/27/25 20:06	1
Bromomethane	ND		20	6.6	ug/Kg			03/27/25 20:06	1
cis-1,2-Dichloroethene	ND		1.0	0.34	ug/Kg			03/27/25 20:06	1
cis-1,3-Dichloropropene	ND		1.0	0.35	ug/Kg			03/27/25 20:06	1
Carbon disulfide	ND		10	0.40	ug/Kg			03/27/25 20:06	1
Carbon tetrachloride	ND		1.0	0.30	ug/Kg			03/27/25 20:06	1
Chlorobenzene	ND		1.0	0.27	ug/Kg			03/27/25 20:06	1
Chloroethane	ND		2.0	0.74	ug/Kg			03/27/25 20:06	1
Chloroform	ND		1.0	0.59	ug/Kg			03/27/25 20:06	1
Chloromethane	ND		20	1.5	ug/Kg			03/27/25 20:06	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg			03/27/25 20:06	1
Dibromomethane	ND		1.0	0.31	ug/Kg			03/27/25 20:06	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg			03/27/25 20:06	1
Ethylbenzene	ND		1.0	0.21	ug/Kg			03/27/25 20:06	1
Isopropylbenzene	ND		1.0	0.28	ug/Kg			03/27/25 20:06	1
Methylene Chloride	ND		10	3.1	ug/Kg			03/27/25 20:06	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg			03/27/25 20:06	1
Naphthalene	ND		10	3.9	ug/Kg			03/27/25 20:06	1
n-Butylbenzene	ND		1.0	0.21	ug/Kg			03/27/25 20:06	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg			03/27/25 20:06	1
o-Xylene	ND		1.0	0.26	ug/Kg			03/27/25 20:06	1
m,p-Xylene	ND		2.0	0.47	ug/Kg			03/27/25 20:06	1
p-Isopropyltoluene	ND		1.0	0.28	ug/Kg			03/27/25 20:06	1
sec-Butylbenzene	ND		1.0	0.27	ug/Kg			03/27/25 20:06	1
Styrene	ND		1.0	0.32	ug/Kg			03/27/25 20:06	1
trans-1,2-Dichloroethene	ND		1.0	0.30	ug/Kg			03/27/25 20:06	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg			03/27/25 20:06	1
tert-Butylbenzene	ND		1.0	0.25	ug/Kg			03/27/25 20:06	1

Eurolins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-550458/5

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.22	ug/Kg			03/27/25 20:06	1
Toluene	ND		1.0	0.27	ug/Kg			03/27/25 20:06	1
Trichloroethene	ND		2.0	0.39	ug/Kg			03/27/25 20:06	1
Trichlorofluoromethane	ND		10	0.27	ug/Kg			03/27/25 20:06	1
Vinyl acetate	ND		10	3.9	ug/Kg			03/27/25 20:06	1
Vinyl chloride	ND		1.0	0.38	ug/Kg			03/27/25 20:06	1
Xylenes, Total	ND		2.0	0.60	ug/Kg			03/27/25 20:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		32 - 179		03/27/25 20:06	1
4-Bromofluorobenzene (Surr)	104		80 - 120		03/27/25 20:06	1
Dibromofluoromethane (Surr)	101		58 - 147		03/27/25 20:06	1
Toluene-d8 (Surr)	100		80 - 120		03/27/25 20:06	1

Lab Sample ID: LCS 570-550458/3

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	50.0	53.65		ug/Kg		107	80 - 125
1,1,1-Trichloroethane	50.0	53.69		ug/Kg		107	78 - 130
1,1,2,2-Tetrachloroethane	50.0	51.93		ug/Kg		104	80 - 124
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	49.64		ug/Kg		99	73 - 130
1,1,2-Trichloroethane	50.0	51.47		ug/Kg		103	80 - 123
1,1-Dichloroethane	50.0	51.09		ug/Kg		102	79 - 124
1,1-Dichloroethene	50.0	49.71		ug/Kg		99	74 - 132
1,1-Dichloropropene	50.0	53.07		ug/Kg		106	78 - 130
1,2,3-Trichlorobenzene	50.0	54.00		ug/Kg		108	80 - 123
1,2,3-Trichloropropane	50.0	52.03		ug/Kg		104	79 - 120
1,2,4-Trichlorobenzene	50.0	53.79		ug/Kg		108	80 - 125
1,2,4-Trimethylbenzene	50.0	53.29		ug/Kg		107	80 - 124
1,2-Dibromo-3-Chloropropane	50.0	53.21		ug/Kg		106	67 - 120
1,2-Dibromoethane	50.0	53.37		ug/Kg		107	80 - 120
1,2-Dichlorobenzene	50.0	53.42		ug/Kg		107	80 - 120
1,2-Dichloroethane	50.0	52.24		ug/Kg		104	77 - 120
1,2-Dichloropropane	50.0	51.80		ug/Kg		104	80 - 126
1,3,5-Trimethylbenzene	50.0	52.00		ug/Kg		104	80 - 121
1,3-Dichlorobenzene	50.0	52.76		ug/Kg		106	80 - 120
1,3-Dichloropropane	50.0	52.23		ug/Kg		104	80 - 120
1,4-Dichlorobenzene	50.0	51.87		ug/Kg		104	80 - 120
2,2-Dichloropropane	50.0	54.33		ug/Kg		109	73 - 135
2-Butanone (MEK)	50.0	53.57		ug/Kg		107	67 - 136
2-Chlorotoluene	50.0	50.64		ug/Kg		101	80 - 120
2-Hexanone	50.0	53.48		ug/Kg		107	70 - 137
4-Chlorotoluene	50.0	52.27		ug/Kg		105	80 - 121
4-Methyl-2-pentanone (MIBK)	50.0	52.28		ug/Kg		105	74 - 124
Acetone	50.0	54.23		ug/Kg		108	61 - 142
Benzene	50.0	50.44		ug/Kg		101	80 - 120

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-550458/3

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromobenzene	50.0	50.87		ug/Kg		102	80 - 120
Bromochloromethane	50.0	51.28		ug/Kg		103	80 - 120
Bromodichloromethane	50.0	52.92		ug/Kg		106	80 - 125
Bromoform	50.0	50.72		ug/Kg		101	74 - 138
Bromomethane	50.0	43.71		ug/Kg		87	58 - 136
cis-1,2-Dichloroethene	50.0	50.26		ug/Kg		101	80 - 124
cis-1,3-Dichloropropene	50.0	52.42		ug/Kg		105	80 - 123
Carbon disulfide	50.0	46.78		ug/Kg		94	68 - 128
Carbon tetrachloride	50.0	54.87		ug/Kg		110	75 - 140
Chlorobenzene	50.0	50.23		ug/Kg		100	80 - 120
Chloroethane	50.0	50.81		ug/Kg		102	76 - 137
Chloroform	50.0	50.26		ug/Kg		101	80 - 121
Chloromethane	50.0	43.27		ug/Kg		87	74 - 133
Dibromochloromethane	50.0	49.66		ug/Kg		99	80 - 132
Dibromomethane	50.0	50.82		ug/Kg		102	80 - 120
Dichlorodifluoromethane	50.0	45.18		ug/Kg		90	63 - 146
Ethylbenzene	50.0	51.16		ug/Kg		102	80 - 120
Isopropylbenzene	50.0	51.98		ug/Kg		104	80 - 122
Methylene Chloride	50.0	47.10		ug/Kg		94	74 - 120
Methyl-t-Butyl Ether (MTBE)	50.0	54.21		ug/Kg		108	79 - 123
Naphthalene	50.0	53.33		ug/Kg		107	79 - 121
n-Butylbenzene	50.0	54.27		ug/Kg		109	79 - 131
N-Propylbenzene	50.0	51.69		ug/Kg		103	80 - 122
o-Xylene	50.0	52.06		ug/Kg		104	80 - 120
m,p-Xylene	100	104.5		ug/Kg		105	80 - 120
p-Isopropyltoluene	50.0	53.47		ug/Kg		107	80 - 126
sec-Butylbenzene	50.0	53.06		ug/Kg		106	80 - 125
Styrene	50.0	52.22		ug/Kg		104	80 - 120
trans-1,2-Dichloroethene	50.0	48.93		ug/Kg		98	75 - 123
trans-1,3-Dichloropropene	50.0	53.50		ug/Kg		107	80 - 124
tert-Butylbenzene	50.0	53.34		ug/Kg		107	80 - 124
Tetrachloroethene	50.0	50.40		ug/Kg		101	80 - 122
Toluene	50.0	49.65		ug/Kg		99	80 - 120
Trichloroethene	50.0	52.38		ug/Kg		105	80 - 127
Trichlorofluoromethane	50.0	54.31		ug/Kg		109	70 - 144
Vinyl acetate	50.0	51.02		ug/Kg		102	71 - 125
Vinyl chloride	50.0	49.50		ug/Kg		99	79 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		32 - 179
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	101		58 - 147
Toluene-d8 (Surr)	99		80 - 120

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550458/4

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	52.85		ug/Kg		106	80 - 125	1	20
1,1,1-Trichloroethane	50.0	52.75		ug/Kg		106	78 - 130	2	20
1,1,2,2-Tetrachloroethane	50.0	52.60		ug/Kg		105	80 - 124	1	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	49.13		ug/Kg		98	73 - 130	1	20
1,1,2-Trichloroethane	50.0	51.81		ug/Kg		104	80 - 123	1	20
1,1-Dichloroethane	50.0	50.37		ug/Kg		101	79 - 124	1	20
1,1-Dichloroethene	50.0	48.96		ug/Kg		98	74 - 132	2	20
1,1-Dichloropropene	50.0	52.10		ug/Kg		104	78 - 130	2	20
1,2,3-Trichlorobenzene	50.0	52.07		ug/Kg		104	80 - 123	4	20
1,2,3-Trichloropropane	50.0	53.34		ug/Kg		107	79 - 120	2	20
1,2,4-Trichlorobenzene	50.0	50.86		ug/Kg		102	80 - 125	6	20
1,2,4-Trimethylbenzene	50.0	51.52		ug/Kg		103	80 - 124	3	20
1,2-Dibromo-3-Chloropropane	50.0	53.62		ug/Kg		107	67 - 120	1	20
1,2-Dibromoethane	50.0	53.25		ug/Kg		107	80 - 120	0	20
1,2-Dichlorobenzene	50.0	51.38		ug/Kg		103	80 - 120	4	20
1,2-Dichloroethane	50.0	52.83		ug/Kg		106	77 - 120	1	20
1,2-Dichloropropane	50.0	52.40		ug/Kg		105	80 - 126	1	20
1,3,5-Trimethylbenzene	50.0	51.06		ug/Kg		102	80 - 121	2	20
1,3-Dichlorobenzene	50.0	50.92		ug/Kg		102	80 - 120	4	20
1,3-Dichloropropane	50.0	52.70		ug/Kg		105	80 - 120	1	20
1,4-Dichlorobenzene	50.0	49.63		ug/Kg		99	80 - 120	4	20
2,2-Dichloropropane	50.0	54.65		ug/Kg		109	73 - 135	1	20
2-Butanone (MEK)	50.0	53.30		ug/Kg		107	67 - 136	0	20
2-Chlorotoluene	50.0	49.27		ug/Kg		99	80 - 120	3	20
2-Hexanone	50.0	56.05		ug/Kg		112	70 - 137	5	20
4-Chlorotoluene	50.0	50.26		ug/Kg		101	80 - 121	4	20
4-Methyl-2-pentanone (MIBK)	50.0	53.07		ug/Kg		106	74 - 124	1	20
Acetone	50.0	53.21		ug/Kg		106	61 - 142	2	23
Benzene	50.0	50.81		ug/Kg		102	80 - 120	1	20
Bromobenzene	50.0	50.07		ug/Kg		100	80 - 120	2	20
Bromochloromethane	50.0	51.69		ug/Kg		103	80 - 120	1	20
Bromodichloromethane	50.0	53.62		ug/Kg		107	80 - 125	1	20
Bromoform	50.0	51.05		ug/Kg		102	74 - 138	1	20
Bromomethane	50.0	41.30		ug/Kg		83	58 - 136	6	20
cis-1,2-Dichloroethene	50.0	50.09		ug/Kg		100	80 - 124	0	20
cis-1,3-Dichloropropene	50.0	53.75		ug/Kg		107	80 - 123	2	20
Carbon disulfide	50.0	46.19		ug/Kg		92	68 - 128	1	20
Carbon tetrachloride	50.0	55.35		ug/Kg		111	75 - 140	1	20
Chlorobenzene	50.0	49.86		ug/Kg		100	80 - 120	1	20
Chloroethane	50.0	48.34		ug/Kg		97	76 - 137	5	20
Chloroform	50.0	49.92		ug/Kg		100	80 - 121	1	20
Chloromethane	50.0	41.95		ug/Kg		84	74 - 133	3	20
Dibromochloromethane	50.0	49.51		ug/Kg		99	80 - 132	0	20
Dibromomethane	50.0	51.27		ug/Kg		103	80 - 120	1	20
Dichlorodifluoromethane	50.0	43.09		ug/Kg		86	63 - 146	5	20
Ethylbenzene	50.0	50.88		ug/Kg		102	80 - 120	1	20
Isopropylbenzene	50.0	51.53		ug/Kg		103	80 - 122	1	20
Methylene Chloride	50.0	46.88		ug/Kg		94	74 - 120	0	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550458/4

Matrix: Solid

Analysis Batch: 550458

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Methyl-t-Butyl Ether (MTBE)	50.0	55.02		ug/Kg		110	79 - 123	1	20
Naphthalene	50.0	52.82		ug/Kg		106	79 - 121	1	20
n-Butylbenzene	50.0	50.73		ug/Kg		101	79 - 131	7	20
N-Propylbenzene	50.0	50.44		ug/Kg		101	80 - 122	2	20
o-Xylene	50.0	51.80		ug/Kg		104	80 - 120	0	20
m,p-Xylene	100	103.5		ug/Kg		103	80 - 120	1	20
p-Isopropyltoluene	50.0	51.72		ug/Kg		103	80 - 126	3	20
sec-Butylbenzene	50.0	51.17		ug/Kg		102	80 - 125	4	20
Styrene	50.0	51.68		ug/Kg		103	80 - 120	1	20
trans-1,2-Dichloroethene	50.0	48.73		ug/Kg		97	75 - 123	0	20
trans-1,3-Dichloropropene	50.0	54.54		ug/Kg		109	80 - 124	2	20
tert-Butylbenzene	50.0	51.00		ug/Kg		102	80 - 124	4	20
Tetrachloroethene	50.0	49.49		ug/Kg		99	80 - 122	2	20
Toluene	50.0	49.85		ug/Kg		100	80 - 120	0	20
Trichloroethene	50.0	53.03		ug/Kg		106	80 - 127	1	20
Trichlorofluoromethane	50.0	52.47		ug/Kg		105	70 - 144	3	20
Vinyl acetate	50.0	54.31		ug/Kg		109	71 - 125	6	20
Vinyl chloride	50.0	47.17		ug/Kg		94	79 - 133	5	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		32 - 179
4-Bromofluorobenzene (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	101		58 - 147
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: MB 570-550701/6

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.29	ug/Kg			03/28/25 10:13	1
1,1,1-Trichloroethane	ND		1.0	0.23	ug/Kg			03/28/25 10:13	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg			03/28/25 10:13	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	0.46	ug/Kg			03/28/25 10:13	1
1,1,2-Trichloroethane	ND		1.0	0.46	ug/Kg			03/28/25 10:13	1
1,1-Dichloroethane	ND		1.0	0.28	ug/Kg			03/28/25 10:13	1
1,1-Dichloroethene	ND		1.0	0.27	ug/Kg			03/28/25 10:13	1
1,1-Dichloropropene	ND		2.0	0.39	ug/Kg			03/28/25 10:13	1
1,2,3-Trichlorobenzene	ND		2.0	0.38	ug/Kg			03/28/25 10:13	1
1,2,3-Trichloropropane	ND		2.0	0.42	ug/Kg			03/28/25 10:13	1
1,2,4-Trichlorobenzene	ND		2.0	0.41	ug/Kg			03/28/25 10:13	1
1,2,4-Trimethylbenzene	ND		2.0	0.28	ug/Kg			03/28/25 10:13	1
1,2-Dibromo-3-Chloropropane	ND		10	3.3	ug/Kg			03/28/25 10:13	1
1,2-Dibromoethane	ND		1.0	0.21	ug/Kg			03/28/25 10:13	1
1,2-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/28/25 10:13	1
1,2-Dichloroethane	ND		1.0	0.28	ug/Kg			03/28/25 10:13	1
1,2-Dichloropropane	ND		1.0	0.28	ug/Kg			03/28/25 10:13	1
1,3,5-Trimethylbenzene	ND		2.0	0.27	ug/Kg			03/28/25 10:13	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-550701/6

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/28/25 10:13	1
1,3-Dichloropropane	ND		1.0	0.30	ug/Kg			03/28/25 10:13	1
1,4-Dichlorobenzene	ND		1.0	0.31	ug/Kg			03/28/25 10:13	1
2,2-Dichloropropane	ND		5.0	0.27	ug/Kg			03/28/25 10:13	1
2-Butanone (MEK)	ND		20	4.5	ug/Kg			03/28/25 10:13	1
2-Chlorotoluene	ND		1.0	0.25	ug/Kg			03/28/25 10:13	1
2-Hexanone	ND		20	3.1	ug/Kg			03/28/25 10:13	1
4-Chlorotoluene	ND		1.0	0.24	ug/Kg			03/28/25 10:13	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.9	ug/Kg			03/28/25 10:13	1
Acetone	ND		20	9.8	ug/Kg			03/28/25 10:13	1
Benzene	ND		1.0	0.26	ug/Kg			03/28/25 10:13	1
Bromobenzene	ND		1.0	0.21	ug/Kg			03/28/25 10:13	1
Bromochloromethane	ND		2.0	0.44	ug/Kg			03/28/25 10:13	1
Bromodichloromethane	ND		1.0	0.33	ug/Kg			03/28/25 10:13	1
Bromoform	ND		5.0	1.3	ug/Kg			03/28/25 10:13	1
Bromomethane	ND		20	6.6	ug/Kg			03/28/25 10:13	1
cis-1,2-Dichloroethene	ND		1.0	0.34	ug/Kg			03/28/25 10:13	1
cis-1,3-Dichloropropene	ND		1.0	0.35	ug/Kg			03/28/25 10:13	1
Carbon disulfide	ND		10	0.40	ug/Kg			03/28/25 10:13	1
Carbon tetrachloride	ND		1.0	0.30	ug/Kg			03/28/25 10:13	1
Chlorobenzene	ND		1.0	0.27	ug/Kg			03/28/25 10:13	1
Chloroethane	ND		2.0	0.74	ug/Kg			03/28/25 10:13	1
Chloroform	ND		1.0	0.59	ug/Kg			03/28/25 10:13	1
Chloromethane	ND		20	1.5	ug/Kg			03/28/25 10:13	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg			03/28/25 10:13	1
Dibromomethane	ND		1.0	0.31	ug/Kg			03/28/25 10:13	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg			03/28/25 10:13	1
Ethylbenzene	ND		1.0	0.21	ug/Kg			03/28/25 10:13	1
Isopropylbenzene	ND		1.0	0.28	ug/Kg			03/28/25 10:13	1
Methylene Chloride	ND		10	3.1	ug/Kg			03/28/25 10:13	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg			03/28/25 10:13	1
Naphthalene	ND		10	3.9	ug/Kg			03/28/25 10:13	1
n-Butylbenzene	ND		1.0	0.21	ug/Kg			03/28/25 10:13	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg			03/28/25 10:13	1
o-Xylene	ND		1.0	0.26	ug/Kg			03/28/25 10:13	1
m,p-Xylene	ND		2.0	0.47	ug/Kg			03/28/25 10:13	1
p-Isopropyltoluene	ND		1.0	0.28	ug/Kg			03/28/25 10:13	1
sec-Butylbenzene	ND		1.0	0.27	ug/Kg			03/28/25 10:13	1
Styrene	ND		1.0	0.32	ug/Kg			03/28/25 10:13	1
trans-1,2-Dichloroethene	ND		1.0	0.30	ug/Kg			03/28/25 10:13	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg			03/28/25 10:13	1
tert-Butylbenzene	ND		1.0	0.25	ug/Kg			03/28/25 10:13	1
Tetrachloroethene	ND		1.0	0.22	ug/Kg			03/28/25 10:13	1
Toluene	ND		1.0	0.27	ug/Kg			03/28/25 10:13	1
Trichloroethene	ND		2.0	0.39	ug/Kg			03/28/25 10:13	1
Trichlorofluoromethane	ND		10	0.27	ug/Kg			03/28/25 10:13	1
Vinyl acetate	ND		10	3.9	ug/Kg			03/28/25 10:13	1
Vinyl chloride	ND		1.0	0.38	ug/Kg			03/28/25 10:13	1
Xylenes, Total	ND		2.0	0.60	ug/Kg			03/28/25 10:13	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		32 - 179		03/28/25 10:13	1
4-Bromofluorobenzene (Surr)	100		80 - 120		03/28/25 10:13	1
Dibromofluoromethane (Surr)	102		58 - 147		03/28/25 10:13	1
Toluene-d8 (Surr)	102		80 - 120		03/28/25 10:13	1

Lab Sample ID: LCS 570-550701/4

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	50.0	56.95		ug/Kg		114	80 - 125
1,1,1-Trichloroethane	50.0	58.06		ug/Kg		116	78 - 130
1,1,2,2-Tetrachloroethane	50.0	53.42		ug/Kg		107	80 - 124
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	51.55		ug/Kg		103	73 - 130
1,1,2-Trichloroethane	50.0	54.84		ug/Kg		110	80 - 123
1,1-Dichloroethane	50.0	53.03		ug/Kg		106	79 - 124
1,1-Dichloroethene	50.0	52.07		ug/Kg		104	74 - 132
1,1-Dichloropropene	50.0	55.84		ug/Kg		112	78 - 130
1,2,3-Trichlorobenzene	50.0	55.67		ug/Kg		111	80 - 123
1,2,3-Trichloropropane	50.0	55.17		ug/Kg		110	79 - 120
1,2,4-Trichlorobenzene	50.0	55.64		ug/Kg		111	80 - 125
1,2,4-Trimethylbenzene	50.0	55.65		ug/Kg		111	80 - 124
1,2-Dibromo-3-Chloropropane	50.0	59.96		ug/Kg		120	67 - 120
1,2-Dibromoethane	50.0	56.41		ug/Kg		113	80 - 120
1,2-Dichlorobenzene	50.0	53.81		ug/Kg		108	80 - 120
1,2-Dichloroethane	50.0	56.20		ug/Kg		112	77 - 120
1,2-Dichloropropane	50.0	54.17		ug/Kg		108	80 - 126
1,3,5-Trimethylbenzene	50.0	54.15		ug/Kg		108	80 - 121
1,3-Dichlorobenzene	50.0	54.01		ug/Kg		108	80 - 120
1,3-Dichloropropane	50.0	55.40		ug/Kg		111	80 - 120
1,4-Dichlorobenzene	50.0	53.11		ug/Kg		106	80 - 120
2,2-Dichloropropane	50.0	59.07		ug/Kg		118	73 - 135
2-Butanone (MEK)	50.0	57.80		ug/Kg		116	67 - 136
2-Chlorotoluene	50.0	52.26		ug/Kg		105	80 - 120
2-Hexanone	50.0	58.65		ug/Kg		117	70 - 137
4-Chlorotoluene	50.0	54.36		ug/Kg		109	80 - 121
4-Methyl-2-pentanone (MIBK)	50.0	55.68		ug/Kg		111	74 - 124
Acetone	50.0	65.50		ug/Kg		131	61 - 142
Benzene	50.0	52.39		ug/Kg		105	80 - 120
Bromobenzene	50.0	52.36		ug/Kg		105	80 - 120
Bromochloromethane	50.0	53.76		ug/Kg		108	80 - 120
Bromodichloromethane	50.0	58.09		ug/Kg		116	80 - 125
Bromoform	50.0	58.02		ug/Kg		116	74 - 138
Bromomethane	50.0	43.70		ug/Kg		87	58 - 136
cis-1,2-Dichloroethene	50.0	53.24		ug/Kg		106	80 - 124
cis-1,3-Dichloropropene	50.0	56.73		ug/Kg		113	80 - 123
Carbon disulfide	50.0	48.93		ug/Kg		98	68 - 128
Carbon tetrachloride	50.0	61.18		ug/Kg		122	75 - 140
Chlorobenzene	50.0	52.19		ug/Kg		104	80 - 120
Chloroethane	50.0	50.61		ug/Kg		101	76 - 137
Chloroform	50.0	53.91		ug/Kg		108	80 - 121

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-550701/4

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloromethane	50.0	43.63		ug/Kg		87	74 - 133
Dibromochloromethane	50.0	54.90		ug/Kg		110	80 - 132
Dibromomethane	50.0	54.62		ug/Kg		109	80 - 120
Dichlorodifluoromethane	50.0	44.62		ug/Kg		89	63 - 146
Ethylbenzene	50.0	53.21		ug/Kg		106	80 - 120
Isopropylbenzene	50.0	53.75		ug/Kg		108	80 - 122
Methylene Chloride	50.0	49.35		ug/Kg		99	74 - 120
Methyl-t-Butyl Ether (MTBE)	50.0	57.66		ug/Kg		115	79 - 123
Naphthalene	50.0	54.75		ug/Kg		110	79 - 121
n-Butylbenzene	50.0	56.70		ug/Kg		113	79 - 131
N-Propylbenzene	50.0	53.89		ug/Kg		108	80 - 122
o-Xylene	50.0	53.42		ug/Kg		107	80 - 120
m,p-Xylene	100	108.9		ug/Kg		109	80 - 120
p-Isopropyltoluene	50.0	56.05		ug/Kg		112	80 - 126
sec-Butylbenzene	50.0	55.22		ug/Kg		110	80 - 125
Styrene	50.0	53.82		ug/Kg		108	80 - 120
trans-1,2-Dichloroethene	50.0	51.59		ug/Kg		103	75 - 123
trans-1,3-Dichloropropene	50.0	58.93		ug/Kg		118	80 - 124
tert-Butylbenzene	50.0	54.97		ug/Kg		110	80 - 124
Tetrachloroethene	50.0	52.46		ug/Kg		105	80 - 122
Toluene	50.0	51.56		ug/Kg		103	80 - 120
Trichloroethene	50.0	55.43		ug/Kg		111	80 - 127
Trichlorofluoromethane	50.0	56.32		ug/Kg		113	70 - 144
Vinyl acetate	50.0	52.83		ug/Kg		106	71 - 125
Vinyl chloride	50.0	49.48		ug/Kg		99	79 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	113		32 - 179
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	104		58 - 147
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 570-550701/5

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	55.55		ug/Kg		111	80 - 125	2	20
1,1,1-Trichloroethane	50.0	54.47		ug/Kg		109	78 - 130	6	20
1,1,2,2-Tetrachloroethane	50.0	54.06		ug/Kg		108	80 - 124	1	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	48.92		ug/Kg		98	73 - 130	5	20
1,1,2-Trichloroethane	50.0	53.14		ug/Kg		106	80 - 123	3	20
1,1-Dichloroethane	50.0	50.26		ug/Kg		101	79 - 124	5	20
1,1-Dichloroethene	50.0	48.91		ug/Kg		98	74 - 132	6	20
1,1-Dichloropropene	50.0	52.25		ug/Kg		104	78 - 130	7	20
1,2,3-Trichlorobenzene	50.0	55.02		ug/Kg		110	80 - 123	1	20
1,2,3-Trichloropropane	50.0	54.75		ug/Kg		110	79 - 120	1	20
1,2,4-Trichlorobenzene	50.0	54.04		ug/Kg		108	80 - 125	3	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550701/5

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,2,4-Trimethylbenzene	50.0	54.59		ug/Kg		109	80 - 124	2	20
1,2-Dibromo-3-Chloropropane	50.0	60.61	*+ me	ug/Kg		121	67 - 120	1	20
1,2-Dibromoethane	50.0	54.95		ug/Kg		110	80 - 120	3	20
1,2-Dichlorobenzene	50.0	53.61		ug/Kg		107	80 - 120	0	20
1,2-Dichloroethane	50.0	54.37		ug/Kg		109	77 - 120	3	20
1,2-Dichloropropane	50.0	51.89		ug/Kg		104	80 - 126	4	20
1,3,5-Trimethylbenzene	50.0	52.57		ug/Kg		105	80 - 121	3	20
1,3-Dichlorobenzene	50.0	54.25		ug/Kg		109	80 - 120	0	20
1,3-Dichloropropane	50.0	54.26		ug/Kg		109	80 - 120	2	20
1,4-Dichlorobenzene	50.0	52.76		ug/Kg		106	80 - 120	1	20
2,2-Dichloropropane	50.0	55.79		ug/Kg		112	73 - 135	6	20
2-Butanone (MEK)	50.0	55.23		ug/Kg		110	67 - 136	5	20
2-Chlorotoluene	50.0	50.84		ug/Kg		102	80 - 120	3	20
2-Hexanone	50.0	58.59		ug/Kg		117	70 - 137	0	20
4-Chlorotoluene	50.0	53.53		ug/Kg		107	80 - 121	2	20
4-Methyl-2-pentanone (MIBK)	50.0	54.90		ug/Kg		110	74 - 124	1	20
Acetone	50.0	60.03		ug/Kg		120	61 - 142	9	23
Benzene	50.0	50.24		ug/Kg		100	80 - 120	4	20
Bromobenzene	50.0	51.45		ug/Kg		103	80 - 120	2	20
Bromochloromethane	50.0	52.35		ug/Kg		105	80 - 120	3	20
Bromodichloromethane	50.0	55.75		ug/Kg		111	80 - 125	4	20
Bromoform	50.0	58.02		ug/Kg		116	74 - 138	0	20
Bromomethane	50.0	41.06		ug/Kg		82	58 - 136	6	20
cis-1,2-Dichloroethene	50.0	49.65		ug/Kg		99	80 - 124	7	20
cis-1,3-Dichloropropene	50.0	54.91		ug/Kg		110	80 - 123	3	20
Carbon disulfide	50.0	46.20		ug/Kg		92	68 - 128	6	20
Carbon tetrachloride	50.0	57.11		ug/Kg		114	75 - 140	7	20
Chlorobenzene	50.0	50.81		ug/Kg		102	80 - 120	3	20
Chloroethane	50.0	48.89		ug/Kg		98	76 - 137	3	20
Chloroform	50.0	50.76		ug/Kg		102	80 - 121	6	20
Chloromethane	50.0	42.36		ug/Kg		85	74 - 133	3	20
Dibromochloromethane	50.0	54.11		ug/Kg		108	80 - 132	1	20
Dibromomethane	50.0	52.47		ug/Kg		105	80 - 120	4	20
Dichlorodifluoromethane	50.0	42.29		ug/Kg		85	63 - 146	5	20
Ethylbenzene	50.0	51.63		ug/Kg		103	80 - 120	3	20
Isopropylbenzene	50.0	52.29		ug/Kg		105	80 - 122	3	20
Methylene Chloride	50.0	46.56		ug/Kg		93	74 - 120	6	20
Methyl-t-Butyl Ether (MTBE)	50.0	55.53		ug/Kg		111	79 - 123	4	20
Naphthalene	50.0	54.95		ug/Kg		110	79 - 121	0	20
n-Butylbenzene	50.0	55.23		ug/Kg		110	79 - 131	3	20
N-Propylbenzene	50.0	52.12		ug/Kg		104	80 - 122	3	20
o-Xylene	50.0	52.45		ug/Kg		105	80 - 120	2	20
m,p-Xylene	100	105.5		ug/Kg		106	80 - 120	3	20
p-Isopropyltoluene	50.0	54.69		ug/Kg		109	80 - 126	2	20
sec-Butylbenzene	50.0	54.26		ug/Kg		109	80 - 125	2	20
Styrene	50.0	52.60		ug/Kg		105	80 - 120	2	20
trans-1,2-Dichloroethene	50.0	48.38		ug/Kg		97	75 - 123	6	20
trans-1,3-Dichloropropene	50.0	57.97		ug/Kg		116	80 - 124	2	20
tert-Butylbenzene	50.0	54.42		ug/Kg		109	80 - 124	1	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550701/5

Matrix: Solid

Analysis Batch: 550701

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tetrachloroethene	50.0	50.86		ug/Kg		102	80 - 122	3	20
Toluene	50.0	49.70		ug/Kg		99	80 - 120	4	20
Trichloroethene	50.0	51.98		ug/Kg		104	80 - 127	6	20
Trichlorofluoromethane	50.0	53.09		ug/Kg		106	70 - 144	6	20
Vinyl acetate	50.0	55.53		ug/Kg		111	71 - 125	5	20
Vinyl chloride	50.0	47.12		ug/Kg		94	79 - 133	5	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		32 - 179
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	102		58 - 147
Toluene-d8 (Surr)	100		80 - 120

Method: 8270C SIM - PAHs (GC/MS SIM)

Lab Sample ID: MB 570-550274/1-A

Matrix: Solid

Analysis Batch: 551518

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550274

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
2-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Acenaphthylene	ND		0.020	0.0097	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Anthracene	ND		0.020	0.0089	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Benzo[a]pyrene	ND		0.020	0.0082	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Chrysene	ND		0.020	0.0065	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Fluoranthene	ND		0.020	0.0081	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Naphthalene	ND		0.020	0.0090	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Phenanthrene	ND		0.020	0.015	mg/Kg		03/27/25 09:53	03/31/25 09:34	1
Pyrene	ND		0.020	0.0087	mg/Kg		03/27/25 09:53	03/31/25 09:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	80		22 - 130	03/27/25 09:53	03/31/25 09:34	1
Nitrobenzene-d5 (Surr)	66		20 - 145	03/27/25 09:53	03/31/25 09:34	1
p-Terphenyl-d14 (Surr)	89		33 - 147	03/27/25 09:53	03/31/25 09:34	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: LCS 570-550274/2-A

Matrix: Solid

Analysis Batch: 551518

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 550274

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.00	0.8483		mg/Kg		85	54 - 132
2-Methylnaphthalene	1.00	0.9536		mg/Kg		95	50 - 127
Acenaphthene	1.00	0.7661		mg/Kg		77	53 - 125
Acenaphthylene	1.00	0.8530		mg/Kg		85	50 - 123
Anthracene	1.00	0.8306		mg/Kg		83	50 - 132
Benzo[g,h,i]perylene	1.00	0.8193		mg/Kg		82	50 - 130
Benzo[k]fluoranthene	1.00	0.8250		mg/Kg		83	49 - 150
Benzo[a]anthracene	1.00	0.7905		mg/Kg		79	50 - 133
Benzo[a]pyrene	1.00	0.8071		mg/Kg		81	50 - 134
Benzo[b]fluoranthene	1.00	0.7215		mg/Kg		72	50 - 142
Chrysene	1.00	0.7890		mg/Kg		79	51 - 129
Dibenz(a,h)anthracene	1.00	0.9003		mg/Kg		90	50 - 133
Fluoranthene	1.00	0.8509		mg/Kg		85	55 - 127
Fluorene	1.00	0.8701		mg/Kg		87	55 - 127
Indeno[1,2,3-cd]pyrene	1.00	0.9144		mg/Kg		91	50 - 148
Naphthalene	1.00	0.7558		mg/Kg		76	51 - 129
Phenanthrene	1.00	0.7829		mg/Kg		78	50 - 122
Pyrene	1.00	0.8778		mg/Kg		88	50 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	94		22 - 130
Nitrobenzene-d5 (Surr)	70		20 - 145
p-Terphenyl-d14 (Surr)	90		33 - 147

Lab Sample ID: LCSD 570-550274/3-A

Matrix: Solid

Analysis Batch: 551518

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550274

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1-Methylnaphthalene	0.998	0.7657		mg/Kg		77	54 - 132	10	20
2-Methylnaphthalene	0.998	0.8758		mg/Kg		88	50 - 127	8	20
Acenaphthene	0.998	0.7162		mg/Kg		72	53 - 125	7	20
Acenaphthylene	0.998	0.7629		mg/Kg		76	50 - 123	11	20
Anthracene	0.998	0.7915		mg/Kg		79	50 - 132	5	20
Benzo[g,h,i]perylene	0.998	0.8045		mg/Kg		81	50 - 130	2	20
Benzo[k]fluoranthene	0.998	0.8045		mg/Kg		81	49 - 150	3	20
Benzo[a]anthracene	0.998	0.7814		mg/Kg		78	50 - 133	1	20
Benzo[a]pyrene	0.998	0.8156		mg/Kg		82	50 - 134	1	20
Benzo[b]fluoranthene	0.998	0.7763		mg/Kg		78	50 - 142	7	20
Chrysene	0.998	0.7304		mg/Kg		73	51 - 129	8	20
Dibenz(a,h)anthracene	0.998	0.8282		mg/Kg		83	50 - 133	8	20
Fluoranthene	0.998	0.8063		mg/Kg		81	55 - 127	5	20
Fluorene	0.998	0.8210		mg/Kg		82	55 - 127	6	20
Indeno[1,2,3-cd]pyrene	0.998	0.8438		mg/Kg		85	50 - 148	8	20
Naphthalene	0.998	0.7245		mg/Kg		73	51 - 129	4	20
Phenanthrene	0.998	0.7481		mg/Kg		75	50 - 122	5	20
Pyrene	0.998	0.8207		mg/Kg		82	50 - 134	7	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: LCSD 570-550274/3-A

Matrix: Solid

Analysis Batch: 551518

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550274

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	84		22 - 130
Nitrobenzene-d5 (Surr)	64		20 - 145
p-Terphenyl-d14 (Surr)	89		33 - 147

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-550542/33

Matrix: Solid

Analysis Batch: 550542

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.099	0.044	mg/Kg			03/27/25 21:37	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		42 - 126					03/27/25 21:37	1

Lab Sample ID: LCS 570-550542/31

Matrix: Solid

Analysis Batch: 550542

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	2.00	1.734		mg/Kg		87	70 - 124
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	98		42 - 126				

Lab Sample ID: LCSD 570-550542/32

Matrix: Solid

Analysis Batch: 550542

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	1.99	1.734		mg/Kg		87	70 - 124	0	18
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	98		42 - 126						

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 570-550835/1-A

Matrix: Solid

Analysis Batch: 551280

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550835

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.0	4.6	mg/Kg		03/28/25 11:39	03/30/25 04:38	1
C23-C40	ND		5.0	4.6	mg/Kg		03/28/25 11:39	03/30/25 04:38	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 570-550835/1-A

Matrix: Solid

Analysis Batch: 551280

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550835

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
n-Octacosane (Surr)	64		29 - 160	03/28/25 11:39	03/30/25 04:38	1			

Lab Sample ID: LCS 570-550835/2-A

Matrix: Solid

Analysis Batch: 551280

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 550835

			Spike	LCS	LCS					
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Diesel Range Organics [C10-C28]			400	436.5		mg/Kg		109	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
n-Octacosane (Surr)	67		29 - 160							

Lab Sample ID: LCSD 570-550835/3-A

Matrix: Solid

Analysis Batch: 551280

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550835

			Spike	LCSD	LCSD						
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Diesel Range Organics [C10-C28]			400	419.0		mg/Kg		105	70 - 130	4	20
Surrogate	%Recovery	Qualifier	Limits								
n-Octacosane (Surr)	63		29 - 160								

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-550326/1-A

Matrix: Solid

Analysis Batch: 551250

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550326

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
4,4'-DDD	ND		5.0	0.72	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
4,4'-DDE	ND		5.0	0.69	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
4,4'-DDT	ND		5.0	1.2	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Aldrin	ND		5.0	1.6	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
alpha-BHC	ND		5.0	0.59	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
beta-BHC	ND		5.0	0.90	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Chlordane	ND		25	4.1	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
delta-BHC	ND		5.0	0.93	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Dieldrin	ND		5.0	0.55	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endosulfan I	ND		5.0	1.1	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endosulfan II	ND		5.0	0.55	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endrin	ND		5.0	0.67	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
Endrin ketone	ND		5.0	0.90	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		03/27/25 11:10	03/29/25 14:36	1	

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 570-550326/1-A

Matrix: Solid

Analysis Batch: 551250

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550326

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor	ND		5.0	0.60	ug/Kg		03/27/25 11:10	03/29/25 14:36	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/27/25 11:10	03/29/25 14:36	1
Methoxychlor	ND		5.0	1.2	ug/Kg		03/27/25 11:10	03/29/25 14:36	1
Toxaphene	ND		25	15	ug/Kg		03/27/25 11:10	03/29/25 14:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	81		38 - 148	03/27/25 11:10	03/29/25 14:36	1
DCB Decachlorobiphenyl (Surr)	93		37 - 151	03/27/25 11:10	03/29/25 14:36	1

Lab Sample ID: LCS 570-550326/2-A

Matrix: Solid

Analysis Batch: 551250

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 550326

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	24.9	15.97		ug/Kg		64	54 - 154
4,4'-DDE	24.9	15.42		ug/Kg		62	51 - 149
4,4'-DDT	24.9	13.00		ug/Kg		52	39 - 152
Aldrin	24.9	15.12		ug/Kg		61	52 - 138
alpha-BHC	24.9	14.67		ug/Kg		59	51 - 140
alpha-Chlordane	24.9	15.40		ug/Kg		62	53 - 141
beta-BHC	24.9	14.59		ug/Kg		59	53 - 141
delta-BHC	24.9	11.89		ug/Kg		48	20 - 132
Dieldrin	24.9	15.91		ug/Kg		64	52 - 144
Endosulfan I	24.9	14.91		ug/Kg		60	49 - 139
Endosulfan II	24.9	16.49		ug/Kg		66	51 - 150
Endosulfan sulfate	24.9	14.98		ug/Kg		60	45 - 139
Endrin	24.9	14.78		ug/Kg		59	53 - 151
Endrin aldehyde	24.9	16.38		ug/Kg		66	31 - 146
Endrin ketone	24.9	15.52		ug/Kg		62	51 - 150
gamma-Chlordane	24.9	14.73		ug/Kg		59	46 - 156
gamma-BHC (Lindane)	24.9	14.63		ug/Kg		59	53 - 141
Heptachlor	24.9	13.71		ug/Kg		55	52 - 144
Heptachlor epoxide	24.9	15.16		ug/Kg		61	54 - 141
Methoxychlor	24.9	13.67		ug/Kg		55	47 - 148

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	78		38 - 148
DCB Decachlorobiphenyl (Surr)	90		37 - 151

Lab Sample ID: LCSD 570-550326/3-A

Matrix: Solid

Analysis Batch: 551250

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550326

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	24.9	16.69		ug/Kg		67	54 - 154	4	30
4,4'-DDE	24.9	16.71		ug/Kg		67	51 - 149	8	28
4,4'-DDT	24.9	13.88		ug/Kg		56	39 - 152	7	31
Aldrin	24.9	16.48		ug/Kg		66	52 - 138	9	30

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 570-550326/3-A

Matrix: Solid

Analysis Batch: 551250

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550326

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
alpha-BHC	24.9	15.68		ug/Kg		63	51 - 140	7	29
alpha-Chlordane	24.9	16.40		ug/Kg		66	53 - 141	6	28
beta-BHC	24.9	15.79		ug/Kg		63	53 - 141	8	29
delta-BHC	24.9	12.69		ug/Kg		51	20 - 132	7	40
Dieldrin	24.9	17.12		ug/Kg		69	52 - 144	7	28
Endosulfan I	24.9	15.88		ug/Kg		64	49 - 139	6	28
Endosulfan II	24.9	17.39		ug/Kg		70	51 - 150	5	29
Endosulfan sulfate	24.9	15.64		ug/Kg		63	45 - 139	4	30
Endrin	24.9	15.40		ug/Kg		62	53 - 151	4	29
Endrin aldehyde	24.9	17.06		ug/Kg		69	31 - 146	4	40
Endrin ketone	24.9	16.52		ug/Kg		66	51 - 150	6	30
gamma-Chlordane	24.9	15.60		ug/Kg		63	46 - 156	6	39
gamma-BHC (Lindane)	24.9	15.52		ug/Kg		62	53 - 141	6	29
Heptachlor	24.9	14.46		ug/Kg		58	52 - 144	5	29
Heptachlor epoxide	24.9	16.35		ug/Kg		66	54 - 141	8	29
Methoxychlor	24.9	14.32		ug/Kg		57	47 - 148	5	29

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
Tetrachloro-m-xylene (Surr)	82		38 - 148
DCB Decachlorobiphenyl (Surr)	94		37 - 151

Lab Sample ID: MB 570-551371/1-A

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551371

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.72	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
4,4'-DDE	ND		5.0	0.69	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Aldrin	ND		5.0	1.6	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
alpha-BHC	ND		5.0	0.59	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
beta-BHC	ND		5.0	0.90	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Chlordane	ND		25	4.1	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
delta-BHC	ND		5.0	0.93	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Dieldrin	ND		5.0	0.55	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endosulfan I	ND		5.0	1.1	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endosulfan II	ND		5.0	0.55	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endrin	ND		5.0	0.67	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Endrin ketone	ND		5.0	0.90	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Heptachlor	ND		5.0	0.60	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Methoxychlor	ND		5.0	1.2	ug/Kg		03/30/25 17:27	04/01/25 14:14	1
Toxaphene	ND		25	15	ug/Kg		03/30/25 17:27	04/01/25 14:14	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 570-551371/1-A

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551371

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	84		38 - 148	03/30/25 17:27	04/01/25 14:14	1
DCB Decachlorobiphenyl (Surr)	89		37 - 151	03/30/25 17:27	04/01/25 14:14	1

Lab Sample ID: LCS 570-551371/2-A

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551371

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	25.0	17.62		ug/Kg		70	54 - 154
4,4'-DDE	25.0	17.45		ug/Kg		70	51 - 149
4,4'-DDT	25.0	17.81		ug/Kg		71	39 - 152
Aldrin	25.0	17.13		ug/Kg		69	52 - 138
alpha-BHC	25.0	17.03		ug/Kg		68	51 - 140
alpha-Chlordane	25.0	16.70		ug/Kg		67	53 - 141
beta-BHC	25.0	17.62		ug/Kg		70	53 - 141
delta-BHC	25.0	13.93		ug/Kg		56	20 - 132
Dieldrin	25.0	17.37		ug/Kg		69	52 - 144
Endosulfan I	25.0	16.74		ug/Kg		67	49 - 139
Endosulfan II	25.0	18.25		ug/Kg		73	51 - 150
Endosulfan sulfate	25.0	15.71		ug/Kg		63	45 - 139
Endrin	25.0	15.83		ug/Kg		63	53 - 151
Endrin aldehyde	25.0	17.86		ug/Kg		71	31 - 146
Endrin ketone	25.0	19.08		ug/Kg		76	51 - 150
gamma-Chlordane	25.0	16.93		ug/Kg		68	46 - 156
gamma-BHC (Lindane)	25.0	18.27		ug/Kg		73	53 - 141
Heptachlor	25.0	17.92		ug/Kg		72	52 - 144
Heptachlor epoxide	25.0	16.65		ug/Kg		67	54 - 141
Methoxychlor	25.0	17.31		ug/Kg		69	47 - 148

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	85		38 - 148
DCB Decachlorobiphenyl (Surr)	88		37 - 151

Lab Sample ID: LCSD 570-551371/3-A

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551371

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	25.0	16.78		ug/Kg		67	54 - 154	5	30
4,4'-DDE	25.0	16.70		ug/Kg		67	51 - 149	4	28
4,4'-DDT	25.0	17.10		ug/Kg		68	39 - 152	4	31
Aldrin	25.0	16.40		ug/Kg		66	52 - 138	4	30
alpha-BHC	25.0	16.19		ug/Kg		65	51 - 140	5	29
alpha-Chlordane	25.0	15.97		ug/Kg		64	53 - 141	4	28
beta-BHC	25.0	16.59		ug/Kg		66	53 - 141	6	29
delta-BHC	25.0	13.20		ug/Kg		53	20 - 132	5	40
Dieldrin	25.0	16.53		ug/Kg		66	52 - 144	5	28
Endosulfan I	25.0	15.90		ug/Kg		64	49 - 139	5	28

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 570-551371/3-A

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551371

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Endosulfan II	25.0	17.32		ug/Kg		69	51 - 150	5	29
Endosulfan sulfate	25.0	14.91		ug/Kg		60	45 - 139	5	30
Endrin	25.0	15.07		ug/Kg		60	53 - 151	5	29
Endrin aldehyde	25.0	17.05		ug/Kg		68	31 - 146	5	40
Endrin ketone	25.0	17.95		ug/Kg		72	51 - 150	6	30
gamma-Chlordane	25.0	16.12		ug/Kg		64	46 - 156	5	39
gamma-BHC (Lindane)	25.0	17.33		ug/Kg		69	53 - 141	5	29
Heptachlor	25.0	17.10		ug/Kg		68	52 - 144	5	29
Heptachlor epoxide	25.0	15.73		ug/Kg		63	54 - 141	6	29
Methoxychlor	25.0	16.07		ug/Kg		64	47 - 148	7	29

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene (Surr)	80		38 - 148
DCB Decachlorobiphenyl (Surr)	82		37 - 151

Lab Sample ID: 570-223992-10 MS

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: PCHS-SS-COMP-10

Prep Type: Total/NA

Prep Batch: 551371

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	ND		24.9	10.71		ug/Kg		43	27 - 144
4,4'-DDE	ND		24.9	11.26		ug/Kg		45	28 - 141
4,4'-DDT	ND	F2	24.9	3.484	J	ug/Kg		14	10 - 154
Aldrin	ND		24.9	8.176		ug/Kg		33	26 - 125
alpha-BHC	ND		24.9	7.473		ug/Kg		30	24 - 125
alpha-Chlordane	ND		24.9	8.626		ug/Kg		35	17 - 144
beta-BHC	ND		24.9	8.458		ug/Kg		34	28 - 125
delta-BHC	ND		24.9	4.000	J	ug/Kg		16	10 - 125
Dieldrin	ND		24.9	9.194		ug/Kg		37	19 - 145
Endosulfan I	ND		24.9	8.074		ug/Kg		32	25 - 125
Endosulfan II	ND		24.9	8.943		ug/Kg		36	13 - 142
Endosulfan sulfate	ND		24.9	5.072		ug/Kg		20	14 - 126
Endrin	ND		24.9	8.181		ug/Kg		33	28 - 139
Endrin aldehyde	ND		24.9	4.705	J	ug/Kg		19	12 - 125
Endrin ketone	ND		24.9	8.202		ug/Kg		33	20 - 132
gamma-Chlordane	ND		24.9	8.765		ug/Kg		35	10 - 160
gamma-BHC (Lindane)	ND	F1	24.9	7.729		ug/Kg		31	24 - 125
Heptachlor	ND	F1 F2	24.9	3.359	J F1	ug/Kg		14	19 - 127
Heptachlor epoxide	ND		24.9	9.345		ug/Kg		38	33 - 123
Methoxychlor	ND	F2	24.9	4.729	J	ug/Kg		19	19 - 128

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	47		38 - 148
DCB Decachlorobiphenyl (Surr)	44		37 - 151

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-223992-10 MSD

Matrix: Solid

Analysis Batch: 552165

Client Sample ID: PCHS-SS-COMP-10

Prep Type: Total/NA

Prep Batch: 551371

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	ND		25.0	10.12		ug/Kg		41	27 - 144	6	40
4,4'-DDE	ND		25.0	10.72		ug/Kg		43	28 - 141	5	32
4,4'-DDT	ND	F2	25.0	5.341	F2	ug/Kg		21	10 - 154	42	40
Aldrin	ND		25.0	8.138		ug/Kg		33	26 - 125	0	40
alpha-BHC	ND		25.0	8.280		ug/Kg		33	24 - 125	10	40
alpha-Chlordane	ND		25.0	8.325		ug/Kg		33	17 - 144	4	40
beta-BHC	ND		25.0	8.682		ug/Kg		35	28 - 125	3	39
delta-BHC	ND		25.0	5.734		ug/Kg		23	10 - 125	36	40
Dieldrin	ND		25.0	8.665		ug/Kg		35	19 - 145	6	39
Endosulfan I	ND		25.0	7.896		ug/Kg		32	25 - 125	2	39
Endosulfan II	ND		25.0	9.415		ug/Kg		38	13 - 142	5	40
Endosulfan sulfate	ND		25.0	7.577	F2	ug/Kg		30	14 - 126	40	38
Endrin	ND		25.0	8.508		ug/Kg		34	28 - 139	4	40
Endrin aldehyde	ND		25.0	5.786		ug/Kg		23	12 - 125	21	40
Endrin ketone	ND		25.0	8.996		ug/Kg		36	20 - 132	9	40
gamma-Chlordane	ND		25.0	8.239		ug/Kg		33	10 - 160	6	40
gamma-BHC (Lindane)	ND	F1	25.0	9.517		ug/Kg		38	24 - 125	21	40
Heptachlor	ND	F1 F2	25.0	5.210	F2	ug/Kg		21	19 - 127	43	40
Heptachlor epoxide	ND		25.0	8.767		ug/Kg		35	33 - 123	6	34
Methoxychlor	ND	F2	25.0	8.999	F2	ug/Kg		36	19 - 128	62	40

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene (Surr)	30	p S1-	38 - 148
DCB Decachlorobiphenyl (Surr)	40		37 - 151

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 570-550036/1-A

Matrix: Solid

Analysis Batch: 550359

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550036

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		50	49	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1221	ND		50	49	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1232	ND		50	49	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1242	ND		50	49	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1248	ND		50	49	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1254	ND		50	27	ug/Kg		03/26/25 18:34	03/28/25 13:07	1
Aroclor-1260	ND		50	27	ug/Kg		03/26/25 18:34	03/28/25 13:07	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	92		24 - 136	03/26/25 18:34	03/28/25 13:07	1
DCB Decachlorobiphenyl (Surr)	108		37 - 135	03/26/25 18:34	03/28/25 13:07	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 570-550036/2-A

Matrix: Solid

Analysis Batch: 550359

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 550036

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aroclor-1016	99.9	97.51		ug/Kg		98	46 - 131
Aroclor-1260	99.9	107.8		ug/Kg		108	40 - 150

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	74		24 - 136
DCB Decachlorobiphenyl (Surr)	103		37 - 135

Lab Sample ID: LCSD 570-550036/3-A

Matrix: Solid

Analysis Batch: 550359

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550036

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aroclor-1016	100	112.8		ug/Kg		113	46 - 131	15	32
Aroclor-1260	100	115.4		ug/Kg		115	40 - 150	7	36

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene (Surr)	96		24 - 136
DCB Decachlorobiphenyl (Surr)	107		37 - 135

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-551148/1-A

Matrix: Solid

Analysis Batch: 551985

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551148

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		8.70	4.93	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Arsenic	ND		2.61	1.69	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Barium	ND		1.74	0.257	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Beryllium	ND		0.348	0.0818	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Cadmium	ND		0.348	0.133	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Chromium	ND		0.870	0.462	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Cobalt	ND		1.74	0.371	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Copper	ND		1.74	0.495	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Lead	ND		1.74	1.15	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Molybdenum	ND		3.48	0.853	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Nickel	ND		1.74	0.989	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Selenium	ND		2.61	1.36	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Silver	ND		1.74	0.370	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Thallium	ND		8.70	2.49	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Vanadium	ND		3.48	0.763	mg/Kg		03/29/25 07:22	04/01/25 00:44	2
Zinc	ND		3.48	1.42	mg/Kg		03/29/25 07:22	04/01/25 00:44	2

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 570-551148/2-A
Matrix: Solid
Analysis Batch: 551985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551148

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	199	193.7		mg/Kg		97	80 - 120
Arsenic	199	184.1		mg/Kg		93	80 - 120
Barium	199	194.8		mg/Kg		98	80 - 120
Beryllium	199	189.8		mg/Kg		95	80 - 120
Cadmium	199	190.0		mg/Kg		96	80 - 120
Chromium	199	191.7		mg/Kg		96	80 - 120
Cobalt	199	193.9		mg/Kg		98	80 - 120
Copper	199	195.1		mg/Kg		98	80 - 120
Lead	199	192.3		mg/Kg		97	80 - 120
Molybdenum	199	202.4		mg/Kg		102	80 - 120
Nickel	199	193.5		mg/Kg		97	80 - 120
Selenium	199	167.9		mg/Kg		84	80 - 120
Silver	99.4	94.37		mg/Kg		95	80 - 120
Thallium	199	187.7		mg/Kg		94	80 - 120
Vanadium	199	195.9		mg/Kg		99	80 - 120
Zinc	199	188.0		mg/Kg		95	80 - 120

Lab Sample ID: LCSD 570-551148/3-A
Matrix: Solid
Analysis Batch: 551985

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 551148

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Antimony	199	192.3		mg/Kg		96	80 - 120	1	20
Arsenic	199	184.0		mg/Kg		92	80 - 120	0	20
Barium	199	195.4		mg/Kg		98	80 - 120	0	20
Beryllium	199	190.5		mg/Kg		96	80 - 120	0	20
Cadmium	199	190.7		mg/Kg		96	80 - 120	0	20
Chromium	199	193.4		mg/Kg		97	80 - 120	1	20
Cobalt	199	194.2		mg/Kg		97	80 - 120	0	20
Copper	199	194.6		mg/Kg		98	80 - 120	0	20
Lead	199	193.0		mg/Kg		97	80 - 120	0	20
Molybdenum	199	201.4		mg/Kg		101	80 - 120	1	20
Nickel	199	193.9		mg/Kg		97	80 - 120	0	20
Selenium	199	168.5		mg/Kg		85	80 - 120	0	20
Silver	99.7	94.78		mg/Kg		95	80 - 120	0	20
Thallium	199	189.2		mg/Kg		95	80 - 120	1	20
Vanadium	199	196.5		mg/Kg		99	80 - 120	0	20
Zinc	199	189.3		mg/Kg		95	80 - 120	1	20

Lab Sample ID: MB 570-551155/1-A
Matrix: Solid
Analysis Batch: 551724

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551155

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.42	5.33	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Arsenic	ND		2.83	1.83	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Barium	ND		1.88	0.278	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Beryllium	ND		0.377	0.0885	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Cadmium	ND		0.377	0.144	mg/Kg		03/31/25 06:00	03/31/25 12:59	2

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 570-551155/1-A
Matrix: Solid
Analysis Batch: 551724

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551155

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	ND		0.942	0.500	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Cobalt	ND		1.88	0.401	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Copper	ND		1.88	0.536	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Lead	ND		1.88	1.25	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Molybdenum	ND		3.77	0.923	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Nickel	ND		1.88	1.07	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Selenium	ND		2.83	1.47	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Silver	ND		1.88	0.400	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Thallium	ND		9.42	2.69	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Vanadium	ND		3.77	0.825	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Zinc	ND		3.77	1.54	mg/Kg		03/31/25 06:00	03/31/25 12:59	2

Lab Sample ID: LCS 570-551155/2-A
Matrix: Solid
Analysis Batch: 551724

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551155

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	203	173.8		mg/Kg		86	80 - 120
Arsenic	203	181.2		mg/Kg		89	80 - 120
Barium	203	191.6		mg/Kg		94	80 - 120
Beryllium	203	186.5		mg/Kg		92	80 - 120
Cadmium	203	185.3		mg/Kg		91	80 - 120
Chromium	203	189.1		mg/Kg		93	80 - 120
Cobalt	203	189.8		mg/Kg		94	80 - 120
Copper	203	190.8		mg/Kg		94	80 - 120
Lead	203	188.1		mg/Kg		93	80 - 120
Molybdenum	203	202.1		mg/Kg		100	80 - 120
Nickel	203	188.4		mg/Kg		93	80 - 120
Selenium	203	165.5		mg/Kg		82	80 - 120
Silver	101	92.77		mg/Kg		91	80 - 120
Thallium	203	184.6		mg/Kg		91	80 - 120
Vanadium	203	193.1		mg/Kg		95	80 - 120
Zinc	203	184.4		mg/Kg		91	80 - 120

Lab Sample ID: LCSD 570-551155/3-A
Matrix: Solid
Analysis Batch: 551724

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 551155

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	201	175.8		mg/Kg		88	80 - 120	1	20
Arsenic	201	183.7		mg/Kg		92	80 - 120	1	20
Barium	201	194.2		mg/Kg		97	80 - 120	1	20
Beryllium	201	189.4		mg/Kg		94	80 - 120	2	20
Cadmium	201	187.8		mg/Kg		94	80 - 120	1	20
Chromium	201	190.7		mg/Kg		95	80 - 120	1	20
Cobalt	201	192.3		mg/Kg		96	80 - 120	1	20
Copper	201	194.6		mg/Kg		97	80 - 120	2	20
Lead	201	190.7		mg/Kg		95	80 - 120	1	20
Molybdenum	201	203.6		mg/Kg		102	80 - 120	1	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCSD 570-551155/3-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nickel	201	191.1		mg/Kg		95	80 - 120	1	20
Selenium	201	165.9		mg/Kg		83	80 - 120	0	20
Silver	100	94.06		mg/Kg		94	80 - 120	1	20
Thallium	201	188.1		mg/Kg		94	80 - 120	2	20
Vanadium	201	195.9		mg/Kg		98	80 - 120	1	20
Zinc	201	186.8		mg/Kg		93	80 - 120	1	20

Lab Sample ID: 570-223992-40 MS

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: PCHS-SS-COMP-12

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	ND		199	165.8		mg/Kg		83	75 - 125		
Arsenic	6.52		199	188.8		mg/Kg		91	75 - 125		
Barium	92.8		199	287.4		mg/Kg		98	75 - 125		
Beryllium	0.396	J	199	186.9		mg/Kg		94	75 - 125		
Cadmium	0.489		199	182.4		mg/Kg		91	75 - 125		
Chromium	21.4		199	214.2		mg/Kg		97	75 - 125		
Cobalt	6.48		199	192.6		mg/Kg		93	75 - 125		
Copper	30.2		199	234.1		mg/Kg		102	75 - 125		
Lead	43.2		199	224.8		mg/Kg		91	75 - 125		
Molybdenum	2.26	J	199	199.8		mg/Kg		99	75 - 125		
Nickel	17.3		199	204.4		mg/Kg		94	75 - 125		
Selenium	ND		199	168.7		mg/Kg		85	75 - 125		
Silver	ND		99.7	93.78		mg/Kg		94	75 - 125		
Thallium	ND		199	178.6		mg/Kg		90	75 - 125		
Vanadium	32.1		199	230.8		mg/Kg		100	75 - 125		
Zinc	142		199	319.9		mg/Kg		89	75 - 125		

Lab Sample ID: 570-223992-40 MSD

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: PCHS-SS-COMP-12

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	ND		199	167.1		mg/Kg		84	75 - 125	1	20
Arsenic	6.52		199	184.5		mg/Kg		89	75 - 125	2	20
Barium	92.8		199	282.4		mg/Kg		95	75 - 125	2	20
Beryllium	0.396	J	199	183.6		mg/Kg		92	75 - 125	2	20
Cadmium	0.489		199	178.8		mg/Kg		89	75 - 125	2	20
Chromium	21.4		199	209.6		mg/Kg		94	75 - 125	2	20
Cobalt	6.48		199	188.6		mg/Kg		91	75 - 125	2	20
Copper	30.2		199	222.4		mg/Kg		96	75 - 125	5	20
Lead	43.2		199	222.8		mg/Kg		90	75 - 125	1	20
Molybdenum	2.26	J	199	198.0		mg/Kg		98	75 - 125	1	20
Nickel	17.3		199	200.5		mg/Kg		92	75 - 125	2	20
Selenium	ND		199	165.5		mg/Kg		83	75 - 125	2	20
Silver	ND		99.6	91.53		mg/Kg		92	75 - 125	2	20
Thallium	ND		199	175.3		mg/Kg		88	75 - 125	2	20
Vanadium	32.1		199	227.0		mg/Kg		98	75 - 125	2	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 570-223992-40 MSD

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: PCHS-SS-COMP-12

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Zinc	142		199	317.9		mg/Kg		88	75 - 125	1	20

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 570-550620/1-A

Matrix: Solid

Analysis Batch: 550747

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 550620

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0817	0.0225	mg/Kg		03/28/25 01:40	03/28/25 07:11	1

Lab Sample ID: LCS 570-550620/2-A

Matrix: Solid

Analysis Batch: 550747

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 550620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.392	0.4086		mg/Kg		104	80 - 120

Lab Sample ID: LCSD 570-550620/3-A

Matrix: Solid

Analysis Batch: 550747

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 550620

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.377	0.4309		mg/Kg		114	80 - 120	5	10

Lab Sample ID: 570-223992-5 MS

Matrix: Solid

Analysis Batch: 550747

Client Sample ID: PCHS-SS-COMP-11

Prep Type: Total/NA

Prep Batch: 550620

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.184	F1	0.417	0.6304		mg/Kg		107	80 - 120

Lab Sample ID: 570-223992-5 MSD

Matrix: Solid

Analysis Batch: 550747

Client Sample ID: PCHS-SS-COMP-11

Prep Type: Total/NA

Prep Batch: 550620

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.184	F1	0.417	0.6920	F1	mg/Kg		122	80 - 120	9	20

Marginal Exceedance (ME) Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LCS 570-550435/1002

Matrix: Water

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
1,1,1,2-Tetrachloroethane	20.0	20.23		ug/L	101	80 - 122	77 - 126	
1,1,1-Trichloroethane	20.0	20.35		ug/L	102	78 - 125	71 - 131	
1,1,2,2-Tetrachloroethane	20.0	19.45		ug/L	97	79 - 127	65 - 134	
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	17.46		ug/L	87	72 - 138	62 - 139	
1,1,2-Trichloroethane	20.0	19.62		ug/L	98	80 - 124	76 - 126	
1,1-Dichloroethane	20.0	19.41		ug/L	97	80 - 127	72 - 130	
1,1-Dichloroethene	20.0	16.29		ug/L	81	80 - 133	65 - 136	
1,1-Dichloropropene	20.0	19.46		ug/L	97	79 - 126	67 - 133	
1,2,3-Trichlorobenzene	20.0	20.21		ug/L	101	79 - 128	62 - 136	
1,2,3-Trichloropropane	20.0	19.27		ug/L	96	71 - 128	65 - 129	
1,2,4-Trichlorobenzene	20.0	19.65		ug/L	98	77 - 126	60 - 140	
1,2,4-Trimethylbenzene	20.0	19.12		ug/L	96	80 - 121	72 - 132	
1,2-Dibromo-3-Chloropropane	20.0	16.43		ug/L	82	66 - 122	53 - 138	
1,2-Dibromoethane	20.0	19.58		ug/L	98	80 - 120	75 - 126	
1,2-Dichlorobenzene	20.0	18.64		ug/L	93	80 - 121	71 - 129	
1,2-Dichloroethane	20.0	17.90		ug/L	89	77 - 122	68 - 130	
1,2-Dichloropropane	20.0	19.07		ug/L	95	80 - 122	76 - 126	
1,3,5-Trimethylbenzene	20.0	19.81		ug/L	99	80 - 123	72 - 131	
1,3-Dichlorobenzene	20.0	19.34		ug/L	97	80 - 120	75 - 126	
1,3-Dichloropropane	20.0	19.93		ug/L	100	80 - 121	77 - 126	
1,4-Dichlorobenzene	20.0	19.59		ug/L	98	80 - 120	71 - 128	
2,2-Dichloropropane	20.0	20.30		ug/L	102	68 - 143	58 - 143	
2-Butanone (MEK)	20.0	18.44		ug/L	92	61 - 139	41 - 156	
2-Chlorotoluene	20.0	19.80		ug/L	99	80 - 121	74 - 126	
2-Hexanone	20.0	18.02		ug/L	90	63 - 134	40 - 152	
4-Chlorotoluene	20.0	19.89		ug/L	99	80 - 121	74 - 128	
4-Methyl-2-pentanone (MIBK)	20.0	17.25		ug/L	86	67 - 125	45 - 145	
Acetone	20.0	20.06		ug/L	100	45 - 150	32 - 175	
Benzene	20.0	19.75		ug/L	99	80 - 121	74 - 126	
Bromobenzene	20.0	20.08		ug/L	100	80 - 120	74 - 126	
Bromochloromethane	20.0	21.35		ug/L	107	80 - 121	77 - 130	
Bromodichloromethane	20.0	19.34		ug/L	97	80 - 121	77 - 126	
Bromoform	20.0	20.23		ug/L	101	78 - 124	66 - 136	
Bromomethane	20.0	25.34		ug/L	127	48 - 156	5 - 146	
cis-1,2-Dichloroethene	20.0	19.43		ug/L	97	80 - 125	75 - 126	
cis-1,3-Dichloropropene	20.0	19.81		ug/L	99	80 - 120	68 - 133	
Carbon disulfide	20.0	21.02		ug/L	105	76 - 129	61 - 137	
Carbon tetrachloride	20.0	21.34		ug/L	107	71 - 137	61 - 146	
Chlorobenzene	20.0	19.59		ug/L	98	80 - 120	79 - 125	
Chloroethane	20.0	13.17	*- me	ug/L	66	73 - 138	62 - 139	ME
Chloroform	20.0	18.42		ug/L	92	80 - 121	74 - 126	
Chloromethane	20.0	14.94		ug/L	75	57 - 138	18 - 167	
Dibromochloromethane	20.0	19.98		ug/L	100	80 - 126	76 - 126	
Dibromomethane	20.0	19.54		ug/L	98	80 - 120	80 - 125	
Dichlorodifluoromethane	20.0	15.98		ug/L	80	44 - 148	37 - 163	
Ethylbenzene	20.0	20.04		ug/L	100	80 - 121	75 - 126	
Isopropylbenzene	20.0	19.97		ug/L	100	80 - 121	73 - 129	
Methylene Chloride	20.0	19.71		ug/L	99	80 - 121	69 - 127	
Methyl-t-Butyl Ether (MTBE)	20.0	17.60		ug/L	88	78 - 123	61 - 133	

Eurofins Calscience

Marginal Exceedance (ME) Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-550435/1002

Matrix: Water

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
Naphthalene	20.0	17.65		ug/L	88	65 - 133	53 - 134	
n-Butylbenzene	20.0	19.46		ug/L	97	80 - 125	69 - 135	
N-Propylbenzene	20.0	20.16		ug/L	101	80 - 125	73 - 128	
o-Xylene	20.0	19.61		ug/L	98	80 - 122	75 - 126	
m,p-Xylene	40.0	40.72		ug/L	102	80 - 123	72 - 129	
p-Isopropyltoluene	20.0	19.17		ug/L	96	80 - 124	74 - 131	
sec-Butylbenzene	20.0	20.01		ug/L	100	80 - 122	73 - 130	
Styrene	20.0	19.77		ug/L	99	80 - 120	76 - 126	
trans-1,2-Dichloroethene	20.0	19.79		ug/L	99	80 - 122	72 - 129	
trans-1,3-Dichloropropene	20.0	19.43		ug/L	97	80 - 125	64 - 136	
tert-Butylbenzene	20.0	20.22		ug/L	101	80 - 122	72 - 132	
Tetrachloroethene	20.0	22.08		ug/L	110	80 - 122	70 - 134	
Toluene	20.0	19.36		ug/L	97	80 - 120	77 - 126	
Trichloroethene	20.0	20.29		ug/L	101	80 - 120	78 - 126	
Trichlorofluoromethane	20.0	18.77		ug/L	94	67 - 142	64 - 146	
Vinyl acetate	20.0	17.94		ug/L	90	62 - 140	43 - 149	
Vinyl chloride	20.0	16.41		ug/L	82	66 - 136	58 - 141	

Summary

Number of Analytes Reported	Number of Marginal Exceedances Allowed	Number of Marginal Exceedances Found
66	3	1

ME = Marginal Exceedance

Lab Sample ID: LCSD 570-550435/3

Matrix: Water

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
1,1,1,2-Tetrachloroethane	20.0	19.94		ug/L	100	80 - 122	77 - 126	
1,1,1-Trichloroethane	20.0	19.53		ug/L	98	78 - 125	71 - 131	
1,1,2,2-Tetrachloroethane	20.0	18.79		ug/L	94	79 - 127	65 - 134	
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	18.78		ug/L	94	72 - 138	62 - 139	
1,1,2-Trichloroethane	20.0	15.19	*- me *1	ug/L	76	80 - 124	76 - 126	ME
1,1-Dichloroethane	20.0	17.83		ug/L	89	80 - 127	72 - 130	
1,1-Dichloroethene	20.0	16.75		ug/L	84	80 - 133	65 - 136	
1,1-Dichloropropene	20.0	18.28		ug/L	91	79 - 126	67 - 133	
1,2,3-Trichlorobenzene	20.0	19.62		ug/L	98	79 - 128	62 - 136	
1,2,3-Trichloropropane	20.0	19.03		ug/L	95	71 - 128	65 - 129	
1,2,4-Trichlorobenzene	20.0	20.27		ug/L	101	77 - 126	60 - 140	
1,2,4-Trimethylbenzene	20.0	18.81		ug/L	94	80 - 121	72 - 132	
1,2-Dibromo-3-Chloropropane	20.0	17.37		ug/L	87	66 - 122	53 - 138	
1,2-Dibromoethane	20.0	16.23		ug/L	81	80 - 120	75 - 126	
1,2-Dichlorobenzene	20.0	18.62		ug/L	93	80 - 121	71 - 129	
1,2-Dichloroethane	20.0	18.25		ug/L	91	77 - 122	68 - 130	
1,2-Dichloropropane	20.0	17.87		ug/L	89	80 - 122	76 - 126	
1,3,5-Trimethylbenzene	20.0	19.59		ug/L	98	80 - 123	72 - 131	
1,3-Dichlorobenzene	20.0	19.16		ug/L	96	80 - 120	75 - 126	
1,3-Dichloropropane	20.0	15.53	*- me *1	ug/L	78	80 - 121	77 - 126	ME
1,4-Dichlorobenzene	20.0	18.45		ug/L	92	80 - 120	71 - 128	

Eurofins Calscience

Marginal Exceedance (ME) Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550435/3
Matrix: Water

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
2,2-Dichloropropane	20.0	18.77		ug/L	94	68 - 143	58 - 143	
2-Butanone (MEK)	20.0	17.92		ug/L	90	61 - 139	41 - 156	
2-Chlorotoluene	20.0	18.52		ug/L	93	80 - 121	74 - 126	
2-Hexanone	20.0	13.90	*1	ug/L	70	63 - 134	40 - 152	
4-Chlorotoluene	20.0	19.26		ug/L	96	80 - 121	74 - 128	
4-Methyl-2-pentanone (MIBK)	20.0	17.50		ug/L	88	67 - 125	45 - 145	
Acetone	20.0	22.94		ug/L	115	45 - 150	32 - 175	
Benzene	20.0	18.51		ug/L	93	80 - 121	74 - 126	
Bromobenzene	20.0	19.66		ug/L	98	80 - 120	74 - 126	
Bromochloromethane	20.0	19.83		ug/L	99	80 - 121	77 - 130	
Bromodichloromethane	20.0	19.11		ug/L	96	80 - 121	77 - 126	
Bromoform	20.0	19.98		ug/L	100	78 - 124	66 - 136	
Bromomethane	20.0	24.96		ug/L	125	48 - 156	5 - 146	
cis-1,2-Dichloroethene	20.0	18.23		ug/L	91	80 - 125	75 - 126	
cis-1,3-Dichloropropene	20.0	18.77		ug/L	94	80 - 120	68 - 133	
Carbon disulfide	20.0	19.29		ug/L	96	76 - 129	61 - 137	
Carbon tetrachloride	20.0	21.05		ug/L	105	71 - 137	61 - 146	
Chlorobenzene	20.0	19.29		ug/L	96	80 - 120	79 - 125	
Chloroethane	20.0	18.69	*1	ug/L	93	73 - 138	62 - 139	
Chloroform	20.0	18.00		ug/L	90	80 - 121	74 - 126	
Chloromethane	20.0	18.37	*1	ug/L	92	57 - 138	18 - 167	
Dibromochloromethane	20.0	16.12	*1	ug/L	81	80 - 126	76 - 126	
Dibromomethane	20.0	18.09		ug/L	90	80 - 120	80 - 125	
Dichlorodifluoromethane	20.0	18.89		ug/L	94	44 - 148	37 - 163	
Ethylbenzene	20.0	19.17		ug/L	96	80 - 121	75 - 126	
Isopropylbenzene	20.0	19.25		ug/L	96	80 - 121	73 - 129	
Methylene Chloride	20.0	18.08		ug/L	90	80 - 121	69 - 127	
Methyl-t-Butyl Ether (MTBE)	20.0	17.03		ug/L	85	78 - 123	61 - 133	
Naphthalene	20.0	17.59		ug/L	88	65 - 133	53 - 134	
n-Butylbenzene	20.0	19.65		ug/L	98	80 - 125	69 - 135	
N-Propylbenzene	20.0	19.29		ug/L	96	80 - 125	73 - 128	
o-Xylene	20.0	18.45		ug/L	92	80 - 122	75 - 126	
m,p-Xylene	40.0	38.88		ug/L	97	80 - 123	72 - 129	
p-Isopropyltoluene	20.0	19.05		ug/L	95	80 - 124	74 - 131	
sec-Butylbenzene	20.0	19.10		ug/L	95	80 - 122	73 - 130	
Styrene	20.0	19.07		ug/L	95	80 - 120	76 - 126	
trans-1,2-Dichloroethene	20.0	18.41		ug/L	92	80 - 122	72 - 129	
trans-1,3-Dichloropropene	20.0	15.41	*- me *1	ug/L	77	80 - 125	64 - 136	ME
tert-Butylbenzene	20.0	20.15		ug/L	101	80 - 122	72 - 132	
Tetrachloroethene	20.0	17.96	*1	ug/L	90	80 - 122	70 - 134	
Toluene	20.0	18.47		ug/L	92	80 - 120	77 - 126	
Trichloroethene	20.0	19.34		ug/L	97	80 - 120	78 - 126	
Trichlorofluoromethane	20.0	20.96		ug/L	105	67 - 142	64 - 146	
Vinyl acetate	20.0	15.43		ug/L	77	62 - 140	43 - 149	
Vinyl chloride	20.0	17.91		ug/L	90	66 - 136	58 - 141	

Summary

Number of Analytes Reported	Number of Marginal Exceedances Allowed	Number of Marginal Exceedances Found
66	3	3

Eurofins Calscience

Marginal Exceedance (ME) Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

ME = Marginal Exceedance

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LCSD 570-550701/5

Matrix: Solid

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
1,1,1,2-Tetrachloroethane	50.0	55.55		ug/Kg	111	80 - 125	73 - 133	
1,1,1-Trichloroethane	50.0	54.47		ug/Kg	109	78 - 130	69 - 139	
1,1,2,2-Tetrachloroethane	50.0	54.06		ug/Kg	108	80 - 124	73 - 131	
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	48.92		ug/Kg	98	73 - 130	64 - 140	
1,1,2-Trichloroethane	50.0	53.14		ug/Kg	106	80 - 123	73 - 130	
1,1-Dichloroethane	50.0	50.26		ug/Kg	101	79 - 124	72 - 132	
1,1-Dichloroethene	50.0	48.91		ug/Kg	98	74 - 132	64 - 142	
1,1-Dichloropropene	50.0	52.25		ug/Kg	104	78 - 130	69 - 139	
1,2,3-Trichlorobenzene	50.0	55.02		ug/Kg	110	80 - 123	73 - 130	
1,2,3-Trichloropropane	50.0	54.75		ug/Kg	110	79 - 120	72 - 127	
1,2,4-Trichlorobenzene	50.0	54.04		ug/Kg	108	80 - 125	73 - 133	
1,2,4-Trimethylbenzene	50.0	54.59		ug/Kg	109	80 - 124	73 - 131	
1,2-Dibromo-3-Chloropropane	50.0	60.61	*+ me	ug/Kg	121	67 - 120	58 - 129	ME
1,2-Dibromoethane	50.0	54.95		ug/Kg	110	80 - 120	73 - 127	
1,2-Dichlorobenzene	50.0	53.61		ug/Kg	107	80 - 120	73 - 127	
1,2-Dichloroethane	50.0	54.37		ug/Kg	109	77 - 120	70 - 127	
1,2-Dichloropropane	50.0	51.89		ug/Kg	104	80 - 126	72 - 134	
1,3,5-Trimethylbenzene	50.0	52.57		ug/Kg	105	80 - 121	73 - 128	
1,3-Dichlorobenzene	50.0	54.25		ug/Kg	109	80 - 120	73 - 127	
1,3-Dichloropropane	50.0	54.26		ug/Kg	109	80 - 120	73 - 127	
1,4-Dichlorobenzene	50.0	52.76		ug/Kg	106	80 - 120	73 - 127	
2,2-Dichloropropane	50.0	55.79		ug/Kg	112	73 - 135	63 - 145	
2-Butanone (MEK)	50.0	55.23		ug/Kg	110	67 - 136	56 - 148	
2-Chlorotoluene	50.0	50.84		ug/Kg	102	80 - 120	73 - 127	
2-Hexanone	50.0	58.59		ug/Kg	117	70 - 137	59 - 148	
4-Chlorotoluene	50.0	53.53		ug/Kg	107	80 - 121	73 - 128	
4-Methyl-2-pentanone (MIBK)	50.0	54.90		ug/Kg	110	74 - 124	66 - 132	
Acetone	50.0	60.03		ug/Kg	120	61 - 142	48 - 156	
Benzene	50.0	50.24		ug/Kg	100	80 - 120	73 - 127	
Bromobenzene	50.0	51.45		ug/Kg	103	80 - 120	73 - 127	
Bromochloromethane	50.0	52.35		ug/Kg	105	80 - 120	73 - 127	
Bromodichloromethane	50.0	55.75		ug/Kg	111	80 - 125	73 - 133	
Bromoform	50.0	58.02		ug/Kg	116	74 - 138	63 - 149	
Bromomethane	50.0	41.06		ug/Kg	82	58 - 136	45 - 149	
cis-1,2-Dichloroethene	50.0	49.65		ug/Kg	99	80 - 124	73 - 131	
cis-1,3-Dichloropropene	50.0	54.91		ug/Kg	110	80 - 123	73 - 130	
Carbon disulfide	50.0	46.20		ug/Kg	92	68 - 128	58 - 138	
Carbon tetrachloride	50.0	57.11		ug/Kg	114	75 - 140	64 - 151	
Chlorobenzene	50.0	50.81		ug/Kg	102	80 - 120	73 - 127	
Chloroethane	50.0	48.89		ug/Kg	98	76 - 137	66 - 147	
Chloroform	50.0	50.76		ug/Kg	102	80 - 121	73 - 128	
Chloromethane	50.0	42.36		ug/Kg	85	74 - 133	64 - 143	
Dibromochloromethane	50.0	54.11		ug/Kg	108	80 - 132	71 - 141	
Dibromomethane	50.0	52.47		ug/Kg	105	80 - 120	73 - 127	
Dichlorodifluoromethane	50.0	42.29		ug/Kg	85	63 - 146	49 - 160	
Ethylbenzene	50.0	51.63		ug/Kg	103	80 - 120	73 - 127	
Isopropylbenzene	50.0	52.29		ug/Kg	105	80 - 122	73 - 129	

Eurofins Calscience

Marginal Exceedance (ME) Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550701/5

Matrix: Solid

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	%Rec	%Rec. Limits	ME %Rec. Limits	Marginal Exceedance Status
Methylene Chloride	50.0	46.56		ug/Kg	93	74 - 120	66 - 128	
Methyl-t-Butyl Ether (MTBE)	50.0	55.53		ug/Kg	111	79 - 123	72 - 130	
Naphthalene	50.0	54.95		ug/Kg	110	79 - 121	72 - 128	
n-Butylbenzene	50.0	55.23		ug/Kg	110	79 - 131	70 - 140	
N-Propylbenzene	50.0	52.12		ug/Kg	104	80 - 122	73 - 129	
o-Xylene	50.0	52.45		ug/Kg	105	80 - 120	73 - 127	
m,p-Xylene	100	105.5		ug/Kg	106	80 - 120	73 - 127	
p-Isopropyltoluene	50.0	54.69		ug/Kg	109	80 - 126	72 - 134	
sec-Butylbenzene	50.0	54.26		ug/Kg	109	80 - 125	73 - 133	
Styrene	50.0	52.60		ug/Kg	105	80 - 120	73 - 127	
trans-1,2-Dichloroethene	50.0	48.38		ug/Kg	97	75 - 123	67 - 131	
trans-1,3-Dichloropropene	50.0	57.97		ug/Kg	116	80 - 124	73 - 131	
tert-Butylbenzene	50.0	54.42		ug/Kg	109	80 - 124	73 - 131	
Tetrachloroethene	50.0	50.86		ug/Kg	102	80 - 122	73 - 129	
Toluene	50.0	49.70		ug/Kg	99	80 - 120	73 - 127	
Trichloroethene	50.0	51.98		ug/Kg	104	80 - 127	72 - 135	
Trichlorofluoromethane	50.0	53.09		ug/Kg	106	70 - 144	58 - 156	
Vinyl acetate	50.0	55.53		ug/Kg	111	71 - 125	62 - 134	
Vinyl chloride	50.0	47.12		ug/Kg	94	79 - 133	70 - 142	

Summary

Number of Analytes Reported	Number of Marginal Exceedances Allowed	Number of Marginal Exceedances Found
66	3	1

ME = Marginal Exceedance

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

GC/MS VOA

Prep Batch: 550380

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-6	PCHS-SS-10A-0.25	Total/NA	Solid	5035	
570-223992-7	PCHS-SS-10B-0.25	Total/NA	Solid	5035	
570-223992-8	PCHS-SS-10C-0.25	Total/NA	Solid	5035	
570-223992-9	PCHS-SS-10D-0.25	Total/NA	Solid	5035	
570-223992-11	DUP-1A	Total/NA	Solid	5035	
570-223992-12	DUP-1B	Total/NA	Solid	5035	
570-223992-13	DUP-1C	Total/NA	Solid	5035	
570-223992-14	DUP-1D	Total/NA	Solid	5035	
570-223992-16	PCHS-SS-15A-0.25	Total/NA	Solid	5035	
570-223992-17	PCHS-SS-15B-0.25	Total/NA	Solid	5035	
570-223992-18	PCHS-SS-15C-0.25	Total/NA	Solid	5035	
570-223992-19	PCHS-SS-15D-0.25	Total/NA	Solid	5035	

Analysis Batch: 550435

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-41	TRIP BLANK	Total/NA	Water	8260B	
MB 570-550435/6	Method Blank	Total/NA	Water	8260B	
LCS 570-550435/1002	Lab Control Sample	Total/NA	Water	8260B	
LCSD 570-550435/3	Lab Control Sample Dup	Total/NA	Water	8260B	

Analysis Batch: 550458

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-6	PCHS-SS-10A-0.25	Total/NA	Solid	8260B	550380
570-223992-7	PCHS-SS-10B-0.25	Total/NA	Solid	8260B	550380
570-223992-8	PCHS-SS-10C-0.25	Total/NA	Solid	8260B	550380
570-223992-9	PCHS-SS-10D-0.25	Total/NA	Solid	8260B	550380
570-223992-11	DUP-1A	Total/NA	Solid	8260B	550380
570-223992-12	DUP-1B	Total/NA	Solid	8260B	550380
570-223992-13	DUP-1C	Total/NA	Solid	8260B	550380
570-223992-14	DUP-1D	Total/NA	Solid	8260B	550380
570-223992-17	PCHS-SS-15B-0.25	Total/NA	Solid	8260B	550380
570-223992-18	PCHS-SS-15C-0.25	Total/NA	Solid	8260B	550380
570-223992-19	PCHS-SS-15D-0.25	Total/NA	Solid	8260B	550380
MB 570-550458/5	Method Blank	Total/NA	Solid	8260B	
LCS 570-550458/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 570-550458/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

Analysis Batch: 550701

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-16	PCHS-SS-15A-0.25	Total/NA	Solid	8260B	550380
MB 570-550701/6	Method Blank	Total/NA	Solid	8260B	
LCS 570-550701/4	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 570-550701/5	Lab Control Sample Dup	Total/NA	Solid	8260B	

GC/MS Semi VOA

Prep Batch: 550274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	3546	
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	3546	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	3546	

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

GC/MS Semi VOA (Continued)

Prep Batch: 550274 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	3546	
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	3546	
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	3546	
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	3546	
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	3546	
MB 570-550274/1-A	Method Blank	Total/NA	Solid	3546	
LCS 570-550274/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 570-550274/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	

Analysis Batch: 551518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	8270C SIM	550274
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	8270C SIM	550274
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	8270C SIM	550274
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	8270C SIM	550274
MB 570-550274/1-A	Method Blank	Total/NA	Solid	8270C SIM	550274
LCS 570-550274/2-A	Lab Control Sample	Total/NA	Solid	8270C SIM	550274
LCSD 570-550274/3-A	Lab Control Sample Dup	Total/NA	Solid	8270C SIM	550274

Analysis Batch: 551748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	8270C SIM	550274
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	8270C SIM	550274
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	8270C SIM	550274
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	8270C SIM	550274

GC VOA

Prep Batch: 550380

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-6	PCHS-SS-10A-0.25	Total/NA	Solid	5035	
570-223992-7	PCHS-SS-10B-0.25	Total/NA	Solid	5035	
570-223992-8	PCHS-SS-10C-0.25	Total/NA	Solid	5035	
570-223992-9	PCHS-SS-10D-0.25	Total/NA	Solid	5035	
570-223992-11	DUP-1A	Total/NA	Solid	5035	
570-223992-12	DUP-1B	Total/NA	Solid	5035	
570-223992-13	DUP-1C	Total/NA	Solid	5035	
570-223992-14	DUP-1D	Total/NA	Solid	5035	
570-223992-16	PCHS-SS-15A-0.25	Total/NA	Solid	5035	
570-223992-17	PCHS-SS-15B-0.25	Total/NA	Solid	5035	
570-223992-18	PCHS-SS-15C-0.25	Total/NA	Solid	5035	
570-223992-19	PCHS-SS-15D-0.25	Total/NA	Solid	5035	

Analysis Batch: 550542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-6	PCHS-SS-10A-0.25	Total/NA	Solid	8015B	550380
570-223992-7	PCHS-SS-10B-0.25	Total/NA	Solid	8015B	550380
570-223992-8	PCHS-SS-10C-0.25	Total/NA	Solid	8015B	550380
570-223992-9	PCHS-SS-10D-0.25	Total/NA	Solid	8015B	550380
570-223992-11	DUP-1A	Total/NA	Solid	8015B	550380
570-223992-12	DUP-1B	Total/NA	Solid	8015B	550380

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

GC VOA (Continued)

Analysis Batch: 550542 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-13	DUP-1C	Total/NA	Solid	8015B	550380
570-223992-14	DUP-1D	Total/NA	Solid	8015B	550380
570-223992-16	PCHS-SS-15A-0.25	Total/NA	Solid	8015B	550380
570-223992-17	PCHS-SS-15B-0.25	Total/NA	Solid	8015B	550380
570-223992-18	PCHS-SS-15C-0.25	Total/NA	Solid	8015B	550380
570-223992-19	PCHS-SS-15D-0.25	Total/NA	Solid	8015B	550380
MB 570-550542/33	Method Blank	Total/NA	Solid	8015B	
LCS 570-550542/31	Lab Control Sample	Total/NA	Solid	8015B	
LCSD 570-550542/32	Lab Control Sample Dup	Total/NA	Solid	8015B	

GC Semi VOA

Prep Batch: 550036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	3540C	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	3540C	
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	3540C	
MB 570-550036/1-A	Method Blank	Total/NA	Solid	3540C	
LCS 570-550036/2-A	Lab Control Sample	Total/NA	Solid	3540C	
LCSD 570-550036/3-A	Lab Control Sample Dup	Total/NA	Solid	3540C	

Prep Batch: 550326

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	3546	
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	3546	
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	3546	
MB 570-550326/1-A	Method Blank	Total/NA	Solid	3546	
LCS 570-550326/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 570-550326/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	

Analysis Batch: 550359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-550036/1-A	Method Blank	Total/NA	Solid	8082	550036
LCS 570-550036/2-A	Lab Control Sample	Total/NA	Solid	8082	550036
LCSD 570-550036/3-A	Lab Control Sample Dup	Total/NA	Solid	8082	550036

Prep Batch: 550835

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	3550C	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	3550C	
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	3550C	
MB 570-550835/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 570-550835/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 570-550835/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	

Analysis Batch: 551250

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	8081A	550326
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	8081A	550326
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	8081A	550326
MB 570-550326/1-A	Method Blank	Total/NA	Solid	8081A	550326

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

GC Semi VOA (Continued)

Analysis Batch: 551250 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 570-550326/2-A	Lab Control Sample	Total/NA	Solid	8081A	550326
LCSD 570-550326/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	550326

Analysis Batch: 551280

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	8015B	550835
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	8015B	550835
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	8015B	550835
MB 570-550835/1-A	Method Blank	Total/NA	Solid	8015B	550835
LCS 570-550835/2-A	Lab Control Sample	Total/NA	Solid	8015B	550835
LCSD 570-550835/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B	550835

Prep Batch: 551371

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	3546	
MB 570-551371/1-A	Method Blank	Total/NA	Solid	3546	
LCS 570-551371/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 570-551371/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
570-223992-10 MS	PCHS-SS-COMP-10	Total/NA	Solid	3546	
570-223992-10 MSD	PCHS-SS-COMP-10	Total/NA	Solid	3546	

Analysis Batch: 551565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	8082	550036
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	8082	550036
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	8082	550036

Analysis Batch: 552165

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	8081A	551371
MB 570-551371/1-A	Method Blank	Total/NA	Solid	8081A	551371
LCS 570-551371/2-A	Lab Control Sample	Total/NA	Solid	8081A	551371
LCSD 570-551371/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	551371
570-223992-10 MS	PCHS-SS-COMP-10	Total/NA	Solid	8081A	551371
570-223992-10 MSD	PCHS-SS-COMP-10	Total/NA	Solid	8081A	551371

Metals

Prep Batch: 550620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	7471A	
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	7471A	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	7471A	
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	7471A	
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	7471A	
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	7471A	
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	7471A	
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	7471A	
MB 570-550620/1-A	Method Blank	Total/NA	Solid	7471A	
LCS 570-550620/2-A	Lab Control Sample	Total/NA	Solid	7471A	
LCSD 570-550620/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Metals (Continued)

Prep Batch: 550620 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5 MS	PCHS-SS-COMP-11	Total/NA	Solid	7471A	
570-223992-5 MSD	PCHS-SS-COMP-11	Total/NA	Solid	7471A	

Analysis Batch: 550747

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	7471A	550620
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	7471A	550620
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	7471A	550620
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	7471A	550620
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	7471A	550620
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	7471A	550620
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	7471A	550620
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	7471A	550620
MB 570-550620/1-A	Method Blank	Total/NA	Solid	7471A	550620
LCS 570-550620/2-A	Lab Control Sample	Total/NA	Solid	7471A	550620
LCSD 570-550620/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	550620
570-223992-5 MS	PCHS-SS-COMP-11	Total/NA	Solid	7471A	550620
570-223992-5 MSD	PCHS-SS-COMP-11	Total/NA	Solid	7471A	550620

Prep Batch: 551148

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	3051A	
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	3051A	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	3051A	
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	3051A	
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	3051A	
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	3051A	
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	3051A	
MB 570-551148/1-A	Method Blank	Total/NA	Solid	3051A	
LCS 570-551148/2-A	Lab Control Sample	Total/NA	Solid	3051A	
LCSD 570-551148/3-A	Lab Control Sample Dup	Total/NA	Solid	3051A	

Prep Batch: 551155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	3051A	
MB 570-551155/1-A	Method Blank	Total/NA	Solid	3051A	
LCS 570-551155/2-A	Lab Control Sample	Total/NA	Solid	3051A	
LCSD 570-551155/3-A	Lab Control Sample Dup	Total/NA	Solid	3051A	
570-223992-40 MS	PCHS-SS-COMP-12	Total/NA	Solid	3051A	
570-223992-40 MSD	PCHS-SS-COMP-12	Total/NA	Solid	3051A	

Analysis Batch: 551724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-40	PCHS-SS-COMP-12	Total/NA	Solid	6010B	551155
MB 570-551155/1-A	Method Blank	Total/NA	Solid	6010B	551155
LCS 570-551155/2-A	Lab Control Sample	Total/NA	Solid	6010B	551155
LCSD 570-551155/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	551155
570-223992-40 MS	PCHS-SS-COMP-12	Total/NA	Solid	6010B	551155
570-223992-40 MSD	PCHS-SS-COMP-12	Total/NA	Solid	6010B	551155

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Metals

Analysis Batch: 551985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-5	PCHS-SS-COMP-11	Total/NA	Solid	6010B	551148
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	6010B	551148
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	6010B	551148
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	6010B	551148
570-223992-25	PCHS-SS-COMP-8	Total/NA	Solid	6010B	551148
570-223992-30	PCHS-SS-COMP-9	Total/NA	Solid	6010B	551148
570-223992-35	PCHS-SS-COMP-7	Total/NA	Solid	6010B	551148
MB 570-551148/1-A	Method Blank	Total/NA	Solid	6010B	551148
LCS 570-551148/2-A	Lab Control Sample	Total/NA	Solid	6010B	551148
LCSD 570-551148/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	551148

Organic Prep

Analysis Batch: 550769

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-1	PCHS-SS-11A-0.25	Total/NA	Solid	Composite	
570-223992-2	PCHS-SS-11B-0.25	Total/NA	Solid	Composite	
570-223992-3	PCHS-SS-11C-0.25	Total/NA	Solid	Composite	
570-223992-4	PCHS-SS-11D-0.25	Total/NA	Solid	Composite	
570-223992-6	PCHS-SS-10A-0.25	Total/NA	Solid	Composite	
570-223992-7	PCHS-SS-10B-0.25	Total/NA	Solid	Composite	
570-223992-8	PCHS-SS-10C-0.25	Total/NA	Solid	Composite	
570-223992-9	PCHS-SS-10D-0.25	Total/NA	Solid	Composite	
570-223992-11	DUP-1A	Total/NA	Solid	Composite	
570-223992-12	DUP-1B	Total/NA	Solid	Composite	
570-223992-13	DUP-1C	Total/NA	Solid	Composite	
570-223992-14	DUP-1D	Total/NA	Solid	Composite	
570-223992-16	PCHS-SS-15A-0.25	Total/NA	Solid	Composite	
570-223992-17	PCHS-SS-15B-0.25	Total/NA	Solid	Composite	
570-223992-18	PCHS-SS-15C-0.25	Total/NA	Solid	Composite	
570-223992-19	PCHS-SS-15D-0.25	Total/NA	Solid	Composite	
570-223992-21	PCHS-SS-8A-0.25	Total/NA	Solid	Composite	
570-223992-22	PCHS-SS-8B-0.25	Total/NA	Solid	Composite	
570-223992-23	PCHS-SS-8C-0.25	Total/NA	Solid	Composite	
570-223992-24	PCHS-SS-8D-0.25	Total/NA	Solid	Composite	
570-223992-26	PCHS-SS-9A-0.25	Total/NA	Solid	Composite	
570-223992-27	PCHS-SS-9B-0.25	Total/NA	Solid	Composite	
570-223992-28	PCHS-SS-9C-0.25	Total/NA	Solid	Composite	
570-223992-29	PCHS-SS-9D-0.25	Total/NA	Solid	Composite	
570-223992-31	PCHS-SS-7A-0.25	Total/NA	Solid	Composite	
570-223992-32	PCHS-SS-7B-0.25	Total/NA	Solid	Composite	
570-223992-33	PCHS-SS-7C-0.25	Total/NA	Solid	Composite	
570-223992-34	PCHS-SS-7D-0.25	Total/NA	Solid	Composite	
570-223992-36	PCHS-SS-12A-0.25	Total/NA	Solid	Composite	
570-223992-37	PCHS-SS-12B-0.25	Total/NA	Solid	Composite	
570-223992-38	PCHS-SS-12C-0.25	Total/NA	Solid	Composite	
570-223992-39	PCHS-SS-12D-0.25	Total/NA	Solid	Composite	

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-11A-0.25

Lab Sample ID: 570-223992-1

Date Collected: 03/26/25 12:12

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-11B-0.25

Lab Sample ID: 570-223992-2

Date Collected: 03/26/25 12:31

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-11C-0.25

Lab Sample ID: 570-223992-3

Date Collected: 03/26/25 12:42

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-11D-0.25

Lab Sample ID: 570-223992-4

Date Collected: 03/26/25 12:54

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-11

Lab Sample ID: 570-223992-5

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.13 g	2 mL	550274	03/27/25 15:55	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551518	03/31/25 17:19	PQS1	EET CAL 4
Instrument ID: GCMSAAA										
Total/NA	Prep	3051A			0.4287 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:40	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.49 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:20	RL6Q	EET CAL 4
Instrument ID: HG7										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-10A-0.25

Lab Sample ID: 570-223992-6

Date Collected: 03/26/25 12:11

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.301 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 20:47	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.961 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 21:55	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-10B-0.25

Lab Sample ID: 570-223992-7

Date Collected: 03/26/25 12:41

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.428 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 21:07	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			4.158 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 22:15	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-10C-0.25

Lab Sample ID: 570-223992-8

Date Collected: 03/26/25 13:09

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.44 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 21:28	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.918 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 22:33	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-10D-0.25

Lab Sample ID: 570-223992-9

Date Collected: 03/26/25 13:35

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.436 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 21:48	U4JL	EET CAL 4
Instrument ID: GCMSGGG										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-10D-0.25

Lab Sample ID: 570-223992-9

Date Collected: 03/26/25 13:35

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.468 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 22:52	BH4T	EET CAL 4
		Instrument ID: GC73								
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
		Instrument ID: NOEQUIP								

Client Sample ID: PCHS-SS-COMP-10

Lab Sample ID: 570-223992-10

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.05 g	2 mL	550274	03/27/25 15:55	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551518	03/31/25 17:40	PQS1	EET CAL 4
		Instrument ID: GCMSAAA								
Total/NA	Prep	3550C			10.07 g	10 mL	550835	03/28/25 11:39	HZX5	EET CAL 4
Total/NA	Analysis	8015B		1	10 mL	10 mL	551280	03/30/25 08:32	E5RH	EET CAL 4
		Instrument ID: GC47								
Total/NA	Prep	3546			20.03 g	10 mL	551371	03/30/25 17:27	M6YE	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552165	04/01/25 16:28	N5Y3	EET CAL 4
		Instrument ID: GC54A								
Total/NA	Prep	3540C			20.14 g	10 mL	550036	03/27/25 17:48	XG8M	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	551565	04/01/25 12:00	SP9M	EET CAL 4
		Instrument ID: GC66								
Total/NA	Prep	3051A			0.5866 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:42	VZ0K	EET CAL 4
		Instrument ID: ICP11								
Total/NA	Prep	7471A			0.50 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:26	RL6Q	EET CAL 4
		Instrument ID: HG7								

Client Sample ID: DUP-1A

Lab Sample ID: 570-223992-11

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.244 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 22:08	U4JL	EET CAL 4
		Instrument ID: GCMSGGG								
Total/NA	Prep	5035			3.666 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 23:11	BH4T	EET CAL 4
		Instrument ID: GC73								
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
		Instrument ID: NOEQUIP								

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: DUP-1B

Lab Sample ID: 570-223992-12

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.676 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 22:29	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			4.147 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 23:29	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: DUP-1C

Lab Sample ID: 570-223992-13

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.393 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 22:49	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.639 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/27/25 23:48	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: DUP-1D

Lab Sample ID: 570-223992-14

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.584 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 23:09	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.533 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/28/25 00:07	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-DUP-1

Lab Sample ID: 570-223992-15

Date Collected: 03/19/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.05 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551518	03/31/25 15:12	PQS1	EET CAL 4
Instrument ID: GCMSAAA										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-DUP-1

Lab Sample ID: 570-223992-15

Date Collected: 03/19/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3550C			10.00 g	10 mL	550835	03/28/25 11:39	HZX5	EET CAL 4
Total/NA	Analysis	8015B		1	10 mL	10 mL	551280	03/30/25 08:53	E5RH	EET CAL 4
		Instrument ID: GC47								
Total/NA	Prep	3546			20.13 g	10 mL	550326	03/27/25 15:54	XG8M	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	551250	03/29/25 18:47	N5Y3	EET CAL 4
		Instrument ID: GC51								
Total/NA	Prep	3540C			20.06 g	10 mL	550036	03/27/25 17:48	XG8M	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	551565	04/01/25 12:19	SP9M	EET CAL 4
		Instrument ID: GC66								
Total/NA	Prep	3051A			0.5251 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:44	VZ0K	EET CAL 4
		Instrument ID: ICP11								
Total/NA	Prep	7471A			0.49 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:28	RL6Q	EET CAL 4
		Instrument ID: HG7								

Client Sample ID: PCHS-SS-15A-0.25

Lab Sample ID: 570-223992-16

Date Collected: 03/26/25 15:40

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			6.198 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550701	03/28/25 13:16	AJ4K	EET CAL 4
		Instrument ID: GCMSGGG								
Total/NA	Prep	5035			5.699 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/28/25 00:26	BH4T	EET CAL 4
		Instrument ID: GC73								
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
		Instrument ID: NOEQUIP								

Client Sample ID: PCHS-SS-15B-0.25

Lab Sample ID: 570-223992-17

Date Collected: 03/26/25 16:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.106 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/27/25 23:50	U4JL	EET CAL 4
		Instrument ID: GCMSGGG								
Total/NA	Prep	5035			4.732 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/28/25 00:45	BH4T	EET CAL 4
		Instrument ID: GC73								
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
		Instrument ID: NOEQUIP								

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-15C-0.25

Lab Sample ID: 570-223992-18

Date Collected: 03/26/25 16:08

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.527 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/28/25 00:11	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			5.895 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/28/25 01:22	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-15D-0.25

Lab Sample ID: 570-223992-19

Date Collected: 03/26/25 16:10

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.069 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550458	03/28/25 00:31	U4JL	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			5.683 g	5 mL	550380	03/27/25 12:51	X7LQ	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	550542	03/28/25 01:41	BH4T	EET CAL 4
Instrument ID: GC73										
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-15

Lab Sample ID: 570-223992-20

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.10 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		5	1 mL	1 mL	551518	03/31/25 15:33	PQS1	EET CAL 4
Instrument ID: GCMSAAA										
Total/NA	Prep	3550C			10.05 g	10 mL	550835	03/28/25 11:39	HZX5	EET CAL 4
Total/NA	Analysis	8015B		1	10 mL	10 mL	551280	03/30/25 09:14	E5RH	EET CAL 4
Instrument ID: GC47										
Total/NA	Prep	3540C			20.01 g	10 mL	550036	03/27/25 17:48	XG8M	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	551565	04/01/25 12:39	SP9M	EET CAL 4
Instrument ID: GC66										
Total/NA	Prep	3051A			0.4485 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:46	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.53 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:30	RL6Q	EET CAL 4
Instrument ID: HG7										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-8A-0.25

Lab Sample ID: 570-223992-21

Date Collected: 03/26/25 14:52

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-8B-0.25

Lab Sample ID: 570-223992-22

Date Collected: 03/26/25 14:57

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-8C-0.25

Lab Sample ID: 570-223992-23

Date Collected: 03/26/25 15:01

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-8D-0.25

Lab Sample ID: 570-223992-24

Date Collected: 03/26/25 15:07

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-8

Lab Sample ID: 570-223992-25

Date Collected: 03/26/25 15:07

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.10 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551748	03/31/25 16:25	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.05 g	10 mL	550326	03/27/25 15:54	XG8M	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	551250	03/29/25 19:01	N5Y3	EET CAL 4
Instrument ID: GC51										
Total/NA	Prep	3051A			0.5269 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:49	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.49 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:36	RL6Q	EET CAL 4
Instrument ID: HG7										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-9A-0.25

Lab Sample ID: 570-223992-26

Date Collected: 03/26/25 14:14

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-9B-0.25

Lab Sample ID: 570-223992-27

Date Collected: 03/26/25 14:30

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-9C-0.25

Lab Sample ID: 570-223992-28

Date Collected: 03/26/25 15:06

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-9D-0.25

Lab Sample ID: 570-223992-29

Date Collected: 03/26/25 15:18

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-9

Lab Sample ID: 570-223992-30

Date Collected: 03/26/25 15:18

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.03 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551748	03/31/25 16:47	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3051A			0.4588 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:51	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.53 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:38	RL6Q	EET CAL 4
Instrument ID: HG7										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-7A-0.25

Lab Sample ID: 570-223992-31

Date Collected: 03/26/25 14:01

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-7B-0.25

Lab Sample ID: 570-223992-32

Date Collected: 03/26/25 14:07

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-7C-0.25

Lab Sample ID: 570-223992-33

Date Collected: 03/26/25 14:11

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-7D-0.25

Lab Sample ID: 570-223992-34

Date Collected: 03/26/25 14:17

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-7

Lab Sample ID: 570-223992-35

Date Collected: 03/26/25 14:17

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.03 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551748	03/31/25 17:10	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3051A			0.5287 g	50 mL	551148	03/29/25 07:22	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551985	04/01/25 01:53	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.48 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:40	RL6Q	EET CAL 4
Instrument ID: HG7										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: PCHS-SS-12A-0.25

Lab Sample ID: 570-223992-36

Date Collected: 03/26/25 13:20

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-12B-0.25

Lab Sample ID: 570-223992-37

Date Collected: 03/26/25 13:32

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-12C-0.25

Lab Sample ID: 570-223992-38

Date Collected: 03/26/25 13:46

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-12D-0.25

Lab Sample ID: 570-223992-39

Date Collected: 03/26/25 13:58

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			550769	03/27/25 09:34	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-12

Lab Sample ID: 570-223992-40

Date Collected: 03/26/25 13:58

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.06 g	2 mL	550274	03/27/25 15:52	LM3A	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551748	03/31/25 18:40	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.11 g	10 mL	550326	03/27/25 15:54	XG8M	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	551250	03/29/25 19:15	N5Y3	EET CAL 4
Instrument ID: GC51										
Total/NA	Prep	3051A			0.4292 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551724	03/31/25 13:04	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.47 g	50 mL	550620	03/28/25 01:40	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			550747	03/28/25 07:42	RL6Q	EET CAL 4
Instrument ID: HG7										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Client Sample ID: TRIP BLANK
Date Collected: 03/26/25 00:00
Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-41
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	550435	03/27/25 21:04	GC3Z	EET CAL 4
Instrument ID: GCMST										

Laboratory References:
EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494
EM Tustin = EMLab P&K Tustin CA, 2841 Dow Ave., Suite 300, Tustin, CA 92780

Accreditation/Certification Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8081A	3546	Solid	alpha-Chlordane
8081A	3546	Solid	gamma-Chlordane
8260B		Water	1,1,2-Trichloro-1,2,2-trifluoroethane
8260B		Water	1,1-Dichloropropene
8260B		Water	1,2,3-Trichlorobenzene
8260B		Water	1,2,4-Trimethylbenzene
8260B		Water	1,3,5-Trimethylbenzene
8260B		Water	1,3-Dichloropropane
8260B		Water	2,2-Dichloropropane
8260B		Water	2-Butanone (MEK)
8260B		Water	2-Chlorotoluene
8260B		Water	2-Hexanone
8260B		Water	Acetone
8260B		Water	Isopropylbenzene
8260B		Water	p-Isopropyltoluene
8260B		Water	Vinyl acetate
8260B		Water	Xylenes, Total
8260B	5035	Solid	1,1,2-Trichloro-1,2,2-trifluoroethane
8260B	5035	Solid	1,1-Dichloropropene
8260B	5035	Solid	1,2,3-Trichlorobenzene
8260B	5035	Solid	1,2,4-Trimethylbenzene
8260B	5035	Solid	1,3,5-Trimethylbenzene
8260B	5035	Solid	1,3-Dichloropropane
8260B	5035	Solid	2,2-Dichloropropane
8260B	5035	Solid	2-Butanone (MEK)
8260B	5035	Solid	2-Chlorotoluene
8260B	5035	Solid	2-Hexanone
8260B	5035	Solid	Acetone
8260B	5035	Solid	Isopropylbenzene
8260B	5035	Solid	p-Isopropyltoluene
8260B	5035	Solid	Vinyl acetate
8260B	5035	Solid	Xylenes, Total
8270C SIM	3546	Solid	1-Methylnaphthalene
8270C SIM	3546	Solid	Pyrene
Composite		Solid	Composited

Method Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET CAL 4
8270C SIM	PAHs (GC/MS SIM)	SW846	EET CAL 4
8015B	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC)	SW846	EET CAL 4
8081A	Organochlorine Pesticides (GC)	SW846	EET CAL 4
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CAL 4
6010B	Metals (ICP)	SW846	EET CAL 4
7471A	Mercury (CVAA)	SW846	EET CAL 4
Subcontract	Asbestos PLM (Qualitative only) 600/R-93/116	None	EM Tustin
Composite	Sample Compositing	None	EET CAL 4
3051A	Preparation, Metals, Microwave Assisted	SW846	EET CAL 4
3540C	Soxhlet Extraction	SW846	EET CAL 4
3546	Microwave Extraction	SW846	EET CAL 4
3550C	Ultrasonic Extraction	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
5035	Closed System Purge and Trap	SW846	EET CAL 4
7471A	Preparation, Mercury	SW846	EET CAL 4

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

EM Tustin = EMLab P&K Tustin CA, 2841 Dow Ave., Suite 300, Tustin, CA 92780

Sample Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-223992-1	PCHS-SS-11A-0.25	Solid	03/26/25 12:12	03/26/25 19:12
570-223992-2	PCHS-SS-11B-0.25	Solid	03/26/25 12:31	03/26/25 19:12
570-223992-3	PCHS-SS-11C-0.25	Solid	03/26/25 12:42	03/26/25 19:12
570-223992-4	PCHS-SS-11D-0.25	Solid	03/26/25 12:54	03/26/25 19:12
570-223992-5	PCHS-SS-COMP-11	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-6	PCHS-SS-10A-0.25	Solid	03/26/25 12:11	03/26/25 19:12
570-223992-7	PCHS-SS-10B-0.25	Solid	03/26/25 12:41	03/26/25 19:12
570-223992-8	PCHS-SS-10C-0.25	Solid	03/26/25 13:09	03/26/25 19:12
570-223992-9	PCHS-SS-10D-0.25	Solid	03/26/25 13:35	03/26/25 19:12
570-223992-10	PCHS-SS-COMP-10	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-11	DUP-1A	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-12	DUP-1B	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-13	DUP-1C	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-14	DUP-1D	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-15	PCHS-SS-DUP-1	Solid	03/19/25 00:00	03/26/25 19:12
570-223992-16	PCHS-SS-15A-0.25	Solid	03/26/25 15:40	03/26/25 19:12
570-223992-17	PCHS-SS-15B-0.25	Solid	03/26/25 16:00	03/26/25 19:12
570-223992-18	PCHS-SS-15C-0.25	Solid	03/26/25 16:08	03/26/25 19:12
570-223992-19	PCHS-SS-15D-0.25	Solid	03/26/25 16:10	03/26/25 19:12
570-223992-20	PCHS-SS-COMP-15	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-21	PCHS-SS-8A-0.25	Solid	03/26/25 14:52	03/26/25 19:12
570-223992-22	PCHS-SS-8B-0.25	Solid	03/26/25 14:57	03/26/25 19:12
570-223992-23	PCHS-SS-8C-0.25	Solid	03/26/25 15:01	03/26/25 19:12
570-223992-24	PCHS-SS-8D-0.25	Solid	03/26/25 15:07	03/26/25 19:12
570-223992-25	PCHS-SS-COMP-8	Solid	03/26/25 15:07	03/26/25 19:12
570-223992-26	PCHS-SS-9A-0.25	Solid	03/26/25 14:14	03/26/25 19:12
570-223992-27	PCHS-SS-9B-0.25	Solid	03/26/25 14:30	03/26/25 19:12
570-223992-28	PCHS-SS-9C-0.25	Solid	03/26/25 15:06	03/26/25 19:12
570-223992-29	PCHS-SS-9D-0.25	Solid	03/26/25 15:18	03/26/25 19:12
570-223992-30	PCHS-SS-COMP-9	Solid	03/26/25 15:18	03/26/25 19:12
570-223992-31	PCHS-SS-7A-0.25	Solid	03/26/25 14:01	03/26/25 19:12
570-223992-32	PCHS-SS-7B-0.25	Solid	03/26/25 14:07	03/26/25 19:12
570-223992-33	PCHS-SS-7C-0.25	Solid	03/26/25 14:11	03/26/25 19:12
570-223992-34	PCHS-SS-7D-0.25	Solid	03/26/25 14:17	03/26/25 19:12
570-223992-35	PCHS-SS-COMP-7	Solid	03/26/25 14:17	03/26/25 19:12
570-223992-36	PCHS-SS-12A-0.25	Solid	03/26/25 13:20	03/26/25 19:12
570-223992-37	PCHS-SS-12B-0.25	Solid	03/26/25 13:32	03/26/25 19:12
570-223992-38	PCHS-SS-12C-0.25	Solid	03/26/25 13:46	03/26/25 19:12
570-223992-39	PCHS-SS-12D-0.25	Solid	03/26/25 13:58	03/26/25 19:12
570-223992-40	PCHS-SS-COMP-12	Solid	03/26/25 13:58	03/26/25 19:12
570-223992-41	TRIP BLANK	Water	03/26/25 00:00	03/26/25 19:12



Report for:

Allyson Chapman
Eurofins Environment Testing Southwest, LLC - Calscience
2841 Dow Ave
Suite 100
Tustin, CA 92780

Regarding: Eurofins Built Environment Testing West, LLC
Project: 570-223992-1; LAUSD Palisades Charter HS
EML ID: 4004723

Approved by:

Approved Signatory
Danny Li

Dates of Analysis:
Asbestos PLM: 04-01-2025

Service SOPs: Asbestos PLM (EPA 40CFR App E to Sub E of Part 763 & EPA METHOD 600/R-93-116, SOP EM-AS-S-1267)
NVLAP Lab Code 200757-0

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. The results relate only to the samples as received and tested. The results include an inherent uncertainty of measurement associated with estimating percentages by polarized light microscopy. Measurement uncertainty data for sample results with >1% asbestos concentration can be provided when requested.

Eurofins Built Environment Testing West, LLC ("the Company"), a member of the Eurofins Built Environment Testing group of companies, shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-223992-1; LAUSD Palisades Charter HS

Date of Sampling: 03-26-2025
Date of Receipt: 03-27-2025
Date of Report: 04-01-2025

ASBESTOS PLM REPORT

Total Samples Submitted:	8
Total Samples Analyzed:	8
Total Samples with Layer Asbestos Content > 1%:	0

Location: PCHS-SS-COMP-11 (570-223992-5)

Lab ID-Version‡: 19926218-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-10 (570-223992-10)

Lab ID-Version‡: 19926219-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-DUP-1 (570-223992-15)

Lab ID-Version‡: 19926220-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Eurofins Built Environment Testing West, LLC
2841 Dow Avenue, Suite 300, Tustin, CA 92780
(833) 465-5857 www.eurofinsus.com/Built

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-223992-1; LAUSD Palisades Charter HS

Date of Sampling: 03-26-2025
Date of Receipt: 03-27-2025
Date of Report: 04-01-2025

ASBESTOS PLM REPORT

Location: PCHS-SS-COMP-15 (570-223992-20)

Lab ID-Version‡: 19926221-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity:	Good

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-223992-1; LAUSD Palisades Charter HS

Date of Sampling: 03-26-2025
Date of Receipt: 03-27-2025
Date of Report: 04-01-2025

ASBESTOS PLM REPORT

Location: PCHS-SS-COMP-8 (570-223992-25)

Lab ID-Version‡: 19926222-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-9 (570-223992-30)

Lab ID-Version‡: 19926223-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-7 (570-223992-35)

Lab ID-Version‡: 19926224-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-223992-1; LAUSD Palisades Charter HS

Date of Sampling: 03-26-2025
Date of Receipt: 03-27-2025
Date of Report: 04-01-2025

ASBESTOS PLM REPORT

Location: PCHS-SS-COMP-12 (570-223992-40)

Lab ID-Version‡: 19926225-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity:	Good

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Eurofins Built Environment Testing West, LLC
2841 Dow Avenue, Suite 300, Tustin, CA 92780
(833) 465-5857 www.eurofinsus.com/Built


Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-223992-1; LAUSD Palisades Charter HS

Date of Sampling: 03-26-2025
Date of Receipt: 03-27-2025
Date of Report: 04-01-2025

ASBESTOS PLM REPORT

PROJECT ANALYST AND SIGNATORY REPORT

Project Analyst



Analyst: Philip Newton

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".



Environment Testing
Calscience

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.



570-223992 Chain of Custody

Loc: 570

223992

CHAIN-OF-CUSTODY RECORD

DATE: 03/26/2025

PAGE: 1 OF 4

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME / NO.: LAUSD Palisades Charter HS						P.O. NO.:															
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Amy Chapman; Quote # 57023799 Rev2															
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:			LOG CODE:			SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas															
TEL: 213-310-1563						E-MAIL: Ccampbell@trccompanies.com																					
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD												REQUESTED ANALYSES Please check box or fill in blank as needed.															
EDD: ☐ COELT EDF ☐ OTHER																											
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																											
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B											
		DATE	TIME																								
1	PCHS-SS-11A-0.25	03/26/2025	1212	SS	2	X												PCHS-SS - COMP-11									
2	PCHS-SS-11B-0.25	03/26/2025	1231	SS	2	X												PCHS-SS - COMP-11									
3	PCHS-SS-11C-0.25	03/26/2025	1242	SS	2	X												PCHS-SS - COMP-11									
4	PCHS-SS-11D-0.25	03/26/2025	1254	SS	2	X												PCHS-SS - COMP-11									
5	PCHS-SS-COMP-11								X	X	X							SEE INSTRUCTIONS									
6	PCHS-SS-10A-0.25	03/26/2025	1211	SS	8	X	X											PCHS-SS - COMP-10									
7	PCHS-SS-10B-0.25	03/26/2025	1241	SS	8	X	X											PCHS-SS - COMP-10									
8	PCHS-SS-10C-0.25	03/26/2025	1309	SS	8	X	X											PCHS-SS - COMP-10									
9	PCHS-SS-10D-0.25	03/26/2025	1335	SS	8	X	X											PCHS-SS - COMP-10									
10	PCHS-SS-COMP-10								X	X	X	X	X	X	X	X	X	SEE INSTRUCTIONS									
Relinquished by: (Signature) 						Date: 3-26-25		Time: 19:12		Received by: (Signature/Affiliation) EC						Date: 3-26-25		Time: 1912									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									

3.1/3.3, 2.2/2.4, 1.8/2.0, 2.4/2.6, 5.1/4

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

DATE: 03/26/2025

PAGE: 2 OF 4

[illegible]

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26 sales@eurofinsus.com or call us.

DATE: 03/26/2025

PAGE: 3 OF 4

[illegible]



Environment Testing
Calscience

FRM51408 Rev. 1.2

CHAIN-OF-CUSTODY RECORD

DATE: 03/26/2025
PAGE: 4 OF 4

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494
For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME / NO.: LAUSD Palisades Charter HS						P.O. NO.:															
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Any Company, Quote # 01020199 Rev2															
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:			LOG CODE:			SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas															
TEL: 213-310-1563		E-MAIL: Ccampbell@trccompanies.com				REQUESTED ANALYSES																					
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD						Please check box or fill in blank as needed.																					
EDD: ☐ COELT EDF ☐ OTHER																											
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																											
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B											
		DATE	TIME																								
31	PCHS-SS-7A-0.25	03/26/2025	1401	SS	2	X												PCHS-SS-COMP-7									
32	PCHS-SS-7B-0.25	03/26/2025	1407	SS	2	X												PCHS-SS-COMP-7									
33	PCHS-SS-7C-0.25	03/26/2025	1411	SS	2	X												PCHS-SS-COMP-7									
34	PCHS-SS-7D-0.25	03/26/2025	1417	SS	2	X												PCHS-SS-COMP-7									
35	PCHS-SS-COMP-7								X	X	X							SEE INSTRUCTIONS									
36	PCHS-SS-12A-0.25	03/26/2025	1320	SS	2	X												PCHS-SS-COMP 12									
37	PCHS-SS-12B-0.25	03/26/2025	1332	SS	2	X												PCHS-SS-COMP 12									
38	PCHS-SS-12C-0.25	03/26/2025	1346	SS	2	X												PCHS-SS-COMP 12									
39	PCHS-SS-12D-0.25	03/26/2025	1358	SS	2	X												PCHS-SS-COMP 12									
40	PCHS-SS-COMP-12								X	X	X	X						SEE INSTRUCTIONS									
Relinquished by: (Signature)						Date: 3-26-25		Time: 19:12		Received by: (Signature/Affiliation)						Date: 3.26.25		Time: 1912									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-223992-1

Login Number: 223992

List Source: Eurofins Calscience

List Number: 1

Creator: Chapman, Allyson

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Received Trip Blank(s) not listed on COC.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	False	Sample compositing requested.
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Calscience



ANALYTICAL REPORT

PREPARED FOR

Attn: Colin Campbell
TRC Companies, Inc
707 Wilshire Blvd, Suite 3250
Los Angeles, California 90017

Generated 4/3/2025 3:46:37 PM

JOB DESCRIPTION

LAUSD Palisades Charter HS

JOB NUMBER


570-223992-2

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Generated
4/3/2025 3:46:37 PM

Authorized for release by
Allyson Chapman, Project Manager I
Allyson.Chapman@et.eurofinsus.com
(714)895-5494

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	8
Surrogate Summary	12
Isotope Dilution Summary	13
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Method Summary	21
Sample Summary	22
Chain of Custody	23
Receipt Checklists	29



Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Qualifiers

Dioxin

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
q	The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Job ID: 570-223992-2

Eurofins Calscience

Job Narrative 570-223992-2

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/26/2025 7:12 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.0°C, 2.4°C, 2.6°C and 3.3°C.

Dioxin

Method 1613B: The method blank for preparation batch 320-843248 and analytical batch 320-843947 contained OCDD above the reporting limit (RL). This compound is considered a common laboratory contaminant. The associated samples were not re-extracted and/or re-analyzed because the concentration of the common lab contaminant in the method blank was less than 5 times the RL.

PCHS-SS-COMP-10 (570-223992-10), PCHS-SS-DUP-1 (570-223992-15), PCHS-SS-COMP-15 (570-223992-20) and (MB 320-843248/1-A)

Method 1613B: The method blank (MB) for preparation batch 320-843248 and analytical batch 320-843947 contained Total HpCDD above the reporting limit (RL). This is a summation of all HpCDD analytes present in the MB. Associated samples were not re-extracted and/or re-analyzed.

PCHS-SS-COMP-10 (570-223992-10), PCHS-SS-DUP-1 (570-223992-15), PCHS-SS-COMP-15 (570-223992-20) and (MB 320-843248/1-A)

Method 1613B: EPA Method 1613B specifies a +/- 15 second retention time difference between the recovery standard in the initial calibration (ICAL) and the continuing calibration verification (CCV). The 13C-1,2,3,4-TCDD and 13C-1,2,3,7,8,9-HxCDD associated with the following samples run on instrument DFS 1 exceeded this criteria: PCHS-SS-COMP-10 (570-223992-10), PCHS-SS-DUP-1 (570-223992-15), PCHS-SS-COMP-15 (570-223992-20), (CCV 320-843947/1), (LCS 320-843248/2-A), (LCSD 320-843248/3-A) and (MB 320-843248/1-A). This retention time shift is due to normal and reasonable column maintenance and does not affect the instrument chromatography resolution, sensitivity, or identification of target analytes. System retention times have been updated for proper analyte identification.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Client Sample ID: PCHS-SS-COMP-10

Lab Sample ID: 570-223992-10

Analyte	Result	Qualifier	RL	EDL	Unit	Dil Fac	D	Method	Prep Type
1,2,3,7,8-PeCDF	2.4	J	4.9	0.21	pg/g	1		1613B	Total/NA
2,3,4,7,8-PeCDF	2.6	J	4.9	0.25	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDD	0.97	J	4.9	0.25	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDD	1.9	J	4.9	0.25	pg/g	1		1613B	Total/NA
1,2,3,7,8,9-HxCDD	2.2	J	4.9	0.21	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDF	3.0	J	4.9	0.28	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDF	3.2	J	4.9	0.28	pg/g	1		1613B	Total/NA
1,2,3,7,8,9-HxCDF	0.38	J	4.9	0.21	pg/g	1		1613B	Total/NA
2,3,4,6,7,8-HxCDF	1.9	J	4.9	0.21	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDD	67	B	4.9	0.45	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDF	12		4.9	0.24	pg/g	1		1613B	Total/NA
1,2,3,4,7,8,9-HpCDF	1.2	J	4.9	0.24	pg/g	1		1613B	Total/NA
OCDD	420	B	9.8	0.45	pg/g	1		1613B	Total/NA
OCDF	16	B	9.8	0.13	pg/g	1		1613B	Total/NA
Total TCDD	1.5	q	0.98	0.14	pg/g	1		1613B	Total/NA
Total TCDF	18	q	0.98	0.16	pg/g	1		1613B	Total/NA
Total PeCDD	2.9	J q	4.9	0.20	pg/g	1		1613B	Total/NA
Total PeCDF	19	q	4.9	0.23	pg/g	1		1613B	Total/NA
Total HxCDD	20		4.9	0.24	pg/g	1		1613B	Total/NA
Total HxCDF	25		4.9	0.25	pg/g	1		1613B	Total/NA
Total HpCDD	120	B	4.9	0.45	pg/g	1		1613B	Total/NA
Total HpCDF	25	B	4.9	0.24	pg/g	1		1613B	Total/NA
2,3,7,8-TCDF - RA	2.5		0.98	0.68	pg/g	1		1613B	Total/NA

Client Sample ID: PCHS-SS-DUP-1

Lab Sample ID: 570-223992-15

Analyte	Result	Qualifier	RL	EDL	Unit	Dil Fac	D	Method	Prep Type
1,2,3,7,8-PeCDF	0.99	J	4.8	0.16	pg/g	1		1613B	Total/NA
2,3,4,7,8-PeCDF	1.3	J	4.8	0.19	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDD	0.71	J	4.8	0.19	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDD	1.2	J	4.8	0.19	pg/g	1		1613B	Total/NA
1,2,3,7,8,9-HxCDD	1.5	J	4.8	0.17	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDF	1.4	J	4.8	0.20	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDF	1.3	J	4.8	0.20	pg/g	1		1613B	Total/NA
1,2,3,7,8,9-HxCDF	0.23	J	4.8	0.15	pg/g	1		1613B	Total/NA
2,3,4,6,7,8-HxCDF	1.1	J	4.8	0.15	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDD	47	B	4.8	0.20	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDF	7.0		4.8	0.20	pg/g	1		1613B	Total/NA
1,2,3,4,7,8,9-HpCDF	0.53	J	4.8	0.19	pg/g	1		1613B	Total/NA
OCDD	320	B	9.7	0.43	pg/g	1		1613B	Total/NA
OCDF	11	B	9.7	0.13	pg/g	1		1613B	Total/NA
Total TCDD	0.49	J q	0.97	0.12	pg/g	1		1613B	Total/NA
Total TCDF	9.9		0.97	0.12	pg/g	1		1613B	Total/NA
Total PeCDD	0.80	J q	4.8	0.21	pg/g	1		1613B	Total/NA
Total PeCDF	11	q	4.8	0.18	pg/g	1		1613B	Total/NA
Total HxCDD	12	q	4.8	0.19	pg/g	1		1613B	Total/NA
Total HxCDF	13	q	4.8	0.17	pg/g	1		1613B	Total/NA
Total HpCDD	84	B	4.8	0.20	pg/g	1		1613B	Total/NA
Total HpCDF	15	B q	4.8	0.20	pg/g	1		1613B	Total/NA
2,3,7,8-TCDF - RA	1.8		0.97	0.22	pg/g	1		1613B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Client Sample ID: PCHS-SS-COMP-15

Lab Sample ID: 570-223992-20

Analyte	Result	Qualifier	RL	EDL	Unit	Dil Fac	D	Method	Prep Type
1,2,3,4,6,7,8-HpCDD	2.3	J B	4.8	0.089	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDF	0.63	J q	4.8	0.17	pg/g	1		1613B	Total/NA
OCDD	33	B	9.6	0.21	pg/g	1		1613B	Total/NA
OCDF	1.4	J B q	9.6	0.14	pg/g	1		1613B	Total/NA
Total HpCDD	4.3	J B	4.8	0.089	pg/g	1		1613B	Total/NA
Total HpCDF	1.6	J B q	4.8	0.17	pg/g	1		1613B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS)

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		0.98	0.14	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,7,8-PeCDD	ND		4.9	0.20	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,7,8-PeCDF	2.4	J	4.9	0.21	pg/g		03/31/25 07:38	04/03/25 12:30	1
2,3,4,7,8-PeCDF	2.6	J	4.9	0.25	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,4,7,8-HxCDD	0.97	J	4.9	0.25	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,6,7,8-HxCDD	1.9	J	4.9	0.25	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,7,8,9-HxCDD	2.2	J	4.9	0.21	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,4,7,8-HxCDF	3.0	J	4.9	0.28	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,6,7,8-HxCDF	3.2	J	4.9	0.28	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,7,8,9-HxCDF	0.38	J	4.9	0.21	pg/g		03/31/25 07:38	04/03/25 12:30	1
2,3,4,6,7,8-HxCDF	1.9	J	4.9	0.21	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,4,6,7,8-HpCDD	67	B	4.9	0.45	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,4,6,7,8-HpCDF	12		4.9	0.24	pg/g		03/31/25 07:38	04/03/25 12:30	1
1,2,3,4,7,8,9-HpCDF	1.2	J	4.9	0.24	pg/g		03/31/25 07:38	04/03/25 12:30	1
OCDD	420	B	9.8	0.45	pg/g		03/31/25 07:38	04/03/25 12:30	1
OCDF	16	B	9.8	0.13	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total TCDD	1.5	q	0.98	0.14	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total TCDF	18	q	0.98	0.16	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total PeCDD	2.9	J q	4.9	0.20	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total PeCDF	19	q	4.9	0.23	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total HxCDD	20		4.9	0.24	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total HxCDF	25		4.9	0.25	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total HpCDD	120	B	4.9	0.45	pg/g		03/31/25 07:38	04/03/25 12:30	1
Total HpCDF	25	B	4.9	0.24	pg/g		03/31/25 07:38	04/03/25 12:30	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	72		25 - 164	03/31/25 07:38	04/03/25 12:30	1
13C-2,3,7,8-TCDF	68		24 - 169	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,7,8-PeCDD	80		25 - 181	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,7,8-PeCDF	77		24 - 185	03/31/25 07:38	04/03/25 12:30	1
13C-2,3,4,7,8-PeCDF	68		21 - 178	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,4,7,8-HxCDD	73		32 - 141	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,6,7,8-HxCDD	71		28 - 130	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,4,7,8-HxCDF	61		26 - 152	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,6,7,8-HxCDF	63		26 - 123	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,7,8,9-HxCDF	76		29 - 147	03/31/25 07:38	04/03/25 12:30	1
13C-2,3,4,6,7,8-HxCDF	75		28 - 136	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,4,6,7,8-HpCDD	86		23 - 140	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,4,6,7,8-HpCDF	67		28 - 143	03/31/25 07:38	04/03/25 12:30	1
13C-1,2,3,4,7,8,9-HpCDF	80		26 - 138	03/31/25 07:38	04/03/25 12:30	1
13C-OCDD	82		17 - 157	03/31/25 07:38	04/03/25 12:30	1
13C-OCDF	77		17 - 157	03/31/25 07:38	04/03/25 12:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	98		35 - 197	03/31/25 07:38	04/03/25 12:30	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		0.97	0.12	pg/g		03/31/25 07:38	04/03/25 13:19	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3,7,8-PeCDD	ND		4.8	0.21	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,7,8-PeCDF	0.99	J	4.8	0.16	pg/g		03/31/25 07:38	04/03/25 13:19	1
2,3,4,7,8-PeCDF	1.3	J	4.8	0.19	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,4,7,8-HxCDD	0.71	J	4.8	0.19	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,6,7,8-HxCDD	1.2	J	4.8	0.19	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,7,8,9-HxCDD	1.5	J	4.8	0.17	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,4,7,8-HxCDF	1.4	J	4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,6,7,8-HxCDF	1.3	J	4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,7,8,9-HxCDF	0.23	J	4.8	0.15	pg/g		03/31/25 07:38	04/03/25 13:19	1
2,3,4,6,7,8-HxCDF	1.1	J	4.8	0.15	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,4,6,7,8-HpCDD	47	B	4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,4,6,7,8-HpCDF	7.0		4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1
1,2,3,4,7,8,9-HpCDF	0.53	J	4.8	0.19	pg/g		03/31/25 07:38	04/03/25 13:19	1
OCDD	320	B	9.7	0.43	pg/g		03/31/25 07:38	04/03/25 13:19	1
OCDF	11	B	9.7	0.13	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total TCDD	0.49	J q	0.97	0.12	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total TCDF	9.9		0.97	0.12	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total PeCDD	0.80	J q	4.8	0.21	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total PeCDF	11	q	4.8	0.18	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total HxCDD	12	q	4.8	0.19	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total HxCDF	13	q	4.8	0.17	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total HpCDD	84	B	4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1
Total HpCDF	15	B q	4.8	0.20	pg/g		03/31/25 07:38	04/03/25 13:19	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	73		25 - 164	03/31/25 07:38	04/03/25 13:19	1
13C-2,3,7,8-TCDF	68		24 - 169	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,7,8-PeCDD	79		25 - 181	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,7,8-PeCDF	78		24 - 185	03/31/25 07:38	04/03/25 13:19	1
13C-2,3,4,7,8-PeCDF	69		21 - 178	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,4,7,8-HxCDD	74		32 - 141	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,6,7,8-HxCDD	75		28 - 130	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,4,7,8-HxCDF	62		26 - 152	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,6,7,8-HxCDF	65		26 - 123	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,7,8,9-HxCDF	76		29 - 147	03/31/25 07:38	04/03/25 13:19	1
13C-2,3,4,6,7,8-HxCDF	74		28 - 136	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,4,6,7,8-HpCDD	83		23 - 140	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,4,6,7,8-HpCDF	65		28 - 143	03/31/25 07:38	04/03/25 13:19	1
13C-1,2,3,4,7,8,9-HpCDF	79		26 - 138	03/31/25 07:38	04/03/25 13:19	1
13C-OCDD	74		17 - 157	03/31/25 07:38	04/03/25 13:19	1
13C-OCDF	72		17 - 157	03/31/25 07:38	04/03/25 13:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	97		35 - 197	03/31/25 07:38	04/03/25 13:19	1

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		0.96	0.097	pg/g		03/31/25 07:38	04/03/25 14:07	1
2,3,7,8-TCDF	ND		0.96	0.054	pg/g		03/31/25 07:38	04/03/25 14:07	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Client Sample ID: PCHS-SS-COMP-15

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-20

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3,7,8-PeCDD	ND		4.8	0.15	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,7,8-PeCDF	ND		4.8	0.085	pg/g		03/31/25 07:38	04/03/25 14:07	1
2,3,4,7,8-PeCDF	ND		4.8	0.10	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,4,7,8-HxCDD	ND		4.8	0.17	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,6,7,8-HxCDD	ND		4.8	0.16	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,7,8,9-HxCDD	ND		4.8	0.15	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,4,7,8-HxCDF	ND		4.8	0.12	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,6,7,8-HxCDF	ND		4.8	0.11	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,7,8,9-HxCDF	ND		4.8	0.087	pg/g		03/31/25 07:38	04/03/25 14:07	1
2,3,4,6,7,8-HxCDF	ND		4.8	0.091	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,4,6,7,8-HpCDD	2.3	J B	4.8	0.089	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,4,6,7,8-HpCDF	0.63	J q	4.8	0.17	pg/g		03/31/25 07:38	04/03/25 14:07	1
1,2,3,4,7,8,9-HpCDF	ND		4.8	0.16	pg/g		03/31/25 07:38	04/03/25 14:07	1
OCDD	33	B	9.6	0.21	pg/g		03/31/25 07:38	04/03/25 14:07	1
OCDF	1.4	J B q	9.6	0.14	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total TCDD	ND		0.96	0.097	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total TCDF	ND		0.96	0.054	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total PeCDD	ND		4.8	0.15	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total PeCDF	ND		4.8	0.10	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total HxCDD	ND		4.8	0.17	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total HxCDF	ND		4.8	0.12	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total HpCDD	4.3	J B	4.8	0.089	pg/g		03/31/25 07:38	04/03/25 14:07	1
Total HpCDF	1.6	J B q	4.8	0.17	pg/g		03/31/25 07:38	04/03/25 14:07	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	74		25 - 164				03/31/25 07:38	04/03/25 14:07	1
13C-2,3,7,8-TCDF	66		24 - 169				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,7,8-PeCDD	80		25 - 181				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,7,8-PeCDF	80		24 - 185				03/31/25 07:38	04/03/25 14:07	1
13C-2,3,4,7,8-PeCDF	64		21 - 178				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,4,7,8-HxCDD	67		32 - 141				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,6,7,8-HxCDD	69		28 - 130				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,4,7,8-HxCDF	58		26 - 152				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,6,7,8-HxCDF	60		26 - 123				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,7,8,9-HxCDF	73		29 - 147				03/31/25 07:38	04/03/25 14:07	1
13C-2,3,4,6,7,8-HxCDF	69		28 - 136				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,4,6,7,8-HpCDD	83		23 - 140				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,4,6,7,8-HpCDF	63		28 - 143				03/31/25 07:38	04/03/25 14:07	1
13C-1,2,3,4,7,8,9-HpCDF	79		26 - 138				03/31/25 07:38	04/03/25 14:07	1
13C-OCDD	76		17 - 157				03/31/25 07:38	04/03/25 14:07	1
13C-OCDF	73		17 - 157				03/31/25 07:38	04/03/25 14:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	94		35 - 197				03/31/25 07:38	04/03/25 14:07	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS) - RA

Client Sample ID: PCHS-SS-COMP-10

Date Collected: 03/26/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-10

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDF	2.5		0.98	0.68	pg/g		03/31/25 07:38	04/03/25 08:39	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDF	95		24 - 169				03/31/25 07:38	04/03/25 08:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	106		35 - 197				03/31/25 07:38	04/03/25 08:39	1

Client Sample ID: PCHS-SS-DUP-1

Date Collected: 03/19/25 00:00

Date Received: 03/26/25 19:12

Lab Sample ID: 570-223992-15

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDF	1.8		0.97	0.22	pg/g		03/31/25 07:38	04/03/25 09:19	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDF	107		24 - 169				03/31/25 07:38	04/03/25 09:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	106		35 - 197				03/31/25 07:38	04/03/25 09:19	1

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	37TCDD (35-197)
570-223992-10	PCHS-SS-COMP-10	98
570-223992-10 - RA	PCHS-SS-COMP-10	106
570-223992-15	PCHS-SS-DUP-1	97
570-223992-15 - RA	PCHS-SS-DUP-1	106
570-223992-20	PCHS-SS-COMP-15	94
MB 320-843248/1-A	Method Blank	85
Surrogate Legend		
37TCDD = 37Cl4-2,3,7,8-TCDD		

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	37TCDD (31-191)
LCS 320-843248/2-A	Lab Control Sample	88
LCSD 320-843248/3-A	Lab Control Sample Dup	90
Surrogate Legend		
37TCDD = 37Cl4-2,3,7,8-TCDD		

Isotope Dilution Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TCDD (25-164)	TCDF (24-169)	PeCDD (25-181)	PeCDF (24-185)	PeCF (21-178)	HxCDD (32-141)	HxDD (28-130)	HxCDF (26-152)
570-223992-10	PCHS-SS-COMP-10	72	68	80	77	68	73	71	61
570-223992-10 - RA	PCHS-SS-COMP-10		95						
570-223992-15	PCHS-SS-DUP-1	73	68	79	78	69	74	75	62
570-223992-15 - RA	PCHS-SS-DUP-1		107						
570-223992-20	PCHS-SS-COMP-15	74	66	80	80	64	67	69	58
MB 320-843248/1-A	Method Blank	64	58	73	73	60	67	66	58

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HxDF (26-123)	HxCF (29-147)	¹³ CHxCF (28-136)	HpCDD (23-140)	HpCDF (28-143)	HpCDF2 (26-138)	OCDD (17-157)	OCDF (17-157)
570-223992-10	PCHS-SS-COMP-10	63	76	75	86	67	80	82	77
570-223992-10 - RA	PCHS-SS-COMP-10								
570-223992-15	PCHS-SS-DUP-1	65	76	74	83	65	79	74	72
570-223992-15 - RA	PCHS-SS-DUP-1								
570-223992-20	PCHS-SS-COMP-15	60	73	69	83	63	79	76	73
MB 320-843248/1-A	Method Blank	61	70	66	80	64	74	76	72

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD
TCDF = 13C-2,3,7,8-TCDF
PeCDD = 13C-1,2,3,7,8-PeCDD
PeCDF = 13C-1,2,3,7,8-PeCDF
PeCF = 13C-2,3,4,7,8-PeCDF
HxCDD = 13C-1,2,3,4,7,8-HxCDD
HxDD = 13C-1,2,3,6,7,8-HxCDD
HxCDF = 13C-1,2,3,4,7,8-HxCDF
HxDF = 13C-1,2,3,6,7,8-HxCDF
HxCF = 13C-1,2,3,7,8,9-HxCDF
¹³CHxCF = 13C-2,3,4,6,7,8-HxCDF
HpCDD = 13C-1,2,3,4,6,7,8-HpCDD
HpCDF = 13C-1,2,3,4,6,7,8-HpCDF
HpCDF2 = 13C-1,2,3,4,7,8,9-HpCDF
OCDD = 13C-OCDD
OCDF = 13C-OCDF

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TCDD (20-175)	TCDF (22-152)	PeCDD (21-227)	PeCDF (21-192)	PeCF (13-328)	HxCDD (21-193)	HxDD (25-163)	HxCDF (19-202)
LCS 320-843248/2-A	Lab Control Sample	75	70	86	84	72	78	76	66
LCSD 320-843248/3-A	Lab Control Sample Dup	78	71	85	82	68	74	72	63

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HxDF (21-159)	HxCF (17-205)	¹³ CHxCF (22-176)	HpCDD (26-166)	HpCDF (21-158)	HpCDF2 (20-186)	OCDD (13-199)	OCDF (13-199)
LCS 320-843248/2-A	Lab Control Sample	67	82	80	91	71	84	86	81
LCSD 320-843248/3-A	Lab Control Sample Dup	64	81	78	91	67	86	86	80

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD

Eurofins Calscience

Isotope Dilution Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

TCDF = 13C-2,3,7,8-TCDF
PeCDD = 13C-1,2,3,7,8-PeCDD
PeCDF = 13C-1,2,3,7,8-PeCDF
PeCF = 13C-2,3,4,7,8-PeCDF
HxCDD = 13C-1,2,3,4,7,8-HxCDD
HxDD = 13C-1,2,3,6,7,8-HxCDD
HxCDF = 13C-1,2,3,4,7,8-HxCDF
HxDF = 13C-1,2,3,6,7,8-HxCDF
HxCF = 13C-1,2,3,7,8,9-HxCDF
13CHxCF = 13C-2,3,4,6,7,8-HxCDF
HpCDD = 13C-1,2,3,4,6,7,8-HpCDD
HpCDF = 13C-1,2,3,4,6,7,8-HpCDF
HpCDF2 = 13C-1,2,3,4,7,8,9-HpCDF
OCDD = 13C-OCDD
OCDF = 13C-OCDF

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 320-843248/1-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 843248

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		1.0	0.16	pg/g		03/31/25 07:38	04/03/25 10:05	1
2,3,7,8-TCDF	ND		1.0	0.067	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,7,8-PeCDD	ND		5.0	0.17	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,7,8-PeCDF	ND		5.0	0.095	pg/g		03/31/25 07:38	04/03/25 10:05	1
2,3,4,7,8-PeCDF	ND		5.0	0.12	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,4,7,8-HxCDD	ND		5.0	0.23	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,6,7,8-HxCDD	ND		5.0	0.23	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,7,8,9-HxCDD	ND		5.0	0.20	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,4,7,8-HxCDF	ND		5.0	0.14	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,6,7,8-HxCDF	ND		5.0	0.14	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,7,8,9-HxCDF	ND		5.0	0.11	pg/g		03/31/25 07:38	04/03/25 10:05	1
2,3,4,6,7,8-HxCDF	ND		5.0	0.12	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,4,6,7,8-HpCDD	2.183	J	5.0	0.093	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,4,6,7,8-HpCDF	ND		5.0	0.18	pg/g		03/31/25 07:38	04/03/25 10:05	1
1,2,3,4,7,8,9-HpCDF	ND		5.0	0.19	pg/g		03/31/25 07:38	04/03/25 10:05	1
OCDD	46.11		10	0.26	pg/g		03/31/25 07:38	04/03/25 10:05	1
OCDF	1.506	J	10	0.16	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total TCDD	ND		1.0	0.16	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total TCDF	ND		1.0	0.067	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total PeCDD	ND		5.0	0.17	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total PeCDF	ND		5.0	0.12	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total HxCDD	ND		5.0	0.24	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total HxCDF	ND		5.0	0.14	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total HpCDD	7.712		5.0	0.093	pg/g		03/31/25 07:38	04/03/25 10:05	1
Total HpCDF	0.6171	J q	5.0	0.18	pg/g		03/31/25 07:38	04/03/25 10:05	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	64		25 - 164	03/31/25 07:38	04/03/25 10:05	1
13C-2,3,7,8-TCDF	58		24 - 169	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,7,8-PeCDD	73		25 - 181	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,7,8-PeCDF	73		24 - 185	03/31/25 07:38	04/03/25 10:05	1
13C-2,3,4,7,8-PeCDF	60		21 - 178	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,4,7,8-HxCDD	67		32 - 141	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,6,7,8-HxCDD	66		28 - 130	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,4,7,8-HxCDF	58		26 - 152	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,6,7,8-HxCDF	61		26 - 123	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,7,8,9-HxCDF	70		29 - 147	03/31/25 07:38	04/03/25 10:05	1
13C-2,3,4,6,7,8-HxCDF	66		28 - 136	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,4,6,7,8-HpCDD	80		23 - 140	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,4,6,7,8-HpCDF	64		28 - 143	03/31/25 07:38	04/03/25 10:05	1
13C-1,2,3,4,7,8,9-HpCDF	74		26 - 138	03/31/25 07:38	04/03/25 10:05	1
13C-OCDD	76		17 - 157	03/31/25 07:38	04/03/25 10:05	1
13C-OCDF	72		17 - 157	03/31/25 07:38	04/03/25 10:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	85		35 - 197	03/31/25 07:38	04/03/25 10:05	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 320-843248/2-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 843248

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-TCDD	20.0	19.01		pg/g		95	67 - 158
2,3,7,8-TCDF	20.0	19.51		pg/g		98	75 - 158
1,2,3,7,8-PeCDD	100	90.82		pg/g		91	70 - 142
1,2,3,7,8-PeCDF	100	92.55		pg/g		93	80 - 134
2,3,4,7,8-PeCDF	100	92.06		pg/g		92	68 - 160
1,2,3,4,7,8-HxCDD	100	93.92		pg/g		94	70 - 164
1,2,3,6,7,8-HxCDD	100	110.5		pg/g		110	76 - 134
1,2,3,7,8,9-HxCDD	100	82.11		pg/g		82	64 - 162
1,2,3,4,7,8-HxCDF	100	96.09		pg/g		96	72 - 134
1,2,3,6,7,8-HxCDF	100	93.66		pg/g		94	84 - 130
1,2,3,7,8,9-HxCDF	100	90.63		pg/g		91	78 - 130
2,3,4,6,7,8-HxCDF	100	92.47		pg/g		92	70 - 156
1,2,3,4,6,7,8-HpCDD	100	94.72		pg/g		95	70 - 140
1,2,3,4,6,7,8-HpCDF	100	95.86		pg/g		96	82 - 122
1,2,3,4,7,8,9-HpCDF	100	95.83		pg/g		96	78 - 138
OCDD	200	208.7		pg/g		104	78 - 144
OCDF	200	191.6		pg/g		96	63 - 170

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
13C-2,3,7,8-TCDD	75		20 - 175
13C-2,3,7,8-TCDF	70		22 - 152
13C-1,2,3,7,8-PeCDD	86		21 - 227
13C-1,2,3,7,8-PeCDF	84		21 - 192
13C-2,3,4,7,8-PeCDF	72		13 - 328
13C-1,2,3,4,7,8-HxCDD	78		21 - 193
13C-1,2,3,6,7,8-HxCDD	76		25 - 163
13C-1,2,3,4,7,8-HxCDF	66		19 - 202
13C-1,2,3,6,7,8-HxCDF	67		21 - 159
13C-1,2,3,7,8,9-HxCDF	82		17 - 205
13C-2,3,4,6,7,8-HxCDF	80		22 - 176
13C-1,2,3,4,6,7,8-HpCDD	91		26 - 166
13C-1,2,3,4,6,7,8-HpCDF	71		21 - 158
13C-1,2,3,4,7,8,9-HpCDF	84		20 - 186
13C-OCDD	86		13 - 199
13C-OCDF	81		13 - 199

Surrogate	LCS %Recovery	LCS Qualifier	Limits
37Cl-2,3,7,8-TCDD	88		31 - 191

Lab Sample ID: LCSD 320-843248/3-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 843248

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,3,7,8-TCDD	20.0	18.30		pg/g		92	67 - 158	4	50
2,3,7,8-TCDF	20.0	19.66		pg/g		98	75 - 158	1	50
1,2,3,7,8-PeCDD	100	91.43		pg/g		91	70 - 142	1	50
1,2,3,7,8-PeCDF	100	93.13		pg/g		93	80 - 134	1	50

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCSD 320-843248/3-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 843248

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,3,4,7,8-PeCDF	100	92.68		pg/g		93	68 - 160	1	50
1,2,3,4,7,8-HxCDD	100	90.86		pg/g		91	70 - 164	3	50
1,2,3,6,7,8-HxCDD	100	117.8		pg/g		118	76 - 134	6	50
1,2,3,7,8,9-HxCDD	100	85.44		pg/g		85	64 - 162	4	50
1,2,3,4,7,8-HxCDF	100	94.10		pg/g		94	72 - 134	2	50
1,2,3,6,7,8-HxCDF	100	91.96		pg/g		92	84 - 130	2	50
1,2,3,7,8,9-HxCDF	100	91.51		pg/g		92	78 - 130	1	50
2,3,4,6,7,8-HxCDF	100	92.30		pg/g		92	70 - 156	0	50
1,2,3,4,6,7,8-HpCDD	100	93.54		pg/g		94	70 - 140	1	50
1,2,3,4,6,7,8-HpCDF	100	96.51		pg/g		97	82 - 122	1	50
1,2,3,4,7,8,9-HpCDF	100	93.73		pg/g		94	78 - 138	2	50
OCDD	200	194.1		pg/g		97	78 - 144	7	50
OCDF	200	191.8		pg/g		96	63 - 170	0	50

LCSD LCSD			
Isotope Dilution	%Recovery	Qualifier	Limits
13C-2,3,7,8-TCDD	78		20 - 175
13C-2,3,7,8-TCDF	71		22 - 152
13C-1,2,3,7,8-PeCDD	85		21 - 227
13C-1,2,3,7,8-PeCDF	82		21 - 192
13C-2,3,4,7,8-PeCDF	68		13 - 328
13C-1,2,3,4,7,8-HxCDD	74		21 - 193
13C-1,2,3,6,7,8-HxCDD	72		25 - 163
13C-1,2,3,4,7,8-HxCDF	63		19 - 202
13C-1,2,3,6,7,8-HxCDF	64		21 - 159
13C-1,2,3,7,8,9-HxCDF	81		17 - 205
13C-2,3,4,6,7,8-HxCDF	78		22 - 176
13C-1,2,3,4,6,7,8-HpCDD	91		26 - 166
13C-1,2,3,4,6,7,8-HpCDF	67		21 - 158
13C-1,2,3,4,7,8,9-HpCDF	86		20 - 186
13C-OCDD	86		13 - 199
13C-OCDF	80		13 - 199

LCSD LCSD			
Surrogate	%Recovery	Qualifier	Limits
37Cl4-2,3,7,8-TCDD	90		31 - 191

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Specialty Organics

Prep Batch: 843248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10 - RA	PCHS-SS-COMP-10	Total/NA	Solid	HRMS-Sox	
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	HRMS-Sox	
570-223992-15 - RA	PCHS-SS-DUP-1	Total/NA	Solid	HRMS-Sox	
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	HRMS-Sox	
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	HRMS-Sox	
MB 320-843248/1-A	Method Blank	Total/NA	Solid	HRMS-Sox	
LCS 320-843248/2-A	Lab Control Sample	Total/NA	Solid	HRMS-Sox	
LCSD 320-843248/3-A	Lab Control Sample Dup	Total/NA	Solid	HRMS-Sox	

Analysis Batch: 843947

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10	PCHS-SS-COMP-10	Total/NA	Solid	1613B	843248
570-223992-15	PCHS-SS-DUP-1	Total/NA	Solid	1613B	843248
570-223992-20	PCHS-SS-COMP-15	Total/NA	Solid	1613B	843248
MB 320-843248/1-A	Method Blank	Total/NA	Solid	1613B	843248
LCS 320-843248/2-A	Lab Control Sample	Total/NA	Solid	1613B	843248
LCSD 320-843248/3-A	Lab Control Sample Dup	Total/NA	Solid	1613B	843248

Analysis Batch: 843963

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-223992-10 - RA	PCHS-SS-COMP-10	Total/NA	Solid	1613B	843248
570-223992-15 - RA	PCHS-SS-DUP-1	Total/NA	Solid	1613B	843248

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Client Sample ID: PCHS-SS-COMP-10

Lab Sample ID: 570-223992-10

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox	RA		10.23 g	20.0 uL	843248	03/31/25 07:38	CS	EET SAC
Total/NA	Analysis	1613B	RA	1	1 uL	1 uL	843963	04/03/25 08:39	JBC	EET SAC
Instrument ID: 11D2										
Total/NA	Prep	HRMS-Sox			10.23 g	20.0 uL	843248	03/31/25 07:38	CS	EET SAC
Total/NA	Analysis	1613B		1	1 Sample	1 Sample	843947	04/03/25 12:30	JBC	EET SAC
Instrument ID: DFS 1										

Client Sample ID: PCHS-SS-DUP-1

Lab Sample ID: 570-223992-15

Date Collected: 03/19/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox	RA		10.33 g	20.0 uL	843248	03/31/25 07:38	CS	EET SAC
Total/NA	Analysis	1613B	RA	1	1 uL	1 uL	843963	04/03/25 09:19	JBC	EET SAC
Instrument ID: 11D2										
Total/NA	Prep	HRMS-Sox			10.33 g	20.0 uL	843248	03/31/25 07:38	CS	EET SAC
Total/NA	Analysis	1613B		1	1 Sample	1 Sample	843947	04/03/25 13:19	JBC	EET SAC
Instrument ID: DFS 1										

Client Sample ID: PCHS-SS-COMP-15

Lab Sample ID: 570-223992-20

Date Collected: 03/26/25 00:00

Matrix: Solid

Date Received: 03/26/25 19:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox			10.45 g	20.0 uL	843248	03/31/25 07:38	CS	EET SAC
Total/NA	Analysis	1613B		1	1 Sample	1 Sample	843947	04/03/25 14:07	JBC	EET SAC
Instrument ID: DFS 1										

Laboratory References:

EET SAC = Eurofins Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Accreditation/Certification Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Laboratory: Eurofins Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	2897	01-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
1613B	HRMS-Sox	Solid	1,2,3,4,6,7,8-HpCDD
1613B	HRMS-Sox	Solid	1,2,3,4,6,7,8-HpCDF
1613B	HRMS-Sox	Solid	1,2,3,4,7,8,9-HpCDF
1613B	HRMS-Sox	Solid	1,2,3,4,7,8-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,4,7,8-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,6,7,8-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,6,7,8-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,7,8,9-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,7,8,9-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,7,8-PeCDD
1613B	HRMS-Sox	Solid	1,2,3,7,8-PeCDF
1613B	HRMS-Sox	Solid	2,3,4,6,7,8-HxCDF
1613B	HRMS-Sox	Solid	2,3,4,7,8-PeCDF
1613B	HRMS-Sox	Solid	2,3,7,8-TCDD
1613B	HRMS-Sox	Solid	2,3,7,8-TCDF
1613B	HRMS-Sox	Solid	OCDD
1613B	HRMS-Sox	Solid	OCDF
1613B	HRMS-Sox	Solid	Total HpCDD
1613B	HRMS-Sox	Solid	Total HpCDF
1613B	HRMS-Sox	Solid	Total HxCDD
1613B	HRMS-Sox	Solid	Total HxCDF
1613B	HRMS-Sox	Solid	Total PeCDD
1613B	HRMS-Sox	Solid	Total PeCDF
1613B	HRMS-Sox	Solid	Total TCDD
1613B	HRMS-Sox	Solid	Total TCDF

Method Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Method	Method Description	Protocol	Laboratory
1613B	Dioxins and Furans (HRGC/HRMS)	EPA	EET SAC
HRMS-Sox	Soxhlet Extraction	EPA	EET SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET SAC = Eurofins Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter HS

Job ID: 570-223992-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-223992-10	PCHS-SS-COMP-10	Solid	03/26/25 00:00	03/26/25 19:12
570-223992-15	PCHS-SS-DUP-1	Solid	03/19/25 00:00	03/26/25 19:12
570-223992-20	PCHS-SS-COMP-15	Solid	03/26/25 00:00	03/26/25 19:12



Loc: 570

223992

CHAIN-OF-CUSTODY RECORD

DATE: 03/26/2025

PAGE: 1 OF 4

[illegible]

3.1/3.3, 2.2/2.4, 1.8/2.0, 2.4/2.6 SC14



Environment Testing
Calscience

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

FRM51408 Rev. 1.2

CHAIN-OF-CUSTODY RECORD

DATE: 03/26/2025

PAGE: 2 OF 4

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME / NO.: LAUSD Palisades Charter HS						P.O. NO.:											
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Any Company; Quote # 01023799 Rev2											
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:						LOG CODE:											
TEL: 213-310-1563		E-MAIL: Ccampbell@trccompanies.com				SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas																	
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):												REQUESTED ANALYSES											
☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD												Please check box or fill in blank as needed.											
EDD: ☐ COELT EDF ☐ OTHER																							
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																							
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Fuans - EPA 1613B							
		DATE	TIME																				
11	DUP-1A	03/26/2025		SS	8	X	X											PCHS-SS-DUP-1					
12	DUP-1B	03/26/2025		SS	8	X	X											PCHS-SS-DUP-1					
13	DUP-1C	03/26/2025		SS	8	X	X											PCHS-SS-DUP-1					
14	DUP-1D	03/26/2025		SS	8	X	X											PCHS-SS-DUP-1					
15	PCHS-SS-DUP-1								X	X	X	X	X	X	X	X		SEE INSTRUCTIONS					
16	PCHS-SS-15A-0.25	03/26/2025	1540	SS	8	X	X											PCHS-SS-COMP-15					
17	PCHS-SS-15B-0.25	03/26/2025	1600	SS	8	X	X											PCHS-SS-COMP-15					
18	PCHS-SS-15C-0.25	03/26/2025	1608	SS	8	X	X											PCHS-SS-COMP-15					
19	PCHS-SS-15D-0.25	03/26/2025	1610	SS	8	X	X											PCHS-SS-COMP-15					
20	PCHS-SS-COMP-15								X	X	X		X	X	X	X		SEE INSTRUCTIONS					
Relinquished by: (Signature)						Date: 3-26-25		Time: 19:12		Received by: (Signature/Affiliation)						Date: 3-26-25		Time: 19:13					
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:					
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:					

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26 sales@eurofinsus.com or call us.

DATE: 03/26/2025

PAGE: 3 OF 4

[illegible]

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



Chain of Custody Record

[illegible]

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-223992-2

Login Number: 223992

List Source: Eurofins Calscience

List Number: 1

Creator: Chapman, Allyson

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Received Trip Blank(s) not listed on COC.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	False	Sample compositing requested.
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Calscience

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-223992-2

Login Number: 223992

List Number: 2

Creator: Oropeza, Salvador

List Source: Eurofins Sacramento

List Creation: 03/28/25 10:21 AM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	Seal
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	6.0C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Calscience



ANALYTICAL REPORT

PREPARED FOR

Attn: Colin Campbell
TRC Companies, Inc
707 Wilshire Blvd, Suite 3250
Los Angeles, California 90017

Generated 4/2/2025 6:23:27 PM

JOB DESCRIPTION

LAUSD Palisades Charter

JOB NUMBER

570-224192-1


Eurofins Calscience

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Generated
4/2/2025 6:23:27 PM

Authorized for release by
Allyson Chapman, Project Manager I
Allyson.Chapman@et.eurofinsus.com
(714)895-5494

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Detection Summary	8
Client Sample Results	17
Surrogate Summary	45
QC Sample Results	48
QC Association Summary	72
Lab Chronicle	78
Certification Summary	88
Method Summary	89
Sample Summary	90
Subcontract Data	91
Chain of Custody	97
Receipt Checklists	102



Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*3	ISTD response or retention time outside acceptable limits.
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
E	Result exceeded calibration range.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Eurofins Calscience

Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter

Job ID: 570-224192-1

Job ID: 570-224192-1

Eurofins Calscience

Job Narrative 570-224192-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/27/2025 6:26 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.1°C, 2.8°C, 3.0°C and 3.5°C.

Subcontract Work

Method Asbestos PLM (Qualitative only) 600/R-93/116: This method was subcontracted to Eurofins Built Environment Testing. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-550979. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-551447. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8260B: Internal standard (ISTD) response for 1,4-Dichlorobenzene-d4 for the following sample was outside control limit: PCHS-SS-5A-0.25 (570-224192-21). The sample(s) was re-extracted and/or re-analyzed and ISTD response was outside control limits.

Method 8260B: The following sample was analyzed via a low-level analysis and a high-level (i.e., methanol extract) analysis. The low-level analysis resulted in a value for Acetone above the upper calibration range. The high-level analysis resulted in a non-detect for this analyte in the lowest possible dilution utilized. The results from the low-level analysis are provided and have been flagged as estimated. PCHS-SS-5B-0.25 (570-224192-22) and PCHS-SS-5D-0.25 (570-224192-24)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270C_SIM_PAH: The following samples were diluted due to the nature of the sample matrix: (570-224284-A-1-D), (570-224284-A-1-B MS) and (570-224284-A-1-C MSD). Elevated reporting limits (RLs) are provided.

Method 8270C_SIM_PAH: Surrogate recovery for the following samples were outside control limits: (570-224284-A-1-D), (570-224284-A-1-B MS) and (570-224284-A-1-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270C_SIM_PAH: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-551153 and analytical batch 570-551748 were outside control limits. The associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8270C_SIM_PAH: The matrix spike / matrix spike duplicate / sample duplicate (MS/MSD) precision for preparation batch 570-551153 and analytical batch 570-551748 was outside control limits. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

Eurofins Calscience

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter

Job ID: 570-224192-1

Job ID: 570-224192-1 (Continued)

Eurofins Calscience

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

Method 8015B_GRO: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-551337. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PCBs

Method 8082: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-551665 and analytical batch 570-552579 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

Method 8081A: The matrix spike / matrix spike duplicate / sample duplicate (MS/MSD/DUP) precision for preparation batch 570-552446 and analytical batch 570-552458 was outside control limits. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8081A: The following samples has clear evidence of the presence of chlordane based on the presence of cis and trans chlordane; however, the chlordane peaks in the sample do not closely match the laboratory's Technical Chlordane standard: PCHS-SS-COMP-6 (570-224192-30), PCHS-SS-COMP-14 (570-224192-35) and PCHS-SS-DUP-2 (570-224192-40). As a result, there is increased quantitative uncertainty associated with this result.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-551992 and analytical batch 570-552536 were outside control limits for one or more analytes. See QC Sample Results for detail. The associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 6010B: The method blank for preparation batch 570-551713 and analytical batch 570-552535 contained Barium above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 6010B: The method blank for preparation batch 570-551713 and analytical batch 570-552535 contained Zinc above the reporting limit (RL). Associated sample(s) were not re-extracted and/or re-analyzed because results were greater than 10X the value found in the method blank.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Organic Prep

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-1A-0.25

Lab Sample ID: 570-224192-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-1B-0.25

Lab Sample ID: 570-224192-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-1C-0.25

Lab Sample ID: 570-224192-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-1D-0.25

Lab Sample ID: 570-224192-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-1

Lab Sample ID: 570-224192-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.014	J	0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.018	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.0085	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.011	J	0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.019	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.023		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.025		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.027		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.028		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	6.91		3.13	2.03	mg/Kg	2		6010B	Total/NA
Barium	121		2.09	0.308	mg/Kg	2		6010B	Total/NA
Beryllium	0.355	J	0.418	0.0981	mg/Kg	2		6010B	Total/NA
Cadmium	0.292	J	0.418	0.160	mg/Kg	2		6010B	Total/NA
Chromium	20.7		1.04	0.554	mg/Kg	2		6010B	Total/NA
Cobalt	8.12		2.09	0.445	mg/Kg	2		6010B	Total/NA
Copper	25.9		2.09	0.594	mg/Kg	2		6010B	Total/NA
Lead	65.5		2.09	1.38	mg/Kg	2		6010B	Total/NA
Molybdenum	1.02	J	4.18	1.02	mg/Kg	2		6010B	Total/NA
Nickel	14.6		2.09	1.19	mg/Kg	2		6010B	Total/NA
Selenium	1.88	J	3.13	1.63	mg/Kg	2		6010B	Total/NA
Vanadium	32.6		4.18	0.915	mg/Kg	2		6010B	Total/NA
Zinc	137		4.18	1.70	mg/Kg	2		6010B	Total/NA
Mercury	0.112		0.0887	0.0245	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-2A-0.25

Lab Sample ID: 570-224192-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-2B-0.25

Lab Sample ID: 570-224192-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-2C-0.25

Lab Sample ID: 570-224192-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-2D-0.25

Lab Sample ID: 570-224192-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-2

Lab Sample ID: 570-224192-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.034		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.041		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.022		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.018	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.050		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.059		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.069		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Dieldrin	8.3	p	5.0	0.55	ug/Kg	1		8081A	Total/NA
Arsenic	8.42		3.02	1.96	mg/Kg	2		6010B	Total/NA
Barium	106		2.02	0.297	mg/Kg	2		6010B	Total/NA
Beryllium	0.423		0.403	0.0947	mg/Kg	2		6010B	Total/NA
Cadmium	0.262	J	0.403	0.154	mg/Kg	2		6010B	Total/NA
Chromium	37.8		1.01	0.535	mg/Kg	2		6010B	Total/NA
Cobalt	7.98		2.02	0.429	mg/Kg	2		6010B	Total/NA
Copper	34.4		2.02	0.573	mg/Kg	2		6010B	Total/NA
Lead	51.1		2.02	1.33	mg/Kg	2		6010B	Total/NA
Molybdenum	1.51	J	4.03	0.988	mg/Kg	2		6010B	Total/NA
Nickel	17.0		2.02	1.14	mg/Kg	2		6010B	Total/NA
Selenium	1.69	J	3.02	1.58	mg/Kg	2		6010B	Total/NA
Vanadium	30.6		4.03	0.883	mg/Kg	2		6010B	Total/NA
Zinc	234		4.03	1.64	mg/Kg	2		6010B	Total/NA
Mercury	0.157		0.0786	0.0217	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-3A-0.25

Lab Sample ID: 570-224192-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-3B-0.25

Lab Sample ID: 570-224192-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-3C-0.25

Lab Sample ID: 570-224192-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-3D-0.25

Lab Sample ID: 570-224192-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-COMP-3

Lab Sample ID: 570-224192-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.034		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.0078	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.014	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.012	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.057		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.038		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.013	J	0.020	0.0087	mg/Kg	1		8270C SIM	Total/NA
Arsenic	12.0		3.30	2.13	mg/Kg	2		6010B	Total/NA
Barium	90.5		2.20	0.324	mg/Kg	2		6010B	Total/NA
Beryllium	0.550		0.440	0.103	mg/Kg	2		6010B	Total/NA
Cadmium	0.242	J	0.440	0.168	mg/Kg	2		6010B	Total/NA
Chromium	27.2		1.10	0.584	mg/Kg	2		6010B	Total/NA
Cobalt	10.8		2.20	0.468	mg/Kg	2		6010B	Total/NA
Copper	51.0		2.20	0.626	mg/Kg	2		6010B	Total/NA
Lead	35.2		2.20	1.45	mg/Kg	2		6010B	Total/NA
Molybdenum	2.44	J	4.40	1.08	mg/Kg	2		6010B	Total/NA
Nickel	22.2		2.20	1.25	mg/Kg	2		6010B	Total/NA
Selenium	2.26	J	3.30	1.72	mg/Kg	2		6010B	Total/NA
Vanadium	40.3		4.40	0.963	mg/Kg	2		6010B	Total/NA
Zinc	102		4.40	1.79	mg/Kg	2		6010B	Total/NA
Mercury	0.196		0.0817	0.0225	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-4A-0.25

Lab Sample ID: 570-224192-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-4B-0.25

Lab Sample ID: 570-224192-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-4C-0.25

Lab Sample ID: 570-224192-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-4D-0.25

Lab Sample ID: 570-224192-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-4

Lab Sample ID: 570-224192-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.034		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.050		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Acenaphthylene	0.012	J	0.020	0.0096	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.011	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.010	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.024		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.015	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-COMP-4 (Continued)

Lab Sample ID: 570-224192-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.13		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.072		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.023		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	7.00		3.15	2.04	mg/Kg	2		6010B	Total/NA
Barium	92.8		2.10	0.310	mg/Kg	2		6010B	Total/NA
Beryllium	0.505		0.421	0.0988	mg/Kg	2		6010B	Total/NA
Cadmium	0.841		0.421	0.161	mg/Kg	2		6010B	Total/NA
Chromium	19.2		1.05	0.558	mg/Kg	2		6010B	Total/NA
Cobalt	8.22		2.10	0.448	mg/Kg	2		6010B	Total/NA
Copper	36.4		2.10	0.598	mg/Kg	2		6010B	Total/NA
Lead	29.4		2.10	1.39	mg/Kg	2		6010B	Total/NA
Molybdenum	1.89	J	4.21	1.03	mg/Kg	2		6010B	Total/NA
Nickel	16.6		2.10	1.19	mg/Kg	2		6010B	Total/NA
Vanadium	33.5		4.21	0.921	mg/Kg	2		6010B	Total/NA
Zinc	176		4.21	1.72	mg/Kg	2		6010B	Total/NA
Mercury	0.147		0.0833	0.0230	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-5A-0.25

Lab Sample ID: 570-224192-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	1.1	J *3	2.7	0.37	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	34		27	6.0	ug/Kg	1		8260B	Total/NA
Benzene	6.2		1.3	0.34	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.85	J	1.3	0.28	ug/Kg	1		8260B	Total/NA
o-Xylene	0.79	J	1.3	0.34	ug/Kg	1		8260B	Total/NA
m,p-Xylene	1.8	J	2.7	0.63	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	8.9	*3	1.3	0.38	ug/Kg	1		8260B	Total/NA
Toluene	7.7		1.3	0.36	ug/Kg	1		8260B	Total/NA
Xylenes, Total	2.6	J	2.7	0.80	ug/Kg	1		8260B	Total/NA
Acetone - DL	1400	J	1700	860	ug/Kg	50		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.17		0.14	0.064	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-5B-0.25

Lab Sample ID: 570-224192-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	16	J	28	6.3	ug/Kg	1		8260B	Total/NA
Acetone	450	E	28	14	ug/Kg	1		8260B	Total/NA
Benzene	1.1	J	1.4	0.36	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	1.3	J	1.4	0.40	ug/Kg	1		8260B	Total/NA
Toluene	3.4		1.4	0.38	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	1.9		0.13	0.058	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-5C-0.25

Lab Sample ID: 570-224192-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.83	J	2.8	0.39	ug/Kg	1		8260B	Total/NA
2-Butanone (MEK)	38		28	6.4	ug/Kg	1		8260B	Total/NA
Benzene	3.9		1.4	0.37	ug/Kg	1		8260B	Total/NA
Ethylbenzene	0.50	J	1.4	0.29	ug/Kg	1		8260B	Total/NA
o-Xylene	0.49	J	1.4	0.36	ug/Kg	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-5C-0.25 (Continued)

Lab Sample ID: 570-224192-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m,p-Xylene	1.3	J	2.8	0.67	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	6.5		1.4	0.40	ug/Kg	1		8260B	Total/NA
Toluene	9.2		1.4	0.38	ug/Kg	1		8260B	Total/NA
Xylenes, Total	1.8	J	2.8	0.85	ug/Kg	1		8260B	Total/NA
Acetone - DL	1100	J	2000	1000	ug/Kg	50		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.22		0.13	0.055	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-5D-0.25

Lab Sample ID: 570-224192-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	12	J	23	5.3	ug/Kg	1		8260B	Total/NA
Acetone	370	E	23	12	ug/Kg	1		8260B	Total/NA
Benzene	1.1	J	1.2	0.30	ug/Kg	1		8260B	Total/NA
p-Isopropyltoluene	1.5		1.2	0.33	ug/Kg	1		8260B	Total/NA
Toluene	2.1		1.2	0.31	ug/Kg	1		8260B	Total/NA
Gasoline Range Organics (C4-C12)	0.17		0.13	0.059	mg/Kg	1		8015B	Total/NA
Composited	Yes			NONE		1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-5

Lab Sample ID: 570-224192-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.033		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.042		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.0094	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.015	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.0095	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.012	J	0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.023		0.020	0.0064	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.037		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.022		0.020	0.0096	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.099		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.073		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.038		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
C13-C22	14		5.0	4.5	mg/Kg	1		8015B	Total/NA
C23-C40	61		5.0	4.5	mg/Kg	1		8015B	Total/NA
Arsenic	12.4		3.65	2.36	mg/Kg	2		6010B	Total/NA
Barium	92.4		2.43	0.358	mg/Kg	2		6010B	Total/NA
Beryllium	0.437	J	0.486	0.114	mg/Kg	2		6010B	Total/NA
Cadmium	0.680		0.486	0.186	mg/Kg	2		6010B	Total/NA
Chromium	42.5		1.22	0.645	mg/Kg	2		6010B	Total/NA
Cobalt	8.19		2.43	0.518	mg/Kg	2		6010B	Total/NA
Copper	42.4		2.43	0.691	mg/Kg	2		6010B	Total/NA
Lead	81.6		2.43	1.61	mg/Kg	2		6010B	Total/NA
Molybdenum	1.97	J	4.86	1.19	mg/Kg	2		6010B	Total/NA
Nickel	19.1		2.43	1.38	mg/Kg	2		6010B	Total/NA
Vanadium	33.9		4.86	1.06	mg/Kg	2		6010B	Total/NA
Zinc	217		4.86	1.98	mg/Kg	2		6010B	Total/NA
Mercury	0.176		0.0833	0.0230	mg/Kg	1		7471A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-6A-0.25

Lab Sample ID: 570-224192-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-6B-0.25

Lab Sample ID: 570-224192-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-6C-0.25

Lab Sample ID: 570-224192-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-6D-0.25

Lab Sample ID: 570-224192-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-6

Lab Sample ID: 570-224192-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.026		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.039		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Acenaphthylene	0.016	J	0.020	0.0096	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.014	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.017	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.012	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.020		0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.044		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.015	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.10		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.075		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.043		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
4,4'-DDE	6.2	p	5.0	0.68	ug/Kg	1		8081A	Total/NA
4,4'-DDT	3.3	J p	5.0	1.2	ug/Kg	1		8081A	Total/NA
alpha-Chlordane	5.8	p	5.0	0.56	ug/Kg	1		8081A	Total/NA
Chlordane	72		25	4.1	ug/Kg	1		8081A	Total/NA
Endosulfan II	1.1	J p	5.0	0.54	ug/Kg	1		8081A	Total/NA
Endosulfan sulfate	4.5	J	5.0	0.63	ug/Kg	1		8081A	Total/NA
gamma-Chlordane	16		5.0	3.4	ug/Kg	1		8081A	Total/NA
Heptachlor epoxide	0.60	J p	5.0	0.54	ug/Kg	1		8081A	Total/NA
Toxaphene	99	p	25	15	ug/Kg	1		8081A	Total/NA
Arsenic	6.10		3.45	2.23	mg/Kg	2		6010B	Total/NA
Barium	105		2.30	0.339	mg/Kg	2		6010B	Total/NA
Beryllium	0.368	J	0.460	0.108	mg/Kg	2		6010B	Total/NA
Cadmium	0.299	J	0.460	0.176	mg/Kg	2		6010B	Total/NA
Chromium	17.0		1.15	0.611	mg/Kg	2		6010B	Total/NA
Cobalt	7.78		2.30	0.490	mg/Kg	2		6010B	Total/NA
Copper	28.0		2.30	0.654	mg/Kg	2		6010B	Total/NA
Lead	43.0		2.30	1.52	mg/Kg	2		6010B	Total/NA
Molybdenum	1.45	J	4.60	1.13	mg/Kg	2		6010B	Total/NA
Nickel	14.0		2.30	1.31	mg/Kg	2		6010B	Total/NA
Vanadium	28.7		4.60	1.01	mg/Kg	2		6010B	Total/NA
Zinc	121		4.60	1.88	mg/Kg	2		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-COMP-6 (Continued)

Lab Sample ID: 570-224192-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mercury	0.251		0.0817	0.0225	mg/Kg	1		7471A	Total/NA

Client Sample ID: PCHS-SS-14A-0.25

Lab Sample ID: 570-224192-31

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-14B-0.25

Lab Sample ID: 570-224192-32

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-14C-0.25

Lab Sample ID: 570-224192-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-14D-0.25

Lab Sample ID: 570-224192-34

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-14

Lab Sample ID: 570-224192-35

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.013	J	0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.0091	J	0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.019	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.014	J	0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.027		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.017	J	0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
4,4'-DDD	0.83	J p	5.0	0.72	ug/Kg	1		8081A	Total/NA
4,4'-DDE	6.0		5.0	0.69	ug/Kg	1		8081A	Total/NA
4,4'-DDT	3.2	J p	5.0	1.2	ug/Kg	1		8081A	Total/NA
Chlordane	13	J	25	4.1	ug/Kg	1		8081A	Total/NA
Arsenic	5.58		2.93	1.89	mg/Kg	2		6010B	Total/NA
Barium	83.2		1.95	0.288	mg/Kg	2		6010B	Total/NA
Beryllium	0.215	J	0.390	0.0917	mg/Kg	2		6010B	Total/NA
Cadmium	0.702		0.390	0.149	mg/Kg	2		6010B	Total/NA
Chromium	28.7		0.975	0.518	mg/Kg	2		6010B	Total/NA
Cobalt	5.91		1.95	0.416	mg/Kg	2		6010B	Total/NA
Copper	20.2		1.95	0.555	mg/Kg	2		6010B	Total/NA
Lead	38.9		1.95	1.29	mg/Kg	2		6010B	Total/NA
Molybdenum	1.58	J	3.90	0.956	mg/Kg	2		6010B	Total/NA
Nickel	13.7		1.95	1.11	mg/Kg	2		6010B	Total/NA
Vanadium	30.7		3.90	0.854	mg/Kg	2		6010B	Total/NA
Zinc	131		3.90	1.59	mg/Kg	2		6010B	Total/NA
Mercury	0.0928		0.0833	0.0230	mg/Kg	1		7471A	Total/NA

Client Sample ID: DUP-2A

Lab Sample ID: 570-224192-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: DUP-2B

Lab Sample ID: 570-224192-37

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: DUP-2C

Lab Sample ID: 570-224192-38

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: DUP-2D

Lab Sample ID: 570-224192-39

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-DUP-2

Lab Sample ID: 570-224192-40

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.019	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.034		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Acenaphthene	0.022		0.020	0.013	mg/Kg	1		8270C SIM	Total/NA
Acenaphthylene	0.012	J	0.020	0.0095	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.057		0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.012	J	0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Benzo[k]fluoranthene	0.041		0.020	0.017	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.081		0.020	0.0079	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.024		0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.051		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.11		0.020	0.0064	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.42		0.020	0.0079	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.019	J	0.020	0.0096	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.059		0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.21		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.33		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
4,4'-DDD	3.2	J	5.0	0.71	ug/Kg	1		8081A	Total/NA
4,4'-DDE	18		5.0	0.68	ug/Kg	1		8081A	Total/NA
4,4'-DDT	6.8		5.0	1.2	ug/Kg	1		8081A	Total/NA
alpha-Chlordane	0.88	J p	5.0	0.56	ug/Kg	1		8081A	Total/NA
Chlordane	13	J p	25	4.1	ug/Kg	1		8081A	Total/NA
Arsenic	7.16		2.59	1.67	mg/Kg	2		6010B	Total/NA
Barium	89.0	B	1.72	0.254	mg/Kg	2		6010B	Total/NA
Beryllium	0.379		0.345	0.0810	mg/Kg	2		6010B	Total/NA
Cadmium	0.328	J	0.345	0.132	mg/Kg	2		6010B	Total/NA
Chromium	24.3		0.862	0.458	mg/Kg	2		6010B	Total/NA
Cobalt	7.10		1.72	0.367	mg/Kg	2		6010B	Total/NA
Copper	18.8		1.72	0.491	mg/Kg	2		6010B	Total/NA
Lead	18.3		1.72	1.14	mg/Kg	2		6010B	Total/NA
Molybdenum	1.16	J	3.45	0.845	mg/Kg	2		6010B	Total/NA
Nickel	15.9		1.72	0.979	mg/Kg	2		6010B	Total/NA
Selenium	1.98	J	2.59	1.35	mg/Kg	2		6010B	Total/NA
Vanadium	35.0		3.45	0.755	mg/Kg	2		6010B	Total/NA
Zinc	89.5	B	3.45	1.41	mg/Kg	2		6010B	Total/NA
Mercury	0.113		0.0833	0.0230	mg/Kg	1		7471A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-13A-0.25

Lab Sample ID: 570-224192-41

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-13B-0.25

Lab Sample ID: 570-224192-42

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-13C-0.25

Lab Sample ID: 570-224192-43

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-13D-0.25

Lab Sample ID: 570-224192-44

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Composited	Yes				NONE	1		Composite	Total/NA

Client Sample ID: PCHS-SS-COMP-13

Lab Sample ID: 570-224192-45

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
2-Methylnaphthalene	0.036		0.020	0.010	mg/Kg	1		8270C SIM	Total/NA
Anthracene	0.011	J	0.020	0.0088	mg/Kg	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.011	J	0.020	0.011	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.011	J	0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.0099	J	0.020	0.0081	mg/Kg	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.017	J	0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Chrysene	0.029		0.020	0.0065	mg/Kg	1		8270C SIM	Total/NA
Fluoranthene	0.037		0.020	0.0080	mg/Kg	1		8270C SIM	Total/NA
Fluorene	0.016	J	0.020	0.0097	mg/Kg	1		8270C SIM	Total/NA
Naphthalene	0.052		0.020	0.0089	mg/Kg	1		8270C SIM	Total/NA
Phenanthrene	0.055		0.020	0.015	mg/Kg	1		8270C SIM	Total/NA
Pyrene	0.035		0.020	0.0086	mg/Kg	1		8270C SIM	Total/NA
Arsenic	10.9		2.79	1.80	mg/Kg	2		6010B	Total/NA
Barium	198	B	1.86	0.274	mg/Kg	2		6010B	Total/NA
Beryllium	0.390		0.372	0.0874	mg/Kg	2		6010B	Total/NA
Cadmium	0.762		0.372	0.142	mg/Kg	2		6010B	Total/NA
Chromium	35.3		0.930	0.494	mg/Kg	2		6010B	Total/NA
Cobalt	8.52		1.86	0.396	mg/Kg	2		6010B	Total/NA
Copper	33.7		1.86	0.529	mg/Kg	2		6010B	Total/NA
Lead	42.3		1.86	1.23	mg/Kg	2		6010B	Total/NA
Molybdenum	2.23	J	3.72	0.911	mg/Kg	2		6010B	Total/NA
Nickel	24.6		1.86	1.06	mg/Kg	2		6010B	Total/NA
Selenium	2.94		2.79	1.46	mg/Kg	2		6010B	Total/NA
Vanadium	49.2		3.72	0.814	mg/Kg	2		6010B	Total/NA
Zinc	150	B	3.72	1.52	mg/Kg	2		6010B	Total/NA
Mercury	0.0589	J	0.0850	0.0235	mg/Kg	1		7471A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: PCHS-SS-5A-0.25

Date Collected: 03/27/25 11:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-21

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.3	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1,1-Trichloroethane	ND		1.3	0.31	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1,2,2-Tetrachloroethane	ND	*3	2.7	0.73	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		13	0.62	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1,2-Trichloroethane	ND		1.3	0.62	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1-Dichloroethane	ND		1.3	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1-Dichloroethene	ND		1.3	0.35	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,1-Dichloropropene	ND		2.7	0.52	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2,3-Trichlorobenzene	ND	*3	2.7	0.50	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2,3-Trichloropropane	ND		2.7	0.56	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2,4-Trichlorobenzene	ND	*3	2.7	0.55	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2,4-Trimethylbenzene	1.1	J *3	2.7	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2-Dibromo-3-Chloropropane	ND	*3	13	4.4	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2-Dibromoethane	ND		1.3	0.27	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2-Dichlorobenzene	ND	*3	1.3	0.33	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2-Dichloroethane	ND		1.3	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,2-Dichloropropane	ND		1.3	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,3,5-Trimethylbenzene	ND		2.7	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,3-Dichlorobenzene	ND	*3	1.3	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,3-Dichloropropane	ND		1.3	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
1,4-Dichlorobenzene	ND	*3	1.3	0.41	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
2,2-Dichloropropane	ND		6.7	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
2-Butanone (MEK)	34		27	6.0	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
2-Chlorotoluene	ND		1.3	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
2-Hexanone	ND		27	4.1	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
4-Chlorotoluene	ND	*3	1.3	0.32	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
4-Methyl-2-pentanone (MIBK)	ND		27	3.9	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Benzene	6.2		1.3	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Bromobenzene	ND		1.3	0.28	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Bromochloromethane	ND		2.7	0.59	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Bromodichloromethane	ND		1.3	0.43	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Bromoform	ND	*3	6.7	1.8	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Bromomethane	ND		27	8.8	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
cis-1,2-Dichloroethene	ND		1.3	0.45	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
cis-1,3-Dichloropropene	ND		1.3	0.47	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Carbon disulfide	ND		13	0.53	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Carbon tetrachloride	ND		1.3	0.40	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Chlorobenzene	ND		1.3	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Chloroethane	ND		2.7	0.99	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Chloroform	ND		1.3	0.79	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Chloromethane	ND		27	2.1	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Dibromochloromethane	ND		2.7	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Dibromomethane	ND		1.3	0.41	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Dichlorodifluoromethane	ND		2.7	0.61	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Ethylbenzene	0.85	J	1.3	0.28	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Isopropylbenzene	ND		1.3	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Methylene Chloride	ND		13	4.2	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Methyl-t-Butyl Ether (MTBE)	ND		2.7	0.25	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Naphthalene	ND	*3	13	5.2	ug/Kg		03/28/25 16:09	03/31/25 12:03	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5A-0.25

Date Collected: 03/27/25 11:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-21

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
n-Butylbenzene	ND	*3	1.3	0.28	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
N-Propylbenzene	ND		2.7	0.35	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
o-Xylene	0.79	J	1.3	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
m,p-Xylene	1.8	J	2.7	0.63	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
p-Isopropyltoluene	8.9	*3	1.3	0.38	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
sec-Butylbenzene	ND	*3	1.3	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Styrene	ND		1.3	0.42	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
trans-1,2-Dichloroethene	ND		1.3	0.40	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
trans-1,3-Dichloropropene	ND		2.7	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
tert-Butylbenzene	ND	*3	1.3	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Tetrachloroethene	ND		1.3	0.30	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Toluene	7.7		1.3	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Trichloroethene	ND		2.7	0.52	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Trichlorofluoromethane	ND		13	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Vinyl acetate	ND		13	5.2	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Vinyl chloride	ND		1.3	0.51	ug/Kg		03/28/25 16:09	03/31/25 12:03	1
Xylenes, Total	2.6	J	2.7	0.80	ug/Kg		03/28/25 16:09	03/31/25 12:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		32 - 179	03/28/25 16:09	03/31/25 12:03	1
4-Bromofluorobenzene (Surr)	84		80 - 120	03/28/25 16:09	03/31/25 12:03	1
Dibromofluoromethane (Surr)	103		58 - 147	03/28/25 16:09	03/31/25 12:03	1
Toluene-d8 (Surr)	98		80 - 120	03/28/25 16:09	03/31/25 12:03	1

Client Sample ID: PCHS-SS-5B-0.25

Date Collected: 03/27/25 11:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-22

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.4	0.41	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1,1-Trichloroethane	ND		1.4	0.33	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1,2,2-Tetrachloroethane	ND		2.8	0.77	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		14	0.65	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1,2-Trichloroethane	ND		1.4	0.65	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1-Dichloroethane	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1-Dichloroethene	ND		1.4	0.37	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,1-Dichloropropene	ND		2.8	0.55	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2,3-Trichlorobenzene	ND		2.8	0.53	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2,3-Trichloropropane	ND		2.8	0.59	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2,4-Trichlorobenzene	ND		2.8	0.58	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2,4-Trimethylbenzene	ND		2.8	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2-Dibromo-3-Chloropropane	ND		14	4.7	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2-Dibromoethane	ND		1.4	0.29	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2-Dichlorobenzene	ND		1.4	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2-Dichloroethane	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,2-Dichloropropane	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,3,5-Trimethylbenzene	ND		2.8	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,3-Dichlorobenzene	ND		1.4	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,3-Dichloropropane	ND		1.4	0.42	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
1,4-Dichlorobenzene	ND		1.4	0.43	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
2,2-Dichloropropane	ND		7.0	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5B-0.25

Date Collected: 03/27/25 11:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-22

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Butanone (MEK)	16	J	28	6.3	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
2-Chlorotoluene	ND		1.4	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
2-Hexanone	ND		28	4.3	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
4-Chlorotoluene	ND		1.4	0.34	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
4-Methyl-2-pentanone (MIBK)	ND		28	4.1	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Acetone	450	E	28	14	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Benzene	1.1	J	1.4	0.36	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Bromobenzene	ND		1.4	0.29	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Bromochloromethane	ND		2.8	0.63	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Bromodichloromethane	ND		1.4	0.46	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Bromoform	ND		7.0	1.9	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Bromomethane	ND		28	9.3	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
cis-1,2-Dichloroethene	ND		1.4	0.47	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
cis-1,3-Dichloropropene	ND		1.4	0.49	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Carbon disulfide	ND		14	0.56	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Carbon tetrachloride	ND		1.4	0.42	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Chlorobenzene	ND		1.4	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Chloroethane	ND		2.8	1.0	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Chloroform	ND		1.4	0.83	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Chloromethane	ND		28	2.2	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Dibromochloromethane	ND		2.8	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Dibromomethane	ND		1.4	0.43	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Dichlorodifluoromethane	ND		2.8	0.64	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Ethylbenzene	ND		1.4	0.29	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Isopropylbenzene	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Methylene Chloride	ND		14	4.4	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Methyl-t-Butyl Ether (MTBE)	ND		2.8	0.26	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Naphthalene	ND		14	5.5	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
n-Butylbenzene	ND		1.4	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
N-Propylbenzene	ND		2.8	0.37	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
o-Xylene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
m,p-Xylene	ND		2.8	0.67	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
p-Isopropyltoluene	1.3	J	1.4	0.40	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
sec-Butylbenzene	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Styrene	ND		1.4	0.45	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
trans-1,2-Dichloroethene	ND		1.4	0.42	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
trans-1,3-Dichloropropene	ND		2.8	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
tert-Butylbenzene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Tetrachloroethene	ND		1.4	0.31	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Toluene	3.4		1.4	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Trichloroethene	ND		2.8	0.54	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Trichlorofluoromethane	ND		14	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Vinyl acetate	ND		14	5.5	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Vinyl chloride	ND		1.4	0.53	ug/Kg		03/28/25 16:09	03/29/25 03:05	1
Xylenes, Total	ND		2.8	0.84	ug/Kg		03/28/25 16:09	03/29/25 03:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		32 - 179	03/28/25 16:09	03/29/25 03:05	1
4-Bromofluorobenzene (Surr)	93		80 - 120	03/28/25 16:09	03/29/25 03:05	1
Dibromofluoromethane (Surr)	104		58 - 147	03/28/25 16:09	03/29/25 03:05	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5B-0.25

Date Collected: 03/27/25 11:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-22

Matrix: Solid

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120	03/28/25 16:09	03/29/25 03:05	1

Client Sample ID: PCHS-SS-5C-0.25

Date Collected: 03/27/25 11:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.4	0.41	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1,1-Trichloroethane	ND		1.4	0.33	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1,2,2-Tetrachloroethane	ND		2.8	0.77	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		14	0.66	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1,2-Trichloroethane	ND		1.4	0.66	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1-Dichloroethane	ND		1.4	0.40	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1-Dichloroethene	ND		1.4	0.38	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,1-Dichloropropene	ND		2.8	0.55	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2,3-Trichlorobenzene	ND		2.8	0.53	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2,3-Trichloropropane	ND		2.8	0.60	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2,4-Trichlorobenzene	ND		2.8	0.58	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2,4-Trimethylbenzene	0.83	J	2.8	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2-Dibromo-3-Chloropropane	ND		14	4.7	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2-Dibromoethane	ND		1.4	0.29	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2-Dichlorobenzene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2-Dichloroethane	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,2-Dichloropropane	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,3,5-Trimethylbenzene	ND		2.8	0.38	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,3-Dichlorobenzene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,3-Dichloropropane	ND		1.4	0.42	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
1,4-Dichlorobenzene	ND		1.4	0.44	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
2,2-Dichloropropane	ND		7.1	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
2-Butanone (MEK)	38		28	6.4	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
2-Chlorotoluene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
2-Hexanone	ND		28	4.4	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
4-Chlorotoluene	ND		1.4	0.34	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
4-Methyl-2-pentanone (MIBK)	ND		28	4.1	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Benzene	3.9		1.4	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Bromobenzene	ND		1.4	0.30	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Bromochloromethane	ND		2.8	0.63	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Bromodichloromethane	ND		1.4	0.46	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Bromoform	ND		7.1	1.9	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Bromomethane	ND		28	9.3	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
cis-1,2-Dichloroethene	ND		1.4	0.48	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
cis-1,3-Dichloropropene	ND		1.4	0.50	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Carbon disulfide	ND		14	0.57	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Carbon tetrachloride	ND		1.4	0.43	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Chlorobenzene	ND		1.4	0.38	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Chloroethane	ND		2.8	1.1	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Chloroform	ND		1.4	0.84	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Chloromethane	ND		28	2.2	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Dibromochloromethane	ND		2.8	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Dibromomethane	ND		1.4	0.43	ug/Kg		03/28/25 16:09	03/31/25 12:24	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5C-0.25

Date Collected: 03/27/25 11:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		2.8	0.64	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Ethylbenzene	0.50	J	1.4	0.29	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Isopropylbenzene	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Methylene Chloride	ND		14	4.4	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Methyl-t-Butyl Ether (MTBE)	ND		2.8	0.27	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Naphthalene	ND		14	5.6	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
n-Butylbenzene	ND		1.4	0.30	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
N-Propylbenzene	ND		2.8	0.37	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
o-Xylene	0.49	J	1.4	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
m,p-Xylene	1.3	J	2.8	0.67	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
p-Isopropyltoluene	6.5		1.4	0.40	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
sec-Butylbenzene	ND		1.4	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Styrene	ND		1.4	0.45	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
trans-1,2-Dichloroethene	ND		1.4	0.43	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
trans-1,3-Dichloropropene	ND		2.8	0.40	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
tert-Butylbenzene	ND		1.4	0.36	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Tetrachloroethene	ND		1.4	0.32	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Toluene	9.2		1.4	0.38	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Trichloroethene	ND		2.8	0.55	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Trichlorofluoromethane	ND		14	0.39	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Vinyl acetate	ND		14	5.6	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Vinyl chloride	ND		1.4	0.54	ug/Kg		03/28/25 16:09	03/31/25 12:24	1
Xylenes, Total	1.8	J	2.8	0.85	ug/Kg		03/28/25 16:09	03/31/25 12:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		32 - 179	03/28/25 16:09	03/31/25 12:24	1
4-Bromofluorobenzene (Surr)	91		80 - 120	03/28/25 16:09	03/31/25 12:24	1
Dibromofluoromethane (Surr)	104		58 - 147	03/28/25 16:09	03/31/25 12:24	1
Toluene-d8 (Surr)	98		80 - 120	03/28/25 16:09	03/31/25 12:24	1

Client Sample ID: PCHS-SS-5D-0.25

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-24

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.2	0.34	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1,1-Trichloroethane	ND		1.2	0.27	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1,2,2-Tetrachloroethane	ND		2.3	0.64	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		12	0.54	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1,2-Trichloroethane	ND		1.2	0.54	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1-Dichloroethane	ND		1.2	0.33	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1-Dichloroethene	ND		1.2	0.31	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,1-Dichloropropene	ND		2.3	0.45	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2,3-Trichlorobenzene	ND		2.3	0.44	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2,3-Trichloropropane	ND		2.3	0.49	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2,4-Trichlorobenzene	ND		2.3	0.48	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2,4-Trimethylbenzene	ND		2.3	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2-Dibromo-3-Chloropropane	ND		12	3.9	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2-Dibromoethane	ND		1.2	0.24	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2-Dichlorobenzene	ND		1.2	0.29	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,2-Dichloroethane	ND		1.2	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5D-0.25

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-24

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	ND		1.2	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,3,5-Trimethylbenzene	ND		2.3	0.31	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,3-Dichlorobenzene	ND		1.2	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,3-Dichloropropane	ND		1.2	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
1,4-Dichlorobenzene	ND		1.2	0.36	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
2,2-Dichloropropane	ND		5.9	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
2-Butanone (MEK)	12	J	23	5.3	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
2-Chlorotoluene	ND		1.2	0.29	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
2-Hexanone	ND		23	3.6	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
4-Chlorotoluene	ND		1.2	0.28	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
4-Methyl-2-pentanone (MIBK)	ND		23	3.4	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Acetone	370	E	23	12	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Benzene	1.1	J	1.2	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Bromobenzene	ND		1.2	0.24	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Bromochloromethane	ND		2.3	0.52	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Bromodichloromethane	ND		1.2	0.38	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Bromoform	ND		5.9	1.5	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Bromomethane	ND		23	7.7	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
cis-1,2-Dichloroethene	ND		1.2	0.39	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
cis-1,3-Dichloropropene	ND		1.2	0.41	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Carbon disulfide	ND		12	0.47	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Carbon tetrachloride	ND		1.2	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Chlorobenzene	ND		1.2	0.31	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Chloroethane	ND		2.3	0.87	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Chloroform	ND		1.2	0.69	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Chloromethane	ND		23	1.8	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Dibromochloromethane	ND		2.3	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Dibromomethane	ND		1.2	0.36	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Dichlorodifluoromethane	ND		2.3	0.53	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Ethylbenzene	ND		1.2	0.24	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Isopropylbenzene	ND		1.2	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Methylene Chloride	ND		12	3.7	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Methyl-t-Butyl Ether (MTBE)	ND		2.3	0.22	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Naphthalene	ND		12	4.6	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
n-Butylbenzene	ND		1.2	0.25	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
N-Propylbenzene	ND		2.3	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
o-Xylene	ND		1.2	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
m,p-Xylene	ND		2.3	0.55	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
p-Isopropyltoluene	1.5		1.2	0.33	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
sec-Butylbenzene	ND		1.2	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Styrene	ND		1.2	0.37	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
trans-1,2-Dichloroethene	ND		1.2	0.35	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
trans-1,3-Dichloropropene	ND		2.3	0.33	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
tert-Butylbenzene	ND		1.2	0.30	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Tetrachloroethene	ND		1.2	0.26	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Toluene	2.1		1.2	0.31	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Trichloroethene	ND		2.3	0.45	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Trichlorofluoromethane	ND		12	0.32	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Vinyl acetate	ND		12	4.6	ug/Kg		03/28/25 16:09	03/29/25 03:46	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: PCHS-SS-5D-0.25

Lab Sample ID: 570-224192-24

Date Collected: 03/27/25 12:00

Matrix: Solid

Date Received: 03/27/25 18:26

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	ND		1.2	0.44	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Xylenes, Total	ND		2.3	0.70	ug/Kg		03/28/25 16:09	03/29/25 03:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		32 - 179				03/28/25 16:09	03/29/25 03:46	1
4-Bromofluorobenzene (Surr)	87		80 - 120				03/28/25 16:09	03/29/25 03:46	1
Dibromofluoromethane (Surr)	109		58 - 147				03/28/25 16:09	03/29/25 03:46	1
Toluene-d8 (Surr)	99		80 - 120				03/28/25 16:09	03/29/25 03:46	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) - DL

Client Sample ID: PCHS-SS-5A-0.25

Date Collected: 03/27/25 11:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-21

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	1400	J	1700	860	ug/Kg		03/28/25 16:09	03/31/25 13:45	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		32 - 179				03/28/25 16:09	03/31/25 13:45	50
4-Bromofluorobenzene (Surr)	97		80 - 120				03/28/25 16:09	03/31/25 13:45	50
Dibromofluoromethane (Surr)	97		58 - 147				03/28/25 16:09	03/31/25 13:45	50
Toluene-d8 (Surr)	102		80 - 120				03/28/25 16:09	03/31/25 13:45	50

Client Sample ID: PCHS-SS-5C-0.25

Date Collected: 03/27/25 11:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	1100	J	2000	1000	ug/Kg		03/28/25 16:09	03/31/25 14:26	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		32 - 179				03/28/25 16:09	03/31/25 14:26	50
4-Bromofluorobenzene (Surr)	98		80 - 120				03/28/25 16:09	03/31/25 14:26	50
Dibromofluoromethane (Surr)	93		58 - 147				03/28/25 16:09	03/31/25 14:26	50
Toluene-d8 (Surr)	101		80 - 120				03/28/25 16:09	03/31/25 14:26	50

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM)

Client Sample ID: PCHS-SS-COMP-1

Date Collected: 03/27/25 13:32

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
2-Methylnaphthalene	0.014	J	0.020	0.010	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Anthracene	ND		0.020	0.0088	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Benzo[g,h,i]perylene	0.018	J	0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Benzo[a]anthracene	0.0085	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Benzo[a]pyrene	0.011	J	0.020	0.0081	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Chrysene	0.019	J	0.020	0.0065	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Fluoranthene	0.023		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Naphthalene	0.025		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Phenanthrene	0.027		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 22:54	1
Pyrene	0.028		0.020	0.0086	mg/Kg		03/29/25 07:59	03/30/25 22:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	65		22 - 130	03/29/25 07:59	03/30/25 22:54	1
Nitrobenzene-d5 (Surr)	62		20 - 145	03/29/25 07:59	03/30/25 22:54	1
p-Terphenyl-d14 (Surr)	74		33 - 147	03/29/25 07:59	03/30/25 22:54	1

Client Sample ID: PCHS-SS-COMP-2

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.034		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
2-Methylnaphthalene	0.041		0.020	0.010	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Anthracene	ND		0.020	0.0088	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Chrysene	ND		0.020	0.0065	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Fluoranthene	0.022		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Fluorene	0.018	J	0.020	0.0097	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Naphthalene	0.050		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Phenanthrene	0.059		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 23:16	1
Pyrene	0.069		0.020	0.0086	mg/Kg		03/29/25 07:59	03/30/25 23:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	54		22 - 130	03/29/25 07:59	03/30/25 23:16	1
Nitrobenzene-d5 (Surr)	40		20 - 145	03/29/25 07:59	03/30/25 23:16	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-2

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-10

Matrix: Solid

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	57		33 - 147	03/29/25 07:59	03/30/25 23:16	1

Client Sample ID: PCHS-SS-COMP-3

Date Collected: 03/27/25 12:51

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
2-Methylnaphthalene	0.034		0.020	0.010	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Anthracene	ND		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Chrysene	0.0078	J	0.020	0.0065	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Fluoranthene	0.014	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Fluorene	0.012	J	0.020	0.0097	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Naphthalene	0.057		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Phenanthrene	0.038		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 23:39	1
Pyrene	0.013	J	0.020	0.0087	mg/Kg		03/29/25 07:59	03/30/25 23:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	67		22 - 130	03/29/25 07:59	03/30/25 23:39	1
Nitrobenzene-d5 (Surr)	61		20 - 145	03/29/25 07:59	03/30/25 23:39	1
p-Terphenyl-d14 (Surr)	77		33 - 147	03/29/25 07:59	03/30/25 23:39	1

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.034		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
2-Methylnaphthalene	0.050		0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Acenaphthylene	0.012	J	0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Anthracene	0.011	J	0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Chrysene	0.010	J	0.020	0.0065	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Fluoranthene	0.024		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Fluorene	0.015	J	0.020	0.0097	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Naphthalene	0.13		0.020	0.0089	mg/Kg		03/29/25 07:59	03/31/25 00:01	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	0.072		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Pyrene	0.023		0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 00:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	67		22 - 130				03/29/25 07:59	03/31/25 00:01	1
Nitrobenzene-d5 (Surr)	64		20 - 145				03/29/25 07:59	03/31/25 00:01	1
p-Terphenyl-d14 (Surr)	77		33 - 147				03/29/25 07:59	03/31/25 00:01	1

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.033		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
2-Methylnaphthalene	0.042		0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Anthracene	0.0094	J	0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Benzo[g,h,i]perylene	0.015	J	0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Benzo[a]anthracene	0.0095	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Benzo[a]pyrene	0.012	J	0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Chrysene	0.023		0.020	0.0064	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Dibenz[a,h]anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Fluoranthene	0.037		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Fluorene	0.022		0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Naphthalene	0.099		0.020	0.0089	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Phenanthrene	0.073		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Pyrene	0.038		0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 00:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	68		22 - 130				03/29/25 07:59	03/31/25 00:24	1
Nitrobenzene-d5 (Surr)	62		20 - 145				03/29/25 07:59	03/31/25 00:24	1
p-Terphenyl-d14 (Surr)	79		33 - 147				03/29/25 07:59	03/31/25 00:24	1

Client Sample ID: PCHS-SS-COMP-6

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.026		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
2-Methylnaphthalene	0.039		0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Acenaphthylene	0.016	J	0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Anthracene	0.014	J	0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Benzo[g,h,i]perylene	0.017	J	0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Benzo[a]anthracene	0.012	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:46	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-COMP-6

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	0.020		0.020	0.0065	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Fluoranthene	0.044		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Fluorene	0.015	J	0.020	0.0097	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Naphthalene	0.10		0.020	0.0089	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Phenanthrene	0.075		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Pyrene	0.043		0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 00:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	69		22 - 130				03/29/25 07:59	03/31/25 00:46	1
Nitrobenzene-d5 (Surr)	63		20 - 145				03/29/25 07:59	03/31/25 00:46	1
p-Terphenyl-d14 (Surr)	81		33 - 147				03/29/25 07:59	03/31/25 00:46	1

Client Sample ID: PCHS-SS-COMP-14

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
2-Methylnaphthalene	0.013	J	0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Anthracene	ND		0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Benzo[a]pyrene	ND		0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Chrysene	0.0091	J	0.020	0.0065	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Fluoranthene	0.019	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Naphthalene	0.014	J	0.020	0.0089	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Phenanthrene	0.027		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Pyrene	0.017	J	0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 01:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		22 - 130				03/29/25 07:59	03/31/25 01:09	1
Nitrobenzene-d5 (Surr)	71		20 - 145				03/29/25 07:59	03/31/25 01:09	1
p-Terphenyl-d14 (Surr)	82		33 - 147				03/29/25 07:59	03/31/25 01:09	1

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.019	J	0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
2-Methylnaphthalene	0.034		0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Acenaphthene	0.022		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Acenaphthylene	0.012	J	0.020	0.0095	mg/Kg		03/29/25 07:59	03/31/25 01:31	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	0.057		0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Benzo[g,h,i]perylene	0.012	J	0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Benzo[k]fluoranthene	0.041		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Benzo[a]anthracene	0.081		0.020	0.0079	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Benzo[a]pyrene	0.024		0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Benzo[b]fluoranthene	0.051		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Chrysene	0.11		0.020	0.0064	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Fluoranthene	0.42		0.020	0.0079	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Fluorene	0.019	J	0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Naphthalene	0.059		0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Phenanthrene	0.21		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:31	1
Pyrene	0.33		0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 01:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	68		22 - 130	03/29/25 07:59	03/31/25 01:31	1
Nitrobenzene-d5 (Surr)	65		20 - 145	03/29/25 07:59	03/31/25 01:31	1
p-Terphenyl-d14 (Surr)	81		33 - 147	03/29/25 07:59	03/31/25 01:31	1

Client Sample ID: PCHS-SS-COMP-13

Date Collected: 03/27/25 14:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-45

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	0.023		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
2-Methylnaphthalene	0.036		0.020	0.010	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Anthracene	0.011	J	0.020	0.0088	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Benzo[g,h,i]perylene	0.011	J	0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Benzo[a]anthracene	0.011	J	0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Benzo[a]pyrene	0.0099	J	0.020	0.0081	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Benzo[b]fluoranthene	0.017	J	0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Chrysene	0.029		0.020	0.0065	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Dibenz(a,h)anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Fluoranthene	0.037		0.020	0.0080	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Fluorene	0.016	J	0.020	0.0097	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Naphthalene	0.052		0.020	0.0089	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Phenanthrene	0.055		0.020	0.015	mg/Kg		03/29/25 07:59	03/31/25 01:54	1
Pyrene	0.035		0.020	0.0086	mg/Kg		03/29/25 07:59	03/31/25 01:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	73		22 - 130	03/29/25 07:59	03/31/25 01:54	1
Nitrobenzene-d5 (Surr)	67		20 - 145	03/29/25 07:59	03/31/25 01:54	1
p-Terphenyl-d14 (Surr)	85		33 - 147	03/29/25 07:59	03/31/25 01:54	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8015B - Gasoline Range Organics - (GC)

Client Sample ID: PCHS-SS-5A-0.25

Date Collected: 03/27/25 11:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-21

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.17		0.14	0.064	mg/Kg		03/28/25 16:09	03/30/25 20:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		42 - 126				03/28/25 16:09	03/30/25 20:21	1

Client Sample ID: PCHS-SS-5B-0.25

Date Collected: 03/27/25 11:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-22

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	1.9		0.13	0.058	mg/Kg		03/28/25 16:09	03/30/25 20:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		42 - 126				03/28/25 16:09	03/30/25 20:45	1

Client Sample ID: PCHS-SS-5C-0.25

Date Collected: 03/27/25 11:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.22		0.13	0.055	mg/Kg		03/28/25 16:09	03/30/25 21:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		42 - 126				03/28/25 16:09	03/30/25 21:35	1

Client Sample ID: PCHS-SS-5D-0.25

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-24

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.17		0.13	0.059	mg/Kg		03/28/25 16:09	03/30/25 22:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		42 - 126				03/28/25 16:09	03/30/25 22:00	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC)

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	14		5.0	4.5	mg/Kg		03/31/25 15:05	04/01/25 05:36	1
C23-C40	61		5.0	4.5	mg/Kg		03/31/25 15:05	04/01/25 05:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	94		29 - 160				03/31/25 15:05	04/01/25 05:36	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8081A - Organochlorine Pesticides (GC)

Client Sample ID: PCHS-SS-COMP-2

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.72	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
4,4'-DDE	ND		5.0	0.69	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Chlordane	ND		25	4.1	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Dieldrin	8.3	p	5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endosulfan II	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Heptachlor	ND		5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 14:51	1
Toxaphene	ND		25	15	ug/Kg		04/01/25 21:08	04/02/25 14:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	103		38 - 148	04/01/25 21:08	04/02/25 14:51	1
DCB Decachlorobiphenyl (Surr)	80		37 - 151	04/01/25 21:08	04/02/25 14:51	1

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.71	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
4,4'-DDE	ND		5.0	0.68	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Chlordane	ND		25	4.1	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Dieldrin	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endosulfan II	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Heptachlor	ND	F2	5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 14:36	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Toxaphene	ND		25	15	ug/Kg		04/01/25 21:08	04/02/25 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	69		38 - 148				04/01/25 21:08	04/02/25 14:36	1
DCB Decachlorobiphenyl (Surr)	86		37 - 151				04/01/25 21:08	04/02/25 14:36	1

Client Sample ID: PCHS-SS-COMP-6

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.71	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
4,4'-DDE	6.2	p	5.0	0.68	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
4,4'-DDT	3.3	J p	5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
alpha-Chlordane	5.8	p	5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Chlordane	72		25	4.1	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Dieldrin	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endosulfan II	1.1	J p	5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endosulfan sulfate	4.5	J	5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
gamma-Chlordane	16		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Heptachlor	ND		5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Heptachlor epoxide	0.60	J p	5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Toxaphene	99	p	25	15	ug/Kg		04/01/25 21:08	04/02/25 15:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	70		38 - 148				04/01/25 21:08	04/02/25 15:06	1
DCB Decachlorobiphenyl (Surr)	103		37 - 151				04/01/25 21:08	04/02/25 15:06	1

Client Sample ID: PCHS-SS-COMP-14

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.83	J p	5.0	0.72	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
4,4'-DDE	6.0		5.0	0.69	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
4,4'-DDT	3.2	J p	5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:21	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: PCHS-SS-COMP-14

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane	13	J	25	4.1	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Dieldrin	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endosulfan II	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Heptachlor	ND		5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Toxaphene	ND		25	15	ug/Kg		04/01/25 21:08	04/02/25 15:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	63		38 - 148				04/01/25 21:08	04/02/25 15:21	1
DCB Decachlorobiphenyl (Surr)	77		37 - 151				04/01/25 21:08	04/02/25 15:21	1

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	3.2	J	5.0	0.71	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
4,4'-DDE	18		5.0	0.68	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
4,4'-DDT	6.8		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
alpha-Chlordane	0.88	J p	5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Chlordane	13	J p	25	4.1	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Dieldrin	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endosulfan II	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Heptachlor	ND		5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Toxaphene	ND		25	15	ug/Kg		04/01/25 21:08	04/02/25 15:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	74		38 - 148				04/01/25 21:08	04/02/25 15:36	1
DCB Decachlorobiphenyl (Surr)	113		37 - 151				04/01/25 21:08	04/02/25 15:36	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: PCHS-SS-COMP-5

Lab Sample ID: 570-224192-25

Date Collected: 03/27/25 12:00

Matrix: Solid

Date Received: 03/27/25 18:26

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND	F1	50	49	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1221	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1232	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1242	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1248	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1254	ND		50	27	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Aroclor-1260	ND		50	27	ug/Kg		03/31/25 12:45	04/02/25 13:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	97		24 - 136				03/31/25 12:45	04/02/25 13:28	1
DCB Decachlorobiphenyl (Surr)	135		37 - 135				03/31/25 12:45	04/02/25 13:28	1

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 6010B - Metals (ICP)

Client Sample ID: PCHS-SS-COMP-1

Date Collected: 03/27/25 13:32

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		10.4	5.91	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Arsenic	6.91		3.13	2.03	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Barium	121		2.09	0.308	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Beryllium	0.355	J	0.418	0.0981	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Cadmium	0.292	J	0.418	0.160	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Chromium	20.7		1.04	0.554	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Cobalt	8.12		2.09	0.445	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Copper	25.9		2.09	0.594	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Lead	65.5		2.09	1.38	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Molybdenum	1.02	J	4.18	1.02	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Nickel	14.6		2.09	1.19	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Selenium	1.88	J	3.13	1.63	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Silver	ND		2.09	0.444	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Thallium	ND		10.4	2.98	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Vanadium	32.6		4.18	0.915	mg/Kg		03/31/25 06:00	03/31/25 18:05	2
Zinc	137		4.18	1.70	mg/Kg		03/31/25 06:00	03/31/25 18:05	2

Client Sample ID: PCHS-SS-COMP-2

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		10.1	5.70	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Arsenic	8.42		3.02	1.96	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Barium	106		2.02	0.297	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Beryllium	0.423		0.403	0.0947	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Cadmium	0.262	J	0.403	0.154	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Chromium	37.8		1.01	0.535	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Cobalt	7.98		2.02	0.429	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Copper	34.4		2.02	0.573	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Lead	51.1		2.02	1.33	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Molybdenum	1.51	J	4.03	0.988	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Nickel	17.0		2.02	1.14	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Selenium	1.69	J	3.02	1.58	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Silver	ND		2.02	0.428	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Thallium	ND		10.1	2.88	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Vanadium	30.6		4.03	0.883	mg/Kg		03/31/25 06:00	03/31/25 18:07	2
Zinc	234		4.03	1.64	mg/Kg		03/31/25 06:00	03/31/25 18:07	2

Client Sample ID: PCHS-SS-COMP-3

Date Collected: 03/27/25 12:51

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		11.0	6.22	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Arsenic	12.0		3.30	2.13	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Barium	90.5		2.20	0.324	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Beryllium	0.550		0.440	0.103	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Cadmium	0.242	J	0.440	0.168	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Chromium	27.2		1.10	0.584	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Cobalt	10.8		2.20	0.468	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Copper	51.0		2.20	0.626	mg/Kg		03/31/25 06:00	03/31/25 18:10	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 6010B - Metals (ICP) (Continued)

Client Sample ID: PCHS-SS-COMP-3

Date Collected: 03/27/25 12:51

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	35.2		2.20	1.45	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Molybdenum	2.44	J	4.40	1.08	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Nickel	22.2		2.20	1.25	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Selenium	2.26	J	3.30	1.72	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Silver	ND		2.20	0.467	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Thallium	ND		11.0	3.14	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Vanadium	40.3		4.40	0.963	mg/Kg		03/31/25 06:00	03/31/25 18:10	2
Zinc	102		4.40	1.79	mg/Kg		03/31/25 06:00	03/31/25 18:10	2

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		10.5	5.95	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Arsenic	7.00		3.15	2.04	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Barium	92.8		2.10	0.310	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Beryllium	0.505		0.421	0.0988	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Cadmium	0.841		0.421	0.161	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Chromium	19.2		1.05	0.558	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Cobalt	8.22		2.10	0.448	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Copper	36.4		2.10	0.598	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Lead	29.4		2.10	1.39	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Molybdenum	1.89	J	4.21	1.03	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Nickel	16.6		2.10	1.19	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Selenium	ND		3.15	1.65	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Silver	ND		2.10	0.447	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Thallium	ND		10.5	3.00	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Vanadium	33.5		4.21	0.921	mg/Kg		03/31/25 06:00	03/31/25 18:35	2
Zinc	176		4.21	1.72	mg/Kg		03/31/25 06:00	03/31/25 18:35	2

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		12.2	6.87	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Arsenic	12.4		3.65	2.36	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Barium	92.4		2.43	0.358	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Beryllium	0.437	J	0.486	0.114	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Cadmium	0.680		0.486	0.186	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Chromium	42.5		1.22	0.645	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Cobalt	8.19		2.43	0.518	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Copper	42.4		2.43	0.691	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Lead	81.6		2.43	1.61	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Molybdenum	1.97	J	4.86	1.19	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Nickel	19.1		2.43	1.38	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Selenium	ND		3.65	1.90	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Silver	ND		2.43	0.516	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Thallium	ND		12.2	3.47	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Vanadium	33.9		4.86	1.06	mg/Kg		03/31/25 06:00	03/31/25 18:37	2
Zinc	217		4.86	1.98	mg/Kg		03/31/25 06:00	03/31/25 18:37	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 6010B - Metals (ICP)

Client Sample ID: PCHS-SS-COMP-6

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		11.5	6.51	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Arsenic	6.10		3.45	2.23	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Barium	105		2.30	0.339	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Beryllium	0.368	J	0.460	0.108	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Cadmium	0.299	J	0.460	0.176	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Chromium	17.0		1.15	0.611	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Cobalt	7.78		2.30	0.490	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Copper	28.0		2.30	0.654	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Lead	43.0		2.30	1.52	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Molybdenum	1.45	J	4.60	1.13	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Nickel	14.0		2.30	1.31	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Selenium	ND		3.45	1.80	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Silver	ND		2.30	0.489	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Thallium	ND		11.5	3.29	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Vanadium	28.7		4.60	1.01	mg/Kg		03/31/25 06:00	03/31/25 18:39	2
Zinc	121		4.60	1.88	mg/Kg		03/31/25 06:00	03/31/25 18:39	2

Client Sample ID: PCHS-SS-COMP-14

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.75	5.52	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Arsenic	5.58		2.93	1.89	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Barium	83.2		1.95	0.288	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Beryllium	0.215	J	0.390	0.0917	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Cadmium	0.702		0.390	0.149	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Chromium	28.7		0.975	0.518	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Cobalt	5.91		1.95	0.416	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Copper	20.2		1.95	0.555	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Lead	38.9		1.95	1.29	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Molybdenum	1.58	J	3.90	0.956	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Nickel	13.7		1.95	1.11	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Selenium	ND		2.93	1.53	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Silver	ND		1.95	0.415	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Thallium	ND		9.75	2.79	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Vanadium	30.7		3.90	0.854	mg/Kg		04/01/25 07:38	04/02/25 03:32	2
Zinc	131		3.90	1.59	mg/Kg		04/01/25 07:38	04/02/25 03:32	2

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		8.62	4.88	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Arsenic	7.16		2.59	1.67	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Barium	89.0	B	1.72	0.254	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Beryllium	0.379		0.345	0.0810	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Cadmium	0.328	J	0.345	0.132	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Chromium	24.3		0.862	0.458	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Cobalt	7.10		1.72	0.367	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Copper	18.8		1.72	0.491	mg/Kg		03/31/25 13:44	04/01/25 22:19	2

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 6010B - Metals (ICP) (Continued)

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	18.3		1.72	1.14	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Molybdenum	1.16	J	3.45	0.845	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Nickel	15.9		1.72	0.979	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Selenium	1.98	J	2.59	1.35	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Silver	ND		1.72	0.366	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Thallium	ND		8.62	2.46	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Vanadium	35.0		3.45	0.755	mg/Kg		03/31/25 13:44	04/01/25 22:19	2
Zinc	89.5	B	3.45	1.41	mg/Kg		03/31/25 13:44	04/01/25 22:19	2

Client Sample ID: PCHS-SS-COMP-13

Date Collected: 03/27/25 14:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-45

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.30	5.26	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Arsenic	10.9		2.79	1.80	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Barium	198	B	1.86	0.274	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Beryllium	0.390		0.372	0.0874	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Cadmium	0.762		0.372	0.142	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Chromium	35.3		0.930	0.494	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Cobalt	8.52		1.86	0.396	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Copper	33.7		1.86	0.529	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Lead	42.3		1.86	1.23	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Molybdenum	2.23	J	3.72	0.911	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Nickel	24.6		1.86	1.06	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Selenium	2.94		2.79	1.46	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Silver	ND		1.86	0.395	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Thallium	ND		9.30	2.66	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Vanadium	49.2		3.72	0.814	mg/Kg		03/31/25 13:44	04/01/25 22:21	2
Zinc	150	B	3.72	1.52	mg/Kg		03/31/25 13:44	04/01/25 22:21	2

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: SW846 7471A - Mercury (CVAA)

Client Sample ID: PCHS-SS-COMP-1

Date Collected: 03/27/25 13:32

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-5

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.112		0.0887	0.0245	mg/Kg		03/31/25 10:44	03/31/25 15:01	1

Client Sample ID: PCHS-SS-COMP-2

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-10

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.157		0.0786	0.0217	mg/Kg		03/31/25 10:44	03/31/25 15:15	1

Client Sample ID: PCHS-SS-COMP-3

Date Collected: 03/27/25 12:51

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-15

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.196		0.0817	0.0225	mg/Kg		03/31/25 10:44	03/31/25 15:18	1

Client Sample ID: PCHS-SS-COMP-4

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.147		0.0833	0.0230	mg/Kg		03/31/25 10:44	03/31/25 15:20	1

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.176		0.0833	0.0230	mg/Kg		03/31/25 10:44	03/31/25 15:22	1

Client Sample ID: PCHS-SS-COMP-6

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-30

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.251		0.0817	0.0225	mg/Kg		03/31/25 10:44	03/31/25 15:29	1

Client Sample ID: PCHS-SS-COMP-14

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-35

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0928		0.0833	0.0230	mg/Kg		03/31/25 10:44	03/31/25 15:31	1

Client Sample ID: PCHS-SS-DUP-2

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-40

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.113		0.0833	0.0230	mg/Kg		03/31/25 10:44	03/31/25 15:33	1

Client Sample ID: PCHS-SS-COMP-13

Date Collected: 03/27/25 14:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-45

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0589	J	0.0850	0.0235	mg/Kg		03/31/25 10:44	03/31/25 15:36	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-1A-0.25

Date Collected: 03/27/25 13:56

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-1

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-1B-0.25

Date Collected: 03/27/25 13:06

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-2

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-1C-0.25

Date Collected: 03/27/25 13:18

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-3

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-1D-0.25

Date Collected: 03/27/25 13:32

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-4

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-2A-0.25

Date Collected: 03/27/25 11:11

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-6

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-2B-0.25

Date Collected: 03/27/25 11:23

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-7

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-2C-0.25

Date Collected: 03/27/25 11:27

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-8

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-2D-0.25

Date Collected: 03/27/25 11:31

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-9

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-3A-0.25

Date Collected: 03/27/25 12:37

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-11

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-3B-0.25

Date Collected: 03/27/25 12:47

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-12

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-3C-0.25

Date Collected: 03/27/25 12:43

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-13

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-3D-0.25

Date Collected: 03/27/25 12:51

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-14

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-4A-0.25

Date Collected: 03/27/25 13:15

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-16

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-4B-0.25

Date Collected: 03/27/25 13:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-17

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-4C-0.25

Date Collected: 03/27/25 13:05

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-18

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-4D-0.25

Date Collected: 03/27/25 13:10

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-19

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-5A-0.25

Date Collected: 03/27/25 11:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-21

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-5B-0.25

Date Collected: 03/27/25 11:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-22

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-5C-0.25

Date Collected: 03/27/25 11:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-23

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-5D-0.25

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-24

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-6A-0.25

Date Collected: 03/27/25 11:26

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-26

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-6B-0.25

Date Collected: 03/27/25 11:42

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-27

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-6C-0.25

Date Collected: 03/27/25 11:56

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-28

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-6D-0.25

Date Collected: 03/27/25 11:08

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-29

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-14A-0.25

Date Collected: 03/27/25 14:46

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-31

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-14B-0.25

Date Collected: 03/27/25 14:59

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-32

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-14C-0.25

Date Collected: 03/27/25 14:50

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-33

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: Composite - Sample Compositing

Client Sample ID: PCHS-SS-14D-0.25

Date Collected: 03/27/25 15:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-34

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: DUP-2A

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-36

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: DUP-2B

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-37

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: DUP-2C

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-38

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: DUP-2D

Date Collected: 03/27/25 00:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-39

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-13A-0.25

Date Collected: 03/27/25 14:25

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-41

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-13B-0.25

Date Collected: 03/27/25 14:30

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-42

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-13C-0.25

Date Collected: 03/27/25 13:40

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-43

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Client Sample ID: PCHS-SS-13D-0.25

Date Collected: 03/27/25 14:35

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-44

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Composited	Yes				NONE			03/28/25 17:44	1

Eurofins Calscience

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (32-179)	BFB (80-120)	DBFM (58-147)	TOL (80-120)
570-224192-21	PCHS-SS-5A-0.25	110	84	103	98
570-224192-21 - DL	PCHS-SS-5A-0.25	102	97	97	102
570-224192-22	PCHS-SS-5B-0.25	112	93	104	100
570-224192-23	PCHS-SS-5C-0.25	113	91	104	98
570-224192-23 - DL	PCHS-SS-5C-0.25	99	98	93	101
570-224192-24	PCHS-SS-5D-0.25	116	87	109	99
LCS 570-550979/3	Lab Control Sample	99	97	100	101
LCS 570-551447/4	Lab Control Sample	109	100	102	99
LCSD 570-550979/4	Lab Control Sample Dup	95	97	98	99
LCSD 570-551447/5	Lab Control Sample Dup	107	100	103	100
MB 570-550979/5	Method Blank	94	96	95	100
MB 570-551447/6	Method Blank	105	103	103	101
MB 570-551447/7	Method Blank	105	105	102	103

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270C SIM - PAHs (GC/MS SIM)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		FBP (22-130)	NBZ (20-145)	TPHd14 (33-147)
570-224192-5	PCHS-SS-COMP-1	65	62	74
570-224192-10	PCHS-SS-COMP-2	54	40	57
570-224192-15	PCHS-SS-COMP-3	67	61	77
570-224192-20	PCHS-SS-COMP-4	67	64	77
570-224192-25	PCHS-SS-COMP-5	68	62	79
570-224192-30	PCHS-SS-COMP-6	69	63	81
570-224192-35	PCHS-SS-COMP-14	71	71	82
570-224192-40	PCHS-SS-DUP-2	68	65	81
570-224192-45	PCHS-SS-COMP-13	73	67	85
LCS 570-551153/2-A	Lab Control Sample	75	69	84
LCSD 570-551153/3-A	Lab Control Sample Dup	74	72	86
MB 570-551153/1-A	Method Blank	80	80	89

Surrogate Legend

FBP = 2-Fluorobiphenyl (Surr)
NBZ = Nitrobenzene-d5 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (42-126)	
570-224192-21	PCHS-SS-5A-0.25	84	

Eurofins Calscience

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	BFB1 (42-126)					
570-224192-22	PCHS-SS-5B-0.25	89					
570-224192-23	PCHS-SS-5C-0.25	77					
570-224192-24	PCHS-SS-5D-0.25	91					
LCS 570-551337/58	Lab Control Sample	102					
LCSD 570-551337/59	Lab Control Sample Dup	102					
MB 570-551337/62	Method Blank	99					
Surrogate Legend							
BFB = 4-Bromofluorobenzene (Surr)							

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	OTCSN1 (29-160)					
570-224192-25	PCHS-SS-COMP-5	94					
LCS 570-551767/2-A	Lab Control Sample	91					
LCSD 570-551767/3-A	Lab Control Sample Dup	93					
MB 570-551767/1-A	Method Blank	95					
Surrogate Legend							
OTCSN = n-Octacosane (Surr)							

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	TCX1 (38-148)	DCB2 (37-151)		
570-224192-10	PCHS-SS-COMP-2	103	80		
Surrogate Legend					
TCX = Tetrachloro-m-xylene (Surr)					
DCB = DCB Decachlorobiphenyl (Surr)					

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	TCX1 (38-148)	DCB1 (37-151)		
570-224192-20	PCHS-SS-COMP-4	69	86		
570-224192-20 MS	PCHS-SS-COMP-4	44	55		
570-224192-20 MSD	PCHS-SS-COMP-4	56	68		
570-224192-30	PCHS-SS-COMP-6	70	103		
570-224192-40	PCHS-SS-DUP-2	74	113		
LCS 570-552446/2-A	Lab Control Sample	102	111		
LCSD 570-552446/3-A	Lab Control Sample Dup	84	90		
MB 570-552446/1-A	Method Blank	102	108		
Surrogate Legend					
TCX = Tetrachloro-m-xylene (Surr)					

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter
DCB = DCB Decachlorobiphenyl (Surr)

Job ID: 570-224192-1

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (38-148)	DCB1 (37-151)
570-224192-35	PCHS-SS-COMP-14	63	77

Surrogate Legend

TCX = Tetrachloro-m-xylene (Surr)

DCB = DCB Decachlorobiphenyl (Surr)

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (24-136)	DCB1 (37-135)
570-224192-25	PCHS-SS-COMP-5	97	135
570-224192-25 MS	PCHS-SS-COMP-5	99	123
570-224192-25 MSD	PCHS-SS-COMP-5	90	129
LCS 570-551665/2-A	Lab Control Sample	60	126
LCSD 570-551665/3-A	Lab Control Sample Dup	87	130
MB 570-551665/1-A	Method Blank	78	126

Surrogate Legend

TCX = Tetrachloro-m-xylene (Surr)

DCB = DCB Decachlorobiphenyl (Surr)

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-550979/5

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.29	ug/Kg			03/28/25 20:32	1
1,1,1-Trichloroethane	ND		1.0	0.23	ug/Kg			03/28/25 20:32	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg			03/28/25 20:32	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	0.46	ug/Kg			03/28/25 20:32	1
1,1,2-Trichloroethane	ND		1.0	0.46	ug/Kg			03/28/25 20:32	1
1,1-Dichloroethane	ND		1.0	0.28	ug/Kg			03/28/25 20:32	1
1,1-Dichloroethene	ND		1.0	0.27	ug/Kg			03/28/25 20:32	1
1,1-Dichloropropene	ND		2.0	0.39	ug/Kg			03/28/25 20:32	1
1,2,3-Trichlorobenzene	ND		2.0	0.38	ug/Kg			03/28/25 20:32	1
1,2,3-Trichloropropane	ND		2.0	0.42	ug/Kg			03/28/25 20:32	1
1,2,4-Trichlorobenzene	ND		2.0	0.41	ug/Kg			03/28/25 20:32	1
1,2,4-Trimethylbenzene	ND		2.0	0.28	ug/Kg			03/28/25 20:32	1
1,2-Dibromo-3-Chloropropane	ND		10	3.3	ug/Kg			03/28/25 20:32	1
1,2-Dibromoethane	ND		1.0	0.21	ug/Kg			03/28/25 20:32	1
1,2-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/28/25 20:32	1
1,2-Dichloroethane	ND		1.0	0.28	ug/Kg			03/28/25 20:32	1
1,2-Dichloropropane	ND		1.0	0.28	ug/Kg			03/28/25 20:32	1
1,3,5-Trimethylbenzene	ND		2.0	0.27	ug/Kg			03/28/25 20:32	1
1,3-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/28/25 20:32	1
1,3-Dichloropropane	ND		1.0	0.30	ug/Kg			03/28/25 20:32	1
1,4-Dichlorobenzene	ND		1.0	0.31	ug/Kg			03/28/25 20:32	1
2,2-Dichloropropane	ND		5.0	0.27	ug/Kg			03/28/25 20:32	1
2-Butanone (MEK)	ND		20	4.5	ug/Kg			03/28/25 20:32	1
2-Chlorotoluene	ND		1.0	0.25	ug/Kg			03/28/25 20:32	1
2-Hexanone	ND		20	3.1	ug/Kg			03/28/25 20:32	1
4-Chlorotoluene	ND		1.0	0.24	ug/Kg			03/28/25 20:32	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.9	ug/Kg			03/28/25 20:32	1
Acetone	ND		20	9.8	ug/Kg			03/28/25 20:32	1
Benzene	ND		1.0	0.26	ug/Kg			03/28/25 20:32	1
Bromobenzene	ND		1.0	0.21	ug/Kg			03/28/25 20:32	1
Bromochloromethane	ND		2.0	0.44	ug/Kg			03/28/25 20:32	1
Bromodichloromethane	ND		1.0	0.33	ug/Kg			03/28/25 20:32	1
Bromoform	ND		5.0	1.3	ug/Kg			03/28/25 20:32	1
Bromomethane	ND		20	6.6	ug/Kg			03/28/25 20:32	1
cis-1,2-Dichloroethene	ND		1.0	0.34	ug/Kg			03/28/25 20:32	1
cis-1,3-Dichloropropene	ND		1.0	0.35	ug/Kg			03/28/25 20:32	1
Carbon disulfide	ND		10	0.40	ug/Kg			03/28/25 20:32	1
Carbon tetrachloride	ND		1.0	0.30	ug/Kg			03/28/25 20:32	1
Chlorobenzene	ND		1.0	0.27	ug/Kg			03/28/25 20:32	1
Chloroethane	ND		2.0	0.74	ug/Kg			03/28/25 20:32	1
Chloroform	ND		1.0	0.59	ug/Kg			03/28/25 20:32	1
Chloromethane	ND		20	1.5	ug/Kg			03/28/25 20:32	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg			03/28/25 20:32	1
Dibromomethane	ND		1.0	0.31	ug/Kg			03/28/25 20:32	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg			03/28/25 20:32	1
Ethylbenzene	ND		1.0	0.21	ug/Kg			03/28/25 20:32	1
Isopropylbenzene	ND		1.0	0.28	ug/Kg			03/28/25 20:32	1
Methylene Chloride	ND		10	3.1	ug/Kg			03/28/25 20:32	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-550979/5

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg			03/28/25 20:32	1
Naphthalene	ND		10	3.9	ug/Kg			03/28/25 20:32	1
n-Butylbenzene	ND		1.0	0.21	ug/Kg			03/28/25 20:32	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg			03/28/25 20:32	1
o-Xylene	ND		1.0	0.26	ug/Kg			03/28/25 20:32	1
m,p-Xylene	ND		2.0	0.47	ug/Kg			03/28/25 20:32	1
p-Isopropyltoluene	ND		1.0	0.28	ug/Kg			03/28/25 20:32	1
sec-Butylbenzene	ND		1.0	0.27	ug/Kg			03/28/25 20:32	1
Styrene	ND		1.0	0.32	ug/Kg			03/28/25 20:32	1
trans-1,2-Dichloroethene	ND		1.0	0.30	ug/Kg			03/28/25 20:32	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg			03/28/25 20:32	1
tert-Butylbenzene	ND		1.0	0.25	ug/Kg			03/28/25 20:32	1
Tetrachloroethene	ND		1.0	0.22	ug/Kg			03/28/25 20:32	1
Toluene	ND		1.0	0.27	ug/Kg			03/28/25 20:32	1
Trichloroethene	ND		2.0	0.39	ug/Kg			03/28/25 20:32	1
Trichlorofluoromethane	ND		10	0.27	ug/Kg			03/28/25 20:32	1
Vinyl acetate	ND		10	3.9	ug/Kg			03/28/25 20:32	1
Vinyl chloride	ND		1.0	0.38	ug/Kg			03/28/25 20:32	1
Xylenes, Total	ND		2.0	0.60	ug/Kg			03/28/25 20:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		32 - 179		03/28/25 20:32	1
4-Bromofluorobenzene (Surr)	96		80 - 120		03/28/25 20:32	1
Dibromofluoromethane (Surr)	95		58 - 147		03/28/25 20:32	1
Toluene-d8 (Surr)	100		80 - 120		03/28/25 20:32	1

Lab Sample ID: LCS 570-550979/3

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	50.0	50.08		ug/Kg		100	80 - 125
1,1,1-Trichloroethane	50.0	48.17		ug/Kg		96	78 - 130
1,1,2,2-Tetrachloroethane	50.0	48.37		ug/Kg		97	80 - 124
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	49.25		ug/Kg		98	73 - 130
1,1,2-Trichloroethane	50.0	48.38		ug/Kg		97	80 - 123
1,1-Dichloroethane	50.0	48.77		ug/Kg		98	79 - 124
1,1-Dichloroethene	50.0	47.06		ug/Kg		94	74 - 132
1,1-Dichloropropene	50.0	52.05		ug/Kg		104	78 - 130
1,2,3-Trichlorobenzene	50.0	50.45		ug/Kg		101	80 - 123
1,2,3-Trichloropropane	50.0	43.40		ug/Kg		87	79 - 120
1,2,4-Trichlorobenzene	50.0	51.58		ug/Kg		103	80 - 125
1,2,4-Trimethylbenzene	50.0	50.37		ug/Kg		101	80 - 124
1,2-Dibromo-3-Chloropropane	50.0	41.19		ug/Kg		82	67 - 120
1,2-Dibromoethane	50.0	48.63		ug/Kg		97	80 - 120
1,2-Dichlorobenzene	50.0	49.04		ug/Kg		98	80 - 120
1,2-Dichloroethane	50.0	50.28		ug/Kg		101	77 - 120
1,2-Dichloropropane	50.0	51.03		ug/Kg		102	80 - 126

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-550979/3

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,3,5-Trimethylbenzene	50.0	49.98		ug/Kg		100	80 - 121
1,3-Dichlorobenzene	50.0	50.07		ug/Kg		100	80 - 120
1,3-Dichloropropane	50.0	49.20		ug/Kg		98	80 - 120
1,4-Dichlorobenzene	50.0	47.39		ug/Kg		95	80 - 120
2,2-Dichloropropane	50.0	47.12		ug/Kg		94	73 - 135
2-Butanone (MEK)	50.0	47.13		ug/Kg		94	67 - 136
2-Chlorotoluene	50.0	48.92		ug/Kg		98	80 - 120
2-Hexanone	50.0	43.12		ug/Kg		86	70 - 137
4-Chlorotoluene	50.0	49.38		ug/Kg		99	80 - 121
4-Methyl-2-pentanone (MIBK)	50.0	47.91		ug/Kg		96	74 - 124
Acetone	50.0	38.21		ug/Kg		76	61 - 142
Benzene	50.0	52.78		ug/Kg		106	80 - 120
Bromobenzene	50.0	49.60		ug/Kg		99	80 - 120
Bromochloromethane	50.0	51.16		ug/Kg		102	80 - 120
Bromodichloromethane	50.0	49.53		ug/Kg		99	80 - 125
Bromoform	50.0	46.95		ug/Kg		94	74 - 138
Bromomethane	50.0	42.60		ug/Kg		85	58 - 136
cis-1,2-Dichloroethene	50.0	51.20		ug/Kg		102	80 - 124
cis-1,3-Dichloropropene	50.0	47.40		ug/Kg		95	80 - 123
Carbon disulfide	50.0	45.47		ug/Kg		91	68 - 128
Carbon tetrachloride	50.0	49.74		ug/Kg		99	75 - 140
Chlorobenzene	50.0	48.78		ug/Kg		98	80 - 120
Chloroethane	50.0	41.65		ug/Kg		83	76 - 137
Chloroform	50.0	46.50		ug/Kg		93	80 - 121
Chloromethane	50.0	40.71		ug/Kg		81	74 - 133
Dibromochloromethane	50.0	48.05		ug/Kg		96	80 - 132
Dibromomethane	50.0	52.25		ug/Kg		105	80 - 120
Dichlorodifluoromethane	50.0	37.00		ug/Kg		74	63 - 146
Ethylbenzene	50.0	48.93		ug/Kg		98	80 - 120
Isopropylbenzene	50.0	52.30		ug/Kg		105	80 - 122
Methylene Chloride	50.0	47.37		ug/Kg		95	74 - 120
Methyl-t-Butyl Ether (MTBE)	50.0	47.29		ug/Kg		95	79 - 123
Naphthalene	50.0	43.82		ug/Kg		88	79 - 121
n-Butylbenzene	50.0	46.82		ug/Kg		94	79 - 131
N-Propylbenzene	50.0	51.18		ug/Kg		102	80 - 122
o-Xylene	50.0	49.03		ug/Kg		98	80 - 120
m,p-Xylene	100	100.7		ug/Kg		101	80 - 120
p-Isopropyltoluene	50.0	50.66		ug/Kg		101	80 - 126
sec-Butylbenzene	50.0	50.75		ug/Kg		102	80 - 125
Styrene	50.0	49.71		ug/Kg		99	80 - 120
trans-1,2-Dichloroethene	50.0	50.46		ug/Kg		101	75 - 123
trans-1,3-Dichloropropene	50.0	46.60		ug/Kg		93	80 - 124
tert-Butylbenzene	50.0	48.02		ug/Kg		96	80 - 124
Tetrachloroethene	50.0	48.95		ug/Kg		98	80 - 122
Toluene	50.0	51.67		ug/Kg		103	80 - 120
Trichloroethene	50.0	47.72		ug/Kg		95	80 - 127
Trichlorofluoromethane	50.0	46.71		ug/Kg		93	70 - 144
Vinyl acetate	50.0	46.82		ug/Kg		94	71 - 125
Vinyl chloride	50.0	44.15		ug/Kg		88	79 - 133

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		32 - 179
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	100		58 - 147
Toluene-d8 (Surr)	101		80 - 120

Lab Sample ID: LCSD 570-550979/4

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits			
1,1,1,2-Tetrachloroethane	50.0	50.85		ug/Kg		102	80 - 125		2	20
1,1,1-Trichloroethane	50.0	45.70		ug/Kg		91	78 - 130		5	20
1,1,2,2-Tetrachloroethane	50.0	48.53		ug/Kg		97	80 - 124		0	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	46.94		ug/Kg		94	73 - 130		5	20
1,1,2-Trichloroethane	50.0	49.11		ug/Kg		98	80 - 123		2	20
1,1-Dichloroethane	50.0	46.45		ug/Kg		93	79 - 124		5	20
1,1-Dichloroethene	50.0	44.45		ug/Kg		89	74 - 132		6	20
1,1-Dichloropropene	50.0	49.66		ug/Kg		99	78 - 130		5	20
1,2,3-Trichlorobenzene	50.0	50.25		ug/Kg		100	80 - 123		0	20
1,2,3-Trichloropropane	50.0	46.01		ug/Kg		92	79 - 120		6	20
1,2,4-Trichlorobenzene	50.0	51.55		ug/Kg		103	80 - 125		0	20
1,2,4-Trimethylbenzene	50.0	49.83		ug/Kg		100	80 - 124		1	20
1,2-Dibromo-3-Chloropropane	50.0	40.93		ug/Kg		82	67 - 120		1	20
1,2-Dibromoethane	50.0	50.26		ug/Kg		101	80 - 120		3	20
1,2-Dichlorobenzene	50.0	48.72		ug/Kg		97	80 - 120		1	20
1,2-Dichloroethane	50.0	48.66		ug/Kg		97	77 - 120		3	20
1,2-Dichloropropane	50.0	50.11		ug/Kg		100	80 - 126		2	20
1,3,5-Trimethylbenzene	50.0	51.68		ug/Kg		103	80 - 121		3	20
1,3-Dichlorobenzene	50.0	49.85		ug/Kg		100	80 - 120		0	20
1,3-Dichloropropane	50.0	51.25		ug/Kg		102	80 - 120		4	20
1,4-Dichlorobenzene	50.0	47.73		ug/Kg		95	80 - 120		1	20
2,2-Dichloropropane	50.0	44.20		ug/Kg		88	73 - 135		6	20
2-Butanone (MEK)	50.0	45.81		ug/Kg		92	67 - 136		3	20
2-Chlorotoluene	50.0	50.37		ug/Kg		101	80 - 120		3	20
2-Hexanone	50.0	42.48		ug/Kg		85	70 - 137		1	20
4-Chlorotoluene	50.0	49.06		ug/Kg		98	80 - 121		1	20
4-Methyl-2-pentanone (MIBK)	50.0	47.68		ug/Kg		95	74 - 124		0	20
Acetone	50.0	36.69		ug/Kg		73	61 - 142		4	23
Benzene	50.0	51.39		ug/Kg		103	80 - 120		3	20
Bromobenzene	50.0	50.85		ug/Kg		102	80 - 120		2	20
Bromochloromethane	50.0	49.66		ug/Kg		99	80 - 120		3	20
Bromodichloromethane	50.0	48.21		ug/Kg		96	80 - 125		3	20
Bromoform	50.0	46.63		ug/Kg		93	74 - 138		1	20
Bromomethane	50.0	40.25		ug/Kg		81	58 - 136		6	20
cis-1,2-Dichloroethene	50.0	48.77		ug/Kg		98	80 - 124		5	20
cis-1,3-Dichloropropene	50.0	46.48		ug/Kg		93	80 - 123		2	20
Carbon disulfide	50.0	43.26		ug/Kg		87	68 - 128		5	20
Carbon tetrachloride	50.0	47.90		ug/Kg		96	75 - 140		4	20
Chlorobenzene	50.0	49.99		ug/Kg		100	80 - 120		2	20
Chloroethane	50.0	39.46		ug/Kg		79	76 - 137		5	20
Chloroform	50.0	44.50		ug/Kg		89	80 - 121		4	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-550979/4

Matrix: Solid

Analysis Batch: 550979

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloromethane	50.0	39.57		ug/Kg		79	74 - 133	3	20
Dibromochloromethane	50.0	49.48		ug/Kg		99	80 - 132	3	20
Dibromomethane	50.0	49.96		ug/Kg		100	80 - 120	4	20
Dichlorodifluoromethane	50.0	34.74		ug/Kg		69	63 - 146	6	20
Ethylbenzene	50.0	50.30		ug/Kg		101	80 - 120	3	20
Isopropylbenzene	50.0	53.21		ug/Kg		106	80 - 122	2	20
Methylene Chloride	50.0	44.49		ug/Kg		89	74 - 120	6	20
Methyl-t-Butyl Ether (MTBE)	50.0	46.21		ug/Kg		92	79 - 123	2	20
Naphthalene	50.0	43.96		ug/Kg		88	79 - 121	0	20
n-Butylbenzene	50.0	46.55		ug/Kg		93	79 - 131	1	20
N-Propylbenzene	50.0	52.43		ug/Kg		105	80 - 122	2	20
o-Xylene	50.0	50.25		ug/Kg		100	80 - 120	2	20
m,p-Xylene	100	103.5		ug/Kg		103	80 - 120	3	20
p-Isopropyltoluene	50.0	50.21		ug/Kg		100	80 - 126	1	20
sec-Butylbenzene	50.0	50.33		ug/Kg		101	80 - 125	1	20
Styrene	50.0	50.91		ug/Kg		102	80 - 120	2	20
trans-1,2-Dichloroethene	50.0	48.50		ug/Kg		97	75 - 123	4	20
trans-1,3-Dichloropropene	50.0	47.84		ug/Kg		96	80 - 124	3	20
tert-Butylbenzene	50.0	47.93		ug/Kg		96	80 - 124	0	20
Tetrachloroethene	50.0	50.70		ug/Kg		101	80 - 122	4	20
Toluene	50.0	49.96		ug/Kg		100	80 - 120	3	20
Trichloroethene	50.0	46.05		ug/Kg		92	80 - 127	4	20
Trichlorofluoromethane	50.0	44.40		ug/Kg		89	70 - 144	5	20
Vinyl acetate	50.0	44.92		ug/Kg		90	71 - 125	4	20
Vinyl chloride	50.0	42.49		ug/Kg		85	79 - 133	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		32 - 179
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	98		58 - 147
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: MB 570-551447/6

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	0.29	ug/Kg			03/31/25 10:13	1
1,1,1-Trichloroethane	ND		1.0	0.23	ug/Kg			03/31/25 10:13	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg			03/31/25 10:13	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	0.46	ug/Kg			03/31/25 10:13	1
1,1,2-Trichloroethane	ND		1.0	0.46	ug/Kg			03/31/25 10:13	1
1,1-Dichloroethane	ND		1.0	0.28	ug/Kg			03/31/25 10:13	1
1,1-Dichloroethene	ND		1.0	0.27	ug/Kg			03/31/25 10:13	1
1,1-Dichloropropene	ND		2.0	0.39	ug/Kg			03/31/25 10:13	1
1,2,3-Trichlorobenzene	ND		2.0	0.38	ug/Kg			03/31/25 10:13	1
1,2,3-Trichloropropane	ND		2.0	0.42	ug/Kg			03/31/25 10:13	1
1,2,4-Trichlorobenzene	ND		2.0	0.41	ug/Kg			03/31/25 10:13	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-551447/6

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	ND		2.0	0.28	ug/Kg			03/31/25 10:13	1
1,2-Dibromo-3-Chloropropane	ND		10	3.3	ug/Kg			03/31/25 10:13	1
1,2-Dibromoethane	ND		1.0	0.21	ug/Kg			03/31/25 10:13	1
1,2-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/31/25 10:13	1
1,2-Dichloroethane	ND		1.0	0.28	ug/Kg			03/31/25 10:13	1
1,2-Dichloropropane	ND		1.0	0.28	ug/Kg			03/31/25 10:13	1
1,3,5-Trimethylbenzene	ND		2.0	0.27	ug/Kg			03/31/25 10:13	1
1,3-Dichlorobenzene	ND		1.0	0.25	ug/Kg			03/31/25 10:13	1
1,3-Dichloropropane	ND		1.0	0.30	ug/Kg			03/31/25 10:13	1
1,4-Dichlorobenzene	ND		1.0	0.31	ug/Kg			03/31/25 10:13	1
2,2-Dichloropropane	ND		5.0	0.27	ug/Kg			03/31/25 10:13	1
2-Butanone (MEK)	ND		20	4.5	ug/Kg			03/31/25 10:13	1
2-Chlorotoluene	ND		1.0	0.25	ug/Kg			03/31/25 10:13	1
2-Hexanone	ND		20	3.1	ug/Kg			03/31/25 10:13	1
4-Chlorotoluene	ND		1.0	0.24	ug/Kg			03/31/25 10:13	1
4-Methyl-2-pentanone (MIBK)	ND		20	2.9	ug/Kg			03/31/25 10:13	1
Acetone	ND		20	9.8	ug/Kg			03/31/25 10:13	1
Benzene	ND		1.0	0.26	ug/Kg			03/31/25 10:13	1
Bromobenzene	ND		1.0	0.21	ug/Kg			03/31/25 10:13	1
Bromochloromethane	ND		2.0	0.44	ug/Kg			03/31/25 10:13	1
Bromodichloromethane	ND		1.0	0.33	ug/Kg			03/31/25 10:13	1
Bromoform	ND		5.0	1.3	ug/Kg			03/31/25 10:13	1
Bromomethane	ND		20	6.6	ug/Kg			03/31/25 10:13	1
cis-1,2-Dichloroethene	ND		1.0	0.34	ug/Kg			03/31/25 10:13	1
cis-1,3-Dichloropropene	ND		1.0	0.35	ug/Kg			03/31/25 10:13	1
Carbon disulfide	ND		10	0.40	ug/Kg			03/31/25 10:13	1
Carbon tetrachloride	ND		1.0	0.30	ug/Kg			03/31/25 10:13	1
Chlorobenzene	ND		1.0	0.27	ug/Kg			03/31/25 10:13	1
Chloroethane	ND		2.0	0.74	ug/Kg			03/31/25 10:13	1
Chloroform	ND		1.0	0.59	ug/Kg			03/31/25 10:13	1
Chloromethane	ND		20	1.5	ug/Kg			03/31/25 10:13	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg			03/31/25 10:13	1
Dibromomethane	ND		1.0	0.31	ug/Kg			03/31/25 10:13	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg			03/31/25 10:13	1
Ethylbenzene	ND		1.0	0.21	ug/Kg			03/31/25 10:13	1
Isopropylbenzene	ND		1.0	0.28	ug/Kg			03/31/25 10:13	1
Methylene Chloride	ND		10	3.1	ug/Kg			03/31/25 10:13	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg			03/31/25 10:13	1
Naphthalene	ND		10	3.9	ug/Kg			03/31/25 10:13	1
n-Butylbenzene	ND		1.0	0.21	ug/Kg			03/31/25 10:13	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg			03/31/25 10:13	1
o-Xylene	ND		1.0	0.26	ug/Kg			03/31/25 10:13	1
m,p-Xylene	ND		2.0	0.47	ug/Kg			03/31/25 10:13	1
p-Isopropyltoluene	ND		1.0	0.28	ug/Kg			03/31/25 10:13	1
sec-Butylbenzene	ND		1.0	0.27	ug/Kg			03/31/25 10:13	1
Styrene	ND		1.0	0.32	ug/Kg			03/31/25 10:13	1
trans-1,2-Dichloroethene	ND		1.0	0.30	ug/Kg			03/31/25 10:13	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg			03/31/25 10:13	1
tert-Butylbenzene	ND		1.0	0.25	ug/Kg			03/31/25 10:13	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-551447/6

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.22	ug/Kg			03/31/25 10:13	1
Toluene	ND		1.0	0.27	ug/Kg			03/31/25 10:13	1
Trichloroethene	ND		2.0	0.39	ug/Kg			03/31/25 10:13	1
Trichlorofluoromethane	ND		10	0.27	ug/Kg			03/31/25 10:13	1
Vinyl acetate	ND		10	3.9	ug/Kg			03/31/25 10:13	1
Vinyl chloride	ND		1.0	0.38	ug/Kg			03/31/25 10:13	1
Xylenes, Total	ND		2.0	0.60	ug/Kg			03/31/25 10:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		32 - 179		03/31/25 10:13	1
4-Bromofluorobenzene (Surr)	103		80 - 120		03/31/25 10:13	1
Dibromofluoromethane (Surr)	103		58 - 147		03/31/25 10:13	1
Toluene-d8 (Surr)	101		80 - 120		03/31/25 10:13	1

Lab Sample ID: MB 570-551447/7

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		50	15	ug/Kg			03/31/25 10:34	50
1,1,1,1-Trichloroethane	ND		50	12	ug/Kg			03/31/25 10:34	50
1,1,1,2,2-Tetrachloroethane	ND		100	27	ug/Kg			03/31/25 10:34	50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		500	23	ug/Kg			03/31/25 10:34	50
1,1,2-Trichloroethane	ND		50	23	ug/Kg			03/31/25 10:34	50
1,1-Dichloroethane	ND		50	14	ug/Kg			03/31/25 10:34	50
1,1-Dichloroethene	ND		50	13	ug/Kg			03/31/25 10:34	50
1,1-Dichloropropene	ND		100	19	ug/Kg			03/31/25 10:34	50
1,2,3-Trichlorobenzene	ND		100	19	ug/Kg			03/31/25 10:34	50
1,2,3-Trichloropropane	ND		100	21	ug/Kg			03/31/25 10:34	50
1,2,4-Trichlorobenzene	ND		100	21	ug/Kg			03/31/25 10:34	50
1,2,4-Trimethylbenzene	ND		100	14	ug/Kg			03/31/25 10:34	50
1,2-Dibromo-3-Chloropropane	ND		500	170	ug/Kg			03/31/25 10:34	50
1,2-Dibromoethane	ND		50	10	ug/Kg			03/31/25 10:34	50
1,2-Dichlorobenzene	ND		50	13	ug/Kg			03/31/25 10:34	50
1,2-Dichloroethane	ND		50	14	ug/Kg			03/31/25 10:34	50
1,2-Dichloropropane	ND		50	14	ug/Kg			03/31/25 10:34	50
1,3,5-Trimethylbenzene	ND		100	13	ug/Kg			03/31/25 10:34	50
1,3-Dichlorobenzene	ND		50	13	ug/Kg			03/31/25 10:34	50
1,3-Dichloropropane	ND		50	15	ug/Kg			03/31/25 10:34	50
1,4-Dichlorobenzene	ND		50	15	ug/Kg			03/31/25 10:34	50
2,2-Dichloropropane	ND		250	14	ug/Kg			03/31/25 10:34	50
2-Butanone (MEK)	ND		1000	230	ug/Kg			03/31/25 10:34	50
2-Chlorotoluene	ND		50	13	ug/Kg			03/31/25 10:34	50
2-Hexanone	ND		1000	150	ug/Kg			03/31/25 10:34	50
4-Chlorotoluene	ND		50	12	ug/Kg			03/31/25 10:34	50
4-Methyl-2-pentanone (MIBK)	ND		1000	150	ug/Kg			03/31/25 10:34	50
Acetone	ND		1000	490	ug/Kg			03/31/25 10:34	50
Benzene	ND		50	13	ug/Kg			03/31/25 10:34	50

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-551447/7

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromobenzene	ND		50	10	ug/Kg			03/31/25 10:34	50
Bromochloromethane	ND		100	22	ug/Kg			03/31/25 10:34	50
Bromodichloromethane	ND		50	16	ug/Kg			03/31/25 10:34	50
Bromoform	ND		250	66	ug/Kg			03/31/25 10:34	50
Bromomethane	ND		1000	330	ug/Kg			03/31/25 10:34	50
cis-1,2-Dichloroethene	ND		50	17	ug/Kg			03/31/25 10:34	50
cis-1,3-Dichloropropene	ND		50	17	ug/Kg			03/31/25 10:34	50
Carbon disulfide	ND		500	20	ug/Kg			03/31/25 10:34	50
Carbon tetrachloride	ND		50	15	ug/Kg			03/31/25 10:34	50
Chlorobenzene	ND		50	13	ug/Kg			03/31/25 10:34	50
Chloroethane	ND		100	37	ug/Kg			03/31/25 10:34	50
Chloroform	ND		50	29	ug/Kg			03/31/25 10:34	50
Chloromethane	ND		1000	77	ug/Kg			03/31/25 10:34	50
Dibromochloromethane	ND		100	14	ug/Kg			03/31/25 10:34	50
Dibromomethane	ND		50	15	ug/Kg			03/31/25 10:34	50
Dichlorodifluoromethane	ND		100	23	ug/Kg			03/31/25 10:34	50
Ethylbenzene	ND		50	10	ug/Kg			03/31/25 10:34	50
Isopropylbenzene	ND		50	14	ug/Kg			03/31/25 10:34	50
Methylene Chloride	ND		500	160	ug/Kg			03/31/25 10:34	50
Methyl-t-Butyl Ether (MTBE)	ND		100	9.4	ug/Kg			03/31/25 10:34	50
Naphthalene	ND		500	200	ug/Kg			03/31/25 10:34	50
n-Butylbenzene	ND		50	11	ug/Kg			03/31/25 10:34	50
N-Propylbenzene	ND		100	13	ug/Kg			03/31/25 10:34	50
o-Xylene	ND		50	13	ug/Kg			03/31/25 10:34	50
m,p-Xylene	ND		100	24	ug/Kg			03/31/25 10:34	50
p-Isopropyltoluene	ND		50	14	ug/Kg			03/31/25 10:34	50
sec-Butylbenzene	ND		50	14	ug/Kg			03/31/25 10:34	50
Styrene	ND		50	16	ug/Kg			03/31/25 10:34	50
trans-1,2-Dichloroethene	ND		50	15	ug/Kg			03/31/25 10:34	50
trans-1,3-Dichloropropene	ND		100	14	ug/Kg			03/31/25 10:34	50
tert-Butylbenzene	ND		50	13	ug/Kg			03/31/25 10:34	50
Tetrachloroethene	ND		50	11	ug/Kg			03/31/25 10:34	50
Toluene	ND		50	13	ug/Kg			03/31/25 10:34	50
Trichloroethene	ND		100	19	ug/Kg			03/31/25 10:34	50
Trichlorofluoromethane	ND		500	14	ug/Kg			03/31/25 10:34	50
Vinyl acetate	ND		500	200	ug/Kg			03/31/25 10:34	50
Vinyl chloride	ND		50	19	ug/Kg			03/31/25 10:34	50
Xylenes, Total	ND		100	30	ug/Kg			03/31/25 10:34	50

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		32 - 179		03/31/25 10:34	50
4-Bromofluorobenzene (Surr)	105		80 - 120		03/31/25 10:34	50
Dibromofluoromethane (Surr)	102		58 - 147		03/31/25 10:34	50
Toluene-d8 (Surr)	103		80 - 120		03/31/25 10:34	50

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-551447/4

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	50.0	57.42		ug/Kg		115	80 - 125
1,1,1-Trichloroethane	50.0	57.31		ug/Kg		115	78 - 130
1,1,2,2-Tetrachloroethane	50.0	50.81		ug/Kg		102	80 - 124
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	47.87		ug/Kg		96	73 - 130
1,1,2-Trichloroethane	50.0	52.39		ug/Kg		105	80 - 123
1,1-Dichloroethane	50.0	51.96		ug/Kg		104	79 - 124
1,1-Dichloroethene	50.0	47.75		ug/Kg		95	74 - 132
1,1-Dichloropropene	50.0	53.93		ug/Kg		108	78 - 130
1,2,3-Trichlorobenzene	50.0	52.74		ug/Kg		105	80 - 123
1,2,3-Trichloropropane	50.0	55.00		ug/Kg		110	79 - 120
1,2,4-Trichlorobenzene	50.0	53.09		ug/Kg		106	80 - 125
1,2,4-Trimethylbenzene	50.0	53.13		ug/Kg		106	80 - 124
1,2-Dibromo-3-Chloropropane	50.0	58.14		ug/Kg		116	67 - 120
1,2-Dibromoethane	50.0	54.98		ug/Kg		110	80 - 120
1,2-Dichlorobenzene	50.0	51.36		ug/Kg		103	80 - 120
1,2-Dichloroethane	50.0	53.15		ug/Kg		106	77 - 120
1,2-Dichloropropane	50.0	53.13		ug/Kg		106	80 - 126
1,3,5-Trimethylbenzene	50.0	52.98		ug/Kg		106	80 - 121
1,3-Dichlorobenzene	50.0	51.52		ug/Kg		103	80 - 120
1,3-Dichloropropane	50.0	53.45		ug/Kg		107	80 - 120
1,4-Dichlorobenzene	50.0	50.79		ug/Kg		102	80 - 120
2,2-Dichloropropane	50.0	61.35		ug/Kg		123	73 - 135
2-Butanone (MEK)	50.0	52.06		ug/Kg		104	67 - 136
2-Chlorotoluene	50.0	50.93		ug/Kg		102	80 - 120
2-Hexanone	50.0	54.72		ug/Kg		109	70 - 137
4-Chlorotoluene	50.0	52.09		ug/Kg		104	80 - 121
4-Methyl-2-pentanone (MIBK)	50.0	54.31		ug/Kg		109	74 - 124
Acetone	50.0	50.25		ug/Kg		100	61 - 142
Benzene	50.0	50.86		ug/Kg		102	80 - 120
Bromobenzene	50.0	50.71		ug/Kg		101	80 - 120
Bromochloromethane	50.0	51.47		ug/Kg		103	80 - 120
Bromodichloromethane	50.0	57.60		ug/Kg		115	80 - 125
Bromoform	50.0	59.01		ug/Kg		118	74 - 138
Bromomethane	50.0	44.19		ug/Kg		88	58 - 136
cis-1,2-Dichloroethene	50.0	50.71		ug/Kg		101	80 - 124
cis-1,3-Dichloropropene	50.0	57.31		ug/Kg		115	80 - 123
Carbon disulfide	50.0	49.01		ug/Kg		98	68 - 128
Carbon tetrachloride	50.0	61.03		ug/Kg		122	75 - 140
Chlorobenzene	50.0	50.62		ug/Kg		101	80 - 120
Chloroethane	50.0	51.23		ug/Kg		102	76 - 137
Chloroform	50.0	52.01		ug/Kg		104	80 - 121
Chloromethane	50.0	45.33		ug/Kg		91	74 - 133
Dibromochloromethane	50.0	55.24		ug/Kg		110	80 - 132
Dibromomethane	50.0	51.15		ug/Kg		102	80 - 120
Dichlorodifluoromethane	50.0	50.47		ug/Kg		101	63 - 146
Ethylbenzene	50.0	52.18		ug/Kg		104	80 - 120
Isopropylbenzene	50.0	53.09		ug/Kg		106	80 - 122
Methylene Chloride	50.0	47.31		ug/Kg		95	74 - 120

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-551447/4

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methyl-t-Butyl Ether (MTBE)	50.0	56.13		ug/Kg		112	79 - 123
Naphthalene	50.0	51.81		ug/Kg		104	79 - 121
n-Butylbenzene	50.0	54.75		ug/Kg		109	79 - 131
N-Propylbenzene	50.0	53.02		ug/Kg		106	80 - 122
o-Xylene	50.0	52.55		ug/Kg		105	80 - 120
m,p-Xylene	100	106.3		ug/Kg		106	80 - 120
p-Isopropyltoluene	50.0	53.95		ug/Kg		108	80 - 126
sec-Butylbenzene	50.0	53.60		ug/Kg		107	80 - 125
Styrene	50.0	52.61		ug/Kg		105	80 - 120
trans-1,2-Dichloroethene	50.0	49.51		ug/Kg		99	75 - 123
trans-1,3-Dichloropropene	50.0	59.85		ug/Kg		120	80 - 124
tert-Butylbenzene	50.0	53.42		ug/Kg		107	80 - 124
Tetrachloroethene	50.0	51.16		ug/Kg		102	80 - 122
Toluene	50.0	50.34		ug/Kg		101	80 - 120
Trichloroethene	50.0	53.84		ug/Kg		108	80 - 127
Trichlorofluoromethane	50.0	55.14		ug/Kg		110	70 - 144
Vinyl acetate	50.0	54.58		ug/Kg		109	71 - 125
Vinyl chloride	50.0	51.90		ug/Kg		104	79 - 133

LCS LCS			
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		32 - 179
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	102		58 - 147
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 570-551447/5

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	55.79		ug/Kg		112	80 - 125	3	20
1,1,1-Trichloroethane	50.0	56.05		ug/Kg		112	78 - 130	2	20
1,1,2,2-Tetrachloroethane	50.0	48.62		ug/Kg		97	80 - 124	4	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	49.90		ug/Kg		100	73 - 130	4	20
1,1,2-Trichloroethane	50.0	50.62		ug/Kg		101	80 - 123	3	20
1,1-Dichloroethane	50.0	50.70		ug/Kg		101	79 - 124	2	20
1,1-Dichloroethene	50.0	49.81		ug/Kg		100	74 - 132	4	20
1,1-Dichloropropene	50.0	53.18		ug/Kg		106	78 - 130	1	20
1,2,3-Trichlorobenzene	50.0	50.75		ug/Kg		101	80 - 123	4	20
1,2,3-Trichloropropane	50.0	52.38		ug/Kg		105	79 - 120	5	20
1,2,4-Trichlorobenzene	50.0	50.91		ug/Kg		102	80 - 125	4	20
1,2,4-Trimethylbenzene	50.0	50.79		ug/Kg		102	80 - 124	5	20
1,2-Dibromo-3-Chloropropane	50.0	56.49		ug/Kg		113	67 - 120	3	20
1,2-Dibromoethane	50.0	52.44		ug/Kg		105	80 - 120	5	20
1,2-Dichlorobenzene	50.0	49.13		ug/Kg		98	80 - 120	4	20
1,2-Dichloroethane	50.0	51.76		ug/Kg		104	77 - 120	3	20
1,2-Dichloropropane	50.0	52.02		ug/Kg		104	80 - 126	2	20
1,3,5-Trimethylbenzene	50.0	51.39		ug/Kg		103	80 - 121	3	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-551447/5

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,3-Dichlorobenzene	50.0	49.47		ug/Kg		99	80 - 120	4	20
1,3-Dichloropropane	50.0	51.30		ug/Kg		103	80 - 120	4	20
1,4-Dichlorobenzene	50.0	48.46		ug/Kg		97	80 - 120	5	20
2,2-Dichloropropane	50.0	59.64		ug/Kg		119	73 - 135	3	20
2-Butanone (MEK)	50.0	50.82		ug/Kg		102	67 - 136	2	20
2-Chlorotoluene	50.0	49.47		ug/Kg		99	80 - 120	3	20
2-Hexanone	50.0	51.73		ug/Kg		103	70 - 137	6	20
4-Chlorotoluene	50.0	50.06		ug/Kg		100	80 - 121	4	20
4-Methyl-2-pentanone (MIBK)	50.0	51.87		ug/Kg		104	74 - 124	5	20
Acetone	50.0	53.06		ug/Kg		106	61 - 142	5	23
Benzene	50.0	49.74		ug/Kg		99	80 - 120	2	20
Bromobenzene	50.0	49.44		ug/Kg		99	80 - 120	3	20
Bromochloromethane	50.0	50.32		ug/Kg		101	80 - 120	2	20
Bromodichloromethane	50.0	55.57		ug/Kg		111	80 - 125	4	20
Bromoform	50.0	56.19		ug/Kg		112	74 - 138	5	20
Bromomethane	50.0	41.98		ug/Kg		84	58 - 136	5	20
cis-1,2-Dichloroethene	50.0	50.54		ug/Kg		101	80 - 124	0	20
cis-1,3-Dichloropropene	50.0	55.70		ug/Kg		111	80 - 123	3	20
Carbon disulfide	50.0	45.98		ug/Kg		92	68 - 128	6	20
Carbon tetrachloride	50.0	59.90		ug/Kg		120	75 - 140	2	20
Chlorobenzene	50.0	49.50		ug/Kg		99	80 - 120	2	20
Chloroethane	50.0	49.41		ug/Kg		99	76 - 137	4	20
Chloroform	50.0	50.78		ug/Kg		102	80 - 121	2	20
Chloromethane	50.0	43.42		ug/Kg		87	74 - 133	4	20
Dibromochloromethane	50.0	53.19		ug/Kg		106	80 - 132	4	20
Dibromomethane	50.0	49.31		ug/Kg		99	80 - 120	4	20
Dichlorodifluoromethane	50.0	48.86		ug/Kg		98	63 - 146	3	20
Ethylbenzene	50.0	50.70		ug/Kg		101	80 - 120	3	20
Isopropylbenzene	50.0	51.66		ug/Kg		103	80 - 122	3	20
Methylene Chloride	50.0	46.69		ug/Kg		93	74 - 120	1	20
Methyl-t-Butyl Ether (MTBE)	50.0	55.21		ug/Kg		110	79 - 123	2	20
Naphthalene	50.0	49.89		ug/Kg		100	79 - 121	4	20
n-Butylbenzene	50.0	52.38		ug/Kg		105	79 - 131	4	20
N-Propylbenzene	50.0	50.79		ug/Kg		102	80 - 122	4	20
o-Xylene	50.0	51.41		ug/Kg		103	80 - 120	2	20
m,p-Xylene	100	103.3		ug/Kg		103	80 - 120	3	20
p-Isopropyltoluene	50.0	51.59		ug/Kg		103	80 - 126	4	20
sec-Butylbenzene	50.0	51.09		ug/Kg		102	80 - 125	5	20
Styrene	50.0	51.41		ug/Kg		103	80 - 120	2	20
trans-1,2-Dichloroethene	50.0	49.45		ug/Kg		99	75 - 123	0	20
trans-1,3-Dichloropropene	50.0	58.13		ug/Kg		116	80 - 124	3	20
tert-Butylbenzene	50.0	51.00		ug/Kg		102	80 - 124	5	20
Tetrachloroethene	50.0	49.73		ug/Kg		99	80 - 122	3	20
Toluene	50.0	49.12		ug/Kg		98	80 - 120	2	20
Trichloroethene	50.0	51.99		ug/Kg		104	80 - 127	3	20
Trichlorofluoromethane	50.0	53.82		ug/Kg		108	70 - 144	2	20
Vinyl acetate	50.0	54.54		ug/Kg		109	71 - 125	0	20
Vinyl chloride	50.0	49.11		ug/Kg		98	79 - 133	6	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-551447/5

Matrix: Solid

Analysis Batch: 551447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		32 - 179
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	103		58 - 147
Toluene-d8 (Surr)	100		80 - 120

Method: 8270C SIM - PAHs (GC/MS SIM)

Lab Sample ID: MB 570-551153/1-A

Matrix: Solid

Analysis Batch: 551388

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551153

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
2-Methylnaphthalene	ND		0.020	0.010	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Acenaphthene	ND		0.020	0.013	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Acenaphthylene	ND		0.020	0.0096	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Anthracene	ND		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Benzo[g,h,i]perylene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Benzo[k]fluoranthene	ND		0.020	0.017	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Benzo[a]anthracene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Benzo[a]pyrene	ND		0.020	0.0082	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Benzo[b]fluoranthene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Chrysene	ND		0.020	0.0065	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Dibenz[a,h]anthracene	ND		0.020	0.011	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Fluoranthene	ND		0.020	0.0080	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Fluorene	ND		0.020	0.0097	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Indeno[1,2,3-cd]pyrene	ND		0.020	0.012	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Naphthalene	ND		0.020	0.0089	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Phenanthrene	ND		0.020	0.015	mg/Kg		03/29/25 07:59	03/30/25 20:39	1
Pyrene	ND		0.020	0.0087	mg/Kg		03/29/25 07:59	03/30/25 20:39	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	80		22 - 130	03/29/25 07:59	03/30/25 20:39	1
Nitrobenzene-d5 (Surr)	80		20 - 145	03/29/25 07:59	03/30/25 20:39	1
p-Terphenyl-d14 (Surr)	89		33 - 147	03/29/25 07:59	03/30/25 20:39	1

Lab Sample ID: LCS 570-551153/2-A

Matrix: Solid

Analysis Batch: 551388

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551153

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.00	0.6907		mg/Kg		69	54 - 132
2-Methylnaphthalene	1.00	0.8133		mg/Kg		81	50 - 127
Acenaphthene	1.00	0.7723		mg/Kg		77	53 - 125
Acenaphthylene	1.00	0.7408		mg/Kg		74	50 - 123
Anthracene	1.00	0.8312		mg/Kg		83	50 - 132
Benzo[g,h,i]perylene	1.00	0.7158		mg/Kg		72	50 - 130
Benzo[k]fluoranthene	1.00	0.8802		mg/Kg		88	49 - 150

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: LCS 570-551153/2-A

Matrix: Solid

Analysis Batch: 551388

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551153

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzo[a]anthracene	1.00	0.7397		mg/Kg		74	50 - 133
Benzo[a]pyrene	1.00	0.7934		mg/Kg		79	50 - 134
Benzo[b]fluoranthene	1.00	0.7180		mg/Kg		72	50 - 142
Chrysene	1.00	0.7876		mg/Kg		79	51 - 129
Dibenz(a,h)anthracene	1.00	0.7476		mg/Kg		75	50 - 133
Fluoranthene	1.00	0.7900		mg/Kg		79	55 - 127
Fluorene	1.00	0.7703		mg/Kg		77	55 - 127
Indeno[1,2,3-cd]pyrene	1.00	0.9862		mg/Kg		99	50 - 148
Naphthalene	1.00	0.7165		mg/Kg		72	51 - 129
Phenanthrene	1.00	0.7185		mg/Kg		72	50 - 122
Pyrene	1.00	0.8269		mg/Kg		83	50 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	75		22 - 130
Nitrobenzene-d5 (Surr)	69		20 - 145
p-Terphenyl-d14 (Surr)	84		33 - 147

Lab Sample ID: LCSD 570-551153/3-A

Matrix: Solid

Analysis Batch: 551388

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551153

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	1.00	0.7265		mg/Kg		73	54 - 132	5	20
2-Methylnaphthalene	1.00	0.8414		mg/Kg		84	50 - 127	3	20
Acenaphthene	1.00	0.7668		mg/Kg		77	53 - 125	1	20
Acenaphthylene	1.00	0.7561		mg/Kg		76	50 - 123	2	20
Anthracene	1.00	0.8344		mg/Kg		83	50 - 132	0	20
Benzo[g,h,i]perylene	1.00	0.7082		mg/Kg		71	50 - 130	1	20
Benzo[k]fluoranthene	1.00	0.9149		mg/Kg		91	49 - 150	4	20
Benzo[a]anthracene	1.00	0.7548		mg/Kg		75	50 - 133	2	20
Benzo[a]pyrene	1.00	0.8183		mg/Kg		82	50 - 134	3	20
Benzo[b]fluoranthene	1.00	0.7520		mg/Kg		75	50 - 142	5	20
Chrysene	1.00	0.8013		mg/Kg		80	51 - 129	2	20
Dibenz(a,h)anthracene	1.00	0.7717		mg/Kg		77	50 - 133	3	20
Fluoranthene	1.00	0.8019		mg/Kg		80	55 - 127	1	20
Fluorene	1.00	0.7869		mg/Kg		79	55 - 127	2	20
Indeno[1,2,3-cd]pyrene	1.00	0.9842		mg/Kg		98	50 - 148	0	20
Naphthalene	1.00	0.7261		mg/Kg		73	51 - 129	1	20
Phenanthrene	1.00	0.7339		mg/Kg		73	50 - 122	2	20
Pyrene	1.00	0.8316		mg/Kg		83	50 - 134	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	74		22 - 130
Nitrobenzene-d5 (Surr)	72		20 - 145
p-Terphenyl-d14 (Surr)	86		33 - 147

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-551337/62

Matrix: Solid

Analysis Batch: 551337

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.098	0.043	mg/Kg			03/30/25 16:30	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		42 - 126					03/30/25 16:30	1

Lab Sample ID: LCS 570-551337/58

Matrix: Solid

Analysis Batch: 551337

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	2.00	1.746		mg/Kg		87	70 - 124		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	102		42 - 126						

Lab Sample ID: LCSD 570-551337/59

Matrix: Solid

Analysis Batch: 551337

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (C4-C13)	2.00	1.726		mg/Kg		86	70 - 124	1	18
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	102		42 - 126						

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 570-551767/1-A

Matrix: Solid

Analysis Batch: 551887

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551767

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.0	4.6	mg/Kg		03/31/25 15:04	03/31/25 23:17	1
C23-C40	ND		5.0	4.6	mg/Kg		03/31/25 15:04	03/31/25 23:17	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	95		29 - 160				03/31/25 15:04	03/31/25 23:17	1

Lab Sample ID: LCS 570-551767/2-A

Matrix: Solid

Analysis Batch: 551887

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551767

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Diesel Range Organics [C10-C28]	400	357.7		mg/Kg		89	70 - 130		

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 570-551767/2-A

Matrix: Solid

Analysis Batch: 551887

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551767

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	91		29 - 160

Lab Sample ID: LCSD 570-551767/3-A

Matrix: Solid

Analysis Batch: 551887

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551767

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	400	362.5		mg/Kg		91	70 - 130	1	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	93		29 - 160

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-552446/1-A

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 552446

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	0.72	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
4,4'-DDE	ND		5.0	0.69	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
4,4'-DDT	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Aldrin	ND		5.0	1.6	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
alpha-BHC	ND		5.0	0.59	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
alpha-Chlordane	ND		5.0	0.56	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
beta-BHC	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Chlordane	ND		25	4.1	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
delta-BHC	ND		5.0	0.93	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Dieldrin	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endosulfan I	ND		5.0	1.1	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endosulfan II	ND		5.0	0.55	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endosulfan sulfate	ND		5.0	0.63	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endrin	ND		5.0	0.67	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endrin aldehyde	ND		5.0	3.3	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Endrin ketone	ND		5.0	0.90	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
gamma-Chlordane	ND		5.0	3.4	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
gamma-BHC (Lindane)	ND		5.0	0.51	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Heptachlor	ND		5.0	0.60	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Heptachlor epoxide	ND		5.0	0.54	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Methoxychlor	ND		5.0	1.2	ug/Kg		04/01/25 21:08	04/02/25 13:21	1
Toxaphene	ND		25	15	ug/Kg		04/01/25 21:08	04/02/25 13:21	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
Tetrachloro-m-xylene (Surr)	102		38 - 148	04/01/25 21:08	04/02/25 13:21	1			
DCB Decachlorobiphenyl (Surr)	108		37 - 151	04/01/25 21:08	04/02/25 13:21	1			

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 570-552446/2-A

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	25.0	21.93		ug/Kg		88	54 - 154
4,4'-DDE	25.0	22.50		ug/Kg		90	51 - 149
4,4'-DDT	25.0	23.13		ug/Kg		93	39 - 152
Aldrin	25.0	21.47		ug/Kg		86	52 - 138
alpha-BHC	25.0	21.05		ug/Kg		84	51 - 140
alpha-Chlordane	25.0	21.96		ug/Kg		88	53 - 141
beta-BHC	25.0	21.21		ug/Kg		85	53 - 141
delta-BHC	25.0	16.89		ug/Kg		68	20 - 132
Dieldrin	25.0	22.89		ug/Kg		92	52 - 144
Endosulfan I	25.0	21.82		ug/Kg		87	49 - 139
Endosulfan II	25.0	23.51		ug/Kg		94	51 - 150
Endosulfan sulfate	25.0	21.73		ug/Kg		87	45 - 139
Endrin	25.0	18.95		ug/Kg		76	53 - 151
Endrin aldehyde	25.0	22.77		ug/Kg		91	31 - 146
Endrin ketone	25.0	24.93		ug/Kg		100	51 - 150
gamma-Chlordane	25.0	21.86		ug/Kg		87	46 - 156
gamma-BHC (Lindane)	25.0	21.83		ug/Kg		87	53 - 141
Heptachlor	25.0	21.39		ug/Kg		86	52 - 144
Heptachlor epoxide	25.0	21.62		ug/Kg		86	54 - 141
Methoxychlor	25.0	23.96		ug/Kg		96	47 - 148

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	102		38 - 148
DCB Decachlorobiphenyl (Surr)	111		37 - 151

Lab Sample ID: LCSD 570-552446/3-A

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
4,4'-DDD	25.0	18.01		ug/Kg		72	54 - 154	20	30
4,4'-DDE	25.0	18.16		ug/Kg		73	51 - 149	21	28
4,4'-DDT	25.0	18.85		ug/Kg		75	39 - 152	20	31
Aldrin	25.0	17.71		ug/Kg		71	52 - 138	19	30
alpha-BHC	25.0	17.42		ug/Kg		70	51 - 140	19	29
alpha-Chlordane	25.0	17.85		ug/Kg		71	53 - 141	21	28
beta-BHC	25.0	17.58		ug/Kg		70	53 - 141	19	29
delta-BHC	25.0	13.98		ug/Kg		56	20 - 132	19	40
Dieldrin	25.0	18.74		ug/Kg		75	52 - 144	20	28
Endosulfan I	25.0	17.59		ug/Kg		70	49 - 139	21	28
Endosulfan II	25.0	19.09		ug/Kg		76	51 - 150	21	29
Endosulfan sulfate	25.0	17.77		ug/Kg		71	45 - 139	20	30
Endrin	25.0	15.97		ug/Kg		64	53 - 151	17	29
Endrin aldehyde	25.0	18.61		ug/Kg		74	31 - 146	20	40
Endrin ketone	25.0	20.11		ug/Kg		80	51 - 150	21	30
gamma-Chlordane	25.0	17.72		ug/Kg		71	46 - 156	21	39
gamma-BHC (Lindane)	25.0	18.16		ug/Kg		73	53 - 141	18	29
Heptachlor	25.0	17.66		ug/Kg		71	52 - 144	19	29

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 570-552446/3-A

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Heptachlor epoxide	25.0	17.76		ug/Kg		71	54 - 141	20	29
Methoxychlor	25.0	19.32		ug/Kg		77	47 - 148	21	29

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene (Surr)	84		38 - 148
DCB Decachlorobiphenyl (Surr)	90		37 - 151

Lab Sample ID: 570-224192-20 MS

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: PCHS-SS-COMP-4

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	ND		25.0	10.85		ug/Kg		43	27 - 144
4,4'-DDE	ND		25.0	10.15		ug/Kg		41	28 - 141
4,4'-DDT	ND	F2	25.0	8.626		ug/Kg		35	10 - 154
Aldrin	ND		25.0	8.866		ug/Kg		36	26 - 125
alpha-BHC	ND		25.0	8.165		ug/Kg		33	24 - 125
alpha-Chlordane	ND		25.0	8.705		ug/Kg		35	17 - 144
beta-BHC	ND		25.0	8.291		ug/Kg		33	28 - 125
delta-BHC	ND		25.0	5.661		ug/Kg		23	10 - 125
Dieldrin	ND		25.0	9.630		ug/Kg		39	19 - 145
Endosulfan I	ND		25.0	9.332		ug/Kg		37	25 - 125
Endosulfan II	ND		25.0	8.651		ug/Kg		35	13 - 142
Endosulfan sulfate	ND		25.0	7.422		ug/Kg		30	14 - 126
Endrin	ND		25.0	9.813		ug/Kg		39	28 - 139
Endrin aldehyde	ND		25.0	5.865		ug/Kg		24	12 - 125
Endrin ketone	ND		25.0	9.635		ug/Kg		39	20 - 132
gamma-Chlordane	ND		25.0	9.840		ug/Kg		39	10 - 160
gamma-BHC (Lindane)	ND		25.0	9.084		ug/Kg		36	24 - 125
Heptachlor	ND	F2	25.0	6.866		ug/Kg		28	19 - 127
Heptachlor epoxide	ND		25.0	9.697		ug/Kg		39	33 - 123
Methoxychlor	ND		25.0	10.35		ug/Kg		42	19 - 128

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	44		38 - 148
DCB Decachlorobiphenyl (Surr)	55		37 - 151

Lab Sample ID: 570-224192-20 MSD

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: PCHS-SS-COMP-4

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	ND		25.0	13.81		ug/Kg		55	27 - 144	24	40
4,4'-DDE	ND		25.0	13.28		ug/Kg		53	28 - 141	27	32
4,4'-DDT	ND		25.0	11.84		ug/Kg		47	10 - 154	31	40
Aldrin	ND		25.0	11.15		ug/Kg		45	26 - 125	23	40
alpha-BHC	ND		25.0	10.67		ug/Kg		43	24 - 125	27	40
alpha-Chlordane	ND		25.0	10.66		ug/Kg		43	17 - 144	20	40

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-224192-20 MSD

Matrix: Solid

Analysis Batch: 552458

Client Sample ID: PCHS-SS-COMP-4

Prep Type: Total/NA

Prep Batch: 552446

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
beta-BHC	ND		25.0	10.44		ug/Kg		42	28 - 125	23	39
delta-BHC	ND		25.0	8.195		ug/Kg		33	10 - 125	37	40
Dieldrin	ND		25.0	11.36		ug/Kg		45	19 - 145	17	39
Endosulfan I	ND		25.0	11.51		ug/Kg		46	25 - 125	21	39
Endosulfan II	ND		25.0	11.45		ug/Kg		46	13 - 142	28	40
Endosulfan sulfate	ND		25.0	10.85		ug/Kg		43	14 - 126	38	38
Endrin	ND		25.0	12.06		ug/Kg		48	28 - 139	21	40
Endrin aldehyde	ND		25.0	8.185		ug/Kg		33	12 - 125	33	40
Endrin ketone	ND		25.0	11.70		ug/Kg		47	20 - 132	19	40
gamma-Chlordane	ND		25.0	12.05		ug/Kg		48	10 - 160	20	40
gamma-BHC (Lindane)	ND		25.0	11.60		ug/Kg		46	24 - 125	24	40
Heptachlor	ND	F2	25.0	10.41	F2	ug/Kg		42	19 - 127	41	40
Heptachlor epoxide	ND		25.0	11.80		ug/Kg		47	33 - 123	20	34
Methoxychlor	ND		25.0	15.58		ug/Kg		62	19 - 128	40	40

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene (Surr)	56		38 - 148
DCB Decachlorobiphenyl (Surr)	68		37 - 151

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 570-551665/1-A

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551665

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1221	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1232	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1242	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1248	ND		50	49	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1254	ND		50	27	ug/Kg		03/31/25 12:45	04/02/25 13:47	1
Aroclor-1260	ND		50	27	ug/Kg		03/31/25 12:45	04/02/25 13:47	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene (Surr)	78		24 - 136	03/31/25 12:45	04/02/25 13:47	1
DCB Decachlorobiphenyl (Surr)	126		37 - 135	03/31/25 12:45	04/02/25 13:47	1

Lab Sample ID: LCS 570-551665/2-A

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551665

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aroclor-1016	99.8	93.32		ug/Kg		94	46 - 131
Aroclor-1260	99.8	116.1		ug/Kg		116	40 - 150

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene (Surr)	60		24 - 136

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 570-551665/2-A

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551665

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	126		37 - 135

Lab Sample ID: LCSD 570-551665/3-A

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551665

			Spike	LCSD	LCSD				%Rec	RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Aroclor-1016			99.9	115.5		ug/Kg		116	46 - 131	21	32
Aroclor-1260			99.9	127.1		ug/Kg		127	40 - 150	9	36

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene (Surr)	87		24 - 136
DCB Decachlorobiphenyl (Surr)	130		37 - 135

Lab Sample ID: 570-224192-25 MS

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: PCHS-SS-COMP-5

Prep Type: Total/NA

Prep Batch: 551665

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Aroclor-1016	ND	F1	99.6	315.7	E F1	ug/Kg		317	29 - 174		
Aroclor-1260	ND		99.6	143.0		ug/Kg		144	20 - 180		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene (Surr)	99		24 - 136
DCB Decachlorobiphenyl (Surr)	123		37 - 135

Lab Sample ID: 570-224192-25 MSD

Matrix: Solid

Analysis Batch: 552579

Client Sample ID: PCHS-SS-COMP-5

Prep Type: Total/NA

Prep Batch: 551665

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Aroclor-1016	ND	F1	99.6	464.4	E F1	ug/Kg		466	29 - 174	NC	40
Aroclor-1260	ND		99.6	142.5		ug/Kg		143	20 - 180	0	40

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene (Surr)	90		24 - 136
DCB Decachlorobiphenyl (Surr)	129		37 - 135

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-551155/1-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551155

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.42	5.33	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Arsenic	ND		2.83	1.83	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Barium	ND		1.88	0.278	mg/Kg		03/31/25 06:00	03/31/25 12:59	2

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 570-551155/1-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551155

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	ND		0.377	0.0885	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Cadmium	ND		0.377	0.144	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Chromium	ND		0.942	0.500	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Cobalt	ND		1.88	0.401	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Copper	ND		1.88	0.536	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Lead	ND		1.88	1.25	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Molybdenum	ND		3.77	0.923	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Nickel	ND		1.88	1.07	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Selenium	ND		2.83	1.47	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Silver	ND		1.88	0.400	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Thallium	ND		9.42	2.69	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Vanadium	ND		3.77	0.825	mg/Kg		03/31/25 06:00	03/31/25 12:59	2
Zinc	ND		3.77	1.54	mg/Kg		03/31/25 06:00	03/31/25 12:59	2

Lab Sample ID: LCS 570-551155/2-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	203	173.8		mg/Kg		86	80 - 120
Arsenic	203	181.2		mg/Kg		89	80 - 120
Barium	203	191.6		mg/Kg		94	80 - 120
Beryllium	203	186.5		mg/Kg		92	80 - 120
Cadmium	203	185.3		mg/Kg		91	80 - 120
Chromium	203	189.1		mg/Kg		93	80 - 120
Cobalt	203	189.8		mg/Kg		94	80 - 120
Copper	203	190.8		mg/Kg		94	80 - 120
Lead	203	188.1		mg/Kg		93	80 - 120
Molybdenum	203	202.1		mg/Kg		100	80 - 120
Nickel	203	188.4		mg/Kg		93	80 - 120
Selenium	203	165.5		mg/Kg		82	80 - 120
Silver	101	92.77		mg/Kg		91	80 - 120
Thallium	203	184.6		mg/Kg		91	80 - 120
Vanadium	203	193.1		mg/Kg		95	80 - 120
Zinc	203	184.4		mg/Kg		91	80 - 120

Lab Sample ID: LCSD 570-551155/3-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	201	175.8		mg/Kg		88	80 - 120	1	20
Arsenic	201	183.7		mg/Kg		92	80 - 120	1	20
Barium	201	194.2		mg/Kg		97	80 - 120	1	20
Beryllium	201	189.4		mg/Kg		94	80 - 120	2	20
Cadmium	201	187.8		mg/Kg		94	80 - 120	1	20
Chromium	201	190.7		mg/Kg		95	80 - 120	1	20
Cobalt	201	192.3		mg/Kg		96	80 - 120	1	20
Copper	201	194.6		mg/Kg		97	80 - 120	2	20

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCSD 570-551155/3-A

Matrix: Solid

Analysis Batch: 551724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551155

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits			
Lead	201	190.7		mg/Kg		95	80 - 120		1	20
Molybdenum	201	203.6		mg/Kg		102	80 - 120		1	20
Nickel	201	191.1		mg/Kg		95	80 - 120		1	20
Selenium	201	165.9		mg/Kg		83	80 - 120		0	20
Silver	100	94.06		mg/Kg		94	80 - 120		1	20
Thallium	201	188.1		mg/Kg		94	80 - 120		2	20
Vanadium	201	195.9		mg/Kg		98	80 - 120		1	20
Zinc	201	186.8		mg/Kg		93	80 - 120		1	20

Lab Sample ID: MB 570-551713/1-A

Matrix: Solid

Analysis Batch: 552535

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551713

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	ND		9.06	5.13	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Arsenic	ND		2.72	1.76	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Barium	0.4530	J	1.81	0.267	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Beryllium	ND		0.362	0.0852	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Cadmium	ND		0.362	0.139	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Chromium	ND		0.906	0.481	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Cobalt	ND		1.81	0.386	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Copper	ND		1.81	0.515	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Lead	ND		1.81	1.20	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Molybdenum	ND		3.62	0.888	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Nickel	ND		1.81	1.03	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Selenium	ND		2.72	1.42	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Silver	ND		1.81	0.385	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Thallium	ND		9.06	2.59	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Vanadium	ND		3.62	0.794	mg/Kg		03/31/25 13:38	04/01/25 21:24	2
Zinc	6.016		3.62	1.48	mg/Kg		03/31/25 13:38	04/01/25 21:24	2

Lab Sample ID: LCS 570-551713/2-A

Matrix: Solid

Analysis Batch: 552535

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551713

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Antimony	174	178.1		mg/Kg		102	80 - 120	
Arsenic	174	175.1		mg/Kg		101	80 - 120	
Barium	174	186.1		mg/Kg		107	80 - 120	
Beryllium	174	181.2		mg/Kg		104	80 - 120	
Cadmium	174	182.3		mg/Kg		105	80 - 120	
Chromium	174	187.2		mg/Kg		107	80 - 120	
Cobalt	174	185.2		mg/Kg		106	80 - 120	
Copper	174	184.7		mg/Kg		106	80 - 120	
Lead	174	183.8		mg/Kg		106	80 - 120	
Molybdenum	174	189.8		mg/Kg		109	80 - 120	
Nickel	174	184.5		mg/Kg		106	80 - 120	
Selenium	174	161.1		mg/Kg		93	80 - 120	
Silver	87.0	89.99		mg/Kg		103	80 - 120	

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 570-551713/2-A
Matrix: Solid
Analysis Batch: 552535

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551713

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Thallium	174	178.3		mg/Kg		102	80 - 120
Vanadium	174	187.7		mg/Kg		108	80 - 120
Zinc	174	180.4		mg/Kg		104	80 - 120

Lab Sample ID: LCSD 570-551713/3-A
Matrix: Solid
Analysis Batch: 552535

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 551713

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	192	198.9		mg/Kg		104	80 - 120	11	20
Arsenic	192	189.0		mg/Kg		98	80 - 120	8	20
Barium	192	202.6		mg/Kg		105	80 - 120	8	20
Beryllium	192	197.0		mg/Kg		103	80 - 120	8	20
Cadmium	192	198.2		mg/Kg		103	80 - 120	8	20
Chromium	192	206.2		mg/Kg		107	80 - 120	10	20
Cobalt	192	201.2		mg/Kg		105	80 - 120	8	20
Copper	192	202.4		mg/Kg		105	80 - 120	9	20
Lead	192	200.1		mg/Kg		104	80 - 120	8	20
Molybdenum	192	212.9		mg/Kg		111	80 - 120	12	20
Nickel	192	199.7		mg/Kg		104	80 - 120	8	20
Selenium	192	173.2		mg/Kg		90	80 - 120	7	20
Silver	96.0	97.50		mg/Kg		102	80 - 120	8	20
Thallium	192	196.4		mg/Kg		102	80 - 120	10	20
Vanadium	192	204.3		mg/Kg		106	80 - 120	8	20
Zinc	192	196.2		mg/Kg		102	80 - 120	8	20

Lab Sample ID: MB 570-551992/1-A
Matrix: Solid
Analysis Batch: 552536

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551992

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.02	5.10	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Arsenic	ND		2.71	1.75	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Barium	ND		1.80	0.266	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Beryllium	ND		0.361	0.0848	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Cadmium	ND		0.361	0.138	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Chromium	ND		0.902	0.479	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Cobalt	ND		1.80	0.384	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Copper	ND		1.80	0.513	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Lead	ND		1.80	1.19	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Molybdenum	ND		3.61	0.884	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Nickel	ND		1.80	1.02	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Selenium	ND		2.71	1.41	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Silver	ND		1.80	0.383	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Thallium	ND		9.02	2.58	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Vanadium	ND		3.61	0.790	mg/Kg		04/01/25 07:38	04/02/25 02:25	2
Zinc	ND		3.61	1.47	mg/Kg		04/01/25 07:38	04/02/25 02:25	2

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 570-551992/2-A

Matrix: Solid

Analysis Batch: 552536

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551992

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	185	177.5		mg/Kg		96	80 - 120
Arsenic	185	178.0		mg/Kg		96	80 - 120
Barium	185	190.2		mg/Kg		103	80 - 120
Beryllium	185	185.2		mg/Kg		100	80 - 120
Cadmium	185	186.6		mg/Kg		101	80 - 120
Chromium	185	192.7		mg/Kg		104	80 - 120
Cobalt	185	189.8		mg/Kg		103	80 - 120
Copper	185	189.6		mg/Kg		103	80 - 120
Lead	185	188.3		mg/Kg		102	80 - 120
Molybdenum	185	197.7		mg/Kg		107	80 - 120
Nickel	185	188.9		mg/Kg		102	80 - 120
Selenium	185	163.8		mg/Kg		89	80 - 120
Silver	92.5	91.60		mg/Kg		99	80 - 120
Thallium	185	184.1		mg/Kg		100	80 - 120
Vanadium	185	192.2		mg/Kg		104	80 - 120
Zinc	185	184.1		mg/Kg		100	80 - 120

Lab Sample ID: LCSD 570-551992/3-A

Matrix: Solid

Analysis Batch: 552536

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551992

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	171	167.7		mg/Kg		98	80 - 120	6	20
Arsenic	171	161.1		mg/Kg		94	80 - 120	10	20
Barium	171	172.7		mg/Kg		101	80 - 120	10	20
Beryllium	171	168.4		mg/Kg		99	80 - 120	9	20
Cadmium	171	169.4		mg/Kg		99	80 - 120	10	20
Chromium	171	175.8		mg/Kg		103	80 - 120	9	20
Cobalt	171	172.4		mg/Kg		101	80 - 120	10	20
Copper	171	172.6		mg/Kg		101	80 - 120	9	20
Lead	171	170.0		mg/Kg		100	80 - 120	10	20
Molybdenum	171	184.7		mg/Kg		108	80 - 120	7	20
Nickel	171	171.7		mg/Kg		101	80 - 120	10	20
Selenium	171	149.3		mg/Kg		87	80 - 120	9	20
Silver	85.4	83.29		mg/Kg		98	80 - 120	10	20
Thallium	171	168.2		mg/Kg		98	80 - 120	9	20
Vanadium	171	174.8		mg/Kg		102	80 - 120	9	20
Zinc	171	167.2		mg/Kg		98	80 - 120	10	20

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 570-551602/1-A

Matrix: Solid

Analysis Batch: 551817

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 551602

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0850	0.0235	mg/Kg		03/31/25 10:44	03/31/25 14:54	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 570-551602/2-A

Matrix: Solid

Analysis Batch: 551817

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 551602

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.385	0.3749		mg/Kg		97	80 - 120

Lab Sample ID: LCSD 570-551602/3-A

Matrix: Solid

Analysis Batch: 551817

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 551602

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.400	0.3853		mg/Kg		96	80 - 120	3	10

Lab Sample ID: 570-224192-5 MS

Matrix: Solid

Analysis Batch: 551817

Client Sample ID: PCHS-SS-COMP-1

Prep Type: Total/NA

Prep Batch: 551602

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.112		0.408	0.4669		mg/Kg		87	80 - 120

Lab Sample ID: 570-224192-5 MSD

Matrix: Solid

Analysis Batch: 551817

Client Sample ID: PCHS-SS-COMP-1

Prep Type: Total/NA

Prep Batch: 551602

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.112		0.377	0.4529		mg/Kg		90	80 - 120	3	20

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

GC/MS VOA

Analysis Batch: 550979

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-22	PCHS-SS-5B-0.25	Total/NA	Solid	8260B	550988
570-224192-24	PCHS-SS-5D-0.25	Total/NA	Solid	8260B	550988
MB 570-550979/5	Method Blank	Total/NA	Solid	8260B	
LCS 570-550979/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 570-550979/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 550988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-21 - DL	PCHS-SS-5A-0.25	Total/NA	Solid	5035	
570-224192-21	PCHS-SS-5A-0.25	Total/NA	Solid	5035	
570-224192-22	PCHS-SS-5B-0.25	Total/NA	Solid	5035	
570-224192-23 - DL	PCHS-SS-5C-0.25	Total/NA	Solid	5035	
570-224192-23	PCHS-SS-5C-0.25	Total/NA	Solid	5035	
570-224192-24	PCHS-SS-5D-0.25	Total/NA	Solid	5035	

Analysis Batch: 551447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-21	PCHS-SS-5A-0.25	Total/NA	Solid	8260B	550988
570-224192-21 - DL	PCHS-SS-5A-0.25	Total/NA	Solid	8260B	550988
570-224192-23	PCHS-SS-5C-0.25	Total/NA	Solid	8260B	550988
570-224192-23 - DL	PCHS-SS-5C-0.25	Total/NA	Solid	8260B	550988
MB 570-551447/6	Method Blank	Total/NA	Solid	8260B	
MB 570-551447/7	Method Blank	Total/NA	Solid	8260B	
LCS 570-551447/4	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 570-551447/5	Lab Control Sample Dup	Total/NA	Solid	8260B	

GC/MS Semi VOA

Prep Batch: 551153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	3546	
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	3546	
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	3546	
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	3546	
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	3546	
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	3546	
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	3546	
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	3546	
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	3546	
MB 570-551153/1-A	Method Blank	Total/NA	Solid	3546	
LCS 570-551153/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 570-551153/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	

Analysis Batch: 551388

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	8270C SIM	551153
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	8270C SIM	551153
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	8270C SIM	551153
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	8270C SIM	551153
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	8270C SIM	551153
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	8270C SIM	551153

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

GC/MS Semi VOA (Continued)

Analysis Batch: 551388 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	8270C SIM	551153
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	8270C SIM	551153
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	8270C SIM	551153
MB 570-551153/1-A	Method Blank	Total/NA	Solid	8270C SIM	551153
LCS 570-551153/2-A	Lab Control Sample	Total/NA	Solid	8270C SIM	551153
LCSD 570-551153/3-A	Lab Control Sample Dup	Total/NA	Solid	8270C SIM	551153

GC VOA

Prep Batch: 550988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-21	PCHS-SS-5A-0.25	Total/NA	Solid	5035	
570-224192-22	PCHS-SS-5B-0.25	Total/NA	Solid	5035	
570-224192-23	PCHS-SS-5C-0.25	Total/NA	Solid	5035	
570-224192-24	PCHS-SS-5D-0.25	Total/NA	Solid	5035	

Analysis Batch: 551337

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-21	PCHS-SS-5A-0.25	Total/NA	Solid	8015B	550988
570-224192-22	PCHS-SS-5B-0.25	Total/NA	Solid	8015B	550988
570-224192-23	PCHS-SS-5C-0.25	Total/NA	Solid	8015B	550988
570-224192-24	PCHS-SS-5D-0.25	Total/NA	Solid	8015B	550988
MB 570-551337/62	Method Blank	Total/NA	Solid	8015B	
LCS 570-551337/58	Lab Control Sample	Total/NA	Solid	8015B	
LCSD 570-551337/59	Lab Control Sample Dup	Total/NA	Solid	8015B	

GC Semi VOA

Prep Batch: 551665

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	3540C	
MB 570-551665/1-A	Method Blank	Total/NA	Solid	3540C	
LCS 570-551665/2-A	Lab Control Sample	Total/NA	Solid	3540C	
LCSD 570-551665/3-A	Lab Control Sample Dup	Total/NA	Solid	3540C	
570-224192-25 MS	PCHS-SS-COMP-5	Total/NA	Solid	3540C	
570-224192-25 MSD	PCHS-SS-COMP-5	Total/NA	Solid	3540C	

Prep Batch: 551767

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	3550C	
MB 570-551767/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 570-551767/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 570-551767/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	

Analysis Batch: 551887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	8015B	551767
MB 570-551767/1-A	Method Blank	Total/NA	Solid	8015B	551767
LCS 570-551767/2-A	Lab Control Sample	Total/NA	Solid	8015B	551767
LCSD 570-551767/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B	551767

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

GC Semi VOA

Prep Batch: 552446

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	3546	
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	3546	
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	3546	
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	3546	
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	3546	
MB 570-552446/1-A	Method Blank	Total/NA	Solid	3546	
LCS 570-552446/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 570-552446/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
570-224192-20 MS	PCHS-SS-COMP-4	Total/NA	Solid	3546	
570-224192-20 MSD	PCHS-SS-COMP-4	Total/NA	Solid	3546	

Analysis Batch: 552458

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	8081A	552446
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	8081A	552446
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	8081A	552446
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	8081A	552446
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	8081A	552446
MB 570-552446/1-A	Method Blank	Total/NA	Solid	8081A	552446
LCS 570-552446/2-A	Lab Control Sample	Total/NA	Solid	8081A	552446
LCSD 570-552446/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	552446
570-224192-20 MS	PCHS-SS-COMP-4	Total/NA	Solid	8081A	552446
570-224192-20 MSD	PCHS-SS-COMP-4	Total/NA	Solid	8081A	552446

Analysis Batch: 552579

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	8082	551665
MB 570-551665/1-A	Method Blank	Total/NA	Solid	8082	551665
LCS 570-551665/2-A	Lab Control Sample	Total/NA	Solid	8082	551665
LCSD 570-551665/3-A	Lab Control Sample Dup	Total/NA	Solid	8082	551665
570-224192-25 MS	PCHS-SS-COMP-5	Total/NA	Solid	8082	551665
570-224192-25 MSD	PCHS-SS-COMP-5	Total/NA	Solid	8082	551665

Metals

Prep Batch: 551155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	3051A	
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	3051A	
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	3051A	
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	3051A	
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	3051A	
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	3051A	
MB 570-551155/1-A	Method Blank	Total/NA	Solid	3051A	
LCS 570-551155/2-A	Lab Control Sample	Total/NA	Solid	3051A	
LCSD 570-551155/3-A	Lab Control Sample Dup	Total/NA	Solid	3051A	

Prep Batch: 551602

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	7471A	
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	7471A	

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Metals (Continued)

Prep Batch: 551602 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	7471A	
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	7471A	
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	7471A	
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	7471A	
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	7471A	
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	7471A	
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	7471A	
MB 570-551602/1-A	Method Blank	Total/NA	Solid	7471A	
LCS 570-551602/2-A	Lab Control Sample	Total/NA	Solid	7471A	
LCSD 570-551602/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	
570-224192-5 MS	PCHS-SS-COMP-1	Total/NA	Solid	7471A	
570-224192-5 MSD	PCHS-SS-COMP-1	Total/NA	Solid	7471A	

Prep Batch: 551713

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	3051A	
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	3051A	
MB 570-551713/1-A	Method Blank	Total/NA	Solid	3051A	
LCS 570-551713/2-A	Lab Control Sample	Total/NA	Solid	3051A	
LCSD 570-551713/3-A	Lab Control Sample Dup	Total/NA	Solid	3051A	

Analysis Batch: 551724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-551155/1-A	Method Blank	Total/NA	Solid	6010B	551155
LCS 570-551155/2-A	Lab Control Sample	Total/NA	Solid	6010B	551155
LCSD 570-551155/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	551155

Analysis Batch: 551817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	7471A	551602
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	7471A	551602
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	7471A	551602
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	7471A	551602
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	7471A	551602
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	7471A	551602
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	7471A	551602
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	7471A	551602
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	7471A	551602
MB 570-551602/1-A	Method Blank	Total/NA	Solid	7471A	551602
LCS 570-551602/2-A	Lab Control Sample	Total/NA	Solid	7471A	551602
LCSD 570-551602/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	551602
570-224192-5 MS	PCHS-SS-COMP-1	Total/NA	Solid	7471A	551602
570-224192-5 MSD	PCHS-SS-COMP-1	Total/NA	Solid	7471A	551602

Analysis Batch: 551874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-5	PCHS-SS-COMP-1	Total/NA	Solid	6010B	551155
570-224192-10	PCHS-SS-COMP-2	Total/NA	Solid	6010B	551155
570-224192-15	PCHS-SS-COMP-3	Total/NA	Solid	6010B	551155
570-224192-20	PCHS-SS-COMP-4	Total/NA	Solid	6010B	551155
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	6010B	551155

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Metals (Continued)

Analysis Batch: 551874 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-30	PCHS-SS-COMP-6	Total/NA	Solid	6010B	551155

Prep Batch: 551992

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	3051A	
MB 570-551992/1-A	Method Blank	Total/NA	Solid	3051A	
LCS 570-551992/2-A	Lab Control Sample	Total/NA	Solid	3051A	
LCSD 570-551992/3-A	Lab Control Sample Dup	Total/NA	Solid	3051A	

Analysis Batch: 552535

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-40	PCHS-SS-DUP-2	Total/NA	Solid	6010B	551713
570-224192-45	PCHS-SS-COMP-13	Total/NA	Solid	6010B	551713
MB 570-551713/1-A	Method Blank	Total/NA	Solid	6010B	551713
LCS 570-551713/2-A	Lab Control Sample	Total/NA	Solid	6010B	551713
LCSD 570-551713/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	551713

Analysis Batch: 552536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-35	PCHS-SS-COMP-14	Total/NA	Solid	6010B	551992
MB 570-551992/1-A	Method Blank	Total/NA	Solid	6010B	551992
LCS 570-551992/2-A	Lab Control Sample	Total/NA	Solid	6010B	551992
LCSD 570-551992/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	551992

Organic Prep

Analysis Batch: 551025

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-1	PCHS-SS-1A-0.25	Total/NA	Solid	Composite	
570-224192-2	PCHS-SS-1B-0.25	Total/NA	Solid	Composite	
570-224192-3	PCHS-SS-1C-0.25	Total/NA	Solid	Composite	
570-224192-4	PCHS-SS-1D-0.25	Total/NA	Solid	Composite	
570-224192-6	PCHS-SS-2A-0.25	Total/NA	Solid	Composite	
570-224192-7	PCHS-SS-2B-0.25	Total/NA	Solid	Composite	
570-224192-8	PCHS-SS-2C-0.25	Total/NA	Solid	Composite	
570-224192-9	PCHS-SS-2D-0.25	Total/NA	Solid	Composite	
570-224192-11	PCHS-SS-3A-0.25	Total/NA	Solid	Composite	
570-224192-12	PCHS-SS-3B-0.25	Total/NA	Solid	Composite	
570-224192-13	PCHS-SS-3C-0.25	Total/NA	Solid	Composite	
570-224192-14	PCHS-SS-3D-0.25	Total/NA	Solid	Composite	
570-224192-16	PCHS-SS-4A-0.25	Total/NA	Solid	Composite	
570-224192-17	PCHS-SS-4B-0.25	Total/NA	Solid	Composite	
570-224192-18	PCHS-SS-4C-0.25	Total/NA	Solid	Composite	
570-224192-19	PCHS-SS-4D-0.25	Total/NA	Solid	Composite	
570-224192-21	PCHS-SS-5A-0.25	Total/NA	Solid	Composite	
570-224192-22	PCHS-SS-5B-0.25	Total/NA	Solid	Composite	
570-224192-23	PCHS-SS-5C-0.25	Total/NA	Solid	Composite	
570-224192-24	PCHS-SS-5D-0.25	Total/NA	Solid	Composite	
570-224192-26	PCHS-SS-6A-0.25	Total/NA	Solid	Composite	
570-224192-27	PCHS-SS-6B-0.25	Total/NA	Solid	Composite	
570-224192-28	PCHS-SS-6C-0.25	Total/NA	Solid	Composite	

Eurofins Calscience

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Organic Prep (Continued)

Analysis Batch: 551025 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-29	PCHS-SS-6D-0.25	Total/NA	Solid	Composite	
570-224192-31	PCHS-SS-14A-0.25	Total/NA	Solid	Composite	
570-224192-32	PCHS-SS-14B-0.25	Total/NA	Solid	Composite	
570-224192-33	PCHS-SS-14C-0.25	Total/NA	Solid	Composite	
570-224192-34	PCHS-SS-14D-0.25	Total/NA	Solid	Composite	
570-224192-36	DUP-2A	Total/NA	Solid	Composite	
570-224192-37	DUP-2B	Total/NA	Solid	Composite	
570-224192-38	DUP-2C	Total/NA	Solid	Composite	
570-224192-39	DUP-2D	Total/NA	Solid	Composite	
570-224192-41	PCHS-SS-13A-0.25	Total/NA	Solid	Composite	
570-224192-42	PCHS-SS-13B-0.25	Total/NA	Solid	Composite	
570-224192-43	PCHS-SS-13C-0.25	Total/NA	Solid	Composite	
570-224192-44	PCHS-SS-13D-0.25	Total/NA	Solid	Composite	

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-1A-0.25

Lab Sample ID: 570-224192-1

Date Collected: 03/27/25 13:56

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-1B-0.25

Lab Sample ID: 570-224192-2

Date Collected: 03/27/25 13:06

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-1C-0.25

Lab Sample ID: 570-224192-3

Date Collected: 03/27/25 13:18

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-1D-0.25

Lab Sample ID: 570-224192-4

Date Collected: 03/27/25 13:32

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-1

Lab Sample ID: 570-224192-5

Date Collected: 03/27/25 13:32

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.06 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/30/25 22:54	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3051A			0.4789 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:05	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.47 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:01	Y2WS	EET CAL 4
Instrument ID: HG8										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-2A-0.25

Lab Sample ID: 570-224192-6

Date Collected: 03/27/25 11:11

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-2B-0.25

Lab Sample ID: 570-224192-7

Date Collected: 03/27/25 11:23

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-2C-0.25

Lab Sample ID: 570-224192-8

Date Collected: 03/27/25 11:27

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-2D-0.25

Lab Sample ID: 570-224192-9

Date Collected: 03/27/25 11:31

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-2

Lab Sample ID: 570-224192-10

Date Collected: 03/27/25 11:31

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.03 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/30/25 23:16	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.02 g	10 mL	552446	04/01/25 21:08	S4NC	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552458	04/02/25 14:51	N5Y3	EET CAL 4
Instrument ID: GC52A										
Total/NA	Prep	3051A			0.4962 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:07	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.53 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:15	Y2WS	EET CAL 4
Instrument ID: HG8										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-3A-0.25

Lab Sample ID: 570-224192-11

Date Collected: 03/27/25 12:37

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-3B-0.25

Lab Sample ID: 570-224192-12

Date Collected: 03/27/25 12:47

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-3C-0.25

Lab Sample ID: 570-224192-13

Date Collected: 03/27/25 12:43

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-3D-0.25

Lab Sample ID: 570-224192-14

Date Collected: 03/27/25 12:51

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-3

Lab Sample ID: 570-224192-15

Date Collected: 03/27/25 12:51

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.01 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/30/25 23:39	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3051A			0.4548 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:10	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.51 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:18	Y2WS	EET CAL 4
Instrument ID: HG8										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-4A-0.25

Lab Sample ID: 570-224192-16

Date Collected: 03/27/25 13:15

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-4B-0.25

Lab Sample ID: 570-224192-17

Date Collected: 03/27/25 13:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-4C-0.25

Lab Sample ID: 570-224192-18

Date Collected: 03/27/25 13:05

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-4D-0.25

Lab Sample ID: 570-224192-19

Date Collected: 03/27/25 13:10

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-4

Lab Sample ID: 570-224192-20

Date Collected: 03/27/25 13:10

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.05 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 00:01	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.06 g	10 mL	552446	04/01/25 21:08	S4NC	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552458	04/02/25 14:36	N5Y3	EET CAL 4
Instrument ID: GC52A										
Total/NA	Prep	3051A			0.4755 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:35	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.50 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:20	Y2WS	EET CAL 4
Instrument ID: HG8										

Eurofins Calscience

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-5A-0.25

Lab Sample ID: 570-224192-21

Date Collected: 03/27/25 11:35

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.747 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	551447	03/31/25 12:03	AJ4K	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035	DL		2.87 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B	DL	50	5 g	5 mL	551447	03/31/25 13:45	AJ4K	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.45 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	551337	03/30/25 20:21	W4LC	EET CAL 4
Instrument ID: GC74										
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-5B-0.25

Lab Sample ID: 570-224192-22

Date Collected: 03/27/25 11:30

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.554 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550979	03/29/25 03:05	NR	EET CAL 4
Instrument ID: GCMSLL										
Total/NA	Prep	5035			3.776 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	551337	03/30/25 20:45	W4LC	EET CAL 4
Instrument ID: GC74										
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-5C-0.25

Lab Sample ID: 570-224192-23

Date Collected: 03/27/25 11:40

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			3.52 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	551447	03/31/25 12:24	AJ4K	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035	DL		2.457 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B	DL	50	5 g	5 mL	551447	03/31/25 14:26	AJ4K	EET CAL 4
Instrument ID: GCMSGGG										
Total/NA	Prep	5035			3.982 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	551337	03/30/25 21:35	W4LC	EET CAL 4
Instrument ID: GC74										
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-5D-0.25

Lab Sample ID: 570-224192-24

Date Collected: 03/27/25 12:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.273 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	550979	03/29/25 03:46	NR	EET CAL 4
Instrument ID: GCMSLL										
Total/NA	Prep	5035			3.766 g	5 mL	550988	03/28/25 16:09	UQTR	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	551337	03/30/25 22:00	W4LC	EET CAL 4
Instrument ID: GC74										
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-5

Lab Sample ID: 570-224192-25

Date Collected: 03/27/25 12:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.08 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 00:24	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3550C			10.08 g	10 mL	551767	03/31/25 15:05	S4NC	EET CAL 4
Total/NA	Analysis	8015B		1	10 mL	10 mL	551887	04/01/25 05:36	E5RH	EET CAL 4
Instrument ID: GC69A										
Total/NA	Prep	3540C			20.07 g	10 mL	551665	03/31/25 12:45	M6YE	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	552579	04/02/25 13:28	P2HW	EET CAL 4
Instrument ID: GC58										
Total/NA	Prep	3051A			0.4115 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:37	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.50 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:22	Y2WS	EET CAL 4
Instrument ID: HG8										

Client Sample ID: PCHS-SS-6A-0.25

Lab Sample ID: 570-224192-26

Date Collected: 03/27/25 11:26

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-6B-0.25

Lab Sample ID: 570-224192-27

Date Collected: 03/27/25 11:42

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-6C-0.25

Lab Sample ID: 570-224192-28

Date Collected: 03/27/25 11:56

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-6D-0.25

Lab Sample ID: 570-224192-29

Date Collected: 03/27/25 11:08

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-6

Lab Sample ID: 570-224192-30

Date Collected: 03/27/25 11:08

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.03 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 00:46	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.08 g	10 mL	552446	04/01/25 21:08	S4NC	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552458	04/02/25 15:06	N5Y3	EET CAL 4
Instrument ID: GC52A										
Total/NA	Prep	3051A			0.4347 g	50 mL	551155	03/31/25 06:00	P8DB	EET CAL 4
Total/NA	Analysis	6010B		2			551874	03/31/25 18:39	P1R	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.51 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:29	Y2WS	EET CAL 4
Instrument ID: HG8										

Client Sample ID: PCHS-SS-14A-0.25

Lab Sample ID: 570-224192-31

Date Collected: 03/27/25 14:46

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-14B-0.25

Lab Sample ID: 570-224192-32

Date Collected: 03/27/25 14:59

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-14C-0.25

Lab Sample ID: 570-224192-33

Date Collected: 03/27/25 14:50

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-14D-0.25

Lab Sample ID: 570-224192-34

Date Collected: 03/27/25 15:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-14

Lab Sample ID: 570-224192-35

Date Collected: 03/27/25 15:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.06 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 01:09	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.02 g	10 mL	552446	04/01/25 21:08	S4NC	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552458	04/02/25 15:21	N5Y3	EET CAL 4
Instrument ID: GC52A										
Total/NA	Prep	3051A			0.5126 g	50 mL	551992	04/01/25 07:38	GYR8	EET CAL 4
Total/NA	Analysis	6010B		2			552536	04/02/25 03:32	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.50 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:31	Y2WS	EET CAL 4
Instrument ID: HG8										

Client Sample ID: DUP-2A

Lab Sample ID: 570-224192-36

Date Collected: 03/27/25 00:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2B

Lab Sample ID: 570-224192-37

Date Collected: 03/27/25 00:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: DUP-2C

Lab Sample ID: 570-224192-38

Date Collected: 03/27/25 00:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2D

Lab Sample ID: 570-224192-39

Date Collected: 03/27/25 00:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-DUP-2

Lab Sample ID: 570-224192-40

Date Collected: 03/27/25 00:00

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.11 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 01:31	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3546			20.04 g	10 mL	552446	04/01/25 21:08	S4NC	EET CAL 4
Total/NA	Analysis	8081A		1	1 mL	1 mL	552458	04/02/25 15:36	N5Y3	EET CAL 4
Instrument ID: GC52A										
Total/NA	Prep	3051A			0.5799 g	50 mL	551713	03/31/25 13:44	GYR8	EET CAL 4
Total/NA	Analysis	6010B		2			552535	04/01/25 22:19	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.50 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:33	Y2WS	EET CAL 4
Instrument ID: HG8										

Client Sample ID: PCHS-SS-13A-0.25

Lab Sample ID: 570-224192-41

Date Collected: 03/27/25 14:25

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-13B-0.25

Lab Sample ID: 570-224192-42

Date Collected: 03/27/25 14:30

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Client Sample ID: PCHS-SS-13C-0.25

Lab Sample ID: 570-224192-43

Date Collected: 03/27/25 13:40

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-13D-0.25

Lab Sample ID: 570-224192-44

Date Collected: 03/27/25 14:35

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Composite		1			551025	03/28/25 17:44	USUL	EET CAL 4
Instrument ID: NOEQUIP										

Client Sample ID: PCHS-SS-COMP-13

Lab Sample ID: 570-224192-45

Date Collected: 03/27/25 14:35

Matrix: Solid

Date Received: 03/27/25 18:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			10.06 g	2 mL	551153	03/29/25 07:59	M6YE	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	551388	03/31/25 01:54	J7WE	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3051A			0.5378 g	50 mL	551713	03/31/25 13:44	GYR8	EET CAL 4
Total/NA	Analysis	6010B		2			552535	04/01/25 22:21	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.49 g	50 mL	551602	03/31/25 10:44	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			551817	03/31/25 15:36	Y2WS	EET CAL 4
Instrument ID: HG8										

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

EM Tustin = EMLab P&K Tustin CA, 2841 Dow Ave., Suite 300, Tustin, CA 92780

Accreditation/Certification Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8081A	3546	Solid	alpha-Chlordane
8081A	3546	Solid	gamma-Chlordane
8260B	5035	Solid	1,1,2-Trichloro-1,2,2-trifluoroethane
8260B	5035	Solid	1,1-Dichloropropene
8260B	5035	Solid	1,2,3-Trichlorobenzene
8260B	5035	Solid	1,2,4-Trimethylbenzene
8260B	5035	Solid	1,3,5-Trimethylbenzene
8260B	5035	Solid	1,3-Dichloropropane
8260B	5035	Solid	2,2-Dichloropropane
8260B	5035	Solid	2-Butanone (MEK)
8260B	5035	Solid	2-Chlorotoluene
8260B	5035	Solid	2-Hexanone
8260B	5035	Solid	Acetone
8260B	5035	Solid	Isopropylbenzene
8260B	5035	Solid	p-Isopropyltoluene
8260B	5035	Solid	Vinyl acetate
8260B	5035	Solid	Xylenes, Total
8270C SIM	3546	Solid	1-Methylnaphthalene
8270C SIM	3546	Solid	Pyrene
Composite		Solid	Composited

Method Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET CAL 4
8270C SIM	PAHs (GC/MS SIM)	SW846	EET CAL 4
8015B	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC)	SW846	EET CAL 4
8081A	Organochlorine Pesticides (GC)	SW846	EET CAL 4
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CAL 4
6010B	Metals (ICP)	SW846	EET CAL 4
7471A	Mercury (CVAA)	SW846	EET CAL 4
Subcontract	Asbestos PLM (Qualitative only) 600/R-93/116	None	EM Tustin
Composite	Sample Compositing	None	EET CAL 4
3051A	Preparation, Metals, Microwave Assisted	SW846	EET CAL 4
3540C	Soxhlet Extraction	SW846	EET CAL 4
3546	Microwave Extraction	SW846	EET CAL 4
3550C	Ultrasonic Extraction	SW846	EET CAL 4
5035	Closed System Purge and Trap	SW846	EET CAL 4
7471A	Preparation, Mercury	SW846	EET CAL 4

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

EM Tustin = EMLab P&K Tustin CA, 2841 Dow Ave., Suite 300, Tustin, CA 92780

Sample Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-224192-1	PCHS-SS-1A-0.25	Solid	03/27/25 13:56	03/27/25 18:26
570-224192-2	PCHS-SS-1B-0.25	Solid	03/27/25 13:06	03/27/25 18:26
570-224192-3	PCHS-SS-1C-0.25	Solid	03/27/25 13:18	03/27/25 18:26
570-224192-4	PCHS-SS-1D-0.25	Solid	03/27/25 13:32	03/27/25 18:26
570-224192-5	PCHS-SS-COMP-1	Solid	03/27/25 13:32	03/27/25 18:26
570-224192-6	PCHS-SS-2A-0.25	Solid	03/27/25 11:11	03/27/25 18:26
570-224192-7	PCHS-SS-2B-0.25	Solid	03/27/25 11:23	03/27/25 18:26
570-224192-8	PCHS-SS-2C-0.25	Solid	03/27/25 11:27	03/27/25 18:26
570-224192-9	PCHS-SS-2D-0.25	Solid	03/27/25 11:31	03/27/25 18:26
570-224192-10	PCHS-SS-COMP-2	Solid	03/27/25 11:31	03/27/25 18:26
570-224192-11	PCHS-SS-3A-0.25	Solid	03/27/25 12:37	03/27/25 18:26
570-224192-12	PCHS-SS-3B-0.25	Solid	03/27/25 12:47	03/27/25 18:26
570-224192-13	PCHS-SS-3C-0.25	Solid	03/27/25 12:43	03/27/25 18:26
570-224192-14	PCHS-SS-3D-0.25	Solid	03/27/25 12:51	03/27/25 18:26
570-224192-15	PCHS-SS-COMP-3	Solid	03/27/25 12:51	03/27/25 18:26
570-224192-16	PCHS-SS-4A-0.25	Solid	03/27/25 13:15	03/27/25 18:26
570-224192-17	PCHS-SS-4B-0.25	Solid	03/27/25 13:00	03/27/25 18:26
570-224192-18	PCHS-SS-4C-0.25	Solid	03/27/25 13:05	03/27/25 18:26
570-224192-19	PCHS-SS-4D-0.25	Solid	03/27/25 13:10	03/27/25 18:26
570-224192-20	PCHS-SS-COMP-4	Solid	03/27/25 13:10	03/27/25 18:26
570-224192-21	PCHS-SS-5A-0.25	Solid	03/27/25 11:35	03/27/25 18:26
570-224192-22	PCHS-SS-5B-0.25	Solid	03/27/25 11:30	03/27/25 18:26
570-224192-23	PCHS-SS-5C-0.25	Solid	03/27/25 11:40	03/27/25 18:26
570-224192-24	PCHS-SS-5D-0.25	Solid	03/27/25 12:00	03/27/25 18:26
570-224192-25	PCHS-SS-COMP-5	Solid	03/27/25 12:00	03/27/25 18:26
570-224192-26	PCHS-SS-6A-0.25	Solid	03/27/25 11:26	03/27/25 18:26
570-224192-27	PCHS-SS-6B-0.25	Solid	03/27/25 11:42	03/27/25 18:26
570-224192-28	PCHS-SS-6C-0.25	Solid	03/27/25 11:56	03/27/25 18:26
570-224192-29	PCHS-SS-6D-0.25	Solid	03/27/25 11:08	03/27/25 18:26
570-224192-30	PCHS-SS-COMP-6	Solid	03/27/25 11:08	03/27/25 18:26
570-224192-31	PCHS-SS-14A-0.25	Solid	03/27/25 14:46	03/27/25 18:26
570-224192-32	PCHS-SS-14B-0.25	Solid	03/27/25 14:59	03/27/25 18:26
570-224192-33	PCHS-SS-14C-0.25	Solid	03/27/25 14:50	03/27/25 18:26
570-224192-34	PCHS-SS-14D-0.25	Solid	03/27/25 15:00	03/27/25 18:26
570-224192-35	PCHS-SS-COMP-14	Solid	03/27/25 15:00	03/27/25 18:26
570-224192-36	DUP-2A	Solid	03/27/25 00:00	03/27/25 18:26
570-224192-37	DUP-2B	Solid	03/27/25 00:00	03/27/25 18:26
570-224192-38	DUP-2C	Solid	03/27/25 00:00	03/27/25 18:26
570-224192-39	DUP-2D	Solid	03/27/25 00:00	03/27/25 18:26
570-224192-40	PCHS-SS-DUP-2	Solid	03/27/25 00:00	03/27/25 18:26
570-224192-41	PCHS-SS-13A-0.25	Solid	03/27/25 14:25	03/27/25 18:26
570-224192-42	PCHS-SS-13B-0.25	Solid	03/27/25 14:30	03/27/25 18:26
570-224192-43	PCHS-SS-13C-0.25	Solid	03/27/25 13:40	03/27/25 18:26
570-224192-44	PCHS-SS-13D-0.25	Solid	03/27/25 14:35	03/27/25 18:26
570-224192-45	PCHS-SS-COMP-13	Solid	03/27/25 14:35	03/27/25 18:26

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Chapman, Alyson	Carrier Tracking No(s): N/A	COC No: 570-435924.1
Client Contact	Phone: N/A	E-Mail: Alyson.Chapman@eurofins.com	State of Origin: California	Page: 1 of 1	
Shipping/Receiving		Accreditations Required (See note): State - California		Jan #	570-224192-1
Company: Eurofins Built Environment Testing		Due Date Requested: 4/2/2025		Preservation Codes:	
Address: 2841 Dow Ave., Suite 300, Tustin		TAT Requested (days): N/A		Analysis Requested	
City: Tustin					
State Zip: CA, 92780					
Phone: N/A		PO #: N/A			
Email: N/A		MO #: N/A			
Project Name: LAUSD Palisades Charter		Project #: 57024405			
Site: N/A		SSOW: N/A		Other: N/A	
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (G=grab)	Matrix (Asst, Breat, Ovens, Soil)
PCHS-SS-COMP-1 (570-224192-5)		3/27/25	13:32 Pacific	G	Solid
PCHS-SS-COMP-2 (570-224192-10)		3/27/25	11:31 Pacific	G	Solid
PCHS-SS-COMP-3 (570-224192-15)		3/27/25	12:51 Pacific	G	Solid
PCHS-SS-COMP-4 (570-224192-20)		3/27/25	13:10 Pacific	G	Solid
PCHS-SS-COMP-5 (570-224192-25)		3/27/25	12:00 Pacific	G	Solid
PCHS-SS-COMP-6 (570-224192-30)		3/27/25	11:08 Pacific	G	Solid
PCHS-SS-COMP-14 (570-224192-35)		3/27/25	15:00 Pacific	G	Solid
PCHS-SS-DUP-2 (570-224192-40)		3/27/25	Pacific	G	Solid
PCHS-SS-COMP-13 (570-224192-45)		3/27/25	14:35 Pacific	G	Solid
Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)			
SUB (Asbestos PLM (Qualitative only) 600/R-93/116/)		Asbestos PLM (Qualitative only) 600/R-93			
Total Number of containers		Special Instructions/Note:			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months			
Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify)		Primary Deliverable Rank: 2		Special Instructions/QC Requirements:	
Empty Kit Relinquished by: [Signature]		Date: 03/31/2025	Time: 11:56	Company: EC	Received by: [Signature]
Relinquished by: [Signature]		Date/Time: 3/31/25	Company: 11.570	Received by: [Signature]	Date/Time: 3/31/25
Relinquished by: [Signature]		Date/Time: 3/31/25	Company: 11.570	Received by: [Signature]	Date/Time: 3/31/25
Custody Seals Intact: A Yes A No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:	



Report for:

Allyson Chapman
Eurofins Environment Testing Southwest, LLC - Calscience
2841 Dow Ave
Suite 100
Tustin, CA 92780

Regarding: Eurofins Built Environment Testing West, LLC
Project: 570-224192-1; LAUSD Palisades Charter
EML ID: 4009016

Approved by:

Approved Signatory
Danny Li

Dates of Analysis:
Asbestos PLM: 04-02-2025

Service SOPs: Asbestos PLM (EPA 40CFR App E to Sub E of Part 763 & EPA METHOD 600/R-93-116, SOP EM-AS-S-1267)
NVLAP Lab Code 200757-0

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. The results relate only to the samples as received and tested. The results include an inherent uncertainty of measurement associated with estimating percentages by polarized light microscopy. Measurement uncertainty data for sample results with >1% asbestos concentration can be provided when requested.

Eurofins Built Environment Testing West, LLC ("the Company"), a member of the Eurofins Built Environment Testing group of companies, shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-224192-1; LAUSD Palisades Charter

Date of Sampling: 03-27-2025
Date of Receipt: 03-31-2025
Date of Report: 04-02-2025

ASBESTOS PLM REPORT

Total Samples Submitted:	9
Total Samples Analyzed:	9
Total Samples with Layer Asbestos Content > 1%:	0

Location: PCHS-SS-COMP-1 (570-224192-5)

Lab ID-Version‡: 19963729-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-2 (570-224192-10)

Lab ID-Version‡: 19963730-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-3 (570-224192-15)

Lab ID-Version‡: 19963731-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-224192-1; LAUSD Palisades Charter

Date of Sampling: 03-27-2025
Date of Receipt: 03-31-2025
Date of Report: 04-02-2025

ASBESTOS PLM REPORT

Location: PCHS-SS-COMP-4 (570-224192-20)

Lab ID-Version‡: 19963732-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-5 (570-224192-25)

Lab ID-Version‡: 19963733-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-6 (570-224192-30)

Lab ID-Version‡: 19963734-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-224192-1; LAUSD Palisades Charter

Date of Sampling: 03-27-2025
Date of Receipt: 03-31-2025
Date of Report: 04-02-2025

ASBESTOS PLM REPORT

Location: PCHS-SS-COMP-14 (570-224192-35)

Lab ID-Version‡: 19963735-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-DUP-2 (570-224192-40)

Lab ID-Version‡: 19963736-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

Location: PCHS-SS-COMP-13 (570-224192-45)

Lab ID-Version‡: 19963737-1

Sample Layers	Asbestos Content
Brown Soil	ND
Sample Composite Homogeneity: Good	

Comments: Due to the nature of the soil/rock sample, it was not possible to create proper slide mounts. Results should be considered minimum, and it is recommended that the sample be further analyzed using the CARB 435 method, which would be more appropriate to the sample type.

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Eurofins Environment Testing Southwest,
LLC - Calscience
C/O: Allyson Chapman
Re: 570-224192-1; LAUSD Palisades Charter


Eurofins Built Environment Testing West, LLC
2841 Dow Avenue, Suite 300, Tustin, CA 92780
(833) 465-5857 www.eurofinsus.com/Built

Date of Sampling: 03-27-2025
Date of Receipt: 03-31-2025
Date of Report: 04-02-2025

ASBESTOS PLM REPORT

PROJECT ANALYST AND SIGNATORY REPORT

Project Analyst



Analyst: Philip Newton

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".



Environment Testing
CalScience

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.



570-224192 Chain of Custody

CHAIN-OF-CUSTODY RECORD


DATE: 3/27/2025

PAGE: 1 OF 5

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME/NO.: LAUSD Palisades Charter HS						P.O. NO.:														
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Any Complaint; Quote # 3102399 Rev2														
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:		LOG CODE:		SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas																
TEL: 213-310-1563		E-MAIL: Ccampbell@trccompanies.com																								
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD						REQUESTED ANALYSES Please check box or fill in blank as needed.																				
EOD: ☐ COELT EDF ☐ OTHER																										
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																										
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B										
		DATE	TIME																							
1	PCHS-SS-1A-0.2S	03/27/2025	1350	SS	2	X																				
2	PCHS-SS-1B-0.2S	03/27/2025	1306	SS	2	X																				
3	PCHS-SS-1C-0.2S	03/27/2025	1318	SS	2	X																				
4	PCHS-SS-1D-0.2S	03/27/2025	1332	SS	2	X																				
5	PCHS-SS-COMP-1								X	X	X															
6	PCHS-SS-2A-0.2S	03/27/2025	1111	SS	2	X																				
7	PCHS-SS-2B-0.2S	03/27/2025	1123	SS	2	X																				
8	PCHS-SS-2C-0.2S	03/27/2025	1127	SS	2	X																				
9	PCHS-SS-2D-0.2S	03/27/2025	1131	SS	2	X																				
10	PCHS-SS-COMP-2								X	X	X	X														
Relinquished by: (Signature)						Date: 3-27-25		Time: 18:26		Received by: (Signature/Affiliation)						Date: 3/27/25		Time: 18:26								
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:								
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:								

H4M W

2.8/2.8 3.5/3.5 2.1/2.1 3.0/3.0 IR92



For courier service / sample drop off information, contact us26 sales@eurofinsus.com or call us.

FRM51408 Rev. 1.2

DATE: 03/27/2025
PAGE: 2 OF 5

[illegible]



Environment Testing
Calscience

FRM51408 Rev. 1.2

CHAIN-OF-CUSTODY RECORD

DATE: 03/27/2025

PAGE: 5 OF 5

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME / NO.: LAUSD Palisades Charter HS						P.O. NO.:															
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Any Company; Quote # 01023189 Rev2															
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:			LOG CODE:			SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas															
TEL: 213-310-1563						E-MAIL: Ccampbell@trccompanies.com																					
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD												REQUESTED ANALYSES Please check box or fill in blank as needed.															
EDD: ☐ COELT EDF ☐ OTHER																											
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																											
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B											
		DATE	TIME																								
41	PCHS-SS-13A-0.25	03/27/2025	1425	SS	2	X												PCHS-SS-COMP-13									
42	PCHS-SS-13B-0.25	03/27/2025	1430	SS	2	X												PCHS-SS-COMP-13									
43	PCHS-SS-13C-0.25	03/27/2025	1340	SS	2	X												PCHS-SS-COMP-13									
44	PCHS-SS-13D-0.25	03/27/2025	1435	SS	2	X												PCHS-SS-COMP-13									
45	PCHS-SS-COMP-13								X	X	X							SEE INSTRUCTIONS									
Relinquished by: (Signature) 						Date: 3-27-25		Time: 18:26		Received by: (Signature/Affiliation) 						Date: 3/27/25		Time: 18:26									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-224192-1

Login Number: 224192

List Source: Eurofins Calscience

List Number: 1

Creator: Chapman, Allyson

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	False	Sample compositing requested.
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Calscience



ANALYTICAL REPORT

PREPARED FOR

Attn: Colin Campbell
TRC Companies, Inc
707 Wilshire Blvd, Suite 3250
Los Angeles, California 90017

Generated 4/4/2025 3:08:27 PM

JOB DESCRIPTION

LAUSD Palisades Charter

JOB NUMBER


570-224192-2

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Generated
4/4/2025 3:08:27 PM

Authorized for release by
Allyson Chapman, Project Manager I
Allyson.Chapman@et.eurofinsus.com
(714)895-5494

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Detection Summary 6

Client Sample Results 7

Surrogate Summary 9

Isotope Dilution Summary 10

QC Sample Results 12

QC Association Summary 15

Lab Chronicle 16

Certification Summary 17

Method Summary 18

Sample Summary 19

Chain of Custody 20

Receipt Checklists 26



Definitions/Glossary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Qualifiers

Dioxin

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
q	The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Companies, Inc
Project: LAUSD Palisades Charter

Job ID: 570-224192-2

Job ID: 570-224192-2

Eurofins Calscience

Job Narrative 570-224192-2

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/27/2025 6:26 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.1°C, 2.8°C, 3.0°C and 3.5°C.

Dioxin

Method 1613B: EPA Method 1613B specifies a +/- 15 second retention time difference between the recovery standard in the initial calibration (ICAL) and the continuing calibration verification (CCV). The 13C-1,2,3,4-TCDD and 13C-1,2,3,7,8,9-HxCDD associated with the following samples run on instrument DFS 1 exceeded this criteria: PCHS-SS-COMP-5 (570-224192-25), (CCV 320-843947/1), (LCS 320-843571/2-A), (LCSD 320-843571/3-A) and (MB 320-843571/1-A). This retention time shift is due to normal and reasonable column maintenance and does not affect the instrument chromatography resolution, sensitivity, or identification of target analytes. System retention times have been updated for proper analyte identification.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Detection Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Client Sample ID: PCHS-SS-COMP-5

Lab Sample ID: 570-224192-25

Analyte	Result	Qualifier	RL	EDL	Unit	Dil Fac	D	Method	Prep Type
1,2,3,7,8-PeCDF	0.64	J	4.9	0.13	pg/g	1		1613B	Total/NA
2,3,4,7,8-PeCDF	0.90	J	4.9	0.16	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDD	0.91	J	4.9	0.18	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDD	1.8	J	4.9	0.19	pg/g	1		1613B	Total/NA
1,2,3,7,8,9-HxCDD	1.8	J	4.9	0.16	pg/g	1		1613B	Total/NA
1,2,3,4,7,8-HxCDF	1.1	J	4.9	0.16	pg/g	1		1613B	Total/NA
1,2,3,6,7,8-HxCDF	0.90	J	4.9	0.15	pg/g	1		1613B	Total/NA
2,3,4,6,7,8-HxCDF	0.89	J	4.9	0.13	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDD	47	B	4.9	0.22	pg/g	1		1613B	Total/NA
1,2,3,4,6,7,8-HpCDF	11		4.9	0.26	pg/g	1		1613B	Total/NA
1,2,3,4,7,8,9-HpCDF	0.73	J	4.9	0.25	pg/g	1		1613B	Total/NA
OCDD	380	B	9.8	0.40	pg/g	1		1613B	Total/NA
OCDF	28	B	9.8	0.14	pg/g	1		1613B	Total/NA
Total TCDD	3.7	q	0.98	0.13	pg/g	1		1613B	Total/NA
Total TCDF	11	q	0.98	0.12	pg/g	1		1613B	Total/NA
Total PeCDD	2.5	J q	4.9	0.19	pg/g	1		1613B	Total/NA
Total PeCDF	6.8		4.9	0.14	pg/g	1		1613B	Total/NA
Total HxCDD	17	q	4.9	0.18	pg/g	1		1613B	Total/NA
Total HxCDF	10	q	4.9	0.14	pg/g	1		1613B	Total/NA
Total HpCDD	100	B	4.9	0.22	pg/g	1		1613B	Total/NA
Total HpCDF	25	q	4.9	0.25	pg/g	1		1613B	Total/NA
2,3,7,8-TCDF - RA	1.3		0.98	0.19	pg/g	1		1613B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS)

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		0.98	0.13	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,7,8-PeCDD	ND		4.9	0.19	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,7,8-PeCDF	0.64	J	4.9	0.13	pg/g		04/01/25 12:57	04/03/25 17:34	1
2,3,4,7,8-PeCDF	0.90	J	4.9	0.16	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,4,7,8-HxCDD	0.91	J	4.9	0.18	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,6,7,8-HxCDD	1.8	J	4.9	0.19	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,7,8,9-HxCDD	1.8	J	4.9	0.16	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,4,7,8-HxCDF	1.1	J	4.9	0.16	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,6,7,8-HxCDF	0.90	J	4.9	0.15	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,7,8,9-HxCDF	ND		4.9	0.13	pg/g		04/01/25 12:57	04/03/25 17:34	1
2,3,4,6,7,8-HxCDF	0.89	J	4.9	0.13	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,4,6,7,8-HpCDD	47	B	4.9	0.22	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,4,6,7,8-HpCDF	11		4.9	0.26	pg/g		04/01/25 12:57	04/03/25 17:34	1
1,2,3,4,7,8,9-HpCDF	0.73	J	4.9	0.25	pg/g		04/01/25 12:57	04/03/25 17:34	1
OCDD	380	B	9.8	0.40	pg/g		04/01/25 12:57	04/03/25 17:34	1
OCDF	28	B	9.8	0.14	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total TCDD	3.7	q	0.98	0.13	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total TCDF	11	q	0.98	0.12	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total PeCDD	2.5	J q	4.9	0.19	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total PeCDF	6.8		4.9	0.14	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total HxCDD	17	q	4.9	0.18	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total HxCDF	10	q	4.9	0.14	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total HpCDD	100	B	4.9	0.22	pg/g		04/01/25 12:57	04/03/25 17:34	1
Total HpCDF	25	q	4.9	0.25	pg/g		04/01/25 12:57	04/03/25 17:34	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	65		25 - 164	04/01/25 12:57	04/03/25 17:34	1
13C-2,3,7,8-TCDF	62		24 - 169	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,7,8-PeCDD	72		25 - 181	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,7,8-PeCDF	73		24 - 185	04/01/25 12:57	04/03/25 17:34	1
13C-2,3,4,7,8-PeCDF	63		21 - 178	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,4,7,8-HxCDD	69		32 - 141	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,6,7,8-HxCDD	68		28 - 130	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,4,7,8-HxCDF	60		26 - 152	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,6,7,8-HxCDF	60		26 - 123	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,7,8,9-HxCDF	67		29 - 147	04/01/25 12:57	04/03/25 17:34	1
13C-2,3,4,6,7,8-HxCDF	66		28 - 136	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,4,6,7,8-HpCDD	83		23 - 140	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,4,6,7,8-HpCDF	65		28 - 143	04/01/25 12:57	04/03/25 17:34	1
13C-1,2,3,4,7,8,9-HpCDF	79		26 - 138	04/01/25 12:57	04/03/25 17:34	1
13C-OCDD	83		17 - 157	04/01/25 12:57	04/03/25 17:34	1
13C-OCDF	79		17 - 157	04/01/25 12:57	04/03/25 17:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	88		35 - 197	04/01/25 12:57	04/03/25 17:34	1

Eurofins Calscience

Client Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: EPA 1613B - Dioxins and Furans (HRGC/HRMS) - RA

Client Sample ID: PCHS-SS-COMP-5

Date Collected: 03/27/25 12:00

Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25

Matrix: Solid

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDF	1.3		0.98	0.19	pg/g		04/01/25 12:57	04/04/25 08:52	1
<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C-2,3,7,8-TCDF	76		24 - 169				04/01/25 12:57	04/04/25 08:52	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
37Cl4-2,3,7,8-TCDD	91		35 - 197				04/01/25 12:57	04/04/25 08:52	1

Surrogate Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	37TCDD (35-197)						
570-224192-25	PCHS-SS-COMP-5	88						
570-224192-25 - RA	PCHS-SS-COMP-5	91						
MB 320-843571/1-A	Method Blank	89						
Surrogate Legend								
37TCDD = 37Cl4-2,3,7,8-TCDD								

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	37TCDD (31-191)						
LCS 320-843571/2-A	Lab Control Sample	94						
LCSD 320-843571/3-A	Lab Control Sample Dup	95						
Surrogate Legend								
37TCDD = 37Cl4-2,3,7,8-TCDD								

Isotope Dilution Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TCDD (25-164)	TCDF (24-169)	PeCDD (25-181)	PeCDF (24-185)	PeCF (21-178)	HxCDD (32-141)	HxDD (28-130)	HxCDF (26-152)
570-224192-25	PCHS-SS-COMP-5	65	62	72	73	63	69	68	60
570-224192-25 - RA	PCHS-SS-COMP-5		76						
MB 320-843571/1-A	Method Blank	69	64	80	80	68	75	73	64

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HxDF (26-123)	HxCF (29-147)	13CHxCF (28-136)	HpCDD (23-140)	HpCDF (28-143)	HpCDF2 (26-138)	OCDD (17-157)	OCDF (17-157)
570-224192-25	PCHS-SS-COMP-5	60	67	66	83	65	79	83	79
570-224192-25 - RA	PCHS-SS-COMP-5								
MB 320-843571/1-A	Method Blank	65	71	69	88	70	82	88	82

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD
TCDF = 13C-2,3,7,8-TCDF
PeCDD = 13C-1,2,3,7,8-PeCDD
PeCDF = 13C-1,2,3,7,8-PeCDF
PeCF = 13C-2,3,4,7,8-PeCDF
HxCDD = 13C-1,2,3,4,7,8-HxCDD
HxDD = 13C-1,2,3,6,7,8-HxCDD
HxCDF = 13C-1,2,3,4,7,8-HxCDF
HxDF = 13C-1,2,3,6,7,8-HxCDF
HxCF = 13C-1,2,3,7,8,9-HxCDF
13CHxCF = 13C-2,3,4,6,7,8-HxCDF
HpCDD = 13C-1,2,3,4,6,7,8-HpCDD
HpCDF = 13C-1,2,3,4,6,7,8-HpCDF
HpCDF2 = 13C-1,2,3,4,7,8,9-HpCDF
OCDD = 13C-OCDD
OCDF = 13C-OCDF

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TCDD (20-175)	TCDF (22-152)	PeCDD (21-227)	PeCDF (21-192)	PeCF (13-328)	HxCDD (21-193)	HxDD (25-163)	HxCDF (19-202)
LCS 320-843571/2-A	Lab Control Sample	78	73	86	85	77	87	82	73
LCSD 320-843571/3-A	Lab Control Sample Dup	75	72	85	83	71	76	76	64

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HxDF (21-159)	HxCF (17-205)	13CHxCF (22-176)	HpCDD (26-166)	HpCDF (21-158)	HpCDF2 (20-186)	OCDD (13-199)	OCDF (13-199)
LCS 320-843571/2-A	Lab Control Sample	73	78	78	97	79	90	97	90
LCSD 320-843571/3-A	Lab Control Sample Dup	67	77	75	98	72	90	98	92

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD
TCDF = 13C-2,3,7,8-TCDF
PeCDD = 13C-1,2,3,7,8-PeCDD
PeCDF = 13C-1,2,3,7,8-PeCDF
PeCF = 13C-2,3,4,7,8-PeCDF
HxCDD = 13C-1,2,3,4,7,8-HxCDD
HxDD = 13C-1,2,3,6,7,8-HxCDD

Eurofins Calscience

Isotope Dilution Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

HxCDF = 13C-1,2,3,4,7,8-HxCDF
HxDF = 13C-1,2,3,6,7,8-HxCDF
HxCF = 13C-1,2,3,7,8,9-HxCDF
13CHxCF = 13C-2,3,4,6,7,8-HxCDF
HpCDD = 13C-1,2,3,4,6,7,8-HpCDD
HpCDF = 13C-1,2,3,4,6,7,8-HpCDF
HpCDF2 = 13C-1,2,3,4,7,8,9-HpCDF
OCDD = 13C-OCDD
OCDF = 13C-OCDF

Job ID: 570-224192-2

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 320-843571/1-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 843571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		1.0	0.084	pg/g		04/01/25 12:57	04/03/25 15:09	1
2,3,7,8-TCDF	ND		1.0	0.025	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,7,8-PeCDD	ND		5.0	0.12	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,7,8-PeCDF	ND		5.0	0.066	pg/g		04/01/25 12:57	04/03/25 15:09	1
2,3,4,7,8-PeCDF	ND		5.0	0.079	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,4,7,8-HxCDD	ND		5.0	0.12	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,6,7,8-HxCDD	ND		5.0	0.12	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,7,8,9-HxCDD	ND		5.0	0.10	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,4,7,8-HxCDF	ND		5.0	0.076	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,6,7,8-HxCDF	ND		5.0	0.071	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,7,8,9-HxCDF	ND		5.0	0.063	pg/g		04/01/25 12:57	04/03/25 15:09	1
2,3,4,6,7,8-HxCDF	ND		5.0	0.065	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,4,6,7,8-HpCDD	0.5214	J	5.0	0.060	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,4,6,7,8-HpCDF	ND		5.0	0.11	pg/g		04/01/25 12:57	04/03/25 15:09	1
1,2,3,4,7,8,9-HpCDF	ND		5.0	0.11	pg/g		04/01/25 12:57	04/03/25 15:09	1
OCDD	4.501	J	10	0.18	pg/g		04/01/25 12:57	04/03/25 15:09	1
OCDF	0.4162	J	10	0.097	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total TCDD	ND		1.0	0.084	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total TCDF	ND		1.0	0.025	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total PeCDD	ND		5.0	0.12	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total PeCDF	ND		5.0	0.079	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total HxCDD	ND		5.0	0.12	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total HxCDF	ND		5.0	0.076	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total HpCDD	0.8854	J	5.0	0.060	pg/g		04/01/25 12:57	04/03/25 15:09	1
Total HpCDF	ND		5.0	0.11	pg/g		04/01/25 12:57	04/03/25 15:09	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	69		25 - 164	04/01/25 12:57	04/03/25 15:09	1
13C-2,3,7,8-TCDF	64		24 - 169	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,7,8-PeCDD	80		25 - 181	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,7,8-PeCDF	80		24 - 185	04/01/25 12:57	04/03/25 15:09	1
13C-2,3,4,7,8-PeCDF	68		21 - 178	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,4,7,8-HxCDD	75		32 - 141	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,6,7,8-HxCDD	73		28 - 130	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,4,7,8-HxCDF	64		26 - 152	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,6,7,8-HxCDF	65		26 - 123	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,7,8,9-HxCDF	71		29 - 147	04/01/25 12:57	04/03/25 15:09	1
13C-2,3,4,6,7,8-HxCDF	69		28 - 136	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,4,6,7,8-HpCDD	88		23 - 140	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,4,6,7,8-HpCDF	70		28 - 143	04/01/25 12:57	04/03/25 15:09	1
13C-1,2,3,4,7,8,9-HpCDF	82		26 - 138	04/01/25 12:57	04/03/25 15:09	1
13C-OCDD	88		17 - 157	04/01/25 12:57	04/03/25 15:09	1
13C-OCDF	82		17 - 157	04/01/25 12:57	04/03/25 15:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
37Cl4-2,3,7,8-TCDD	89		35 - 197	04/01/25 12:57	04/03/25 15:09	1

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 320-843571/2-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 843571

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-TCDD	20.0	18.09		pg/g		90	67 - 158
2,3,7,8-TCDF	20.0	19.13		pg/g		96	75 - 158
1,2,3,7,8-PeCDD	100	91.82		pg/g		92	70 - 142
1,2,3,7,8-PeCDF	100	92.22		pg/g		92	80 - 134
2,3,4,7,8-PeCDF	100	92.13		pg/g		92	68 - 160
1,2,3,4,7,8-HxCDD	100	91.90		pg/g		92	70 - 164
1,2,3,6,7,8-HxCDD	100	101.2		pg/g		101	76 - 134
1,2,3,7,8,9-HxCDD	100	81.01		pg/g		81	64 - 162
1,2,3,4,7,8-HxCDF	100	95.46		pg/g		95	72 - 134
1,2,3,6,7,8-HxCDF	100	92.94		pg/g		93	84 - 130
1,2,3,7,8,9-HxCDF	100	90.50		pg/g		91	78 - 130
2,3,4,6,7,8-HxCDF	100	92.64		pg/g		93	70 - 156
1,2,3,4,6,7,8-HpCDD	100	93.62		pg/g		94	70 - 140
1,2,3,4,6,7,8-HpCDF	100	94.52		pg/g		95	82 - 122
1,2,3,4,7,8,9-HpCDF	100	94.37		pg/g		94	78 - 138
OCDD	200	191.8		pg/g		96	78 - 144
OCDF	200	188.7		pg/g		94	63 - 170

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
13C-2,3,7,8-TCDD	78		20 - 175
13C-2,3,7,8-TCDF	73		22 - 152
13C-1,2,3,7,8-PeCDD	86		21 - 227
13C-1,2,3,7,8-PeCDF	85		21 - 192
13C-2,3,4,7,8-PeCDF	77		13 - 328
13C-1,2,3,4,7,8-HxCDD	87		21 - 193
13C-1,2,3,6,7,8-HxCDD	82		25 - 163
13C-1,2,3,4,7,8-HxCDF	73		19 - 202
13C-1,2,3,6,7,8-HxCDF	73		21 - 159
13C-1,2,3,7,8,9-HxCDF	78		17 - 205
13C-2,3,4,6,7,8-HxCDF	78		22 - 176
13C-1,2,3,4,6,7,8-HpCDD	97		26 - 166
13C-1,2,3,4,6,7,8-HpCDF	79		21 - 158
13C-1,2,3,4,7,8,9-HpCDF	90		20 - 186
13C-OCDD	97		13 - 199
13C-OCDF	90		13 - 199

Surrogate	LCS %Recovery	LCS Qualifier	Limits
37Cl4-2,3,7,8-TCDD	94		31 - 191

Lab Sample ID: LCSD 320-843571/3-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 843571

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,3,7,8-TCDD	20.0	18.90		pg/g		95	67 - 158	4	50
2,3,7,8-TCDF	20.0	18.99		pg/g		95	75 - 158	1	50
1,2,3,7,8-PeCDD	100	91.40		pg/g		91	70 - 142	0	50
1,2,3,7,8-PeCDF	100	92.58		pg/g		93	80 - 134	0	50

Eurofins Calscience

QC Sample Results

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method: 1613B - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCSD 320-843571/3-A

Matrix: Solid

Analysis Batch: 843947

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 843571

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,3,4,7,8-PeCDF	100	95.10		pg/g		95	68 - 160	3	50
1,2,3,4,7,8-HxCDD	100	93.02		pg/g		93	70 - 164	1	50
1,2,3,6,7,8-HxCDD	100	110.1		pg/g		110	76 - 134	8	50
1,2,3,7,8,9-HxCDD	100	84.39		pg/g		84	64 - 162	4	50
1,2,3,4,7,8-HxCDF	100	97.50		pg/g		97	72 - 134	2	50
1,2,3,6,7,8-HxCDF	100	92.69		pg/g		93	84 - 130	0	50
1,2,3,7,8,9-HxCDF	100	91.69		pg/g		92	78 - 130	1	50
2,3,4,6,7,8-HxCDF	100	94.85		pg/g		95	70 - 156	2	50
1,2,3,4,6,7,8-HpCDD	100	93.97		pg/g		94	70 - 140	0	50
1,2,3,4,6,7,8-HpCDF	100	98.14		pg/g		98	82 - 122	4	50
1,2,3,4,7,8,9-HpCDF	100	96.69		pg/g		97	78 - 138	2	50
OCDD	200	196.5		pg/g		98	78 - 144	2	50
OCDF	200	191.2		pg/g		96	63 - 170	1	50

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
13C-2,3,7,8-TCDD	75		20 - 175
13C-2,3,7,8-TCDF	72		22 - 152
13C-1,2,3,7,8-PeCDD	85		21 - 227
13C-1,2,3,7,8-PeCDF	83		21 - 192
13C-2,3,4,7,8-PeCDF	71		13 - 328
13C-1,2,3,4,7,8-HxCDD	76		21 - 193
13C-1,2,3,6,7,8-HxCDD	76		25 - 163
13C-1,2,3,4,7,8-HxCDF	64		19 - 202
13C-1,2,3,6,7,8-HxCDF	67		21 - 159
13C-1,2,3,7,8,9-HxCDF	77		17 - 205
13C-2,3,4,6,7,8-HxCDF	75		22 - 176
13C-1,2,3,4,6,7,8-HpCDD	98		26 - 166
13C-1,2,3,4,6,7,8-HpCDF	72		21 - 158
13C-1,2,3,4,7,8,9-HpCDF	90		20 - 186
13C-OCDD	98		13 - 199
13C-OCDF	92		13 - 199

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
37Cl4-2,3,7,8-TCDD	95		31 - 191

QC Association Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Specialty Organics

Prep Batch: 843571

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25 - RA	PCHS-SS-COMP-5	Total/NA	Solid	HRMS-Sox	
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	HRMS-Sox	
MB 320-843571/1-A	Method Blank	Total/NA	Solid	HRMS-Sox	
LCS 320-843571/2-A	Lab Control Sample	Total/NA	Solid	HRMS-Sox	
LCSD 320-843571/3-A	Lab Control Sample Dup	Total/NA	Solid	HRMS-Sox	

Analysis Batch: 843947

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25	PCHS-SS-COMP-5	Total/NA	Solid	1613B	843571
MB 320-843571/1-A	Method Blank	Total/NA	Solid	1613B	843571
LCS 320-843571/2-A	Lab Control Sample	Total/NA	Solid	1613B	843571
LCSD 320-843571/3-A	Lab Control Sample Dup	Total/NA	Solid	1613B	843571

Analysis Batch: 844186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-224192-25 - RA	PCHS-SS-COMP-5	Total/NA	Solid	1613B	843571

Lab Chronicle

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Client Sample ID: PCHS-SS-COMP-5
Date Collected: 03/27/25 12:00
Date Received: 03/27/25 18:26

Lab Sample ID: 570-224192-25
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox	RA		10.16 g	20.0 uL	843571	04/01/25 12:57	JJW	EET SAC
Total/NA	Analysis	1613B	RA	1	1 uL	1 uL	844186	04/04/25 08:52	JBC	EET SAC
		Instrument ID: 11D2								
Total/NA	Prep	HRMS-Sox			10.16 g	20.0 uL	843571	04/01/25 12:57	JJW	EET SAC
Total/NA	Analysis	1613B		1	1 Sample	1 Sample	843947	04/03/25 17:34	JBC	EET SAC
		Instrument ID: DFS 1								

Laboratory References:
EET SAC = Eurofins Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Accreditation/Certification Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Laboratory: Eurofins Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	2897	01-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
1613B	HRMS-Sox	Solid	1,2,3,4,6,7,8-HpCDD
1613B	HRMS-Sox	Solid	1,2,3,4,6,7,8-HpCDF
1613B	HRMS-Sox	Solid	1,2,3,4,7,8,9-HpCDF
1613B	HRMS-Sox	Solid	1,2,3,4,7,8-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,4,7,8-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,6,7,8-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,6,7,8-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,7,8,9-HxCDD
1613B	HRMS-Sox	Solid	1,2,3,7,8,9-HxCDF
1613B	HRMS-Sox	Solid	1,2,3,7,8-PeCDD
1613B	HRMS-Sox	Solid	1,2,3,7,8-PeCDF
1613B	HRMS-Sox	Solid	2,3,4,6,7,8-HxCDF
1613B	HRMS-Sox	Solid	2,3,4,7,8-PeCDF
1613B	HRMS-Sox	Solid	2,3,7,8-TCDD
1613B	HRMS-Sox	Solid	2,3,7,8-TCDF
1613B	HRMS-Sox	Solid	OCDD
1613B	HRMS-Sox	Solid	OCDF
1613B	HRMS-Sox	Solid	Total HpCDD
1613B	HRMS-Sox	Solid	Total HpCDF
1613B	HRMS-Sox	Solid	Total HxCDD
1613B	HRMS-Sox	Solid	Total HxCDF
1613B	HRMS-Sox	Solid	Total PeCDD
1613B	HRMS-Sox	Solid	Total PeCDF
1613B	HRMS-Sox	Solid	Total TCDD
1613B	HRMS-Sox	Solid	Total TCDF

Method Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Method	Method Description	Protocol	Laboratory
1613B	Dioxins and Furans (HRGC/HRMS)	EPA	EET SAC
HRMS-Sox	Soxhlet Extraction	EPA	EET SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET SAC = Eurofins Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: TRC Companies, Inc
Project/Site: LAUSD Palisades Charter

Job ID: 570-224192-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-224192-25	PCHS-SS-COMP-5	Solid	03/27/25 12:00	03/27/25 18:26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



Environment Testing
CalScience

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.



570-224192 Chain of Custody

CHAIN-OF-CUSTODY RECORD


DATE: 3/27/2025

PAGE: 1 OF 5

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME/NO.: LAUSD Palisades Charter HS						P.O. NO.:														
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Amy Chapman; Quote # 2102399 Rev2														
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:		LOG CODE:		SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas																
TEL: 213-310-1563		E-MAIL: Ccampbell@trccompanies.com																								
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD						REQUESTED ANALYSES Please check box or fill in blank as needed.																				
EOD: ☐ COELT EDF ☐ OTHER																										
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																										
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B										
		DATE	TIME																							
1	PCHS-SS-1A-0.2S	03/27/2025	1350	SS	2	X																				
2	PCHS-SS-1B-0.2S	03/27/2025	1306	SS	2	X																				
3	PCHS-SS-1C-0.2S	03/27/2025	1318	SS	2	X																				
4	PCHS-SS-1D-0.2S	03/27/2025	1332	SS	2	X																				
5	PCHS-SS-COMP-1								X	X	X															
6	PCHS-SS-2A-0.2S	03/27/2025	1111	SS	2	X																				
7	PCHS-SS-2B-0.2S	03/27/2025	1123	SS	2	X																				
8	PCHS-SS-2C-0.2S	03/27/2025	1127	SS	2	X																				
9	PCHS-SS-2D-0.2S	03/27/2025	1131	SS	2	X																				
10	PCHS-SS-COMP-2								X	X	X	X														
Relinquished by: (Signature)						Date: 3-27-25		Time: 18:26		Received by: (Signature/Affiliation)						Date: 3/27/25		Time: 18:26								
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:								
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:								

H4M W

2.8/2.8 3.5/3.5 2.1/2.1 3.0/3.0 IR92



For courier service / sample drop off information, contact us26 sales@eurofinsus.com or call us.

FRM51408 Rev. 1.2

DATE: 03/27/2025
PAGE: 2 OF 5

[illegible]



Environment Testing
CalScience

FRM51408 Rev. 1.2

CHAIN-OF-CUSTODY RECORD


DATE: 03/27/2025

PAGE: 3 OF 5

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME / NO.: LAUSD Palisades Charter HS						P.O. NO.:															
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Amy Chapman; Quote # 07023199 Rev2															
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:						LOG CODE:						SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas									
TEL: 213-310-1563						E-MAIL: Ccampbell@trccompanies.com																					
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD												REQUESTED ANALYSES Please check box or fill in blank as needed.															
EDD: ☐ COELT EDF ☐ OTHER																											
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																											
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCPs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B											
		DATE	TIME																								
21	PCHS-SS-SA-0-25	03/27/2025	1135	SS	8	X	X											PCHS-SS-COMP-5									
22	PCHS-SS-SB-0-25	03/27/2025	1130	SS	8	X	X											PCHS-SS-COMP-5									
23	PCHS-SS-SC-0-25	03/27/2025	1140	SS	8	X	X											PCHS-SS-COMP-5									
24	PCHS-SS-SD-0-25	03/27/2025	1200	SS	8	X	X											PCHS-SS-COMP-5									
25	PCHS-SS-COMP-5								X	X	X		X	X	X	X		SEE INSTRUCTIONS									
26	PCHS-SS-6A-0-25	03/27/2025	1126	SS	2	X												PCHS-SS-COMP-6									
27	PCHS-SS-6B-0-25	03/27/2025	1142	SS	2	X												PCHS-SS-COMP-6									
28	PCHS-SS-6C-0-25	03/27/2025	1156	SS	2	X												PCHS-SS-COMP-6									
29	PCHS-SS-6D-0-25	03/27/2025	1108	SS	2	X												PCHS-SS-COMP-6									
30	PCHS-SS-COMP-6								X	X	X	X						SEE INSTRUCTIONS									
Relinquished by: (Signature) 						Date: 3-27-25		Time: 18:26		Received by: (Signature/Affiliation) BC						Date: 3/27/25		Time: 18:26									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									



CHAIN-OF-CUSTODY RECORD

DATE: 03/27/2025
PAGE: 4 OF 5

4/4/2025



Environment Testing
Calscience

FRM51408 Rev. 1.2

CHAIN-OF-CUSTODY RECORD

2841 Dow Avenue, Suite 100, Tustin, CA 92780 • (714) 895-5494

For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

DATE: 03/27/2025

PAGE: 5 OF 5

LABORATORY CLIENT: TRC Solutions Inc.						CLIENT PROJECT NAME/NO.: LAUSD Palisades Charter HS						P.O. NO.:															
ADDRESS: 707 Wilshire Blvd., Suite 3250						PROJECT CONTACT: Colin Campbell						LAB CONTACT OR QUOTE NO.: Any Company; Quote # 01023189 Rev2															
CITY: Los Angeles		STATE: CA		ZIP: 90017		GLOBAL ID:			LOG CODE:			SAMPLER(S): (PRINT) Zach Elevario, Sam Franz, Sean Thomas															
TEL: 213-310-1563						E-MAIL: Ccampbell@trccompanies.com																					
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"): ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☒ 72 HR ☐ 5 DAYS ☐ STANDARD												REQUESTED ANALYSES Please check box or fill in blank as needed.															
EDD: ☐ COELT EDF ☐ OTHER																											
SPECIAL INSTRUCTIONS: Each sample set A-D to be lab composited 4:1.																											
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	PAHs - EPA 8270C	Asbestos by PLM	Title 22 Metals - EPA 6010B/7471A	OCs - EPA 8081A	VOCs - EPA 8260B	TPH - EPA 8015M	PCBs - EPA 8082	Dioxins and Furans - EPA 1613B											
		DATE	TIME																								
41	PCHS-SS-13A-0.25	03/27/2025	1425	SS	2	X												PCHS-SS-COMP-13									
42	PCHS-SS-13B-0.25	03/27/2025	1430	SS	2	X												PCHS-SS-COMP-13									
43	PCHS-SS-13C-0.25	03/27/2025	1340	SS	2	X												PCHS-SS-COMP-13									
44	PCHS-SS-13D-0.25	03/27/2025	1435	SS	2	X												PCHS-SS-COMP-13									
45	PCHS-SS-COMP-13								X	X	X							SEE INSTRUCTIONS									
Relinquished by: (Signature) 						Date: 3-27-25		Time: 18:26		Received by: (Signature/Affiliation) 						Date: 3/27/25		Time: 18:26									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									
Relinquished by: (Signature)						Date:		Time:		Received by: (Signature/Affiliation)						Date:		Time:									

Ver- 10/10/2024

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-224192-2

Login Number: 224192

List Source: Eurofins Calscience

List Number: 1

Creator: Chapman, Allyson

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	False	Sample compositing requested.
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Calscience

Login Sample Receipt Checklist

Client: TRC Companies, Inc

Job Number: 570-224192-2

Login Number: 224192

List Source: Eurofins Sacramento

List Number: 2

List Creation: 04/01/25 09:47 AM

Creator: Oropeza, Salvador

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	Seals
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.3C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.